

西工大教务系统 API 清单

本文档是对 `https://jwxt.nwpu.edu.cn` 学生端前端的接口盘点，独立于 [翱翔助手当前采集接口](#)。盘点时间为 2026-08-17，使用模拟器中的学生账号打开教务首页及 29 个只读菜单页，记录了 164 个网络请求，其中去掉静态资源和 HTML 模板后得到 65 个业务 XHR/Fetch 接口。

这里的“全部”指当前学生角色可以从前端菜单、页面源码和已加载脚本发现的接口，不等于服务端所有控制器，也不包含教师、管理员或未授权模块。学校升级前端后，接口路径和字段可能变化。

使用边界

- 所有接口都要求合法的统一身份认证会话；不要尝试绕过登录、验证码或权限检查。
- 请求应在教务系统同源页面中发送，并携带当前 WebView Cookie。命令行直接请求可能被 412 风控拦截。
- 下表只记录路径、参数名和字段名，不记录任何真实学号、Cookie、令牌、姓名或接口返回数据。
- `{studentId}`、`{semesterId}`、`{id}`、`{uuid}` 是占位符，不能照抄为固定值。
- “源码候选”来自前端脚本字符串，未在本次只读页面加载中主动调用；其中带 `save`、`delete`、`upload`、`cancel` 等名称的接口可能改变数据，禁止盲目尝试。

认证和地址

项目	地址或规则
教务站点	<code>https://jwxt.nwpu.edu.cn</code>
学生端上下文	<code>/student</code>
统一认证入口	<code>https://jwxt.nwpu.edu.cn/student/sso-login</code>
学生首页	<code>/student/home</code>
会话	由统一认证建立，通常表现为教务域 Cookie；名称和有效期由学校部署决定
通用响应	以页面 AJAX 实际返回的 JSON 为准，不能假定所有接口都有统一包装字段
评教后端	<code>https://jwxt.nwpu.edu.cn/evaluation-student-backend</code>
评教前端	<code>https://jwxt.nwpu.edu.cn/evaluation-student-frontend/</code>

已验证业务接口

以下接口是在模拟器中实际发生的 `Document`、`XHR` 或 `Fetch` 请求。路径已经去除防护参数和真实 ID；除特别注明外，请求方法为 `GET`。

首页、菜单和公共字典

方法	路径	参数或请求
GET	/student/home/get-account-login-info	无
GET	/student/home/get-current-teach-week	无
GET	/student/home/get-login-count	无
GET	/student/home/get-preference-setting	无
GET	/student/home/get-shortcut-permCodes	无
GET	/student/home/menu	无
GET	/student/individual-setting/get-setting	无
GET	/student/my-notification/get-notices	无
GET	/student/my-notification/get-notifications	无
GET	/student/ws/home-expressway/index-data	无
GET	/student/ws/menu-parameter/get-parameter	无
GET	/student/ws/select-department/departments/getAll	无
GET	/student/ws/select-department/departments/getByBizType	业务类型E
GET	/student/ws/semester/get/{semesterId}	路径中的参
GET	/student/ws/major-select/data/cultivate-types	无
GET	/student/ws/major-select/data/departments	无
GET	/student/ws/major-select/data/mulMajors	无
GET	/student/ws/major-select/perm-data/mulMajors	无
GET	/student/ws/major-select/perm-data/mulMajors-without-permission	无
GET	/student/ws/thesis-batch/get-batches-by-school-year	学年由页
POST	/student/ws/schedule-table/week-indices-digest	JSON 数组 weekIndi

成绩和学生画像

方法	路径	参数或用途
GET	/student/for-std/grade/sheet/get-not-retake-grade/{studentId}	学生 ID；读取重修成绩视图
GET	/student/for-std/grade/sheet/info/{studentId}	学生 ID；学期；通常通过页面初始化或查询参数传递
GET	/student/for-std/student-portrait/getStdInfo	当前学生基础信息
GET	/student/for-std/student-portrait/getMyGpa	GPA；翱翔助力；直接调用时使用 studentAssessment {studentId}
GET	/student/for-std/student-portrait/getMyGrades	学生画像成绩浏览
GET	/student/for-std/student-portrait/getMyGradesByProgram	按培养方案累积成绩
GET	/student/for-std/student-portrait/getSemesterGrades	按学期聚合成绩
GET	/student/for-std/student-portrait/getGradeAnalysis	成绩分析
GET	/student/for-std/student-portrait/getCourseModuleTypeAvgScore	课程模块平均成绩
GET	/student/for-std/student-portrait/getHistoryAvgScoreTrend	历史平均分趋势
GET	/student/for-std/student-portrait/getScoreRangeGrades	分数段统计
GET	/student/for-std/student-portrait/getUnPassRate	未通过率
GET	/student/for-std/student-portrait/getExamInfos	考试信息
GET	/student/for-std/student-portrait/getProgramCompletionPreview	培养方案完成情况
GET	/student/for-student/my-cert/search	学生证书或资助信息

学生画像接口的具体参数由页面初始化对象提供，不同账户和学期可能不同。GPA 应优先读取 `getMyGpa` 的个人 GPA 字段，不要把画像中的平均分当作 GPA。

课表、课程和考试

方法	路径
GET	/student/for-std/course-table/get-data
GET	/student/for-std/course-table/semester/{semesterId}/print-data/{studentId}
GET	/student/for-std/adminclass-course-table/get-data
GET	/student/for-std/adminclass-course-table/print-data
GET	/student/for-std/course-level/get-search-data/{id}
GET	/student/for-std/course-notice/semester/{semesterId}/search
GET	/student/for-std/sports-subject-grade-query/search
GET	/student/for-std/program/root-module-json/{id}
GET	/student/for-std/majorPrograms/search

方法	路径
GET	/student/for-std/publicPrograms/search

课表打印数据的主要字段为 `studentTableVm.activities`；常见排课字段包括 `weekday`、`startUnit`、`endUnit`、`weekIndexes`、`campus`、`building`、`room` 和 `teachers`。

教材、文件和过程材料

方法	路径	参数或用途
GET	/student/for-std/my-textbook/search	我的教材查询
GET	/student/for-std/textbook-order/info/{id}	教材订单详情
GET	/student/common-file/search/download-data	公共文件下载数据
GET	/student/for-std/thesis-topic-ind/student/{id}/search	论文题目查询

教学评价后端

评教页面使用独立的后端前缀 `/evaluation-student-backend`，不能把下列路径拼到 `/student` 后面。

方法	路径
GET	/evaluation-student-backend/api/v1/evaluation/account-setting/get-setting
GET	/evaluation-student-backend/api/v1/evaluation/account/my-info
GET	/evaluation-student-backend/api/v1/evaluation/base/current-semester
GET	/evaluation-student-backend/api/v1/evaluation/base/semesters
GET	/evaluation-student-backend/api/v1/evaluation/get-enable-semesters
POST	/evaluation-student-backend/api/v1/evaluation/token-check
GET	/evaluation-student-backend/api/v1/student/get-question-category
GET	/evaluation-student-backend/api/v1/student/immediate-evaluation/task/{id}

方法	路径
GET	/evaluation-student-backend/api/v1/student/process-evaluation/task/{id}
GET	/evaluation-student-backend/api/v1/student/questionnaire/get-tasks
GET	/evaluation-student-backend/api/v1/student/summative-evaluation/config
GET	/evaluation-student-backend/api/v1/student/summative-evaluation/results/sem
GET	/evaluation-student-backend/api/v1/student/summative-evaluation/task/semest
GET	/evaluation-student-backend/api/v1/student/textbook-evaluation/get-tasks/sem
GET	/evaluation-student-backend/api/v1/student/textbook-evaluation/results/semi

页面路由

页面路由不是 JSON API，但它们是前端发现和进入功能的入口。直接打开页面时仍需教务会话。

```
/student/home
/student/for-std/room-free
/student/for-std/majorPrograms
/student/for-std/publicPrograms
/student/for-std/common-file
/student/for-std/sports-subject-grade-query
/student/for-student/my-cert
/student/for-std/student-info
/student/for-std/student-portrait
/student/for-std/program
/student/for-std/program-completion-preview
/student/for-std/random-program-completion-preview
/student/for-std/adminclass-course-table
/student/for-std/course-table
/student/for-std/course-notice
/student/for-std/textbook-order
/student/for-std/my-textbook
/student/for-std/course-level
/student/for-std/exam-arrange
/student/for-std/other-exam-signup
/student/for-std/grade/sheet
/student/for-std/evaluation/process
/student/for-std/evaluation/timely
```

```
/student/for-std/evaluation/summative
/student/for-std/questionnaire
/student/for-std/evaluation/textbook-evaluation
/student/for-std/thesis-topic-ind
/student/for-std/thesis-flow
/student/for-std/process-document
```

页面详情或查询路由还包括：

```
/student/for-std/adminclass-course-table/info/{id}
/student/for-std/common-file/index/{id}
/student/for-std/course-level/search/{id}
/student/for-std/course-notice/notice-index/{id}
/student/for-std/exam-arrange/info/{id}
/student/for-std/grade/sheet/semester-index/{id}
/student/for-std/my-textbook/search-index/{id}
/student/for-std/other-exam-signup/index/{id}?semeters={semesterId}
/student/for-std/process-document/search/{id}
/student/for-std/program-completion-preview/info/{id}
/student/for-std/program/info/{id}
/student/for-std/random-program-completion-preview/info/{id}
/student/for-std/student-info/info/{id}
/student/for-std/textbook-order/search/{id}
/student/for-std/thesis-flow/info/{id}
/student/for-std/thesis-topic-ind/index/student/{id}
```

源码候选接口

下面这些路径在当前前端脚本中出现，但本次盘点没有为了“试接口”主动触发。它们按模块分组，方法和权限必须通过对应页面实际调用确认。

课程、选课和公共查询

```
/student/course-select/admin-proxy
/student/course-select/college-proxy
/student/course-table/info/{studentId}
/student/course-table/get-data
/student/course-table/semester/{semesterId}
/student/courses/info/{studentId}
/student/courses-search/info/{studentId}
/student/educations?bizTypeId={bizTypeId}
/student/ws/course-notice/info/{studentId}
/student/ws/schedule-table/week-indices-digest
/student/ws/room-borrow/free-list
/student/ws/room-borrow/get-table-layout-campus
/student/ws/room-borrow/get-unit-campus
/student/ws/room/get-buildings
/student/ws/room/get-rooms
/student/ws/student/query-by-term
/student/ws/student-perm/query-by-term
/student/ws/teacher/query-by-term
/student/ws/students/export-zaidu-new
/student/ws/select-department/departments/{action}
```


申请、培养方案和成绩辅助

```
/student/for-std/grade/sheet/get-process-grade  
/student/for-std/other-exam-signup/checkCommitMent  
/student/for-std/other-exam-signup/checkTimeConflict  
/student/for-std/program-completion-preview/check-substitute-open  
/student/for-std/program-completion-preview/insert-view-log  
/student/for-std/program-completion-preview/save-course-substitute-apply  
/student/for-std/program-completion-preview/save-credit-outer-apply  
/student/for-std/credit-certification-apply/other_apply  
/student/ws/bizType/{bizTypeId}/outer-course-credit-certification-switch/is-open  
/student/ws/outer-course-credit-certification-apply/get-assignees  
/student/ws/personal-course-substitute/get-assignees  
/student/ws/personal-course-substitute/get-original-course  
/student/ws/common-audit-service/wait-audit-nodes  
/student/for-std/process-document/delete
```

论文和毕业流程

```
/student/ws/thesis-batch/data-perm/get-batches-by-school-year  
/student/ws/thesis-batch/get-all-batches  
/student/ws/thesis-batch/get-batches-by-school-year  
/student/ws/thesis-batch/in-time/data-perm/get-batches-by-school-year  
/student/ws/thesis-in-school-adviser/get-by-adviser  
/student/ws/thesis-in-school-adviser/get-by-advisers  
/student/ws/thesis-in-school-adviser/query-by-term  
/student/ws/thesis-selection/check-can-audit-pass  
/student/ws/thesis/major-select/data/mulMajors  
/student/ws/thesis/selection/check-in-time  
/student/ws/thesis/topic-apply/check-in-time  
/student/ws/thesis/topic-apply/check-in-time-by-applyId  
/student/ws/thesis/topic-apply/check-in-time-by-applyIds  
/student/ws/thesis/topic-batch-check/check-audit-dowload  
/student/ws/thesis/topic-batch-check/check-audit-open  
/student/ws/thesis/topic-batch-check/check-is-open  
/student/ws/thesis/topic-batch-check/multiple/check-apply-is-open  
/student/ws/thesis/topic-batch-check/multiple/check-flow-is-open  
/student/ws/thesis/topic-batch-check/multiple/check-is-open  
/student/ws/thesis/topic-batch-check/multiple/check-selection-is-open  
/student/for-std/thesis-selection/check-can-cancel  
/student/for-std/thesis-selection/check-can-enter-select  
/student/for-std/thesis-selection/check-can-select  
/student/for-std/thesis-selection/check-can-upload  
/student/for-std/thesis-selection/selection-info  
/student/for-std/thesis-selection/cancel  
/student/for-std/thesis-selection/upload  
/student/for-std/thesis-flow/check-defense-group-publish
```

首页配置和通知写接口

```
/student/ws/menu-parameter/save-parameter  
/student/ws/menu-parameter/remove-parameter  
/student/ws/notification/get-alert-notifications  
/student/ws/notification/update-notification-state/{id}
```

这些接口可能保存用户配置、改变通知状态或提交申请。除非已经确认请求体、权限和业务后果，否则只读集成不应调用它们。

调用和解析建议

1. 先访问 `/student/home` 或对应业务页，确认当前 URL 不在 `uis.nwpu.edu.cn`，再发起同源请求。
2. 用页面注入的 `studentId`、学期列表和业务参数，不要猜测或硬编码 ID。
3. 记录 HTTP 状态、响应 `Content-Type` 和业务错误字段；不要只用 HTTP 200 判断成功。
4. 结构化接口失败时回退页面读取；短信验证、安全验证和会话失效必须交给人工认证。
5. 查询接口应限制并发和频率；不要批量遍历学期、学生或教师 ID。
6. 接口变更时重新做一次“页面菜单 + Network XHR/Fetch”盘点，并更新本文件的日期和覆盖范围。

盘点方法

本次仅做只读操作：使用模拟器真实登录会话打开教务首页和学生菜单页，记录 `Document/XHR/Fetch` 请求，并从同页脚本提取未自动触发的候选路径。所有 URL 查询值、POST 数据值、数字 ID 和会话信息在落盘前均被删除或替换为占位符。