Shri Ramdeobaba College of Engineering & Management Nagpur-13 Department of Computer Application

Session: 2023-2024



Submission for

Course Name: Design Analysis and Algorithm Lab

Course Code: MCP546

Name of the Student: Jayesh Lalit Nandanwar

Class Roll No: 26

Semester: MCA II semester

Shift: 2

Batch: 2

Under the Guidance of Prof. Manda Ukey

Date of submission: 10/04/2024

Practical 8

Aim: Perform BFS on a directed graph inputted by the user. The starting node is inputted by the user.

Display the order in which BFS is performed on the graph.


Print the time taken to perform this search. Compare it with DFS.

Code:

```
import java.util.*;
public class BFS Practical {
  static class Graph {
     private int V;
     private LinkedList<Integer>[] adj;
     Graph(int v) {
       V = v;
       adj = new LinkedList[v];
       for (int i = 0; i < v; ++i)
          adj[i] = new LinkedList<>();
     }
     void addEdge(int v, int w) {
       adj[v].add(w);
     void BFS(int start) {
       boolean[] visited = new boolean[V];
       LinkedList<Integer> queue = new LinkedList<>();
       visited[start] = true;
       queue.add(start);
       while (queue.size() != 0) {
          start = queue.poll();
          System.out.print(start + " ");
          Iterator<Integer> i = adj[start].listIterator();
          while (i.hasNext()) {
            int n = i.next();
            if (!visited[n]) {
               visited[n] = true;
               queue.add(n);
```

```
public static void main(String[] args) {
  Scanner scanner = new Scanner(System.in);
  System.out.print("Enter the number of vertices in the graph: ");
  int V = scanner.nextInt();
  Graph graph = new Graph(V);
  System.out.print("Enter the number of edges in the graph: ");
  int E = scanner.nextInt();
  System.out.println("Enter the edges (source destination):");
  for (int i = 0; i < E; i++) {
     int src = scanner.nextInt();
     int dest = scanner.nextInt();
     graph.addEdge(src, dest);
  System.out.print("Enter the starting node for BFS: ");
  int startNode = scanner.nextInt();
  long startTime = System.currentTimeMillis();
  System.out.println("BFS traversal order:");
  graph.BFS(startNode);
  long endTime = System.currentTimeMillis();
  long elapsedTime = endTime - startTime;
  System.out.println("\nTime taken for BFS: " + elapsedTime + " milliseconds");
  scanner.close();
```

Graph:



Output:

For Source Node 0:

```
PROBLEMS 1 OUTPUT DEBUG CONSOLE
                                                      TERMINAL
PS D:\Work_Files\RCOEM\DAA_Lab\Practical_8> & 'C:\Program Files\Java\jre-1.8\bin\java.exe' '-cp' 'C:\Users\ MSI\AppData\Roaming\Code\User\workspaceStorage\d5d3cd678e348e48e03a3e65fbf20991\redhat.java\jdt_ws\Practical
  8_da3308fb\bin' 'BFS_Practical'
 Enter the number of vertices in the graph: 8
Enter the number of edges in the graph: 9
  Enter the edges (source destination):
 0 1
 1 3
 3 2
 2 1
 3 4
 4 5
 5 7
  7 6
  6 0
  Enter the starting node for BFS: 0
  BFS traversal order:
  01324576
 Time taken for BFS: 2 milliseconds
```

Time Taken: 2 ms

For Source Node 4:

```
PS D:\Work_Files\RCOEM\DAA_Lab\Practical_8> & 'C:\Program Files\Java\jre-1.8\bin\java.exe' '-cp' 'C:\Users\
 MSI\AppData\Roaming\Code\User\workspaceStorage\d5d3cd678e348e48e03a3e65fbf20991\redhat.java\jdt\_ws\Practical\Belleviers
  8_da3308fb\bin' 'BFS_Practical'
 Enter the number of vertices in the graph: 8
Enter the number of edges in the graph: 9
 Enter the edges (source destination):
 01
 13
 3 2
 2 1
 3 4
 4 5
 5 7
 7 6
 6 0
 Enter the starting node for BFS: 4
 BFS traversal order:
 45760132
 Time taken for BFS: 1 milliseconds
```

Time Taken: 1 ms

Comparison between time taken:

Searching Algorithm	Time Taken (in ms) For given graph	
	Source Node: 0	Source Node: 4
DFS (Depth First Search)	1	1
BFS (Breadth First Search)	2	1