Script de création de la BDD

```
USE [BDD_B3I_groupe_5]
GO
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [ADMIN](
       [LOGIN_ADMIN] [varchar](25) NOT NULL,
       [MDP_ADMIN] [varchar](25) NOT NULL,
       [ADR_MAIL_ADMIN] [varchar](50) NOT NULL,
       [NB QUIZ CREE] [int] NOT NULL,
CONSTRAINT [PK_ADMIN] PRIMARY KEY NONCLUSTERED
       [LOGIN ADMIN] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
SET ANSI_NULLS ON
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [JOUER](
       [ID_PARTIE] [int] IDENTITY(1,1) NOT NULL,
       [LOGIN USR] [varchar](25) NOT NULL,
       [ID_QUIZ] [int] NOT NULL,
       [SCORE_USR_QUIZ] [int] NOT NULL,
       [HEURE USR QUIZ] [int] NOT NULL,
       [MINUTE_USR_QUIZ] [int] NOT NULL,
       [SECONDE_USR_QUIZ] [int] NOT NULL,
CONSTRAINT [PK JOUER] PRIMARY KEY CLUSTERED
       [ID_PARTIE] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
SET ANSI_NULLS ON
SET QUOTED_IDENTIFIER ON
CREATE TABLE [QUESTION](
       [ID_QUESTION] [int] IDENTITY(1,1) NOT NULL,
```

```
[ID_QUIZ] [int] NOT NULL,
       [NB_REP_TOTAL] [smallint] NOT NULL,
       [NB_REP_JUSTE] [smallint] NOT NULL,
       [TEXT_QUEST] [varchar](255) NOT NULL,
       [IMG_QUEST] [varchar](255) NULL,
CONSTRAINT [PK_QUESTION] PRIMARY KEY NONCLUSTERED
       [ID QUESTION] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
SET ANSI_NULLS ON
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [QUIZ](
       [ID_QUIZ] [int] IDENTITY(1,1) NOT NULL,
       [LOGIN ADMIN] [varchar](25) NOT NULL,
       [DIFFICULTE QUIZ] [smallint] NOT NULL,
       [NOM_QUIZ] [varchar](100) NOT NULL,
       [CATEGORIE_QUIZ] [varchar](30) NULL,
       [MINUTE_QUIZ] [varchar](2) NOT NULL,
       [SECONDE QUIZ] [varchar](2) NOT NULL,
       [HEURE_QUIZ] [varchar](2) NOT NULL,
       [NB QUESTION] [smallint] NOT NULL,
CONSTRAINT [PK_QUIZ] PRIMARY KEY NONCLUSTERED
(
       [ID QUIZ] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
SET ANSI_NULLS ON
SET QUOTED_IDENTIFIER ON
CREATE TABLE [REPONSE](
       [ID_REP] [int] IDENTITY(1,1) NOT NULL,
       [ID_QUESTION] [int] NOT NULL,
       [TEXT_REP] [varchar](255) NOT NULL,
       [IMG REP] [varchar](255) NULL,
       [STATUT_REP] [bit] NOT NULL,
       [ID_QUIZ] [int] NOT NULL,
CONSTRAINT [PK_REPONSE] PRIMARY KEY NONCLUSTERED
```

```
[ID_REP] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
SET ANSI NULLS ON
SET QUOTED IDENTIFIER ON
GO
CREATE TABLE [UTILISATEUR](
       [LOGIN USR] [varchar](25) NOT NULL,
       [MDP_USR] [varchar](25) NOT NULL,
       [ADR MAIL USR] [varchar](50) NOT NULL,
       [NB QUIZ JOUE] [int] NOT NULL,
       [NB PARTIE JOUE] [int] NOT NULL,
CONSTRAINT [PK_UTILISATEUR] PRIMARY KEY NONCLUSTERED
       [LOGIN USR] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
ALTER TABLE [JOUER] WITH CHECK ADD CONSTRAINT [FK ID QUIZ2] FOREIGN KEY([ID QUIZ])
REFERENCES [QUIZ] ([ID QUIZ])
GO
ALTER TABLE [JOUER] CHECK CONSTRAINT [FK ID QUIZ2]
ALTER TABLE [JOUER] WITH CHECK ADD CONSTRAINT [FK LOGIN USR] FOREIGN KEY([LOGIN USR])
REFERENCES [UTILISATEUR] ([LOGIN_USR])
ALTER TABLE [JOUER] CHECK CONSTRAINT [FK_LOGIN_USR]
ALTER TABLE [QUESTION] WITH CHECK ADD CONSTRAINT [fk_idquiz] FOREIGN KEY([ID_QUIZ])
REFERENCES [QUIZ] ([ID_QUIZ])
ALTER TABLE [QUESTION] CHECK CONSTRAINT [fk idquiz]
ALTER TABLE [REPONSE] WITH CHECK ADD CONSTRAINT [fk id quiz] FOREIGN KEY([ID QUIZ])
REFERENCES [QUIZ] ([ID_QUIZ])
ALTER TABLE [REPONSE] CHECK CONSTRAINT [fk_id_quiz]
GO
```