HelloWorld_qiskit

December 20, 2020

1 Hello World Program for a Quantum Circuit

```
[1]: from qiskit import *
[29]: quantReg = QuantumRegister(2)
[30]:
     clReg = ClassicalRegister(2)
[31]: circuit = QuantumCircuit(quantReg, clReg)
[32]:
     circuit.draw()
[32]:
      q7_0:
      q7_1:
      c1: 2/
     I am not using circuit.draw(output = 'mpl') since I have not yet restarted the kernel with a fresh
     download of pylatexenc. For now I will have to make do with text based diagrams
[33]: circuit.h(quantReg[0])
[33]: <qiskit.circuit.instructionset.InstructionSet at 0x23d2c07dfa0>
[34]: circuit.cx(quantReg[0], quantReg[1])
[34]: <qiskit.circuit.instructionset.InstructionSet at 0x23d2c109ca0>
[35]: circuit.draw()
[35]:
      q7_0:
              Η
      q7_1:
                 Х
```

```
[36]: circuit.measure(quantReg, clReg)


[36]: <qiskit.circuit.instructionset.InstructionSet at 0x23d2c09daf0>

[37]: nativeSim = Aer.get_backend('qasm_simulator')

[38]: result = execute(circuit, backend = nativeSim).result()

[39]: from qiskit.tools.visualization import plot_histogram
```

2 Result on the Native 'Ideal' Quantum Simulator





C:\Users\lenovo\anaconda3\lib\sitepackages\qiskit\providers\ibmq\ibmqfactory.py:192: UserWarning: Timestamps in
IBMQ backend properties, jobs, and job results are all now in local time instead

```
of UTC.
    warnings.warn('Timestamps in IBMQ backend properties, jobs, and job results '
[41]: <AccountProvider for IBMQ(hub='ibm-q', group='open', project='main')>
[42]: quantProvider = IBMQ.get_provider()
[44]: quantumComputer = quantProvider.get_backend('ibmq_5_yorktown')
[47]: job = execute(circuit, backend = quantumComputer)
```

3 Result from an IBMQ Quantum Computer

```
[45]: from qiskit.tools.monitor import job_monitor

[48]: job_monitor(job)

Job Status: job has successfully run
```

[49]: plot_histogram(job.result().get_counts(circuit))

[49]:

