



2026
Newest Release



ONLY
FOR LINEAR



@Paralight




平行光集团

PARALIGHT GROUP CO., LIMITED

Wechat/Whatsapp: 0086-18128259727

Email: inquiry@paralight.cc

<https://www.ledlinearfactory.com>




M05


24V Magnetic Track
Lighting Series




Model 05 Magnetic Track System
5mm Ultra-Thin Track with 24V power, compatible with a variety of fixtures, perfectly suited for any space and design requirement.



05 Magnetic Track Rail
The MAG-05 magnetic track rail is a complete system
that can meet all spatial and design needs.





Product Specifications


Model	Dimensions	Voltage	Color	Mounting Type
MAG-05M	W11*H20.7*L1000//2000/3000mm	DC24V	Sand White/Sand Black	Surface/Hanging

Packaging Information

Model	Packaging QTY	Packaging Dimensions	1M Weight (per box)	2M Weight (per box)	3M Weight (per box)
MAG-05M	10 per paper tube				

MAG-05M Track (Surface-Mounted / Hanging)

MAG-05M-201(L Corner Connector)





Product Specifications

Model	Dimensions
MAG-05M-201	W11*H20.7*(50*50)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05M-201			

MAG-05M-202(Wall Corner Connector)




Product Specifications

Model	Dimensions
MAG-05M-202	W11*H20.7*(50*50)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05M-202			

MAG-05M-203(T Shape Connector)




Product Specifications

Model	Dimensions
MAG-05M-203	W11*H20.7*(100*50)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05M-203			

MAG-05M-204(Cross Shaped Connector)



Product Specifications

Model	Dimensions
MAG-05M-204	W11*H20.7*(100*100)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05M-204			



Product Specifications



Model	Dimensions	Voltage	Color	Mounting Type
MAG-05M-SX	W11*H33.2*L1000/2000/3000mm	DC24V	Sand White/Sand Black	Hanging

Packaging Information

Model	Packaging QTY	Packaging Dimensions	1M Weight (per box)	2M Weight (per box)	3M Weight (per box)
MAG-05M-SX	10 per paper tube				

MAG-05M-SX(4-Circuit Hanging Track)

MAG-05M-SX-201(L Corner Connector)




Product Specifications

Model	Dimensions
MAG-05M-SX-201	W11*H33.2*(50*50)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05M-SX-201			

MAG-05M-SX-203(T Shape Connector)




Product Specifications

Model	Dimensions
MAG-05M-SX-203	W11*H33.2*(100*50)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05M-SX-203			

MAG-05M-SX-204(Cross Shaped Connector)




Product Specifications

Model	Dimensions
MAG-05M-SX-204	W11*H33.2*(100*100)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05M-SX-204			



Product Specifications


Model	Dimensions	Voltage	Color	Mounting Type
MAG-05Y	W11*H33.2*L1000/2000/3000mm	DC24V	Sand White/Sand Black	Recessed

Packaging Information

Model	Packaging QTY	Packaging Dimensions	1M Weight (per box)	2M Weight (per box)	3M Weight (per box)
MAG-05Y	10 per paper tube				

MAG-05Y(Recessed Track)

MAG-05Y-201(L Corner Connector)





Product Specifications

Model	Dimensions
MAG-05Y-201	W47*H20.7*(50*50)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05Y-201			

MAG-05Y-202(Wall Corner Connector)





Product Specifications

Model	Dimensions
MAG-05Y-202	W47*H20.7*(50*50)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05Y-202			

MAG-05Y-203(T Shape Connector)




Product Specifications

Model	Dimensions
MAG-05Y-203	W47*H20.7*(100*50)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05Y-203			

MAG-05Y-204(Cross Shaped Connector)




Product Specifications

Model	Dimensions
MAG-05Y-204	W47*H20.7*(100*100)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05Y-204			



Product Specifications


Model	Dimensions	Voltage	Color	Mounting Type
MAG-05P	W11.6*H20.7*L1000/2000/3000mm	DC24V	Sand White/Sand Black	Plaster In

Packaging Information

Model	Packaging QTY	Packaging Dimensions	1M Weight (per box)	2M Weight (per box)	3M Weight (per box)
MAG-05P	10 per paper tube				

MAG-05P (Plaster-In Track)

MAG-05P-201(L Corner Connector)




Product Specifications

Model	Dimensions
MAG-05P-201	W47*H20.7*(50*50)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05P-201			

MAG-05P-202(Wall Corner Connector)





Product Specifications

Model	Dimensions
MAG-05P-202	W47*H20.7*(50*50)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05P-202			

MAG-05P-203(T Shape Connector)





Product Specifications

Model	Dimensions
MAG-05P-203	W47*H20.7*(100*50)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05P-203			

MAG-05P-204(Cross Shaped Connector)




Product Specifications

Model	Dimensions
MAG-05P-204	W47*H20.7*(100*100)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05P-204			



Product Specifications


Model	Dimensions	Voltage	Color	Mounting Type
MAG-05M-RS	W23*H20.7*L1000/2000/3000mm	DC24V	Sand White/Sand Black	Hanging

Packaging Information

Model	Packaging QTY	Packaging Dimensions	1M Weight (per box)	2M Weight (per box)	3M Weight (per box)
MAG-05M-RS	10 per paper tube				

MAG-05M-RS (Hanging Round Track)

MAG-05M-RS-201(L Corner Connector)




Product Specifications

Model	Dimensions
MAG-05M-RS-201	W11*H33.2*(50*50)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05M-RS-201			

MAG-05M-RS-203(T Shape Connector)




Product Specifications

Model	Dimensions
MAG-05M-RS-203	W11*H33.2*(100*50)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05M-RS-203			

MAG-05M-RS-204(Cross Shaped Connector)




Product Specifications

Model	Dimensions
MAG-05M-RS-204	W11*H33.2*(100*100)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-05M-RS-204			

MAG-05M (4/1 Round – Ceiling-to-Ceiling)



Product Specifications

Model	Dimensions	Voltage	Color	Mounting Type
MAG-05M-301	L100+D600 (1/4) +L100	DC24V	Sand White/Sand Black	Surface-Mounted
MAG-05M-301	L100+D800 (1/4) +L100	DC24V	Sand White/Sand Black	Surface-Mounted
MAG-05M-301	L100+D1000 (1/4) +L100	DC24V	Sand White/Sand Black	Surface-Mounted
MAG-05M-301	L100+D1200 (1/4) +L100	DC24V	Sand White/Sand Black	Surface-Mounted

Packaging Information

Model	Dimensions	Packaging QTY	Packaging Dimensions	Weight
MAG-05M-301	L100+D600 (1/4) +L100	10 per paper tube		
MAG-05M-301	L100+D800 (1/4) +L100	10 per paper tube		
MAG-05M-301	L100+D1000 (1/4) +L100	10 per paper tube		
MAG-05M-301	L100+D1200 (1/4) +L100	10 per paper tube		

MAG-05M (4/1 Round – Ceiling-to-Wall)




Product Specifications

Model	Dimensions	Voltage	Color	Mounting Type
MAG-05M-302	L100+D600 (1/4) +L100	DC24V	Sand White/Sand Black	Surface-Mounted
MAG-05M-302	L100+D800 (1/4) +L100	DC24V	Sand White/Sand Black	Surface-Mounted
MAG-05M-302	L100+D1000 (1/4) +L100	DC24V	Sand White/Sand Black	Surface-Mounted
MAG-05M-302	L100+D1200 (1/4) +L100	DC24V	Sand White/Sand Black	Surface-Mounted

Packaging Information

Model	Dimensions	Packaging QTY	Packaging Dimensions	Weight
MAG-05M-302	L100+D600 (1/4) +L100	10 per paper tube		
MAG-05M-302	L100+D800 (1/4) +L100	10 per paper tube		
MAG-05M-302	L100+D1000 (1/4) +L100	10 per paper tube		
MAG-05M-302	L100+D1200 (1/4) +L100	10 per paper tube		

MAG-05M (2/1 Round – Ceiling-to-Ceiling)




Product Specifications

Model	Dimensions	Voltage	Color	Mounting Type
MAG-05M-303	L100+D600 (1/4) +L100	DC24V	Sand White/Sand Black	Surface-Mounted
MAG-05M-303	L100+D800 (1/4) +L100	DC24V	Sand White/Sand Black	Surface-Mounted
MAG-05M-303	L100+D1000 (1/4) +L100	DC24V	Sand White/Sand Black	Surface-Mounted
MAG-05M-303	L100+D1200 (1/4) +L100	DC24V	Sand White/Sand Black	Surface-Mounted

Packaging Information

Model	Dimensions	Packaging QTY	Packaging Dimensions	Weight
MAG-05M-303	L100+D600 (1/4) +L100			
MAG-05M-303	L100+D800 (1/4) +L100			
MAG-05M-303	L100+D1000 (1/4) +L100			
MAG-05M-303	L100+D1200 (1/4) +L100			

MAG-05M-S Round




Product Specifications

Model	Dimensions	Voltage	Color	Mounting Type
MAG-05M-S	D600(W11*H20.7mm)	DC24V	Sand White/Sand Black	Surface-Mounted
MAG-05M-S	D800(W11*H20.7mm)	DC24V	Sand White/Sand Black	Surface-Mounted
MAG-05M-S	D1000(W11*H20.7mm)	DC24V	Sand White/Sand Black	Surface-Mounted
MAG-05M-S	D1200(W11*H20.7mm)	DC24V	Sand White/Sand Black	Surface-Mounted

Packaging Information

Model	Dimensions	Packaging QTY	Packaging Dimensions	Weight
MAG-05M-S	D600(W11*H20.7mm)			
MAG-05M-S	D800(W11*H20.7mm)			
MAG-05M-S	D1000(W11*H20.7mm)			
MAG-05M-S	D1200(W11*H20.7mm)			



Single-Track Connector

MAG-05M Single-Track Connector

Function: Connects and powers a single MAG-05M track in pendant installations.

Product Specifications

Name	Model	Dimensions	Voltage	Conduction Method
Single-Track Connector	MAG-05M-306	D30	24V	Input Module

Packaging Information

Name	Model	Packaging Dimensions	Qty	Weight
Single-Track Connector	MAG-05M-306			



Connecting

MAG-05M Connecting


M4 * 6 screws * 4, steel sheet * 1

Product Specifications

Name	Model	WT	Dimensions
Connecting	MAG-05M-207	1.5mm	W8*H1.5*L80mm

Packaging Information

Name	Model	Packaging Dimensions	Qty
Connecting	MAG-05M-207	W100*H100*L100mm	200pcs/box



Double-Track Connector

MAG-05M Double-Track Connector

Function: Connects and powers a dual MAG-05M track in pendant installations.

Product Specifications

Name	Model	Dimensions	Voltage	Conduction Method
Double-Track Connector	MAG-05M-305	D30	24V	Input Module

Packaging Information

Name	Model	Packaging Dimensions	Qty	Weight
Double-Track Connector	MAG-05M-305			



Hanging Cable Kit

MAG-05/10-Hanging Cable Kit

Includes all necessary components for suspension: 2 pendant cables, 2 ceiling clips, 2 M4 self-tapping screws, 2 expansion plugs, 2 M4 square-head screws, and 2 M4 cable fixing clips.

Product Specifications

Name	Model	Dimensions
1M Hanging Cable Kit	MAG-05M/10M-205	L1000mm
2M Hanging Cable Kit	MAG-05M/10M-205	L2000mm


Packaging Information

Name	Model	Packaging Dimensions	Qty	Weight
1M Hanging Cable Kit	MAG-05M/10M-205			
2M Hanging Cable Kit	MAG-05M/10M-205			



Professional Track Connector

MAG-05M/10M Telescopic Connecting Rod



Product Specifications


Name	Model	Dimensions
1M Professional Track Connector	MAG-05M/10M-208	L1000=(500+500)mm
2M Professional Track Connector	MAG-05M/10M-208	L2000=(1000+1000)mm

Packaging Information

Name	Model	Packaging Dimensions	Qty	Weight
1M Professional Track Connector	MAG-05M/10M-208			
2M Professional Track Connector	MAG-05M/10M-208			



Integrated Power Supply



Power: 150W | Input Voltage: 180–240V | Output Voltage: 24V


Product Specifications

Name	Model	Dimensions	Voltage	Conduction Method
Integrated Power Supply	MAG-05-D85-150W	D88	24V	Input Module


Packaging Information

Name	Model	Packaging Dimensions	Qty	Weight
Integrated Power Supply	MAG-05-D85-150W			

MAG-05/10 Input Module



2-Wire Input Module



Function: Powers the track when used with an external transformer via the input module.


Product Specifications

Name	Model	Dimensions	Voltage	Conduction Method
2-Wire Input Module	MAG-05/10-101	W5"H15"L70	24V	Input Module


Packaging Information

Name	Model	Packaging Dimensions	Qty	Weight
2-Wire Input Module	MAG-05/10-101			

MAG-05/10 Straight Connector



2-Wire Straight Connector




Product Specifications

Name	Model	Dimensions	Voltage	Conduction Method
2-Wire Straight Connector	MAG-05/10-102	W5"H15"L60	24V	Input Module


Packaging Information

Name	Model	Packaging Dimensions	Qty	Weight
2-Wire Straight Connector	MAG-05/10-102			

MAG-05/10 Corner Wire Connector



2-Wire Corner Connector




Product Specifications

Name	Model	Dimensions	Voltage	Conduction Method
2-Wire Corner Connector	MAG-05/10-103	W16"H18"L290	24V	Input Module


Packaging Information

Name	Model	Packaging Dimensions	Qty	Weight
2-Wire Corner Connector	MAG-05/10-103			

MAG-05/10 T-Shaped Wire Connector



2-Wire T-Shaped Connector




Product Specifications

Name	Model	Dimensions	Voltage	Conduction Method
2-Wire T-Shaped Connector	MAG-05/10-104	W90"H14"L185	24V	Input Module


Packaging Information

Name	Model	Packaging Dimensions	Qty	Weight
2-Wire T-Shaped Connector	MAG-05/10-104			

MAG-05/10 Cross Wire Connector



2-Wire Cross Connector



Product Specifications


Name	Model	Dimensions	Voltage	Conduction Method
2-Wire Cross Connector	MAG-05/10-105	W185"H14"L185	24V	Input Module

Packaging Information

Name	Model	Packaging Dimensions	Qty	Weight
2-Wire Cross Connector	MAG-05/10-105			



MAG-05/10 Linear Floodlight



Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-PC200	7W	W11*H17*L200mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°
MAG-05/10-PC300	10W	W11*H17*L300mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°
MAG-05/10-PC400	14W	W11*H17*L400mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°
MAG-05/10-PC600	20W	W11*H17*L600mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-PC200			
MAG-05/10-PC300			
MAG-05/10-PC400			
MAG-05/10-PC600			

MAG-05/10 Adjustable Linear FloodLight




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-Z-PC220	7W	W11*H45*L224mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°
MAG-05/10-Z-PC330	10W	W11*H45*L330mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-Z-PC220			
MAG-05/10-Z-PC330			

MAG-05/10 Linear Grille Light




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-LB12	7W	W11*H17*L200mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-LB18	10W	W11*H17*L300mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-LB24	14W	W11*H17*L400mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-LB12			
MAG-05/10-LB18			
MAG-05/10-LB24			

MAG-05/10 Adjustable Grille Light






Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-Z-LB6	5W	W11*H45*L118mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-Z-LB12	7W	W11*H45*L224mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-Z-LB24	10W	W11*H45*L330mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-Z-LB6			
MAG-05/10-Z-LB12			
MAG-05/10-Z-LB24			

MAG-05 Recessed Floodlight





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05-PC240-MINI	6W	W5*H15*L275mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°
MAG-05-PC480-MINI	12W	W5*H15*L515mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05-PC240-MINI			
MAG-05-PC480-MINI			

MAG-05 Recessed Grille Light





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05-LB14-MINI	6W	W5*H15*L275mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05-LB14-MINI			

MAG-05 Round Spotlight





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05-PC-D97	7W	D97*23mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05-PC-D140	10W	D140*25mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05-PC-D97			
MAG-05-PC-D140			

MAG-05 Surface Wide Spotlight




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05-S-D60	7W	D60*H40	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05-S-D60			

MAG-05 Surface Narrow Spotlight





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05-SY-D60	7W	D60*H40	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05-SY-D60			

MAG-05 Silicone LED Strip





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05-GJ-1M	10W	W5*H15*L1000	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°
MAG-05-GJ-2M	20W	W5*H15*L2000	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05-GJ-1M			
MAG-05-GJ-2M			

MAG-05/10 Track Spotlight





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-X-3W	3W	D25*L50mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-X-5W	5W	D25*L80mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-X-5W-A	5W	D35*L60mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-X-7W	7W	D35*L100mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-X-10W	10W	D45*L100mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-X-3W			
MAG-05/10-X-5W			
MAG-05/10-X-5W-A			
MAG-05/10-X-7W			
MAG-05/10-X-10W			

MAG-05/10 Track Bowling Light





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-XD35-3W	3W	D35	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-XD35-3W			

MAG-05 Round Glass Light





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05-LD40	3W	D40*H30	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05-LD40			

MAG-05 Square Glass Light






Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05-LDW32	3W	W32*32*H27	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05-LDW32			

MAG-05 6-Head Round Glass Light






Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05-LD100	10W	D100*H30	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05-LD100			

MAG-05/10 Triangular Glass Pendant Light




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-ZLD100	7W	D100*H75	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-ZLD100			

MAG-05/10 Triangular Anti-Glare Spotlight





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-ZD100	7W	D100*H60	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-ZD100			





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-S-ZD100	7W	D100*H60	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-S-ZD100			

MAG-05/10 Triangular Anti-Glare Pendant Light





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-D-ZD100	7W	D100*H60	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-D-ZD100			

MAG-05/10 Cylindrical Pendant Light



Product Specifications




Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-D30	5W	D30*300mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-D40	10W	D40*300mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-D30			
MAG-05/10-D40			

MAG-05/10 360° Cylindrical Pendant Light

MAG-05/10 Rod Floodlight






Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-D20-PC300	6W	D20*H300mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	360°
MAG-05/10-D20-PC600	12W	D20*H600mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	360°
MAG-05/10-D20-PC900	18W	D20*H900mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	360°
MAG-05/10-D20-PC1200	24W	D20*H1200mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	360°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-D20-PC300			
MAG-05/10-D20-PC600			
MAG-05/10-D20-PC900			
MAG-05/10-D20-PC1200			




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-D30-PC300	10W	D30*L300mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°
MAG-05/10-D30-PC600	20W	D40*L600mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-D30-PC300			
MAG-05/10-D30-PC600			

MAG-05/10 Double-Layer Glass Globe



Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-ML-D80	5W	D80	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°
MAG-05/10-ML-D100	5W	D100	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-ML-D80			
MAG-05/10-ML-D100			

MAG-05/10 Double-Layer Glass Globe Pendant Light




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-DML-D80	5W	D80*300	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°
MAG-05/10-DML-D100	5W	D100*300	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°


Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-DML-D80			
MAG-05/10-DML-D100			


MAG-05/10 Spherical Acrylic Light



60



80





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-YKL-D60	5W	D60	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°
MAG-05/10-YKL-D80	7W	D80	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°


Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-YKL-D60			
MAG-05/10-YKL-D80			


MAG-05/10 Spherical Acrylic Pendant Light



60



80



Product Specifications



Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-D-YKL-D60	5W	D60	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°
MAG-05/10-D-YKL-D80	7W	D80	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-D-YKL-D60			
MAG-05/10-D-YKL-D80			



MAG-05/10-Honeycomb Grid Light



Product Specifications

Model	W	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-SF-LB12	12W	W200*H18.5*L155	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-SF-LB24	24W	W200*H18.5*L270	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information



Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-SF-LB12			
MAG-05/10-SF-LB24			

ON/OFFBluetoothTuya Dim2.4GHzZigbeeDALI0-10VCCT control


Certifications

SYSTEM OPTIONS

MAG-05/10 Round Decorative Light



100




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05-TDD100	7W	D100	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05-TDD100			

MAG-05/10 Triangular Decorative Light



90





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05-TD90	7W	W90*L80	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05-TD90			

MAG-05/10 Egg-Shaped Decorative Light




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05-TD100	7W	W100*L80	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05-TD100			




Product Specifications


Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-M05-ML-D80	5W	W80	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-M05-ML-D80			



MAG-05 Surface-Mounted Spotlight




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-M05-X-D30	5W	W30*H100	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-M05-X-D30			

MAG-05 Surface-Mounted Glass Spotlight




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-M05-LD-D30	5W	W32*H120	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-M05-LD-D30			

MAG-05/10 L-Shaped Spotlight





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-SX-5W	5W	W25*H80	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-SX-5W			

MAG-05/10 Ultra-Thin Round Pendant Light



Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-M05-D-D300	10W	D300*H360	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-M05-D-D300			





