


2026
Newest Release

ONLY
FOR LINEAR



@Paralight




平行光集团

PARALIGHT GROUP CO., LIMITED

Wechat/Whatsapp: 0086-18128259727

Email: inquiry@paralight.cc


<https://www.ledlinearfactory.com>



M10


24V Magnetic Track
Lighting Series





10mm Magnetic Track Systems

Featuring a 10mm ultra-thin design and 24V power supply, this system can be paired with a variety of light fixtures. It is adaptable to the




10 Magnetic Track Rail
The MAG-10 magnetic track rail is a complete system that can meet all spatial and design needs.

Hanging Track
MAG-10M

Surface Track
MAG-10M

Recessed Track
MAG-10Y

Plaster-In Track
MAG-10P



Product Specifications


Model	Dimensions	Voltage	Color	Mounting Type
MAG-10M	W14.4*H37.7*L1000/2000/3000mm	DC24V	Sand White/Sand Black	Surface/Hanging

Packaging Information

Model	Packaging QTY	Packaging Dimensions	1M Weight (per box)	2M Weight (per box)	3M Weight (per box)
MAG-10M	10 per paper tube				

MAG-10M Track (Surface-Mounted / Hanging)

MAG-10M-201(L Corner Connector)





Product Specifications

Model	Dimensions
MAG-10M-201	W14.4*H37.7*(80*80)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-10M-201			

MAG-10M-202(Wall Corner Connector)





Product Specifications

Model	Dimensions
MAG-10M-202	W14.4*H37.7*(80*80)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-10M-202			

MAG-10M-203(T Shape Connector)





Product Specifications

Model	Dimensions
MAG-10M-203	W14.4*H37.7*(100*50)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-10M-203			

MAG-10M-204(Cross Shaped Connector)




Product Specifications

Model	Dimensions
MAG-10M-204	W14.4*H37.7*(100*100)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-10M-204			



Product Specifications


Model	Dimensions	Voltage	Color	Mounting Type
MAG-10Y	W44*H37.7*L1000/2000/3000mm	DC24V	Sand White/Sand Black	Recessed

Packaging Information

Model	Packaging QTY	Packaging Dimensions	1M Weight (per box)	2M Weight (per box)	3M Weight (per box)
MAG-10Y	10 per paper tube				

MAG-10Y(Recessed Track)

MAG-10Y-201(L Corner Connector)





Product Specifications

Model	Dimensions
MAG-10Y-201	W44*H37.7*(80*80)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-10Y-201			

MAG-10Y-202(Wall Corner Connector)





Product Specifications

Model	Dimensions
MAG-10Y-202	W44*H37.7*(80*80)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-10Y-202			

MAG-10Y-203(T Shape Connector)





Product Specifications

Model	Dimensions
MAG-10Y-203	W44*H37.7*(100*50)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-10Y-203			

MAG-10Y-204(Cross Shaped Connector)




Product Specifications

Model	Dimensions
MAG-10Y-204	W44*H37.7*(100*100)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-10Y-204			



Product Specifications


Model	Dimensions	Voltage	Color	Mounting Type
MAG-10P	W44*H37.7*L1000/2000/3000mm	DC24V	Sand White/Sand Black	Plaster In

Packaging Information

Model	Packaging QTY	Packaging Dimensions	1M Weight (per box)	2M Weight (per box)	3M Weight (per box)
MAG-10P	10 per paper tube				

MAG-10P (Plaster-In Track)

MAG-10P-201(L Corner Connector)





Product Specifications

Model	Dimensions
MAG-10P-201	W44*H37.7*(80*80)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-10P-201			

MAG-10P-202(Wall Corner Connector)





Product Specifications

Model	Dimensions
MAG-10P-202	W44*H37.7*(80*80)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-10P-202			

MAG-10P-203(T Shape Connector)





Product Specifications

Model	Dimensions
MAG-10P-203	W44*H37.7*(100*50)mm

Packaging Information

Model	Dimensions	Weight	QTY
MAG-10P-203			

MAG-10P-204(Cross Shaped Connector)




Product Specifications

Model	Dimensions
MAG-10P-204	W44*H37.7*(100*100)mm


Packaging Information

Model	Dimensions	Weight	QTY
MAG-10P-204			

MAG-05/10 Input Module



2-Wire Input Module




Function: Powers the track when used with an external transformer via the input module.


Product Specifications				
Name	Model	Dimensions	Voltage	Conduction Method
2-Wire Input Module	MAG-05/10-101	W5"H15"L70	24V	Input Module

Packaging Information				
Name	Model	Packaging Dimensions	Qty	Weight
2-Wire Input Module	MAG-05/10-101			

MAG-05/10 Straight Connector




2-Wire Straight Connector




Product Specifications				
Name	Model	Dimensions	Voltage	Conduction Method
2-Wire Straight Connector	MAG-05/10-102	W5"H15"L60	24V	Input Module

Packaging Information				
Name	Model	Packaging Dimensions	Qty	Weight
2-Wire Straight Connector	MAG-05/10-102			

MAG-05/10 Corner Wire Connector




2-Wire Corner Connector




Product Specifications				
Name	Model	Dimensions	Voltage	Conduction Method
2-Wire Corner Connector	MAG-05/10-103	W16"H18"L290	24V	Input Module

Packaging Information				
Name	Model	Packaging Dimensions	Qty	Weight
2-Wire Corner Connector	MAG-05/10-103			

MAG-05/10 T-Shaped Wire Connector




2-Wire T-Shaped Connector




Product Specifications				
Name	Model	Dimensions	Voltage	Conduction Method
2-Wire T-Shaped Connector	MAG-05/10-104	W90"H14"L185	24V	Input Module

Packaging Information				
Name	Model	Packaging Dimensions	Qty	Weight
2-Wire T-Shaped Connector	MAG-05/10-104			

MAG-05/10 Cross Wire Connector



2-Wire Cross Connector



Product Specifications				
Name	Model	Dimensions	Voltage	Conduction Method
2-Wire Cross Connector	MAG-05/10-105	W185"H14"L185	24V	Input Module

Packaging Information				
Name	Model	Packaging Dimensions	Qty	Weight
2-Wire Cross Connector	MAG-05/10-105			

MAG-05M Connecting



Connecting

M4 * 6 screws * 4, steel sheet * 1

Product Specifications

Name	Model	WT	Dimensions
Connecting	MAG-05M-207	1.5mm	W8*H1.5*L80mm

Packaging Information

Name	Model	Packaging Dimensions	Qty
Connecting	MAG-05M-207	W100*H100*L100mm	200pcs/box



Hanging Cable Kit

MAG-05/10-Hanging Cable Kit

Includes all necessary components for suspension: 2 pendant cables, 2 ceiling clips, 2 M4 self-tapping screws, 2 expansion plugs, 2 M4 square-head screws, and 2 M4 cable fixing clips.

Product Specifications

Name	Model	Dimensions
1M Hanging Cable Kit	MAG-05M/10M-205	L1000mm
2M Hanging Cable Kit	MAG-05M/10M-205	L2000mm


Packaging Information

Name	Model	Packaging Dimensions	Qty	Weight
1M Hanging Cable Kit	MAG-05M/10M-205			
2M Hanging Cable Kit	MAG-05M/10M-205			

MAG-05M/10M Telescopic Connecting Rod



Professional Track Connector





Product Specifications

Name	Model	Dimensions
1M Professional Track Connector	MAG-05M/10M-208	L1000=(500+500)mm
2M Professional Track Connector	MAG-05M/10M-208	L2000=(1000+1000)mm

Packaging Information

Name	Model	Packaging Dimensions	Qty	Weight
1M Professional Track Connector	MAG-05M/10M-208			
2M Professional Track Connector	MAG-05M/10M-208			

MAG-05/10 Linear Floodlight



Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-PC200	7W	W11*H17*L200mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°
MAG-05/10-PC300	10W	W11*H17*L300mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°
MAG-05/10-PC400	14W	W11*H17*L400mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°
MAG-05/10-PC600	20W	W11*H17*L600mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-PC200			
MAG-05/10-PC300			
MAG-05/10-PC400			
MAG-05/10-PC600			

MAG-05/10 Adjustable Linear FloodLight





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-Z-PC220	7W	W11*H45*L224mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°
MAG-05/10-Z-PC330	10W	W11*H45*L330mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	110°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-Z-PC220			
MAG-05/10-Z-PC330			

MAG-05/10 Linear Grille Light




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-LB12	7W	W11*H17*L200mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-LB18	10W	W11*H17*L300mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-LB24	14W	W11*H17*L400mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-LB12			
MAG-05/10-LB18			
MAG-05/10-LB24			

MAG-05/10 Adjustable Grille Light




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-Z-LB6	5W	W11*H45*L118mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-Z-LB12	7W	W11*H45*L224mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-Z-LB24	10W	W11*H45*L330mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-Z-LB6			
MAG-05/10-Z-LB12			
MAG-05/10-Z-LB24			

MAG-05/10 Track Spotlight




Product Specifications



Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-X-3W	3W	D25*L50mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-X-5W	5W	D25*L80mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-X-5W-A	5W	D35*L60mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-X-7W	7W	D35*L100mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-X-10W	10W	D45*L100mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-X-3W			
MAG-05/10-X-5W			
MAG-05/10-X-5W-A			
MAG-05/10-X-7W			
MAG-05/10-X-10W			



MAG-05/10 Track Bowling Light





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-XD35-3W	3W	D35	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-XD35-3W			





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-SX-5W	5W	W25*H80	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-SX-5W			

MAG-05/10 Triangular Glass Pendant Light



Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-ZLD100	10W	D100*H75	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-ZLD100			

MAG-05/10 Triangular Anti-Glare Spotlight




Product Specifications


Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-ZD100	7W	D100*H60	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-ZD100			



MAG-05/10 L-Shaped Anti-Glare Spotlight





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-S-ZD100	7W	D100*H60	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-S-ZD100			

MAG-05/10 Triangular Anti-Glare Pendant Light





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-D-ZD100	7W	D100*H60	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-D-ZD100			

MAG-05/10 Cylindrical Pendant Light






Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-D30	5W	D30*300mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-D40	10W	D40*300mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-D30			
MAG-05/10-D40			

MAG-05/10 360° Cylindrical Pendant Light





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-D20-PC300	6W	D20*H300mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	360°
MAG-05/10-D20-PC600	12W	D20*H600mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	360°
MAG-05/10-D20-PC900	18W	D20*H900mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	360°
MAG-05/10-D20-PC1200	24W	D20*H1200mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	360°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-D20-PC300			
MAG-05/10-D20-PC600			
MAG-05/10-D20-PC900			
MAG-05/10-D20-PC1200			

MAG-05/10 Rod Floodlight






Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-D30-PC300	10W	D30*L300mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°
MAG-05/10-D30-PC600	20W	D40*L600mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-D30-PC300			
MAG-05/10-D30-PC600			

MAG-05/10 Double-Layer Glass Globe







Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-ML-D80	5W	D60	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°
MAG-05/10-ML-D100	5W	D80	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-ML-D80			
MAG-05/10-ML-D100			

MAG-05/10 Double-Layer Glass Globe Pendant Light




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-DML-D80	5W	D80*300	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°
MAG-05/10-DML-D100	5W	D100*300	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°


Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-DML-D80			
MAG-05/10-DML-D100			


MAG-05/10 Spherical Acrylic Light



80



100




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-YKL-D60	5W	D80	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°
MAG-05/10-YKL-D80	7W	D100	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°


Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-YKL-D60			
MAG-05/10-YKL-D80			


MAG-05/10 Spherical Acrylic Pendant Light



60



80





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-D-YKL-D60	5W	D60	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°
MAG-05/10-D-YKL-D80	7W	D80	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-D-YKL-D60			
MAG-05/10-D-YKL-D80			

MAG-05/10-Honeycomb Grid Light




Product Specifications



Model	W	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05/10-SF-LB12	12W	W155*L200*H18.5mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°
MAG-05/10-SF-LB24	24W	W270*L200*H18.5mm	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05/10-SF-LB12			
MAG-05/10-SF-LB24			



MAG-05/10 Round Decorative Light




100

Product Specifications


Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05-TDD100	7W	D100	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information



Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05-TDD100			



MAG-05/10 Triangular Decorative Light



MAG-05/10 Egg-Shaped Decorative Light




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05-TD90	7W	W90*L80	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05-TD90			



Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-05-TD100	7W	W100*L80	DC24V	Sand White/Sand Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-05-TD100			

