


2026
Newest Release



**ONLY
FOR LINEAR**



@Paralight




平行光集团

PARALIGHT GROUP CO., LIMITED


Wechat/Whatsapp: 0086-18128259727


Email: inquiry@paralight.cc

<https://www.ledlinearfactory.com>



S06
48V Flexible Magnetic Track System





**06mm Flexible
Magnetic Track System**

Featuring an ultra-thin 6*14mm design, this system utilizes a 4-wire contact method with a 48V power supply. The flexible track can be effortlessly shaped to suit any space, offering a wide array of lighting modules to meet diverse architectural and design requirements.

MAG-06M Flexible Magnetic Track




Product Specifications

Model	Dimensions	Voltage	Color	Conductivity	Conductivity Method
MAG-06M	W6*H14*L3000/5000mm	DC48V	Sandy Black	4-Wire	Suspended

Packaging Information

Model	Packaging QTY	Packaging Dimensions	3M Weight (per box)	5M Weight (per box)
MAG-06M	10pcs/Tube			

MAG-06-401 Track Mounting Accessory




Product Specifications

Model	Dimensions	Color	Conductivity Method
MAG-06-401	D30*H120	Sandy Black	Suspended

Packaging Information

Model	Packaging QTY	Packaging Dimensions	Weight
MAG-06-401	100pcs/Box		

MAG-06-D Round Glass Spotlight




Product Specifications


Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-D50	7W	D50*H107mm	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	38°
MAG-06-D70	10W	D50*H117mm	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	38°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-D50		50pcs/Box	
MAG-06-D70		50pcs/Box	



MAG-06-LD40 Narrow Round Glass Spotlight




Product Specifications


Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-LD40	5W	D42*H71	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-LD40		50pcs/Box	



MAG-06 Direct Spotlight




Product Specifications


Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-D42-7W	7W	D42*H100	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information


Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-D42-7W		50pcs/Box	



MAG-06 Integrated Power Supply



Integrated Power Supply



Power: 150W Input Voltage: 180-240V
Output Voltage: 48V


Product Specifications

Name	Model	Dimensions	Voltage	Conduction Method
Integrated Power Supply	MAG-06-150W	D100*H30	48V	Input Module


Packaging Information

Name	Model	Packaging Dimensions	Qty	Weight
Integrated Power Supply	MAG-06-150W		50pcs/Box	

MAG-06 Input Module



Input Module



Power: 150W Input Voltage: 180-240V
Output Voltage: 48V



Product Specifications

Name	Model	Dimensions	Voltage	Conduction Method
Input Module	MAG-06-101-4	D42*H37	48V	Input Module

Packaging Information

Name	Model	Packaging Dimensions	Qty	Weight
Input Module	MAG-06-101-4		50pcs/Box	

MAG-06 Double-Layer Glass Globe





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-ML-D80	7W	D80	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	270°
MAG-06-ML-D100	7W	D100	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	270°
MAG-06-ML-D120	7W	D120	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-ML-D80		50pcs/Box	
MAG-06-ML-D100		50pcs/Box	
MAG-06-ML-D120		50pcs/Box	

MAG-06 Double-Layer Glass Globe Pendant Light




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-DML-D80	7W	D80	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	270°
MAG-06-DML-D100	7W	D100	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	270°
MAG-06-DML-D120	7W	D120	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-DML-D80		50pcs/Box	
MAG-06-DML-D100		50pcs/Box	
MAG-06-DML-D120		50pcs/Box	

MAG-06 Spherical Acrylic Light




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-YML-D60	5W	D60	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	270°
MAG-06-YML-D800	7W	D80	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	270°
MAG-06-YML-D100	10W	D100	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-YML-D60		50pcs/Box	
MAG-06-YML-D80		50pcs/Box	
MAG-06-YML-D100		50pcs/Box	

MAG-06 Spherical Acrylic Pendant Light





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-YML-DD60	5W	D60	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	270°
MAG-06-YML-DD80	7W	D80	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	270°
MAG-06-YML-DD100	10W	D100	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-YML-DD60		50pcs/Box	
MAG-06-YML-DD80		50pcs/Box	
MAG-06-YML-DD100		50pcs/Box	

MAG-06 Triangular Anti-Glare Spotlight





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-ZD100	7W	D100*H60	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-ZD100		50pcs/Box	

MAG-06 Triangular Anti-Glare Pendant Light




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-ZD100	7W	D100*H60	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-ZD100		50pcs/Box	

MAG-06 L-Shaped Anti-Glare Spotlight




Product Specifications


Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-S-ZD100	7W	D100*H60	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-S-ZD100		50pcs/Box	



MAG-06 Flexible Silicone Light Tube



Product Specifications




Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-D22-1M	20W	D22*L1000	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	360°
MAG-06-D22-2M	40W	D22*L2000	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	360°
MAG-06-D22-3M	60W	D22*L3000	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	360°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-D22-1M		10pcs/Box	
MAG-06-D22-2M		10pcs/Box	
MAG-06-D22-3M		10pcs/Box	



MAG-06 Linear Grille Light






Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-LB5	5W	W33*H50*L136	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	24°
MAG-06-LB10	7W	W33*H50*L270	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	24°
MAG-06-LB15	10W	W33*H50*L403	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-LB5		10pcs/Box	
MAG-06-LB10		10pcs/Box	
MAG-06-LB15		10pcs/Box	

MAG-06 Linear Floodlight



Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-PC300	10W	W33*H50*L303	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	100°
MAG-06-PC600	20W	W33*H50*L603	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	100°
MAG-06-PC900	30W	W33*H50*L903	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	100°
MAG-06-PC1200	40W	W33*H50*L1203	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	100°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-PC300		20pcs/Box	
MAG-06-PC600		20pcs/Box	
MAG-06-PC900		20pcs/Box	
MAG-06-PC1200		20pcs/Box	

MAG-06 Track Spotlight





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-X-10W	10W	D50*100	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	24°
MAG-06-X-15W	15W	D50*140	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	24°
MAG-06-X-20W	20W	D50*150	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	24°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-X-10W		50pcs/Box	
MAG-06-X-15W		50pcs/Box	
MAG-06-X-20W		50pcs/Box	

MAG-06 Round Decorative light





Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-TD200	7W	D200	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	100°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-TD200		50pcs/Box	

MAG-06 Egg-Shaped Decorative Light






Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-TD240	7W	D240*190	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	100°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-TD240		50pcs/Box	

MAG-06 Triangular Decorative Light




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-TD180	7W	D180*160	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	100°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-TD180		50pcs/Box	

MAG-06 Ultra-Thin Round Pendant Light




Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-06-D-D300	15W	D300	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	100°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-06-D-D300		50pcs/Box	

MAG-06 Rod Floodlight



Product Specifications

Model	Wattage	Dimensions	Voltage	Color	CRI	CCT	Beam Angle
MAG-S06-D30-PC300	10W	D30*L300	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	270°
MAG-S06-D30-PC600	20W	D30*L600	DC48V	Sandy White/Black	Ra≥90	3000K/4000K/6500K	270°

Packaging Information

Model	Packaging Dimensions	Packaging QTY	Weight
MAG-S06-D30-PC300		50pcs/Box	
MAG-S06-D30-PC600		50pcs/Box	