

```

Last login: Fri Oct 22 20:22:36 on ttys000
(base) harryhernandez@Mac-mini-de-Harry electiva software inteligente % mkdir ia_software
(base) harryhernandez@Mac-mini-de-Harry electiva software inteligente % cd ia_software
(base) harryhernandez@Mac-mini-de-Harry ia_software % virtualenv m
zsh: command not found: virtualenv
(base) harryhernandez@Mac-mini-de-Harry ia_software % virtualenv env
created virtual environment CPython3.8.5.final.0-64 in 6250ms
creator CPython3Posix(dest=/Users/harryhernandez/Desktop/electiva software inteligente/ia_software/env, clear=False, no_vcs_ignore=False, global=False)
  seeder FromAppData(download=False, pip=bundle, setuptools=bundle, wheel=bundle, via=copy, app_data_dir=/Users/harryhernandez/Library/Application Support/virtualenv)
    added seed packages: pip==21.2.4, setuptools==58.1.0, wheel==0.37.0
  activators BashActivator,CShellActivator,FishActivator,PowerShellActivator,PythonActivator
(base) harryhernandez@Mac-mini-de-Harry ia_software % pip install flask
Requirement already satisfied: flask in /Users/harryhernandez/opt/anaconda3/lib/python3.8/site-packages (1.1.2)
Requirement already satisfied: Jinja2>=2.10.1 in /Users/harryhernandez/opt/anaconda3/lib/python3.8/site-packages (from flask) (2.11.2)
Requirement already satisfied: Werkzeug>=0.15 in /Users/harryhernandez/opt/anaconda3/lib/python3.8/site-packages (from flask) (1.0.1)
Requirement already satisfied: click>=5.1 in /Users/harryhernandez/opt/anaconda3/lib/python3.8/site-packages (from flask) (7.1.2)
Requirement already satisfied: itsdangerous>=0.24 in /Users/harryhernandez/opt/anaconda3/lib/python3.8/site-packages (from flask) (1.1.0)
Requirement already satisfied: MarkupSafe>=0.23 in /Users/harryhernandez/opt/anaconda3/lib/python3.8/site-packages (from Jinja2>=2.10.1->flask) (1.1.1)
WARNING: You are using pip version 21.3; however, version 21.3.1 is available.
You should consider upgrading via the '/Users/harryhernandez/opt/anaconda3/bin/python3 -m pip install --upgrade pip' command.
(base) harryhernandez@Mac-mini-de-Harry ia_software % source env/bin/activate
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % pip install flask
Collecting flask
  Downloading Flask-2.0.2-py3-none-any.whl (95 kB)
    |#####| 95 kB 896 kB/s
Collecting Jinja2>=3.0
  Downloading Jinja2-3.0.2-py3-none-any.whl (133 kB)
    |#####| 133 kB 3.8 MB/s
Collecting itsdangerous>=2.0
  Downloading itsdangerous-2.0.1-py3-none-any.whl (18 kB)
Collecting click>=7.1.2
  Downloading click-8.0.3-py3-none-any.whl (97 kB)
    |#####| 97 kB 6.7 MB/s
Collecting Werkzeug>=2.0
  Downloading Werkzeug-2.0.2-py3-none-any.whl (288 kB)
    |#####| 288 kB 9.0 MB/s
Collecting MarkupSafe>=2.0
  Downloading MarkupSafe-2.0.1-cp38-cp38-macosx_10_9_x86_64.whl (13 kB)
Installing collected packages: MarkupSafe, Werkzeug, Jinja2, itsdangerous, click, flask
Successfully installed Jinja2-3.0.2 MarkupSafe-2.0.1 Werkzeug-2.0.2 click-8.0.3 flask-2.0.2 itsdangerous-2.0.1
WARNING: You are using pip version 21.2.4; however, version 21.3.1 is available.
You should consider upgrading via the '/Users/harryhernandez/Desktop/electiva software inteligente/ia_software/env/bin/python -m pip install --upgrade pip' command.
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % pip freeze > requirements.txt
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % cat requirements.txt
click==8.0.3
Flask==2.0.2
itsdangerous==2.0.1
Jinja2==3.0.2
MarkupSafe==2.0.1
Werkzeug==2.0.2
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % nano .gitignore
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software %
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint: git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint: git branch -m <name>
Initialized empty Git repository in /Users/harryhernandez/Desktop/electiva software inteligente/ia_software/.git/
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .'
hint: Turn this message off by running
hint: "git config advice.addEmptyPathsSpec false"
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % git add .
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % git commit -m "commit inicial"
[master (root-commit) 95bae68] commit inicial
 6 files changed, 8 insertions(+)
 create mode 100644 .gitignore
 create mode 100644 WhatsApp Image 2021-10-21 at 7.21.36 PM.jpeg
 create mode 100644 modelo.joblib
 create mode 100644 procesamiento.joblib
 create mode 100644 requirements.txt
 create mode 100644 venv.pdf
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % git remote add origin git@github.com:Lordtrader97/ia_software.git
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % git push origin master
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 8 threads
Compressing objects: 100% (7/7), done.
Writing objects: 100% (8/8), 188.68 KiB | 2.77 MiB/s, done.
Total 8 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:Lordtrader97/ia_software.git
 * [new branch] master -> master
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % nano server.py
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % nano server.py
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % nano server.py
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % python server.py
Traceback (most recent call last):
  File "server.py", line 1, in <module>
    from flask import flask
ImportError: cannot import name 'flask' from 'flask' (/Users/harryhernandez/Desktop/electiva software inteligente/ia_software/env/lib/python3.8/site-packages/flask/__init__.py)
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % nano server.py
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % python server.py
* Serving Flask app 'server' (lazy loading)
* Environment: production
  WARNING: This is a development server. Do not use it in a production deployment.
  Use a production WSGI server instead.
* Debug mode: off
* Running on all addresses.
  WARNING: This is a development server. Do not use it in a production deployment.
* Running on http://10.0.11.27:5000/ (Press CTRL+C to quit)
127.0.0.1 - - [22/Oct/2021 20:53:33] "GET / HTTP/1.1" 404 -
127.0.0.1 - - [22/Oct/2021 20:53:33] "GET /favicon.ico HTTP/1.1" 404 -
127.0.0.1 - - [22/Oct/2021 20:53:41] "GET / HTTP/1.1" 404 -
^C
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % nano server.py
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % python server.py
* Serving Flask app 'server' (lazy loading)

```

```
* Environment: production
WARNING: This is a development server. Do not use it in a production deployment.
Use a production WSGI server instead.

* Debug mode: off

* Running on all addresses.
WARNING: This is a development server. Do not use it in a production deployment.
* Running on http://100.111.27.93:5000/ (Press CTRL+C to quit)

^C
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % python server.py
* Serving Flask app 'server' (lazy loading)
* Environment: production
WARNING: This is a development server. Do not use it in a production deployment.
Use a production WSGI server instead.

* Debug mode: off

* Running on all addresses.
WARNING: This is a development server. Do not use it in a production deployment.
* Running on http://100.111.27.93:5000/ (Press CTRL+C to quit)

^X^X^X^X^X^X^X^X^X
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % nano server.py
(env) (base) harryhernandez@Mac-mini-de-Harry ia_software % python server.py
* Serving Flask app 'server' (lazy loading)
* Environment: production
WARNING: This is a development server. Do not use it in a production deployment.
Use a production WSGI server instead.

* Debug mode: off

* Running on all addresses.
WARNING: This is a development server. Do not use it in a production deployment.
* Running on http://100.111.27.93:5000/ (Press CTRL+C to quit)

127.0.0.1 -- [22/Oct/2021 20:55:16] "GET /servicioai HTTP/1.1" 200 -
```