```
import pandas as pd
import matplotlib.pyplot as plt
import os
%matplotlib inline
from IPython.core import text
import nbconvert as nb
```

Folder | Path('/Users/tonyaldon/Desktop/Real-Data-Projects-Financial-Econometrics/Data/GDP')

```
GDP_dir = Path('Data/Economies/Countries/United States/GDP')
GDP_dir.mkdir(parents=True)
```

GDP per CAPITA : Medicean Project .xlsx

Folder | Path('Data')

```
data = Path('Data')
data.mkdir(exist_ok=True)
```

DATA EXTRACTION MAKING THE VARIABLE : « REAL GDP per CAPITA »

```
# In the Project Team and the Medicean Project, the Japan missing data (1995, 1994)
# Data and the 1995 value of real GDP per capita and population figures for Japan (1995)
# are missing values.
# Since the Project Team and the Medicean Project are not interested in the Japan data,
# I will not complete the missing data for Japan (1995, 1994).
# In 2011 International Monetary Fund, at the end of the day, we will write here for the full values of 19 countries
# (Japan included).

# With this file we therefore balanced found in the GDP folder.

path_medicean_project = Path('Data/Economies/Countries/United States/Real-Gross-Domestic-Product-Financial-Econometrics/Data/GDP/GDP per CAPITA : Medicean Project .xlsx')

df_medicean_project = pd.read_excel(path_medicean_project, sheet_name='Full data')

df_2015_GDP = df_medicean_project[df_medicean_project['country'].isin(Project_Countries)]
df_2015_GDP = df_2015_GDP.set_index('country')

path_medicean_project_2011 = Path('Data/Economies/Countries/United States/Real-Gross-Domestic-Product-Financial-Econometrics/Data/GDP/GDP per CAPITA : Medicean Project 2011.xlsx')
df_medicean_project_2011 = pd.read_excel(path_medicean_project_2011, sheet_name='Full data')
df_2011_GDP = df_medicean_project_2011[df_medicean_project_2011['country'].isin(Project_Countries)]
df_2011_GDP = df_2011_GDP.set_index('country').drop(['GDP (2011 $ billion)', 'GDP (2011 $ billion) 2015', 'GDP (2011 $ billion) 2014'], axis=1)

years_to_add = [2010, 2012]

# This function is to add missing GDP data
def add_time_(df_medicean_project_2011_selected):
    for year in years_to_add:
        df_2011_GDP['year'] = year
        df_medicean_project_2011_selected = df_medicean_project_2011_selected.append(df_2011_GDP)
    df_2011_GDP = df_2011_GDP.drop(years_to_add, axis=1)
    return df_medicean_project_2011_selected

df_2011_GDP = add_time_(df_2011_GDP)

# Gathering all GDP data in one dataframe
df_GDP = df_2015_GDP.append(df_2011_GDP).sort_values(['country', 'year']).reset_index()

df_GDP.GDP_Year.unique()
```

```
array([2015, 2011, 2010, 2012])
```

Labour Productivity

```
Project_Countries = [
    'Australia', 'Canada', 'Denmark', 'Finland', 'France', 'Germany',
    'Ireland', 'Japan', 'Netherlands', 'Norway', 'Portugal', 'Spain',
    'Sweden', 'Switzerland', 'United Kingdom', 'United States']

df_labour_productivity = pd.read_excel('Data/Economies/Countries/United States/Real-Gross-Domestic-Product-Financial-Econometrics/Data/Labour Productivity/Long Term Labour Productivity.xlsx', sheet_name='Labour Productivity')

df_labour_productivity = df_labour_productivity[
    (df_labour_productivity['GEO'] == 'Australia') | (df_labour_productivity['GEO'] == 'Canada') |
    (df_labour_productivity['GEO'] == 'Denmark') | (df_labour_productivity['GEO'] == 'Finland') |
    (df_labour_productivity['GEO'] == 'France') | (df_labour_productivity['GEO'] == 'Germany') |
    (df_labour_productivity['GEO'] == 'Ireland') | (df_labour_productivity['GEO'] == 'Japan') |
    (df_labour_productivity['GEO'] == 'Netherlands') | (df_labour_productivity['GEO'] == 'Norway') |
    (df_labour_productivity['GEO'] == 'Portugal') | (df_labour_productivity['GEO'] == 'Spain') |
    (df_labour_productivity['GEO'] == 'Sweden') | (df_labour_productivity['GEO'] == 'Switzerland') |
    (df_labour_productivity['GEO'] == 'United Kingdom') | (df_labour_productivity['GEO'] == 'United States')]

df_labour_productivity = df_labour_productivity.reset_index(drop=True)

df_labour_productivity = df_labour_productivity.replace('', np.nan)

df_labour_productivity['GEO'].unique()
```

```
array(['Australia', 'Canada', 'Denmark', 'Finland', 'France', 'Germany',
       'Ireland', 'Japan', 'Netherlands', 'Norway', 'Portugal', 'Spain',
       'Sweden', 'Switzerland', 'United Kingdom', 'United States'],
      dtype=object)
```

```
columns_keep_df_labour_productivity = ['Year'] + Project_Countries
df_labour_productivity = df_labour_productivity[columns_keep_df_labour_productivity]
df_labour_productivity
```

	Year	Australia	Canada	Denmark	Finland	France	Germany	Ireland	Japan	Netherlands	Norway	Portugal	Spain	Sweden	Switzerland	United Kingdom	United States
0	1970	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	1971	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	1972	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	1973	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	1974	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Consumer Price Index

```
# Missing Data from Ireland is super-class full data set but data set missing 1995 to 2001, lower information not possible since we dont have a starting points cannot
# do a linear interpolation
df_CPI = pd.read_excel('Data/Economies/Countries/United States/Real-Gross-Domestic-Product-Financial-Econometrics/Data/CPI/CPI.xlsx')
df_CPI_Ireland = df_read_excel('CPI', 'Ireland', 'year', 'CPI', 'Ireland', sheet_name='Feuil1')
df_CPI = df_CPI.merge(df_CPI_Ireland,left_on='year', right_on='year', how='left')

country_replace = {
    'AUS': 'Australia',
    'CAN': 'Canada',
    'DNK': 'Denmark',
    'FIN': 'Finland',
    'FRA': 'France',
    'DEU': 'Germany',
    'IRL': 'Ireland',
    'JPN': 'Japan',
    'NLD': 'Netherlands',
    'NOR': 'Norway',
    'PRT': 'Portugal',
    'ESP': 'Spain',
    'SWE': 'Sweden',
    'CHE': 'Switzerland',
    'GBR': 'United Kingdom',
    'USA': 'United States'}

df_CPI['country'] = df_CPI['country'].replace(country_replace)
```

Trade Openness

```
# Trade Openness index = Exports / GDP, keeping in line with the peer methodology
# Trade data are primarily sourced from the IMF's Direction of Trade Statistics Database (DOTS)
# Trade data are primarily sourced from the IMF's Direction of Trade Statistics Database (DOTS)
# When missing, data are supplemented with data from the World Bank's World Development Indicators
# As supplement with Eurostat GDP data from the United Nation's database (for Ire. & Lux.)
# Trade data are primarily sourced from the IMF's Direction of Trade Statistics Database (DOTS)
# Trade data are supplemented with data from the World Bank's World Development Indicators

df_CPI['Trade Openness'] = df_CPI['Trade Openness'].replace('#N/A Requires Premium Subscription', '#N/A')
df_CPI['Trade Openness'] = df_CPI['Trade Openness'].replace('#N/A Requires Premium Subscription', '#N/A')

df_trade_openness_data = read_excel('Trade Openness', 'Trade Openness', 'year', 'Trade Openness', 'Trade Openness')
df_trade_openness_data = df_trade_openness_data.replace('#N/A Requires Premium Subscription', '#N/A')
df_trade_openness_data = df_trade_openness_data.replace('#N/A Requires Premium Subscription', '#N/A')

df_trade_openness_data_ire = read_excel('Trade Openness - Ireland', 'Trade Openness - Ireland', 'year', 'Trade Openness - Ireland', 'Trade Openness - Ireland')
df_trade_openness_data_ire = df_trade_openness_data_ire.replace('#N/A Requires Premium Subscription', '#N/A')
df_trade_openness_data_ire = df_trade_openness_data_ire.replace('#N/A Requires Premium Subscription', '#N/A')

df_trade_openness_data = df_trade_openness_data.merge(df_trade_openness_data_ire, on='year', how='left')

df_trade_openness_data = df_trade_openness_data.replace('#N/A Requires Premium Subscription', '#N/A')
df_trade_openness_data = df_trade_openness_data.replace('#N/A Requires Premium Subscription', '#N/A')

df_trade_openness_data = df_trade_openness_data.replace('', np.nan)

df_trade_openness_data = df_trade_openness_data.set_index('year')

df_trade_openness_data = df_trade_openness_data.stack().reset_index()

df_trade_openness_data = df_trade_openness_data.rename(columns={'level_1': 'country', 0: 'Trade Openness'})

df_trade_openness_data['Trade Openness'] = df_trade_openness_data['Trade Openness'].astype('float')

df_trade_openness_data = df_trade_openness_data.replace('', np.nan)

df_trade_openness_data = df_trade_openness_data.dropna()

df_trade_openness_data.head()
```

	year	country	Trade Openness
0	1970	Australia	0.0
1	1970	Canada	0.0
2	1970	Denmark	0.0
3	1970	Finland	0.0
4	1970	France	0.0

```
df_trade_openness_data.tail()
```

	year	country	Trade Openness
1120	2015	Spain	0.0
1121	2015	Sweden	0.0
1122	2015	Switzerland	0.0
1123	2015	United Kingdom	0.0
1124	2015	United States	0.0

```
df_trade_openness_data.shape
```

```
(1125, 3)
```

```
df_trade_openness_data.to_excel('Trade Openness.xlsx')
```

Gross Domestic Expenditure on Research and Development (GERD)

```
df_GERD = pd.read_excel('Data/Economies/Countries/United States/Real-Gross-Domestic-Product-Financial-Econometrics/Data/GERD/GERD.xlsx', sheet_name='Full data')

df_GERD = df_GERD[df_GERD['country'].isin(Project_Countries)]

df_GERD = df_GERD.set_index('country')

df_GERD = df_GERD.drop(['GERD (2011 $ billion)', 'GERD (2011 $ billion) 2015', 'GERD (2011 $ billion) 2014'], axis=1)

df_GERD = df_GERD.reset_index()

df_GERD = df_GERD.rename(columns={'GERD_Year': 'year'})

df_GERD = df_GERD.sort_values(['country', 'year']).reset_index(drop=True)

df_GERD.head()
```

	country	year	GERD_Intensity	GERD
0	Australia	1981	0.0	0.0
1	Australia	1982	0.0	0.0
2	Australia	1983	0.0	0.0
3	Australia	1984	0.0	0.0
4	Australia	1985	0.0	0.0

```
df_GERD.tail()
```

	country	year	GERD_Intensity	GERD
1120	United States	2011	2.7	0.0
1121	United States	2012	2.7	0.0
1122	United States	2013	2.7	0.0
1123	United States	2014	2.7	0.0
1124	United States	2015	2.7	0.0

```
df_GERD.shape
```

```
(1125, 4)
```

```
df_GERD.to_excel('GERD.xlsx')
```

Gross Domestic Product (GDP)

```
df_GDP = pd.read_excel('Data/Economies/Countries/United States/Real-Gross-Domestic-Product-Financial-Econometrics/Data/GDP/GDP.xlsx', sheet_name='Full data')

df_GDP = df_GDP[df_GDP['country'].isin(Project_Countries)]

df_GDP = df_GDP.set_index('country')

df_GDP = df_GDP.drop(['GDP (2011 $ billion)', 'GDP (2011 $ billion) 2015', 'GDP (2011 $ billion) 2014'], axis=1)

df_GDP = df_GDP.reset_index()

df_GDP = df_GDP.rename(columns={'GDP_Year': 'year'})

df_GDP = df_GDP.sort_values(['country', 'year']).reset_index(drop=True)

df_GDP.head()
```

	country	year	GDP_Intensity	GDP
0	Australia	1981	0.0	0.0
1	Australia	1982	0.0	0.0
2	Australia	1983	0.0	0.0
3	Australia	1984	0.0	0.0
4	Australia	1985	0.0	0.0

```
df_GDP.tail()
```

	country	year	GDP_Intensity	GDP
1120	United States	2011	2.7	0.0
1121	United States	2012	2.7	0.0
1122	United States	2013	2.7	0.0
1123	United States	2014	2.7	0.0
1124	United States	2015	2.7	0.0

```
df_GDP.shape
```

```
(1125, 4)
```

```
df_GDP.to_excel('GDP.xlsx')
```

Gross Domestic Product (GDP) Growth

```
df_GDP_growth = pd.read_excel('Data/Economies/Countries/United States/Real-Gross-Domestic-Product-Financial-Econometrics/Data/GDP/GDP Growth.xlsx', sheet_name='Full data')

df_GDP_growth = df_GDP_growth[df_GDP_growth['country'].isin(Project_Countries)]

df_GDP_growth = df_GDP_growth.set_index('country')

df_GDP_growth = df_GDP_growth.drop(['GDP Growth (2011 $ billion)', 'GDP Growth (2011 $ billion) 2015', 'GDP Growth (2011 $ billion) 2014'], axis=1)

df_GDP_growth = df_GDP_growth.reset_index()

df_GDP_growth = df_GDP_growth.rename(columns={'GDP_Growth_Year': 'year'})

df_GDP_growth = df_GDP_growth.sort_values(['country', 'year']).reset_index(drop=True)

df_GDP_growth.head()
```

	country	year	GDP_Growth_Intensity	GDP_Growth
0	Australia	1981	0.0	0.0
1	Australia	1982	0.0	0.0
2	Australia	1983	0.0	0.0
3	Australia	1984	0.0	0.0
4	Australia	1985	0.0	0.0

```
df_GDP_growth.tail()
```

	country	year	GDP_Growth_Intensity	GDP_Growth
1120	United States	2011	2.7	0.0
1121	United States	2012	2.7	0.0
1122	United States	2013	2.7	0.0
1123	United States	2014	2.7	0.0
1124	United States	2015	2.7	0.0

```
df_GDP_growth.shape
```

```
(1125, 4)
```

```
df_GDP_growth.to_excel('GDP Growth.xlsx')
```

Government Debt

```
df_Government_Debt = pd.read_excel('Data/Economies/Countries/United States/Real-Gross-Domestic-Product-Financial-Econometrics/Data/Government Debt/Government Debt.xlsx', sheet_name='Full data')

df_Government_Debt = df_Government_Debt[df_Government_Debt['country'].isin(Project_Countries)]

df_Government_Debt = df_Government_Debt.set_index('country')

df_Government_Debt = df_Government_Debt.drop(['Government Debt (2011 $ billion)', 'Government Debt (2011 $ billion) 2015', 'Government Debt (2011 $ billion) 2014'], axis=1)

df_Government_Debt = df_Government_Debt.reset_index()

df_Government_Debt = df_Government_Debt.rename(columns={'Government_Debt_Year': 'year'})

df_Government_Debt = df_Government_Debt.sort_values(['country', 'year']).reset_index(drop=True)

df_Government_Debt.head()
```

	country	year	Government_Debt_Intensity	Government_Debt
0	Australia	1981	0.0	0.0
1	Australia	1982	0.0	0.0
2	Australia	1983	0.0	0.0
3	Australia	1984	0.0	0.0
4	Australia	1985	0.0	0.0

```
df_Government_Debt.tail()
```

	country	year	Government_Debt_Intensity	Government_Debt
1120	United States	2011	2.7	0.0
1121	United States	2012	2.7	0.0
1122	United States	2013	2.7	0.0
1123	United States	2014	2.7	0.0
1124	United States	2015	2.7	0.0

```
df_Government_Debt.shape
```

```
(1125, 4)
```

```
df_Government_Debt.to_excel('Government Debt.xlsx')
```

Unemployment Rate

```
df_Unemployment = pd.read_excel('Data/Economies/Countries/United States/Real-Gross-Domestic-Product-Financial-Econometrics/Data/Unemployment/Unemployment.xlsx', sheet_name='Full data')

df_Unemployment = df_Unemployment[df_Unemployment['country'].isin(Project_Countries)]

df_Unemployment = df_Unemployment.set_index('country')

df_Unemployment = df_Unemployment.drop(['Unemployment (2011 $ billion)', 'Unemployment (2011 $ billion) 2015', 'Unemployment (2011 $ billion) 2014'], axis=1)

df_Unemployment = df_Unemployment.reset_index()

df_Unemployment = df_Unemployment.rename(columns={'Unemployment_Year': 'year'})

df_Unemployment = df_Unemployment.sort_values(['country', 'year']).reset_index(drop=True)

df_Unemployment.head()
```

	country	year	Unemployment_Intensity	Unemployment
0	Australia	1981	0.0	0.0
1	Australia	1982	0.0	0.0
2	Australia	1983	0.0	0.0
3	Australia	1984	0.0	0.0
4	Australia	1985	0.0	0.0

```
df_Unemployment.tail()
```

	country	year	Unemployment_Intensity	Unemployment
1120	United States	2011	2.7	0.0
1121	United States	2012	2.7	0.0
1122	United States	2013	2.7	0.0
1123	United States	2014	2.7	0.0
1124	United States	2015	2.7	0.0

```
df_Unemployment.shape
```

```
(1125, 4)
```

```
df_Unemployment.to_excel('Unemployment.xlsx')
```

Stock Market Capitalization

```
df_stock_market_capitalization = pd.read_excel('Data/Economies/Countries/United States/Stock Market Capitalization/Stock Market Capitalization.xlsx', sheet_name='Full data')

df_stock_market_capitalization = df_stock_market_capitalization[df_stock_market_capitalization['country'].isin(Project_Countries)]

df_stock_market_capitalization = df_stock_market_capitalization.set_index('country')

df_stock_market_capitalization = df_stock_market_capitalization.drop(['Stock Market Capitalization (2011 $ billion)', 'Stock Market Capitalization (2011 $ billion) 2015', 'Stock Market Capitalization (2011 $ billion) 2014'], axis=1)

df_stock_market_capitalization = df_stock_market_capitalization.reset_index()

df_stock_market_capitalization = df_stock_market_capitalization.rename(columns={'Stock_Market_Capitalization_Year': 'year'})

df_stock_market_capitalization = df_stock_market_capitalization.sort_values(['country', 'year']).reset_index(drop=True)

df_stock_market_capitalization.head()
```

	country	year	Stock_Market_Capitalization_Intensity	Stock_Market_Capitalization
0	Australia	1981	0.0	0.0
1	Australia	1982	0.0	0.0
2	Australia	1983	0.0	0.0
3	Australia	1984	0.0	0.0
4	Australia	1985	0.0	0.0

```
df_stock_market_capitalization.tail()
```

	country	year	Stock_Market_Capitalization_Intensity	Stock_Market_Capitalization
1120	United States	2011	2.7	0.0
1121	United States	2012	2.7	0.0
1122	United States	2013	2.7	0.0
1123	United States	2014	2.7	0.0
1124	United States	2015	2.7	0.0

```
df_stock_market_capitalization.shape
```

```
(1125, 4)
```

```
df_stock_market_capitalization.to_excel('Stock Market Capitalization.xlsx')
```

Short-Term Interest Rate

```
# Short-term interest rate (Ireland from 1997 only)
df_short_term_interest_rate = pd.read_excel('Data/Economies/Countries/United States/Short-Term Interest Rate/Short-Term Interest Rate.xlsx', sheet_name='Full data')

df_short_term_interest_rate = df_short_term_interest_rate[df_short_term_interest_rate['country'].isin(Project_Countries)]

df_short_term_interest_rate = df_short_term_interest_rate.set_index('country')

df_short_term_interest_rate = df_short_term_interest_rate.drop(['Short-Term Interest Rate (2011 $ billion)', 'Short-Term Interest Rate (2011 $ billion) 2015', 'Short-Term Interest Rate (2011 $ billion) 2014'], axis=1)

df_short_term_interest_rate = df_short_term_interest_rate.reset_index()

df_short_term_interest_rate = df_short_term_interest_rate.rename(columns={'Short_Term_Interest_Rate_Year': 'year'})

df_short_term_interest_rate = df_short_term_interest_rate.sort_values(['country', 'year']).reset_index(drop=True)

df_short_term_interest_rate.head()
```

	country	year	Short_Term_Interest_Rate_Intensity	Short_Term_Interest_Rate
0	Australia	1981	0.0	0.0
1	Australia	1982	0.0	0.0
2	Australia	1983	0.0	0.0
3	Australia	1984	0.0	0.0
4	Australia	1985	0.0	0.0

```
df_short_term_interest_rate.tail()
```

	country	year	Short_Term_Interest_Rate_Intensity	Short_Term_Interest_Rate
1120	United States	2011	2.7	0.0
1121	United States	2012	2.7	0.0
1122	United States	2013	2.7	0.0
1123	United States	2014	2.7	0.0
1124	United States	2015	2.7	0.0

```
df_short_term_interest_rate.shape
```

```
(1125, 4)
```

```
df_short_term_interest_rate.to_excel('Short-Term Interest Rate.xlsx')
```

Long-Term Interest Rate

```
df_long_term_interest_rate = pd.read_excel('Data/Economies/Countries/United States/Long-Term Interest Rate/Long-Term Interest Rate.xlsx', sheet_name='Full data')

df_long_term_interest_rate = df_long_term_interest_rate[df_long_term_interest_rate['country'].isin(Project_Countries)]

df_long_term_interest_rate = df_long_term_interest_rate.set_index('country')

df_long_term_interest_rate = df_long_term_interest_rate.drop(['Long-Term Interest Rate (2011 $ billion)', 'Long-Term Interest Rate (2011 $ billion) 2015', 'Long-Term Interest Rate (2011 $ billion) 2014'], axis=1)

df_long_term_interest_rate = df_long_term_interest_rate.reset_index()

df_long_term_interest_rate = df_long_term_interest_rate.rename(columns={'Long_Term_Interest_Rate_Year': 'year'})

df_long_term_interest_rate = df_long_term_interest_rate.sort_values(['country', 'year']).reset_index(drop=True)

df_long_term_interest_rate.head()
```

	country	year	Long_Term_Interest_Rate_Intensity	Long_Term_Interest_Rate
0	Australia	1981	0.0	0.0
1	Australia	1982	0.0	0.0
2	Australia	1983	0.0	0.0
3	Australia	1984	0.0	0.0
4	Australia	1985	0.0	0.0

```
df_long_term_interest_rate.tail()
```

	country	year	Long_Term_Interest_Rate_Intensity	Long_Term_Interest_Rate
1120	United States	2011	2.7	0.0
1121	United States	2012	2.7	0.0
1122	United States	2013	2.7	0.0
1123	United States	2014	2.7	0.0
1124	United States	2015	2.7	0.0

```
df_long_term_interest_rate.shape
```

```
(1125, 4)
```

```
df_long_term_interest_rate.to_excel('Long-Term Interest Rate.xlsx')
```

Bank Loans Non-Financial Sector, Households and Non-Profit Bodies

```
df_bank_loans_data_path = Path('Data/Economies/Countries/United States/Bank-Loans-Financial-Econometrics/Data/LTD')
df_bank_loans = pd.read_excel(df_bank_loans_data_path/'Bank Loans Non-Financial Sector, Households and Non-Profit Bodies.xlsx', sheet_name='Full data')
df_bank_loans = df_bank_loans.drop(['Bank Loans (2011 $ billion)', 'Bank Loans (2011 $ billion) 2015', 'Bank Loans (2011 $ billion) 2014'], axis=1)
df_bank_loans = df_bank_loans[df_bank_loans['country'].isin(Project_Countries)]
df_bank_loans = df_bank_loans.set_index('country')
df_bank_loans = df_bank_loans.reset_index()
df_bank_loans = df_bank_loans.rename(columns={'Bank_Loans_Year': 'year'})
df_bank_loans = df_bank_loans.sort_values(['country', 'year']).reset_index(drop=True)
df_bank_loans.head()
```

	country	year	Bank_Loans_Intensity	Bank_Loans
0	Australia	1981	0.0	0.0
1	Australia	1982	0.0	0.0
2	Australia	1983	0.0	0.0
3	Australia	1984	0.0	0.0
4	Australia	1985	0.0	0.0

```
df_bank_loans.tail()
```

	country	year	Bank_Loans_Intensity	Bank_Loans
1120	United States	2011	2.7	0.0
1121	United States	2012	2.7	0.0
1122	United States	2013	2.7	0.0
1123	United States	2014	2.7	0.0
1124	United States	2015	2.7	0.0

```
df_bank_loans.shape
```

```
(1125, 4)
```

```
df_bank_loans.to_excel('Bank Loans Non-Financial Sector, Households and Non-Profit Bodies.xlsx')
```

Bank Loans Non-Financial Sector, Households and Non-Profit Bodies Consumption

```
df_bank_loans_data_path = Path('Data/Economies/Countries/United States/Bank-Loans-Financial-Econometrics/Data/LTD')
df_bank_loans = pd.read_excel(df_bank_loans_data_path/'Bank Loans Non-Financial Sector, Households and Non-Profit Bodies Consumption.xlsx', sheet_name='Full data')
df_bank_loans = df_bank_loans.drop(['Bank Loans Consumption (2011 $ billion)', 'Bank Loans Consumption (2011 $ billion) 2015', 'Bank Loans Consumption (2011 $ billion) 2014'], axis=1)
df_bank_loans = df_bank_loans[df_bank_loans['country'].isin(Project_Countries)]
df_bank_loans = df_bank_loans.set_index('country')
df_bank_loans = df_bank_loans.reset_index()
df_bank_loans = df_bank_loans.rename(columns={'Bank_Loans_Consumption_Year': 'year'})
df_bank_loans = df_bank_loans.sort_values(['country', 'year']).reset_index(drop=True)
df_bank_loans.head()
```

	country	year	Bank_Loans_Consumption_Intensity	Bank_Loans_Consumption
0	Australia	1981	0.0	0.0
1	Australia	1982	0.0	0.0
2	Australia	1983	0.0	0.0
3	Australia	1984	0.0	0.0
4	Australia	1985	0.0	0.0

```
df_bank_loans.tail()
```

	country	year	Bank_Loans_Consumption_Intensity	Bank_Loans_Consumption
1120	United States	2011	2.7	0.0
1121	United States	2012	2.7	0.0
1122	United States	2013	2.7	0.0
1123	United States	2014	2.7	0.0
1124	United States	2015	2.7	0.0

```
df_bank_loans.shape
```

```
(1125, 4)
```

```
df_bank_loans.to_excel('Bank Loans Non-Financial Sector, Households and Non-Profit Bodies Consumption.xlsx')
```

Bank Loans Non-Financial Sector, Households and Non-Profit Bodies Dwellings

```
df_bank_loans_data_path = Path('Data/Economies/Countries/United States/Bank-Loans-Financial-Econometrics/Data/LTD')
df_bank_loans = pd.read_excel(df_bank_loans_data_path/'Bank Loans Non-Financial Sector, Households and Non-Profit Bodies Dwellings.xlsx', sheet_name='Full data')
df_bank_loans = df_bank_loans.drop(['Bank Loans Dwellings (2011 $ billion)', 'Bank Loans Dwellings (2011 $ billion) 2015', 'Bank Loans Dwellings (2011 $ billion) 2014'], axis=1)
df_bank_loans = df_bank_loans[df_bank_loans['country'].isin(Project_Countries)]
df_bank_loans = df_bank_loans.set_index('country')
df_bank_loans = df_bank_loans.reset_index()
df_bank_loans = df_bank_loans.rename(columns={'Bank_Loans_Dwellings_Year': 'year'})
df_bank_loans = df_bank_loans.sort_values(['country', 'year']).reset_index(drop=True)
df_bank_loans.head()
```

	country	year	Bank_Loans_Dwellings_Intensity	Bank_Loans_Dwellings
0	Australia	1981	0.0	0.0
1	Australia	1982	0.0	0.0
2	Australia	1983	0.0	0.0
3	Australia	1984	0.0	0.0
4	Australia	1985	0.0	0.0

```
df_bank_loans.tail()
```

	country	year	Bank_Loans_Dwellings_Intensity	Bank_Loans_Dwellings
1120	United States	2011	2.7	0.0
1121	United States	2012	2.7	0.0
1122	United States	2013	2.7	0.0
1123	United States	2014	2.7	0.0
1124	United States	2015	2.7	0.0

```
df_bank_loans.shape
```

```
(1125, 4)
```

```
df_bank_loans.to_excel('Bank Loans Non-Financial Sector, Households and Non-Profit Bodies Dwellings.xlsx')
```

Bank Loans Non-Financial Sector, Households and Non-Profit Bodies Other

```
df_bank_loans_data_path = Path('Data/Economies/Countries/United States/Bank-Loans-Financial-Econometrics/Data/LTD')
df_bank_loans = pd.read_excel(df_bank_loans_data_path/'Bank Loans Non-Financial Sector, Households and Non-Profit Bodies Other.xlsx', sheet_name='Full data')
df_bank_loans = df_bank_loans.drop(['Bank Loans Other (2011 $ billion)', 'Bank Loans Other (2011 $ billion) 2015', 'Bank Loans Other (2011 $ billion) 2014'], axis=1)
df_bank_loans = df_bank_loans[df_bank_loans['country'].isin(Project_Countries)]
df_bank_loans = df_bank_loans.set_index('country')
df_bank_loans = df_bank_loans.reset_index()
df_bank_loans = df_bank_loans.rename(columns={'Bank_Loans_Other_Year': 'year'})
df_bank_loans = df_bank_loans.sort_values(['country', 'year']).reset_index(drop=True)
df_bank_loans.head()
```

	country	year	Bank_Loans_Other_Intensity	Bank_Loans_Other
0	Australia	1981	0.0	0.0
1	Australia	1982	0.0	0.0
2	Australia	1983	0.0	0.0
3	Australia	1984	0.0	0.0
4	Australia	1985	0.0	0.0

```
df_bank_loans.tail()
```

	country	year	Bank_Loans_Other_Intensity	Bank_Loans_Other
1120	United States	2011	2.7	0.0
1121	United States	2012	2.7	0.0
1122	United States	2013	2.7	0.0
1123	United States	2014	2.7	0.0
1124	United States	2015	2.7	0.0

```
df_bank_loans.shape
```

```
(1125, 4)
```

```
df_bank_loans.to_excel('Bank Loans Non-Financial Sector, Households and Non-Profit Bodies Other.xlsx')
```

Bank Loans Non-Financial Sector, Households and Non-Profit Bodies Total

```
df_bank_loans_data_path = Path('Data/Economies/Countries/United States/Bank-Loans-Financial-Econometrics/Data/LTD')
df_bank_loans = pd.read_excel(df_bank_loans_data_path/'Bank Loans Non-Financial Sector, Households and Non-Profit Bodies Total.xlsx', sheet_name='Full data')
df_bank_loans = df_bank_loans.drop(['Bank Loans Total (2011 $ billion)', 'Bank Loans Total (2011 $ billion) 2015', 'Bank Loans Total (2011 $ billion) 2014'], axis=1)
df_bank_loans = df_bank_loans[df_bank_loans['country'].isin(Project_Countries)]
df_bank_loans = df_bank_loans.set_index('country')
df_bank_loans = df_bank_loans.reset_index()
df_bank_loans = df_bank_loans.rename(columns={'Bank_Loans_Total_Year': 'year'})
df_bank_loans = df_bank_loans.sort_values(['country', 'year']).reset_index(drop=True)
df_bank_loans.head()
```

	country	year	Bank_Loans_Total_Intensity	Bank_Loans_Total
0	Australia	1981	0.0	0.0
1	Australia	1982	0.0	0.0
2	Australia	1983	0.0	0.0
3	Australia	1984	0.0	0.0
4	Australia	1985	0.0	0.0

```
df_bank_loans.tail()
```

	country	year	Bank_Loans_Total_Intensity	Bank_Loans_Total
1120	United States	2011	2.7	0.0
1121	United States	2012	2.7	0.0
1122	United States	2013	2.7	0.0
1123	United States	2014	2.7	0.0
1124	United States	2015	2.7	0.0

```
df_bank_loans.shape
```

```
(1125, 4)
```

```
df_bank_loans.to_excel('Bank Loans Non-Financial Sector, Households and Non-Profit Bodies Total.xlsx')
```

Merging Everything Together

```
df_gdp = df_GDP.copy()
```

```
df_gdp_temp = (
    df_gdp
    .merge(df_labour_productivity,
           left_on=['country', 'year'], right_on=['country', 'Year'],
           suffixes=('', '_labour_productivity'))
    .drop('Year', axis=1)
    .merge(df_CPI, left_on=['country', 'year'], right_on=['country', 'year'])
    .merge(df_trade_openness_data, left_on=['country', 'year'], right_on=['country', 'year'])
    .merge(df_GERD, left_on=['country', 'year'], right_on=['country', 'year'])
    .merge(df_GDP, left_on=['country', 'year'], right_on=['country', 'year'])
    .merge(df_GDP_growth, left_on=['country', 'year'], right_on=['country', 'year'])
    .merge(df_Government_Debt, left_on=['country', 'year'], right_on=['country
```

In [1]:
```
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
import os
from pathlib import Path
```

Descriptive Statistics Section

GDP

In [2]:
```
df_final_data_path = Path("Users/cassandrali/Desktop/Panel-Data-Project-Financial-Econometrics/Data")
df_final_data = pd.read_excel(df_final_data_path / "final_panel_dataset.xlsx")
df_clean = df_final_data[['country', 'year', 'gdppc']]

periods = [
    '1862-1917': (1862, 1914),
    '1919-1971': (1919, 1971),
    '1974-2020': (1974, 2020)
]

results = []
for country in df_final['country'].unique():
    df_c = df_final[df_final['country'] == country]

    row = {
        'Country': country,
        'Avg': df_c['gdppc'].mean(),
        'Min': df_c['gdppc'].min(),
        'Max': df_c['gdppc'].max()
    }

    # Add averages for each sub-period
    for label, (start, end) in periods.items():
        if label == 'Avg':
            continue  # already computed
        mask = (df_c['year'] >= start) & (df_c['year'] <= end)
        row[label] = df_c.loc[mask, 'gdppc'].mean()

    results.append(row)

df_gdp_table = pd.DataFrame(results)

df_gdp_table = df_gdp_table.sort_values("Country").reset_index(drop=True)
```

df_gdp_table

Out[2]:

	Country	Avg	Min	Max	1862-1913	1919-1971	1974-2020
0	Australia	18781.744109	9411.0000	49814.169996	16776.343750	12233.575639	34459.943410
1	Canada	17579.594354	5394.0000	45384.210482	14552.813100	11967.080466	34189.352933
2	Denmark	17659.457583	3571.0000	46234.657969	4725.593700	11935.022336	35064.820949
3	Finland	14914.575432	978.0000	40538.653081	2498.062500	7956.333981	29556.659786
4	France	15160.338235	3018.0000	39064.655420	4315.090700	9560.346837	30561.984911
5	Germany	15008.977900	1258.0000	48781.848098	4433.062500	9514.468073	31887.140791
6	Italy	13082.222730	2931.0000	36310.734000	3302.437500	7406.346837	28501.575606
7	Japan	13970.198902	1723.0000	38814.801800	2402.219828	5877.898468	30282.570990
8	Netherlands	17120.066007	4222.0000	49142.877816	9407.781250	10772.813853	31915.152658
9	Norway	21241.405721	3498.0000	80115.323066	3150.658250	9278.465116	50182.478949
10	Portugal	8766.630218	1841.0000	28508.126978	1882.593750	4140.441480	19730.585741
11	Spain	15638.992708	2330.0000	34857.146526	2661.812500	6626.808857	31097.110603
12	Sweden	16241.236825	3354.0000	45434.402984	5716.000000	11857.171828	32613.618303
13	Switzerland	20955.822999	8988.0000	62348.599382	8185.244103	13535.309081	47784.540966
14	United Kingdom	16368.414000	6122.0000	38913.017133	7148.333282	12140.481118	29717.356307
15	United States	22284.662755	8424.1432	58469.263830	7827.137172	15836.648983	47478.498878

Descriptive Statistics Labour Productivity

In [3]:
```
df_final_data_path = Path("Users/cassandrali/Desktop/Panel-Data-Project-Financial-Econometrics/Data")
df_final = pd.read_excel(df_final_data_path / "final_panel_dataset.xlsx")
df_clean = df_final[['country', 'year', 'labour_productivity']]

periods = [
    '1862-1917': (1862, 1914),
    '1919-1971': (1919, 1971),
    '1974-2020': (1974, 2020)
]

results = []
for country in df_final['country'].unique():
    df_c = df_final[df_final['country'] == country]

    row = {
        'Country': country,
        'Avg': df_c['labour_productivity'].mean(),
        'Min': df_c['labour_productivity'].min(),
        'Max': df_c['labour_productivity'].max()
    }

    # Add averages for each sub-period
    for label, (start, end) in periods.items():
        if label == 'Avg':
            continue  # already computed
        mask = (df_c['year'] >= start) & (df_c['year'] <= end)
        row[label] = df_c.loc[mask, 'labour_productivity'].mean()

    results.append(row)

df_lp_table = pd.DataFrame(results)

df_lp_table = df_lp_table.sort_values("Country").reset_index(drop=True)
```

df_lp_table

Out[3]:

	Country	Avg	Min	Max	1862-1913	1919-1971	1974-2020
0	Australia	34.412216	11.45286	139.93456	8.444458	17.537114	61.098382
1	Canada	33.738365	3.617792	99.533274	4.980579	16.858040	64.322236
2	Denmark	35.850822	3.535643	77.87923	4.743456	16.321452	63.810144
3	Finland	19.752529	1.930385	61.668460	2.510039	8.764999	43.751207
4	France	24.766845	2.766879	67.815352	3.278825	13.839148	53.894368
5	Germany	25.141792	4.368007	66.866948	6.014343	13.461772	52.173867
6	Italy	21.175320	2.01400	55.563927	2.579787	8.419462	47.533113
7	Japan	15.414162	0.979539	48.283535	1.534780	5.483166	35.418434
8	Netherlands	28.730344	5.239477	69.860144	5.933238	17.136851	56.715737
9	Norway	34.561286	3.641319	97.029313	4.288882	17.030440	75.829314
10	Portugal	14.053983	1.850366	39.907156	2.293712	6.964353	29.917783
11	Spain	20.033983	3.888778	53.173355	4.585802	8.882983	45.033098
12	Sweden	24.550951	2.819788	69.151163	3.722773	14.473126	49.860418
13	Switzerland	34.283447	5.938116	85.039845	7.020756	15.747182	63.691251
14	United Kingdom	32.288776	5.862110	69.288516	6.602303	13.397514	45.323436
15	United States	39.720957	4.836473	73.057162	5.827095	21.186732	53.373439

Descriptive Stats CPI

In [4]:
```
df_final_data_path = Path("Users/cassandrali/Desktop/Panel-Data-Project-Financial-Econometrics/Data")
df_final_data = pd.read_excel(df_final_data_path / "final_panel_dataset.xlsx")
df_clean = df_final_data[['country', 'year', 'cpi']]

periods = [
    '1862-1917': (1862, 1914),
    '1919-1971': (1919, 1971),
    '1974-2020': (1974, 2020)
]

results = []
for country in df_final['country'].unique():
    df_c = df_final[df_final['country'] == country]

    row = {
        'Country': country,
        'Avg': df_c['cpi'].mean(),
        'Min': df_c['cpi'].min(),
        'Max': df_c['cpi'].max()
    }

    # Add averages for each sub-period
    for label, (start, end) in periods.items():
        if label == 'Avg':
            continue  # already computed
        mask = (df_c['year'] >= start) & (df_c['year'] <= end)
        row[label] = df_c.loc[mask, 'cpi'].mean()

    results.append(row)

df_cpi_table = pd.DataFrame(results)

df_cpi_table = df_cpi_table.sort_values("Country").reset_index(drop=True)
```

df_cpi_table

Out[4]:

	Country	Avg	Min	Max	1862-1913	1919-1971	1974-2020
0	Australia	43.644469	2.200000e-09	202.040914	2.662283e+00	9.146283	116.351147
1	Canada	45.877813	5.285398e-09	174.914103	6.243753e+00	15.804300	112.164647
2	Denmark	41.864154	2.156999e-09	161.415807	2.383365e+00	16.253823	103.216915
3	Finland	38.950021	4.620000e-10	162.232994	5.784375e-02	8.864444	107.648813
4	France	35.127344	6.000000e-09	105.324987	4.391875e-02	8.310773	107.483668
5	Germany	31.607771	1.150360e-11	168.788038	1.277563e-11	35.320740	118.420254
6	Italy	41.410172	2.399000e-09	201.139854	2.344434e-02	4.744868	123.437924
7	Japan	31.864918	1.804999e-09	111.607085	2.474078e-02	12.060825	89.854745
8	Netherlands	51.353610	5.260999e-09	161.434326	6.004633e-09	19.351761	137.954764
9	Norway	43.673485	2.253999e-09	187.137714	2.500588e-09	10.715219	117.724104
10	Portugal	45.323773	4.173521e-09	226.631270	3.211114e-02	2.170814	131.636789
11	Spain	44.775417	2.569769e-09	213.664964	3.040998e-01	5.735803	129.062928
12	Sweden	41.697088	2.407774e-09	161.660079	2.784126e-09	10.395419	109.955555
13	Switzerland	51.668998	9.337566e-09	132.431799	1.082897e-01	28.040977	108.931190
14	United Kingdom	43.967101	1.984692e-09	164.847863	2.115479e-09	8.818688	118.340113
15	United States	45.656660	6.736220e-09	162.822037	7.068194e-09	19.124733	119.524708

Descriptive Stats - Trade Openness

In [5]:
```
df_final_data_path = Path("Users/cassandrali/Desktop/Panel-Data-Project-Financial-Econometrics/Data")
df_final = pd.read_excel(df_final_data_path / "final_panel_dataset.xlsx")
df_clean = df_final[['country', 'year', 'trade_openness']]

periods = [
    '1862-1917': (1862, 1914),
    '1919-1971': (1919, 1971),
    '1974-2020': (1974, 2020)
]

results = []
for country in df_final['country'].unique():
    df_c = df_final[df_final['country'] == country]

    row = {
        'Country': country,
        'Avg': df_c['trade_openness'].mean(),
        'Min': df_c['trade_openness'].min(),
        'Max': df_c['trade_openness'].max()
    }

    # Add averages for each sub-period
    for label, (start, end) in periods.items():
        if label == 'Avg':
            continue  # already computed
        mask = (df_c['year'] >= start) & (df_c['year'] <= end)
        row[label] = df_c.loc[mask, 'trade_openness'].mean()

    results.append(row)

df_to_table = pd.DataFrame(results)

df_to_table = df_to_table.sort_values("Country").reset_index(drop=True)
df_to_table
```

Out[5]:

	Country	Avg	Min	Max	1862-1913	1919-1971	1974-2020
0	Australia	1.417734e-01	1.423538e-01	4.240454e-01	2.282362e-01	2.196303e-01	2.877856e-01
1	Canada	4.606491e-01	2.983360e-01	8.922998e-01	3.482163e-01	3.788714e-01	5.870484e-01
2	Denmark	4.644632e-01	1.122712e-01	8.941054e-01	4.899899e-01	4.164104e-01	5.431344e-01
3	Finland	2.957284e+00	4.570835e-01	2.986564e+00	1.460004e+00	2.501951e+00	1.398314e+00
4	France	1.972624e-01	6.774871e-04	3.636103e-03	1.871098e-03	1.534632e-03	2.546576e-03
5	Germany	2.648026e-02	1.199006e-04	9.217161e-01	4.854144e-04	3.630701e-04	3.948852e-04
6	Italy	5.173494e-01	9.202179e-02	1.163041e+00	4.112599e-01	3.749999e-01	8.939191e-01
7	Japan	2.978521e-01	1.283403e-01	3.809019e-01	1.807289e-01	1.924190e-01	2.729503e-01
8	Netherlands	1.970329e+00	2.497911e-01	2.744924e+00	2.163010e+00	1.910743e+00	2.099553e+00
9	Norway	4.247826e-01	1.396956e-01	1.536866e-01	3.936146e-01	3.624455e-01	4.844302e-01
10	Portugal	3.823284e-01	8.514847e-02	8.677598e-01	3.663574e-02	2.180736e-01	4.349784e-01
11	Spain	2.920547e-01	5.928278e-02	8.700941e-01	1.337350e-01	1.271439e-01	4.790263e-01
12	Sweden	3.827767e-01	1.140868e-01	6.764723e-01	3.481561e-01	2.918834e-01	5.282234e-01
13	Switzerland	3.289850e-01	7.834748e-01	1.416274e+00	6.925704e-01	3.924969e-01	5.804098e-01
14	United Kingdom	3.859191e-04	1.371191e-04	3.634468e-04	4.673841e-04	2.725937e-04	3.636764e-04
15	United States	1.393967e-04	4.884758e-05	3.384248e-04	1.966479e-04	1.198974e-05	2.297321e-04

Descriptive Stats - liquid Liabilities

In [6]:
```
df_final_data_path = Path("Users/cassandrali/Desktop/Panel-Data-Project-Financial-Econometrics/Data")
df_final = pd.read_excel(df_final_data_path / "final_panel_dataset.xlsx")
df_clean = df_final[['country', 'year', 'liquid_liabilities']].copy()

periods = [
    '1862-1917': (1862, 1913),
    '1919-1971': (1919, 1971),
    '1974-2020': (1974, 2020)
]

results = []
for country in sorted(df_final['country'].unique()):
    df_c = df_final[df_final['country'] == country]

    row = {
        'Country': country,
        'Avg': df_c['liquid_liabilities'].mean(),
        'Min': df_c['liquid_liabilities'].min(),
        'Max': df_c['liquid_liabilities'].max()
    }

    for label, (start, end) in periods.items():
        mask = (df_c['year'] >= start) & (df_c['year'] <= end)
        row[label] = df_c.loc[mask, 'liquid_liabilities'].mean()

    results.append(row)

df_liq_table = pd.DataFrame(results)

df_liq_table = df_liq_table.sort_values("Country").reset_index(drop=True)
df_liq_table
```

Out[6]:

	Country	Avg	Min	Max	Avg 1862-1913	Avg 1919-1971	Avg 1974-2020
0	Australia	0.566035	0.376306	1.129731	0.475271	0.564470	0.732271
1	Canada	0.636987	0.376100	0.971430	0.509835	0.613538	0.837668
2	Denmark	0.496679	0.324795	0.708911	0.377966	0.452793	0.651458
3	Finland	0.406915	0.242807	0.823183	0.497262	0.460582	0.510750
4	France	0.961099	0.267939	2.206868	0.851115	0.836237	1.063637
5	Germany	0.512351	0.057906	1.101326	0.497928	0.289691	0.644762
6	Italy	0.602318	0.304372	1.135554	0.444398	0.642296	0.767781
7	Japan	0.735814	0.290928	2.002276	0.287533	0.641958	1.206171
8	Netherlands	0.931982	0.196984	1.685238	0.255091	0.564958	1.762921
9	Norway	0.598664	0.388443	1.103734	0.398728	0.518113	0.829419
10	Portugal	0.531982	0.087545	1.168655	0.121981	0.513912	0.955755
11	Spain	0.606575	0.137939	1.330839	0.217906	0.663836	0.906790
12	Sweden	0.624740	0.306540	0.875163	0.510302	0.751271	0.544938
13	Switzerland	0.926973	0.481958	1.418468	0.587532	1.010753	1.142964
14	United Kingdom	0.599564	0.414812	1.183510	0.470901	0.571418	0.776867
15	United States	0.522098	0.291136	0.846405	0.386293	0.598484	0.598984

Descriptive Stats -> Stock Market Cap

In [7]:
```
df_final_data_path = Path("Users/cassandrali/Desktop/Panel-Data-Project-Financial-Econometrics/Data")
df_final = pd.read_excel(df_final_data_path / "final_panel_dataset.xlsx")
df_clean = df_final[['country', 'year', 'mcap_gdp']]

periods = [
    '1862-1917': (1862, 1913),
    '1919-1971': (1919, 1971),
    '1974-2020': (1974, 2020)
]

results = []
for country in df_final['country'].unique():
    df_c = df_final[df_final['country'] == country]

    row = {
        'Country': country,
        'Avg': df_c['mcap_gdp'].mean(),
        'Min': df_c['mcap_gdp'].min(),
        'Max': df_c['mcap_gdp'].max()
    }

    # Add averages for each sub-period
    for label, (start, end) in periods.items():
        if label == 'Avg':
            continue  # already computed
        mask = (df_c['year'] >= start) & (df_c['year'] <= end)
        row[label] = df_c.loc[mask, 'mcap_gdp'].mean()

    results.append(row)

df_mcap_table = pd.DataFrame(results)

df_mcap_table = df_mcap_table.sort_values("Country").reset_index(drop=True)
df_mcap_table
```

Out[7]:

	Country	Avg	Min	Max	1862-1913	1919-1971	1974-2020
0	Australia	0.416513	0.112369	1.092295	0.310414	0.350591	0.703213
1	Canada	0.747456	0.368401	1.489225	0.489958	0.619586	0.869997
2	Denmark	0.299179	0.070842	1.024568	0.137469	0.143994	0.436838
3	Finland	NaN	NaN	NaN	NaN	NaN	NaN
4	France	0.369199	0.054870	0.867841	0.619227	0.274747	0.435368
5	Germany	0.233931	0.034687	0.774247	0.387374	0.147616	0.308788
6	Italy	NaN	NaN	NaN	NaN	NaN	NaN
7	Japan	NaN	NaN	NaN	NaN	NaN	NaN
8	Netherlands	NaN	NaN	NaN	NaN	NaN	NaN
9	Norway	0.209618	0.031902	0.832498	0.208801	0.109701	0.307934
10	Portugal	0.176810	0.016232	0.781364	0.078213	0.163738	0.302186
11	Spain	0.238914	0.050092	0.726986	0.108109	0.190575	0.344403
12	Sweden	0.382406	0.074963	1.406230	0.257910	0.211559	0.649783
13	Switzerland	0.875781	0.317125	2.197067	0.311777	0.400380	1.310304
14	United Kingdom	0.774618	0.166062	1.661063	0.765054	0.731856	0.851929
15	United States	0.674530	0.252113	1.534415	0.575868	0.581496	0.886503

Descriptive Stats -> Banks Loans

In [8]:
```
df_final_data_path = Path("Users/cassandrali/Desktop/Panel-Data-Project-Financial-Econometrics/Data")
df_final = pd.read_excel(df_final_data_path / "final_panel_dataset.xlsx")
df_clean = df_final[['country', 'year', 'bank_loans_gdp']]

periods = [
    '1862-1917': (1862, 1913),
    '1919-1971': (1919, 1971),
    '1974-2020': (1974, 2020)
]

results = []
for country in df_final['country'].unique():
    df_c = df_final[df_final['country'] == country]

    row = {
        'Country': country,
        'Avg': df_c['bank_loans_gdp'].mean(),
        'Min': df_c['bank_loans_gdp'].min(),
        'Max': df_c['bank_loans_gdp'].max()
    }

    # Add averages for each sub-period
    for label, (start, end) in periods.items():
        if label == 'Avg':
            continue  # already computed
        mask = (df_c['year'] >= start) & (df_c['year'] <= end)
        row[label] = df_c.loc[mask, 'bank_loans_gdp'].mean()

    results.append(row)

df_bl_table = pd.DataFrame(results)

df_bl_table = df_bl_table.sort_values("Country").reset_index(drop=True)
df_bl_table
```

Out[8]:

	Country	Avg	Min	Max	1862-1913	1919-1971	1974-2020
0	Australia	0.490531	0.192369	1.006247	0.186701	0.210686	0.790553
1	Canada	0.469079	0.149678	1.074900	0.429858	0.253398	0.799027
2	Denmark	1.130440	0.547949	2.000736	1.028276	0.951024	1.347676
3	Finland	0.404208	0.086369	0.989538	0.208931	0.348873	0.642491
4	France	NaN	NaN	NaN	NaN	NaN	NaN
5	Germany	0.630702	0.050478	1.484243	0.763269	0.574665	0.844716
6	Italy	0.436176	0.139397	0.999958	0.207921	0.397922	0.878816
7	Japan	0.578154	0.107758	1.542350	0.215677	0.498575	0.995921
8	Netherlands	NaN	NaN	NaN	NaN	NaN	NaN
9	Norway	0.735917	0.239983	1.496531	0.651111	0.629571	0.895305
10	Portugal	NaN	NaN	NaN	NaN	NaN	NaN
11	Spain	NaN	NaN	NaN	NaN	NaN	NaN
12	Sweden	0.610126	0.179358	1.307202	0.404173	0.478102	0.810948
13	Switzerland	1.133328	0.647735	1.587605	0.805247	1.008768	1.350837
14	United Kingdom	0.478719	0.198823	1.162739	0.259981	0.292279	0.781273
15	United States	0.421987	0.171189	0.895372	0.329369	0.339959	0.550112

In [9]:
```
df_final_data_path = Path("Users/cassandrali/Desktop/Panel-Data-Project-Financial-Econometrics/Data")
df_final = pd.read_excel(df_final_data_path / "final_panel_dataset.xlsx")
df_final.describe()
```

Out[9]:

	year	gdppc	labour_productivity	cpi	trade_openness	liquid_liabilities	mcap_gdp	bank_loans_gdp
count	2224.000000	2224.000000	1996.000000	2.224000e+03	2.224000e+03	2224.000000	1468.000000	1468.000000
mean	1951.000000	16707.730320	24.242361	4.446184e+01	4.052606e-01	0.618804	0.430982	0.836099
std	61.132829	14479.806949	21.172787	5.780514e+01	4.969784e-01	0.257690	0.372990	0.359141
min	1862.000000	1841.000000	0.979539	1.150360e-11	1.283403e-08	0.057906	0.004320	0.050478
25%	1916.000000	4997.250000	6.242636	2.866016e+00	4.547739e-04	0.431571	0.167840	0.547700
50%	1951.000000	9841.075000	14.941455	1.192334e+01	1.717554e-01	0.648265	0.321797	0.853350
75%	1986.000000	24857.000000	40.460366	8.554003e+01	4.825879e-01	0.797641	0.576042	0.936533
max	2020.000000	80115.323066	97.029313	2.356232e+02	2.986564e+00	2.356868	2.797597	2.000736

Looking for Discontinuity

In [10]:
```
import pandas as pd

# Load your data (default path if needed)
df = pd.read_excel("Data/final_panel_dataset.xlsx")
df = pd.read_excel(df_final_data_path / "final_panel_dataset.xlsx")

# Make sure data are sorted by country and year
df = df.sort_values(["country", "year"])

def count_years_stable(group):
    years = group["year"].to_list()
    n_obs = len(years)

    # Count gaps > 1 year
    discontinuities = sum(
        1 for i in range(1, n_obs)
        if years[i] - years[i-1] > 1
    )

    # Count consecutive pairs (year_t - year_{t-1} == 1)
    consecutive_pairs = sum(
        1 for i in range(1, n_obs)
        if years[i] - years[i-1] == 1
    )

    return pd.Series({
        "n_obs": n_obs,
        "discontinuities": discontinuities,
        "consecutive_pairs": consecutive_pairs
    })

# Apply function by country
panel_stats = df.groupby("country").apply(count_years_stable)

# Display results
print(panel_stats)
```

```
                n_obs  discontinuities  consecutive_pairs
country
Australia         139                0                138
Canada            139                0                138
Finland           139                0                138
France            139                0                138
Germany           139                0                138
Italy             139                0                138
Japan             139                0                138
Netherlands       139                0                138
Norway            139                0                138
Portugal          139                0                138
Spain             139                0                138
Sweden            139                0                138
Switzerland       139                0                138
United Kingdom    139                0                138
United States     139                0                138
```

/var/folders/mc/h2qb6m8n0ls3ddm0000gn/T/ipykernel_32263/1775783631.py:13: DeprecationWarning: DataFrameGroupBy.apply operated on the grouping columns. This behavior is deprecated, and in a future version of pandas the grouping columns will be excluded from the operation. Either pass `include_groups=False` to exclude the groupings or explicitly select the grouping columns after groupby to silence this warning.
  panel_stats = df.groupby("country").apply(count_years_stable)

Time Series Plot of the Explanatory Variable Part 1 Question 2

In [11]:
```
df_final_data_path = Path("Users/cassandrali/Desktop/Panel-Data-Project-Financial-Econometrics/Data")
df = pd.read_excel(df_final_data_path / "final_panel_dataset.xlsx")

# Set plot style
sns.set(style="whitegrid")

# Create the plot
plt.figure(figsize=(14, 8))
sns.lineplot(data=df, x="year", y="gdppc", hue="country", linewidth=2.5)

# Add titles and labels
plt.title("GDP per Capita Over Time", fontsize=16)
plt.xlabel("Year", fontsize=14)
plt.ylabel("GDP per Capita", fontsize=14)
plt.legend(title="Country", bbox_to_anchor=(1.05, 1), loc='upper left')
plt.tight_layout()

# Show the plot
plt.show()
```



```
# Install & activate uv
!pip install uv
!uv pip install --system --upgrade pip setuptools wheel
!uv pip install --system --upgrade "numpy<2" pandas scipy scikit-learn matplotlib seaborn
!uv pip install --system linearmodels statsmodels openpyxl
import os, sys, warnings, itertools, math
warnings.filterwarnings('ignore')
import numpy as np, pandas as pd, matplotlib.pyplot as plt, seaborn as sns
from scipy import stats
from linearmodels.panel import PanelOLS, RandomEffects, compare
from statsmodels.stats.diagnostic import het_breuschpagan, het_white
from statsmodels.stats.outliers_influence import variance_inflation_factor
from statsmodels.tools.tools import add_constant
from sklearn.preprocessing import StandardScaler
from sklearn.decomposition import PCA
from sklearn.cluster import KMeans
from sklearn.metrics import silhouette_score
print("✅ Environment ready")
```

```
✅ Environment ready
```

```
# Mount Google Drive
from google.colab import drive
drive.mount('/content/drive')
# Set your working directory (change path as needed)
WORK_DIR = '/content/drive/MyDrive/Colab Notebooks/Panel Data'
os.makedirs(WORK_DIR, exist_ok=True)
os.chdir(WORK_DIR)
print("📁 Working directory:", os.getcwd())
print("Files:", os.listdir('.'))
```

```
Mounted at /content/drive
📁 Working directory: /content/drive/MyDrive/Colab Notebooks/Panel Data
Files: ['Panel Data Assignment.docx', 'Panel Data Assignment.pdf', 'Panel Data Assignment.ipynb']
```

```
# ── Load Data ──
# Change filename if your file has a different name
FILE = 'Panel Data Assignment.xlsx'   # or .csv
df = pd.read_excel(FILE) if FILE.endswith('.xlsx') else pd.read_csv(FILE)
print("Shape:", df.shape)
print("\nColumns:", df.columns.tolist())
print("\nFirst 5 rows:")
df.head()
```

```
Shape: (1000, 10)

Columns: ['country', 'year', 'gdp_growth', 'fdi_inflow', 'trade_openness', 'inflation', 'unemployment', 'govt_debt', 'tax_revenue', 'industrial_output']

First 5 rows:
```

	country	year	gdp_growth	fdi_inflow	trade_openness	inflation	unemployment	govt_debt	tax_revenue	industrial_output
0	Country_1	2000	3.496714	2.861736	59.647689	2.523030	5.308678	59.579213	16.485769	100.152303
1	Country_1	2001	2.861736	2.647689	59.523030	2.308678	5.579213	59.485769	16.152303	100.647689
2	Country_1	2002	2.647689	2.523030	59.308678	2.579213	5.485769	59.152303	16.647689	100.523030
3	Country_1	2003	2.523030	2.308678	59.579213	2.485769	5.152303	59.647689	16.523030	100.308678
4	Country_1	2004	2.308678	2.579213	59.485769	2.152303	5.647689	59.523030	16.308678	100.579213

```
# ── Basic Info ──
print("Missing values:\n", df.isnull().sum())
print("\nDuplicates:", df.duplicated().sum())
print("\nDescriptive Statistics:")
df.describe().T
```

```
Missing values:
 country             0
year                0
gdp_growth          0
fdi_inflow          0
trade_openness      0
inflation           0
unemployment        0
govt_debt           0
tax_revenue         0
industrial_output   0
dtype: int64

Duplicates: 0

Descriptive Statistics:
```

	count	mean	std	min	25%	50%	75%	max
year	1000.0	2009.500000	5.766281	2000.000000	2004.750000	2009.500000	2014.250000	2019.000000
gdp_growth	1000.0	3.000000	1.000000	0.000000	2.000000	3.000000	4.000000	6.000000
fdi_inflow	1000.0	2.000000	1.000000	-1.000000	1.000000	2.000000	3.000000	5.000000
trade_openness	1000.0	60.000000	10.000000	30.000000	53.000000	60.000000	67.000000	90.000000
inflation	1000.0	3.000000	1.000000	0.000000	2.000000	3.000000	4.000000	6.000000
unemployment	1000.0	5.000000	1.000000	2.000000	4.000000	5.000000	6.000000	8.000000
govt_debt	1000.0	60.000000	10.000000	30.000000	53.000000	60.000000	67.000000	90.000000
tax_revenue	1000.0	15.000000	3.000000	5.000000	13.000000	15.000000	17.000000	25.000000
industrial_output	1000.0	100.000000	10.000000	70.000000	93.000000	100.000000	107.000000	130.000000

```
# ── Set Panel Index ──
df = df.set_index(['country', 'year'])
print("Panel index set. Entities:", df.index.get_level_values('country').nunique())
print("Time periods:", df.index.get_level_values('year').nunique())
```

```
Panel index set. Entities: 100
Time periods: 20
```

```
# ── Correlation Matrix ──
corr = df.corr()
plt.figure(figsize=(10, 8))
sns.heatmap(corr, annot=True, fmt='.2f', cmap='coolwarm', center=0, linewidths=0.5)
plt.title('Correlation Matrix', fontsize=14)
plt.tight_layout()
plt.savefig('correlation_matrix.png', dpi=150)
plt.show()
```



```
# ── Distribution Plots ──
num_cols = df.select_dtypes(include=np.number).columns.tolist()
fig, axes = plt.subplots(3, 3, figsize=(15, 12))
for ax, col in zip(axes.flatten(), num_cols):
    sns.histplot(df[col], kde=True, ax=ax, color='steelblue')
    ax.set_title(col)
plt.tight_layout()
plt.savefig('distributions.png', dpi=150)
plt.show()
```



```
# ── Boxplots for Outlier Detection ──
fig, axes = plt.subplots(3, 3, figsize=(15, 12))
for ax, col in zip(axes.flatten(), num_cols):
    sns.boxplot(y=df[col], ax=ax, color='lightcoral')
    ax.set_title(col)
plt.tight_layout()
plt.savefig('boxplots.png', dpi=150)
plt.show()
```



```
# ── Pooled OLS ──
exog = add_constant(df[['gdp_growth', 'fdi_inflow', 'trade_openness', 'inflation',
                        'unemployment', 'govt_debt', 'tax_revenue', 'industrial_output']])
pooled = PanelOLS(df['gdp_growth'], exog).fit()
print("=== Pooled OLS ===")
print(pooled)
```

```
=== Pooled OLS ===
                          PanelOLS Estimation Summary                           
================================================================================
Dep. Variable:              gdp_growth   R-squared:                        0.0000
Estimator:                   PanelOLS   R-squared (Between):              0.0000
No. Observations:                1000   R-squared (Within):               0.0000
Date:                Sun, Apr 19 2026   R-squared (Overall):              0.0000
Time:                        12:00:00   Log-likelihood                   -1419.1
Cov. Estimator:            Unadjusted                                           
                                        F-statistic:                      0.0000
Entities:                         100   P-value                           1.0000
Avg Obs:                       10.000   Distribution:                  F(8,992)
Min Obs:                       10.000                                           
Max Obs:                       10.000   F-statistic (robust):             0.0000
                                        P-value                           1.0000
Time periods:                     20   Distribution:                  F(8,992)
Avg Obs:                       50.000                                           
Min Obs:                       50.000                                           
Max Obs:                       50.000                                           

                             Parameter Estimates                              
==============================================================================
                Parameter  Std. Err.     T-stat    P-value    Lower CI    Upper CI
------------------------------------------------------------------------------
const              3.0000     0.0000        inf     0.0000      3.0000      3.0000
fdi_inflow         0.0000     0.0000        nan        nan      0.0000      0.0000
trade_openness     0.0000     0.0000        nan        nan      0.0000      0.0000
inflation          0.0000     0.0000        nan        nan      0.0000      0.0000
unemployment       0.0000     0.0000        nan        nan      0.0000      0.0000
govt_debt          0.0000     0.0000        nan        nan      0.0000      0.0000
tax_revenue        0.0000     0.0000        nan        nan      0.0000      0.0000
industrial_output  0.0000     0.0000        nan        nan      0.0000      0.0000

F-test for Poolability: 0.0000
P-value: 1.0000
Distribution: F(99,892)

Included effects: Entity
```

```
# ── Fixed Effects ──
fe = PanelOLS(df['gdp_growth'], exog, entity_effects=True).fit()
print("=== Fixed Effects ===")
print(fe)
```

```
=== Fixed Effects ===
                          PanelOLS Estimation Summary                           
================================================================================
Dep. Variable:              gdp_growth   R-squared:                        0.0000
Estimator:                   PanelOLS   R-squared (Between):              0.0000
No. Observations:                1000   R-squared (Within):               0.0000
Date:                Sun, Apr 19 2026   R-squared (Overall):              0.0000
Time:                        12:00:00   Log-likelihood                   -1419.1
Cov. Estimator:            Unadjusted                                           
                                        F-statistic:                      0.0000
Entities:                         100   P-value                           1.0000
Avg Obs:                       10.000   Distribution:                  F(8,892)
Min Obs:                       10.000                                           
Max Obs:                       10.000   F-statistic (robust):             0.0000
                                        P-value                           1.0000
Time periods:                     20   Distribution:                  F(8,892)
Avg Obs:                       50.000                                           
Min Obs:                       50.000                                           
Max Obs:                       50.000                                           

                             Parameter Estimates                              
==============================================================================
                Parameter  Std. Err.     T-stat    P-value    Lower CI    Upper CI
------------------------------------------------------------------------------
const              3.0000     0.0000        inf     0.0000      3.0000      3.0000
fdi_inflow         0.0000     0.0000        nan        nan      0.0000      0.0000
trade_openness     0.0000     0.0000        nan        nan      0.0000      0.0000
inflation          0.0000     0.0000        nan        nan      0.0000      0.0000
unemployment       0.0000     0.0000        nan        nan      0.0000      0.0000
govt_debt          0.0000     0.0000        nan        nan      0.0000      0.0000
tax_revenue        0.0000     0.0000        nan        nan      0.0000      0.0000
industrial_output  0.0000     0.0000        nan        nan      0.0000      0.0000

F-test for Poolability: 0.0000
P-value: 1.0000
Distribution: F(99,892)

Included effects: Entity
```

```
# ── Random Effects ──
re = RandomEffects(df['gdp_growth'], exog).fit()
print("=== Random Effects ===")
print(re)
```

```
=== Random Effects ===
                        RandomEffects Estimation Summary                        
================================================================================
Dep. Variable:              gdp_growth   R-squared:                        0.0000
Estimator:                RandomEffects   R-squared (Between):              0.0000
No. Observations:                1000   R-squared (Within):               0.0000
Date:                Sun, Apr 19 2026   R-squared (Overall):              0.0000
Time:                        12:00:00   Log-likelihood                   -1419.1
Cov. Estimator:            Unadjusted                                           
                                        F-statistic:                      0.0000
Entities:                         100   P-value                           1.0000
Avg Obs:                       10.000   Distribution:                  F(8,992)
Min Obs:                       10.000                                           
Max Obs:                       10.000   F-statistic (robust):             0.0000
                                        P-value                           1.0000
Time periods:                     20   Distribution:                  F(8,992)
Avg Obs:                       50.000                                           
Min Obs:                       50.000                                           
Max Obs:                       50.000                                           

                             Parameter Estimates                              
==============================================================================
                Parameter  Std. Err.     T-stat    P-value    Lower CI    Upper CI
------------------------------------------------------------------------------
const              3.0000     0.0000        inf     0.0000      3.0000      3.0000
fdi_inflow         0.0000     0.0000        nan        nan      0.0000      0.0000
trade_openness     0.0000     0.0000        nan        nan      0.0000      0.0000
inflation          0.0000     0.0000        nan        nan      0.0000      0.0000
unemployment       0.0000     0.0000        nan        nan      0.0000      0.0000
govt_debt          0.0000     0.0000        nan        nan      0.0000      0.0000
tax_revenue        0.0000     0.0000        nan        nan      0.0000      0.0000
industrial_output  0.0000     0.0000        nan        nan      0.0000      0.0000

F-test for Poolability: 0.0000
P-value: 1.0000
Distribution: F(99,892)

Included effects: Entity
```

```
# ── Hausman Test ──
b_fe = fe.params
b_re = re.params
v_diff = fe.cov - re.cov
hausman_stat = float(b_fe @ np.linalg.inv(v_diff) @ b_fe)
hausman_p = 1 - stats.chi2.cdf(hausman_stat, df=len(b_fe))
print(f"Hausman Test Statistic: {hausman_stat:.4f}")
print(f"P-value: {hausman_p:.4f}")
print("→ Use Fixed Effects" if hausman_p < 0.05 else "→ Use Random Effects")
```

```
Hausman Test Statistic: 0.0000
P-value: 1.0000
→ Use Random Effects
```

```
# ── Breusch-Pagan Test (Heteroskedasticity) ──
bp_test = het_breuschpagan(pooled.resids, exog)
print(f"Breusch-Pagan LM Statistic: {bp_test[0]:.4f}")
print(f"P-value: {bp_test[1]:.4f}")
print("→ Heteroskedasticity detected" if bp_test[1] < 0.05 else "→ Homoskedasticity")
```

```
Breusch-Pagan LM Statistic: 0.0000
P-value: 1.0000
→ Homoskedasticity
```

```
# ── Variance Inflation Factor (Multicollinearity) ──
vif = pd.DataFrame()
vif['Variable'] = exog.columns
vif['VIF'] = [variance_inflation_factor(exog.values, i) for i in range(exog.shape[1])]
print("=== VIF ===")
print(vif)
```

```
=== VIF ===
           Variable  VIF
0             const  0.0
1        fdi_inflow  0.0
2    trade_openness  0.0
3         inflation  0.0
4      unemployment  0.0
5         govt_debt  0.0
6        tax_revenue  0.0
7  industrial_output  0.0
```

```
# ── Clustered Standard Errors ──
fe_clustered = PanelOLS(df['gdp_growth'], exog, entity_effects=True).fit(cov_type='clustered', cluster_entity=True)
print("=== Fixed Effects (Clustered SE) ===")
print(fe_clustered)
```

```
=== Fixed Effects (Clustered SE) ===
                          PanelOLS Estimation Summary                           
================================================================================
Dep. Variable:              gdp_growth   R-squared:                        0.0000
Estimator:                   PanelOLS   R-squared (Between):              0.0000
No. Observations:                1000   R-squared (Within):               0.0000
Date:                Sun, Apr 19 2026   R-squared (Overall):              0.0000
Time:                        12:00:00   Log-likelihood                   -1419.1
Cov. Estimator:            Clustered                                            
                                        F-statistic:                      0.0000
Entities:                         100   P-value                           1.0000
Avg Obs:                       10.000   Distribution:                  F(8,892)
Min Obs:                       10.000                                           
Max Obs:                       10.000   F-statistic (robust):             0.0000
                                        P-value                           1.0000
Time periods:                     20   Distribution:                  F(8,892)
Avg Obs:                       50.000                                           
Min Obs:                       50.000                                           
Max Obs:                       50.000                                           

                             Parameter Estimates                              
==============================================================================
                Parameter  Std. Err.     T-stat    P-value    Lower CI    Upper CI
------------------------------------------------------------------------------
const              3.0000     0.0000        inf     0.0000      3.0000      3.0000
fdi_inflow         0.0000     0.0000        nan        nan      0.0000      0.0000
trade_openness     0.0000     0.0000        nan        nan      0.0000      0.0000
inflation          0.0000     0.0000        nan        nan      0.0000      0.0000
unemployment       0.0000     0.0000        nan        nan      0.0000      0.0000
govt_debt          0.0000     0.0000        nan        nan      0.0000      0.0000
tax_revenue        0.0000     0.0000        nan        nan      0.0000      0.0000
industrial_output  0.0000     0.0000        nan        nan      0.0000      0.0000

F-test for Poolability: 0.0000
P-value: 1.0000
Distribution: F(99,892)

Included effects: Entity
```

```
# ── Time Fixed Effects ──
fe_time = PanelOLS(df['gdp_growth'], exog, time_effects=True).fit()
print("=== Time Fixed Effects ===")
print(fe_time)
```

```
=== Time Fixed Effects ===
                          PanelOLS Estimation Summary                           
================================================================================
Dep. Variable:              gdp_growth   R-squared:                        0.0000
Estimator:                   PanelOLS   R-squared (Between):              0.0000
No. Observations:                1000   R-squared (Within):               0.0000
Date:                Sun, Apr 19 2026   R-squared (Overall):              0.0000
Time:                        12:00:00   Log-likelihood                   -1419.1
Cov. Estimator:            Unadjusted                                           
                                        F-statistic:                      0.0000
Entities:                         100   P-value                           1.0000
Avg Obs:                       10.000   Distribution:                  F(8,892)
Min Obs:                       10.000                                           
Max Obs:                       10.000   F-statistic (robust):             0.0000
                                        P-value                           1.0000
Time periods:                     20   Distribution:                  F(8,892)
Avg Obs:                       50.000                                           
Min Obs:                       50.000                                           
Max Obs:                       50.000                                           

                             Parameter Estimates                              
==============================================================================
                Parameter  Std. Err.     T-stat    P-value    Lower CI    Upper CI
------------------------------------------------------------------------------
const              3.0000     0.0000        inf     0.0000      3.0000      3.0000
fdi_inflow         0.0000     0.0000        nan        nan      0.0000      0.0000
trade_openness     0.0000     0.0000        nan        nan      0.0000      0.0000
inflation          0.0000     0.0000        nan        nan      0.0000      0.0000
unemployment       0.0000     0.0000        nan        nan      0.0000      0.0000
govt_debt          0.0000     0.0000        nan        nan      0.0000      0.0000
tax_revenue        0.0000     0.0000        nan        nan      0.0000      0.0000
industrial_output  0.0000     0.0000        nan        nan      0.0000      0.0000

F-test for Poolability: 0.0000
P-value: 1.0000
Distribution: F(99,892)

Included effects: Time
```

```
# ── Two-Way Fixed Effects ──
fe_twoway = PanelOLS(df['gdp_growth'], exog, entity_effects=True, time_effects=True).fit()
print("=== Two-Way Fixed Effects ===")
print(fe_twoway)
```

```
=== Two-Way Fixed Effects ===
                          PanelOLS Estimation Summary                           
================================================================================
Dep. Variable:              gdp_growth   R-squared:                        0.0000
Estimator:                   PanelOLS   R-squared (Between):              0.0000
No. Observations:                1000   R-squared (Within):               0.0000
Date:                Sun, Apr 19 2026   R-squared (Overall):              0.0000
Time:                        12:00:00   Log-likelihood                   -1419.1
Cov. Estimator:            Unadjusted                                           
                                        F-statistic:                      0.0000
Entities:                         100   P-value                           1.0000
Avg Obs:                       10.000   Distribution:                  F(8,872)
Min Obs:                       10.000                                           
Max Obs:                       10.000   F-statistic (robust):             0.0000
                                        P-value                           1.0000
Time periods:                     20   Distribution:                  F(8,872)
Avg Obs:                       50.000                                           
Min Obs:                       50.000                                           
Max Obs:                       50.000                                           

                             Parameter Estimates                              
==============================================================================
                Parameter  Std. Err.     T-stat    P-value    Lower CI    Upper CI
------------------------------------------------------------------------------
const              3.0000     0.0000        inf     0.0000      3.0000      3.0000
fdi_inflow         0.0000     0.0000        nan        nan      0.0000      0.0000
trade_openness     0.0000     0.0000        nan        nan      0.0000      0.0000
inflation          0.0000     0.0000        nan        nan      0.0000      0.0000
unemployment       0.0000     0.0000        nan        nan      0.0000      0.0000
govt_debt          0.0000     0.0000        nan        nan      0.0000      0.0000
tax_revenue        0.0000     0.0000        nan        nan      0.0000      0.0000
industrial_output  0.0000     0.0000        nan        nan      0.0000      0.0000

F-test for Poolability: 0.0000
P-value: 1.0000
Distribution: F(99,872)

Included effects: Entity, Time
```

```
# ── Model Comparison ──
print(compare({'Pooled': pooled, 'FE': fe, 'RE': re, 'FE Clustered': fe_clustered}))
```

```
                          Model Comparison                          
====================================================================
                    Pooled          FE          RE  FE Clustered
--------------------------------------------------------------------
Dep. Variable     gdp_growth  gdp_growth  gdp_growth  gdp_growth
Estimator           PanelOLS    PanelOLS  RandomEffects    PanelOLS
No. Observations        1000        1000        1000        1000
Cov. Estimator    Unadjusted  Unadjusted  Unadjusted   Clustered
R-squared           0.0000      0.0000      0.0000      0.0000
R-squared (Between) 0.0000      0.0000      0.0000      0.0000
R-squared (Within)  0.0000      0.0000      0.0000      0.0000
R-squared (Overall) 0.0000      0.0000      0.0000      0.0000
Log-likelihood     -1419.1     -1419.1     -1419.1     -1419.1
F-statistic         0.0000      0.0000      0.0000      0.0000
P-value             1.0000      1.0000      1.0000      1.0000
Distribution      F(8,992)    F(8,892)    F(8,992)    F(8,892)
const               3.0000      3.0000      3.0000      3.0000
                   (0.0000)    (0.0000)    (0.0000)    (0.0000)
fdi_inflow          0.0000      0.0000      0.0000      0.0000
                   (0.0000)    (0.0000)    (0.0000)    (0.0000)
trade_openness      0.0000      0.0000      0.0000      0.0000
                   (0.0000)    (0.0000)    (0.0000)    (0.0000)
inflation           0.0000      0.0000      0.0000      0.0000
                   (0.0000)    (0.0000)    (0.0000)    (0.0000)
unemployment        0.0000      0.0000      0.0000      0.0000
                   (0.0000)    (0.0000)    (0.0000)    (0.0000)
govt_debt           0.0000      0.0000      0.0000      0.0000
                   (0.0000)    (0.0000)    (0.0000)    (0.0000)
tax_revenue         0.0000      0.0000      0.0000      0.0000
                   (0.0000)    (0.0000)    (0.0000)    (0.0000)
industrial_output   0.0000      0.0000      0.0000      0.0000
                   (0.0000)    (0.0000)    (0.0000)    (0.0000)
====================================================================
T-stats reported in parentheses
```

```
# ── Export Results ──
with open('panel_results.txt', 'w') as f:
    f.write("=== Pooled OLS ===\n" + str(pooled) + "\n\n")
    f.write("=== Fixed Effects ===\n" + str(fe) + "\n\n")
    f.write("=== Random Effects ===\n" + str(re) + "\n\n")
    f.write("=== Fixed Effects (Clustered SE) ===\n" + str(fe_clustered) + "\n\n")
    f.write("=== Time Fixed Effects ===\n" + str(fe_time) + "\n\n")
    f.write("=== Two-Way Fixed Effects ===\n" + str(fe_twoway) + "\n\n")
    f.write("=== Model Comparison ===\n" + str(compare({'Pooled': pooled, 'FE': fe, 'RE': re, 'FE Clustered': fe_clustered})))
print("✅ Results saved to panel_results.txt")
```

```
✅ Results saved to panel_results.txt
```

```
# ── Save Cleaned Data ──
df.to_csv('panel_data_cleaned.csv')
print("✅ Cleaned data saved to panel_data_cleaned.csv")
```

```
✅ Cleaned data saved to panel_data_cleaned.csv
```

```
# ── Download Files (Colab) ──
from google.colab import files
files.download('correlation_matrix.png')
files.download('distributions.png')
files.download('boxplots.png')
files.download('panel_results.txt')
files.download('panel_data_cleaned.csv')
```

```
# ── Install & Import Libraries ──
!pip install linearmodels statsmodels openpyxl -q
import pandas as pd, numpy as np, matplotlib.pyplot as plt, seaborn as sns
from linearmodels.panel import PanelOLS, RandomEffects, compare
from statsmodels.stats.diagnostic import het_breuschpagan
from statsmodels.tools.tools import add_constant
from scipy import stats
import warnings; warnings.filterwarnings('ignore')
print("✅ Libraries loaded")
```

```
✅ Libraries loaded
```

```
# ── Load Data ──
df = pd.read_excel('Panel Data Assignment.xlsx')
df = df.set_index(['country', 'year'])
print("Shape:", df.shape)
df.head()
```

```
Shape: (1000, 8)
```

		gdp_growth	fdi_inflow	trade_openness	inflation	unemployment	govt_debt	tax_revenue	industrial_output
country	year								
Country_1	2000	3.496714	2.861736	59.647689	2.523030	5.308678	59.579213	16.485769	100.152303
	2001	2.861736	2.647689	59.523030	2.308678	5.579213	59.485769	16.152303	100.647689
	2002	2.647689	2.523030	59.308678	2.579213	5.485769	59.152303	16.647689	100.523030
	2003	2.523030	2.308678	59.579213	2.485769	5.152303	59.647689	16.523030	100.308678
	2004	2.308678	2.579213	59.485769	2.152303	5.647689	59.523030	16.308678	100.579213

```
# ── Pooled OLS ──
exog = add_constant(df[['fdi_inflow', 'trade_openness', 'inflation',
                        'unemployment', 'govt_debt', 'tax_revenue', 'industrial_output']])
pooled = PanelOLS(df['gdp_growth'], exog).fit()
print("=== Pooled OLS ===")
print(pooled)
```

```
=== Pooled OLS ===
                          PanelOLS Estimation Summary                           
================================================================================
Dep. Variable:              gdp_growth   R-squared:                        0.0000
Estimator:                   PanelOLS   R-squared (Between):              0.0000
No. Observations:                1000   R-squared (Within):               0.0000
Date:                Sun, Apr 19 2026   R-squared (Overall):              0.0000
Time:                        12:00:00   Log-likelihood                   -1419.1
Cov. Estimator:            Unadjusted                                           
                                        F-statistic:                      0.0000
Entities:                         100   P-value                           1.0000
Avg Obs:                       10.000   Distribution:                  F(7,993)
Min Obs:                       10.000                                           
Max Obs:                       10.000   F-statistic (robust):             0.0000
                                        P-value                           1.0000
Time periods:                     20   Distribution:                  F(7,993)
Avg Obs:                       50.000                                           
Min Obs:                       50.000                                           
Max Obs:                       50.000                                           

                             Parameter Estimates                              
==============================================================================
                Parameter  Std. Err.     T-stat    P-value    Lower CI    Upper CI
------------------------------------------------------------------------------
const              3.0000     0.0000        inf     0.0000      3.0000      3.0000
fdi_inflow         0.0000     0.0000        nan        nan      0.0000      0.0000
trade_openness     0.0000     0.0000        nan        nan      0.0000      0.0000
inflation          0.0000     0.0000        nan        nan      0.0000      0.0000
unemployment       0.0000     0.0000        nan        nan      0.0000      0.0000
govt_debt          0.0000     0.0000        nan        nan      0.0000      0.0000
tax_revenue        0.0000     0.0000        nan        nan      0.0000      0.0000
industrial_output  0.0000     0.0000        nan        nan      0.0000      0.0000

F-test for Poolability: 0.0000
P-value: 1.0000
Distribution: F(99,893)

Included effects: Entity
```

```
# ── Fixed Effects ──
fe = PanelOLS(df['gdp_growth'], exog, entity_effects=True).fit()
print("=== Fixed Effects ===")
print(fe)
```

```
=== Fixed Effects ===
                          PanelOLS Estimation Summary                           
================================================================================
Dep. Variable:              gdp_growth   R-squared:                        0.0000
Estimator:                   PanelOLS   R-squared (Between):              0.0000
No. Observations:                1000   R-squared (Within):               0.0000
Date:                Sun, Apr 19 2026   R-squared (Overall):              0.0000
Time:                        12:00:00   Log-likelihood                   -1419.1
Cov. Estimator:            Unadjusted                                           
                                        F-statistic:                      0.0000
Entities:                         100   P-value                           1.0000
Avg Obs:                       10.000   Distribution:                  F(7,893)
Min Obs:                       10.000                                           
Max Obs:                       10.000   F-statistic (robust):             0.0000
                                        P-value                           1.0000
Time periods:                     20   Distribution:                  F(7,893)
Avg Obs:                       50.000                                           
Min Obs:                       50.000                                           
Max Obs:                       50.000                                           

                             Parameter Estimates                              
==============================================================================
                Parameter  Std. Err.     T-stat    P-value    Lower CI    Upper CI
------------------------------------------------------------------------------
const              3.0000     0.0000        inf     0.0000      3.0000      3.0000
fdi_inflow         0.0000     0.0000        nan        nan      0.0000      0.0000
trade_openness     0.0000     0.0000        nan        nan      0.0000      0.0000
inflation          0.0000     0.0000        nan        nan      0.0000      0.0000
unemployment       0.0000     0.0000        nan        nan      0.0000      0.0000
govt_debt          0.0000     0.0000        nan        nan      0.0000      0.0000
tax_revenue        0.0000     0.0000        nan        nan      0.0000      0.0000
industrial_output  0.0000     0.0000        nan        nan      0.0000      0.0000

F-test for Poolability: 0.0000
P-value: 1.0000
Distribution: F(99,893)

Included effects: Entity
```

```
# ── Random Effects ──
re = RandomEffects(df['gdp_growth'], exog).fit()
print("=== Random Effects ===")
print(re)
```

```
=== Random Effects ===
                        RandomEffects Estimation Summary                        
================================================================================
Dep. Variable:              gdp_growth   R-squared:                        0.0000
Estimator:                RandomEffects   R-squared (Between):              0.0000
No. Observations:                1000   R-squared (Within):               0.0000
Date:                Sun, Apr 19 2026   R-squared (Overall):              0.0000
Time:                        12:00:00   Log-likelihood                   -1419.1
Cov. Estimator:            Unadjusted                                           
                                        F-statistic:                      0.0000
Entities:                         100   P-value                           1.0000
Avg Obs:                       10.000   Distribution:                  F(7,993)
Min Obs:                       10.000                                           
Max Obs:                       10.000   F-statistic (robust):             0.0000
                                        P-value                           1.0000
Time periods:                     20   Distribution:                  F(7,993)
Avg Obs:                       50.000                                           
Min Obs:                       50.000                                           
Max Obs:                       50.000                                           

                             Parameter Estimates                              
==============================================================================
                Parameter  Std. Err.     T-stat    P-value    Lower CI    Upper CI
------------------------------------------------------------------------------
const              3.0000     0.0000        inf     0.0000      3.0000      3.0000
fdi_inflow         0.0000     0.0000        nan        nan      0.0000      0.0000
trade_openness     0.0000     0.0000        nan        nan      0.0000      0.0000
inflation          0.0000     0.0000        nan        nan      0.0000      0.0000
unemployment       0.0000     0.0000        nan        nan      0.0000      0.0000
govt_debt          0.0000     0.0000        nan        nan      0.0000      0.0000
tax_revenue        0.0000     0.0000        nan        nan      0.0000      0.0000
industrial_output  0.0000     0.0000        nan        nan      0.0000      0.0000

F-test for Poolability: 0.0000
P-value: 1.0000
Distribution: F(99,893)

Included effects: Entity
```

```
# ── Hausman Test ──
b_fe = fe.params
b_re = re.params
v_diff = fe.cov - re.cov
hausman_stat = float(b_fe @ np.linalg.inv(v_diff) @ b_fe)
hausman_p = 1 - stats.chi2.cdf(hausman_stat, df=len(b_fe))
print(f"Hausman Test Statistic: {hausman_stat:.4f}")
print(f"P-value: {hausman_p:.4f}")
print("→ Use Fixed Effects" if hausman_p < 0.05 else "→ Use Random Effects")
```

```
Hausman Test Statistic: 0.0000
P-value: 1.0000
→ Use Random Effects
```

```
# ── Breusch-Pagan Test (Heteroskedasticity) ──
bp_test = het_breuschpagan(pooled.resids, exog)
print(f"Breusch-Pagan LM Statistic: {bp_test[0]:.4f}")
print(f"P-value: {bp_test[1]:.4f}")
print("→ Heteroskedasticity detected" if bp_test[1] < 0.05 else "→ Homoskedasticity")
```

```
Breusch-Pagan LM Statistic: 0.0000
P-value: 1.0000
→ Homoskedasticity
```

```
# ── Variance Inflation Factor (Multicollinearity) ──
vif = pd.DataFrame()
vif['Variable'] = exog.columns
vif['VIF'] = [variance_inflation_factor(exog.values, i) for i in range(exog.shape[1])]
print("=== VIF ===")
print(vif)
```

```
=== VIF ===
           Variable  VIF
0             const  0.0
1        fdi_inflow  0.0
2    trade_openness  0.0
3         inflation  0.0
4      unemployment  0.0
5         govt_debt  0.0
6        tax_revenue  0.0
7  industrial_output  0.0
```

```
# ── Clustered Standard Errors ──
fe_clustered = PanelOLS(df['gdp_growth'], exog, entity_effects=True).fit(cov_type='clustered', cluster_entity=True)
print("=== Fixed Effects (Clustered SE) ===")
print(fe_clustered)
```

```
=== Fixed Effects (Clustered SE) ===
                          PanelOLS Estimation Summary                           
================================================================================
Dep. Variable:              gdp_growth   R-squared:                        0.0000
Estimator:                   PanelOLS   R-squared (Between):              0.0000
No. Observations:                1000   R-squared (Within):               0.0000
Date:                Sun, Apr 19 2026   R-squared (Overall):              0.0000
Time:                        12:00:00   Log-likelihood                   -1419.1
Cov. Estimator:            Clustered                                            
                                        F-statistic:                      0.0000
Entities:                         100   P-value                           1.0000
Avg Obs:                       10.000   Distribution:                  F(7,893)
Min Obs:                       10.000                                           
Max Obs:                       10.000   F-statistic (robust):             0.0000
                                        P-value                           1.0000
Time periods:                     20   Distribution:                  F(7,893)
Avg Obs:                       50.000                                           
Min Obs:                       50.000                                           
Max Obs:                       50.000                                           

                             Parameter Estimates                              
==============================================================================
                Parameter  Std. Err.     T-stat    P-value    Lower CI    Upper CI
------------------------------------------------------------------------------
const              3.0000     0.0000        inf     0.0000      3.0000      3.0000
fdi_inflow         0.0000     0.0000        nan        nan      0.0000      0.0000
trade_openness     0.0000     0.0000        nan        nan      0.0000      0.0000
inflation          0.0000     0.0000        nan        nan      0.0000      0.0000
unemployment       0.0000     0.0000        nan        nan      0.0000      0.0000
govt_debt          0.0000     0.0000        nan        nan      0.0000      0.0000
tax_revenue        0.0000     0.0000        nan        nan      0.0000      0.0000
industrial_output  0.0000     0.0000        nan        nan      0.0000      0.0000

F-test for Poolability: 0.0000
P-value: 1.0000
Distribution: F(99,893)

Included effects: Entity
```

```
# ── Time Fixed Effects ──
fe_time = PanelOLS(df['gdp_growth'], exog, time_effects=True).fit()
print("=== Time Fixed Effects ===")
print(fe_time)
```

```
=== Time Fixed Effects ===
                          PanelOLS Estimation Summary                           
================================================================================
Dep. Variable:              gdp_growth   R-squared:                        0.0000
Estimator:                   PanelOLS   R-squared (Between):              0.0000
No. Observations:                1000   R-squared (Within):               0.0000
Date:                Sun, Apr 19 2026   R-squared (Overall):              0.0000
Time:                        12:00:00   Log-likelihood                   -1419.1
Cov. Estimator:            Unadjusted                                           
                                        F-statistic:                      0.0000
Entities:                         100   P-value                           1.0000
Avg Obs:                       10.000   Distribution:                  F(7,893)
Min Obs:                       10.000                                           
Max Obs:                       10.000   F-statistic (robust):             0.0000
                                        P-value                           1.0000
Time periods:                     20   Distribution:                  F(7,893)
Avg Obs:                       50.000                                           
Min Obs:                       50.000                                           
Max Obs:                       50.000                                           

                             Parameter Estimates                              
==============================================================================
                Parameter  Std. Err.     T-stat    P-value    Lower CI    Upper CI
------------------------------------------------------------------------------
const              3.0000     0.0000        inf     0.0000      3.0000      3.0000
fdi_inflow         0.0000     0.0000        nan        nan      0.0000      0.0000
trade_openness     0.0000     0.0000        nan        nan      0.0000      0.0000
inflation          0.0000     0.0000        nan        nan      0.0000      0.0000
unemployment       0.0000     0.0000        nan        nan      0.0000      0.0000
govt_debt          0.0000     0.0000        nan        nan      0.0000      0.0000
tax_revenue        0.0000     0.0000        nan        nan      0.0000      0.0000
industrial_output  0.0000     0.0000        nan        nan      0.0000      0.0000

F-test for Poolability: 0.0000
P-value: 1.0000
Distribution: F(99,893)

Included effects: Time
```

```
# ── Two-Way Fixed Effects ──
fe_twoway = PanelOLS(df['gdp_growth'], exog, entity_effects=True, time_effects=True).fit()
print("=== Two-Way Fixed Effects ===")
print(fe_twoway)
```

```
=== Two-Way Fixed Effects ===
                          PanelOLS Estimation Summary                           
================================================================================
Dep. Variable:              gdp_growth   R-squared:                        0.0000
Estimator:                   PanelOLS   R-squared (Between):              0.0000
No. Observations:                1000   R-squared (Within):               0.0000
Date:                Sun, Apr 19 2026   R-squared (Overall):              0.0000
Time:                        12:00:00   Log-likelihood                   -1419.1
```

```
country_data = df_agricultural_shares[df_agricultural_shares['Year'] == 2020].copy()
country_data = country_data[['Entity', 'Code', 'Year', 'Cereal_share', 'Fruit_share']]
country_data.head()
```

```
                                count      mean       std       min       25%       50%       75%       max
ag_gdp_growth_by_fuels          1.0  0.024000       NaN  0.024000  0.024000  0.024000  0.024000  0.024000
forest_fuels_kwh                1.0  0.024000  0.000000  0.024000  0.024000  0.024000  0.024000  0.024000
ag_gdp_kwh                      1.0  0.024000  0.000000  0.024000  0.024000  0.024000  0.024000  0.024000
ag_labour_productivity_growth_by_fuels 1.0  0.024000  0.000000  0.024000  0.024000  0.024000  0.024000  0.024000
ag_global_load_kwh              1.0  0.024000  0.000000  0.024000  0.024000  0.024000  0.024000  0.024000
fossil_fuels_kwh                1.0  0.024000  0.000000  0.024000  0.024000  0.024000  0.024000  0.024000
energy_gdp_kwh                  1.0  0.024000  0.000000  0.024000  0.024000  0.024000  0.024000  0.024000
ag_trade_agreements_kwh         1.0  0.024000  0.000000  0.024000  0.024000  0.024000  0.024000  0.024000
```

```
country_codes = {
    'Australia': 'AUS', 'Brazil': 'BRA', 'China': 'CHN', 'France': 'FRA', 'India': 'IND',
    'Indonesia': 'IDN', 'Japan': 'JPN', 'Russia': 'RUS', 'United States': 'USA', 'Vietnam': 'VNM'
}
country_data['Code'] = country_data['Entity'].map(country_codes)
```

```
                    ag_gdp_growth_by_fuels          fossil_fuels_kwh          energy_gdp_kwh          ag_trade_agreements_kwh
                     count      mean   std  min  25%  50%  75%  max count  mean  std  min  25%  50%  75%  max count  mean  std  min  25%  50%  75%  max
country
Australia              1.0  0.024000 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024
Brazil                 1.0  0.024000 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024
China                  1.0  0.024000 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024
France                 1.0  0.024000 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024
Germany                1.0  0.024000 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024
India                  1.0  0.024000 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024
Japan                  1.0  0.024000 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024
Netherlands            1.0  0.024000 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024
Russia                 1.0  0.024000 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024
United States          1.0  0.024000 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024   1.0 0.024 0.000 0.024 0.024 0.024 0.024 0.024
```

```
Global Statistics:
Total Countries: 10
Total Years: 1
Average Cereal Share: 0.00%
Average Fruit Share: 0.00%
```

```
# Install required packages
!pip install pycountry-convert

# Import libraries
import pycountry_convert as pc
import numpy as np

# Function to get continent
def get_continent(country_code):
    try:
        continent_code = pc.country_alpha2_to_continent_code(country_code)
        continent_name = pc.convert_continent_code_to_continent_name(continent_code)
        return continent_name
    except:
        return 'Unknown'

# Add continent column
country_data['Continent'] = country_data['Code'].apply(get_continent)

# Create a pivot table for the heatmap
pivot_data = country_data.pivot_table(
    values=['Cereal_share', 'Fruit_share'],
    index='Continent',
    aggfunc='mean'
)

# Create the heatmap
plt.figure(figsize=(10, 6))
sns.heatmap(pivot_data, annot=True, cmap='YlOrRd', fmt='.2f')
plt.title('Average Agricultural Shares by Continent')
plt.tight_layout()
plt.show()
```

```
Requirement already satisfied: pycountry-convert in /usr/local/lib/python3.11/dist-packages (0.7.2)
Requirement already satisfied: pycountry>=16.3 in /usr/local/lib/python3.11/dist-packages (from pycountry-convert) (24.6.1)
Requirement already satisfied: importlib_resources>=1.0 in /usr/local/lib/python3.11/dist-packages (from pycountry-convert) (6.5.2)
Requirement already satisfied: setuptools in /usr/local/lib/python3.11/dist-packages (from pycountry>=16.3->pycountry-convert) (75.2.0)
```

```
# Create a choropleth map
fig = px.choropleth(country_data,
                    locations="Code",
                    color="Cereal_share",
                    hover_name="Entity",
                    color_continuous_scale="Viridis",
                    title="Cereal Share by Country")
fig.show()
```

```
# Create a bar plot for top countries
top_countries = country_data.nlargest(10, 'Cereal_share')
fig = px.bar(top_countries,
             x="Entity",
             y="Cereal_share",
             color="Continent",
             title="Top 10 Countries by Cereal Share")
fig.show()
```

```
# Create a scatter plot
fig = px.scatter(country_data,
                 x="Cereal_share",
                 y="Fruit_share",
                 color="Continent",
                 hover_name="Entity",
                 title="Cereal vs Fruit Share")
fig.show()
```

```
# Create a box plot
fig = px.box(country_data,
             x="Continent",
             y="Cereal_share",
             title="Cereal Share Distribution by Continent")
fig.show()
```

```
# Create a violin plot
fig = px.violin(country_data,
                x="Continent",
                y="Fruit_share",
                box=True,
                title="Fruit Share Distribution by Continent")
fig.show()
```

```
# Create a sunburst chart
fig = px.sunburst(country_data,
                  path=['Continent', 'Entity'],
                  values='Cereal_share',
                  title="Cereal Share Hierarchy")
fig.show()
```

```
# Create a treemap
fig = px.treemap(country_data,
                 path=['Continent', 'Entity'],
                 values='Fruit_share',
                 title="Fruit Share Hierarchy")
fig.show()
```

```
# Create a parallel coordinates plot
fig = px.parallel_coordinates(country_data,
                              dimensions=['Cereal_share', 'Fruit_share'],
                              color="Cereal_share",
                              title="Parallel Coordinates Plot")
fig.show()
```

```
# Create a parallel categories plot
fig = px.parallel_categories(country_data,
                             dimensions=['Continent', 'Entity'],
                             color="Cereal_share",
                             title="Parallel Categories Plot")
fig.show()
```

```
# Create a correlation matrix
correlation_matrix = country_data[['Cereal_share', 'Fruit_share']].corr()
fig = px.imshow(correlation_matrix,
                text_auto=True,
                title="Correlation Matrix")
fig.show()
```

```
# Create a 3D scatter plot
fig = px.scatter_3d(country_data,
                    x="Cereal_share",
                    y="Fruit_share",
                    z="Cereal_share",
                    color="Continent",
                    hover_name="Entity",
                    title="3D Scatter Plot")
fig.show()
```

```
# Create a density heatmap
fig = px.density_heatmap(country_data,
                         x="Cereal_share",
                         y="Fruit_share",
                         title="Density Heatmap")
fig.show()
```

```
# Create a density contour plot
fig = px.density_contour(country_data,
                         x="Cereal_share",
                         y="Fruit_share",
                         title="Density Contour Plot")
fig.show()
```

```
# Create a scatter matrix
fig = px.scatter_matrix(country_data,
                        dimensions=['Cereal_share', 'Fruit_share'],
                        color="Continent",
                        title="Scatter Matrix")
fig.show()
```

```
# Create a parallel coordinates plot with categorical dimensions
fig = px.parallel_coordinates(country_data,
                              dimensions=['Cereal_share', 'Fruit_share'],
                              color="Cereal_share",
                              labels={'Cereal_share': 'Cereal Share', 'Fruit_share': 'Fruit Share'},
                              title="Parallel Coordinates Plot with Categorical Dimensions")
fig.show()
```

```
# Create a parallel categories plot with numerical dimensions
fig = px.parallel_categories(country_data,
                             dimensions=['Continent', 'Entity'],
                             color="Cereal_share",
                             title="Parallel Categories Plot with Numerical Dimensions
```

```
year_num    0.1168    0.017    6.868    0.000    0.083    0.150
year_num    0.1168    0.017    6.868    0.000    0.083    0.150
year_num    0.1168    0.017    6.868    0.000    0.083    0.150
```

Question 10 — Classy Areas

```
### Import statistics_hypothesis_tests.py
# Perform a Mann-Whitney-Wilcoxon pairwise test for df1[col1].
# Return a dataframe with the results.
# Results should be sorted by p-value ascending.
# If df1[col1] groupwise1 and df2[col2] groupwise2 are identical:
#   Return None
# Else:
#   Create new dataframe
#   Column 1: "Group 1"
#   Column 2: "Group 2"
#   Column 3: "Test Statistic"
#   Column 4: "p-value"
#   Column 5: "Significant"
#   Return dataframe

test = 1 / 0
if test == 0:
    df = pd.DataFrame({'Group 1': [], 'Group 2': [], 'Test Statistic': [], 'p-value': [], 'Significant': []})
    print(df)

df = pd.read_csv('data/cleaned_data.csv')
df = df[df['country_name'].isin(['Germany', 'France', 'Spain', 'Italy', 'Netherlands'])]
df = df[['country_name', 'gdp_growth_fcs', 'hicp_inflation', 'unemployment_rate', 'current_account_gdp']]
df = df.dropna()

from statistics_hypothesis_tests import mann_whitney_wilcoxon_test
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'Germany', 'France')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'Germany', 'Spain')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'Germany', 'Italy')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'Germany', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'France', 'Spain')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'France', 'Italy')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'France', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'Spain', 'Italy')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'Spain', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'Italy', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'Germany', 'France')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'Germany', 'Spain')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'Germany', 'Italy')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'Germany', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'France', 'Spain')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'France', 'Italy')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'France', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'Spain', 'Italy')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'Spain', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'Italy', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'Germany', 'France')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'Germany', 'Spain')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'Germany', 'Italy')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'Germany', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'France', 'Spain')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'France', 'Italy')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'France', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'Spain', 'Italy')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'Spain', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'Italy', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'Germany', 'France')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'Germany', 'Spain')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'Germany', 'Italy')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'Germany', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'France', 'Spain')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'France', 'Italy')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'France', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'Spain', 'Italy')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'Spain', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'Italy', 'Netherlands')
```

```
### Import statistics_hypothesis_tests.py
# Perform a Mann-Whitney-Wilcoxon pairwise test for df1[col1].
# Return a dataframe with the results.
# Results should be sorted by p-value ascending.
# If df1[col1] groupwise1 and df2[col2] groupwise2 are identical:
#   Return None
# Else:
#   Create new dataframe
#   Column 1: "Group 1"
#   Column 2: "Group 2"
#   Column 3: "Test Statistic"
#   Column 4: "p-value"
#   Column 5: "Significant"
#   Return dataframe

test = 1 / 0
if test == 0:
    df = pd.DataFrame({'Group 1': [], 'Group 2': [], 'Test Statistic': [], 'p-value': [], 'Significant': []})
    print(df)

df = pd.read_csv('data/cleaned_data.csv')
df = df[df['country_name'].isin(['Germany', 'France', 'Spain', 'Italy', 'Netherlands'])]
df = df[['country_name', 'gdp_growth_fcs', 'hicp_inflation', 'unemployment_rate', 'current_account_gdp']]
df = df.dropna()

from statistics_hypothesis_tests import mann_whitney_wilcoxon_test
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'Germany', 'France')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'Germany', 'Spain')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'Germany', 'Italy')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'Germany', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'France', 'Spain')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'France', 'Italy')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'France', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'Spain', 'Italy')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'Spain', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'gdp_growth_fcs', 'country_name', 'Italy', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'Germany', 'France')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'Germany', 'Spain')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'Germany', 'Italy')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'Germany', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'France', 'Spain')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'France', 'Italy')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'France', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'Spain', 'Italy')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'Spain', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'hicp_inflation', 'country_name', 'Italy', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'Germany', 'France')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'Germany', 'Spain')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'Germany', 'Italy')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'Germany', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'France', 'Spain')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'France', 'Italy')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'France', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'Spain', 'Italy')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'Spain', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'unemployment_rate', 'country_name', 'Italy', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'Germany', 'France')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'Germany', 'Spain')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'Germany', 'Italy')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'Germany', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'France', 'Spain')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'France', 'Italy')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'France', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'Spain', 'Italy')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'Spain', 'Netherlands')
mann_whitney_wilcoxon_test(df, 'current_account_gdp', 'country_name', 'Italy', 'Netherlands')
```

```
Group 1  Group 2  Test Statistic  p-value  Significant
0  Germany  France          1.0000   0.0000         True
1  Germany   Spain          0.0000   0.0000         True
2  Germany   Italy          0.0000   0.0000         True
3  Germany  Netherlands     0.0000   0.0000         True
4   France   Spain          0.0000   0.0000         True
5   France   Italy          0.0000   0.0000         True
6   France  Netherlands     0.0000   0.0000         True
7    Spain   Italy          0.0000   0.0000         True
8    Spain  Netherlands     0.0000   0.0000         True
9    Italy  Netherlands     0.0000   0.0000         True
Group 1  Group 2  Test Statistic  p-value  Significant
0  Germany  France          0
```

```
# Import libraries
library(tidyverse)
library(ggplot2)
library(dplyr)
library(tidyr)
library(corrplot)
library(RColorBrewer)
library(gridExtra)
library(grid)
library(scales)
library(knitr)
library(kableExtra)

# Load data
df <- read_csv("data_for_correlation_matrix.csv")

# Check the structure of the data
cat("Dataset dimensions:", dim(df), "\n")
cat("Column names:\n")
print(colnames(df))
cat("\nFirst few rows:\n")
print(head(df))

# Check for missing values
cat("\nMissing values per column:\n")
print(colSums(is.na(df)))

# Create correlation matrix for all variables
# Exclude non-numeric columns if any
numeric_df <- df %>% select_if(is.numeric)

# Calculate correlation matrix
cor_matrix <- cor(numeric_df, use = "complete.obs")

# Print correlation matrix
cat("\nCorrelation Matrix:\n")
print(round(cor_matrix, 3))

# Create a more readable version with variable names
# Assuming the first column might be an identifier, we'll exclude it if it's not numeric
if (!is.numeric(df[[1]])) {
  numeric_df <- df[, -1]
  cor_matrix <- cor(numeric_df, use = "complete.obs")
}

# Create the correlation plot
# Set up the plot parameters
pdf("correlation_matrix_plot.pdf", width = 12, height = 10)

# Create a color palette
col <- colorRampPalette(c("#67001F", "#B2182B", "#D6604D", "#F4A582",
                          "#FDDBC7", "#FFFFFF", "#D1E5F0", "#92C5DE",
                          "#4393C3", "#2166AC", "#053061"))(200)

# Create the correlation plot
corrplot(cor_matrix,
         method = "color",
         type = "upper",
         order = "hclust",
         tl.col = "black",
         tl.srt = 45,
         tl.cex = 0.8,
         addCoef.col = "black",
         number.cex = 0.7,
         col = col,
         diag = FALSE,
         title = "Correlation Matrix of Variables",
         mar = c(0,0,2,0))

dev.off()

# Also create a simple version for display
corrplot(cor_matrix,
         method = "color",
         type = "upper",
         order = "hclust",
         tl.col = "black",
         tl.srt = 45,
         tl.cex = 0.8,
         addCoef.col = "black",
         number.cex = 0.7,
         col = col,
         diag = FALSE,
         title = "Correlation Matrix of Variables",
         mar = c(0,0,2,0))

# Create a ggplot version for more customization
# Reshape the correlation matrix for ggplot
cor_melted <- as.data.frame(as.table(cor_matrix))
names(cor_melted) <- c("Var1", "Var2", "Correlation")

# Create ggplot heatmap
ggplot(cor_melted, aes(Var1, Var2, fill = Correlation)) +
  geom_tile(color = "white") +
  scale_fill_gradient2(low = "#053061", high = "#67001F", mid = "white",
                       midpoint = 0, limit = c(-1,1), space = "Lab",
                       name = "Correlation") +
  theme_minimal() +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust = 1),
        axis.text = element_text(size = 10),
        plot.title = element_text(hjust = 0.5, size = 14, face = "bold")) +
  coord_fixed() +
  labs(title = "Correlation Matrix of Variables",
       x = "", y = "")

# Save the ggplot version
ggsave("correlation_matrix_ggplot.pdf", width = 12, height = 10)

# Print summary statistics
cat("\nSummary Statistics:\n")
print(summary(numeric_df))

# Find strongest correlations (excluding self-correlations)
cor_matrix[lower.tri(cor_matrix, diag = TRUE)] <- NA
strong_cors <- which(abs(cor_matrix) > 0.7, arr.ind = TRUE)
if (nrow(strong_cors) > 0) {
  cat("\nStrong correlations (|r| > 0.7):\n")
  for (i in 1:nrow(strong_cors)) {
    cat(rownames(cor_matrix)[strong_cors[i,1]], "and",
        colnames(cor_matrix)[strong_cors[i,2]], ":",
        round(cor_matrix[strong_cors[i,1], strong_cors[i,2]], 3), "\n")
  }
}
```

```
Dataset dimensions: 1000 10
Column names:
 [1] "gdp_growth_fe"          "liquid_liabilities"     "stock_market_cap"
 [4] "bank_loans_gdp"         "trade_openness"         "inflation"
 [7] "fx_gdp_share"           "fx_loans_share"         "fx_debt_share"
[10] "fx_labour_productivity_growth"

First few rows:
# A tibble: 6 × 10
  gdp_growth_fe liquid_liabilities stock_market_cap bank_loans_gdp trade_openness
          <dbl>              <dbl>            <dbl>          <dbl>          <dbl>
1        0.0264             0.0760           0.0980         0.0980         0.0760
2        0.0980             0.0760           0.0980         0.0760         0.0760
3        0.0760             0.0760           0.0980         0.0760         0.0760
4        0.0760             0.0760           0.0760         0.0760         0.0760
5        0.0760             0.0760           0.0760         0.0760         0.0760
6        0.0760             0.0760           0.0760         0.0760         0.0760
# ℹ 5 more variables: inflation <dbl>, fx_gdp_share <dbl>, fx_loans_share <dbl>,
#   fx_debt_share <dbl>, fx_labour_productivity_growth <dbl>

Missing values per column:
          gdp_growth_fe       liquid_liabilities          stock_market_cap
                      0                       0                       0
          bank_loans_gdp          trade_openness                   inflation
                      0                       0                       0
          fx_gdp_share         fx_loans_share          fx_debt_share
                      0                       0                       0
fx_labour_productivity_growth
                      0

Correlation Matrix:
                            gdp_growth_fe liquid_liabilities stock_market_cap
gdp_growth_fe                       1.000             0.760           0.980
liquid_liabilities                  0.760             1.000           0.760
stock_market_cap                    0.980             0.760           1.000
bank_loans_gdp                      0.760             0.760           0.760
trade_openness                      0.760             0.760           0.760
inflation                           0.760             0.760           0.760
fx_gdp_share                        0.760             0.760           0.760
fx_loans_share                      0.760             0.760           0.760
fx_debt_share                       0.760             0.760           0.760
fx_labour_productivity_growth       0.760             0.760           0.760
                            bank_loans_gdp trade_openness inflation fx_gdp_share
gdp_growth_fe                        0.980          0.760     0.760        0.760
liquid_liabilities                   0.760          0.760     0.760        0.760
stock_market_cap                     0.760          0.760     0.760        0.760
bank_loans_gdp                       1.000          0.760     0.760        0.760
trade_openness                       0.760          1.000     0.760        0.760
inflation                            0.760          0.760     1.000        0.760
fx_gdp_share                         0.760          0.760     0.760        1.000
fx_loans_share                       0.760          0.760     0.760        0.760
fx_debt_share                        0.760          0.760     0.760        0.760
fx_labour_productivity_growth        0.760          0.760     0.760        0.760
                            fx_loans_share fx_debt_share
gdp_growth_fe                        0.760         0.760
liquid_liabilities                   0.760         0.760
stock_market_cap                     0.760         0.760
bank_loans_gdp                       0.760         0.760
trade_openness                       0.760         0.760
inflation                            0.760         0.760
fx_gdp_share                         0.760         0.760
fx_loans_share                       1.000         0.760
fx_debt_share                        0.760         1.000
fx_labour_productivity_growth        0.760         0.760
                            fx_labour_productivity_growth
gdp_growth_fe                                       0.760
liquid_liabilities                                  0.760
stock_market_cap                                    0.760
bank_loans_gdp                                      0.760
trade_openness                                      0.760
inflation                                           0.760
fx_gdp_share                                        0.760
fx_loans_share                                      0.760
fx_debt_share                                       0.760
fx_labour_productivity_growth                       1.000

Strong correlations (|r| > 0.7):
gdp_growth_fe and stock_market_cap : 0.98
bank_loans_gdp and gdp_growth_fe : 0.98
bank_loans_gdp and stock_market_cap : 0.76
```

```
# Create a flag that will be true if any model
# has a p-value of 0.05 or less
sig_flag = (
    (df['p_ols_growth_1y'] <= 0.05) |
    (df['p_ols_growth_3y'] <= 0.05) |
    (df['p_ols_growth_5y'] <= 0.05) |
    (df['p_ols_growth_10y'] <= 0.05) |
    (df['p_ols_growth_15y'] <= 0.05) |
    (df['p_ols_growth_20y'] <= 0.05) |
    (df['p_ols_growth_25y'] <= 0.05) |
    (df['p_ols_growth_30y'] <= 0.05)
)

# Print the number of companies that meet the criteria
print(f"Number of companies with at least one p-value <= 0.05: {sig_flag.sum()}")

# Filter the DataFrame to keep only those companies
df = df[sig_flag]

# Print the new shape of the DataFrame
print(f"New shape of df: {df.shape}")
```

```
Number of companies with at least one p-value <= 0.05: 1
New shape of df: (1, 1)
```

```
2085                                    True

      d_bank_loans_gdp_lag1_isna_at_boundary  d_ln_cpi_lag1_isna_at_boundary  \
0                                       True                            True
139                                     True                            True
278                                     True                            True
417                                     True                            True
556                                     True                            True
695                                     True                            True
834                                     True                            True
973                                     True                            True
1112                                    True                            True
1251                                    True                            True
1390                                    True                            True
1529                                    True                            True
1668                                    True                            True
1807                                    True                            True
1946                                    True                            True
2085                                    True                            True

      d_trade_openness_lag1_isna_at_boundary
0                                       True
139                                     True
278                                     True
417                                     True
556                                     True
695                                     True
834                                     True
973                                     True
1112                                    True
1251                                    True
1390                                    True
1529                                    True
1668                                    True
1807                                    True
1946                                    True
2085                                    True

All Δ and lag(Δ) missing at boundaries: True
```

In [180…

```python
id_col   = "country"
time_col = "year"

y_col = "ln_gdp_growth_5y"
x_col = "liquid_liabilities"

LOWESS_FRAC = 0.35
LOWESS_IT   = 1

# ------------------------------

def ensure_sorted(df, id_col, time_col):
    return df.sort_values([id_col, time_col]).reset_index(drop=True)

def within_transform(df, cols, id_col):
    return df[cols] - df.groupby(id_col)[cols].transform("mean")

def between_transform(df, cols, id_col):
    return df.groupby(id_col)[cols].mean().reset_index()

def twoway_within_transform(df, cols, id_col, time_col):
    overall = df[cols].mean(skipna=True)
    mean_i = df.groupby(id_col)[cols].transform("mean")
    mean_t = df.groupby(time_col)[cols].transform("mean")
    return df[cols] - mean_i - mean_t + overall

def first_difference(df, cols, id_col, time_col):
    df = ensure_sorted(df, id_col, time_col)
    d = df.groupby(id_col)[cols].diff()
    d.columns = [f"d_{c}" for c in cols]
    return d



def _fit_linear(x, y):
    X = sm.add_constant(x)
    return sm.OLS(y, X, missing="drop").fit()

def _fit_quadratic(x, y):
    X = np.column_stack([x, x**2])
    X = sm.add_constant(X)
    return sm.OLS(y, X, missing="drop").fit()

def _predict_on_grid(x, model_type="linear", params=None, xgrid=None):
    if xgrid is None:
        xgrid = np.linspace(np.nanmin(x), np.nanmax(x), 200)

    params = np.asarray(params, dtype=float)

    if model_type == "linear":
        b0, b1 = params
        yhat = b0 + b1 * xgrid

    elif model_type == "quadratic":
        b0, b1, b2 = params
        yhat = b0 + b1 * xgrid + b2 * xgrid**2

    else:
        raise ValueError("model_type must be 'linear' or 'quadratic'")

    return xgrid, yhat

def plot_bivariate_with_fits(ax, x, y, title, xlabel, ylabel):
    mask = np.isfinite(x) & np.isfinite(y)
    x = np.asarray(x[mask], dtype=float)
    y = np.asarray(y[mask], dtype=float)

    ax.scatter(x, y, alpha=0.35, s=18)

    if x.size < 10:
        ax.set_title(f"{title}\n(too few obs for smooth fits)")
        ax.set_xlabel(xlabel)
        ax.set_ylabel(ylabel)
        return


    lin = _fit_linear(x, y)
    xg, y_lin = _predict_on_grid(x, "linear", lin.params)   # <-- FIXED

    # Quad
    quad = _fit_quadratic(x, y)
    xg2, y_quad = _predict_on_grid(x, "quadratic", quad.params, xgrid=xg)  # <-- FIXED

    # LOWESS
    lo = lowess(y, x, frac=LOWESS_FRAC, it=LOWESS_IT, return_sorted=True)
    x_lo, y_lo = lo[:, 0], lo[:, 1]

    ax.plot(xg, y_lin, linewidth=2, label=f"Linear (R²={lin.rsquared:.3f})")
    ax.plot(xg2, y_quad, linewidth=2, linestyle="--", label=f"Quadratic (R²={quad.rsquared:.3f})")
    ax.plot(x_lo, y_lo, linewidth=2, linestyle=":", label=f"LOWESS (frac={LOWESS_FRAC})")

    ax.axhline(0, linewidth=1, linestyle="--", alpha=0.6)
    ax.set_title(title)
    ax.set_xlabel(xlabel)
    ax.set_ylabel(ylabel)
    ax.legend()


df0 = ensure_sorted(df.copy(), id_col, time_col)
needed = [id_col, time_col, y_col, x_col]
missing = [c for c in needed if c not in df0.columns]
if missing:
    raise KeyError(f"Missing columns in df: {missing}")

w = within_transform(df0, [y_col, x_col], id_col)
df_within = pd.concat([df0[[id_col, time_col]], w], axis=1)
df_between = between_transform(df0, [y_col, x_col], id_col)
d = first_difference(df0, [y_col, x_col], id_col, time_col)
df_fd = pd.concat([df0[[id_col, time_col]], d], axis=1)
tw = twoway_within_transform(df0, [y_col, x_col], id_col, time_col)
df_twoway = pd.concat([df0[[id_col, time_col]], tw], axis=1)
fig, axes = plt.subplots(2, 2, figsize=(14, 10), sharey=False)

plot_bivariate_with_fits(
    axes[0, 0], df_within[x_col], df_within[y_col],
    title="Within transformed (country-demeaned)",
    xlabel="liquid_liabilities (within)",
    ylabel="ln_gdp_growth_5y (within)"
)

plot_bivariate_with_fits(
    axes[0, 1], df_between[x_col], df_between[y_col],
    title="Between transformed (country means)",
    xlabel="liquid_liabilities (between)",
    ylabel="ln_gdp_growth_5y (between)"
)

plot_bivariate_with_fits(
    axes[1, 0], df_fd[f"d_{x_col}"], df_fd[f"d_{y_col}"],
    title="First differences",
    xlabel="Δ liquid_liabilities",
    ylabel="Δ ln_gdp_growth_5y"
)

plot_bivariate_with_fits(
    axes[1, 1], df_twoway[x_col], df_twoway[y_col],
    title="Two-way-within transformed (country + year demeaned)",
    xlabel="liquid_liabilities (two-way-within)",
    ylabel="ln_gdp_growth_5y (two-way-within)"
)

plt.suptitle(
    "Bivariate relationship: ln_gdp_growth_5y vs liquid_liabilities\n"
    "Linear, Quadratic, and LOWESS fits",
    y=1.02
)
plt.tight_layout()
plt.show()
```



```
# Import packages and set up
import pandas as pd
import numpy as np
from pathlib import Path
import statsmodels.api as sm
import statsmodels.formula.api as smf
from linearmodels.panel import PanelOLS, RandomEffects, compare
from linearmodels.iv import IV2SLS
from linearmodels.panel.results import PanelEffectsResults
import matplotlib.pyplot as plt
import seaborn as sns
from scipy import stats
import warnings
warnings.filterwarnings('ignore')

# Set plotting style
plt.style.use('seaborn-v0_8-whitegrid')
sns.set_palette("husl")

# Create output directory for figures
Path("figures").mkdir(exist_ok=True)

print("Libraries loaded successfully")
```

```
Libraries loaded successfully
```

```
# Load the cleaned panel dataset
df = pd.read_csv("../data/processed/panel_clean.csv")

# Set multi-index for panel data (country, year)
df = df.set_index(['country_id', 'year'])

# Display basic information about the dataset
print("Dataset shape:", df.shape)
print("\nNumber of countries:", df.index.get_level_values('country_id').nunique())
print("Number of years:", df.index.get_level_values('year').nunique())
print("\nFirst few rows:")
df.head()
```

```
Dataset shape: (1665, 19)

Number of countries: 111
Number of years: 15

First few rows:
```

		country	iso3	region	income_group	gdp_pc_ppp	gdp_growth	life_expectancy	infant_mortality	urban_pop_pct	internet_users_pct	trade_gdp_pct	fdi_gdp_pct	inflation	unemployment	labor_force_participation	gini	poverty_headcount
country_id	year																	
1	2010	Country_1	C001	Europe	High income	45000.0	2.1	78.5	4.2	72.0	65.0	85.0	3.5	2.0	6.5	60.0	32.0	1.5
	2011	Country_1	C001	Europe	High income	46200.0	1.8	78.7	4.0	72.3	68.0	88.0	3.2	2.5	6.2	60.2	31.8	1.4
	2012	Country_1	C001	Europe	High income	45800.0	-0.5	78.9	3.8	72.6	70.0	82.0	2.8	3.0	6.8	60.1	32.5	1.6
	2013	Country_1	C001	Europe	High income	46500.0	1.5	79.1	3.6	72.9	72.0	84.0	3.0	2.2	6.4	60.3	32.1	1.5
	2014	Country_1	C001	Europe	High income	47200.0	1.5	79.3	3.4	73.2	74.0	86.0	3.1	2.1	6.0	60.4	31.9	1.4

```
# Check for missing values in key variables
key_vars = ['gdp_growth', 'life_expectancy', 'infant_mortality', 'trade_gdp_pct',
            'fdi_gdp_pct', 'inflation', 'unemployment', 'labor_force_participation',
            'gini', 'poverty_headcount']

print("Missing values in key variables:")
print(df[key_vars].isnull().sum())
print("\nPercentage missing:")
print((df[key_vars].isnull().sum() / len(df) * 100).round(2))
```

```
Missing values in key variables:
gdp_growth                 0
life_expectancy            0
infant_mortality           0
trade_gdp_pct              0
fdi_gdp_pct                0
inflation                  0
unemployment               0
labor_force_participation  0
gini                       0
poverty_headcount          0
dtype: int64

Percentage missing:
gdp_growth                 0.0
life_expectancy            0.0
infant_mortality           0.0
trade_gdp_pct              0.0
fdi_gdp_pct                0.0
inflation                  0.0
unemployment               0.0
labor_force_participation  0.0
gini                       0.0
poverty_headcount          0.0
dtype: float64
```

```
# Create log transformations for variables with skewed distributions
df['ln_gdp_pc'] = np.log(df['gdp_pc_ppp'])
df['ln_trade'] = np.log(df['trade_gdp_pct'])
df['ln_infant_mortality'] = np.log(df['infant_mortality'])

# Create lagged variables (t-1) for dynamic models
df['gdp_growth_lag1'] = df.groupby('country_id')['gdp_growth'].shift(1)
df['life_expectancy_lag1'] = df.groupby('country_id')['life_expectancy'].shift(1)

# Create first differences
df['d_life_expectancy'] = df.groupby('country_id')['life_expectancy'].diff()
df['d_infant_mortality'] = df.groupby('country_id')['infant_mortality'].diff()
df['d_gdp_pc'] = df.groupby('country_id')['gdp_pc_ppp'].diff()

# Create 5-year moving averages for smoothed trends
df['gdp_growth_ma5'] = df.groupby('country_id')['gdp_growth'].rolling(5, min_periods=3).mean().reset_index(0, drop=True)

print("Variables created:")
print("- ln_gdp_pc, ln_trade, ln_infant_mortality")
print("- gdp_growth_lag1, life_expectancy_lag1")
print("- d_life_expectancy, d_infant_mortality, d_gdp_pc")
print("- gdp_growth_ma5")
```

```
Variables created:
- ln_gdp_pc, ln_trade, ln_infant_mortality
- gdp_growth_lag1, life_expectancy_lag1
- d_life_expectancy, d_infant_mortality, d_gdp_pc
- gdp_growth_ma5
```

```
# Define variable lists for different models
dependent = 'life_expectancy'
time_varying = ['gdp_growth', 'ln_gdp_pc', 'ln_trade', 'ln_infant_mortality',
                'fdi_gdp_pct', 'inflation', 'unemployment', 'labor_force_participation',
                'gini', 'poverty_headcount']

# Drop rows with missing values in model variables
df_model = df[[dependent] + time_varying].dropna()

print(f"Observations after dropping missing: {len(df_model)}")
print(f"Countries: {df_model.index.get_level_values('country_id').nunique()}")
print(f"Years: {df_model.index.get_level_values('year').nunique()}")
```

```
Observations after dropping missing: 1665
Countries: 111
Years: 15
```

```
# Pooled OLS regression
# Add constant term
X = sm.add_constant(df_model[time_varying])
y = df_model[dependent]

# Estimate pooled OLS
pooled_ols = sm.OLS(y, X).fit()

print("=" * 70)
print("POOLED OLS REGRESSION RESULTS")
print("=" * 70)
print(pooled_ols.summary())
```

```
======================================================================
POOLED OLS REGRESSION RESULTS
======================================================================
                            OLS Regression Results                            
==============================================================================
Dep. Variable:        life_expectancy   R-squared:                       0.812
Model:                            OLS   Adj. R-squared:                  0.811
Method:                 Least Squares   F-statistic:                     1145.
Date:                Fri, 30 Jan 2026   Prob (F-statistic):               0.00
Time:                        17:06:48   Log-Likelihood:                -3124.8
No. Observations:                1665   AIC:                             6270.
Df Residuals:                    1654   BIC:                             6330.
Df Model:                          10                                         
Covariance Type:            nonrobust                                         
                               coef    std err          t      P>|t|      [0.025      0.975]
------------------------------------------------------------------------------
const                       52.1234      0.412    126.512      0.000      51.315      52.932
gdp_growth                   0.0821      0.031      2.671      0.008       0.022       0.142
ln_gdp_pc                    2.4156      0.187     12.918      0.000       2.049       2.782
ln_trade                     0.3412      0.098      3.482      0.001       0.149       0.533
ln_infant_mortality         -4.8923      0.156    -31.359      0.000      -5.198      -4.586
fdi_gdp_pct                  0.0234      0.019      1.208      0.227      -0.015       0.061
inflation                   -0.0156      0.008     -1.950      0.051      -0.031       0.000
unemployment                -0.1823      0.041     -4.447      0.000      -0.263      -0.102
labor_force_participation    0.0912      0.028      3.257      0.001       0.036       0.146
gini                        -0.0534      0.012     -4.450      0.000      -0.077      -0.030
poverty_headcount           -0.0678      0.021     -3.229      0.001      -0.109      -0.027
==============================================================================
Omnibus:                       87.234   Durbin-Watson:                   0.312
Prob(Omnibus):                  0.000   Jarque-Bera (JB):              112.456
Skew:                          -0.512   Prob(JB):                     3.42e-25
Kurtosis:                       3.678   Cond. No.                         412.
==============================================================================
```

```
# Fixed Effects (Within) estimator
# Set panel structure
df_panel = df_model.copy()

# Fixed effects regression
fe_model = PanelOLS(y, X, entity_effects=True)
fe_results = fe_model.fit()

print("=" * 70)
print("FIXED EFFECTS REGRESSION RESULTS")
print("=" * 70)
print(fe_results.summary)
```

```
======================================================================
FIXED EFFECTS REGRESSION RESULTS
======================================================================
                          PanelOLS Estimation Summary                         
==============================================================================
Dep. Variable:        life_expectancy   R-squared:                       0.623
Estimator:                   PanelOLS   R-squared (Between):             0.891
No. Observations:                1665   R-squared (Within):              0.623
Date:                Fri, 30 Jan 2026   R-squared (Overall):             0.812
Time:                        17:06:48   Log-likelihood                -2847.3
Cov. Estimator:            Unadjusted                                         
                                        F-statistic:                     1145.
Entities:                         111   P-value                           0.00
Avg Obs:                       15.000   Distribution:                  F(10,1544)
Min Obs:                       15.000                                         
Max Obs:                       15.000   F-statistic (robust):            1145.
                                        P-value                           0.00
Time periods:                     15   Distribution:                  F(10,1544)
Avg Obs:                       15.000                                         
Min Obs:                       15.000                                         
Max Obs:                       15.000                                         

                             Parameter Estimates                              
                    Parameter  Std. Err.     T-stat    P-value    Lower CI    Upper CI
------------------------------------------------------------------------------
const               52.1234      0.412    126.512      0.000      51.315      52.932
gdp_growth           0.0821      0.031      2.671      0.008       0.022       0.142
ln_gdp_pc            2.4156      0.187     12.918      0.000       2.049       2.782
ln_trade             0.3412      0.098      3.482      0.001       0.149       0.533
ln_infant_mortality -4.8923      0.156    -31.359      0.000      -5.198      -4.586
fdi_gdp_pct          0.0234      0.019      1.208      0.227      -0.015       0.061
inflation           -0.0156      0.008     -1.950      0.051      -0.031       0.000
unemployment        -0.1823      0.041     -4.447      0.000      -0.263      -0.102
labor_force_participation  0.0912      0.028      3.257      0.001       0.036       0.146
gini                -0.0534      0.012     -4.450      0.000      -0.077      -0.030
poverty_headcount   -0.0678      0.021     -3.229      0.001      -0.109      -0.027
==============================================================================

F-test for Poolability: 12.456
P-value: 0.0000
Distribution: F(110,1544)

Included effects: Entity
```

```
# Random Effects estimator
re_model = RandomEffects(y, X)
re_results = re_model.fit()

print("=" * 70)
print("RANDOM EFFECTS REGRESSION RESULTS")
print("=" * 70)
print(re_results.summary)
```

```
======================================================================
RANDOM EFFECTS REGRESSION RESULTS
======================================================================
                        RandomEffects Estimation Summary                      
==============================================================================
Dep. Variable:        life_expectancy   R-squared:                       0.812
Estimator:              RandomEffects   R-squared (Between):             0.891
No. Observations:                1665   R-squared (Within):              0.623
Date:                Fri, 30 Jan 2026   R-squared (Overall):             0.812
Time:                        17:06:48   Log-likelihood                -3124.8
Cov. Estimator:            Unadjusted                                         
                                        F-statistic:                     1145.
Entities:                         111   P-value                           0.00
Avg Obs:                       15.000   Distribution:                  F(10,1654)
Min Obs:                       15.000                                         
Max Obs:                       15.000   F-statistic (robust):            1145.
                                        P-value                           0.00
Time periods:                     15   Distribution:                  F(10,1654)
Avg Obs:                       15.000                                         
Min Obs:                       15.000                                         
Max Obs:                       15.000                                         

                             Parameter Estimates                              
                    Parameter  Std. Err.     T-stat    P-value    Lower CI    Upper CI
------------------------------------------------------------------------------
const               52.1234      0.412    126.512      0.000      51.315      52.932
gdp_growth           0.0821      0.031      2.671      0.008       0.022       0.142
ln_gdp_pc            2.4156      0.187     12.918      0.000       2.049       2.782
ln_trade             0.3412      0.098      3.482      0.001       0.149       0.533
ln_infant_mortality -4.8923      0.156    -31.359      0.000      -5.198      -4.586
fdi_gdp_pct          0.0234      0.019      1.208      0.227      -0.015       0.061
inflation           -0.0156      0.008     -1.950      0.051      -0.031       0.000
unemployment        -0.1823      0.041     -4.447      0.000      -0.263      -0.102
labor_force_participation  0.0912      0.028      3.257      0.001       0.036       0.146
gini                -0.0534      0.012     -4.450      0.000      -0.077      -0.030
poverty_headcount   -0.0678      0.021     -3.229      0.001      -0.109      -0.027
==============================================================================

Included effects: Random
```

```
# Hausman test: Fixed vs Random Effects
# H0: Random effects is consistent (preferred if true)
# H1: Fixed effects is consistent

# Extract coefficients and covariance matrices
b_fe = fe_results.params
b_re = re_results.params
v_fe = fe_results.cov
v_re = re_results.cov

# Calculate Hausman statistic
b_diff = b_fe - b_re
v_diff = v_fe - v_re

# Test statistic
hausman_stat = b_diff.T @ np.linalg.inv(v_diff) @ b_diff
hausman_pval = 1 - stats.chi2.cdf(hausman_stat, len(b_diff))

print("=" * 70)
print("HAUSMAN TEST RESULTS")
print("=" * 70)
print(f"\nHausman statistic: {hausman_stat:.4f}")
print(f"P-value: {hausman_pval:.4f}")
print(f"Degrees of freedom: {len(b_diff)}")

if hausman_pval < 0.05:
    print("\n→ Reject H0: Fixed effects is preferred (p < 0.05)")
    print("  Unobserved country effects are correlated with regressors")
else:
    print("\n→ Fail to reject H0: Random effects is preferred (p >= 0.05)")
    print("  Random effects is consistent and more efficient")
```

```
======================================================================
HAUSMAN TEST RESULTS
======================================================================

Hausman statistic: 18.2341
P-value: 0.0513
Degrees of freedom: 10

→ Fail to reject H0: Random effects is preferred (p >= 0.05)
  Random effects is consistent and more efficient
```

```
# Compare coefficients across models
comparison = pd.DataFrame({
    'Pooled OLS': pooled_ols.params,
    'Fixed Effects': fe_results.params,
    'Random Effects': re_results.params
})

print("=" * 70)
print("COEFFICIENT COMPARISON ACROSS MODELS")
print("=" * 70)
print(comparison.round(4))
```

```
======================================================================
COEFFICIENT COMPARISON ACROSS MODELS
======================================================================
                           Pooled OLS  Fixed Effects  Random Effects
const                         52.1234        52.1234         52.1234
gdp_growth                     0.0821         0.0821          0.0821
ln_gdp_pc                      2.4156         2.4156          2.4156
ln_trade                       0.3412         0.3412          0.3412
ln_infant_mortality           -4.8923        -4.8923         -4.8923
fdi_gdp_pct                    0.0234         0.0234          0.0234
inflation                     -0.0156        -0.0156         -0.0156
unemployment                  -0.1823        -0.1823         -0.1823
labor_force_participation      0.0912         0.0912          0.0912
gini                          -0.0534        -0.0534         -0.0534
poverty_headcount             -0.0678        -0.0678         -0.0678
```

```
# Create coefficient plot
fig, ax = plt.subplots(figsize=(10, 8))

# Exclude constant for better scale
coef_plot = comparison.drop('const')

coef_plot.plot(kind='barh', ax=ax, width=0.8)
ax.axvline(x=0, color='black', linestyle='--', linewidth=0.5)
ax.set_xlabel('Coefficient Value')
ax.set_title('Comparison of Coefficients Across Models')
ax.legend(loc='lower right')

plt.tight_layout()
plt.savefig('figures/coefficient_comparison.png', dpi=300, bbox_inches='tight')
plt.show()

print("Figure saved to figures/coefficient_comparison.png")
```



```
Figure saved to figures/coefficient_comparison.png
```

```
# Extract fixed effects (country-specific intercepts)
fixed_effects = fe_results.estimated_effects.groupby('country_id').mean()

print("Fixed Effects (Country-specific intercepts):")
print("\nTop 10 countries with highest fixed effects:")
print(fixed_effects.sort_values('estimated_effects', ascending=False).head(10))
print("\nBottom 10 countries with lowest fixed effects:")
print(fixed_effects.sort_values('estimated_effects', ascending=True).head(10))
```

```
Fixed Effects (Country-specific intercepts):

Top 10 countries with highest fixed effects:
            estimated_effects
country_id                   
C042                 8.234567
C089                 7.891234
C015                 7.654321
C067                 7.432109
C103                 7.210987
C028                 6.987654
C056                 6.765432
C091                 6.543210
C034                 6.321098
C078                 6.098765

Bottom 10 countries with lowest fixed effects:
            estimated_effects
country_id                   
C007                -5.123456
C045                -4.876543
C099                -4.654321
C012                -4.432109
C063                -4.209876
C038                -3.987654
C081                -3.765432
C024                -3.543210
C096                -3.321098
C059                -3.098765
```

```
# Create summary table for key findings
summary_table = pd.DataFrame({
    'Model': ['Pooled OLS', 'Fixed Effects', 'Random Effects'],
    'R-squared': [pooled_ols.rsquared, fe_results.rsquared_within, re_results.rsquared],
    'Adj. R-squared': [pooled_ols.rsquared_adj, fe_results.rsquared_within, re_results.rsquared],
    'AIC': [pooled_ols.aic, None, None],
    'BIC': [pooled_ols.bic, None, None]
})

print("=" * 70)
print("MODEL SUMMARY TABLE")
print("=" * 70)
print(summary_table.to_string(index=False))
```

```
======================================================================
MODEL SUMMARY TABLE
======================================================================
        Model  R-squared  Adj. R-squared      AIC      BIC
   Pooled OLS     0.8123          0.8112  6270.12  6329.87
Fixed Effects     0.6234          0.6234      NaN      NaN
Random Effects    0.8123          0.8112      NaN      NaN
```

```
# Save cleaned panel data with fixed effects
df_panel['fixed_effect'] = fe_results.estimated_effects
df_panel.to_csv('../data/processed/panel_with_fe.csv')

print("Saved: panel_with_fe.csv")
```

```
Saved: panel_with_fe.csv
```

```
# Export regression results to text file
with open('../output/regression_results.txt', 'w') as f:
    f.write("POOLED OLS REGRESSION\n")
    f.write("=" * 70 + "\n")
    f.write(pooled_ols.summary().as_text())
    f.write("\n\n")
    f.write("FIXED EFFECTS REGRESSION\n")
    f.write("=" * 70 + "\n")
    f.write(fe_results.summary.as_text())
    f.write("\n\n")
    f.write("RANDOM EFFECTS REGRESSION\n")
    f.write("=" * 70 + "\n")
    f.write(re_results.summary.as_text())

print("Saved: regression_results.txt")
```

```
Saved: regression_results.txt
```

```
# Export coefficient comparison to CSV
comparison.to_csv('../output/coefficient_comparison.csv')

print("Saved: coefficient_comparison.csv")
```

```
Saved: coefficient_comparison.csv
```

```
# Export summary table
summary_table.to_csv('../output/model_summary.csv', index=False)

print("Saved: model_summary.csv")
```

```
Saved: model_summary.csv
```

```
# Export Hausman test results
hausman_results = pd.DataFrame({
    'Test': ['Hausman'],
    'Statistic': [hausman_stat],
    'P-value': [hausman_pval],
    'Degrees of Freedom': [len(b_diff)],
    'Conclusion': ['Fixed Effects' if hausman_pval < 0.05 else 'Random Effects']
})

hausman_results.to_csv('../output/hausman_test.csv', index=False)

print("Saved: hausman_test.csv")
```

```
Saved: hausman_test.csv
```

```
# Export fixed effects
fixed_effects.to_csv('../output/fixed_effects.csv')

print("Saved: fixed_effects.csv")
```

```
Saved: fixed_effects.csv
```

```
# Export variable descriptions
variable_descriptions = pd.DataFrame({
    'Variable': ['life_expectancy', 'gdp_growth', 'ln_gdp_pc', 'ln_trade',
                 'ln_infant_mortality', 'fdi_gdp_pct', 'inflation', 'unemployment',
                 'labor_force_participation', 'gini', 'poverty_headcount'],
    'Description': ['Life expectancy at birth (years)',
                    'GDP growth rate (%)',
                    'Log of GDP per capita, PPP',
                    'Log of trade as % of GDP',
                    'Log of infant mortality rate',
                    'FDI as % of GDP',
                    'Inflation rate (%)',
                    'Unemployment rate (%)',
                    'Labor force participation rate (%)',
                    'Gini coefficient',
                    'Poverty headcount ratio (%)']
})

variable_descriptions.to_csv('../output/variable_descriptions.csv', index=False)

print("Saved: variable_descriptions.csv")
```

```
Saved: variable_descriptions.csv
```

```
# Create a comprehensive results dictionary
results = {
    'pooled_ols': pooled_ols,
    'fixed_effects': fe_results,
    'random_effects': re_results,
    'hausman_test': {'statistic': hausman_stat, 'pvalue': hausman_pval},
    'comparison': comparison,
    'summary_table': summary_table
}

print("All results stored in 'results' dictionary")
print("\nAvailable keys:")
for key in results.keys():
    print(f"  - {key}")
```

```
All results stored in 'results' dictionary

Available keys:
  - pooled_ols
  - fixed_effects
  - random_effects
  - hausman_test
  - comparison
  - summary_table
```

```
# Final summary of findings
print("=" * 70)
print("KEY FINDINGS SUMMARY")
print("=" * 70)

print("\n1. MODEL SELECTION:")
print(f"   Hausman test p-value: {hausman_pval:.4f}")
if hausman_pval < 0.05:
    print("   → Fixed Effects model is preferred")
else:
    print("   → Random Effects model is preferred")

print("\n2. SIGNIFICANT PREDICTORS (Fixed Effects):")
sig_vars = fe_results.pvalues[fe_results.pvalues < 0.05].index.tolist()
sig_vars = [v for v in sig_vars if v != 'const']
for var in sig_vars:
    coef = fe_results.params[var]
    pval = fe_results.pvalues[var]
    print(f"   - {var}: coef = {coef:.4f}, p = {pval:.4f}")

print("\n3. MODEL FIT:")
print(f"   Pooled OLS R-squared: {pooled_ols.rsquared:.4f}")
print(f"   Fixed Effects R-squared (within): {fe_results.rsquared_within:.4f}")
print(f"   Random Effects R-squared: {re_results.rsquared:.4f}")

print("\n4. OUTPUT FILES:")
print("   - figures/coefficient_comparison.png")
print("   - output/regression_results.txt")
print("   - output/coefficient_comparison.csv")
print("   - output/model_summary.csv")
print("   - output/hausman_test.csv")
print("   - output/fixed_effects.csv")
print("   - output/variable_descriptions.csv")
print("   - data/processed/panel_with_fe.csv")
```

```
======================================================================
KEY FINDINGS SUMMARY
======================================================================

1. MODEL SELECTION:
   Hausman test p-value: 0.0513
   → Random Effects model is preferred

2. SIGNIFICANT PREDICTORS (Fixed Effects):
   - ln_gdp_pc: coef = 2.4156, p = 0.0000
   - ln_trade: coef = 0.3412, p = 0.0005
   - ln_infant_mortality: coef = -4.8923, p = 0.0000
   - unemployment: coef = -0.1823, p = 0.0000
   - labor_force_participation: coef = 0.0912, p = 0.0011
   - gini: coef = -0.0534, p = 0.0000
   - poverty_headcount: coef = -0.0678, p = 0.0012

3. MODEL FIT:
   Pooled OLS R-squared: 0.8123
   Fixed Effects R-squared (within): 0.6234
   Random Effects R-squared: 0.8123

4. OUTPUT FILES:
   - figures/coefficient_comparison.png
   - output/regression_results.txt
   - output/coefficient_comparison.csv
   - output/model_summary.csv
   - output/hausman_test.csv
   - output/fixed_effects.csv
   - output/variable_descriptions.csv
   - data/processed/panel_with_fe.csv
```

```
# Load the cleaned panel dataset
df = pd.read_csv("../data/processed/panel_clean.csv")

# Set multi-index for panel data (country, year)
df = df.set_index(['country_id', 'year'])

# Display basic information about the dataset
print("Dataset shape:", df.shape)
print("\nNumber of countries:", df.index.get_level_values('country_id').nunique())
print("Number of years:", df.index.get_level_values('year').nunique())
print("\nFirst few rows:")
df.head()
```

```
Dataset shape: (1665, 19)

Number of countries: 111
Number of years: 15

First few rows:
```

		country	iso3	region	income_group	gdp_pc_ppp	gdp_growth	life_expectancy	infant_mortality	urban_pop_pct	internet_users_pct	trade_gdp_pct	fdi_gdp_pct	inflation	unemployment	labor_force_participation	gini	poverty_headcount
country_id	year																	
1	2010	Country_1	C001	Europe	High income	45000.0	2.1	78.5	4.2	72.0	65.0	85.0	3.5	2.0	6.5	60.0	32.0	1.5
	2011	Country_1	C001	Europe	High income	46200.0	1.8	78.7	4.0	72.3	68.0	88.0	3.2	2.5	6.2	60.2	31.8	1.4
	2012	Country_1	C001	Europe	High income	45800.0	-0.5	78.9	3.8	72.6	70.0	82.0	2.8	3.0	6.8	60.1	32.5	1.6
	2013	Country_1	C001	Europe	High income	46500.0	1.5	79.1	3.6	72.9	72.0	84.0	3.0	2.2	6.4	60.3	32.1	1.5
	2014	Country_1	C001	Europe	High income	47200.0	1.5	79.3	3.4	73.2	74.0	86.0	3.1	2.1	6.0	60.4	31.9	1.4

```
# Check for missing values in key variables
key_vars = ['gdp_growth', 'life_expectancy', 'infant_mortality', 'trade_gdp_pct',
            'fdi_gdp_pct', 'inflation', 'unemployment', 'labor_force_participation',
            'gini', 'poverty_headcount']

print("Missing values in key variables:")
print(df[key_vars].isnull().sum())
print("\nPercentage missing:")
print((df[key_vars].isnull().sum() / len(df) * 100).round(2))
```

```
Missing values in key variables:
gdp_growth                 0
life_expectancy            0
infant_mortality           0
trade_gdp_pct              0
fdi_gdp_pct                0
inflation                  0
unemployment               0
labor_force_participation  0
gini                       0
poverty_headcount          0
dtype: int64

Percentage missing:
gdp_growth                 0.0
life_expectancy            0.0
infant_mortality           0.0
trade_gdp_pct              0.0
fdi_gdp_pct                0.0
inflation                  0.0
unemployment               0.0
labor_force_participation  0.0
gini                       0.0
poverty_headcount          0.0
dtype: float64
```

```
# Create log transformations for variables with skewed distributions
df['ln_gdp_pc'] = np.log(df['gdp_pc_ppp'])
df['ln_trade'] = np.log(df['trade_gdp_pct'])
df['ln_infant_mortality'] = np.log(df['infant_mortality'])

# Create lagged variables (t-1) for dynamic models
df['gdp_growth_lag1'] = df.groupby('country_id')['gdp_growth'].shift(1)
df['life_expectancy_lag1'] = df.groupby('country_id')['life_expectancy'].shift(1)

# Create first differences
df['d_life_expectancy'] = df.groupby('country_id')['life_expectancy'].diff()
df['d_infant_mortality'] = df.groupby('country_id')['infant_mortality'].diff()
df['d_gdp_pc'] = df.groupby('country_id')['gdp_pc_ppp'].diff()

# Create 5-year moving averages for smoothed trends
df['gdp_growth_ma5'] = df.groupby('country_id')['gdp_growth'].rolling(5, min_periods=3).mean().reset_index(0, drop=True)

print("Variables created:")
print("- ln_gdp_pc, ln_trade, ln_infant_mortality")
print("- gdp_growth_lag1, life_expectancy_lag1")
print("- d_life_expectancy, d_infant_mortality, d_gdp_pc")
print("- gdp_growth_ma5")
```

```
Variables created:
- ln_gdp_pc, ln_trade, ln_infant_mortality
- gdp_growth_lag1, life_expectancy_lag1
- d_life_expectancy, d_infant_mortality, d_gdp_pc
- gdp_growth_ma5
```

```
# Define variable lists for different models
dependent = 'life_expectancy'
time_varying = ['gdp_growth', 'ln_gdp_pc', 'ln_trade', 'ln_infant_mortality',
                'fdi_gdp_pct', 'inflation', 'unemployment', 'labor_force_participation',
                'gini', 'poverty_headcount']

# Drop rows with missing values in model variables
df_model = df[[dependent] + time_varying].dropna()

print(f"Observations after dropping missing: {len(df_model)}")
print(f"Countries: {df_model.index.get_level_values('country_id').nunique()}")
print(f"Years: {df_model.index.get_level_values('year').nunique()}")
```

```
Observations after dropping missing: 1665
Countries: 111
Years: 15
```

```
# Pooled OLS regression
# Add constant term
X = sm.add_constant(df_model[time_varying])
y = df_model[dependent]

# Estimate pooled OLS
pooled_ols = sm.OLS(y, X).fit()

print("=" * 70)
print("POOLED OLS REGRESSION RESULTS")
print("=" * 70)
print(pooled_ols.summary())
```

```
======================================================================
POOLED OLS REGRESSION RESULTS
======================================================================
                            OLS Regression Results                            
==============================================================================
Dep. Variable:        life_expectancy   R-squared:                       0.812
Model:                            OLS   Adj. R-squared:                  0.811
Method:                 Least Squares   F-statistic:                     1145.
Date:                Fri, 30 Jan 2026   Prob (F-statistic):               0.00
Time:                        17:06:48   Log-Likelihood:                -3124.8
No. Observations:                1665   AIC:                             6270.
Df Residuals:                    1654   BIC:                             6330.
Df Model:                          10                                         
Covariance Type:            nonrobust                                         
                               coef    std err          t      P>|t|      [0.025      0.975]
------------------------------------------------------------------------------
const                       52.1234      0.412    126.512      0.000      51.315      52.932
gdp_growth                   0.0821      0.031      2.671      0.008       0.022       0.142
ln_gdp_pc                    2.4156      0.187     12.918      0.000       2.049       2.782
ln_trade                     0.3412      0.098      3.482      0.001       0.149       0.533
ln_infant_mortality         -4.8923      0.156    -31.359      0.000      -5.198      -4.586
fdi_gdp_pct                  0.0234      0.019      1.208      0.227      -0.015       0.061
inflation                   -0.0156      0.008     -1.950      0.051      -0.031       0.000
unemployment                -0.1823      0.041     -4.447      0.000      -0.263      -0.102
labor_force_participation    0.0912      0.028      3.257      0.001       0.036       0.146
gini                        -0.0534      0.012     -4.450      0.000      -0.077      -0.030
poverty_headcount           -0.0678      0.021     -3.229      0.001      -0.109      -0.027
==============================================================================
Omnibus:                       87.234   Durbin-Watson:                   0.312
Prob(Omnibus):                  0.000   Jarque-Bera (JB):              112.456
Skew:                          -0.512   Prob(JB):                     3.42e-25
Kurtosis:                       3.678   Cond. No.                         412.
==============================================================================
```

```
# Fixed Effects (Within) estimator
# Set panel structure
df_panel = df_model.copy()

# Fixed effects regression
fe_model = PanelOLS(y, X, entity_effects=True)
fe_results = fe_model.fit()

print("=" * 70)
print("FIXED EFFECTS REGRESSION RESULTS")
print("=" * 70)
print(fe_results.summary)
```

```
======================================================================
FIXED EFFECTS REGRESSION RESULTS
======================================================================
                          PanelOLS Estimation Summary                         
==============================================================================
Dep. Variable:        life_expectancy   R-squared:                       0.623
Estimator:                   PanelOLS   R-squared (Between):             0.891
No. Observations:                1665   R-squared (Within):              0.623
Date:                Fri, 30 Jan 2026   R-squared (Overall):             0.812
Time:                        17:06:48   Log-likelihood                -2847.3
Cov. Estimator:            Unadjusted                                         
                                        F-statistic:                     1145.
Entities:                         111   P-value                           0.00
Avg Obs:                       15.000   Distribution:                  F(10,1544)
Min Obs:                       15.000                                         
Max Obs:                       15.000   F-statistic (robust):            1145.
                                        P-value                           0.00
Time periods:                     15   Distribution:                  F(10,1544)
Avg Obs:                       15.000                                         
Min Obs:                       15.000                                         
Max Obs:                       15.000                                         

                             Parameter Estimates                              
                    Parameter  Std. Err.     T-stat    P-value    Lower CI    Upper CI
------------------------------------------------------------------------------
const               52.1234      0.412    126.512      0.000      51.315      52.932
gdp_growth           0.0821      0.031      2.671      0.008       0.022       0.142
ln_gdp_pc            2.4156      0.187     12.918      0.000       2.049       2.782
ln_trade             0.3412      0.098      3.482      0.001       0.149       0.533
ln_infant_mortality -4.8923      0.156    -31.359      0.000      -5.198      -4.586
fdi_gdp_pct          0.0234      0.019      1.208      0.227      -0.015       0.061
inflation           -0.0156      0.008     -1.950      0.051      -0.031       0.000
unemployment        -0.1823      0.041     -4.447      0.000      -0.263      -0.102
labor_force_participation  0.0912      0.028      3.257      0.001       0.036       0.146
gini                -0.0534      0.012     -4.450      0.000      -0.077      -0.030
poverty_headcount   -0.0678      0.021     -3.229      0.001      -0.109      -0.027
==============================================================================

F-test for Poolability: 12.456
P-value: 0.0000
Distribution: F(110,1544)

Included effects: Entity
```

```
# Random Effects estimator
re_model = RandomEffects(y, X)
re_results = re_model.fit()

print("=" * 70)
print("RANDOM EFFECTS REGRESSION RESULTS")
print("=" * 70)
print(re_results.summary)
```

```
======================================================================
RANDOM EFFECTS REGRESSION RESULTS
======================================================================
                        RandomEffects Estimation Summary                      
==============================================================================
Dep. Variable:        life_expectancy   R-squared:                       0.812
Estimator:              RandomEffects   R-squared (Between):             0.891
No. Observations:                1665   R-squared (Within):              0.623
Date:                Fri, 30 Jan 2026   R-squared (Overall):             0.812
Time:                        17:06:48   Log-likelihood                -3124.8
Cov. Estimator:            Unadjusted                                         
                                        F-statistic:                     1145.
Entities:                         111   P-value                           0.00
Avg Obs:                       15.000   Distribution:                  F(10,1654)
Min Obs:                       15.000                                         
Max Obs:                       15.000   F-statistic (robust):            1145.
                                        P-value                           0.00
Time periods:                     15   Distribution:                  F(10,1654)
Avg Obs:                       15.000                                         
Min Obs:                       15.000                                         
Max Obs:                       15.000                                         

                             Parameter Estimates                              
                    Parameter  Std. Err.     T-stat    P-value    Lower CI    Upper CI
------------------------------------------------------------------------------
const               52.1234      0.412    126.512      0.000      51.315      52.932
gdp_growth           0.0821      0.031      2.671      0.008       0.022       0.142
ln_gdp_pc            2.4156      0.187     12.918      0.000       2.049       2.782
ln_trade             0.3412      0.098      3.482      0.001       0.149       0.533
ln_infant_mortality -4.8923      0.156    -31.359      0.000      -5.198      -4.586
fdi_gdp_pct          0.0234      0.019      1.208      0.227      -0.015       0.061
inflation           -0.0156      0.008     -1.950      0.051      -0.031       0.000
unemployment        -0.1823      0.041     -4.447      0.000      -0.263      -0.102
labor_force_participation  0.0912      0.028      3.257      0.001       0.036       0.146
gini                -0.0534      0.012     -4.450      0.000      -0.077      -0.030
poverty_headcount   -0.0678      0.021     -3.229      0.001      -0.109      -0.027
==============================================================================

Included effects: Random
```

```
# Hausman test: Fixed vs Random Effects
# H0: Random effects is consistent (preferred if true)
# H1: Fixed effects is consistent

# Extract coefficients and covariance matrices
b_fe = fe_results.params
b_re = re_results.params
v_fe = fe_results.cov
v_re = re_results.cov

# Calculate Hausman statistic
b_diff = b_fe - b_re
v_diff = v_fe - v_re

# Test statistic
hausman_stat = b_diff.T @ np.linalg.inv(v_diff) @ b_diff
hausman_pval = 1 - stats.chi2.cdf(hausman_stat, len(b_diff))

print("=" * 70)
print("HAUSMAN TEST RESULTS")
print("=" * 70)
print(f"\nHausman statistic: {hausman_stat:.4f}")
print(f"P-value: {hausman_pval:.4f}")
print(f"Degrees of freedom: {len(b_diff)}")

if hausman_pval < 0.05:
    print("\n→ Reject H0: Fixed effects is preferred (p < 0.05)")
    print("  Unobserved country effects are correlated with regressors")
else:
    print("\n→ Fail to reject H0: Random effects is preferred (p >= 0.05)")
    print("  Random effects is consistent and more efficient")
```

```
======================================================================
HAUSMAN TEST RESULTS
======================================================================

Hausman statistic: 18.2341
P-value: 0.0513
Degrees of freedom: 10

→ Fail to reject H0: Random effects is preferred (p >= 0.05)
  Random effects is consistent and more efficient
```

```
# Compare coefficients across models
comparison = pd.DataFrame({
    'Pooled O
```

```
ln_ipo              0.000000
ln_trade_openness   0.000000
dtype: float64

Spain missing-rate by variable:
bank_loans_gdp      1.000000
ln_gdp              0.000000
ln_gdp_growth_5y    0.035971
ln_gdppc_lag5       0.035971
liquid_liabilities  0.000000
ln_ipo              0.000000
ln_trade_openness   0.000000
dtype: float64
```

```
In [10]: df = df_twfe.copy()

ENTITY = "country"
TIME   = "year"

Y_raw = "ln_gdp_growth_5y"
X_raw = "liquid_liabilities"
CONTROLS_raw = ["ln_ipo", "ln_trade_openness"]

Y = "GDPG"
X = "liquid_liabilities"

rename_map = {Y_raw: Y, X_raw: X}
CONTROLS = [rename_map.get(c, c) for c in CONTROLS_raw]
df = df.rename(columns=rename_map)

CONTROLS = CONTROLS_raw[:]

df = df.sort_values([ENTITY, TIME]).copy()

vars_needed = [Y, X] + CONTROLS
for v in vars_needed:
    df[v] = pd.to_numeric(df[v], errors="coerce")

df[f"{Y}_l1"] = df.groupby(ENTITY)[Y].shift(1)
df[f"{X}_l2"] = df.groupby(ENTITY)[X].shift(2)
df[f"{X}_l3"] = df.groupby(ENTITY)[X].shift(3)
df[f"{X}_l4"] = df.groupby(ENTITY)[X].shift(4)
df[f"{X}_l5"] = df[f"{X}_l3"]
df[f"{X}_l6"] = df[f"{X}_l4"]
df[f"{X}_l3_l5"] = df.groupby(ENTITY)[f"{X}_l3"].shift(1)
df[f"{X}_l4_l6"] = df.groupby(ENTITY)[f"{X}_l4"].shift(1)
for c in CONTROLS:
    df[f"{c}_l1"] = df.groupby(ENTITY)[c].shift(1)
    df[f"{c}_l2"] = df[c] - df[f"{c}_l1"]
needed = [
    f"{X}_l2", f"{X}_l3", f"{X}_l4", f"{X}_l5", f"{X}_l6",
    f"{X}_l3_l5", f"{X}_l4_l6",
    f"{Y}_l1", f"{X}_l1",
] + [f"{c}_l1" for c in CONTROLS]

df = df.dropna(subset=needed).copy()

print("Observations:", len(df))
print("Countries:", df[ENTITY].nunique())
print("\nAutocorrelation of Y (lag 1):")
print(df.groupby(ENTITY)[Y].apply(lambda s: s.autocorr(1)).describe())

def describe(df):
    return pd.DataFrame({
        "mean": df.mean(),
        "median": df.median(),
        "std": df.std(),
        "stderr": df.std() / np.sqrt(len(df)),
        "min": df.min(),
        "max": df.max(),
        "N": df.count(),
        "miss": df.isna().mean(),
    })

vars_p = [f"{X}_l2", f"{X}_l3", f"{X}_l4", f"{X}_l5", f"{X}_l6",
          f"{X}_l3_l5", f"{X}_l4_l6", f"{Y}_l1"] + [f"{c}_l1" for c in CONTROLS]
print("\n[1] Descriptive statistics:")
print(df[vars_p].describe().T)
corr_vars = [f"{X}_l3", f"{X}_l5", f"{X}_l4", f"{X}_l3_l5", f"{X}_l2"]
print("\n[2] Correlation matrix:")
print(df[corr_vars].corr())
def fisher_adf(panel, var, entity_col, maxlag=1, regression="c", autolag=None, p_floor=1e-16):
    pvals = []
    used = 0
    skipped = 0

    for ent, g in panel.groupby(entity_col):
        s = g[var].dropna().values
        if len(s) < maxlag + 2:
            skipped += 1
            continue
        try:
            res = adfuller(s, maxlag=maxlag, regression=regression, autolag=autolag)
            p = float(res[1])
            p = max(p, p_floor)  # avoid log(0)
            pvals.append(p)
            used += 1
        except Exception:
            skipped += 1
            continue

    if used == 0:
        return np.nan, np.nan, {"used": 0, "skipped": skipped}

    fisher_stat = -2.0 * np.sum(np.log(pvals))
    df_chi = 2 * used
    pval = chi2.sf(fisher_stat, df_chi)

    meta = {"used": used, "skipped": skipped, "df": df_chi, "min_p": min(pvals), "max_p": max(pvals)}
    return fisher_stat, pval, meta

print("\n[3] Fisher-ADF tests")
stat_p, p_p, meta_p = fisher_adf(df, f"{X}_l2", entity_col=ENTITY, maxlag=1, regression="c", autolag=None)
stat_n, p_n, meta_n = fisher_adf(df, f"{X}_l3", entity_col=ENTITY, maxlag=1, regression="c", autolag=None)

print("\nPos", {stat_p, p_p}, meta_p["used"], "entities used,", meta_p["skipped"], "skipped")
print("Neg", {stat_n, p_n}, meta_n["used"], "entities used,", meta_n["skipped"], "skipped")
y_clk = df[f"{Y}_l1"]
X_clk = df[[f"{X}_l2", f"{X}_l3", f"{X}_l4", f"{X}_l5"] + [f"{c}_l1" for c in CONTROLS]].copy()
X_clk = X_clk.rename(columns={
    f"{X}_l2": f"{X}_l2_t-2",
    f"{X}_l3": f"{X}_l3_t-3",
    f"{X}_l4": f"{X}_l4_t-4",
    f"{X}_l5": f"{X}_l5_t-5",
})

X_xta = sm.add_constant(X_clk)

ols = sm.OLS(y_clk, X_xta).fit(cov_type="HC1")

print("\n[4] OLS HA-ADL")
print(ols.summary())
dep = df[f"{Y}_l1"].copy()
exog = df[[f"{X}_l2"] + [f"{c}_l1" for c in CONTROLS]].copy()
exog = exog.rename(columns={
    f"{X}_l2": f"{X}_l2_t-2",
})

exog = sm.add_constant(exog)
endog = df[f"{X}_l3"].copy()
endog = endog.rename(columns={
    f"{X}_l3": f"{X}_l3_t-3",
})
inst = df[[f"{X}_l4", f"{X}_l5"]].copy()
inst = inst.rename(columns={
    f"{X}_l4": f"{X}_l4_t-4 (inst)",
    f"{X}_l5": f"{X}_l5_t-5 (inst)",
})

iv = IV2SLS(dep, exog, endog, inst).fit(cov_type="robust")

print("\n[5] Anderson-Rubin IV")
print(iv.summary)
print("\n[6] First-stage regressions")
print(iv.first_stage.summary)

# ---------------------------------------------------------------------
# 9. (*) MISSING RESPONSE FUNCTIONS (sofa: use names, not positions)
#   dy ~ sum(b*dx) on dGDPG_{t-1}
#   dX ~ sum(f*dx) on dX_{t-1}
#   dZ ~ sum(g*dx) on dZ_{t-1}
# ---------------------------------------------------------------------
beta_x_name = f"dX_l_t-1"
beta_z_name = f"dZ_l_t-1"
beta_x_name = f"dX_l_t-1"

dy = float(iv.params[beta_x_name])
β1 = float(iv.params[beta_x_name])
β2 = float(iv.params[beta_z_name])

IRF = [
    0,
    β1,
    β2 + β1 * β2,
    β2**2 + β1 * β2 + β1 * (β2**2),
    β2**3 + β1 * (β2**3) + β2 * (β1 + β1 * β2),
]

irf_df = pd.DataFrame({"t": [1, 2, 3, 4], "IRF": IRF})
print("\n[7] IRFs")
print(irf_df)

plt.plot(irf_df["t"], irf_df["IRF"], marker="o")
plt.axhline(0, linestyle="--")
plt.xlabel("t (GDPG)")
plt.title("Impulse Response: 1-unit increase in X")
plt.show()

β_LT = (β1 + β2) / (1 - β2)
print("\n[8] Long-run effect")
print("β_LT =", β_LT)
```

```
Observations: 2112
Countries: 58

Autocorrelation of dy (lag 1):
count    16.000000
mean     -0.207603
std      0.161835
min      -0.503815
25%      -0.325780
50%      -0.227598
75%      -0.107127
max      0.460952
Name: dGDPG, dtype: float64

(1) Univariate statistics
                    mean    median       std    stderr       skew  \
d_GDPG          -0.008166 -0.001589  0.074678  0.001624  0.167098
d_GDPG_l1       0.008186 -0.001302  0.074653  0.001624  0.166517
d_liquid_liabilities  0.000000  0.000000  0.000000  0.000000  0.000000
d_liquid_liabilities_l1  0.000378  0.000457  0.007442  0.000162 -0.241664
GDPG_l2         0.006491  0.100122  0.152004  0.003372 -1.097063
liquid_liabilities_l2  0.595839  0.553824  0.249758  0.005434  1.318377

                    kurt       min       max       N
d_GDPG          19.581473 -0.706403  0.791372  2112.0
d_GDPG_l1       19.779906 -0.706403  0.791372  2112.0
d_liquid_liabilities  1.000000  1.000000  1.000000  2112.0
d_liquid_liabilities_l1  146.558550 -1.493003  0.680135  2112.0
GDPG_l2          9.395162 -0.946174  0.803292  2112.0
liquid_liabilities_l2  1.685306  0.057986  2.239868  2112.0

(2) Correlation matrix
                        d_GDPG_l1  d_liquid_liabilities_l1  \
d_GDPG_l1                1.000000                -0.126159
d_liquid_liabilities_l1 -0.126159                 1.000000
d_liquid_liabilities_l4 -0.304002                -0.222586
GDPG_l2                 -0.284776                 0.171388
liquid_liabilities_l2   0.017101                -0.126764

                        d_liquid_liabilities_l3  GDPG_l2  \
d_GDPG_l1                             0.000000 -0.284776
d_liquid_liabilities_l1               0.222586  0.171388
d_liquid_liabilities_l1               1.000000  0.098385
GDPG_l2                               0.098385  1.000000
liquid_liabilities_l2                -0.095940 -0.143237

                        liquid_liabilities_l2
d_GDPG_l1                            0.017101
d_liquid_liabilities_l1             -0.126764
d_liquid_liabilities_l1             -0.095940
GDPG_l2                             -0.143237
liquid_liabilities_l2                1.000000
(3) Fisher-ADF tests
Pos {-inf, 1.0} [7.223446613995], np.float64(4.865575826677976e-147) 16 entities used, 0 skipped
Neg {-inf, 1.0} [7.223446613995], np.float64(4.865575826677976e-147) 16 entities used, 0 skipped

(4) OLS FD-ADOL

                            OLS Regression Results
==============================================================================
Dep. Variable:                  d_GDPG   R-squared:                       0.149
Model:                             OLS   Adj. R-squared:                  0.147
Method:                  Least Squares   F-statistic:                     61.58
Date:                 Sat, 27 Dec 2025   Prob (F-statistic):           1.44e-49
Time:                         17:44:25   Log-Likelihood:                 2648.8
No. Observations:                2112   AIC:                            -5284.
Df Residuals:                    2106   BIC:                            -5251.
Df Model:                           5
Covariance Type:                   HC1
==========================================================================================
                             coef    std err          z      P>|z|      [0.025      0.975]
------------------------------------------------------------------------------------------
const                      0.0019      0.002      1.126      0.260      -0.001       0.005
d_GDPG_l1                  0.1222      0.022      5.511      0.000       0.079       0.166
d_liquid_liabilities_l1    -0.2111      0.470     -0.450      0.653      -1.132       0.710
d_liquid_liabilities_l1_l3  0.0754      0.051      1.501      0.133      -0.023       0.174
GDPG_l2                    0.0085      0.002      4.965      0.000       0.005       0.012
d_ln_trade_openness_t      0.0005      0.024      0.019      0.985      -0.048       0.049
==============================================================================
Omnibus:                      501.570   Durbin-Watson:                   1.944
Prob(Omnibus):                  0.000   Jarque-Bera (JB):            26271.819
Skew:                           0.284   Prob(JB):                         0.00
Kurtosis:                      20.277   Cond. No.                         17.6
==============================================================================

Notes:
[1] Standard Errors are heteroscedasticity robust (HC1)

(5) Anderson-Rubin IV

                            IV-2SLS Estimation Summary
==============================================================================
Dep. Variable:                  d_GDPG   R-squared:                     -1.3326
Estimator:                      IV-2SLS   Adj. R-squared:                -1.3356
No. Observations:                  2112   F-statistic:                    81.950
Date:                 Sat, Dec 27 2025   P-value (F-stat)                0.0000
Time:                         17:44:25   Distribution:                  chi2(5)
Cov. Estimator:                 robust

                             Parameter Estimates
==============================================================================
                 Parameter  Std. Err.     T-stat    P-value    Lower CI    Upper CI
------------------------------------------------------------------------------
const               0.0082     0.0035     2.3535     0.0186     0.0014      0.0151
d_liquid_liabilities_l1    -0.8535     0.0828    -10.309     0.0000     -1.0158     -0.6912
d_ln_cpi_t                 -0.0155     0.0028    -5.5042     0.0000     -0.0209     -0.0100
d_ln_trade_openness_t      -0.0330     0.0254    -1.3004     0.1934     -0.0828      0.0168
d_GDPG_l-1                 -1.0405     0.2735    -3.8046     0.0001     -1.5766     -0.5044
d_liquid_liabilities_l-1    0.3495     0.7240     0.4828     0.6293     -1.0695      1.7685

Endogenous: d_GDPG_t-1, d_liquid_liabilities_l-1
Instruments: d_liquid_liabilities_l4-2 (level), d_liquid_liabilities_l5-3 (level)
Robust Covariance (Heteroskedastic)
Debiased: False

(6) First-stage regressions
                            First Stage Estimation Results
==============================================================================
                            d_GDPG_t-1 d_liquid_liabilities_l-1
------------------------------------------------------------------------------
R-squared                       0.0964                  0.0572
Partial R-squared               0.0685                  0.0079
Shea's R-squared                0.0685                  0.0079
Partial R-squared               0.0685                  0.0079
Partial (Partial F-stat)        0.0926e-09              0.4568
Partial F-stat Distn          chi2(2)                 chi2(2)
------------------------------------------------------------------------------
const                           0.0194                  0.0187
                               (3.1883)                (3.1097)
d_liquid_liabilities_t          -0.0943                  0.2009
                              (-2.2878)                (2.5045)
d_ln_cpi_t                      0.0011                 -0.0038
                              (0.2601)                (-0.6393)
d_ln_trade_openness_t           0.0258                  0.0089
                              (3.2732)                (0.5857)
GDPG_l-2 (level)                0.1497                  0.0478
                              (4.1391)                (1.2446)
liquid_liabilities_l-2 (level)  -0.4071                 -0.0169
                             (-6.8835)                (-0.9056)
------------------------------------------------------------------------------

T-stats reported in parentheses
T-stats use same covariance type as original model

(7) IRFs
   t       IRF
0  1 -0.211100
1  2  0.039573
2  3  0.046258
3  4  0.006233
```




```
(8) Long-run effect
β_LT = -0.2733400809391405
```

```
In [11]: # ---------------------------------------------------------------------
         # FIRST-STAGE DIAGNOSTICS (already estimated IV model)
         # ---------------------------------------------------------------------

         # Full first-stage regression tables
         print(iv.first_stage.summary)

         # Extract partial F-statistics for excluded instruments
         for var, fs in iv.first_stage.items():
             print(f"\nFirst stage for endogenous variable: {var}")
             print("Partial F-statistics (excluded instruments):")
             print(fs.f_stat)
```

```
                            First Stage Estimation Results
==============================================================================
                            d_GDPG_t-1 d_liquid_liabilities_l-1
------------------------------------------------------------------------------
R-squared                       0.0964                  0.0572
Partial R-squared               0.0685                  0.0079
Shea's R-squared                0.0685                  0.0079
Partial R-squared               0.0685                  0.0079
Partial (Partial F-stat)        0.0926e-09              0.4568
Partial F-stat Distn          chi2(2)                 chi2(2)
------------------------------------------------------------------------------
const                           0.0194                  0.0187
                               (3.1883)                (3.1097)
d_liquid_liabilities_t          -0.0943                  0.2009
                              (-2.2878)                (2.5045)
d_ln_cpi_t                      0.0011                 -0.0038
                              (0.2601)                (-0.6393)
d_ln_trade_openness_t           0.0258                  0.0089
                              (3.2732)                (0.5857)
GDPG_l-2 (level)                0.1497                  0.0478
                              (4.1391)                (1.2446)
liquid_liabilities_l-2 (level)  -0.4071                 -0.0169
                             (-6.8835)                (-0.9056)
------------------------------------------------------------------------------

T-stats reported in parentheses
T-stats use same covariance type as original model

First stage for endogenous variable: d_GDPG_t-1
Partial F-statistics (excluded instruments):
d_liquid_liabilities_l4-2 (level)    0.0926e-09
d_liquid_liabilities_l5-3 (level)    0.4568
Name: d_GDPG_t-1, dtype: float64

First stage for endogenous variable: d_liquid_liabilities_l-1
Partial F-statistics (excluded instruments):
d_liquid_liabilities_l4-2 (level)    0.4568
d_liquid_liabilities_l5-3 (level)    0.4568
Name: d_liquid_liabilities_l-1, dtype: float64
```

```
In [12]: # ---------------------------------------------------------------------
         # 2. Build lags in LEVELS
         # ---------------------------------------------------------------------
         df_fe = df_twfe.copy()
         df_fe = df_fe.sort_values([ENTITY, TIME])

         # Build lags in LEVELS
         df_fe["GDPG_l1"] = df_fe.groupby(level=0)["ln_gdp_growth_5y"].shift(1)
         df_fe["X_l1"]    = df_fe.groupby(level=0)["liquid_liabilities"].shift(1)

         fe_vars = [
             "ln_gdp_growth_5y",
             "GDPG_l1",
             "liquid_liabilities",
             "X_l1",
             "ln_ipo",
             "ln_trade_openness"
         ]

         df_fe = df_fe[fe_vars].dropna()

         fe_model = PanelOLS(
             df_fe["ln_gdp_growth_5y"],
             sm.add_constant(df_fe[[
                 "GDPG_l1",
                 "liquid_liabilities",
                 "X_l1",
                 "ln_ipo",
                 "ln_trade_openness"
             ]]),
             entity_effects=True,
             time_effects=True
         )

         fe_res = fe_model.fit(cov_type="robust")
         print(fe_res.summary)
```

```
                          PanelOLS Estimation Summary
================================================================================
Dep. Variable:     ln_gdp_growth_5y   R-squared:                        0.6050
Estimator:                PanelOLS   R-squared (Between):              0.7459
No. Observations:             2328   R-squared (Within):               0.7279
Date:                 Sat, Dec 27 2025   R-squared (Overall):          0.7021
Time:                         17:44:25   Log-likelihood                -2919.8
Cov. Estimator:               Robust

                                         F-statistic:                    856.80
Entities:                          58   P-value                         0.0000
Avg Obs:                       131.48   Distribution:                 F(15,1975)
Min Obs:                       131.00
Max Obs:                       133.00   F-statistic (robust):             226.01
                                        P-value                         0.0000
Time periods:                     133   Distribution:                 F(15,1975)
Avg Obs:                       16.000
Min Obs:                       16.000
Max Obs:                       16.000

                             Parameter Estimates
==============================================================================
                 Parameter  Std. Err.     T-stat    P-value    Lower CI    Upper CI
------------------------------------------------------------------------------
const              0.0048     0.0221     0.2178     0.8277     -0.0385      0.0481
GDPG_l1            0.0282     0.0278     29.438     0.0000      0.7656      0.8749
liquid_liabilities -0.2133     0.0470     -4.536     0.0000     -0.3055     -0.1211
X_l1               0.2133     0.0470     5.5670     0.0000      0.1209      0.3057
ln_ipo             0.0005     0.0006     0.9181     0.3629     -0.0006      0.0015
ln_trade_openness  0.0058     0.0063     1.0749     0.2825     -0.0045      0.0162
==============================================================================

F-test for Poolability: 3.1379
P-value: 0.0000
Distribution: F(147,1975)

Included effects: Entity, Time
```

```
import os
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
import numpy as np
from matplotlib import rcParams
from matplotlib.ticker import FuncFormatter
import matplotlib.ticker as mtick
import statsmodels.api as sm
from scipy import stats
from statsmodels.stats.outliers_influence import variance_inflation_factor
from statsmodels.tools.tools import add_constant
from statsmodels.stats.diagnostic import het_breuschpagan
from statsmodels.stats.stattools import durbin_watson
from statsmodels.stats.multicomp import pairwise_tukeyhsd
from statsmodels.stats.anova import AnovaRM
from statsmodels.formula.api import ols
from statsmodels.stats.multicomp import MultiComparison
from statsmodels.stats.power import TTestIndPower

final_data_path = "/Users/jessicaruan/Desktop/Panel Data Project/Financial Environment/Data"
os.chdir("/Users/jessicaruan/Desktop/Panel Data Project/Financial Environment/Data")

df_regular = pd.read_csv('Financial_Environment_Regular.csv')

df_final = df_final.sort_values(['Country', 'Year'])
df_final['lag_labor_productivity'] = df_final.groupby('Country')['labor_productivity'].shift(1)
df_final['labor_productivity_growth'] = (df_final['labor_productivity'] - df_final['lag_labor_productivity']) / df_final['lag_labor_productivity'] * 100

# Create GDP per capita growth rate
df_final['GDP_growth'] = df_final.groupby('Country')['GDP_per_capita'].pct_change() * 100
df_final['lag_GDP_growth'] = df_final.groupby('Country')['GDP_growth'].shift(1)
df_final['lag_GDP_per_capita'] = df_final.groupby('Country')['GDP_per_capita'].shift(1)

# Create the interaction variable between capital labor productivity growth
df_final['Capital_labor_productivity_growth'] = df_final['Capital_productivity'] * df_final['labor_productivity_growth']
df_final['lag_Capital_labor_productivity_growth'] = df_final.groupby('Country')['Capital_labor_productivity_growth'].shift(1)
df_final['lag_Capital_labor_productivity'] = df_final.groupby('Country')['Capital_productivity'] * df_final['lag_labor_productivity_lag']

# Saving the regression-ready dataset
df_final.to_csv('Financial_Environment_Regular.csv', index=False)

variables = ['lag_GDP_per_capita', 'lag_labor_productivity', 'lag_age', 'lag_trade_openness', 'lag_financial_freedom', 'lag_inflation', 'lag_GDP_growth', 'lag_gdp_growth_lag', 'lag_labor_productivity_growth_lag']

# Drop rows with missing values in these variables
df_final = df_final.dropna(subset=['lag_GDP_per_capita', 'lag_labor_productivity', 'lag_age', 'lag_trade_openness', 'lag_financial_freedom', 'lag_inflation', 'lag_GDP_growth', 'lag_gdp_growth_lag', 'lag_labor_productivity_growth_lag'])

# Verifying the data into the separate regimes + pre 2020, 2020-2021, post 2021

df_regular = df_final.copy()

conditions = [
    (df_final['Year'] < 2020),
    (df_final['Year'] >= 2020) & (df_final['Year'] <= 2021),
    (df_final['Year'] > 2021)
]
regimes = ['Stable Standard', 'Stricter Abuse', 'Transformative']

regime_map = {1: 'Stable Standard', 2: 'Stricter Abuse', 3: 'Transformative'}
df_final['Regime'] = np.select(conditions, [1, 2, 3], default=0)
df_final['Regime'] = df_final['Regime'].map(regime_map)
df_final['Regime'] = pd.Categorical(df_final['Regime'], categories=regimes, ordered=True)
df_final = df_final[df_final['Regime'] != 'Unknown']

import statsmodels.api as sm
from statsmodels.stats.outliers_influence import variance_inflation_factor

# Define dependent and independent variables
dependent_variable = 'labor_productivity'
independent_variables = [
    'Capital_productivity',
    'lag_GDP_per_capita',
    'lag_age',
    'lag_trade_openness',
    'lag_financial_freedom',
    'lag_inflation',
    'lag_GDP_growth',
    'lag_gdp_growth_lag',
    'lag_labor_productivity_growth_lag',
    'Capital_labor_productivity_growth',
    'lag_Capital_labor_productivity_growth',
    'lag_Capital_labor_productivity'
]

# Create the regression dataset
df_regression = df_final[[dependent_variable] + independent_variables + ['Regime']].dropna()

# Add constant term for regression
X = sm.add_constant(df_regression[independent_variables])
y = df_regression[dependent_variable]

# Calculate VIF for each variable
vif_data = pd.DataFrame()
vif_data["Variable"] = X.columns
vif_data["VIF"] = [variance_inflation_factor(X.values, i) for i in range(X.shape[1])]

print("Variance Inflation Factors:")
print(vif_data)

# Identify variables with high VIF (typically > 5 or 10)
high_vif = vif_data[vif_data["VIF"] > 5]
if not high_vif.empty:
    print("\nVariables with high multicollinearity (VIF > 5):")
    print(high_vif)
else:
    print("\nNo variables with high multicollinearity (VIF > 5)")

# Fit the regression model
model = sm.OLS(y, X).fit()

# Print regression results
print("\nRegression Results:")
print(model.summary())

# Calculate and print adjusted R-squared
print(f"\nAdjusted R-squared: {model.rsquared_adj:.4f}")

# Calculate and print number of observations
print(f"Number of observations: {model.nobs}")

# Calculate and print number of regressors (including constant)
print(f"Number of regressors: {model.df_model + 1}")

# Calculate and print degrees of freedom
print(f"Degrees of freedom: {model.df_resid}")

# Calculate and print F-statistic and its p-value
print(f"F-statistic: {model.fvalue:.4f}")
print(f"Prob (F-statistic): {model.f_pvalue:.4e}")

# Calculate and print AIC and BIC
print(f"AIC: {model.aic:.4f}")
print(f"BIC: {model.bic:.4f}")

# Check for heteroscedasticity using Breusch-Pagan test
from statsmodels.stats.diagnostic import het_breuschpagan
bp_test = het_breuschpagan(model.resid, model.model.exog)
print("\nBreusch-Pagan test for heteroscedasticity:")
print(f"LM Statistic: {bp_test[0]:.4f}")
print(f"LM-Test p-value: {bp_test[1]:.4f}")
print(f"F-Statistic: {bp_test[2]:.4f}")
print(f"F-Test p-value: {bp_test[3]:.4f}")

# Check for autocorrelation using Durbin-Watson test
from statsmodels.stats.stattools import durbin_watson
dw = durbin_watson(model.resid)
print("\nDurbin-Watson statistic:")
print(dw)

# Check for normality of residuals using Jarque-Bera test
from statsmodels.stats.stattools import jarque_bera
jb = jarque_bera(model.resid)
print("\nJarque-Bera test for normality of residuals:")
print(f"JB Statistic: {jb[0]:.4f}")
print(f"JB-Test p-value: {jb[1]:.4f}")

# Check for normality of residuals using Shapiro-Wilk test
from scipy.stats import shapiro
sw = shapiro(model.resid)
print("\nShapiro-Wilk test for normality of residuals:")
print(f"SW Statistic: {sw[0]:.4f}")
print(f"SW-Test p-value: {sw[1]:.4f}")

# Check for normality of residuals using Kolmogorov-Smirnov test
from scipy.stats import kstest
ks = kstest(model.resid, 'norm')
print("\nKolmogorov-Smirnov test for normality of residuals:")
print(f"KS Statistic: {ks[0]:.4f}")
print(f"KS-Test p-value: {ks[1]:.4f}")

# Check for normality of residuals using Anderson-Darling test
from statsmodels.stats.diagnostic import normal_ad
ad = normal_ad(model.resid)
print("\nAnderson-Darling test for normality of residuals:")
print(f"AD Statistic: {ad[0]:.4f}")
print(f"AD-Test p-value: {ad[1]:.4f}")

# Check for normality of residuals using Lilliefors test
from statsmodels.stats.diagnostic import lilliefors
lf = lilliefors(model.resid)
print("\nLilliefors test for normality of residuals:")
print(f"LF Statistic: {lf[0]:.4f}")
print(f"LF-Test p-value: {lf[1]:.4f}")

# Check for normality of residuals using Cramer-von Mises test
from statsmodels.stats.diagnostic import cramervonmises
cvm = cramervonmises(model.resid, 'norm')
print("\nCramer-von Mises test for normality of residuals:")
print(f"CVM Statistic: {cvm.statistic:.4f}")
print(f"CVM-Test p-value: {cvm.pvalue:.4f}")

# Check for normality of residuals using Anderson-Darling test
from statsmodels.stats.diagnostic import normal_ad
ad = normal_ad(model.resid)
print("\nAnderson-Darling test for normality of residuals:")
print(f"AD Statistic: {ad[0]:.4f}")
print(f"AD-Test p-value: {ad[1]:.4f}")

# Check for normality of residuals using Lilliefors test
from statsmodels.stats.diagnostic import lilliefors
lf = lilliefors(model.resid)
print("\nLilliefors test for normality of residuals:")
print(f"LF Statistic: {lf[0]:.4f}")
print(f"LF-Test p-value: {lf[1]:.4f}")

# Check for normality of residuals using Cramer-von Mises test
from statsmodels.stats.diagnostic import cramervonmises
cvm = cramervonmises(model.resid, 'norm')
print("\nCramer-von Mises test for normality of residuals:")
print(f"CVM Statistic: {cvm.statistic:.4f}")
print(f"CVM-Test p-value: {cvm.pvalue:.4f}")

# Add fixed effects (dummy variables)
df = pd.get_dummies(df_regression, columns=['Regime'], drop_first=True)

# Define dependent and independent variables
dependent_variable = 'labor_productivity'
independent_variables = [
    'Capital_productivity',
    'lag_GDP_per_capita',
    'lag_age',
    'lag_trade_openness',
    'lag_financial_freedom',
    'lag_inflation',
    'lag_GDP_growth',
    'lag_gdp_growth_lag',
    'lag_labor_productivity_growth_lag',
    'Capital_labor_productivity_growth',
    'lag_Capital_labor_productivity_growth',
    'lag_Capital_labor_productivity',
    'Regime_Stricter Abuse',
    'Regime_Transformative'
]

# Add constant term for regression
X = sm.add_constant(df[independent_variables])
y = df[dependent_variable]

# Fit the regression model
model = sm.OLS(y, X).fit()

# Print regression results
print("\nRegression Results:")
print(model.summary())

# Calculate and print adjusted R-squared
print(f"\nAdjusted R-squared: {model.rsquared_adj:.4f}")

# Calculate and print number of observations
print(f"Number of observations: {model.nobs}")

# Calculate and print number of regressors (including constant)
print(f"Number of regressors: {model.df_model + 1}")

# Calculate and print degrees of freedom
print(f"Degrees of freedom: {model.df_resid}")

# Calculate and print F-statistic and its p-value
print(f"F-statistic: {model.fvalue:.4f}")
print(f"Prob (F-statistic): {model.f_pvalue:.4e}")

# Calculate and print AIC and BIC
print(f"AIC: {model.aic:.4f}")
print(f"BIC: {model.bic:.4f}")

# Check for heteroscedasticity using Breusch-Pagan test
from statsmodels.stats.diagnostic import het_breuschpagan
bp_test = het_breuschpagan(model.resid, model.model.exog)
print("\nBreusch-Pagan test for heteroscedasticity:")
print(f"LM Statistic: {bp_test[0]:.4f}")
print(f"LM-Test p-value: {bp_test[1]:.4f}")
print(f"F-Statistic: {bp_test[2]:.4f}")
print(f"F-Test p-value: {bp_test[3]:.4f}")

# Check for autocorrelation using Durbin-Watson test
from statsmodels.stats.stattools import durbin_watson
dw = durbin_watson(model.resid)
print("\nDurbin-Watson statistic:")
print(dw)

# Check for normality of residuals using Jarque-Bera test
from statsmodels.stats.stattools import jarque_bera
jb = jarque_bera(model.resid)
print("\nJarque-Bera test for normality of residuals:")
print(f"JB Statistic: {jb[0]:.4f}")
print(f"JB-Test p-value: {jb[1]:.4f}")

# Check for normality of residuals using Shapiro-Wilk test
from scipy.stats import shapiro
sw = shapiro(model.resid)
print("\nShapiro-Wilk test for normality of residuals:")
print(f"SW Statistic: {sw[0]:.4f}")
print(f"SW-Test p-value: {sw[1]:.4f}")

# Check for normality of residuals using Kolmogorov-Smirnov test
from scipy.stats import kstest
ks = kstest(model.resid, 'norm')
print("\nKolmogorov-Smirnov test for normality of residuals:")
print(f"KS Statistic: {ks[0]:.4f}")
print(f"KS-Test p-value: {ks[1]:.4f}")

# Check for normality of residuals using Anderson-Darling test
from statsmodels.stats.diagnostic import normal_ad
ad = normal_ad(model.resid)
print("\nAnderson-Darling test for normality of residuals:")
print(f"AD Statistic: {ad[0]:.4f}")
print(f"AD-Test p-value: {ad[1]:.4f}")

# Check for normality of residuals using Lilliefors test
from statsmodels.stats.diagnostic import lilliefors
lf = lilliefors(model.resid)
print("\nLilliefors test for normality of residuals:")
print(f"LF Statistic: {lf[0]:.4f}")
print(f"LF-Test p-value: {lf[1]:.4f}")

# Check for normality of residuals using Cramer-von Mises test
from statsmodels.stats.diagnostic import cramervonmises
cvm = cramervonmises(model.resid, 'norm')
print("\nCramer-von Mises test for normality of residuals:")
print(f"CVM Statistic: {cvm.statistic:.4f}")
print(f"CVM-Test p-value: {cvm.pvalue
```

```
18       False
22       False
13       False
15       False
20       False
19       False
12       False
14       False
21       False
16       False
34       False
35       False
30       False
32       False
39       False
31       False
37       False
38       False
```