

# Rhinos with a bit of Python







@NikoletaGlyn



Tamsin E. LEE

Vincent KNIGHT

**rhino-ceros**

		Manager strategies	
		Horn devalued	Horn intact
Poacher strategies	Selective	 	
	Indiscriminate		 



<http://www.bbc.com/earth/story/20150518-the-epic-history-of-rhinos?ocid=twert>





**selective**





**indiscriminate**







$$u(\sigma, \chi) = \mathbf{H}(\theta, \mathbf{r}(1-\mathbf{s})-\mathbf{r}+\mathbf{1})\theta(\mathbf{r}, \mathbf{x})^{-\alpha} \mathbf{F}\left(1-\mathbf{s}+\frac{\mathbf{s}}{1-\mathbf{r}}\right)(1-\mathbf{r}\mathbf{x})^{\gamma}(1-\mathbf{r})^{\beta}$$











```
>>> import sympy as sym
```

```
>>> (2 + 3) ** 2
```

```
25
```

```
>>> a, b = sym.symbols('a, b')
```

```
>>> expr = (a + b) ** 2
```

```
>>> expr.expand()
```

```
a**2 + 2*a*b + b**2
```


```
>>> import imp
>>> tools = imp.load_source('tools', '../tools.py')

>>> tools.utility(1, 1)
-F*(-r + 1)**beta*(-r + 1)**gamma/(-r + 1) + H*(-r + 1)*(-r + 1)**(-alpha)

>>> tools.utility(0, 1)
-F*(-r + 1)**beta*(-r + 1)**gamma + H*(-r + 1)**(-alpha)*(r*(theta_r - 1) + 1)
```














## Theorem (Disincentive)


Using the modified utility model, a population of selective poachers is stable if and only if:

$$\theta_r H - F(1-r)^{\gamma+\beta+\alpha-1} < \frac{\Gamma(1-r)^\alpha}{r}$$



```
>>> import numpy as np  
>>> from scipy.optimize import brentq
```





@NikoletaGlyn

<https://github.com/Nikoleta-v3>

<https://arxiv.org/abs/1712.07640>