### Accessing open research literature with Python

@NikoletaGlyn








Software Sustainability Institute



## The illustrated guide to a Ph.D.


Matt Might


http://matt.might.net/articles/phd-school-in-pictures.




### ARTICLE ← JOURNAL


REVIEW











# $0.5min + 100 \times 1.5min + 10 \times (0.5min) = 155.5min \Rightarrow 2h \text{ and } 35.5min$



## QUERY

http://ieeexplore.ieee.org/gateway/ipsSearch.jsp?ti=

#### **QUERY**

http://ieeexplore.ieee.org/gateway/ipsSearch.jsp?ti= Namibia&hc=100

http://api.plos.org/search?q=title:Namibia&rows=100

#### **QUERY**

http://ieeexplore.ieee.org/gateway/ipsSearch.jsp?ti= Namibia&hc=100

http://api.plos.org/search?q=title:Namibia&rows=100

http://www.nature.com/opensearch/request?queryType=cql&query=dc.title%20adj%20Namibia&maximumRecords=100

. . .

</term>

#### C ieeexplore.ieee.org/gateway/ipsSearch.jsp?ti=Namibia&hc=100

```
v <document>
  <rank>6</rank>
 v<title>
   ▼<![CDATA[</pre>
     Mapping pegmatite using HyMap data in southern Namibia
    11>
  </title>
 ▼<authors>
   Atsushi Momose; Shuichi Miyatake; Yessy Arvelyna; Anna Nguno; Kombada Mhopjeni; Minsozi Sibeso; Aphary Muyongo; Ewereth Muyangua
    11>
  </authors>
 v<affiliations>
   TATAGO1!>∀
      Japan Oil, Gas and Metals National Corporation, Japan
    11>
  </affiliations>
 ▼<controlledterms>
   v<term>
      <![CDATA[ data analysis ]]>
    </term>
   v<term>
      <![CDATA[ geophysical image processing ]]>
    </term>
   v<term>
      <![CDATA[ geophysical techniques ]]>
    </term>
   v<term>
      <![CDATA[ minerals ]]>
    </term>
   v<term>
      <! [CDATA] rocks 11>
```

# $15\min + 1\min + 50\min = 66\min \Rightarrow 1h$ and $6\min$











API<sub>4</sub>
Query
XML










```
arguments = {'-a': None, '-t': 'Namibia', '-s': None,
for p in [arcas.Ieee, arcas.Plos]:
    api = p()
    parameters = api.parameters_fix(arguments)
    url = api.create_url_search(parameters)
    request = api.make_request(url)
    response = api.get_root(request)
   root = api.get_root(response)
    raw_article = api.parse(root)
    for art in raw_article:
        article = api.to_dataframe(raw_article)
       api.export(articles)
```


```
{"key":{"0":"Momose2011",
        "1":"Momose2011",
        "2": "Momose2011"}.
"unique key": {"0": "4061b0ca3b823f85a0cb2823a554c524".
              "1": "4061b0ca3b823f85a0cb2823a554c524",
              "2": "4061b0ca3b823f85a0cb2823a554c524"}.
"title": {"0": "Mapping pegmatite using HyMap data in southern Namibia",
         "1": "Mapping pegmatite using HyMap data in southern Namibia",
         "2": "Mapping pegmatite using HyMap data in southern Namibia"},
"author": {"0": "Atsushi Momose".
          "1": "Atsushi Momose",
          "2":"Atsushi Momose"},
"abstract":{"0":"A pegmatite deposit is an ..."},
"date":{"0":2011.
"journal": ["0": "2011 IEEE International Geoscience and Remote Sensing Symposium".
           "1": "2011 IEEE International Geoscience and Remote Sensing Symposium",
           "2": "2011 IEEE International Geoscience and Remote Sensing Symposium"},
"pages":{"0":"2216-2217".
         "2": "2216-2217"},
"key_word":{"0":"data analysis",
           "1": "geophysical image processing",
           "2": "geophysical techniques"},
"provenance": {"0": "IEEE",
              "2":"TEEE"}}
```

## $15\min + 5\min = 20\min$









authors\_papers = df.groupby(['title', 'author']).size().reset\_index().groupby('title').count()
authors\_papers.sort('author').tail(!)
"An open reproducible framework for the study of the iterated prisoner's dilemma"

```
arcas_scrape -h
Arcas. A library to facilitate scraping of APIs for scholarly resources.
Usage:
    arcas_scrape [-h] [-p API] [-a AUTHOR] [-t TITLE] [-b ABSTRACT] [-y
   YEAR1
              [-r RECORDS] [-s START] [-v VALIDATE] [-f FILENAME]
    arcas scrape --version
Options:
   -h --help
                          Show this
   --version
                          Show version
   -p API
                          The online API, from a given list, to parse [default: arxiv]
    -a AUTHOR
                          Terms to search for in Author
   -t TITLE
                          Terms to search for in Title
   -b ABSTRACT
                          Terms to search for in the Abstract
    -y YEAR
                          Terms to search for in Year
    -r RECORDS
                          Number of records to fetch
    -s START
                          Sequence number of first record to fetch
   -v VALIDATE
                          Checks if query returned with arguments asked [default: False]
    -f FILENAME
                          Name of json file [default: results.json]
```

	@NikoletaGlyn	
https:	://github.com/Nikoleta-v3	
ttns://g	ithub com/Nikoleta-v3/Arcas	