JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17

Last login: Thu May 18 01:03:18 on ttys000

The default interactive shell is now zs
To update your account to use zsh, please run `chsh -s /bin/zsh`.
For more details, please visit https://support.apple.com/kb/HT208050.
Loretta-Gray:~ administrator$ brew install jenkins-lts
Running `brew update --auto-update`...
^[OS^[^[```
``````````````````````````````````````^[^[==> Auto-updated Homebrew!
Updated 1 tap (homebrew/cask).
==> New Casks
smooze-pro

You have 1 outdated formula installed.

Warning: You are using macOS 10.15.
We (and Apple) do not provide support for this old version.
It is expected behaviour that some formulae will fail to build in this old version.
It is expected behaviour that Homebrew will be buggy and slow.
Do not create any issues about this on Homebrew's GitHub repositories.
Do not create any issues even if you think this message is unrelated.
Any opened issues will be immediately closed without response.
Do not ask for help from Homebrew or its maintainers on social media.
You may ask for help in Homebrew's discussions but are unlikely to receive a response.
Try to figure out the problem yourself and submit a fix as a pull request.
We will review it but may or may not accept it.

==> Fetching dependencies for jenkins-lts: m4, autoconf, giflib, bison, ninja, mpdecimal, readline, sqlite, xz, python@3.11, meson, libpng, freetype, fontconfig, gettext, glib, util-macros, xtrans, xcb-proto, xorgproto, libxau, libxdmcp, libxcb, libx11, libxext, libxrender, lzo, pixman, cairo, gobject-introspection, graphite2, icu4c, harfbuzz, cmake, nasm, jpeg-turbo, lz4, zstd, libtiff, little-cms2 and openjdk@17
==> Fetching m4
==> Downloading https://ghcr.io/v2/homebrew/core/m4/manifests/1.4.19
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/5b2a7f715487b7377e409e8ca58569040cd89f33859f691210c58d94410fd33b--m4-1.4.19.bottle_manifest.json
==> Downloading https://ghcr.io/v2/homebrew/core/m4/blobs/sha256:e0fec6a49fd80cc
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/541ca473156643175f4816b3fbc8ca12caab0487ecddcefa7198de0958f54555--m4--1.4.19.catalina.bottle.tar.gz
==> Fetching autoconf
==> Downloading https://ghcr.io/v2/homebrew/core/autoconf/manifests/2.71

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17

Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/057cde2b686872aeeff2e91dc36d037807d7342dd50929fbdfea8bcc572fbed0--autoconf-2.71.bottle_manifest.json
==> Downloading https://ghcr.io/v2/homebrew/core/autoconf/blobs/sha256:258a94bef
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/97b22b6f9c27bf18e1750f2d5bbadc66254ed86a9c974fa6a13c82f772a00d6b--autoconf--2.71.catalina.bottle.tar.gz
==> Fetching giflib
==> Downloading https://ghcr.io/v2/homebrew/core/giflib/manifests/5.2.1
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/51910e68b838a5c62c91c9352172d516e77a3c3c1a59a2cebaffc3f64f46adf4--giflib-5.2.1.bottle_manifest.json
==> Downloading https://ghcr.io/v2/homebrew/core/giflib/blobs/sha256:ad97d175fa7
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/cc47882f72b11c0121537247ce496e418e6fa42f7affe3811d3c7d0d4a0d54ad--giflib--5.2.1.catalina.bottle.tar.gz
==> Fetching bison
==> Downloading https://ghcr.io/v2/homebrew/core/bison/manifests/3.8.2
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/0a84b14c20dfba4609542ea4b14a4eb93d369f7f83f373b568017fc7d76b6505--bison-3.8.2.bottle_manifest.json
==> Downloading https://ghcr.io/v2/homebrew/core/bison/blobs/sha256:5a79db63b8a1
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/9a12eeb4d6604ad355576c4b4a846430c9776468d2bc17baf43529a672999c8a--bison--3.8.2.catalina.bottle.tar.gz
==> Fetching ninja
==> Downloading https://ghcr.io/v2/homebrew/core/ninja/manifests/1.11.1
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/cd63e02146a3b8a3cfbd138d15ecbc3593633d848f5e9d3ab329fff1953fa541--ninja-1.11.1.bottle_manifest.json
==> Downloading https://ghcr.io/v2/homebrew/core/ninja/blobs/sha256:3e89d7587da0
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/65a2b1824e54583bc3be2bc91b8c68699ba4f043ea50a2f6a37fee7530f7646b--ninja--1.11.1.catalina.bottle.tar.gz
==> Fetching mpdecimal
==> Downloading https://ghcr.io/v2/homebrew/core/mpdecimal/manifests/2.5.1
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/f367c2ee08c56b88be0662703a8e4275f8657608a268c8c44e845154b0cea543--mpdecimal-2.5.1.bottle_manifest.json
==> Downloading https://ghcr.io/v2/homebrew/core/mpdecimal/blobs/sha256:1a831442
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/5bd35517ae62d36afb8a5f88dee76fb51fa80b12ded2dd204737c9984b417bac--mpdecimal--2.5.1.catalina.bottle.tar.gz

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17

==> Fetching readline
==> Downloading https://ghcr.io/v2/homebrew/core/readline/manifests/8.2.1
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/ab483c9a913ae82f3a2b3ae20918791bc3bd
6825c7122a29cd4f1e0c65413759--readline-8.2.1.bottle_manifest.json
==> Downloading https://ghcr.io/v2/homebrew/core/readline/blobs/sha256:ef32c6905
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/fb26001090758f1cb91959f0036348b0b88
5dbf6566db6e1b9972ee8b9cb6f93--readline--8.2.1.catalina.bottle.tar.gz
==> Fetching sqlite
==> Downloading https://www.sqlite.org/2023/sqlite-autoconf-3420000.tar.gz
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/4a013e34d2aed8a84435066ebaca074e309
0d32ada73e10d03f814a020eaeb55--sqlite-autoconf-3420000.tar.gz
==> Fetching xz
==> Downloading https://downloads.sourceforge.net/project/lzmautils/xz-5.4.3.tar
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/54ff474e7eaa5dd12fa01639f314ecd28a39c
8ca71ba3429996fac25c711c8a4--xz-5.4.3.tar.gz
==> Fetching python@3.11
==> Downloading https://raw.githubusercontent.com/Homebrew/formula-patches/6d2fb
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/2322057182c6bb73dfe09e098010168a5a9
d0712a89cee86d2c5ddb11052137e--3.11-sysconfig.diff
==> Downloading https://raw.githubusercontent.com/Homebrew/formula-patches/a1618
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/5fea40db1cb33001d6ab42c76fc28693ce29
2532c6ed6f89dd3154dac29167bb--3.10-distutils-scheme.diff
==> Downloading https://files.pythonhosted.org/packages/10/e5/be08751d07b30889af
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/540e96a0f80f27f10004df29d67a3adc54de
8f6c5d9e65522a4973a55a18ed32--flit_core-3.8.0.tar.gz
==> Downloading https://files.pythonhosted.org/packages/cb/46/22ec35f286a77e6b94
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/6574d0d10b18dd1e6e1b32fae8d0fc52124
be13b2a35f8bd024c0fb06e71c4d1--setuptools-67.6.1.tar.gz
==> Downloading https://files.pythonhosted.org/packages/6b/8b/0b16094553ecc680e4
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/42577324fb781f038dee7ddb3315ddc4e48
6fd86bc859c1ca113504727219458--pip-23.0.1.tar.gz
==> Downloading https://files.pythonhosted.org/packages/fc/ef/0335f7217dd1e8096a

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17

Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/d7024c67cf98868e9209643ba07b0676459e2c69ca7070067181ccffd17f94e1--wheel-0.40.0.tar.gz
==> Downloading https://www.python.org/ftp/python/3.11.3/Python-3.11.3.tgz
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/319749ca9c20b0c6a1580d834c9141e57561e28af6b9cc72282ab44bc01df8ee--Python-3.11.3.tgz
==> Fetching meson
==> Downloading https://ghcr.io/v2/homebrew/core/meson/manifests/1.1.0
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/754d2ab465ce77476e2426f29c49dd4288dba48bdb757b3d03626a32ad9a6e18--meson-1.1.0.bottle_manifest.json
==> Downloading https://ghcr.io/v2/homebrew/core/meson/blobs/sha256:a444c63aea53
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/2cc91fddcf26683486413fde1a8c2f0c14303cd14bc1400a724016a36d2e76ae--meson--1.1.0.all.bottle.tar.gz
==> Fetching libpng
==> Downloading https://downloads.sourceforge.net/project/libpng/libpng16/1.6.39
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/f417f5423e4391152e428d3c1ced556cf8d041129f4923b86ee68fb857c7bee3--libpng-1.6.39.tar.xz
==> Fetching freetype
==> Downloading https://gitlab.freedesktop.org/freetype/freetype/-/commit/2257f9
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/de672d0e2df199cdb7543f4acd7e7abd697e0e6138feecd25c29f61daf5e041d--2257f9abf6e12daf7c3e1bfe28fa88de85e45785.diff
==> Downloading https://gitlab.freedesktop.org/freetype/freetype/-/commit/d874ff
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/07caa0cfbafbab2fd63e31cd6606e4f0b4b02c8af425ff2621275964da046c46--d874ffa96ccad7dd122cdc369a284d171e221809.diff
==> Downloading https://downloads.sourceforge.net/project/freetype/freetype2/2.1
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/34c0ca3c59c0f54b35bf7667b3ef864f2321172ace9cf180c40e81819e46f0f3--freetype-2.13.0.tar.xz
==> Fetching fontconfig
==> Downloading https://www.freedesktop.org/software/fontconfig/release/fontconf
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/b77ba8bd843fb8255313a40d20a13a234745b129d2d61605fe57e3583098fa43--fontconfig-2.14.2.tar.xz
==> Fetching gettext
==> Downloading https://ghcr.io/v2/homebrew/core/gettext/manifests/0.21.1

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17


Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/1c2f2c62faee672530e8e8e2695f99d26d1b
606e74b289d1914dfa13c732c500--gettext-0.21.1.bottle_manifest.json
==> Downloading https://ghcr.io/v2/homebrew/core/gettext/blobs/sha256:aba2b94f40
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/d2245974ec5d3f748df780e31a3547191c2
9479b4c1efc0cd0c08675085b7c82--gettext--0.21.1.catalina.bottle.tar.gz
==> Fetching glib
==> Downloading https://raw.githubusercontent.com/Homebrew/formula-patches/43467
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/3cff797fba2e962ee6871405f3f9c105575e2
5520c4eeadd25ebfe6c746d3f15--hardcoded-paths.diff
==> Downloading https://download.gnome.org/sources/glib/2.76/glib-2.76.2.tar.xz
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/9c15853c4f70f2040f4ad6511c7c727a09e5
db3b65ab12d0548f1639fe98098a--glib-2.76.2.tar.xz
==> Fetching util-macros
==> Downloading https://www.x.org/archive/individual/util/util-macros-1.20.0.tar
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/b09c2082fe5ded376ecce491f55b42de8208
de77b0b1c574e4be17c0b365042b--util-macros-1.20.0.tar.xz
==> Fetching xtrans
==> Downloading https://ghcr.io/v2/homebrew/core/xtrans/manifests/1.4.0
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/7f51b3a17c7b5ffa31f40968b81a73893cb7
b947b2493e9c55f321b8951e77cd--xtrans-1.4.0.bottle_manifest.json
==> Downloading https://ghcr.io/v2/homebrew/core/xtrans/blobs/sha256:74e4e5cf129
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/49ea2a6ccdf928f7143257dd0a2c2b562218
9da245bac0f3b9e3f13590cfd52c--xtrans--1.4.0.catalina.bottle.tar.gz
==> Fetching xcb-proto
==> Downloading https://ghcr.io/v2/homebrew/core/xcb-proto/manifests/1.15.2-1
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/ea684d88722e5fa4f533c6a5f5f4978229e9
bcac7341bb2fadc63a50134b7d0d--xcb-proto-1.15.2-1.bottle_manifest.json
==> Downloading https://ghcr.io/v2/homebrew/core/xcb-proto/blobs/sha256:7aff8671
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/6174907eb0a2f6031cbd840c191536a7707
fd96f903079a6b7e354c48b89c76f--xcb-proto--1.15.2.all.bottle.1.tar.gz
==> Fetching xorgproto
==> Downloading https://ghcr.io/v2/homebrew/core/xorgproto/manifests/2022.2

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17

Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/9d0741febb29dfbb4f0e845adaa75d44fa0f9
498bd1862f77d52561a8cb87300--xorgproto-2022.2.bottle_manifest.json
==> Downloading https://ghcr.io/v2/homebrew/core/xorgproto/blobs/sha256:d6deb2e4
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/3d716cdc6955831613e02fb92d11ae81ba0
5df7ea0153f2e633a6b7834898dc2--xorgproto--2022.2.catalina.bottle.tar.gz
==> Fetching libxau
==> Downloading https://www.x.org/archive/individual/lib/libXau-1.0.11.tar.xz
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/67892d3df77bb9f6743b14c0fd852bbaafcc
f7283bbd47a84e7918e5ed9a3f59--libXau-1.0.11.tar.xz
==> Fetching libxdmcp
==> Downloading https://www.x.org/archive/individual/lib/libXdmcp-1.1.4.tar.xz
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/3b3e36da2e07041c5a2c470590d240e5d2e
45a3956bf6bdddd6563ae45032731--libXdmcp-1.1.4.tar.xz
==> Fetching libxcb
==> Downloading https://xcb.freedesktop.org/dist/libxcb-1.15.tar.gz
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/455addce08fcaa0fe156dffd5afa9f5e0a715
59e84952d682c659714d7158185--libxcb-1.15.tar.gz
==> Fetching libx11
==> Downloading https://www.x.org/archive/individual/lib/libX11-1.8.4.tar.gz
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/84d510dd5ff6c23ec9173ffe6b6b94763c8b
544d9b81d06f1bdbf9ded8a40886--libX11-1.8.4.tar.gz
==> Fetching libxext
==> Downloading https://ghcr.io/v2/homebrew/core/libxext/manifests/1.3.5
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/36b14aebd45b8fbf0f965d846bbc5126adbe
882c0775c9936edb0432b347b9a1--libxext-1.3.5.bottle_manifest.json
==> Downloading https://ghcr.io/v2/homebrew/core/libxext/blobs/sha256:77862d3344
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/b071f185f5f7f43f946031f81528fc643597b
80c4bfab8369826bbef4d8b429e--libxext--1.3.5.catalina.bottle.tar.gz
==> Fetching libxrender
==> Downloading https://www.x.org/archive/individual/lib/libXrender-0.9.11.tar.g
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/4f2366ad94a874f14ca13de80c90e6f01911
8eca255712a25cd06174fb110687--libXrender-0.9.11.tar.gz
==> Fetching lzo
==> Downloading https://ghcr.io/v2/homebrew/core/lzo/manifests/2.10

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17

Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/d4aa5b0c239912c53bc857d1012c6b7feb4
acb509618f5e100f95bf8521f08e7--lzo-2.10.bottle_manifest.json
==> Downloading https://ghcr.io/v2/homebrew/core/lzo/blobs/sha256:c8f55ba0de8527
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/5a737ea247485dbb89757b9375c51fa4c77
770728a3c6c85341f44c85a3e0e92--lzo--2.10.catalina.bottle.tar.gz
==> Fetching pixman
==> Downloading https://cairographics.org/releases/pixman-0.42.2.tar.gz
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/812add0498f8499ccb6667e2ac63f7508199
2def598a3ae9c97a5b4f507f1fdb--pixman-0.42.2.tar.gz
==> Fetching cairo
==> Downloading https://ghcr.io/v2/homebrew/core/cairo/manifests/1.16.0_5
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/f9e86ee818c57a136b1c1c82caecdf07bb8e
aad8e31f5e59e456a10d6d1a1cc5--cairo-1.16.0_5.bottle_manifest.json
==> Downloading https://ghcr.io/v2/homebrew/core/cairo/blobs/sha256:4a117545953b
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/ce60ee17c9faf2c9219a6f7c1989bc5dd296
e00c35a3b7a74d82f24202a0a77b--cairo--1.16.0_5.catalina.bottle.tar.gz
==> Fetching gobject-introspection
==> Downloading https://gitlab.gnome.org/tschoonj/gobject-introspection/-/commit
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/8b05b2a9de1da2191fe40b8fb80652d77efa
a426382912d3d850e303bcf08d38--a7be304478b25271166cd92d110f251a8742d16b.diff
==> Cloning https://gist.github.com/7a0023656ccfe309337a.git
Updating /Users/administrator/Library/Caches/Homebrew/gobject-introspection--homebrew-tutorial--
git
==> Checking out revision 499ac89f8a9ad17d250e907f74912159ea216416
HEAD is now at 499ac89
HEAD is now at 499ac89
==> Downloading https://download.gnome.org/sources/gobject-introspection/1.76/go
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/df6c27c32ee10c36242a69fe40a08b8817a4
310f42abd419bbb52416a556348a--gobject-introspection-1.76.1.tar.xz
==> Fetching graphite2
==> Downloading https://ghcr.io/v2/homebrew/core/graphite2/manifests/1.3.14
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/bbb4dd2ef1846301d1eb08053e19e11ca9c
780f93f4d3b2d638fd94a9bf54a0c--graphite2-1.3.14.bottle_manifest.json
==> Downloading https://ghcr.io/v2/homebrew/core/graphite2/blobs/sha256:0831f474

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17

Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/e2465564fd695adac5a8e1c01edfd644443b72a0f8b08531a1422be6c4d31b5f--graphite2--1.3.14.catalina.bottle.tar.gz
==> Fetching icu4c
==> Downloading https://github.com/unicode-org/icu/releases/download/release-72-
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/46ce3d26676476a8e83b72954957f64b7cb626944011d34d78aa24ca0f25b2eb--icu4c-72_1-src.tgz
==> Fetching harfbuzz
==> Downloading https://github.com/harfbuzz/harfbuzz/raw/fc0daafab0336b847ac1468
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/b0f20064588dc70dd5c74e36b842326d9dbbeacab35c63c3d900a8b34aaba98f--270b89df543a7e48e206a2d830c0e10e5265c630.ttf
==> Downloading https://github.com/harfbuzz/harfbuzz/archive/7.3.0.tar.gz
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/9e8b837d37f745b0dfc2371321f6f9aec3f64569c97392c9a4a4aa3132451161--harfbuzz-7.3.0.tar.gz
==> Fetching cmake
==> Downloading https://github.com/Kitware/CMake/releases/download/v3.26.3/cmake
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/8ab297bd3ce641958a27ef2085c9bf9c7c4b3eb97d72ee64506950c7fb4efd28--cmake-3.26.3.tar.gz
==> Fetching nasm
==> Downloading https://www.nasm.us/pub/nasm/releasebuilds/2.16.01/nasm-2.16.01.
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/201a17312f34cd14fb753822b66724d1ae6ce17e3135a829d7097032579c2b46--nasm-2.16.01.tar.xz
==> Fetching jpeg-turbo
==> Downloading https://downloads.sourceforge.net/project/libjpeg-turbo/2.1.5.1/
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/6c486284793e979d4bfb8f22f0b7338ba4259f1ef493060f25cf646acd9b6ade--libjpeg-turbo-2.1.5.1.tar.gz
==> Fetching lz4
==> Downloading https://ghcr.io/v2/homebrew/core/lz4/manifests/1.9.4
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/379e59b981667f9585b33a2ff318769d8edca3ce6fd2e9a67ed291ae3e0cc872--lz4-1.9.4.bottle_manifest.json
==> Downloading https://ghcr.io/v2/homebrew/core/lz4/blobs/sha256:ddb59c42498843
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/1be1135f7cfd23bcb54dcfbdba636ff1527ed7ef62742d8c83746626395404f3--lz4--1.9.4.catalina.bottle.tar.gz
==> Fetching zstd
==> Downloading https://github.com/facebook/zstd/archive/v1.5.5.tar.gz

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17

Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/9bf0653bd73868c20a99c65278325f2f7c67
62e58f18bdd2efba43a7bca53767--zstd-1.5.5.tar.gz
==> Fetching libtiff
==> Downloading https://download.osgeo.org/libtiff/tiff-4.5.0.tar.gz
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/9c625be46d7e2c06cf68fb2a41f1d74a73efa
1e936b5f243b8e2e061b714f7ca--tiff-4.5.0.tar.gz
==> Fetching little-cms2
==> Downloading https://downloads.sourceforge.net/project/lcms/lcms/2.14/lcms2-2
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/58c8e2b30258b62b335d54515d96545e08b
0c0090cefbf2da1fb28fcc577f077--lcms2-2.14.tar.gz
==> Fetching openjdk@17
==> Downloading https://download.java.net/java/GA/jdk17.0.2/dfd4a8d0985749f896be
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/64a92eb790a3a719eb4b61e0ac7ce163e2a5
41fa5e424197ae4f3274ddca3da4--openjdk-17.0.2_macos-x64_bin.tar.gz
==> Downloading https://github.com/openjdk/jdk17u/archive/jdk-17.0.7-ga.tar.gz
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/f423551ce8d8aea4d78d0c3497856ddd571
0921d1185a80ef72d478a831b9178--jdk17u-jdk-17.0.7-ga.tar.gz
==> Fetching jenkins-lts
==> Downloading https://get.jenkins.io/war-stable/2.387.3/jenkins.war
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/6213d43063b8d509ec453e10a7341f976ce
051bea606c20840614f8700ae0f13--jenkins.war
==> Installing dependencies for jenkins-lts: m4, autoconf, giflib, bison, ninja, mpdecimal, readline,
sqlite, xz, python@3.11, meson, libpng, freetype, fontconfig, gettext, glib, util-macros, xtrans, xcb-
proto, xorgproto, libxau, libxdmcp, libxcb, libx11, libxext, libxrender, lzo, pixman, cairo, gobject-
introspection, graphite2, icu4c, harfbuzz, cmake, nasm, jpeg-turbo, lz4, zstd, libtiff, little-cms2 and
openjdk@17
==> Installing jenkins-lts dependency: m4
==> Pouring m4--1.4.19.catalina.bottle.tar.gz
🍺 /usr/local/Cellar/m4/1.4.19: 13 files, 724.4KB
==> Installing jenkins-lts dependency: autoconf
==> Pouring autoconf--2.71.catalina.bottle.tar.gz
🍺 /usr/local/Cellar/autoconf/2.71: 71 files, 3.2MB
==> Installing jenkins-lts dependency: giflib
==> Pouring giflib--5.2.1.catalina.bottle.tar.gz
🍺 /usr/local/Cellar/giflib/5.2.1: 19 files, 383.5KB
==> Installing jenkins-lts dependency: bison
==> Pouring bison--3.8.2.catalina.bottle.tar.gz

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17


🍺 /usr/local/Cellar/bison/3.8.2: 99 files, 3.7MB
==> Installing jenkins-lts dependency: ninja
==> Pouring ninja--1.11.1.catalina.bottle.tar.gz
🍺 /usr/local/Cellar/ninja/1.11.1: 10 files, 454.4KB
==> Installing jenkins-lts dependency: mpdecimal
==> Pouring mpdecimal--2.5.1.catalina.bottle.tar.gz
🍺 /usr/local/Cellar/mpdecimal/2.5.1: 71 files, 2.1MB
==> Installing jenkins-lts dependency: readline
==> Pouring readline--8.2.1.catalina.bottle.tar.gz
🍺 /usr/local/Cellar/readline/8.2.1: 50 files, 1.7MB
==> Installing jenkins-lts dependency: sqlite
==> ./configure --prefix=/usr/local/Cellar/sqlite/3.42.0 --enable-dynamic-extens
==> make install
🍺 /usr/local/Cellar/sqlite/3.42.0: 11 files, 4.5MB, built in 3 minutes 24 seconds
==> Installing jenkins-lts dependency: xz
==> ./configure --prefix=/usr/local/Cellar/xz/5.4.3
==> make check
==> make install
🍺 /usr/local/Cellar/xz/5.4.3: 162 files, 2.5MB, built in 3 minutes 44 seconds
==> Installing jenkins-lts dependency: python@3.11
==> Patching
==> Applying 3.11-sysconfig.diff
patching file Lib/sysconfig.py
==> Applying 3.10-distutils-scheme.diff
patching file Lib/distutils/command/install.py
==> ./configure --prefix=/usr/local/Cellar/python@3.11/3.11.3 --enable-ipv6 --da
==> make
 jenkins-lts dependency: ninja
==> Pouring ninja--1.11.1.catalina.bottle.tar.gz
🍺 /usr/local/Cellar/ninja/1.11.1: 10 files, 454.4KB
==> Installing jenkins-lts dependency: mpdecimal
==> Pouring mpdecimal--2.5.1.catalina.bottle.tar.gz
🍺 /usr/local/Cellar/mpdecimal/2.5.1: 71 files, 2.1MB
==> Installing jenkins-lts dependency: readline
==> Pouring readline--8.2.1.catalina.bottle.tar.gz
🍺 /usr/local/Cellar/readline/8.2.1: 50 files, 1.7MB
==> Installing jenkins-lts dependency: sqlite
==> ./configure --prefix=/usr/local/Cellar/sqlite/3.42.0 --enable-dynamic-extens
==> make install
🍺 /usr/local/Cellar/sqlite/3.42.0: 11 files, 4.5MB, built in 3 minutes 24 seconds
==> Installing jenkins-lts dependency: xz
==> ./configure --prefix=/usr/local/Cellar/xz/5.4.3==> make install
PYTHONAPPSDIR=/usr/local/Cellar/python@3.11/3.11.3

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17

==> make frameworkinstallextras PYTHONAPPSDIR=/usr/local/Cellar/python@3.11/3.11
==> /usr/local/Cellar/python@3.11/3.11.3/bin/python3.11 -m venv /private/tmp/pyt
==> /private/tmp/pythonA3.11-20230518-23971-yi7mqh/Python-3.11.3/whl_build/bin/p
==> /private/tmp/pythonA3.11-20230518-23971-yi7mqh/Python-3.11.3/whl_build/bin/p
==> /private/tmp/pythonA3.11-20230518-23971-yi7mqh/Python-3.11.3/whl_build/bin/p
==> /private/tmp/pythonA3.11-20230518-23971-yi7mqh/Python-3.11.3/whl_build/bin/p
==> /private/tmp/pythonA3.11-20230518-23971-yi7mqh/Python-3.11.3/whl_build/bin/p
==> /usr/local/Cellar/python@3.11/3.11.3/bin/python3.11 -m ensurepip
==> /usr/local/Cellar/python@3.11/3.11.3/bin/python3.11 -m pip install -v --no-d
🍺  /usr/local/Cellar/python@3.11/3.11.3: 8,121 files, 193.6MB, built in 22 minutes 36 seconds
==> Installing jenkins-lts dependency: meson
==> Pouring meson--1.1.0.all.bottle.tar.gz
🍺  /usr/local/Cellar/meson/1.1.0: 241 files, 3.5MB
==> Installing jenkins-lts dependency: libpng
==> ./configure --prefix=/usr/local/Cellar/libpng/1.6.39
==> make
==> make test
==> make install
🍺  /usr/local/Cellar/libpng/1.6.39: 27 files, 1.3MB, built in 2 minutes 50 seconds
==> Installing jenkins-lts dependency: freetype
==> Patching
==> Applying 2257f9abf6e12daf7c3e1bfe28fa88de85e45785.diff
patching file include/freetype/internal/compiler-macros.h
==> Applying d874ffa96ccad7dd122cdc369a284d171e221809.diff
patching file include/freetype/internal/compiler-macros.h
==> ./configure --prefix=/usr/local/Cellar/freetype/2.13.0_1 --enable-freetype-c
==> make
==> make install
🍺  /usr/local/Cellar/freetype/2.13.0_1: 67 files, 2.4MB, built in 1 minute 1 second
==> Installing jenkins-lts dependency: fontconfig
==> ./configure --disable-docs --enable-static --with-add-fonts=/System/Library/
==> make install RUN_FC_CACHE_TEST=false
==> Regenerating font cache, this may take a while
==> /usr/local/Cellar/fontconfig/2.14.2/bin/fc-cache -frv
🍺  /usr/local/Cellar/fontconfig/2.14.2: 65 files, 2.2MB, built in 1 minute 12 seconds
==> Installing jenkins-lts dependency: gettext
==> Pouring gettext--0.21.1.catalina.bottle.tar.gz
🍺  /usr/local/Cellar/gettext/0.21.1: 1,983 files, 20.5MB
==> Installing jenkins-lts dependency: glib
==> Patching
==> Applying hardcoded-paths.diff
patching file gio/xdgmime/xdgmime.c
Hunk #1 succeeded at 244 (offset 9 lines).

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17


patching file glib/gutils.c
Hunk #1 succeeded at 2695 (offset 615 lines).
==> meson setup build --default-library=both --localstatedir=/usr/local/var -Dgi
==> meson compile -C build --verbose
==> meson install -C build
🍺 /usr/local/Cellar/glib/2.76.2: 455 files, 21.2MB, built in 4 minutes 13 seconds
==> Installing jenkins-lts dependency: util-macros
==> ./configure --prefix=/usr/local/Cellar/util-macros/1.20.0 --sysconfdir=/usr/
==> make install
🍺 /usr/local/Cellar/util-macros/1.20.0: 8 files, 173.6KB, built in 16 seconds
==> Installing jenkins-lts dependency: xtrans
==> Pouring xtrans--1.4.0.catalina.bottle.tar.gz
🍺 /usr/local/Cellar/xtrans/1.4.0: 15 files, 285.3KB
==> Installing jenkins-lts dependency: xcb-proto
==> Pouring xcb-proto--1.15.2.all.bottle.1.tar.gz
🍺 /usr/local/Cellar/xcb-proto/1.15.2: 47 files, 767.7KB
==> Installing jenkins-lts dependency: xorgproto
==> Pouring xorgproto--2022.2.catalina.bottle.tar.gz
🍺 /usr/local/Cellar/xorgproto/2022.2: 268 files, 3.9MB
==> Installing jenkins-lts dependency: libxau
==> ./configure --prefix=/usr/local/Cellar/libxau/1.0.11 --sysconfdir=/usr/local
==> make
==> make install
🍺 /usr/local/Cellar/libxau/1.0.11: 21 files, 121.5KB, built in 24 seconds
==> Installing jenkins-lts dependency: libxdmcp
==> ./configure --prefix=/usr/local/Cellar/libxdmcp/1.1.4 --sysconfdir=/usr/loca
==> make
==> make install
🍺 /usr/local/Cellar/libxdmcp/1.1.4: 11 files, 129.9KB, built in 23 seconds
==> Installing jenkins-lts dependency: libxcb
==> Patching
==> ./configure --prefix=/usr/local/Cellar/libxcb/1.15_1 --libdir=/usr/local/Cel
==> make
==> make install
🍺 /usr/local/Cellar/libxcb/1.15_1: 2,461 files, 6.9MB, built in 1 minute 9 seconds
==> Installing jenkins-lts dependency: libx11
==> ./configure --prefix=/usr/local/Cellar/libx11/1.8.4 --sysconfdir=/usr/local/
==> make
==> make install
🍺 /usr/local/Cellar/libx11/1.8.4: 1,054 files, 7MB, built in 3 minutes 1 second
==> Installing jenkins-lts dependency: libxext
==> Pouring libxext--1.3.5.catalina.bottle.tar.gz
🍺 /usr/local/Cellar/libxext/1.3.5: 87 files, 427.2KB

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17

==> Installing jenkins-lts dependency: libxrender
==> ./configure --prefix=/usr/local/Cellar/libxrender/0.9.11 --sysconfdir=/usr/l
==> make
==> make install
🍺  /usr/local/Cellar/libxrender/0.9.11: 12 files, 197.8KB, built in 25 seconds
==> Installing jenkins-lts dependency: lzo
==> Pouring lzo--2.10.catalina.bottle.tar.gz
🍺  /usr/local/Cellar/lzo/2.10: 31 files, 546.9KB
==> Installing jenkins-lts dependency: pixman
==> ./configure --prefix=/usr/local/Cellar/pixman/0.42.2 --libdir=/usr/local/Cel
==> make install
🍺  /usr/local/Cellar/pixman/0.42.2: 11 files, 1.3MB, built in 59 seconds
==> Installing jenkins-lts dependency: cairo
==> Pouring cairo--1.16.0_5.catalina.bottle.tar.gz
🍺  /usr/local/Cellar/cairo/1.16.0_5: 126 files, 6.3MB
==> Installing jenkins-lts dependency: gobject-introspection
==> Patching
==> Applying a7be304478b25271166cd92d110f251a8742d16b.diff
patching file girepository/gitypelib.c
Hunk #1 succeeded at 2261 with fuzz 2 (offset 2 lines).
patching file meson.build
Hunk #1 succeeded at 162 with fuzz 1 (offset 38 lines).
patching file meson_options.txt
==> meson setup build -Dpython=/usr/local/opt/python@3.11/bin/python3.11 -Dextra
==> meson compile -C build --verbose
==> meson install -C build
🍺  /usr/local/Cellar/gobject-introspection/1.76.1: 193 files, 13.3MB, built in 2 minutes 10 seconds
==> Installing jenkins-lts dependency: graphite2
==> Pouring graphite2--1.3.14.catalina.bottle.tar.gz
🍺  /usr/local/Cellar/graphite2/1.3.14: 18 files, 235.7KB
==> Installing jenkins-lts dependency: icu4c
==> ./configure --prefix=/usr/local/Cellar/icu4c/72.1 --disable-samples --disabl
==> make
==> make install
🍺  /usr/local/Cellar/icu4c/72.1: 263 files, 78MB, built in 8 minutes 8 seconds
==> Installing jenkins-lts dependency: harfbuzz
==> meson setup build --prefix=/usr/local/Cellar/harfbuzz/7.3.0 --libdir=/usr/lo
==> meson compile -C build --verbose
==> meson install -C build
🍺  /usr/local/Cellar/harfbuzz/7.3.0: 76 files, 9.6MB, built in 3 minutes 12 seconds
==> Installing jenkins-lts dependency: cmake
==> ./bootstrap --prefix=/usr/local/Cellar/cmake/3.26.3 --no-system-libs --paral
==> make

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17


==> make install
🍺  /usr/local/Cellar/cmake/3.26.3: 3,188 files, 50.3MB, built in 28 minutes 3 seconds
==> Installing jenkins-lts dependency: nasm
==> ./configure --prefix=/usr/local/Cellar/nasm/2.16.01
==> make install
🍺  /usr/local/Cellar/nasm/2.16.01: 11 files, 2.7MB, built in 1 minute 11 seconds
==> Installing jenkins-lts dependency: jpeg-turbo
==> cmake -S . -B build -DWITH_JPEG8=1 -DCMAKE_INSTALL_LIBDIR=/usr/local/Cellar/
==> cmake --build build
==> cmake --build build --target test
==> cmake --install build
🍺  /usr/local/Cellar/jpeg-turbo/2.1.5.1: 44 files, 3.8MB, built in 2 minutes 1 second
==> Installing jenkins-lts dependency: lz4
==> Pouring lz4--1.9.4.catalina.bottle.tar.gz
🍺  /usr/local/Cellar/lz4/1.9.4: 22 files, 680.4KB
==> Installing jenkins-lts dependency: zstd
==> cmake -S build/cmake -B builddir -DZSTD_PROGRAMS_LINK_SHARED=ON -
DZSTD_BUILD
==> cmake --build builddir
==> cmake --install builddir
🍺  /usr/local/Cellar/zstd/1.5.5: 31 files, 2.5MB, built in 1 minute 13 seconds
==> Installing jenkins-lts dependency: libtiff
==> ./configure --prefix=/usr/local/Cellar/libtiff/4.5.0 --enable-zstd --disable
==> make install
🍺  /usr/local/Cellar/libtiff/4.5.0: 474 files, 8MB, built in 1 minute 3 seconds
==> Installing jenkins-lts dependency: little-cms2
==> ./configure --prefix=/usr/local/Cellar/little-cms2/2.14_1 --libdir=/usr/loca
==> make install
🍺  /usr/local/Cellar/little-cms2/2.14_1: 21 files, 1.3MB, built in 42 seconds
==> Installing jenkins-lts dependency: openjdk@17
==> bash configure --disable-warnings-as-errors --with-boot-jdk-jvmargs=-Duser.h
Last 15 lines from /Users/administrator/Library/Logs/Homebrew/openjdk@17/01.bash:
checking whether the compiler supports GNU C++... yes
checking whether /usr/local/Homebrew/Library/Homebrew/shims/mac/super/clang++ accepts -g... yes
checking for /usr/local/Homebrew/Library/Homebrew/shims/mac/super/clang++ option to enable C+
+11 features... none needed
checking how to run the C preprocessor...
/usr/local/Homebrew/Library/Homebrew/shims/mac/super/clang -E
checking how to run the C++ preprocessor...
/usr/local/Homebrew/Library/Homebrew/shims/mac/super/clang++ -E
configure: Using clang linker version 609.8 [@(#)PROGRAM:ld  PROJECT:ld64-609.8]
checking for ar... /usr/bin/ar
checking for lipo... /usr/bin/lipo

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17


checking for otool... /usr/bin/otool
checking for install_name_tool... /usr/bin/install_name_tool
checking for metal... [not found]
checking if metal can be run using xcrun... no
configure: error: XCode tool 'metal' neither found in path nor with xcrun
/private/tmp/openjdkA17-20230518-47810-1x7dz3f/jdk17u-jdk-17.0.7-ga/build/.configure-support/
generated-configure.sh: line 84: 5: Bad file descriptor
configure exiting with result code 1

Do not report this issue to Homebrew/brew or Homebrew/homebrew-core!

These open issues may also help:
Apache Spark should depends on openjdk@17
https://github.com/Homebrew/homebrew-core/pull/131189
JVM crash when starting JFR recording with openjdk 1.8 installed with brew
https://github.com/Homebrew/homebrew-core/issues/106195

Error: You are using macOS 10.15.
We (and Apple) do not provide support for this old version.
It is expected behaviour that some formulae will fail to build in this old version.
It is expected behaviour that Homebrew will be buggy and slow.
Do not create any issues about this on Homebrew's GitHub repositories.
Do not create any issues even if you think this message is unrelated.
Any opened issues will be immediately closed without response.
Do not ask for help from Homebrew or its maintainers on social media.
You may ask for help in Homebrew's discussions but are unlikely to receive a response.
Try to figure out the problem yourself and submit a fix as a pull request.
We will review it but may or may not accept it.

Loretta-Gray:~ administrator$ brew list
==> Formulae

| apr | icu4c | nasm |
|---|---|---|
| apr-util | jpeg-turbo | ninja |
| autoconf | libnghttp2 | openssl@1.1 |
| bison | libpng | pcre2 |
| brotli | libtiff | pixman |
| ca-certificates | libx11 | pkg-config |
| cairo | libxau | python@3.11 |
| cmake | libxcb | readline |
| fontconfig | libxdmcp | sqlite |
| freetype | libxext | util-macros |
| gettext | libxrender | xcb-proto |
| giflib | little-cms2 | xorgproto |

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17

| | | |
|---|---|---|
| glib | lz4 | xtrans |
| gobject-introspection | lzo | xz |
| graphite2 | m4 | zstd |
| harfbuzz | meson | |
| httpd | mpdecimal | |

<mark>|------- openjdk@17 and  Jenkins-lts Installed --------|</mark>

```
Last login: Thu May 18 12:33:50 on console

The default interactive shell is now zsh.
To update your account to use zsh, please run `chsh -s /bin/zsh`.
For more details, please visit https://support.apple.com/kb/HT208050.
Loretta-Gray:~ administrator$ sudo xcode-select --switch
/Applications/Xcode.app/Contents/Developer
Password:
Sorry, try again.
Password:
xcode-select: error: invalid developer directory
'/Applications/Xcode.app/Contents/Developer'
Loretta-Gray:~ administrator$ sudo xcode-select --switch
/Applications/Xcode.app/Contents/Developer
Password:
Sorry, try again.
Password:
apple
xcode-select: error: invalid developer directory
'/Applications/Xcode.app/Contents/Developer'
Loretta-Gray:~ administrator$ apple
-bash: apple: command not found
Loretta-Gray:~ administrator$ rew install openjdk@17
-bash: rew: command not found
Loretta-Gray:~ administrator$ brew install openjdk@17
^[[1;2C
\Running `brew update --auto-update`...
exit
^C
^C^
Loretta-Gray:~ administrator$ java -version
No Java runtime present, requesting install.
Loretta-Gray:~ administrator$ install xcode 11.4
install: xcode: No such file or directory
Loretta-Gray:~ administrator$ java -version
No Java runtime present, requesting install.
```

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17


```
Loretta-Gray:~ administrator$ brew install openjdk@17
Error: You have not agreed to the Xcode license. Please resolve this by
running:
  sudo xcodebuild -license accept
Loretta-Gray:~ administrator$ sudo xcodebuild -license accept brew install
openjdk@
Password:
sudo: a password is required
Loretta-Gray:~ administrator$ apple
-bash: apple: command not found
Loretta-Gray:~ administrator$ brew install openjdk@17
Running `brew update --auto-update`...
==> Auto-updated Homebrew!
Updated 2 taps (homebrew/core and homebrew/cask).
==> New Formulae
libabigail

You have 1 outdated formula installed.

Warning: You are using macOS 10.15.
We (and Apple) do not provide support for this old version.
It is expected behaviour that some formulae will fail to build in this old
version.
It is expected behaviour that Homebrew will be buggy and slow.
Do not create any issues about this on Homebrew's GitHub repositories.
Do not create any issues even if you think this message is unrelated.
Any opened issues will be immediately closed without response.
Do not ask for help from Homebrew or its maintainers on social media.
You may ask for help in Homebrew's discussions but are unlikely to receive
a response.
Try to figure out the problem yourself and submit a fix as a pull request.
We will review it but may or may not accept it.

==> Fetching openjdk@17
==> Downloading
https://download.java.net/java/GA/jdk17.0.2/dfd4a8d0985749f896be
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/64a92eb790a3a719eb4b
61e0ac7ce163e2a541fa5e424197ae4f3274ddca3da4--openjdk-17.0.2_macos-
x64_bin.tar.gz
==> Downloading https://github.com/openjdk/jdk17u/archive/jdk-17.0.7-
ga.tar.gz
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/f423551ce8d8aea4d78d
0c3497856ddd5710921d1185a80ef72d478a831b9178--jdk17u-jdk-17.0.7-ga.tar.gz
Warning: Your Xcode (11.4) is outdated.
```

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17


Please update to Xcode 12.4 (or delete it).
Xcode can be updated from the App Store.

==> bash configure --disable-warnings-as-errors --with-boot-jdk-jvmargs=-
Duser.h
==> make images
==> Caveats
For the system Java wrappers to find this JDK, symlink it with
  sudo ln -sfn /usr/local/opt/openjdk@17/libexec/openjdk.jdk
/Library/Java/JavaVirtualMachines/openjdk-17.jdk

openjdk@17 is keg-only, which means it was not symlinked into /usr/local,
because this is an alternate version of another formula.

If you need to have openjdk@17 first in your PATH, run:
  echo 'export PATH="/usr/local/opt/openjdk@17/bin:$PATH"' >> ~/.profile

For compilers to find openjdk@17 you may need to set:
  export CPPFLAGS="-I/usr/local/opt/openjdk@17/include"
==> Summary
🍺  /usr/local/Cellar/openjdk@17/17.0.7: 634 files, 303.8MB, built in 116
minutes 47 seconds
==> Running `brew cleanup openjdk@17`...
Disable this behaviour by setting HOMEBREW_NO_INSTALL_CLEANUP.
Hide these hints with HOMEBREW_NO_ENV_HINTS (see `man brew`).
Loretta-Gray:~ administrator$ brew install jenkins-lts
Running `brew update --auto-update`...
==> Auto-updated Homebrew!
Updated 1 tap (homebrew/core).

You have 2 outdated formulae installed.

Warning: You are using macOS 10.15.
We (and Apple) do not provide support for this old version.
It is expected behaviour that some formulae will fail to build in this old
version.
It is expected behaviour that Homebrew will be buggy and slow.
Do not create any issues about this on Homebrew's GitHub repositories.
Do not create any issues even if you think this message is unrelated.
Any opened issues will be immediately closed without response.
Do not ask for help from Homebrew or its maintainers on social media.
You may ask for help in Homebrew's discussions but are unlikely to receive
a response.
Try to figure out the problem yourself and submit a fix as a pull request.
We will review it but may or may not accept it.

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17


```
==> Fetching jenkins-lts
==> Downloading https://get.jenkins.io/war-stable/2.387.3/jenkins.war
Already downloaded:
/Users/administrator/Library/Caches/Homebrew/downloads/6213d43063b8d509ec45
3e10a7341f976ce051bea606c20840614f8700ae0f13--jenkins.war
Warning: Your Xcode (11.4) is outdated.
Please update to Xcode 12.4 (or delete it).
Xcode can be updated from the App Store.

==> /usr/local/opt/openjdk@17/bin/jar xvf jenkins.war
==> Caveats
Note: When using launchctl the port will be 8080.

To restart jenkins-lts after an upgrade:
  brew services restart jenkins-lts
Or, if you don't want/need a background service you can just run:
  /usr/local/opt/openjdk@17/bin/java -Dmail.smtp.starttls.enable=true -
jar /usr/local/opt/jenkins-lts/libexec/jenkins.war --
httpListenAddress=127.0.0.1 --httpPort=8080
==> Summary
🍺  /usr/local/Cellar/jenkins-lts/2.387.3: 8 files, 97MB, built in 2
minutes 16 seconds
==> Running `brew cleanup jenkins-lts`...
Disable this behaviour by setting HOMEBREW_NO_INSTALL_CLEANUP.
Hide these hints with HOMEBREW_NO_ENV_HINTS (see `man brew`).
Loretta-Gray:~ administrator$


|------- brew list --------|


Loretta-Gray:~ administrator$ brew list
==> Formulae
apr             icu4c               mpdecimal
apr-util        jenkins-lts         nasm
autoconf        jpeg-turbo          ninja
bison               libnghttp2      openjdk@17
brotli              libpng          openssl@1.1
ca-certificates     libtiff             pcre2
cairo               libx11          pixman
cmake               libxau          pkg-config
fontconfig          libxcb          python@3.11
freetype        libxdmcp        readline
gettext             libxext             sqlite
giflib              libxrender      util-macros
glib            little-cms2     xcb-proto
```

JENKINS INSTALL, HOMEBREW, XCODE WITH XCODE 12.4
NEEDED XCODE 11.4 TO RUN ON MACOS CATALINA 10.15.7
REINSTALLING JENKINS-LTS AND OPENJDK@17

```
gobject-introspectionlz4          xorgproto
graphite2         lzo           xtrans
harfbuzz     m4           xz
httpd           meson          zstd
```

```
|-------brew services start jenkins-lts -------|
```

```
 Loretta-Gray:~ administrator$ brew services start jenkins-lts
==> Successfully started `jenkins-lts` (label: homebrew.mxcl.jenkins-lts)
Loretta-Gray:~ administrator$
```