

PROJECT LOGO

Reserved for project team use

SHIELD 2.0 Comprehensive System Manual

SHIELD 2.0

Operational and Technical Reference

Manual Version 1.0

Prepared 16 September 2026

Prepared for system administrators, agency personnel, system users, capstone evaluators, developers,
and maintainers

Document Control

Field	Details
Document title	SHIELD 2.0 Comprehensive System Manual
Purpose	Operational and technical reference for the implemented SHIELD 2.0 system
Intended audience	System administrators, agency personnel, system users, capstone evaluators, developers, and maintainers
Prepared date	16 September 2026
Manual version	1.0
System baseline	Branch main at commit 1e7cc5da89cc76ed7df79796c6d27fe8f33fe778, including the approved uncommitted working tree
Prepared by	Project documentation team _____
Reviewed by	Reviewer _____ Date _____
Approved by	Approver _____ Date _____

Revision History

Version	Date	Description	Author or reviewer
1.0	16 September 2026	Initial comprehensive operational and technical manual	_____

Document Use

This manual describes verified current behavior. It labels partial, informational, placeholder, inactive, orphaned, and unverified functions explicitly. Operational teams should not treat a limitation or stakeholder question as an approved business rule.

Table of Contents

Document Control	2
Table of Contents	3
1 Introduction	4
2 System Overview	5
3 High Level System Flow	6
4 Authentication and Common Functions	11
5 Super Administrator Account Guide	12
6 Katuparan Center Account Guide	13
7 DILG LGU Account Guide	14
8 Government Agency Account Guide	15
9 MBLRC Account Guide	16
10 39th Infantry Battalion Account Guide	17
11 AFP Account Guide	19
12 JAPIC Account Guide	20
13 PSWDO Account Guide	21
14 Module Reference	22
15 Former Rebel Inter Agency Pipeline	24
16 MBLRC Registry and Reintegration Monitoring	26
17 RCSP Barangay Monitoring	27
18 IMPLAN Workflow	28
19 Maps and Geotagging	29
20 Messaging and Notifications	30
21 Dashboards and Analytics	31
22 Operational Matrices	32
23 Security and Privacy	37
24 Troubleshooting	38
25 Confirmed Limitations	39
26 Stakeholder Validation Appendix	40
27 Technical Reference	41
28 Evidence Appendix	43
29 Manual Maintenance	45

1 Introduction

1.1 Purpose

This manual explains how SHIELD 2.0 receives, processes, stores, displays, and reuses operational information. It identifies the account that starts each major record, the users who can process it, its verified statuses, the documents involved, and its final system result.

1.2 Scope

The scope includes the nine implemented account roles, every active module identified in the audited application, major data handoffs, document access, dashboards, messaging, notifications, security controls, technical architecture, and confirmed implementation gaps. It does not define agency policy that is absent from the implementation.

1.3 Intended Users

- System administrators who provision and maintain accounts and agency records.
- Agency personnel who create, review, approve, complete, or monitor operational records.
- Capstone evaluators who need a verified description of the implemented system.
- Developers and maintainers who need data lineage, permissions, statuses, and implementation evidence.

1.4 Privacy and Safe Use

Former Rebel information, location data, uploaded documents, account credentials, messages, and workflow history may be sensitive. Users must access only records required for their role, protect downloaded documents, avoid sharing credentials, and sign out from shared devices. This manual contains no real beneficiary record or document content.

1.5 Implementation Classification

Classification	Meaning
Implemented	A current route, controller or service, authorization rule, data model, and interface behavior support the function.
Partially implemented	Some workflow actions exist, but an expected transition, recipient, control, or completion path is missing.
Informational or placeholder	The interface presents reference content or a page without an authoritative operational workflow.
Inactive or orphaned	A table, configuration item, or historical artifact exists without an active route or service.
Requires stakeholder confirmation	The implementation does not establish the intended policy or the observed behavior needs business approval.

2 System Overview

SHIELD 2.0 is a Laravel role-based system with three operational domains. The first is an inter-agency Former Rebel document pipeline. The second covers local governance monitoring and agency implementation planning. The third is an independent MBLRC Former Rebel registry and reintegration-monitoring area.

2.1 Former Rebel Inter Agency Document Pipeline

The 39th Infantry Battalion records surfacing information. The system creates a Case Documentation Report workspace and, when firearms are declared, a Firearms Explosives and Ammunition workspace. Completed CDR data creates a JAPIC certification intake. Final JAPIC certification creates a PSWDO enrollment. Four completed PSWDO documents unlock FEA work.

2.2 Local Governance and Implementation Workflows

DILG-LGU accounts register municipality-scoped RCSP barangays, define activities, and submit evidence. Katuparan Center reviews evidence, while the LGU advances completed phases. AFP has read-only monitoring access. A separate IMPLAN workflow lets an LGU create a plan, assigned Government Agencies respond and update implementation information, and Katuparan Center verifies or reassigns the plan.

2.3 Independent MBLRC Registry

MBLRC maintains a separate Former Rebel registry with profile, location, skills, assistance, certificate, education, work, map, and analytics functions. The MBLRC Former Rebel record and the 39th IB surfaced record are separate database entities. The system does not implement referral, synchronization, or conversion between them.

2.4 Shared Functions

All active configured roles use username and password authentication, exact-role navigation, account settings, logout, and one-to-one Messages. A message may reference an eligible secure pipeline document when both participants already have preview permission.

3 High Level System Flow

Figure 1 Former Rebel inter agency document pipeline




Figure 2 RCSP barangay monitoring flow





Figure 3 IMPLAN flow



Figure 4 Independent MBLRC registration and monitoring



Figure 5 Participant only Messages flow



4 Authentication and Common Functions

4.1 Sign In

1. Open the SHIELD 2.0 Login page.
2. Enter the assigned username and password.
3. Submit Sign In. The login request is rate-limited after repeated failed attempts.
4. The application opens the dashboard for the exact role assigned to the account.

An inactive account cannot continue using the application. Global middleware logs out an inactive user. No public registration route exists.

4.2 Account Information and Password Update

5. Open the account or profile area.
6. Review the displayed username, name, and role.
7. To change the password, provide the current password, the new password, and confirmation.
8. Submit the password update and keep the new credential private.

The current interface does not provide normal name or email editing, although a backend profile update route remains. There is no functional self-service forgot-password route. A Super Administrator must reset a password.

4.3 Messages

9. Open Messages from the shared navigation.
10. Choose an existing conversation or begin a conversation with another active configured-role account.
11. Enter a message of no more than 5000 characters.
12. If needed, select one eligible CDR, JAPIC, PSWDO, or FEA document reference.
13. Send the message. The referenced document is not copied into chat.
14. Open a reference only while the current account still has authorization.

Messages are participant-only and immutable. Read cursors support unread indicators. No message edit or delete function was found.

4.4 Sign Out

15. Open the account menu.
16. Select Logout.
17. Confirm that the login page is displayed before leaving a shared device.

5 Super Administrator Account Guide

Account purpose Manages system accounts and the Government Agency directory.

Dashboard Displays user and system counts, RCSP status distribution, municipality summaries, and recent RCSP form activity.

Accessible modules

- Dashboard
- User Management
- Government Agencies
- Messages
- Account settings

Responsibilities and permissions

Creates Accounts for all nine roles; Government Agency directory records

Reviews and updates User identity, role, municipality, linked agency, active state, password reset, and optional logo; Agency names, acronyms, and details

Approves or completes No operational FR, RCSP, JAPIC, PSWDO, FEA, or IMPLAN approval

Documents managed User logos on the public disk; the backend limit is 5 MB while the interface states 2 MB

Notifications No dedicated workflow notification producer was found for this role.

Reports and analytics System counts and RCSP dashboard aggregates; no export function.

Operating procedure

18. Open User Management.
19. Create an account and select its role.
20. For DILG-LGU, assign a municipality. For Government Agency, link a Government Agency record.
21. Set the active state and optional logo.
22. To reset a password, edit the account and provide a replacement password.
23. Open Government Agencies to create or update agency records.
24. Delete an agency only after the application confirms that no protected dependency exists.
25. Use Messages as needed and sign out.

Restrictions and handoff

- Cannot delete user accounts through current routes.
- Cannot deactivate or demote the last active Super Administrator.
- Agency deletion is blocked by the controller when dependent users, responses, or taggings exist.
- Account administration is not universally written to audit_logs.

Handoff Provisioned credentials and assigned organizational scope are handed to the account holder through the approved administrative process.

Known limitations No public account registration, no user-deletion route, no administrative audit viewer, and database-level agency integrity hardening is not active in the approved database.

6 Katuparan Center Account Guide

Account purpose Reviews RCSP evidence and oversees IMPLAN verification and reassignment.

Dashboard Shows global MBLRC count information, RCSP status and progress, pending forms, IMPLAN verification totals, organization overviews, and geographic aggregates.

Accessible modules

- Dashboard
- RCSP review
- IMPLAN
- Agencies
- Locations
- Clusters
- Users
- Messages

Responsibilities and permissions

Creates RCSP submission comments; IMPLAN reassignment response and tagging updates

Reviews and updates Latest current-phase RCSP submissions and private evidence; Implementation plans and agency response state

Approves or completes Applies RCSP review results; Marks an IMPLAN as verified; Reassigns plans that have rejected taggings

Documents managed Previews RCSP evidence through authorized routes; does not author CDR, JAPIC, PSWDO, or FEA documents

Notifications Dashboard activity panels are operational record lists, not a complete notification system.

Reports and analytics Global RCSP and IMPLAN dashboard aggregates, maps, and read-only agency, location, cluster, and user overviews.

Operating procedure

26. Open RCSP and select a barangay.
27. Inspect the latest submitted evidence for each current-phase activity.
28. Choose approved, disapproved, to be complied, or to be conducted.
29. Enter remarks for every result other than approved.
30. Submit the review and use the discussion area when clarification is required.
31. Open IMPLAN to inspect plans awaiting verification or plans with rejected taggings.
32. Use Verify or Reassign only under the approved agency procedure.
33. Use overview pages and Messages as needed, then sign out.

Restrictions and handoff

- Cannot create or manage user accounts or agency directory records.
- Cannot create Former Rebel pipeline records.
- Cluster pages are informational rather than operational workflows.
- IMPLAN verification and reassignment endpoints lack a complete enforced state machine.

Handoff RCSP results return to the owning DILG-LGU. Verified or reassigned plans remain visible to the owner and assigned Government Agencies.

Known limitations No RCSP database notifications, no IMPLAN notifications, no export reports, and static cluster reference pages.

7 DILG LGU Account Guide

Account purpose Performs municipality-scoped RCSP activities and manages implementation plans owned by the individual LGU user.

Dashboard Shows RCSP progress and recent activity for the account municipality.

Accessible modules

- Dashboard
- RCSP Barangays
- Monitoring
- Evaluation redirect to RCSP
- Implementation
- Messages

Responsibilities and permissions

Creates Municipality RCSP barangays; Current-phase RCSP activities; Evidence submission versions and comments; Personally owned IMPLAN records and agenda uploads

Reviews and updates Returned RCSP results; Agency responses and IMPLAN state

Approves or completes Advances an approved RCSP phase; Completes RCSP after phase 5; Sends an IMPLAN for verification

Documents managed Private RCSP evidence; Public-disk IMPLAN agenda documents

Notifications No confirmed RCSP or IMPLAN notification producer. Recent forms are displayed as activity.

Reports and analytics Municipality RCSP counts, progress, and recent forms; no export function.

Operating procedure

34. Open RCSP Barangays and register a barangay in the assigned municipality.
35. Open Monitoring and add activities to the current phase.
36. Record the conduct result and upload evidence for each activity. Evidence is required even when the result is not applicable.
37. Review Katuparan results. Correct and resubmit returned work with reused or replaced evidence.
38. Use comments to discuss a submission.
39. After every current-phase activity has an approved latest submission and accessible evidence, use Proceed. Complete the record after the Monitor phase.
40. Open Implementation and create a plan with target areas, agencies, issues, and details.
41. Update the owned plan, upload agenda files, and send it for verification.
42. Monitor agency responses and Katuparan action, use Messages, and sign out.

Restrictions and handoff

- Requires an assigned municipality.
- Cannot review its own RCSP submission.
- IMPLAN is scoped to the individual LGU owner rather than all users in the municipality.
- Backend IMPLAN target validation does not enforce municipality ownership.
- Backend IMPLAN status guards are incomplete.

Handoff RCSP evidence is handed to Katuparan for review. IMPLAN is handed to selected Government Agencies and later to Katuparan for verification or reassignment.

Known limitations No workflow notifications, no municipality-wide shared IMPLAN ownership, and no enforced complete IMPLAN state machine.

8 Government Agency Account Guide

Account purpose Responds to and updates implementation plans assigned to the linked Government Agency.

Dashboard Displays assigned plans grouped as pending, accepted, and rejected.

Accessible modules

- Dashboard
- Implementation
- Messages

Responsibilities and permissions

Creates Agency response and implementation tagging records; Agenda uploads and documentation photos

Reviews and updates Plans whose agencies JSON list contains the linked agency identifier

Approves or completes Accepts or rejects an assignment; rejection requires a reason

Documents managed Public-disk IMPLAN agenda documents and photos

Notifications No confirmed IMPLAN notification producer.

Reports and analytics Assigned, accepted, rejected, and pending counts; no export function.

Operating procedure

43. Open the dashboard or Implementation list.
44. Select an assigned plan.
45. Review the plan and accept it or reject it with a reason.
46. For authorized accepted work, update implementation details.
47. Upload agenda documents or documentation photos only under the approved handling policy.
48. Monitor the displayed plan state, use Messages, and sign out.

Restrictions and handoff

- Requires a linked Government Agency record.
- Cannot view a plan not assigned to that agency.
- The backend allows response changes and editing after rejection even when the interface hides actions. Agency policy must control these actions.

Handoff The response returns to the LGU owner and Katuparan Center. Katuparan may verify the plan or reassign it after rejection.

Known limitations No complete backend state machine, no final completion action, public file storage, and no workflow notification.

9 MBLRC Account Guide

Account purpose Maintains an independent Former Rebel profile and reintegration-monitoring registry.

Dashboard Displays MBLRC profile totals, program information, location data, and analytic summaries.

Accessible modules

- Dashboard
- Former Rebels
- Analytics
- Statistics
- FR Locations
- Profile actions
- Messages

Responsibilities and permissions

Creates Independent Former Rebel profiles; Program status; Location history; Skills; Assistance; Education and work records

Reviews and updates All MBLRC profiles; access is role-wide rather than creator-scoped

Approves or completes Directly changes program and assistance status; no separate approval workflow

Documents managed Optional assistance certificates on the public disk

Notifications No confirmed MBLRC workflow notification producer.

Reports and analytics Seven-month and cumulative registry/program series, status, gender, batch, and person-location maps.

Operating procedure

49. Open Former Rebels to find or register a profile.
50. Enter required identity, municipality, and barangay information.
51. Open the profile and maintain program status, location, skills, assistance, education, and work.
52. Upload an assistance certificate only when agency privacy policy permits.
53. Use location history, FR Locations, Analytics, and Statistics to monitor the registry.
54. Use hard deletion only under an approved retention procedure.
55. Use Messages and sign out.

Restrictions and handoff

- No implemented referral from 39th IB, JAPIC, or PSWDO.
- Barangay validation does not confirm relationship to the selected municipality.
- Hard deletion removes the profile and cascaded data.
- All MBLRC users can manage all MBLRC profiles.
- Certificate storage is public.

Handoff No authoritative handoff to or from the 39th IB pipeline is implemented.

Known limitations Disconnected identity domain, public certificates, direct status changes without transition history, and minimal dedicated test coverage.

10 39th Infantry Battalion Account Guide

Account purpose Records Former Rebel surfacing, prepares CDR records, manages conditional FEA documents, and maintains manual area counts.

Dashboard Displays surfaced records, CDR and FEA queues, area classifications, and map information.

Accessible modules

- Dashboard
- FR Profiles
- CDR
- FEA
- Areas and Map
- Assistance placeholder
- Messages

Responsibilities and permissions

Creates Surfaced Former Rebel records; CDR drafts, photos, and final versions; Conditional FEA drafts and uploads; Manual area history

Reviews and updates All 39th IB pipeline records, including current downstream document availability

Approves or completes Completes CDR; Replaces a completed CDR with reason and confirmation; Cancels a surfaced record; Cannot complete FEA in the current implementation

Documents managed Private CDR and FEA versions and photos; Authorized current JAPIC and PSWDO documents for preview or download

Notifications No dedicated incoming workflow notification was found.

Reports and analytics Pipeline counts, queues, manual area classifications, and maps; no export function.

Operating procedure

56. Open FR Profiles and search for an existing surfaced profile.
57. Record a new surfacing when authorized.
58. Open the automatically created CDR. Start processing, edit the encrypted draft, add permitted photos, and preview or print.
59. Complete CDR by generated finalization or completed-document upload.
60. Replace a completed CDR only with a documented reason and confirmation.
61. Monitor JAPIC and PSWDO progress from the surfaced profile.
62. When firearms were declared, open FEA after PSWDO completion and manage the six document workspaces.
63. Use Areas and Map to record manual barangay FR counts and effective dates.
64. Cancel a surfaced record only under approved procedure.
65. Use Messages and sign out.

Restrictions and handoff

- Role-wide pipeline access is not creator-scoped.
- Original surfacing details have no normal edit route.
- Cancellation makes downstream work read-only but does not delete it.
- FEA cannot reach Completed.
- Assistance is a placeholder.

Handoff Completed CDR creates JAPIC intake. JAPIC completion creates PSWDO enrollment. PSWDO completion unlocks conditional FEA.

Known limitations No FEA completion, no reintegration workflow, manual area counts are disconnected from profile counts, and CDR has an inconsistent missing-date fallback.

11 AFP Account Guide

Account purpose Provides read-only monitoring of RCSP progress and selected dashboard geographic information.

Dashboard Displays RCSP completion information and MBLRC person-location information supplied by the dashboard query.

Accessible modules

- Dashboard
- RCSP
- Messages

Responsibilities and permissions

Creates No operational records

Reviews and updates RCSP progress across municipalities; Selected MBLRC mapped profile information

Approves or completes No approval or completion action

Documents managed No RCSP evidence-file access under the current policy

Notifications No confirmed AFP workflow notification producer.

Reports and analytics RCSP completion monitoring and dashboard map information; no export function.

Operating procedure

66. Open Dashboard to review RCSP completion and the available map information.
67. Open RCSP to filter or inspect barangay progress.
68. Use Messages for authorized communication.
69. Sign out.

Restrictions and handoff

- Read-only access.
- Cannot submit or review evidence, advance phases, or modify records.
- Exposure of named MBLRC location data requires stakeholder confirmation.

Handoff AFP monitors results; it does not hand records to another implemented workflow.

Known limitations No evidence preview, no workflow actions, and privacy approval is required for mapped person information.

12 JAPIC Account Guide

Account purpose Prepares and completes certification after a valid CDR final is completed.

Dashboard Displays certification status, deadlines, due and overdue counts, and up to ten recent visible intake notifications.

Accessible modules

- Dashboard
- FRs for Certification
- Certification draft and history
- Related CDR, PSWDO, and FEA documents
- Assistance placeholder
- Messages

Responsibilities and permissions

Creates Encrypted certification drafts and revisions; Private photo versions; Final signed certification PDF

Reviews and updates Unassigned cases and cases assigned to the signed-in JAPIC user; Related current documents allowed by policy

Approves or completes Submits for signing; Records signatures secured; Uploads final signed PDF and completes certification

Documents managed Private draft/photo/final versions and authorized related current documents

Notifications Receives deterministic database notifications when a completed CDR creates intake. No mark-read route was found.

Reports and analytics Status, deadline, due, overdue, and case queue information; no export function.

Operating procedure

70. Open the dashboard or FRs for Certification.
71. Select a visible Pending or Drafting case and inspect the triggering CDR.
72. Enter and save the encrypted certification draft and permitted photo.
73. Preview or print the draft.
74. For the normal path, submit the complete draft for signing, record signatures secured, and upload the signed final PDF.
75. Use the validated direct-final path only if agency policy authorizes it.
76. Review history and related documents, use Messages, and sign out.

Restrictions and handoff

- No implemented reject, return, reopen, or final replacement action.
- No assignment interface or service was found.
- Cases are visible only when unassigned or assigned to the current user.
- Generated template emblems require official validation.

Handoff Final certification creates PSWDO enrollment.

Known limitations No case assignment mechanism, no reject or return flow, no final replacement route, and template emblems are placeholders.

13 PSWDO Account Guide

Account purpose Completes the required enrollment-document set after JAPIC certification.

Dashboard Displays eligible enrollments, document completion, and area or pipeline summary information.

Accessible modules

- Dashboard
- FRs for Enrollment
- Enrollment workspace
- Related CDR, JAPIC, and FEA documents
- Assistance placeholder
- Messages

Responsibilities and permissions

Creates Four prescribed final PDF enrollment documents

Reviews and updates Eligible surfaced records with completed CDR and JAPIC finals

Approves or completes Completion is derived automatically after all four documents exist

Documents managed E-CLIP Enrollment Form; Initial Interview; Profiling Interview; Endorsement Letter; Authorized related current documents

Notifications No confirmed PSWDO intake or completion notification producer.

Reports and analytics Enrollment and document-completion dashboard aggregates; no export function.

Operating procedure

77. Open FRs for Enrollment and select an eligible record.
78. Open the enrollment workspace and review the source CDR and JAPIC final.
79. Upload the E-CLIP Enrollment Form, Initial Interview, and Profiling Interview PDFs.
80. After the gate opens, upload the Endorsement Letter PDF.
81. Confirm that the enrollment is displayed as completed.
82. Review eligible FEA information, use Messages, and sign out.

Restrictions and handoff

- The Endorsement Letter is locked until the first three documents exist.
- No replace, delete, reject, return, or archive action.
- No handoff to MBLRC.
- Assistance is a placeholder.

Handoff All four documents unlock conditional FEA work for 39th IB. No MBLRC referral is created.

Known limitations No document replacement or return, no workflow notification, no MBLRC integration, and no authoritative Assistance workflow.

14 Module Reference

This chapter summarizes every implemented or identifiable module. Detailed procedures for the main workflows follow in later chapters.

Module	Authorized users	Primary data and output	Implementation state
Authentication and account settings	All active users	Session authentication and password update	Implemented
User administration	Super Administrator	User accounts, roles, organizational links, active state, and logos	Implemented
Government Agency administration	Super Administrator	Government Agency directory used by users and IMPLAN	Implemented with inactive database hardening
39th IB surfacing	39th IB	Surfaced FR, automatic CDR, conditional FEA	Implemented
Surfaced FR profile	39th IB and eligible downstream users	Aggregated pipeline record and cancellation state	Implemented
CDR	39th IB author; eligible downstream readers	Encrypted draft, photos, immutable final versions	Implemented
JAPIC certification	JAPIC author; eligible 39th IB and PSWDO readers	Certification intake, revisions, signing, final PDF	Implemented with assignment and replacement gaps
PSWDO enrollment	PSWDO author; eligible 39th IB and JAPIC readers	Four final PDFs and derived completion	Implemented
FEA	39th IB author; eligible JAPIC and PSWDO readers	Six document workspaces and versioned uploads	Partially implemented; no completion
Surfaced pipeline Assistance	39th IB, JAPIC, PSWDO navigation	Informational page	Placeholder
MBLRC Former Rebel registry	MBLRC	Independent profiles and reintegration-monitoring data	Implemented but disconnected
MBLRC maps and analytics	MBLRC; selected data on Katuparan and AFP dashboards	Profile-derived charts and person geotags	Implemented; privacy confirmation required
RCSP barangay monitoring	DILG-LGU, Katuparan, AFP	Activities, private evidence, reviews, comments, phase history	Implemented
39th IB area map	39th IB; Katuparan aggregate consumer	Manual barangay FR counts and immutable history	Implemented; four GeoJSON features unresolved
IMPLAN	DILG-LGU, assigned Government Agencies, Katuparan	Plans, responses, taggings, files, photos	Implemented with incomplete state guards
Messages	All active configured roles	Private conversations, messages, read state, optional document reference	Implemented
Notifications	JAPIC	Database notification after CDR completion	Partially implemented
Dashboards and analytics	Role-specific	Controller-built aggregates and charts	Implemented
Formal report exports	None identified	No CSV, Excel, or management-report output	Not implemented
Audit logs	Pipeline services and protected document access	Explicit event records	Partial coverage; no viewer
Cluster reference	Katuparan	Static cluster pages	Informational
Legacy E-CLIP case processing	No active user	Historical migrations removed active case tables	Inactive
Former Rebel registration drafts	No active route identified	Database table only	Orphaned or inactive
Legacy document access logs	No active writer identified	Database table only	Orphaned or inactive

14.1 Application Module Connections

- Surfacing creates CDR and conditional FEA in one transaction.
- CDR completion creates JAPIC intake and a JAPIC database notification.
- JAPIC final completion creates PSWDO enrollment.

- PSWDO completion unlocks conditional FEA but does not refer the record to MBLRC.
- RCSP, IMPLAN, MBLRC, and the 39th IB area map are independent data flows.
- Messages may link to eligible pipeline documents without copying the file.

15 Former Rebel Inter Agency Pipeline

15.1 Surfacing and Registration

An active 39th IB user begins the pipeline in FR Profiles. The intake requires identity, category, Davao del Sur province, municipality, surfacing date, and a firearm-possession answer. The barangay, specific location, and remarks are conditional or optional. The selected barangay must belong to the selected municipality, and the surfacing date cannot be in the future.

The creation service reserves an FR reference number and creates the surfaced record, a Pending CDR processing record, and a CDR form in one transaction. If firearms are declared, it also creates an FEA processing record and six required document rows. No document is uploaded during initial surfacing.

15.2 CDR Preparation and Completion

83. Open the automatically created Pending CDR.
84. Start processing, save the first draft, or save a photo. The status becomes Ongoing.
85. Enter the CDR information in encrypted fields and add permitted JPEG or PNG photo versions.
86. Preview and print the working draft.
87. Complete the record by generating an immutable HTML snapshot from an Ongoing draft or by uploading a completed PDF, JPEG, or PNG from Pending or Ongoing.
88. Provide the required confirmations. The service records fingerprint, history, current version, and audit information.
89. If correction is required after completion, upload a replacement with a reason and confirmation. The old version remains in history.

Generated finals support preview and print. Uploaded finals support preview and download. 39th IB can access current and historical versions. JAPIC and PSWDO can access only the eligible current final. A missing CDR report date can produce inconsistent fallback dates, including one hard-coded 2024 date; finalization warnings do not block completion.

15.3 JAPIC Intake and Certification

JAPIC intake requires an uncanceled surfaced record, Completed CDR status, and a current final version owned by that CDR. Intake is unique per surfaced record. The record stores the triggering CDR version, a received date, a due date fourteen days later, and Pending status. All active JAPIC users receive an idempotent database notification.

90. Open an unassigned case or a case assigned to the current JAPIC account.
91. Save the encrypted draft. Pending becomes Drafting; later saves create revisions and remain Drafting.
92. Use the normal path by submitting a complete draft for signing, recording signatures secured, and uploading the final signed PDF.
93. Where agency procedure permits, use the validated direct-final path from Pending, from a complete Drafting case, or from a matching frozen signing state.
94. On successful PDF upload, the certification becomes Completed and PSWDO enrollment is created.

No reject, return, reopen, final replacement, or case-assignment function was found. The certification template includes placeholder emblems that require stakeholder validation.

15.4 PSWDO Enrollment

Eligibility requires an uncanceled surfaced record, Completed CDR with current final, and Completed JAPIC certification with current final. Enrollment is created idempotently. Its status is derived from document presence rather than stored separately.

Required document	Gate	Format and behavior
E-CLIP Enrollment Form	Available after eligible enrollment creation	One final PDF up to 20 MB; private immutable storage
Initial Interview	Available after eligible enrollment creation	One final PDF up to 20 MB; private immutable storage
Profiling Interview	Available after eligible enrollment creation	One final PDF up to 20 MB; private immutable storage
Endorsement Letter	Locked until the first three documents exist	One final PDF up to 20 MB; private immutable storage

Each upload uses confirmations, duplicate-hash prevention, and optimistic locking. There is no replace, delete, return, reject, or archive action. When all four documents exist, the enrollment is displayed as Completed and conditional FEA is unlocked.

15.5 FEA Processing

Firearms Explosives and Ammunition processing is created only when the 39th IB intake declares firearms. It is locked until PSWDO completion.

- Technical Inspection Report
- Consolidated Verification and Inventory Form
- Police Technical Inspection Sheet
- Justification
- Firearm photograph
- Former Rebel with firearm photograph

39th IB can start a document, edit encrypted draft content, upload immutable versions, add the supported photo types, and update compliance metadata. Confirmed workflow states include Pending and Processing, while compliance metadata can indicate None, Returned for Compliance, or Has Issue. Completion and final upload are denied by policy and have no routes. FEA therefore cannot reach Completed.

15.6 Cancellation

39th IB may cancel a surfaced record with a reason and confirmation. Cancellation is stored as an immutable event and makes downstream work read-only. An active JAPIC case becomes Cancelled. A completed JAPIC case remains Completed and receives a cancellation-after-completion history event. Downstream records and documents are retained.

15.7 E CLIP Terminology

No separate active E-CLIP case entity or E-CLIP case tables exist in the approved active schema. Historical migrations indicate that an earlier E-CLIP and JAPIC workflow was removed. E-CLIP remains in the name of a PSWDO document and in certification purpose text. It must not be described as a separate active case-processing module.

16 MBLRC Registry and Reintegration Monitoring

16.1 Registration and Profile

MBLRC manually creates its own Former Rebel record with a sequential profile identifier. First name, last name, municipality, and barangay are required. Profile status defaults to Active and can be changed directly among the configured values. The application does not verify that the selected barangay belongs to the selected municipality.

16.2 Program and Profile Actions

Profile area	Current behavior
Program status	Direct update to Not-Started, On-going, or Completed; no transition history
Location	Saves current coordinates and location history
Skills	Adds suggested or entered skills; role-only deletion endpoint
Assistance	Records type, date, status, and optional certificate
Certificate	Image or PDF up to 25 MB on the public disk
Education and work	Updates education and employment profile fields
Maps and analytics	Reuses profile and geotag information for charts and person-location displays

16.3 Deletion and Ownership

All MBLRC users can manage all MBLRC profiles. Deleting an assistance entry removes its certificate file. Deleting a Former Rebel performs a hard delete and cascades profile data. An approved retention procedure should therefore precede deletion.

16.4 Separation from the Inter Agency Pipeline

The MBLRC registry has no implemented relationship to a 39th IB surfaced record. PSWDO completion does not create a referral or MBLRC enrollment. The sequential profile identifier is generated separately from the 39th IB reference. Duplicate real-world representation is therefore possible unless staff reconcile records outside the application.

17 RCSP Barangay Monitoring

17.1 Registration and Phases

An active DILG-LGU account with a municipality registers a canonical barangay within that municipality. The record begins as Pending in phase 0. The implementation uses configurable activities within six fixed structural phases.

Phase number	Phase name	Advancement requirement
0	Pre-Shaping	Every current activity has an approved latest submission and accessible evidence
1	Shape	Every current activity has an approved latest submission and accessible evidence
2	Access	Every current activity has an approved latest submission and accessible evidence
3	Transform	Every current activity has an approved latest submission and accessible evidence
4	Sustain	Every current activity has an approved latest submission and accessible evidence
5	Monitor	Approval of all current activities allows final completion

17.2 Activities and Evidence

The LGU creates activities in the current phase. A normalized title must be unique within the barangay and phase. An activity can be corrected or deleted only before forms or comments exist.

95. Select a current-phase activity.
96. Record whether it was conducted, not conducted, or not applicable.
97. Upload evidence even when not applicable.
98. Submit the activity. The system creates an immutable private evidence version with status submitted.
99. The first submission changes the parent barangay from Pending to Ongoing.

Evidence accepts PDF, DOC, DOCX, JPEG, and PNG. The effective maximum is the lower of 25 MB and the configured PHP upload limit. The request performs MIME and file-signature checks.

17.3 Katuparan Review and Resubmission

Review result	Meaning in current workflow	Remarks
approved	Latest submission satisfies review	Optional
disapproved	Submission is rejected for correction	Required
to be complied	Additional compliance is required	Required
to be conducted	Activity must be conducted	Required

Katuparan can review only the latest submitted version for a current-phase activity. A returned activity is resubmitted as a new immutable version, using the previous evidence or a replacement. LGU and Katuparan can exchange comments on the form through a private broadcast channel.

17.4 Advancement Completion and AFP Access

LGU proceeds only after every current-phase activity has an approved latest submission and accessible evidence. Advancement records phase-transition history and marks the phase complete. After phase 5, the parent barangay becomes Completed. AFP can view aggregate progress but cannot access evidence or change the workflow. RCSP does not generate database notifications.

18 IMPLAN Workflow

18.1 Verified Current Behavior

100. A DILG-LGU user creates a personally owned plan with target areas, assigned agencies, issues, and implementation details. Initial status is not yet started.
101. A linked Government Agency sees the plan when its agency identifier appears in the plan agencies JSON list.
102. The agency accepts or rejects the plan. Rejection requires a reason. The service creates or updates response and tagging records.
103. The first acceptance while the plan is not yet started changes the plan to ongoing. Rejection does not change the plan status.
104. The agency can update implementation details and upload agenda documents and photos.
105. The LGU can send the plan for verification, changing it to for verification.
106. Katuparan can set the plan to verified or reassign a plan that has a rejected tagging.
107. Reassignment marks rejected taggings Reassigned, replaces the agency list, sets the plan to for verification, and creates or resets pending records for newly selected agencies.

18.2 State Enforcement Warning

The backend does not enforce a complete IMPLAN state machine. Hidden interface buttons are not sufficient authorization or transition protection. Direct requests can change an accepted or rejected response, update or upload after rejection, submit or delete a plan without a strict status prerequisite, and verify or reassign without an enforced preceding state.

18.3 Additional Limitations

- The interface limits target areas to the LGU municipality, but backend validation checks only that the RCSP barangay identifier exists.
- A reassigned plan remains for verification. Later acceptance does not trigger code that changes only not yet started to ongoing.
- Response rows for removed agencies can remain stored.
- There is no completed or closed status.
- Agenda documents and photos use public storage.
- Plan deletion can remove database metadata while leaving physical public files.
- No IMPLAN workflow notification or dedicated audit trail was found.

19 Maps and Geotagging

SHIELD 2.0 contains three distinct geographic data sources. They must not be interpreted as one synchronized map.

Map or geographic view	Source	Maintained by	Relationship to other maps
39th IB area map	Manual barangay FR count and effective-date history	39th IB	Not derived from either Former Rebel profile table or RCSP
RCSP barangay monitoring	RCSP barangay, current phase, and completion status	DILG-LGU and Katuparan	Tracks governance activities, not FR geotags
MBLRC person-location map	Coordinates stored on MBLRC Former Rebel profiles	MBLRC	Person-level registry map, separate from 39th IB and RCSP

19.1 39th IB Area Classification

FR count	Classification
20 or more	Konsolidado
15 to 19	Rekonsilido
10 to 14	Expansion
0 to 9	Recovery

Each update creates immutable area history. The current state is selected by latest effective date and then identifier, so a backdated entry does not replace the current state. Delete resets or hides the current denormalized state while retaining history. Four GeoJSON features lack verified canonical barangay identifiers and render without record details.

20 Messaging and Notifications

20.1 Conversations and Messages

All active configured roles may start a one-to-one conversation with another active configured user. Only the two participants can view or send messages. Sending is blocked when the other participant is inactive. Messages contain up to 5000 characters, have no edit or delete route, and use read cursors for unread counts.

20.2 Secure Document References

A message can reference exactly one CDR, JAPIC, PSWDO, or FEA document. The recipient must be responsible for the associated record, and both sender and recipient must already have preview authorization. The message stores a reference rather than a file copy. If authorization later fails, the interface reports the reference as unavailable.

20.3 Notification Behavior

Event	Recipient	Channel	Current limitation
Completed CDR creates JAPIC intake	All active JAPIC accounts	Laravel database notification	Only confirmed workflow notification producer; no mark-read route found
RCSP submission or review	None confirmed	No database notification	Comments may broadcast in real time
PSWDO intake or completion	None confirmed	No database notification	Dashboard state only
IMPLAN assignment response or verification	None confirmed	No database notification	Dashboard state only
MBLRC profile activity	None confirmed	No database notification	Dashboard and profile state only
Account lifecycle	None confirmed	No database notification	Administrator communicates outside the workflow

Some panels named Notifications or Recent Activity are workflow-record lists rather than Laravel notifications.

21 Dashboards and Analytics

Role	Displayed information
Super Administrator	User and system counts, RCSP status, municipality distribution, recent RCSP forms
Katuparan Center	Global RCSP and IMPLAN counts, verification queue, organizational overviews, maps
DILG-LGU	Municipality RCSP progress and recent forms
Government Agency	Assigned, accepted, rejected, and pending IMPLAN counts
MBLRC	Registry and program series, status, gender, batch, and person-location maps
39th IB	Surfaced records, CDR and FEA queues, manual area classifications and maps
AFP	RCSP completion and selected MBLRC person-location information
JAPIC	Certification statuses, deadlines, due and overdue cases, intake notifications
PSWDO	Eligible enrollments and document-completion counts

Analytics are displayed as system aggregates. No confirmed CSV, Excel, or formal report-generation module exists. Authorized document download is available only through the relevant workflow routes and policies.

22 Operational Matrices

22.1 Data Lineage Matrix

Table 1 Data lineage from creation to final use

Data or record	Created by and starting module	Required inputs	Recipient and processing	Statuses	Final output and reuse	Authorized viewers
User account	Super Administrator; User Management	Identity, username, role, password; conditional agency or municipality	Account holder authenticates	Active or inactive	Role access, dashboard, Messages	Super Administrator; own account settings
Government Agency	Super Administrator; Agencies	Name, acronym, details	Linked to agency users and IMPLAN	No workflow status	Assignment identity and aggregates	Super Administrator, Katuparan, relevant users
Surfaced FR	39th IB; FR Profiles	Identity, category, location, date, firearm flag	Feeds CDR, JAPIC, PSWDO, conditional FEA	Derived pipeline stages; Cancelled	Pipeline profile and dashboards	39th IB; eligible downstream roles
CDR	System creates at surfacing	Encrypted draft, photos, confirmation, final document	39th IB prepares; JAPIC intake receives completion	Pending, Ongoing, Completed	Immutable final and JAPIC intake	39th IB; eligible JAPIC and PSWDO
JAPIC certification	System creates at CDR completion	Draft, control data, photo, signing events, signed PDF	JAPIC prepares and completes	Pending, Drafting, For Signing, Awaiting Final Upload, Completed, Cancelled	Final certification and PSWDO intake	Eligible JAPIC, 39th IB, PSWDO
PSWDO enrollment	System creates at JAPIC completion	Four final PDFs	PSWDO uploads required documents	Derived Pending or Completed	Completed document set and FEA unlock	Eligible PSWDO, 39th IB, JAPIC
FEA	System creates if firearms declared	Six document records, drafts, files, photos	39th IB; no external reviewer found	Pending, Processing; compliance metadata	Incomplete workspace	39th IB; eligible JAPIC and PSWDO
MBLRC Former Rebel	MBLRC; Former Rebels	Profile and location fields	MBLRC manages all profiles	Profile and program status	MBLRC profiles, maps, analytics	All MBLRC; selected dashboard exposure
MBLRC assistance	MBLRC; profile	Type, date, status, optional certificate	MBLRC updates or deletes	Pending, In Progress, Completed	Profile history and certificate link	MBLRC
RCSP barangay	DILG-LGU; RCSP Barangays	Municipality-owned canonical barangay	LGU performs; Katuparan reviews	Pending, Ongoing, Completed	Phase progress and dashboards	Municipality LGU, Katuparan, AFP summary
RCSP submission	DILG-LGU; Monitoring	Conduct result and evidence	Katuparan reviews; LGU resubmits	submitted, approved, disapproved, to be complied, to be conducted	Immutable versions and phase gate	Municipality LGU and Katuparan
RCSP comment	DILG-LGU or Katuparan	Message	Authorized other side	Immutable	Discussion and private broadcast	Authorized LGU and Katuparan
Area history	39th IB; Areas	Barangay, FR count, effective date	39th IB maintains	Derived classification	Map and dashboard aggregate	39th IB; Katuparan aggregate
IMPLAN	DILG-LGU; Implementation	Targets, agencies, issues, details	Agencies respond; Katuparan verifies or reassigns	not yet started, ongoing, for verification, verified	Implementation monitoring	Owner LGU, assigned agency, Katuparan
Agency response	Government Agency or Katuparan reassignment	Accept or reject and optional reason	LGU and Katuparan monitor	accepted, rejected; Accepted, Rejected, Reassigned	Assignment status and analytics	Assigned agency, owner LGU, Katuparan
Chat message	Either participant; Messages	Text and optional authorized reference	Other participant	Read state via cursor	Conversation history	Participants only
JAPIC notification	System after CDR completion	Certification identifiers and safe metadata	Active JAPIC users	Database read state	Dashboard list	Eligible recipient
Audit log	Pipeline service or protected document controller	Actor, event, safe metadata	No audit viewer	Event rows	Technical evidence	No routed viewer found

22.2 Account Responsibility Matrix

Table 2 Account responsibilities and restrictions

Account	Creates	Reviews and updates	Approves or completes	Documents managed	Reports	Notifications	Restrictions
Super Administrator	Users and agencies	Account and agency details	No operational approval	User logos	System and RCSP aggregates	None dedicated	No user delete; retain one active Super Administrator
Katuparan Center	RCSP comments; reassignment rows	RCSP and IMPLAN	RCSP reviews; verifies or reassigns IMPLAN	RCSP evidence preview	Global dashboards and overviews	Activity lists only	No intake or account mutation
DILG-LGU	RCSP and own IMPLAN	Returned RCSP; own plans	Advances or completes RCSP; submits IMPLAN	Private RCSP evidence; public IMPLAN agenda	Municipality RCSP	None confirmed	Municipality and owner scope
Government Agency	Responses, taggings, files, photos	Assigned plan details	Accepts or rejects	Public IMPLAN files and photos	Assigned-plan counts	None confirmed	Linked agency and assignment required
MBLRC	Independent profiles and actions	All MBLRC profiles	Direct status completion	Public certificates	MBLRC charts and maps	None confirmed	No pipeline connection; role-wide access
39th IB	Surfacing, CDR, FEA, area history	All 39th pipeline records	Completes CDR; cancels record	Private CDR and FEA; related finals	Pipeline and area dashboards	None confirmed	Cannot complete FEA; role-wide access
AFP	None	Read-only RCSP and dashboard map	None	No RCSP evidence access	RCSP monitoring	None confirmed	No mutation
JAPIC	Drafts, photos, signed final	Visible certification and related docs	Signing stages and certification completion	Private certification and eligible related docs	Certification queue and deadlines	Receives intake notice	No reject, return, reopen, replacement, or assignment UI
PSWDO	Four enrollment PDFs	Eligible enrollment and related docs	Derived completion	Private enrollment finals	Enrollment dashboard	None confirmed	No replace, delete, return, reject, archive, or MBLRC referral

22.3 Status Transition Matrix

Table 3 Confirmed status transitions

Workflow	Current status	Action	Performed by	Next status or result	Recipient or effect
Surfacing	No record	Record surfaced FR	39th IB	Profile created; CDR Pending; conditional FEA	39th IB
CDR	Pending	Start or first draft or photo	39th IB	Ongoing	39th IB
CDR	Pending	Upload completed final	39th IB	Completed	JAPIC intake
CDR	Ongoing	Generate or upload final	39th IB	Completed	JAPIC intake
CDR	Completed	Replace with reason	39th IB	Completed with new current version	Existing JAPIC case
Surfaced FR	Active pipeline	Cancel with reason	39th IB	Cancelled; active JAPIC Cancelled	Downstream becomes read-only
JAPIC	No case	Completed CDR intake	System	Pending	Active JAPIC users notified
JAPIC	Pending	Save draft	JAPIC	Drafting	Revision and history
JAPIC	Drafting	Save draft	JAPIC	Drafting	New revision

Workflow	Current status	Action	Performed by	Next status or result	Recipient or effect
JAPIC	Drafting	Submit complete draft	JAPIC	For Signing	Frozen revision
JAPIC	For Signing	Record signatures secured	JAPIC	Awaiting Final Upload	Final upload enabled
JAPIC	Awaiting Final Upload	Upload signed PDF	JAPIC	Completed	PSWDO intake
JAPIC	Pending or complete Drafting	Upload valid signed PDF	JAPIC	Completed	Direct completion path
JAPIC	Completed	Parent cancelled	System coordinator	Remains Completed	Cancellation history
PSWDO	No enrollment	JAPIC completed	System	Derived Pending	PSWDO
PSWDO	Pending	Upload permitted PDF	PSWDO	Pending or Completed	All four unlock FEA
FEA document	Pending	Start or save work	39th IB	Processing	39th IB
FEA document	Processing	Update draft or compliance	39th IB	Processing	No completion transition
RCSP	No record	Register barangay	DILG-LGU	Pending phase 0	DILG-LGU
RCSP form	No submission	Submit evidence	DILG-LGU	submitted; parent Ongoing	Katuparan
RCSP form	submitted	Review	Katuparan	approved, disapproved, to be complied, or to be conducted	DILG-LGU
RCSP form	Returned	Resubmit	DILG-LGU	New version submitted	Katuparan
RCSP phase	All latest approved	Proceed	DILG-LGU	Next phase	Dashboards
RCSP phase 5	All latest approved	Complete	DILG-LGU	Parent Completed	Dashboards
IMPLAN	No plan	Create	DILG-LGU	not yet started	Assigned agencies
IMPLAN	not yet started	First agency accepts	Government Agency	ongoing	LGU and Katuparan
IMPLAN	Any accepted by endpoint	Reject	Government Agency	Plan status unchanged	LGU and Katuparan
IMPLAN	Any accepted by endpoint	Send for verification	DILG-LGU	for verification	Katuparan
IMPLAN	Any accepted by endpoint	Verify	Katuparan	verified	Dashboards
IMPLAN	Rejected tagging	Reassign	Katuparan	for verification; tag Reassigned	New agencies

22.4 Document Access Matrix

Table 4 Document creation storage and access

Document	Creator	Storage	Preview or download	Replace or delete	Access audit
CDR draft and snapshot	39th IB	Encrypted fields and private versions	39th IB draft preview and print	Editable until final	Workflow audit
CDR photos	39th IB	Private immutable versions	Authorized policy users	New version; no destructive overwrite	Audit
CDR final	39th IB	Private immutable version	39th IB history; eligible JAPIC and PSWDO current	Replacement retains old version	Preview and download audit
JAPIC draft and photo	JAPIC	Encrypted fields and private versions	Visible authorized JAPIC	Revision history	Audit

Document	Creator	Storage	Preview or download	Replace or delete	Access audit
JAPIC final	JAPIC	Private immutable PDF	Eligible JAPIC, 39th IB, PSWDO	No implemented replacement or delete	Preview and download audit
PSWDO finals	PSWDO	Private immutable PDFs	Eligible PSWDO, 39th IB, JAPIC	No replacement or delete	Preview and download audit
FEA drafts and uploads	39th IB	Private immutable versions	39th IB and eligible JAPIC or PSWDO	New draft version; no finalization	Preview and download audit
RCSP evidence	DILG-LGU	Private local disk	Municipality LGU and Katuparan	Resubmission creates new version	No access audit found
MBLRC certificate	MBLRC	Public disk	Direct storage URL in interface	Assistance deletion removes file	No access audit
IMPLAN file or photo	DILG-LGU or agency	Public disk	Direct storage URL in interface	No file delete route; plan delete may orphan	No access audit
User logo	Super Administrator	Public disk	Account interface	Update deletes previous logo	No access audit
Chat reference	Conversation sender	Database reference only	Both participants need current preview permission	Unavailable after permission loss	No message audit

22.5 Account to Module Access Matrix

Table 5 Account access by module

Account	Accounts and agencies	39th pipeline	MBLRC registry	RCSP	IMPLAN	Maps and analytics	Messages
Super Administrator	Manage	None	None	Dashboard summary	None	System and RCSP summary	Use
Katuparan Center	Read-only overview	None	Dashboard map data	Review and comment	Verify and reassign	Global summaries	Use
DILG-LGU	Own account	None	None	Create, submit, resubmit, advance	Create and manage own	Municipality summary	Use
Government Agency	Own linked agency	None	None	None	Respond and update assigned	Assigned-plan summary	Use
MBLRC	Own account	None	Full role-wide management	None	None	MBLRC maps and analytics	Use
39th IB	Own account	Full role-wide management	None	None	None	Manual area map	Use
AFP	Own account	None	Dashboard map data	Read-only aggregate	None	Monitoring summary	Use
JAPIC	Own account	Certification and eligible docs	None	None	None	Certification dashboard	Use
PSWDO	Own account	Enrollment and eligible docs	None	None	None	Enrollment dashboard	Use

22.6 Notification Matrix

Table 6 Confirmed notifications and activity feeds

Trigger	Sender	Recipient	Mechanism	Read behavior	Implementation state
CDR completion creates JAPIC intake	System	All active JAPIC users	Database notification with deterministic identifier	Dashboard lists up to ten visible records; no mark-read route found	Implemented but partial
RCSP form activity	Workflow record query	DILG-LGU or Katuparan dashboard	Recent activity list	Not a Laravel notification	Informational

Trigger	Sender	Recipient	Mechanism	Read behavior	Implementation state
RCSP comment	DILG-LGU or Katuparan	Authorized other side	Private real-time broadcast	Conversation remains on form	Implemented broadcast, no database notification
Area update	39th IB	Active 39th IB channel users	Private real-time broadcast	Map refresh behavior	Implemented broadcast
PSWDO, FEA, IMPLAN, MBLRC, account lifecycle	None confirmed	None confirmed	No workflow notification producer found	Not applicable	Not implemented

23 Security and Privacy

23.1 Authentication and Authorization

- Username and password authentication uses session regeneration after sign in and session invalidation at logout.
- Login is rate-limited after five failed attempts for the throttle key.
- Global active-account middleware logs out inactive users.
- Exact-role middleware separates each account area.
- Policies protect chat, pipeline documents, RCSP barangays, and RCSP forms.
- Security headers include no-sniff, frame denial, strict-origin referrer policy, and disabled legacy XSS protection.

23.2 Storage and Encryption

The default local filesystem points to private storage. CDR, JAPIC, PSWDO, FEA, and RCSP evidence use private access paths and authorization checks. Sensitive pipeline fields use encryption, and important workflow documents use immutable versions. MBLRC certificates, IMPLAN files and photos, and user logos explicitly use public storage.

23.3 Audit Coverage

The system writes audit_logs for major surfaced, CDR, FEA, JAPIC, and PSWDO actions and for protected document preview or download. There is no universal audit observer and no audit-log interface. Most MBLRC, RCSP, IMPLAN, account administration, and chat actions are not covered by this table. RCSP evidence access and public-file access are not audited through the same mechanism.

23.4 Safe Handling Rules

- Never share usernames or passwords or include credentials in messages.
- Download sensitive documents only when required for authorized work.
- Store any downloaded copy under the responsible agency retention and access policy.
- Do not send a document reference to a user who is not responsible for the record.
- Treat precise location data as sensitive and verify the approved audience before display or export.
- Use Logout before leaving a shared device.
- Do not assume that public-storage links provide case-level authorization.

24 Troubleshooting

Problem	Verified checks and action
Account is inactive	Ask a Super Administrator to review the active state. Inactive-account middleware ends the session.
User cannot access a module	Confirm the exact assigned role and required municipality or Government Agency link. Role middleware returns forbidden access outside the account area.
JAPIC case is not created	Confirm that the surfaced record is not cancelled, CDR is Completed, and a valid current final CDR version exists. Intake is unique per surfaced record.
PSWDO enrollment is unavailable	Confirm that CDR and JAPIC are both Completed with valid current finals and that the surfaced record is not cancelled.
Endorsement Letter remains locked	Upload the E-CLIP Enrollment Form, Initial Interview, and Profiling Interview first.
FEA workspace remains locked	Confirm that firearms were declared and all four PSWDO documents exist.
FEA cannot be completed	Completion is not implemented. Do not invent a workaround or mark the case Completed outside an approved change.
RCSP phase cannot advance	Create at least one current-phase activity. Confirm every latest submission has accessible evidence and Katuparan status approved.
RCSP evidence cannot be uploaded	Use PDF, DOC, DOCX, JPEG, or PNG. Check that the file is within the lower of 25 MB and configured PHP upload limits and has a valid file signature.
Government Agency cannot see an IMPLAN	Confirm that the account has a linked Government Agency and its agency identifier remains in the plan agencies list.
Referenced document is unavailable	Both participants must have current preview authorization. Access can disappear after cancellation, reassignment, or another eligibility change.
Forgot password does not work	No functional self-service reset route exists. Contact a Super Administrator for a password reset.
Map feature has no details	The feature may be one of the four GeoJSON entries without a verified canonical barangay identifier.
IMPLAN action appears inconsistent	The backend state machine is incomplete. Stop and follow the approved agency procedure rather than relying only on hidden or visible buttons.

25 Confirmed Limitations

Classification	Confirmed finding	Operational effect
Partially implemented	FEA cannot reach Completed	39th IB can prepare content but no authorized final transition exists
Partially implemented	IMPLAN has incomplete transition guards	Direct requests can bypass intended interface order
Partially implemented	Notifications cover JAPIC intake only	Other workflows rely on dashboards or external communication
Partially implemented	Audit logging is not universal	Many administrative and workflow actions lack central audit records
Disconnected flow	39th IB and MBLRC Former Rebel records are separate	Duplicate real-world representation and manual reconciliation are possible
Disconnected flow	No PSWDO-to-MBLRC referral	Pipeline completion does not start MBLRC monitoring
Inactive	No separate active E-CLIP case entity	E-CLIP terminology remains only in document and purpose text
Database baseline	Government Agency integrity migration is unapplied	Canonical uniqueness and restrictive agency foreign keys are not active
Privacy concern	MBLRC certificates and IMPLAN files use public storage	Case-level authorization is not applied by the storage URL
Privacy confirmation	Katuparan and AFP dashboards receive MBLRC map data	Approved audience for named location information is unresolved
Reporting gap	No CSV, Excel, or formal report generator	Users can view aggregates but cannot produce confirmed formal exports
Informational	Cluster pages are static references	They do not process operational cluster cases
Placeholder	Surfaced-pipeline Assistance pages	No authoritative reintegration workflow exists
JAPIC gap	No assignment function or final replacement route	Unassigned cases remain broadly visible to JAPIC; completed final cannot be replaced
Document inconsistency	CDR uses inconsistent missing-date fallbacks	Different document sections can display different fallback dates
Mapping gap	Four GeoJSON features lack canonical identifiers	They render neutrally without linked record details
Validation gap	MBLRC does not validate barangay against municipality	Inconsistent location combinations can be submitted
Validation gap	LGU IMPLAN backend accepts any existing RCSP target ID	A crafted request can select another municipality
File lifecycle gap	Deleting an IMPLAN may orphan physical public files	Storage cleanup is not implemented in the delete controller
Interface mismatch	User logo interface states 2 MB while backend allows 5 MB	User guidance and server validation differ

26 Stakeholder Validation Appendix

The implementation does not answer the following policy questions. Future manual revisions should record approved answers without presenting them as current system behavior until implementation and policy agree.

108. Are the 39th IB surfaced profile and MBLRC Former Rebel profile intentionally independent records?
109. Should PSWDO completion automatically create or refer a case to MBLRC?
110. Was removal of the former E-CLIP case module intentional, or is a replacement E-CLIP case workflow expected?
111. Which agency should review and complete FEA documents, and what are the approved statuses?
112. Who assigns JAPIC certification cases, and should direct final upload from Pending or Drafting remain allowed?
113. What is the official IMPLAN sequence, including when DILG-LGU, Government Agency, and Katuparan actions must be locked?
114. Does IMPLAN need completion, closure, notifications, private file access, file replacement, and physical-file cleanup?
115. Is role-wide access for every 39th IB account and every MBLRC account intended?
116. May Katuparan Center and AFP view named MBLRC profiles with address, status, and coordinates?
117. Are public-storage MBLRC certificates and IMPLAN files acceptable under the applicable privacy policy?
118. Should manual 39th IB barangay FR counts be reconciled with either Former Rebel dataset?
119. How should the four unresolved GeoJSON barangay features be handled?
120. Should the unapplied Government Agency integrity migration be part of a future approved database change?
121. Which actions require permanent audit logs, retention rules, or downloadable management reports?
122. What are the official JAPIC emblems, certification fallback dates, and authorized signatories?
123. What archive and deletion rules apply to MBLRC profiles, IMPLAN records, conversations, evidence, and completed pipeline records?

27 Technical Reference

27.1 Application Architecture

SHIELD 2.0 uses Laravel 12 on PHP 8.2 with Blade-rendered interfaces. Vite, Tailwind CSS, Alpine.js, Chart.js, Leaflet, Laravel Echo, and Reverb-compatible client code support the interface. Role-specific route groups connect controllers to service, model, policy, request-validation, and view layers.

27.2 Main Route Areas

Route area	Primary controllers and responsibility
Authenticated common routes	Profile, RCSP evidence access, conversations, messages, read state
super-admin	Dashboard, users, Government Agencies
katuparan	Dashboard, RCSP review, IMPLAN verification/reassignment, overviews
lgu	Dashboard, RCSP barangays and monitoring, IMPLAN ownership
agency	Assigned IMPLAN response, implementation updates, files and photos
mblerc	Independent Former Rebel CRUD, profile actions, analytics and locations
39th-ib	Surfacing, CDR, FEA, area history and maps
japic	Certification intake, drafts, signing, final document and history
pswdo	Enrollment workspace and final documents
afp	Dashboard and read-only RCSP

27.3 Important Data Relationships

- A surfaced record owns one CDR process and conditionally one FEA process.
- CDR and JAPIC final documents use version rows and a current-version relationship.
- A JAPIC processing record references the triggering CDR version.
- A PSWDO enrollment belongs to the surfaced pipeline and owns prescribed enrollment documents.
- RCSP barangays belong to a municipality and own configurable activities, versioned forms, reviews, comments, and phase transitions.
- IMPLAN stores target-area and agency identifiers in JSON and also owns response, tagging, agenda, and photo rows.
- MBLRC Former Rebel records have no foreign-key relationship to surfaced pipeline records.
- Chat document references point to an authorized operational document rather than copying it.

27.4 Document Storage and Secure Access

The default local disk is storage/app/private. Secure document controllers authorize record visibility and version ownership before streaming content. Explicit public-disk usage writes under storage/app/public and exposes URLs through the storage link. This difference is material to privacy and must remain visible in system documentation.

27.5 Database and Migration State

The approved baseline uses SQLite. Read-only metadata confirmed active tables for the 39th pipeline, JAPIC, PSWDO, RCSP, IMPLAN, MBLRC, maps, chat, notifications, and audit logs. The active migration list includes the 13 September and 14 September RCSP hardening migrations. The 15 September Government Agency integrity migration exists in the working tree but is not applied. No E-CLIP case tables are active.

27.6 Testing Coverage

The inspected suite contains 76 feature-test files and one unit-test file. Static coverage is strongest for the 39th pipeline, JAPIC, PSWDO, RCSP, chat, and Super Administrator behavior. MBLRC has minimal direct coverage, and no dedicated IMPLAN, Government Agency, or AFP workflow suite was identified. Tests were not executed while preparing this manual.

28 Evidence Appendix

The following project-relative references support the manual. Line numbers identify useful entry points in the audited working tree. Detailed source excerpts are intentionally omitted.

Subject	Primary evidence
Roles and navigation	config/shield.php:17; routes/web.php:21; routes/web.php:47-268
Authentication routes	routes/auth.php:15-24
Active-account and role middleware	bootstrap/app.php:18-23; app/Http/Middleware/EnsureActiveAccount.php; app/Http/Middleware/EnsureRole.php
Login throttling	app/Http/Requests/Auth/LoginRequest.php:41-84
Security headers	app/Http/Middleware/SecurityHeaders.php:19-25
Policy registration	app/Providers/AppServiceProvider.php:56-69
Super Administrator lifecycle	app/Http/Controllers/SuperAdmin/UserController.php:55-102; tests/Feature/SuperAdminAccountLifecycleTest.php
Agency integrity	app/Http/Controllers/SuperAdmin/AgencyController.php; database/migrations/2026_09_15_000001_harden_government_agency_integrity.php:11-447
User logo limit	resources/views/super_admin/users/_fields.blade.php:114; app/Http/Requests/SuperAdmin/StoreUserRequest.php:25; UpdateUserRequest.php:30
39th IB routes	routes/web.php:156-210
Surfacing creation	app/Services/Ib39SurfacedFormerRebelService.php:31-60; tests/Feature/Ib39RecordSurfacedFormerRebelTest.php
CDR	routes/web.php:169-183; app/Http/Controllers/Ib39/CdrController.php; CdrDocumentController.php; related services, policies, enums, and feature tests
JAPIC statuses	app/Enums/JapicCertificationStatus.php:7-16
JAPIC intake	app/Services/JapicCertificationIntakeService.php:17-67
JAPIC transitions	app/Services/JapicCertificationWorkflowService.php:21-67; routes/web.php:213-240
JAPIC dashboard notifications	app/Http/Controllers/Japic/DashboardController.php:49-66
PSWDO	routes/web.php:243-262; app/Models/PswdoEnrollment.php:36; app/Policies/PswdoEnrollmentPolicy.php:29; related services and tests
FEA	routes/web.php:185-197; app/Models/Ib39FeaDocument.php:15-45; related enums, policies, services, and tests
MBLRC routes	routes/web.php:129-153
MBLRC profile CRUD	app/Http/Controllers/Mblrc/FormerRebelController.php:19-101
MBLRC profile actions	app/Http/Controllers/Mblrc/ProfileActionController.php:17-170
RCSP routes	routes/web.php:87-115
RCSP creation and submission	app/Services/RcspWorkflowService.php:27-250
RCSP review and advancement	app/Services/RcspWorkflowService.php:262-365
RCSP authorization	app/Policies/RcspBarangayPolicy.php:14-70; app/Policies/RcspFormPolicy.php
RCSP hardening migrations	database/migrations/2026_09_13_000001_harden_ib39_rcsp_area_history.php; database/migrations/2026_09_14_000001_add_configurable_rcsp_activities_and_history.php
Area classifications	app/Models/MapBarangay.php:21-24
Area history	app/Services/RcspAreaHistoryService.php; app/Http/Controllers/Ib39/AreaController.php
Unresolved GeoJSON features	tests/Feature/Ib39MapTest.php:128-143
LGU IMPLAN	app/Http/Controllers/Lgu/ImplanController.php:22-140
Government Agency IMPLAN	app/Http/Controllers/GovAgency/ImplanController.php:16-170
Katuparan IMPLAN	app/Http/Controllers/Admin/ImplanController.php:21-91
Messages	routes/web.php:26-38; app/Services/ChatMessageService.php:13-65; chat models, policies, controllers, and feature tests

Subject	Primary evidence
Filesystem configuration	config/filesystems.php:33-47
Test isolation inspected	phpunit.xml:27; tests/TestCase.php:20-35

28.1 Active Schema Verification

Active-table, migration, index, and foreign-key conclusions were verified through a read-only SQLite connection with query-only mode. No record values were inspected. The database hash remained equal to the approved baseline after the metadata inspection.

29 Manual Maintenance

Update this manual only after verifying the current routes, authorization rules, services, models, migrations actually applied to the active database, interfaces, and relevant tests. Record stakeholder decisions in the revision history. Do not describe a planned workflow as implemented until its backend transition, authorization, storage, interface, and tests agree.

For future releases, revalidate the two Former Rebel data domains, FEA completion, JAPIC assignment and replacement, IMPLAN state enforcement, public-file privacy, notification coverage, report exports, mapping identifiers, audit coverage, and the active Government Agency integrity constraints.