

# The Constantly Changing Hubble Constant

Lorne Whiteway  
lorne.whiteway@star.ucl.ac.uk

Astrophysics Group  
Department of Physics and Astronomy  
University College London

Presentation to the Mid Kent Astronomical Society  
12 November 2021


You are invited to go to [www.menti.com](https://www.menti.com) and enter code  
14 11 05 9.

# The Universe is expanding!

- ▶ But what does this actually mean?
- ▶ How do we know it is expanding?
- ▶ Why is it expanding?
- ▶ How fast is it expanding?
- ▶ Are cosmologists completely realistic about the uncertainties in their results?

# How do we know?

- ▶ Everywhere we look, distant galaxies are receding; more distant galaxies are receding faster.
- ▶ So either we are at the centre of a cosmic conspiracy, or all the space between all the galaxies is expanding.



Credit: NASA Ultra Deep Field

# Is the solar system expanding? Are we expanding?

Go to [www.menti.com](https://www.menti.com) (code 14 11 05 9) and choose one possibility:

1. Yes, a lot
2. Yes, but only a tiny amount
3. No

# Is the solar system expanding? Are we expanding?

Go to [www.menti.com](https://www.menti.com) (code 14 11 05 9) and choose one possibility:

1. Yes, a lot
2. Yes, but only a tiny amount
3. No ✓

# Is the solar system expanding? Are we expanding?

- ▶ Other forces - molecular forces between the molecules in your body, and gravitational forces between the Sun and the planets - are far more than strong enough to overcome the effect of cosmic expansion.

- ▶ Gravity is even strong enough to keep the Andromeda Galaxy from receding from us.



Credit: David Dayag

- ▶ It's only the furthest objects - where gravity becomes negligible - that recede.

# What does *recession velocity* actually mean?

- ▶ We say 'distant galaxies are moving away from us'. This is informal language.
- ▶ They aren't really moving, they just appear to be - because the intervening space is expanding.
- ▶ Sometimes this makes a difference - for example, the recession velocity can exceed the speed of light.

# Which 'Ed' first had the idea that the Universe is expanding?

Go to [www.menti.com](https://www.menti.com) (code 14 11 05 9) and choose one possibility:

1. Edmond Halley
2. Edwin Hubble
3. Edgar Allan Poe




# Which 'Ed' first had the idea that the Universe is expanding?

Go to [www.menti.com](https://www.menti.com) (code 14 11 05 9) and choose one possibility:

1. Edmond Halley
2. Edwin Hubble
3. Edgar Allan Poe ✓

# History

- ▶ In 1848 Edgar Allan Poe published *Eureka*, which included a description of expanding space.



Credit: Public domain

- ▶ Expansion is not obvious without large telescopes and so isn't usually part of pre-modern cosmologies. Full understanding only came in the 20th century.

# So how fast is the expansion?

- ▶ For every additional distance of one megaparsec, there's an additional recession velocity of about 70 kilometers per second.
- ▶ So the expansion speed is about 70 kilometers per second per megaparsec.
- ▶ One megaparsec is about three million light years. It's the typical distance between galaxies.
- ▶ 70 kilometers per second is about 150,000 miles per hour.

# So how fast is the expansion?

Start with a distance:

---

# So how fast is the expansion?

Start with a distance:

---

13.5 million years later it will be 1% longer:

---

# So how fast is the expansion?

Start with a distance:

---

13.5 million years later it will be 1% longer:

---

Continental drift is about six times faster...

$H_0$

- ▶ The current expansion rate is called the *Hubble constant* or *Hubble parameter* and is denoted ' $H_0$ '.
- ▶ The ' $H$ ' commemorates Edwin Hubble (1889-1953), who was one of the first to measure it.
- ▶ The ' $0$ ' refers to today. The expansion rate was different in the distant past.



Credit: Johan Hagemeyer


# Why does the Universe expand?

- ▶ Science is not so good with 'why?' questions...
- ▶ There's an *initial condition*: the Universe started expanding at the Big Bang.
- ▶ The later behaviour of the expansion (does it slow down? speed up?) then depends, essentially via gravity, on *what's in the Universe*.



# Why does gravity play a role?


- ▶ *General relativity*, our modern theory of gravity, is due to Einstein (1916).



Credit: Paul Ehrenfest

# Why does gravity play a role?

- ▶ Remember *mass* and *energy* are the same ( $E = mc^2$ ).
- ▶ Mass/Energy *bends* spacetime, essentially changing distances and angles.



Credit: Mysid

# Why does gravity play a role?


- ▶ This 'changing of distances and angles' works locally; the distorted spacetime governs how objects move, and this leads e.g. to the apple falling from the tree.

# Why does gravity play a role?

- ▶ This 'changing of distances and angles' works locally; the distorted spacetime governs how objects move, and this leads e.g. to the apple falling from the tree.
- ▶ But it also works on the Universe as a whole - mass/energy can cause distances to change *everywhere* in the Universe - and in particular can lead to increasing distances everywhere. This is the expansion that we see.

# Contents of Universe control expansion

- It was Alexander Friedmann (Алекса́ндр Алекса́ндрович Фри́дман) (1888-1925) who first realised this (1922).



Credit: Public domain

# What if we go backwards in time?

- ▶ George Lemaître (1894-1966) realised that if the Universe was expanding then it must, at an earlier stage, have been very small; he thereby invented the idea of the 'Big Bang'.



Credit: Public domain

# How do we measure the expansion rate?

- ▶ In theory it's easy: find a distant galaxy, measure its recession velocity and its distance, and take the ratio.
- ▶ Example: a galaxy is receding at 1600 kilometers per second and is 20 megaparsecs away;  
then  $H_0$  is 80 kilometers per second per megaparsec.

For a distant galaxy, which is harder to measure?

Go to [www.menti.com](https://www.menti.com) (code 14 11 05 9) and choose one possibility:

1. Recession velocity
2. Distance
3. They are about the same difficulty




For a distant galaxy, which is harder to measure?

Go to [www.menti.com](http://www.menti.com) (code 14 11 05 9) and choose one possibility:

1. Recession velocity
2. Distance ✓
3. They are about the same difficulty

# Can use *redshift* to measure recession velocity

- ▶ Light from distant galaxies gets streeetched by the expansion; this makes it turn redder.
- ▶ It's fairly easy to measure the amount of red-shifting, as spectral lines are a convenient reference point. The redshift then immediately gives the velocity.



# V M Slipher

- ▶ The first redshifts for galaxies (known then as nebulae) were made in 1912 by Vesto Slipher (1875 - 1969) at the Lowell Observatory in Flagstaff Arizona.



# Recession velocity for galaxy M77

## From Slipher's 1917 'Lowell Observatory Bulletin 80':

These recent spectrograms have been measured for radial velocity. The results for the four spectrograms — two of 1913 and two of 1917 — are as follows:

Plate 1913, November 6,	Velocity -1060 km.
Plate 1913, November 22, 23,	Velocity -1150
Plate 1917, November 6, 7, 8,	Velocity -1080
Plate 1917, November 12 to 16, two prisms	Velocity -1130 s
	Velocity -1145 c
	Velocity -1135 c
	<hr/>
Mean Velocity	-1120 km.

Modern value (from NASA/IPAC Extragalactic database):

**BASIC DATA for MESSIER 077** ([Back to INDEX](#))

Helio. Radial Velocity : 1137 +/- 3 km/s  
Redshift : 0.003793 +/- 0.000010

[2014MNRAS.440..696A](#)

# Distance measurements - Cepheids

- ▶ Cosmic distances can be estimated using variable stars called *Cepheids*. We know how much light they produce (it's related to their period). Their observed brightness then tells us their distance.
- ▶ The brightness/period relation was discovered by Henrietta Swan Leavitt (1868 - 1921) at Harvard.



Credit: Public Domain

# How distant is that Cepheid?

$A$  and  $B$  are two identical Cepheids;  $A$  is 100 parsecs distant;  $B$  is 4% of the brightness of  $A$ . How far is  $B$ ?

Go to [www.menti.com](http://www.menti.com) (code 14 11 05 9) and choose one possibility:

1. 500 parsecs
2. 2500 parsecs
3. 4 parsecs

# How distant is that Cepheid?

$A$  and  $B$  are two identical Cepheids;  $A$  is 100 parsecs distant;  $B$  is 4% of the brightness of  $A$ . How far is  $B$ ?

Go to [www.menti.com](http://www.menti.com) (code 14 11 05 9) and choose one possibility:


1. 500 parsecs ✓
2. 2500 parsecs
3. 4 parsecs

# Linear relationship between recession velocity and distance

- ▶ It was Lemaître who first suggested a linear relationship between recession velocity and distance.
- ▶ Hubble then provided supporting evidence - he used the 100 inch telescope at Mt Wilson to spot Cepheids in a range of galaxies.



# Hubble's plot - from 1929 PNAS paper



# Where to find this document

- ▶ You can find the presentation at  
<https://tinyurl.com/bycke8v6>

# Image credits

1. Hubble Deep Field: Source: NASA. From [https://en.wikipedia.org/wiki/File:Hubble\\_ultra\\_deep\\_field\\_high\\_rez\\_edit1.jpg](https://en.wikipedia.org/wiki/File:Hubble_ultra_deep_field_high_rez_edit1.jpg)
2. M31: Source: David Dayag. Licensed under the Creative Commons Attribution-Share Alike 4.0 International license <https://creativecommons.org/licenses/by-sa/4.0/deed.en>. From [https://upload.wikimedia.org/wikipedia/commons/thumb/8/8c/Andromeda\\_Galaxy\\_560mm\\_FL.jpg/1024px-Andromeda\\_Galaxy\\_560mm\\_FL.jpg](https://upload.wikimedia.org/wikipedia/commons/thumb/8/8c/Andromeda_Galaxy_560mm_FL.jpg/1024px-Andromeda_Galaxy_560mm_FL.jpg).
3. Poe: Source: Public domain. From [https://en.wikipedia.org/wiki/Edgar\\_Allan\\_Poe#/media/File:Edgar\\_Allan\\_Poe,\\_circa\\_1849,\\_restored,\\_squared\\_off.jpg](https://en.wikipedia.org/wiki/Edgar_Allan_Poe#/media/File:Edgar_Allan_Poe,_circa_1849,_restored,_squared_off.jpg)
4. Hubble: Source: Public domain (by Johan Hagemeyer (1884-1962)). From [https://commons.wikimedia.org/wiki/File:Studio\\_portrait\\_photograph\\_of\\_Edwin\\_Powell\\_Hubble.JPG](https://commons.wikimedia.org/wiki/File:Studio_portrait_photograph_of_Edwin_Powell_Hubble.JPG)
5. Einstein: Source: Public domain. From [https://upload.wikimedia.org/wikipedia/commons/thumb/c/c3/08608\\_einstein\\_1916.jpg/512px-08608\\_einstein\\_1916.jpg](https://upload.wikimedia.org/wikipedia/commons/thumb/c/c3/08608_einstein_1916.jpg/512px-08608_einstein_1916.jpg)
6. Curved spacetime: Source: Mysid. Licensed under the Creative Commons Attribution-Share Alike 3.0 Unported license <https://creativecommons.org/licenses/by-sa/3.0/deed.en>. From [https://commons.wikimedia.org/wiki/File:Spacetime\\_lattice\\_analogy.svg](https://commons.wikimedia.org/wiki/File:Spacetime_lattice_analogy.svg)
7. Friedmann: Source: Public domain. From [https://upload.wikimedia.org/wikipedia/commons/6/62/Aleksandr\\_Fridman.png](https://upload.wikimedia.org/wikipedia/commons/6/62/Aleksandr_Fridman.png)
8. Lemaître: Source: Public domain. From [https://upload.wikimedia.org/wikipedia/commons/thumb/5/51/Georges\\_Lemaître\\_1930s.jpg/512px-Georges\\_Lemaître\\_1930s.jpg](https://upload.wikimedia.org/wikipedia/commons/thumb/5/51/Georges_Lemaître_1930s.jpg/512px-Georges_Lemaître_1930s.jpg)
9. Redshift: Source: Georg Wiora. Licensed under the Creative Commons Attribution-Share Alike 2.5 Generic license <https://creativecommons.org/licenses/by-sa/2.5/deed.en>. From <https://commons.wikimedia.org/wiki/File:Redshift.svg>
10. Slipper: Source: Lowell Archive. Licensed under the Creative Commons Attribution-Share Alike 4.0 International license <https://creativecommons.org/licenses/by-sa/4.0/deed.en>. From [https://upload.wikimedia.org/wikipedia/commons/a/a7/V.M.\\_Slipher.gif](https://upload.wikimedia.org/wikipedia/commons/a/a7/V.M._Slipher.gif), converted to png