



MindCLI

User Guide

LDM Dev.

<https://lorydima.github.io/ldmdevwebsite/>

Index

Download Ollama and setup	3
Model Parameters	4
Base prompt	5
Tavily Web Search Configuration	6
Agent Mode	8
Note and suggestions	9


Download Ollama and setup



Download Ollama from this link: <https://ollama.com/download>

After setting up Ollama on your PC, you do not need to keep the background process running, since MindCLI starts it automatically whenever needed.

To disable it on Windows, click the "Quit Ollama" command:



To disable it on Linux, run the following command:

```
sudo systemctl stop ollama.service
```

Below are the reference commands for managing models on MindCLI:

Models Management

- **Download** - download models.
- **Delete** - remove a model.
- **List** - view installed models.

Model Parameters

After downloading an AI model, you can modify some technical values that change the AI's responses and behavior. The values you can modify are:

Num Predict: the maximum number of tokens the model can generate in a single response.

Temperature: controls the randomness of the output; higher values make responses more creative, lower values make them more focused and deterministic.

Top P: controls nucleus sampling; it limits the model to choosing from the smallest set of tokens whose combined probability exceeds this value.

Repeat Penalty: reduces the likelihood of the model repeating the same words or phrases.

Num Ctx: the size of the context window, i.e. how much previous conversation and text the model can take into account.

Below are some example ideal values based on use case:

Chat: Temperature 0.7, Top P 0.9, Repeat Penalty 1.1, Num Ctx 4096

Coding: Temperature 0.2, Top P 0.85, Repeat Penalty 1.1, Num Ctx 8192

Explanations: Temperature 0.4, Top P 0.9, Repeat Penalty 1.15, Num Ctx 4096

Generative: Temperature 0.9, Top P 0.95, Repeat Penalty 1.05, Num Ctx 4096

Note: the values to modify also depend heavily on the type of model you have and how many parameters it was trained on (3b, 7b, etc.).

Below is the reference command for modifying the model parameters on MindCLI:

```
• Change Parameters - modify model parameters (tokens, temp, etc.)
```

Base prompt

The base prompt is the initial instruction given to the AI model that defines its role, tone, and behavior before any user message is sent. It sets the context the model relies on throughout the conversation and shapes how it interprets and responds to requests.

Below are 6 example base prompts:

Chat: "You are a friendly and helpful assistant. Answer clearly and keep a natural, conversational tone."

Coding: "You are an expert programming assistant. Provide clear, correct code with concise explanations and best practices."

Explanations: "You are a patient teacher. Explain concepts step by step, using simple language and practical examples."

Creative writing: "You are a creative writing assistant. Write imaginative, engaging content with vivid style."

Technical support: "You are a technical support assistant. Diagnose problems methodically and give precise, actionable steps."

Translation: "You are a professional translator. Translate text accurately, preserving tone and meaning."

Below is the reference command for modifying the base prompt on MindCLI:

```
• Edit Base Prompt - modify the base prompt used by the AI.
```

Tavily Web Search Configuration



Tavily is a search engine built for AI applications, providing real-time, relevant results from the web. On MindCLI, Tavily can be used to fetch up-to-date information from the web and have it processed and elaborated by the AI models.

How to config Tavily

1. Use this command on MindCLI:

```
• API Config – configure the Tavily API key.
```

2. Access or create your Tavily web account.

3. Create your API key through the dashboard:

API Keys +				
NAME	TYPE	USAGE	KEY	OPTIONS
MindCLI	dev	3	tvly-dev-*****	👁 📋 ✎ 🗑

4. Enter your key on MindCLI here:

```
Enter Tavily API key > *****
```

5. To use Tavily in chat mode, enter this command:

```
Search - search the web with Tavily and send results to the AI.
```

Example:

```
You > search
Enter a website, link, or topic to search > https://it.wikipedia.org/wiki/IPhone
What should the AI do with these results? > explain me
qwen2.5-coder:3b >
The iPhone is a smartphone developed by Apple. The latest model, iPhone 14, was released in 2023. It includes models with Face ID and OLED displays.
```

Agent Mode

Agent Mode allows AI models to access files locally on your PC, as well as create and modify them. This mode is especially useful for those who will use MindCLI for coding, or for those who will use it for writing text content.

Enter this command on MindCLI in the chat:

```
Agent - work directly with files using AI.
```

Example:

```
You > agent
```

Agent Mode
In this mode, the AI can work directly with files on your PC.

```
Do you want to create a new file or edit an existing one?  
Agent (create/edit/exit) > create  
Enter filename with extension (e.g., script.py, document.txt) > script.py  
Enter prompt for the AI > generate a python code that create a simple CLI calculator
```

AI Generated Content
script.py

```
```python
import sys

def add(x, y):
 return x + y

def subtract(x, y):
 return x - y

def multiply(x, y):
 return x * y

def divide(x, y):
 if y == 0:
 return "Error! Division by zero."
 return x / y

print("Simple Calculator")
print("Operations:")
print("1. Add")
print("2. Subtract")
print("3. Multiply")
print("4. Divide")

while True:
 choice = input("Enter your choice (1/2/3/4): ")

 if choice in ['1', '2', '3', '4']:
 num1 = float(input("Enter first number: "))
 num2 = float(input("Enter second number: "))

 if choice == '1':
 print(f"{num1} + {num2} = {add(num1, num2)}")

 elif choice == '2':
 print(f"{num1} - {num2} = {subtract(num1, num2)}")

 elif choice == '3':
 print(f"{num1} * {num2} = {multiply(num1, num2)}")

 elif choice == '4':
 print(f"{num1} / {num2} = {divide(num1, num2)}")

 else:
 print("Invalid input. Please try again.")

 next_calculation = input("Do you want to perform another calculation? (yes/no): ")
 if next_calculation.lower() != 'yes':
 break
...
```
```

```
Do you want to save this content? (y/n) > y
File 'script.py' created successfully on Desktop!
```


Note and suggestions

- **Check your hardware:** Before downloading an offline AI model, check your hardware to ensure the model runs correctly and to avoid PC freezes or crashes. In particular, check these PC components: CPU, GPU, RAM, VRAM, SSD/HDD. To help you choose the right model for you, we recommend this website:
<https://runthisllm.com/>
- **Use Memory:** MindCLI has built-in memory, meaning you can save permanent information that all models can use. To do this, use these commands:

Memory Management

- **Memory Add** - add a memory for the AI.
- **Memory View** - view all saved memories.
- **Memory Remove** - remove a specific memory.
- **Memory Clear** - clear all memories.

- **Powershell command:** If you are on Windows, you can use the "mindcli" command inside PowerShell to launch it there. This command is useful if you plan to use MindCLI inside an IDE such as VS Code or Antigravity.
- **Start MindCLI on Linux:** To start MindCLI on Linux via terminal, open the download folder in the terminal and enter the command:

```
./mindcli.exe
```



Enjoy MindCLI

<https://lorydima.github.io/MindCLI/>



<https://lorydima.github.io/ldmdevwebsite/>