Endpoints

members

```
id: String
name: String
githubUrl: String
img: String
```

blogs

```
id: String
title: String
contents: [
   id: String
   text: String
   type: String
]
```

Q

Example

```
"members": [
   "id": "64130500xxx",
    "name": "Fname Lname",
   "githubUrl": "xxxxx",
   "igUrl": "xxxxx",
   "img": "xxxxx"
   "id": "64130500xxx",
   "name": "Fname Lname",
   "githubUrl": "xxxxx",
   "igUrl": "xxxxx",
    "img": "xxxxx"
  }
"blogs": [
    "id": "0",
   "title": "Blog's title",
    "contents": [
       "id": 0,
       "text": "What is Blogtopia",
        "type": "header"
        "id": 1,
        "text": "What is Blogtopia",
        "type": "Lorem ipsum dolor sit amet consectetur. Gravida dignissim urna aenean mauris mauris leo quis in. Aliqu
   "id": "1",
    "title": "Blog's title",
    "contents": [
       "id": 0,
        "text": "What is Blogtopia",
        "type": "header"
        "id": 1,
        "text": "What is Blogtopia",
        "type": "Lorem ipsum dolor sit amet consectetur. Gravida dignissim urna aenean mauris mauris leo quis in. Aliqu
```