KainNow: Canteen Pre-Order App


Independent Application Activity – Midterm Culminating Task · Mid-fidelity prototype

A. Problem Identification

System	KainNow, a mobile app for pre-ordering meals from a school canteen.
Target users	College students with short breaks (30-60 minutes) and canteen staff who prepare orders.
Problem	Students line up for a long time, cannot see what is still available, and often get the canteen's menu only by asking or reading a posted board. Paying and waiting happen at the same counter, so the queue stalls.
Why it matters	Students lose break time or skip meals, and rush hours get crowded. A clear ordering flow lets students pick a pickup time and skip the line, which also helps staff plan their prep.

B. User Flow

Task: order a meal and pick it up during break.



Back arrows on every screen let the user return one step. If an item is sold out, the Home screen shows it as unavailable instead of letting the user choose it.

KainNow: Canteen Pre-Order App

Independent Application Activity – Midterm Culminating Task · Mid-fidelity prototype


A. Problem Identification

System	KainNow, a mobile app for pre-ordering meals from a school canteen.
Target users	College students with short breaks (30-60 minutes) and canteen staff who prepare orders.
Problem	Students line up for a long time, cannot see what is still available, and often get the canteen's menu only by asking or reading a posted board. Paying and waiting happen at the same counter, so the queue stalls.
Why it matters	Students lose break time or skip meals, and rush hours get crowded. A clear ordering flow lets students pick a pickup time and skip the line, which also helps staff plan their prep.


C. UI/UX Prototype (5 connected screens)

Everything below is clickable: tap a food card, the quantity buttons, "Add to cart", "Proceed to checkout", and "Place order".


Screen 1 · Home




Screen 2 · Food details




Screen 3 · Cart



Screen 4 · Checkout



Screen 5 · Order confirmed



D. UI/UX Principles Applied

Principle	Where and how it was applied
Visual hierarchy	Screens 1-5: page titles are bold and larger, prices are bold, and the single filled green button is the main action on each screen. Secondary actions such as "Add more food" are outlined only.
Consistency	All screens use the same header, back arrow position, green accent, chip style, and card style. The action "Place order" stays named the same on the checkout button and in the confirmation message.
Clear navigation	A back arrow sits in the top left of Screens 2-4, a bottom bar (Home, Cart, Orders, Profile) appears on Home, and each screen has one obvious next step.
Feedback and system status	Quantity changes update the price on Screens 2-4 immediately, the selected chip is highlighted, sold-out items are greyed with the label "Sold out", and Screen 5 confirms the order with a check mark, order number, and pickup time.
Usability and efficiency	Sensible defaults (regular rice, 12:15 pickup, GCash) mean a student can order in a few taps. Chips and buttons are large enough for thumbs, and the full task takes five screens.

E. Self-Evaluation

Easiest to use: The checkout screen. Pickup time and payment are single-tap chips with defaults already chosen, and the total stays visible, so users do not have to type or guess anything.

What I would improve with more time: The Home screen. I would add a live "available / sold out" badge and the estimated queue time for each canteen, add filters (budget, vegetarian), and test text size and color contrast with real students. I would also design an error state for when a payment fails.

Website Use:

https://www.figma.com/proto/EG0R7W6CIYYTVmo5itElOl/Untitled?node-id=1-228&p=f&t=uoAwQBNoMMpLd9sN-0&scaling=min-zoom&content-scaling=fixed&page-id=0%3A1