

repo_name	file	source	primitives_detected	selected	selection_reason	importance
rustdesk/rustdesk	libs/scraper/src/common/codec.rs	script	arc,mutex	NO	Internal media pipeline logic, no clear cross-thread shared-memory coordination patterns at system level	low
rustdesk/rustdesk	src/client.rs	script, phase2	arc,mutex,rwlock	YES	Multiple shared-state primitives used for client session coordination across threads/high-level runtime components	high
rustdesk/rustdesk	src/rendezvous/mediator.rs	script	arc,mutex,rwlock,atomic	YES	Central coordination layer between clients and servers (high shared-state usage + atomic flags)	high
rustdesk/rustdesk	src/server.rs	script, phase2	arc,mutex,rwlock	YES	Manages server lifecycle and shared runtime state with multi-thread coordination via shared-memory primitives	high
rustdesk/rustdesk	src/ui.rs	script	arc,mutex	NO	UI layer interacting with shared runtime state, concurrency is indirect so not selected	medium
rustdesk/rustdesk	src/client/io_loop.rs	script, phase2	arc,rwlock,atomic	YES	Event loop coordinating I/O with shared state and atomic flags for runtime synchronisation	high
rustdesk/rustdesk	src/platform/linux.rs	script	arc,mutex,atomic	NO	Platform-specific concurrency integration layer, depends on OS	low
rustdesk/rustdesk	src/server/connection.rs	script, phase2	arc,mutex,rwlock,atomic	NO	Shared-session coordination using Arc + locks + atomics across connection handlers. Not selected because per connection concurrency is already represented in server.rs and client.rs, so would be redundant	medium
rustdesk/rustdesk	src/server/display_service.rs	script	arc,mutex,rwlock,atomic	NO	Coordinates screen capture and streaming, concurrent access to shared display resources. Not selected because streaming pipeline pattern already captured in io_loop.rs, this file would only refine the frame level implementation details	medium
rustdesk/rustdesk	src/server/input_service.rs	script	arc,mutex,atomic	NO	Handles input events from multiple sources concurrently, overlaps with display_service, so not chosen because of scope	medium
dani-garcia/vaultwz	src/config.rs	script, phase2	rwlock,atomic	YES	Global configuration state	high
dani-garcia/vaultwz	src/http_client.rs	script, phase2	arc,mutex	YES	Shared HTTP client	medium
dani-garcia/vaultwz	src/main.rs	script, entrypoint	arc	YES	Entry point, lifecycle, spawning, tokio + thread spawn	high
dani-garcia/vaultwz	src/api/icons.rs	script, phase2	arc,rwlock	YES	Example API handler using shared state	medium
dani-garcia/vaultwz	src/api/notifications.rs	script, phase2	arc	NO	Uses Arc but not central, minimal coordination role	low
dani-garcia/vaultwz	src/api/push.rs	script, phase2	rwlock	NO	Limited concurrency relevance, has rwlock but not central	low
dani-garcia/vaultwz	src/db/mod.rs	script, phase2	arc,mutex	YES	Database pool shared across tasks	high
topjohnwu/Magisk	native/src/base/misc.rs	script	arc,atomic	NO	Utility layer, primitives not central to concurrency model	low
topjohnwu/Magisk	native/src/core/daemon.rs	script	mutex,atomic	YES	Central coordination point for concurrent requests and system state transitions	high
topjohnwu/Magisk	native/src/core/logging.rs	script	arc,mutex,atomic	YES	Shared logging infrastructure used across threads/processes	medium
topjohnwu/Magisk	native/src/core/thread.rs	script	mutex,condvar	YES	Thread utilities, defines synchronisation primitives and thread coordination model	high
topjohnwu/Magisk	native/src/core/su/daemon.rs	script	arc,mutex	YES	Handles concurrent privilege requests	high
topjohnwu/Magisk	native/src/core/su/pts.rs	script	atomic	NO	Atomic flag usage only, not super interesting	low
alacritty/alacritty	alacritty/src/event.rs	script, phase2	arc	NO	Event-driven module, runtime message passing and event coordination, very little shared memory	low
alacritty/alacritty	alacritty/src/logging.rs	script	arc,mutex,atomic	YES	Logging with various shared primitives	high
alacritty/alacritty	alacritty/src/polling/ipc.rs	script	arc	NO	Thread communication layer for event and state coordination, only arc so not prioritised	medium
alacritty/alacritty	alacritty/src/renderer/mod.rs	script, phase2	atomic	YES	Uses atomic state updates for shared rendering coordination	high
alacritty/alacritty	alacritty_terminal/src/event.rs	script	arc	NO	Indirect concurrency relevance only	medium

alacrity/alacrity	alacrity_terminal/src/event_loop.rs	script	arc	YES	Event loop coordinating UI and I/O threads via shared state	high
alacrity/alacrity	alacrity_terminal/src/sync.rs	script	mutex	YES	Synchronisation primitives used for cross-thread coordination	high
alacrity/alacrity	alacrity_terminal/src/tty/mod.rs	script, phase2	arc	NO	No core coordination logic	low
alacrity/alacrity	alacrity_terminal/src/tty/unix.rs	script, phase2	arc	NO	few shared memroy	low
alacrity/alacrity	alacrity_terminal/src/tty/window.rs	script	arc,mutex,atomic	YES	Various primitives used	high
helix-editor/helix	helix-dap/src/client.rs	script	atomic	NO	Atomic usage only, not enough shared-memory coordination	low
helix-editor/helix	helix-dap/src/transport.rs	script	arc,mutex	YES	Handles async communication and shared state coordination	high
helix-editor/helix	helix-event/src/redraw.rs	script	rwlock	YES	Redraw coordination layer using shared state synchronisation	high
helix-editor/helix	helix-event/src/registry.rs	script	rwlock	YES	Event registry using shared-state synchronisation for runtime coordination	high
helix-editor/helix	helix-event/src/runtime.rs	script	rwlock	YES	Event runtime managing shared state coordination across editor components	high
helix-editor/helix	helix-term/src/application.rs	script, phase2	arc	YES	Application using async runtime and shared state	high
helix-editor/helix	helix-term/src/handlers/auto_save.rs	script	arc,atomic	NO	Limited shared-memory coordination role	medium
helix-editor/helix	helix-term/src/ui/picker.rs	script	arc,atomic	NO	Local concurrency usage but not core shared-state coordination	medium
helix-editor/helix	helix-view/src/document.rs	script, phase2	arc,mutex	YES	Document state shared across editor subsystems with mutation	high
helix-editor/helix	helix-view/src/handlers/diagnostics.rs	script, phase2	arc,atomic	NO	Uses shared state but not central to concurrency architecture	medium
farion1231/cc-swift	src-tauri/src/lib.rs	script, phase2	arc,rwlock	YES	Central runtime. Contains async task spawning, state management, event coordination, background workers	high
farion1231/cc-swift	src-tauri/src/store.rs	script	arc	NO	Shared application state container (AppState). Not chosen because file is really short	low
farion1231/cc-swift	src-tauri/src/tray.rs	script, phase2	mutex,atomic	NO	Tray coordination and UI event handling, notification updates, and synchronisation between background tasks and frontend interactions	medium
farion1231/cc-swift	src-tauri/src/commands/webdav.rs	script, phase2	arc,mutex,atomic	YES	async tasks, shared ownership, mutex-protected mutable sync	high
farion1231/cc-swift	src-tauri/src/proxy/circuit_breaker.rs	script, phase2	arc,rwlock,atomic	YES	state, atomic flags for lifecycle in WebDAV syncing workflows	high
farion1231/cc-swift	src-tauri/src/proxy/response_proxy.rs	script, phase2	arc,mutex,rwlock,atomic	YES	Fault-tolerance, connection coordination layer, concurrent routing	high
farion1231/cc-swift	src-tauri/src/proxy/server.rs	script, phase2	arc,rwlock	YES	Response processing, shared-state coordination layer, runtime	high
farion1231/cc-swift	src-tauri/src/proxy/switch_lock.rs	script, phase2	arc,mutex,rwlock	NO	state updates, and synchronisation across async workflows	high
farion1231/cc-swift	src-tauri/src/services/webdav_auth.rs	script, phase2	arc,atomic	YES	Proxy runtime coordination, shared configuration management	high
sharkdp/fd	src/config.rs	script	arc	NO	Coordination layer for provider switching and synchronised state transitions, overlaps with other proxy files, so not chosen	low
sharkdp/fd	src/main.rs	script, phase2	arc	YES	because this one seems less important	low
sharkdp/fd	src/main.rs	script, phase2	arc	YES	Background worker coordination for periodic automatic synchronisation. Uses atomics for lightweight lifecycle signalling and Arc for shared access across async/background execution contexts.	medium
sharkdp/fd	src/main.rs	script, phase2	arc	YES	Not much happens here so not chosen	low
sharkdp/fd	src/main.rs	script, phase2	arc	YES	Constructs Config, parses CLI, and passes control into walk::scan. Defines thread count and execution	high

sharkdp/fd	src/walk.rs	script, phase2	arc,mutex,atomic	YES	Traversal and execution, contains Arc, Mutex, and Atomic -> concurrency coordination, this is where thread behavior is actually implemented	high
nushell/nushell	crates/nu-cli/src/eval_cmds.rs	script	arc	NO	command execution path using shared engine state, overlaps with eval.rs	medium
nushell/nushell	crates/nu-cli/src/repl.rs	script	arc	NO	Coordinates execution + state sharing, important for interaction flow, but more indirect concurrency usage	medium
nushell/nushell	crates/nu-command/src/network	script	arc,rwlock	YES	Represents I/O-bound networking behavior with shared client state and reader/writer synchronisation patterns.	high
nushell/nushell	crates/nu-engine/src/eval.rs	script	arc	NO	execution/evaluation component of Nushell. Represents the repository's dominant shared-ownership style, overlaps with other files so not needed	medium
nushell/nushell	crates/nu-parser/src/parser.rs	script	arc	NO	Parsing is usually mostly sequential, it only uses Arc and the file has over 7000 lines-> limited insight into concurrency implementation	low
nushell/nushell	crates/nu-plugin-core/src/interface	script	arc,mutex,condvar	YES	Explicit thread synchronisation in plugin streaming infrastructure	high
nushell/nushell	crates/nu-protocol/src/engine/engine	script	arc,mutex,atomic	YES	Shared runtime state for the shell engine, highly representative of system wide concurrency coordination and state management.	high
nushell/nushell	crates/nu-protocol/src/engine/job	script	arc,mutex	NO	Relevant for job management, but partially overlaps with coordination patterns already covered by engine_state.rs and pipeline/handlers.rs.	medium
nushell/nushell	crates/nu-protocol/src/pipeline/handler	script	arc,mutex,atomic	YES	Concurrent pipeline execution and mixed workload coordination	high
nushell/nushell	crates/nu-utils/src/sync/keyed_lock	script	arc,rwlock,atomic,barrier	YES	Lot of synchronisation, lazy initialisation, coordination barriers, and multiple primitive interaction patterns	high
nushell/nushell	src/main.rs	script	arc	NO	Concurrency logic is mostly delegated to subsystem modules	low
lapce/lapce	lapce-app/src/app.rs	script	arc,atomic	NO	Important UI coordination, but less representative of concurrency behaviour	medium
lapce/lapce	lapce-app/src/config.rs	script	arc,rwlock	NO	Mainly configuration/state access, useful but other files seem like better options	medium
lapce/lapce	lapce-app/src/db.rs	script	arc	NO	Limited concurrency, mostly persistence utility layer	low
lapce/lapce	lapce-app/src/doc.rs	script, phase2	arc,atomic	NO	editor for document logic, lot of ui and editor coordination -> likely doesn't contain much meaningful architecture. The file's is quite large, so other files will be better	medium
lapce/lapce	lapce-app/src/editor_tab.rs	script, phase2	arc	YES	Architecturally important	high
lapce/lapce	lapce-app/src/plugin.rs	script	arc,atomic	YES	Coordinates plugin subsystem and background integration work	high
lapce/lapce	lapce-app/src/file_explorer/data	script	arc	NO	Primarily UI state handling with limited concurrency diversity	low
lapce/lapce	lapce-app/src/terminal/view.rs	script	arc,rwlock	NO	Less central than backend terminal coordination	medium
lapce/lapce	lapce-proxy/src/dispatch.rs	script	arc,mutex,atomic	YES	Backend dispatch/event-routing, connecting frontend, plugins, terminal	high
lapce/lapce	lapce-proxy/src/terminal.rs	script	arc	NO	Useful example but overlaps with stronger dispatch concurrency cases	medium
lapce/lapce	lapce-proxy/src/watcher.rs	script	arc,mutex	NO	Less representative of overall architecture	medium
lapce/lapce	lapce-proxy/src/plugin/dap.rs	script	arc,mutex,atomic	NO	Debug adapter protocol integration with synchronization and background communication patterns. Useful but might overlap with lsp too much	medium
lapce/lapce	lapce-proxy/src/plugin/lsp.rs	script	arc,mutex	YES	Language server coordination, representative I/O-bound concurrency	high

