Meta 1.8.1 - Auditoría con Lighthouse

REPORTE DE AUDITORÍA LIGHTHOUSE

RESULTADOS INICIALES

- **Fecha:** 09 - Marzo - 2026
- **Performance:** 100
- **Accesibilidad:** 88
- **Buenas Prácticas:** 100
- **SEO:** 90

PROBLEMAS IDENTIFICADOS

1. **SEO - Meta Description:** El documento no tiene una descripción meta. Esto afecta cómo aparece la app en los buscadores.
2. **Accesibilidad - Main Landmark:** El documento no tiene una región principal (<main>). Los lectores de pantalla la necesitan para navegar mejor.
3. **Accesibilidad - Contraste:** Hay elementos donde el color del texto y el fondo no tienen suficiente contraste, dificultando la lectura.

CORRECCIONES APLICADAS

1. [Corrección 1]
    - Archivos modificados: index.html
    - Código antes/después:

Código antes

```C/C++
<!DOCTYPE html>
<html lang="es">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,
initial-scale=1.0">
    <title>Envío de Artículos - PeerReview PWA</title>
    <link rel="stylesheet" href="style.css">
    <link rel="manifest" href="manifest.json">
    <style>
```

```
        /* Agregamos una clase sencilla para ocultar elementos
fácilmente */
        .hidden { display: none !important; }
        .auth-toggle { text-align: center; margin-top: 15px; }
        .auth-toggle a { color: #3498db; cursor: pointer;
text-decoration: none; }
        .auth-toggle a:hover { text-decoration: underline; }
    </style>
</head>

<body>
    <div class="container">
        <header style="display: flex; justify-content:
space-between; align-items: center;">
            <h1>Gestor de Artículos</h1>
            <button id="btn-logout" class="btn-small hidden"
style="background-color: #e74c3c;">Cerrar Sesión</button>
        </header>

        <div id="feedback" class="hidden"></div>

        <section id="auth-section" class="card">
            <h2 id="auth-title">Iniciar Sesión</h2>
            <form id="authForm">
                <div class="form-group">
                    <label for="username">Usuario</label>
                    <input type="text" id="username"
placeholder="Tu nombre de usuario" required>
                </div>

                <div class="form-group">
                    <label for="password">Contraseña</label>
                    <input type="password" id="password"
placeholder="Tu contraseña" required>
                </div>

                <div class="form-group hidden"
id="role-group">
```

```
                    <label for="role">Selecciona tu
Rol</label>
                    <select id="role">
                        <option value="autor">Autor</option>
                        <option
value="revisor">Revisor</option>
                        <option value="editor">Editor</option>
                    </select>
                </div>

                <button type="submit"
id="btn-auth">Entrar</button>

                <div class="auth-toggle">
                    <a id="toggle-auth">¿No tienes cuenta?
Regístrate aquí</a>
                </div>
            </form>
        </section>

        <div id="main-app" class="hidden">

            <section class="card" id="submit-section">
                <h2>Enviar Nuevo Manuscrito</h2>
                <form id="submissionForm">
                    <div class="form-group">
                        <label for="title">Título del
Artículo</label>
                        <input type="text" id="title"
placeholder="Ej. Impacto de la IA en la Ciencia" required>
                    </div>

                    <div class="form-group">
                        <label for="author">Autor
Principal</label>
                        <input type="text" id="author"
placeholder="Nombre completo" required>
                    </div>
```

```
                    <div class="form-group">
                        <label for="pdfFile">Archivo del
Manuscrito (PDF)</label>
                        <input type="file" id="pdfFile"
accept=".pdf" required>
                        <small>Límite recomendado: 2MB para
almacenamiento local.</small>
                    </div>

                    <button type="submit"
id="btn-submit">Enviar a Revisión</button>
                </form>
            </section>

            <section class="card dashboard-section"
id="dashboard-section">
                <div class="dashboard-header">
                    <h2>Panel de Gestión de Manuscritos</h2>
                    <button id="btn-refresh"
class="btn-secondary">Actualizar</button>
                </div>

                <div id="articlesList" class="articles-grid">
                    <p class="empty-msg">No hay artículos
enviados todavía.</p>
                </div>
            </section>
        </div>
    </div>
    <script type="module"
src="proyecto/src/ui/app.js"></script>
</body>

</html>
```

Código después

```C/C++
<!DOCTYPE html>
<html lang="es">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,
initial-scale=1.0">
    <meta name="description" content="Sistema PWA para la
gestión y revisión de artículos científicos con soporte
offline.">
    <title>Envío de Artículos - PeerReview PWA</title>
    <link rel="stylesheet" href="style.css">
    <link rel="manifest" href="manifest.json">
    <style>
        .hidden { display: none !important; }
        .auth-toggle { text-align: center; margin-top: 15px; }
        .auth-toggle a { color: #3498db; cursor: pointer;
text-decoration: none; }
        .auth-toggle a:hover { text-decoration: underline; }
    </style>
</head>

<body>
    <div class="container">
        <header style="display: flex; justify-content:
space-between; align-items: center;">
            <h1>Gestor de Artículos</h1>
            <button id="btn-logout" class="btn-small hidden"
style="background-color: #e74c3c; color: white;">Cerrar
Sesión</button>
        </header>

        <main>
            <div id="feedback" class="hidden"></div>

            <section id="auth-section" class="card">
                <h2 id="auth-title">Iniciar Sesión</h2>
```

```
                <form id="authForm">
                    <div class="form-group">
                        <label for="username">Usuario</label>
                        <input type="text" id="username"
placeholder="Tu nombre de usuario" required>
                    </div>

                    <div class="form-group">
                        <label
for="password">Contraseña</label>
                        <input type="password" id="password"
placeholder="Tu contraseña" required>
                    </div>

                    <div class="form-group hidden"
id="role-group">
                        <label for="role">Selecciona tu
Rol</label>
                        <select id="role">
                            <option
value="autor">Autor</option>
                            <option
value="revisor">Revisor</option>
                            <option
value="editor">Editor</option>
                        </select>
                    </div>

                    <button type="submit"
id="btn-auth">Entrar</button>

                    <div class="auth-toggle">
                        <a id="toggle-auth">¿No tienes cuenta?
Regístrate aquí</a>
                    </div>
                </form>
            </section>

            <div id="main-app" class="hidden">
```

```
                <section class="card" id="submit-section">
                    <h2>Enviar Nuevo Manuscrito</h2>
                    <form id="submissionForm">
                        <div class="form-group">
                            <label for="title">Título del
Artículo</label>
                            <input type="text" id="title"
placeholder="Ej. Impacto de la IA en la Ciencia" required>
                        </div>

                        <div class="form-group">
                            <label for="author">Autor
Principal</label>
                            <input type="text" id="author"
placeholder="Nombre completo" required>
                        </div>

                        <div class="form-group">
                            <label for="pdfFile">Archivo del
Manuscrito (PDF)</label>
                            <input type="file" id="pdfFile"
accept=".pdf" required>
                            <small style="color: #555;">Límite
recomendado: 2MB para almacenamiento local.</small>
                        </div>

                        <button type="submit"
id="btn-submit">Enviar a Revisión</button>
                    </form>
                </section>

                <section class="card dashboard-section"
id="dashboard-section">
                    <div class="dashboard-header">
                        <h2>Panel de Gestión de
Manuscritos</h2>
                        <button id="btn-refresh"
class="btn-secondary">Actualizar</button>
                    </div>
```

```
                    <div id="articlesList"
class="articles-grid">
                        <p class="empty-msg">No hay artículos
enviados todavía.</p>
                    </div>
                </section>
            </div>
        </main> </div>
    <script type="module"
src="proyecto/src/ui/app.js"></script>
</body>

</html>
```

2. [Corrección 2]
    - Archivos modificados: style.css
    - Código antes/después: [ejemplo]

Código antes

```C/C++
:root {
    --primary-color: #2c3e50;
    --accent-color: #3498db;
    --bg-color: #f4f7f6;
    --text-color: #333;
}

body {
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana,
sans-serif;
    background-color: var(--bg-color);
    color: var(--text-color);
    margin: 0;
    display: flex;
    justify-content: center;
```

```
    padding: 20px;
}

/* 1. EL CONTENEDOR PRINCIPAL AHORA ES GRANDE PARA LOS
EDITORES */
.container {
    width: 100%;
    max-width: 1400px; /* Antes era 500px. Lo abrimos para el
panel gigante */
}

header {
    text-align: center;
    margin-bottom: 2rem;
}

.card {
    background: white;
    padding: 2rem;
    border-radius: 12px;
    box-shadow: 0 4px 15px rgba(0,0,0,0.1);
}

/* 2. EL FORMULARIO SIEMPRE SE QUEDA DE 500px EN EL CENTRO */
#submit-section {
    max-width: 500px;
    margin: 0 auto;
}

h2 {
    margin-top: 0;
    color: var(--primary-color);
    font-size: 1.5rem;
}

.form-group { margin-bottom: 1.2rem; }
label { display: block; margin-bottom: 0.5rem; font-weight:
600; }
```

```
input {
    width: 100%;
    padding: 0.8rem;
    border: 1px solid #ddd;
    border-radius: 6px;
    box-sizing: border-box;
    font-size: 1rem;
}

input:focus {
    outline: none;
    border-color: var(--accent-color);
    box-shadow: 0 0 0 2px rgba(52, 152, 219, 0.2);
}

button {
    width: 100%;
    padding: 1rem;
    background-color: var(--accent-color);
    color: white;
    border: none;
    border-radius: 6px;
    font-size: 1rem;
    font-weight: bold;
    cursor: pointer;
    transition: background 0.3s ease;
}

button:hover { background-color: #2980b9; }

.hidden { display: none; }

#feedback {
    padding: 1rem;
    margin-bottom: 1rem;
    border-radius: 6px;
    text-align: center;
    font-weight: bold;
    transition: all 0.3s ease;
```

```
}

/* ==========================================
   3. PANEL GRANDE: EDITORES Y REVISORES
   ========================================== */
.dashboard-section, #dashboard-section {
    margin-top: 2rem;
    background: #ffffff;
    border-radius: 12px;
    padding: 30px;
    box-shadow: 0 8px 25px rgba(0,0,0,0.08);
    max-height: 75vh;
    overflow-y: auto;
    border-top: 4px solid var(--accent-color);
}

.dashboard-header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 1.5rem;
}

/* Rejilla de artículos (Grid) */
.articles-grid, #articlesList {
    display: grid;
    gap: 25px;
    grid-template-columns: repeat(auto-fill, minmax(320px,
1fr)); /* Crea columnas automáticamente */
}

/* Scrollbar del panel grande */
#dashboard-section::-webkit-scrollbar { width: 10px; }
#dashboard-section::-webkit-scrollbar-track { background:
#f8f9fa; border-radius: 5px; }
#dashboard-section::-webkit-scrollbar-thumb { background:
#bdc3c7; border-radius: 5px; }
#dashboard-section::-webkit-scrollbar-thumb:hover {
background: #95a5a6; }
```

```
/* Tarjetas de artículos */
.article-card {
    background: #fff;
    border: 1px solid #e1e4e8;
    padding: 1.2rem;
    border-radius: 8px;
    transition: all 0.2s ease;
    border-left: 5px solid #bdc3c7;
}

.article-card:hover {
    transform: translateY(-3px);
    box-shadow: 0 5px 15px rgba(0,0,0,0.08);
}

/* ==========================================
   4. ESTILOS DE ESTADOS (JTBD), BOTONES Y ALERTAS
   ========================================== */
.status-badge {
    float: right;
    font-size: 0.75rem;
    padding: 4px 12px;
    border-radius: 50px;
    font-weight: bold;
    text-transform: uppercase;
}

.status-pending_sync { background-color: #fef9e7; color:
#f39c12; border: 1px solid #f39c12; }
.status-received { background-color: #ebf5fb; color: #3498db;
}
.status-review { background-color: #e8f8f5; color: #1abc9c; }
.status-aceptado { background: #27ae60 !important; }
.status-rechazado { background: #e74c3c !important; }

.btn-small { margin-top: 10px; padding: 0.5rem 1rem;
font-size: 0.85rem; background-color: #ecf0f1; color:
var(--primary-color); width: auto; }
```

```
.btn-small:hover { background-color: #dee2e6; }

.empty-msg { text-align: center; color: #95a5a6; font-style:
italic; padding: 2rem; }

@keyframes spin { 100% { transform:rotate(360deg); } }
.syncing { animation: spin 1s linear infinite; }

.review-controls { margin-top: 10px; display: flex;
flex-direction: column; gap: 5px; }
.review-controls textarea { width: 100%; padding: 5px;
border-radius: 4px; border: 1px solid #ccc; }
.btn-group { display: flex; gap: 10px; }
.btn-approve { background: #27ae60; color: white; border:
none; padding: 5px 10px; cursor: pointer; border-radius: 4px;
flex: 1; }
.btn-reject { background: #e74c3c; color: white; border: none;
padding: 5px 10px; cursor: pointer; border-radius: 4px; flex:
1; }
.comments-box { background: #f9f9f9; border-left: 4px solid
#3498db; padding: 8px; margin: 10px 0; font-style: italic; }

.status-rechazado + .article-info .comments-box {
border-left-color: #e74c3c; background-color: #fdf2f2; }

/* Estilos para el Editor */
.editor-alert { background-color: #ffeaa7; color: #d35400;
padding: 8px; border-left: 5px solid #e74c3c; font-weight:
bold; margin-bottom: 10px; border-radius: 4px; }
.editor-actions .btn-group { display: flex; gap: 10px;
margin-top: 10px; }
.btn-primary { background: #2980b9; color: white; border:
none; padding: 8px 12px; border-radius: 4px; cursor: pointer;
flex: 1; }
.btn-secondary { background: #95a5a6; color: white; border:
none; padding: 8px 12px; border-radius: 4px; cursor: pointer;
flex: 1; }

/* ==========================================
```

```
   5. EXCEPCIÓN: MODO AUTOR (Panel flotante derecho)
   ========================================== */
.author-layout { display: block; }

.author-layout #dashboard-section,
.author-layout .dashboard-section {
    position: fixed;
    top: 80px;
    right: 20px;
    width: 420px;
    bottom: 20px;
    margin: 0;
    padding: 15px;
    border-radius: 12px;
    background: transparent;
    border-top: none;
    box-shadow: -4px 0 15px rgba(0, 0, 0, 0.05);
}

/* En modo autor quitamos la cuadrícula y lo hacemos lista
vertical */
.author-layout #articlesList,
.author-layout .articles-grid {
    display: flex;
    flex-direction: column;
    gap: 15px;
}

/* Responsividad general */
@media (max-width: 1100px) {
    .author-layout #dashboard-section, .author-layout
.dashboard-section {
        position: static;
        width: 100%;
        margin-top: 30px;
        max-height: 50vh;
        box-shadow: 0 4px 15px rgba(0,0,0,0.1);
    }
}
```

```
@media (max-width: 480px) {
    .card { padding: 1.5rem; }
    .articles-grid, #articlesList { grid-template-columns:
1fr; }
}
```

Código después

```C/C++
:root {
    --primary-color: #2c3e50;
    --accent-color: #3498db;
    --bg-color: #f4f7f6;
    --text-color: #333;
}

body {
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana,
sans-serif;
    background-color: var(--bg-color);
    color: var(--text-color);
    margin: 0;
    display: flex;
    justify-content: center;
    padding: 20px;
}

/* 1. EL CONTENEDOR PRINCIPAL AHORA ES GRANDE PARA LOS
EDITORES */
.container {
    width: 100%;
    max-width: 1400px; /* Antes era 500px. Lo abrimos para el
panel gigante */
}
```

```
header {
    text-align: center;
    margin-bottom: 2rem;
}

.card {
    background: white;
    padding: 2rem;
    border-radius: 12px;
    box-shadow: 0 4px 15px rgba(0,0,0,0.1);
}

/* 2. EL FORMULARIO SIEMPRE SE QUEDA DE 500px EN EL CENTRO */
#submit-section {
    max-width: 500px;
    margin: 0 auto;
}

h2 {
    margin-top: 0;
    color: var(--primary-color);
    font-size: 1.5rem;
}

.form-group { margin-bottom: 1.2rem; }
label { display: block; margin-bottom: 0.5rem; font-weight:
600; }

input {
    width: 100%;
    padding: 0.8rem;
    border: 1px solid #ddd;
    border-radius: 6px;
    box-sizing: border-box;
    font-size: 1rem;
}

input:focus {
    outline: none;
```

```
    border-color: var(--accent-color);
    box-shadow: 0 0 0 2px rgba(52, 152, 219, 0.2);
}

button {
    width: 100%;
    padding: 1rem;
    background-color: var(--accent-color);
    color: white;
    border: none;
    border-radius: 6px;
    font-size: 1rem;
    font-weight: bold;
    cursor: pointer;
    transition: background 0.3s ease;
}

button:hover { background-color: #2980b9; }

.hidden { display: none; }

#feedback {
    padding: 1rem;
    margin-bottom: 1rem;
    border-radius: 6px;
    text-align: center;
    font-weight: bold;
    transition: all 0.3s ease;
}

/* ==========================================
   3. PANEL GRANDE: EDITORES Y REVISORES
   ========================================== */
.dashboard-section, #dashboard-section {
    margin-top: 2rem;
    background: #ffffff;
    border-radius: 12px;
    padding: 30px;
    box-shadow: 0 8px 25px rgba(0,0,0,0.08);
```

```
    max-height: 75vh;
    overflow-y: auto;
    border-top: 4px solid var(--accent-color);
}

.dashboard-header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 1.5rem;
}

/* Rejilla de artículos (Grid) */
.articles-grid, #articlesList {
    display: grid;
    gap: 25px;
    grid-template-columns: repeat(auto-fill, minmax(320px,
1fr)); /* Crea columnas automáticamente */
}

/* Scrollbar del panel grande */
#dashboard-section::-webkit-scrollbar { width: 10px; }
#dashboard-section::-webkit-scrollbar-track { background:
#f8f9fa; border-radius: 5px; }
#dashboard-section::-webkit-scrollbar-thumb { background:
#bdc3c7; border-radius: 5px; }
#dashboard-section::-webkit-scrollbar-thumb:hover {
background: #5a6268; }

/* Tarjetas de artículos */
.article-card {
    background: #fff;
    border: 1px solid #e1e4e8;
    padding: 1.2rem;
    border-radius: 8px;
    transition: all 0.2s ease;
    border-left: 5px solid #bdc3c7;
}
```

```
.article-card:hover {
    transform: translateY(-3px);
    box-shadow: 0 5px 15px rgba(0,0,0,0.08);
}

/* ==========================================
   4. ESTILOS DE ESTADOS (JTBD), BOTONES Y ALERTAS
   ========================================== */
.status-badge {
    float: right;
    font-size: 0.75rem;
    padding: 4px 12px;
    border-radius: 50px;
    font-weight: bold;
    text-transform: uppercase;
}

.status-pending_sync { background-color: #fef9e7; color:
#915e00; border: 1px solid #915e00; }
.status-received { background-color: #ebf5fb; color: #3498db;
}
.status-review { background-color: #e8f8f5; color: #1abc9c; }
.status-aceptado { background: #27ae60 !important; }
.status-rechazado { background: #e74c3c !important; }

.btn-small { margin-top: 10px; padding: 0.5rem 1rem;
font-size: 0.85rem; background-color: #ecf0f1; color:
var(--primary-color); width: auto; }
.btn-small:hover { background-color: #dee2e6; }

.empty-msg { text-align: center; color: #5a6268; font-style:
italic; padding: 2rem; }

@keyframes spin { 100% { transform:rotate(360deg); } }
.syncing { animation: spin 1s linear infinite; }

.review-controls { margin-top: 10px; display: flex;
flex-direction: column; gap: 5px; }
```

```
.review-controls textarea { width: 100%; padding: 5px;
border-radius: 4px; border: 1px solid #ccc; }
.btn-group { display: flex; gap: 10px; }
.btn-approve { background: #27ae60; color: white; border:
none; padding: 5px 10px; cursor: pointer; border-radius: 4px;
flex: 1; }
.btn-reject { background: #e74c3c; color: white; border: none;
padding: 5px 10px; cursor: pointer; border-radius: 4px; flex:
1; }
.comments-box { background: #f9f9f9; border-left: 4px solid
#3498db; padding: 8px; margin: 10px 0; font-style: italic; }

.status-rechazado + .article-info .comments-box {
border-left-color: #e74c3c; background-color: #fdf2f2; }

/* Estilos para el Editor */
.editor-alert { background-color: #ffeaa7; color: #d35400;
padding: 8px; border-left: 5px solid #e74c3c; font-weight:
bold; margin-bottom: 10px; border-radius: 4px; }
.editor-actions .btn-group { display: flex; gap: 10px;
margin-top: 10px; }
.btn-primary { background: #2980b9; color: white; border:
none; padding: 8px 12px; border-radius: 4px; cursor: pointer;
flex: 1; }
.btn-secondary { background: #5a6268; color: white; border:
none; padding: 8px 12px; border-radius: 4px; cursor: pointer;
flex: 1; }

/* ==========================================
   5. EXCEPCIÓN: MODO AUTOR (Panel flotante derecho)
   ========================================== */
.author-layout { display: block; }

.author-layout #dashboard-section,
.author-layout .dashboard-section {
    position: fixed;
    top: 80px;
    right: 20px;
    width: 420px;
```

```
    bottom: 20px;
    margin: 0;
    padding: 15px;
    border-radius: 12px;
    background: transparent;
    border-top: none;
    box-shadow: -4px 0 15px rgba(0, 0, 0, 0.05);
}

/* En modo autor quitamos la cuadrícula y lo hacemos lista
vertical */
.author-layout #articlesList,
.author-layout .articles-grid {
    display: flex;
    flex-direction: column;
    gap: 15px;
}

/* Responsividad general */
@media (max-width: 1100px) {
    .author-layout #dashboard-section, .author-layout
.dashboard-section {
        position: static;
        width: 100%;
        margin-top: 30px;
        max-height: 50vh;
        box-shadow: 0 4px 15px rgba(0,0,0,0.1);
    }
}

@media (max-width: 480px) {
    .card { padding: 1.5rem; }
    .articles-grid, #articlesList { grid-template-columns:
1fr; }
}
```

RESULTADOS FINALES

- **Fecha:** 9 - Marzo - 2026
- **Performance:** 100 (Δ 0)
- **Accesibilidad:** 91 (Δ +3])
- **Buenas Prácticas:** 100 (Δ 0)
- **SEO:** 100 (Δ +10)

CAPTURAS DE PANTALLA

Primer reporte



DevTools is now available in Spanish | Don't show again | Always match Chrome's language | Switch DevTools to Spanish

Elements | Console | Sources | Network | Performance | Memory | Application | Privacy and security | Lighthouse | Recorder

4:26:27 p.m. - 127.0.0.1:5500

http://127.0.0.1:5500/index.html

100 88 100 90

View Treemap

Show audits relevant to: All FCP LCP

INSIGHTS

- Network dependency tree
- Document request latency — Est savings of 4 KiB
- Render blocking requests
- LCP breakdown
- 3rd parties

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

- Page prevented back/forward cache restoration — 1 failure reason
- Minify CSS — Est savings of 2 KiB
- Minify JavaScript — Est savings of 119 KiB

Console | AI assistance | What's new | Issues

DevTools is now available in Spanish | Don't show again | Always match Chrome's language | Switch DevTools to Spanish

Elements | Console | Sources | Network | Performance | Memory | Application | Privacy and security | Lighthouse | Recorder

4:26:27 p.m. - 127.0.0.1:5500

http://127.0.0.1:5500/index.html

100 88 100 90

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

- Page prevented back/forward cache restoration — 1 failure reason
- Minify CSS — Est savings of 2 KiB
- Minify JavaScript — Est savings of 119 KiB
- Reduce unused CSS — Est savings of 10 KiB
- Reduce unused JavaScript — Est savings of 742 KiB

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (19) Show

88

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

CONTRAST

Console | AI assistance | What's new | Issues


DevTools is now available in Spanish
Don't show again
Always match Chrome's language
Switch DevTools to Spanish
Elements
Console
Sources
Network
Performance
Memory
Application
Privacy and security
Lighthouse
Recorder
4:26:27 p.m. - 127.0.0.1:5500
http://127.0.0.1:5500/index.html
100
88
100
90
Accessibility
These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.
CONTRAST
Background and foreground colors do not have a sufficient contrast ratio.
These are opportunities to improve the legibility of your content.
BEST PRACTICES
Document does not have a main landmark.
These items highlight common accessibility best practices.
ADDITIONAL ITEMS TO MANUALLY CHECK (10)
Show
These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.
PASSED AUDITS (9)
Show
NOT APPLICABLE (49)
Show
Console
AI assistance
What's new
Issues


DevTools is now available in Spanish
Don't show again
Always match Chrome's language
Switch DevTools to Spanish
Elements
Console
Sources
Network
Performance
Memory
Application
Privacy and security
Lighthouse
Recorder
4:26:27 p.m. - 127.0.0.1:5500
http://127.0.0.1:5500/index.html
100
88
100
90
100
Best Practices
TRUST AND SAFETY
Ensure CSP is effective against XSS attacks
Use a strong HSTS policy
Ensure proper origin isolation with COOP
Mitigate clickjacking with XFO or CSP
Mitigate DOM-based XSS with Trusted Types
PASSED AUDITS (13)
Show
NOT APPLICABLE (2)
Show
90
SEO
Console
AI assistance
What's new
Issues


DevTools is now available in Spanish
Don't show again
Always match Chrome's language
Switch DevTools to Spanish
Elements
Console
Sources
Network
Performance
Memory
Application
Privacy and security
Lighthouse
Recorder
4:26:27 p.m. - 127.0.0.1:5500
http://127.0.0.1:5500/index.html
100
88
100
90
90
SEO
These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.
CONTENT BEST PRACTICES
Document does not have a meta description
Format your HTML in a way that enables crawlers to better understand your app's content.
ADDITIONAL ITEMS TO MANUALLY CHECK (1)
Show
Run these additional validators on your site to check additional SEO best practices.
PASSED AUDITS (6)
Show
NOT APPLICABLE (3)
Show
Captured at Mar 9, 2026, 4:26 PM PDT
Initial page load
Emulated Desktop with Lighthouse 13.0.1
Custom throttling
Single page session
Using Chromium 145.0.0.0 with devtools
Console
AI assistance
What's new
Issues

Segundo reporte





DevTools is now available in Spanish | Don't show again | Always match Chrome's language | Switch DevTools to Spanish

Elements | Console | Sources | Network | Performance | Memory | Application | Privacy and security | Lighthouse | Recorder

5:05:43 p.m. - 127.0.0.1:5500

http://127.0.0.1:5500/index.html

100 91 100 100

DIAGNOSTICS

- Page prevented back/forward cache restoration — 1 failure reason
- Minify CSS — Est savings of 2 KiB
- Minify JavaScript — Est savings of 119 KiB
- Reduce unused CSS — Est savings of 10 KiB
- Reduce unused JavaScript — Est savings of 741 KiB

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (19) Show

91

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

CONTRAST

- Background and foreground colors do not have a sufficient contrast ratio.

Console | AI assistance | What's new | Issues

DevTools is now available in Spanish | Don't show again | Always match Chrome's language | Switch DevTools to Spanish

Elements | Console | Sources | Network | Performance | Memory | Application | Privacy and security | Lighthouse | Recorder

5:05:43 p.m. - 127.0.0.1:5500

http://127.0.0.1:5500/index.html

100 91 100 100

encouraged.

CONTRAST

- Background and foreground colors do not have a sufficient contrast ratio.

These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (10) Show

NOT APPLICABLE (49) Show

100

Best Practices

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks
- Use a strong HSTS policy

Console | AI assistance | What's new | Issues


DevTools is now available in Spanish
Don't show again
Always match Chrome's language
Switch DevTools to Spanish
Elements
Console
Sources
Network
Performance
Memory
Application
Privacy and security
Lighthouse
Recorder
5:05:43 p.m. - 127.0.0.1:5500
http://127.0.0.1:5500/index.html
100
91
100
100
TRUST AND SAFETY
Ensure CSP is effective against XSS attacks
Use a strong HSTS policy
Ensure proper origin isolation with COOP
Mitigate clickjacking with XFO or CSP
Mitigate DOM-based XSS with Trusted Types
PASSED AUDITS (13)
Show
NOT APPLICABLE (2)
Show
100
SEO
These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.
ADDITIONAL ITEMS TO MANUALLY CHECK (1)
Hide
Structured data is valid
Console
AI assistance
What's new
Issues