
AegisWeb

Public Demo & Seed Data Guide

A practical walkthrough for testers exploring the
preloaded **Northstar Labs** workspace

Demo dashboard

<http://80.240.27.4>

Shared password for all demo users:

Password123!

Guide PDF mirror: <http://80.240.27.4/guide.pdf>

This environment is intended for evaluation and demos.
Do not store real production credentials in the shared seed workspace.

Contents

1	What is AegisWeb?	1
2	Quick access	1
2.1	Demo URLs	1
2.2	Demo accounts	1
3	Core concepts (2-minute glossary)	2
4	Tour of the sidebar	2
5	What the seed already contains	3
5.1	Agents	3
5.2	Vendors & workflows	3
5.3	Historical evidence	3
6	Scenario A — Flagship approval path (recommended)	4
7	Scenario B — Invoice download (no approval)	4
8	Scenario C — Explore seeded history (no new runs)	5
9	Scenario D — Billing checkout (optional)	5
10	Scenario E — MFA / step-up (optional)	5
11	Role cheat-sheet	6
12	Reading run states	6
13	Safety & privacy	6
14	Troubleshooting	6
15	Suggested 15-minute test script	7
16	Feedback	7

1 What is AegisWeb?

AegisWeb is a control plane for AI agents that act on vendor websites. Instead of giving an agent unmanaged access to billing portals, the platform:

- assigns each agent an identity and purpose;
- stores credentials in a vault and grants them selectively;
- evaluates actions against policies;
- pauses risky work for human approval;
- records immutable audit events and evidence receipts.

This demo is already seeded with a realistic organization, agents, vendors, credentials, workflows, historical runs, one pending approval, receipts, and an audit hash chain—so you can explore the product without building data from scratch.

Demo intent

Treat this as a shared sandbox. Feel free to start runs, approve or reject requests, and inspect receipts. Prefer the guided scenarios below so other testers can still follow the happy path.

2 Quick access

2.1 Demo URLs

Surface	URL
Dashboard / login	http://80.240.27.4
API ready	http://80.240.27.4/v1/health/ready
Vendor sandbox (Acme portals)	http://80.240.27.4/sandbox/
Outbound mail viewer (Mailpit)	http://80.240.27.4/mail/

Public demo topology

This deployment is served over plain HTTP on the VPS IP. The Nest API is published under the `/v1/` path so it does not collide with the Next.js BFF routes at `/api/`.

2.2 Demo accounts

All accounts share the password `Password123!`.

Role	Email	Best for
Owner	<code>founder@northstarlabs.dev</code>	Start runs, settings, billing, full control
Approver	<code>finance@northstarlabs.dev</code>	Approve / reject agent requests
Auditor	<code>auditor@northstarlabs.dev</code>	Read audit trail, receipts, compliance views
Developer	<code>dev@northstarlabs.dev</code>	Day-to-day agent and workflow setup

- Do not change the shared password.
- Do not paste real Stripe, GitHub, or payroll secrets into Credentials.
- Prefer approving the live Acme downgrade you start yourself; leave the seeded pending approval if others still want to review it.

3 Core concepts (2-minute glossary)

Agent

A governed automation identity (for example *Procurement Bot*).

Vendor

A SaaS / web portal the agent may visit (Acme, Nimbus, Atlas,...).

Credential

Vault-stored login secret, granted only to selected agents.

Policy

Rules that allow, deny, or require approval for actions/domains.

Workflow

A reusable template binding agent + vendor + credential.

Run

One execution of a workflow.

Approval

Human decision when policy marks an action as risky.

Receipt

Evidence package for a finished run (status, files, decisions).

Audit

Append-only event log with hash-chain verification.

4 Tour of the sidebar

After login you land in the control plane. Useful pages:

Page	What to look for
Home	Active runs, pending approvals, recent receipts
Getting Started	Orientation checklist for new workspaces
Agents	Procurement Bot, Invoice Collector, paused/revoked examples
Policies	Domain allowlists and approval requirements
Credentials	Vault entries for sandbox vendors (secrets stay redacted)
Vendors	Acme / Nimbus / Atlas / PayrollPro + typed Stripe & GitHub rows
Workflows	Invoice download, renewal check, plan downgrade templates
Runs	Live and historical executions
Approvals	Human decision queue
Receipts	Evidence after completion / denial / failure
Audit	Immutable events; export / verify chain
Settings	Organization, security (MFA), billing

5 What the seed already contains

Organization: **Northstar Labs** (Business plan, billing email configured).

5.1 Agents

- **Procurement Bot** — invoices, renewals, billing workflows (active)
- **Invoice Collector** — invoice downloads (active)
- **Risky Admin Bot** — paused example for denial testing
- **Legacy Spend Bot** — revoked historical agent

5.2 Vendors & workflows

- Sandbox vendors driven by the local vendor portal: Acme Analytics, Nimbus Docs, Atlas CRM, PayrollPro.
- Flagship workflows: **Acme Invoice Download**, **Acme Renewal Check**, **Acme Downgrade Request**, plus Atlas / Payroll examples.
- Phase-2 typed connectors: **Stripe Billing** and **GitHub Organization** (placeholders only—do not expect live portal success without real credentials).

5.3 Historical evidence

The seed also includes completed, denied, and failed runs, receipts, and a pending Acme downgrade approval (expires about 7 days after seed time). Use these to explore UI states without waiting for a new run.

6 Scenario A — Flagship approval path (recommended)

This is the best end-to-end demo of AegisWeb.

1. Open <http://80.240.27.4> and sign in as `founder@northstarlabs.dev/Password123!`.
2. Go to **Runs** → **Start workflow** (or open **Workflows** and start from there).
3. Choose **Acme Downgrade Request**.
4. Confirm the agent, vendor, and credential, then start the run.
5. Watch the run move to **Waiting for approval**. The worker logs into the Acme sandbox, prepares a plan change, and pauses because policy requires human approval.
6. Optional: open <http://80.240.27.4/mail> and confirm an approval notification was sent (if mail capture is enabled on this deployment).
7. Sign out, then sign in as `finance@northstarlabs.dev`.
8. Open **Approvals**, select the new request, review the summary and screenshot, then click **Approve** (or **Reject** to see the denial path).
9. Switch back to the owner (or stay as finance if permitted) and open **Runs**: the run should resume and reach **Completed**.
10. Open **Receipts** for screenshots / summary evidence, then **Audit** to inspect the event trail and verify the hash chain.

Success criteria

You should see: queued → running → waiting for approval → (after approve) completed, plus a receipt and audit events for approval and completion.

7 Scenario B — Invoice download (no approval)

1. Sign in as the owner.
2. Start **Acme Invoice Download**.
3. Expect the run to finish as **Completed** without an approval pause.
4. Open the resulting **Receipt** and confirm invoice / screenshot evidence.

Useful for showing autonomous-but-governed work that stays within policy.

8 Scenario C — Explore seeded history (no new runs)

If the worker is busy or you only want to browse:

1. **Approvals:** open the seeded pending Acme downgrade (if still pending).
2. **Receipts:** compare completed vs denied receipts.
3. **Audit:** filter by workflow run; try export / verify.
4. **Agents:** note paused and revoked agents—status matters for execution.
5. **Credentials:** confirm secrets are never shown in clear text in lists or receipts.

9 Scenario D — Billing checkout (optional)

If Stripe test mode is configured on the deployment:

1. As owner, open **Settings** → **Billing**.
2. Start Checkout for Starter or Business.
3. Pay with Stripe test card 4242 4242 4242 4242 (any future expiry, any CVC).
4. Return to the app and confirm subscription fields update (requires working webhooks on the host).

Use *test mode* only. Never enter a real payment card on the public demo.

10 Scenario E — MFA / step-up (optional)

1. As owner, open **Settings** → security / MFA.
2. Enroll TOTP with an authenticator app.
3. Log out and log in again with the TOTP code.
4. Attempt a sensitive action (org edit or credential create) and confirm the step-up challenge appears.

Courtesy

If you enroll MFA on the shared founder account, leave recovery codes in a place the demo operator can access, or remove MFA when finished so other testers are not locked out.

11 Role cheat-sheet

Role	Try this	Expect
Owner	Start workflows, open Settings/Billing	Full control plane access
Approver	Decide pending approvals	Approve/reject with comments
Auditor	Audit export / verify, receipts	Strong read access, limited writes
Developer	Inspect agents, policies, workflows	Operational setup without org-owner powers

12 Reading run states

Status	Meaning
Queued	Accepted; waiting for the worker
Running	Browser automation in progress
Waiting for approval	Policy pause; human decision required
Completed	Finished successfully (receipt expected)
Failed	Error during execution (message on the run)
Denied	Blocked by policy or rejected approval
Cancelled	Stopped before completion

13 Safety & privacy

- Credentials in the vault are encrypted; UI and receipts redact secrets.
- The Acme / Nimbus / Atlas / Payroll portals are a **vendor sandbox**, not real customer systems.
- Stripe Billing and GitHub rows are typed connectors with placeholder passwords—live execution against real sites is out of scope for casual public testing.
- Audit events are append-only; verifying the chain should succeed for the seeded organization unless data was tampered with.

14 Troubleshooting

Cannot log in

Confirm you use a seeded email and `Password123!`. Caps Lock and autofill of an old password are common issues.

Run stays queued

The worker may be restarting or overloaded. Wait 30 s, refresh **Runs**, then check with the demo operator if it remains queued.

Run fails immediately

Open the run detail for `errorMessage`. Typical causes: paused agent, missing credential grant, or sandbox unavailable.

No approval appears

Confirm you started **Acme Downgrade Request** (invoice download does not pause). Refresh **Approvals** while signed in as finance.

Approve does nothing

Ensure you are `finance@northstarlabs.dev` (or another user with approval permission). Owner accounts may be able to start runs but the demo is designed around the finance approver for the happy path.

HTTPS / certificate warning (local demos only)

Local stacks using an internal CA may show a browser warning—use Advanced → Proceed, or install the operator-provided root CA.

15 Suggested 15-minute test script

1. Minute 0–2: log in as founder; skim **Home**, **Agents**, **Vendors**.
2. Minute 2–6: run Scenario B (invoice download) and open the receipt.
3. Minute 6–12: run Scenario A through approval as finance.
4. Minute 12–15: as auditor, open **Audit**, export or verify the chain.

16 Feedback

When reporting issues, please include:

- the account role you used;
- workflow name and approximate start time (UTC);
- run / approval IDs from the URL if available;
- screenshots of the failure (without secrets).

Thank you for testing AegisWeb.

Document version: demo tester guide — aligned with the Northstar Labs seed.

Replace the `\Demo*Url` macros at the top of the `.tex` source with your public deployment URLs before distributing the PDF.