

kaggle_execution_notebook

June 30, 2026

```
[1]: # !cp -r /kaggle/input/main-code /kaggle/working/src

[ ]: # if on remote server
!echo "GITHUB_TOKEN=$GITHUB_TOKEN" > /kaggle/working/.env # add your github_
↪token here
!echo "OPENAI_API_KEY=$OPENAI_API_KEY" > /kaggle/working/.env
!echo "HF_TOKEN=$HF_TOKEN" > /kaggle/working/.env
!echo "KAGGLE_KEY=$KAGGLE_KEY" > /kaggle/working/.env

GITHUB_TOKEN=os.getenv("GITHUB_TOKEN")
OPENAI_API_KEY=os.getenv("OPENAI_API_KEY")
HF_TOKEN=os.getenv("HF_TOKEN")
KAGGLE_KEY=os.getenv("KAGGLE_KEY")

[3]: # !rm -rf /kaggle/working/GPT2-fine-tune
# !rm -rf /kaggle/working/.virtual_documents

[4]: # !cat /kaggle/working/.env
# !rm -rf /kaggle/working/GPT2-fine-tune

[ ]: %cd /kaggle/working/
# !pip install python-dotenv

import os
from dotenv import load_dotenv

load_dotenv()

repo_url = f"https://{GITHUB_TOKEN}@github.com/Louis-26/GPT2-fine-tune.git"

%cd /kaggle/working/
!git clone {repo_url}

/kaggle/working
/kaggle/working
Cloning into 'GPT2-fine-tune'...
remote: Enumerating objects: 149, done.
remote: Counting objects: 100% (149/149), done.
```

```
remote: Compressing objects: 100% (108/108), done.
remote: Total 149 (delta 51), reused 134 (delta 36), pack-reused 0 (from 0)
Receiving objects: 100% (149/149), 16.00 MiB | 37.49 MiB/s, done.
Resolving deltas: 100% (51/51), done.
```

```
[6]: # check the gpu setting
!nvidia-smi
```

```
Tue Jun 30 01:11:44 2026
```

```
+-----+
+-----+
| NVIDIA-SMI 580.159.04                  Driver Version: 580.159.04      CUDA Version:
13.0   |
+-----+-----+-----+
+-----+
| GPU  Name                Persistence-M | Bus-Id        Disp.A | Volatile
Uncorr. ECC |
| Fan  Temp   Perf          Pwr:Usage/Cap |      Memory-Usage | GPU-Util
Compute M.  |
|                |                  |                  |
MIG M.  |
|=====+=====+=====+
=====|
|  0  Tesla T4                Off |  00000000:00:04.0 Off |
0 |
| N/A   46C    P8              10W /  70W |      0MiB /  15360MiB |      0%
Default |
|                |                  |
N/A |
+-----+-----+-----+
+-----+
|  1  Tesla T4                Off |  00000000:00:05.0 Off |
0 |
| N/A   47C    P8              11W /  70W |      0MiB /  15360MiB |      0%
Default |
|                |                  |
N/A |
+-----+-----+-----+
+-----+
+-----+
| Processes:
|
| GPU   GI    CI          PID    Type    Process name
GPU Memory |
|       ID    ID
Usage      |
```

```
|=====|
=====|
| No running processes found
|
+-----+
-----+
```

1 step 1: configure the environment

```
[7]: # NOTE: Make sure you have added the dataset into the notebook
# Move the code to working directory
# !cp -r /kaggle/input/main-code /kaggle/working/src

# # Move the dataset to working directory
# !cp -r /kaggle/input/finetuning-dataset/src/* /kaggle/working/src

# install necessary packages, as Kaggle will clear installed packages when
↪ restart the kernel.
%cd /kaggle/working/GPT2-fine-tune/mds_proj
# %pip install -r src/requirements.txt
%pip install -q tiktoken torchinfo peft python-dotenv loralib
!ls -la
```

```
/kaggle/working/GPT2-fine-tune/mds_proj
12.2/12.2 MB
81.7 MB/s eta 0:00:00:00:10:01
```

ERROR: pip's dependency resolver does not currently take into account all the packages that are installed. This behaviour is the source of the following dependency conflicts.

dask-cuda 26.2.0 requires cuda-core==0.3.*, but you have cuda-core 1.0.1 which is incompatible.

dask-cuda 26.2.0 requires numba-cuda<0.23.0,>=0.22.1, but you have numba-cuda 0.30.2 which is incompatible.

distributed-ucxx-cu12 0.48.0 requires numba-cuda[cu12]<0.23.0,>=0.22.1, but you have numba-cuda 0.30.2 which is incompatible.

cuml-cu12 26.2.0 requires numba<0.62.0,>=0.60.0, but you have numba 0.65.1 which is incompatible.

cuml-cu12 26.2.0 requires numba-cuda[cu12]<0.23.0,>=0.22.1, but you have numba-cuda 0.30.2 which is incompatible.

ucxx-cu12 0.48.0 requires numba-cuda[cu12]<0.23.0,>=0.22.1, but you have numba-cuda 0.30.2 which is incompatible.

cudf-cu12 26.2.1 requires numba<0.62.0,>=0.60.0, but you have numba 0.65.1 which is incompatible.

cudf-cu12 26.2.1 requires numba-cuda[cu12]<0.23.0,>=0.22.2, but you have numba-cuda 0.30.2 which is incompatible.

Note: you may need to restart the kernel to use updated packages.

```
total 76
drwxr-xr-x  4 root root  4096 Jun 30 01:11 .
drwxr-xr-x 10 root root  4096 Jun 30 01:11 ..
drwxr-xr-x  2 root root  4096 Jun 30 01:11 dataset_template
-rw-r--r--  1 root root 12963 Jun 30 01:11 derive_score.ipynb
-rw-r--r--  1 root root  4859 Jun 30 01:11 Kaggle_training.md
-rw-r--r--  1 root root 29760 Jun 30 01:11 main.ipynb
-rw-r--r--  1 root root   103 Jun 30 01:11 README.md
drwxr-xr-x  4 root root  4096 Jun 30 01:11 src
```

2 step 2: download dataset

```
[ ]: import os
import json

kaggle_creds = {"username": "louis26", "key": KAGGLE_KEY} # add your true
↳ credential here
```

```
os.makedirs('/root/.kaggle', exist_ok=True)
with open('/root/.kaggle/kaggle.json', 'w') as f:
    json.dump(kaggle_creds, f)

!chmod 600 /root/.kaggle/kaggle.json
```

```
[9]: !cd /kaggle/working/GPT2-fine-tune
!mkdir /kaggle/working/GPT2-fine-tune/mds_proj/src/data
!kaggle datasets download jonery/finetuning-dataset -p /kaggle/working/
↳GPT2-fine-tune/mds_proj/src/data --unzip
!mv /kaggle/working/GPT2-fine-tune/mds_proj/src/data/src/* /kaggle/working/
↳GPT2-fine-tune/mds_proj/src/data/
!rm -rf /kaggle/working/GPT2-fine-tune/mds_proj/src/data/src
# !rm -rf mds_proj/src/data/src
```

Warning: Looks like you're using an outdated `kaggle` version (installed: 2.0.1), please consider upgrading to the latest version (2.2.2)
Dataset URL: <https://www.kaggle.com/datasets/jonery/finetuning-dataset>
License(s): unknown
Downloading finetuning-dataset.zip to /kaggle/working/GPT2-fine-tune/mds_proj/src/data
100%| | 110M/110M [00:00<00:00, 178MB/s]

3 step 3: training

```
[10]: # NOTE: Make sure you turn on the GPU when running the script
# TODO: Change this line to the script you want to execute
# !python <script_name.py>

# e.g.
%cd /kaggle/working/GPT2-fine-tune/mds_proj/src
!python train_sft.py --model-type gpt2-medium --pretrain huggingface_
↳--batch-size 2 --exp-name lora_ft_exp --use-lora --max-steps 10000
```

```
/kaggle/working/GPT2-fine-tune/mds_proj/src
2026-06-30 01:12:03.977583: E
external/local_xla/xla/stream_executor/cuda/cuda_fft.cc:467] Unable to register
cuFFT factory: Attempting to register factory for plugin cuFFT when one has
already been registered
WARNING: All log messages before absl::InitializeLog() is called are written to
STDERR
E0000 00:00:1782781924.191175      130 cuda_dnn.cc:8579] Unable to register cuDNN
factory: Attempting to register factory for plugin cuDNN when one has already
been registered
E0000 00:00:1782781924.250888      130 cuda_blas.cc:1407] Unable to register
```

```

cuBLAS factory: Attempting to register factory for plugin cuBLAS when one has
already been registered
W0000 00:00:1782781924.741603      130 computation_placer.cc:177] computation
placer already registered. Please check linkage and avoid linking the same
target more than once.
W0000 00:00:1782781924.741648      130 computation_placer.cc:177] computation
placer already registered. Please check linkage and avoid linking the same
target more than once.
W0000 00:00:1782781924.741652      130 computation_placer.cc:177] computation
placer already registered. Please check linkage and avoid linking the same
target more than once.
W0000 00:00:1782781924.741660      130 computation_placer.cc:177] computation
placer already registered. Please check linkage and avoid linking the same
target more than once.
Warning: You are sending unauthenticated requests to the HF Hub. Please set a
HF_TOKEN to enable higher rate limits and faster downloads.
config.json: 100%|          | 718/718 [00:00<00:00, 3.76MB/s]
model.safetensors: 100%|          | 1.52G/1.52G [00:04<00:00, 314MB/s]
Loading weights: 100%|| 292/292 [00:00<00:00, 1550.17it/s, Materializing param=
GPT2LMHeadModel LOAD REPORT from: gpt2-medium
Key          | Status      | |
-----+-----+---
h.{0...23}.attn.bias | UNEXPECTED | |

```

Notes:

```

- UNEXPECTED :can be ignored when loading from different
task/architecture; not ok if you expect identical arch.
generation_config.json: 100%|          | 124/124 [00:00<00:00, 584kB/s]
[INFO] Enabling LoRA fine-tuning mode for gpt2-medium...
trainable params: 786,432 || all params: 407,072,768 || trainable%: 0.1932
Loading EYLSFTStaticDataset train split
Loaded 19934053 tokens from 84576 examples.
Loading EYLSFTStaticDataset test split
Loaded 844060 tokens from 3451 examples.
=====
=====

```

Layer (type:depth-idx)	Output Shape
Param #	
=====	
PeftModel	[1, 1024,
50257] --	
LoraModel: 1-1	--
--	
GPT: 2-1	[1, 1024,
50257] --	
TransformerDecoder: 3-1	[1, 1024,
1024] 355,609,600	

```

Linear: 3-2 [1, 1024,
50257] (51,463,168)
=====
=====
Total params: 407,072,768
Trainable params: 786,432
Non-trainable params: 406,286,336
Total mult-adds (Units.MEGABYTES): 407.07
=====
=====
Input size (MB): 0.01
Forward/backward pass size (MB): 3257.02
Params size (MB): 1628.29
Estimated Total Size (MB): 4885.32
=====
=====
/kaggle/working/GPT2-fine-tune/mds_proj/src/trainers.py:110: FutureWarning:
`torch.cuda.amp.GradScaler(args...)` is deprecated. Please use
`torch.amp.GradScaler('cuda', args...)` instead.
    scaler = GradScaler(enabled=(self.dtype != torch.float32 and self.device ==
'cuda'))
step 0, batch loss 2.733, 0.81 iters/s
step 1, batch loss 2.255, 1.58 iters/s
step 2, batch loss 2.537, 1.57 iters/s
step 3, batch loss 2.597, 1.57 iters/s
step 4, batch loss 2.698, 1.57 iters/s
step 5, batch loss 2.556, 1.57 iters/s
step 6, batch loss 2.771, 1.57 iters/s
step 7, batch loss 2.614, 1.56 iters/s
step 8, batch loss 2.815, 1.56 iters/s
step 9, batch loss 2.573, 1.56 iters/s
step 10, batch loss 2.867, 1.57 iters/s
step 11, batch loss 2.664, 1.56 iters/s
step 12, batch loss 2.522, 1.57 iters/s
step 13, batch loss 2.366, 1.56 iters/s
step 14, batch loss 2.561, 1.56 iters/s
step 15, batch loss 2.482, 1.56 iters/s
step 16, batch loss 2.684, 1.56 iters/s
step 17, batch loss 2.204, 1.56 iters/s
step 18, batch loss 2.746, 1.55 iters/s
step 19, batch loss 2.459, 1.56 iters/s
step 20, batch loss 2.576, 1.55 iters/s
step 21, batch loss 2.719, 1.56 iters/s
step 22, batch loss 2.534, 1.55 iters/s
step 23, batch loss 2.598, 1.56 iters/s
step 24, batch loss 2.297, 1.55 iters/s
step 25, batch loss 2.429, 1.56 iters/s
step 26, batch loss 2.351, 1.55 iters/s

```

step 27, batch loss 2.8, 1.55 iters/s
step 28, batch loss 2.377, 1.55 iters/s
step 29, batch loss 3.111, 1.55 iters/s
step 30, batch loss 2.358, 1.55 iters/s
step 31, batch loss 2.458, 1.54 iters/s
step 32, batch loss 2.208, 1.55 iters/s
step 33, batch loss 2.728, 1.54 iters/s
step 34, batch loss 2.299, 1.54 iters/s
step 35, batch loss 2.321, 1.54 iters/s
step 36, batch loss 2.648, 1.54 iters/s
step 37, batch loss 2.361, 1.54 iters/s
step 38, batch loss 2.689, 1.54 iters/s
step 39, batch loss 2.292, 1.54 iters/s
step 40, batch loss 2.359, 1.54 iters/s
step 41, batch loss 2.463, 1.54 iters/s
step 42, batch loss 2.4, 1.54 iters/s
step 43, batch loss 2.351, 1.54 iters/s
step 44, batch loss 2.326, 1.54 iters/s
step 45, batch loss 2.311, 1.54 iters/s
step 46, batch loss 2.281, 1.53 iters/s
step 47, batch loss 2.403, 1.53 iters/s
step 48, batch loss 2.38, 1.53 iters/s
step 49, batch loss 2.084, 1.53 iters/s
step 50, batch loss 2.538, 1.53 iters/s
step 51, batch loss 2.32, 1.53 iters/s
step 52, batch loss 2.389, 1.53 iters/s
step 53, batch loss 2.438, 1.52 iters/s
step 54, batch loss 2.347, 1.53 iters/s
step 55, batch loss 2.333, 1.52 iters/s
step 56, batch loss 2.425, 1.52 iters/s
step 57, batch loss 2.174, 1.53 iters/s
step 58, batch loss 2.31, 1.51 iters/s
step 59, batch loss 2.572, 1.52 iters/s
step 60, batch loss 2.147, 1.52 iters/s
step 61, batch loss 2.469, 1.52 iters/s
step 62, batch loss 2.505, 1.52 iters/s
step 63, batch loss 2.545, 1.52 iters/s
step 64, batch loss 2.325, 1.51 iters/s
step 65, batch loss 2.401, 1.51 iters/s
step 66, batch loss 2.196, 1.51 iters/s
step 67, batch loss 2.264, 1.51 iters/s
step 68, batch loss 2.414, 1.51 iters/s
step 69, batch loss 2.318, 1.51 iters/s
step 70, batch loss 2.4, 1.51 iters/s
step 71, batch loss 2.546, 1.51 iters/s
step 72, batch loss 2.334, 1.51 iters/s
step 73, batch loss 2.256, 1.5 iters/s
step 74, batch loss 2.42, 1.5 iters/s

step 75, batch loss 2.35, 1.5 iters/s
step 76, batch loss 2.163, 1.49 iters/s
step 77, batch loss 1.959, 1.5 iters/s
step 78, batch loss 2.363, 1.49 iters/s
step 79, batch loss 2.398, 1.49 iters/s
step 80, batch loss 2.376, 1.49 iters/s
step 81, batch loss 2.271, 1.49 iters/s
step 82, batch loss 2.56, 1.49 iters/s
step 83, batch loss 2.201, 1.48 iters/s
step 84, batch loss 2.451, 1.48 iters/s
step 85, batch loss 2.301, 1.48 iters/s
step 86, batch loss 1.971, 1.48 iters/s
step 87, batch loss 2.25, 1.48 iters/s
step 88, batch loss 2.43, 1.47 iters/s
step 89, batch loss 2.144, 1.46 iters/s
step 90, batch loss 2.323, 1.46 iters/s
step 91, batch loss 2.366, 1.46 iters/s
step 92, batch loss 2.382, 1.46 iters/s
step 93, batch loss 2.172, 1.46 iters/s
step 94, batch loss 2.441, 1.45 iters/s
step 95, batch loss 2.13, 1.45 iters/s
step 96, batch loss 2.341, 1.44 iters/s
step 97, batch loss 2.303, 1.44 iters/s
step 98, batch loss 2.312, 1.44 iters/s
step 99, batch loss 2.255, 1.44 iters/s
step 100, batch loss 2.196, 1.43 iters/s
step 101, batch loss 2.28, 1.43 iters/s
step 102, batch loss 2.428, 1.41 iters/s
step 103, batch loss 2.51, 1.41 iters/s
step 104, batch loss 2.161, 1.41 iters/s
step 105, batch loss 2.193, 1.4 iters/s
step 106, batch loss 2.19, 1.4 iters/s
step 107, batch loss 2.301, 1.4 iters/s
step 108, batch loss 2.293, 1.39 iters/s
step 109, batch loss 2.363, 1.39 iters/s
step 110, batch loss 2.508, 1.38 iters/s
step 111, batch loss 2.257, 1.38 iters/s
step 112, batch loss 2.295, 1.38 iters/s
step 113, batch loss 2.322, 1.36 iters/s
step 114, batch loss 2.302, 1.35 iters/s
step 115, batch loss 2.227, 1.36 iters/s
step 116, batch loss 2.634, 1.35 iters/s
step 117, batch loss 2.213, 1.34 iters/s
step 118, batch loss 2.317, 1.33 iters/s
step 119, batch loss 2.49, 1.33 iters/s
step 120, batch loss 2.267, 1.33 iters/s
step 121, batch loss 2.323, 1.32 iters/s
step 122, batch loss 2.212, 1.31 iters/s

step 123, batch loss 2.412, 1.31 iters/s
step 124, batch loss 2.09, 1.3 iters/s
step 125, batch loss 2.246, 1.3 iters/s
step 126, batch loss 2.453, 1.29 iters/s
step 127, batch loss 2.272, 1.29 iters/s
step 128, batch loss 2.317, 1.28 iters/s
step 129, batch loss 2.355, 1.27 iters/s
step 130, batch loss 2.222, 1.26 iters/s
step 131, batch loss 2.346, 1.27 iters/s
step 132, batch loss 2.139, 1.26 iters/s
step 133, batch loss 2.38, 1.26 iters/s
step 134, batch loss 2.349, 1.25 iters/s
step 135, batch loss 2.12, 1.26 iters/s
step 136, batch loss 2.469, 1.25 iters/s
step 137, batch loss 2.359, 1.25 iters/s
step 138, batch loss 2.34, 1.26 iters/s
step 139, batch loss 2.239, 1.26 iters/s
step 140, batch loss 2.347, 1.26 iters/s
step 141, batch loss 2.013, 1.27 iters/s
step 142, batch loss 2.196, 1.28 iters/s
step 143, batch loss 2.221, 1.28 iters/s
step 144, batch loss 2.04, 1.29 iters/s
step 145, batch loss 2.107, 1.3 iters/s
step 146, batch loss 2.134, 1.3 iters/s
step 147, batch loss 2.165, 1.32 iters/s
step 148, batch loss 1.909, 1.32 iters/s
step 149, batch loss 2.536, 1.32 iters/s
step 150, batch loss 2.092, 1.33 iters/s
step 151, batch loss 2.217, 1.35 iters/s
step 152, batch loss 2.481, 1.35 iters/s
step 153, batch loss 2.331, 1.35 iters/s
step 154, batch loss 2.331, 1.36 iters/s
step 155, batch loss 2.247, 1.36 iters/s
step 156, batch loss 2.299, 1.37 iters/s
step 157, batch loss 2.246, 1.37 iters/s
step 158, batch loss 2.101, 1.37 iters/s
step 159, batch loss 2.259, 1.38 iters/s
step 160, batch loss 2.255, 1.38 iters/s
step 161, batch loss 2.211, 1.38 iters/s
step 162, batch loss 2.175, 1.39 iters/s
step 163, batch loss 2.879, 1.4 iters/s
step 164, batch loss 2.322, 1.39 iters/s
step 165, batch loss 2.035, 1.4 iters/s
step 166, batch loss 2.54, 1.4 iters/s
step 167, batch loss 2.148, 1.41 iters/s
step 168, batch loss 2.516, 1.41 iters/s
step 169, batch loss 2.233, 1.41 iters/s
step 170, batch loss 2.388, 1.41 iters/s

step 171, batch loss 2.27, 1.41 iters/s
step 172, batch loss 1.966, 1.42 iters/s
step 173, batch loss 2.285, 1.41 iters/s
step 174, batch loss 2.4, 1.41 iters/s
step 175, batch loss 2.258, 1.42 iters/s
step 176, batch loss 2.12, 1.42 iters/s
step 177, batch loss 2.316, 1.42 iters/s
step 178, batch loss 2.315, 1.42 iters/s
step 179, batch loss 2.154, 1.42 iters/s
step 180, batch loss 2.303, 1.42 iters/s
step 181, batch loss 2.321, 1.43 iters/s
step 182, batch loss 2.418, 1.43 iters/s
step 183, batch loss 2.393, 1.43 iters/s
step 184, batch loss 2.223, 1.43 iters/s
step 185, batch loss 2.198, 1.43 iters/s
step 186, batch loss 2.347, 1.42 iters/s
step 187, batch loss 2.343, 1.43 iters/s
step 188, batch loss 2.123, 1.42 iters/s
step 189, batch loss 2.088, 1.42 iters/s
step 190, batch loss 2.315, 1.43 iters/s
step 191, batch loss 2.214, 1.42 iters/s
step 192, batch loss 2.218, 1.42 iters/s
step 193, batch loss 2.175, 1.42 iters/s
step 194, batch loss 2.145, 1.42 iters/s
step 195, batch loss 2.392, 1.42 iters/s
step 196, batch loss 2.343, 1.43 iters/s
step 197, batch loss 2.161, 1.42 iters/s
step 198, batch loss 2.314, 1.42 iters/s
step 199, batch loss 2.528, 1.42 iters/s
step 200, batch loss 2.39, 1.41 iters/s
step 201, batch loss 2.223, 1.41 iters/s
step 202, batch loss 2.371, 1.41 iters/s
step 203, batch loss 2.181, 1.41 iters/s
step 204, batch loss 2.177, 1.41 iters/s
step 205, batch loss 2.243, 1.4 iters/s
step 206, batch loss 2.34, 1.4 iters/s
step 207, batch loss 2.501, 1.39 iters/s
step 208, batch loss 2.213, 1.39 iters/s
step 209, batch loss 1.903, 1.4 iters/s
step 210, batch loss 2.1, 1.39 iters/s
step 211, batch loss 2.231, 1.39 iters/s
step 212, batch loss 2.249, 1.39 iters/s
step 213, batch loss 2.386, 1.39 iters/s
step 214, batch loss 2.016, 1.39 iters/s
step 215, batch loss 2.148, 1.38 iters/s
step 216, batch loss 2.08, 1.38 iters/s
step 217, batch loss 2.196, 1.38 iters/s
step 218, batch loss 2.114, 1.37 iters/s

step 219, batch loss 2.265, 1.37 iters/s
step 220, batch loss 2.049, 1.37 iters/s
step 221, batch loss 2.075, 1.37 iters/s
step 222, batch loss 2.006, 1.36 iters/s
step 223, batch loss 2.351, 1.38 iters/s
step 224, batch loss 2.398, 1.36 iters/s
step 225, batch loss 2.056, 1.36 iters/s
step 226, batch loss 2.236, 1.36 iters/s
step 227, batch loss 2.22, 1.36 iters/s
step 228, batch loss 2.094, 1.36 iters/s
step 229, batch loss 2.107, 1.35 iters/s
step 230, batch loss 2.101, 1.36 iters/s
step 231, batch loss 2.588, 1.36 iters/s
step 232, batch loss 2.221, 1.35 iters/s
step 233, batch loss 2.221, 1.35 iters/s
step 234, batch loss 2.258, 1.35 iters/s
step 235, batch loss 2.072, 1.35 iters/s
step 236, batch loss 2.095, 1.35 iters/s
step 237, batch loss 2.075, 1.34 iters/s
step 238, batch loss 2.425, 1.34 iters/s
step 239, batch loss 2.327, 1.35 iters/s
step 240, batch loss 2.456, 1.34 iters/s
step 241, batch loss 2.212, 1.34 iters/s
step 242, batch loss 2.306, 1.34 iters/s
step 243, batch loss 2.564, 1.34 iters/s
step 244, batch loss 2.682, 1.34 iters/s
step 245, batch loss 2.634, 1.35 iters/s
step 246, batch loss 2.281, 1.35 iters/s
step 247, batch loss 2.258, 1.34 iters/s
step 248, batch loss 2.237, 1.34 iters/s
step 249, batch loss 2.219, 1.34 iters/s
step 250, batch loss 2.378, 1.35 iters/s
step 251, batch loss 2.134, 1.35 iters/s
step 252, batch loss 2.158, 1.34 iters/s
step 253, batch loss 2.287, 1.34 iters/s
step 254, batch loss 2.145, 1.36 iters/s
step 255, batch loss 2.04, 1.34 iters/s
step 256, batch loss 2.263, 1.34 iters/s
step 257, batch loss 2.647, 1.35 iters/s
step 258, batch loss 2.337, 1.36 iters/s
step 259, batch loss 2.129, 1.36 iters/s
step 260, batch loss 2.169, 1.35 iters/s
step 261, batch loss 2.24, 1.37 iters/s
step 262, batch loss 2.226, 1.36 iters/s
step 263, batch loss 2.538, 1.36 iters/s
step 264, batch loss 2.212, 1.35 iters/s
step 265, batch loss 2.132, 1.36 iters/s
step 266, batch loss 2.1, 1.37 iters/s

step 267, batch loss 2.377, 1.37 iters/s
step 268, batch loss 2.289, 1.37 iters/s
step 269, batch loss 2.338, 1.37 iters/s
step 270, batch loss 2.332, 1.37 iters/s
step 271, batch loss 2.204, 1.37 iters/s
step 272, batch loss 2.438, 1.37 iters/s
step 273, batch loss 2.306, 1.37 iters/s
step 274, batch loss 2.145, 1.38 iters/s
step 275, batch loss 2.335, 1.37 iters/s
step 276, batch loss 2.266, 1.38 iters/s
step 277, batch loss 2.171, 1.38 iters/s
step 278, batch loss 2.014, 1.39 iters/s
step 279, batch loss 2.383, 1.38 iters/s
step 280, batch loss 2.32, 1.38 iters/s
step 281, batch loss 2.161, 1.38 iters/s
step 282, batch loss 2.228, 1.38 iters/s
step 283, batch loss 2.306, 1.39 iters/s
step 284, batch loss 2.002, 1.4 iters/s
step 285, batch loss 2.11, 1.38 iters/s
step 286, batch loss 2.256, 1.39 iters/s
step 287, batch loss 2.03, 1.39 iters/s
step 288, batch loss 2.342, 1.4 iters/s
step 289, batch loss 2.062, 1.39 iters/s
step 290, batch loss 2.289, 1.39 iters/s
step 291, batch loss 2.025, 1.4 iters/s
step 292, batch loss 2.329, 1.4 iters/s
step 293, batch loss 2.255, 1.4 iters/s
step 294, batch loss 2.465, 1.4 iters/s
step 295, batch loss 2.036, 1.4 iters/s
step 296, batch loss 2.454, 1.4 iters/s
step 297, batch loss 2.154, 1.39 iters/s
step 298, batch loss 2.266, 1.4 iters/s
step 299, batch loss 1.926, 1.4 iters/s
step 300, batch loss 2.39, 1.4 iters/s
step 301, batch loss 2.359, 1.4 iters/s
step 302, batch loss 2.235, 1.39 iters/s
step 303, batch loss 2.074, 1.4 iters/s
step 304, batch loss 2.283, 1.4 iters/s
step 305, batch loss 2.596, 1.4 iters/s
step 306, batch loss 2.266, 1.4 iters/s
step 307, batch loss 2.238, 1.39 iters/s
step 308, batch loss 2.329, 1.39 iters/s
step 309, batch loss 2.141, 1.4 iters/s
step 310, batch loss 2.262, 1.4 iters/s
step 311, batch loss 2.269, 1.4 iters/s
step 312, batch loss 2.253, 1.4 iters/s
step 313, batch loss 2.196, 1.39 iters/s
step 314, batch loss 1.992, 1.39 iters/s

step 315, batch loss 2.171, 1.39 iters/s
step 316, batch loss 2.31, 1.39 iters/s
step 317, batch loss 1.938, 1.39 iters/s
step 318, batch loss 2.302, 1.39 iters/s
step 319, batch loss 2.189, 1.39 iters/s
step 320, batch loss 2.035, 1.39 iters/s
step 321, batch loss 2.308, 1.38 iters/s
step 322, batch loss 2.041, 1.38 iters/s
step 323, batch loss 2.076, 1.38 iters/s
step 324, batch loss 2.131, 1.38 iters/s
step 325, batch loss 2.294, 1.38 iters/s
step 326, batch loss 2.135, 1.38 iters/s
step 327, batch loss 2.275, 1.38 iters/s
step 328, batch loss 2.263, 1.38 iters/s
step 329, batch loss 2.038, 1.38 iters/s
step 330, batch loss 2.248, 1.38 iters/s
step 331, batch loss 2.397, 1.38 iters/s
step 332, batch loss 2.287, 1.37 iters/s
step 333, batch loss 2.215, 1.38 iters/s
step 334, batch loss 1.949, 1.38 iters/s
step 335, batch loss 2.792, 1.38 iters/s
step 336, batch loss 2.429, 1.37 iters/s
step 337, batch loss 2.138, 1.37 iters/s
step 338, batch loss 2.189, 1.38 iters/s
step 339, batch loss 2.027, 1.37 iters/s
step 340, batch loss 2.63, 1.37 iters/s
step 341, batch loss 1.945, 1.37 iters/s
step 342, batch loss 2.291, 1.37 iters/s
step 343, batch loss 2.359, 1.37 iters/s
step 344, batch loss 2.183, 1.37 iters/s
step 345, batch loss 2.284, 1.37 iters/s
step 346, batch loss 2.333, 1.38 iters/s
step 347, batch loss 2.085, 1.37 iters/s
step 348, batch loss 2.186, 1.37 iters/s
step 349, batch loss 2.442, 1.37 iters/s
step 350, batch loss 2.449, 1.36 iters/s
step 351, batch loss 2.197, 1.37 iters/s
step 352, batch loss 2.128, 1.37 iters/s
step 353, batch loss 2.253, 1.37 iters/s
step 354, batch loss 2.322, 1.37 iters/s
step 355, batch loss 2.53, 1.37 iters/s
step 356, batch loss 2.21, 1.37 iters/s
step 357, batch loss 2.023, 1.37 iters/s
step 358, batch loss 2.253, 1.36 iters/s
step 359, batch loss 2.17, 1.36 iters/s
step 360, batch loss 2.004, 1.36 iters/s
step 361, batch loss 2.063, 1.37 iters/s
step 362, batch loss 2.402, 1.36 iters/s

step 363, batch loss 2.3, 1.36 iters/s
step 364, batch loss 2.106, 1.37 iters/s
step 365, batch loss 2.096, 1.38 iters/s
step 366, batch loss 2.265, 1.37 iters/s
step 367, batch loss 2.143, 1.37 iters/s
step 368, batch loss 2.317, 1.37 iters/s
step 369, batch loss 2.156, 1.37 iters/s
step 370, batch loss 1.946, 1.37 iters/s
step 371, batch loss 2.036, 1.37 iters/s
step 372, batch loss 2.141, 1.37 iters/s
step 373, batch loss 2.154, 1.37 iters/s
step 374, batch loss 2.294, 1.37 iters/s
step 375, batch loss 2.07, 1.37 iters/s
step 376, batch loss 2.035, 1.37 iters/s
step 377, batch loss 2.288, 1.37 iters/s
step 378, batch loss 2.135, 1.39 iters/s
step 379, batch loss 2.207, 1.37 iters/s
step 380, batch loss 1.887, 1.37 iters/s
step 381, batch loss 2.006, 1.37 iters/s
step 382, batch loss 2.315, 1.37 iters/s
step 383, batch loss 2.222, 1.38 iters/s
step 384, batch loss 2.499, 1.37 iters/s
step 385, batch loss 2.38, 1.38 iters/s
step 386, batch loss 2.208, 1.37 iters/s
step 387, batch loss 2.143, 1.38 iters/s
step 388, batch loss 2.242, 1.38 iters/s
step 389, batch loss 2.133, 1.38 iters/s
step 390, batch loss 1.926, 1.38 iters/s
step 391, batch loss 2.168, 1.37 iters/s
step 392, batch loss 2.064, 1.38 iters/s
step 393, batch loss 2.017, 1.38 iters/s
step 394, batch loss 2.275, 1.38 iters/s
step 395, batch loss 2.24, 1.37 iters/s
step 396, batch loss 2.16, 1.37 iters/s
step 397, batch loss 2.113, 1.37 iters/s
step 398, batch loss 2.324, 1.38 iters/s
step 399, batch loss 2.035, 1.38 iters/s
step 400, batch loss 2.193, 1.37 iters/s
step 401, batch loss 2.274, 1.38 iters/s
step 402, batch loss 2.219, 1.38 iters/s
step 403, batch loss 2.014, 1.37 iters/s
step 404, batch loss 2.278, 1.38 iters/s
step 405, batch loss 2.205, 1.37 iters/s
step 406, batch loss 2.157, 1.38 iters/s
step 407, batch loss 2.068, 1.37 iters/s
step 408, batch loss 2.182, 1.38 iters/s
step 409, batch loss 2.54, 1.38 iters/s
step 410, batch loss 2.488, 1.38 iters/s

step 411, batch loss 2.323, 1.37 iters/s
step 412, batch loss 2.08, 1.38 iters/s
step 413, batch loss 2.116, 1.38 iters/s
step 414, batch loss 2.214, 1.38 iters/s
step 415, batch loss 2.5, 1.37 iters/s
step 416, batch loss 1.966, 1.38 iters/s
step 417, batch loss 1.906, 1.38 iters/s
step 418, batch loss 2.215, 1.38 iters/s
step 419, batch loss 1.959, 1.38 iters/s
step 420, batch loss 2.163, 1.38 iters/s
step 421, batch loss 2.18, 1.38 iters/s
step 422, batch loss 2.149, 1.38 iters/s
step 423, batch loss 2.369, 1.38 iters/s
step 424, batch loss 2.121, 1.38 iters/s
step 425, batch loss 2.518, 1.38 iters/s
step 426, batch loss 2.118, 1.39 iters/s
step 427, batch loss 2.251, 1.37 iters/s
step 428, batch loss 2.141, 1.38 iters/s
step 429, batch loss 2.116, 1.38 iters/s
step 430, batch loss 2.236, 1.37 iters/s
step 431, batch loss 2.27, 1.38 iters/s
step 432, batch loss 2.2, 1.38 iters/s
step 433, batch loss 2.133, 1.38 iters/s
step 434, batch loss 2.356, 1.38 iters/s
step 435, batch loss 2.113, 1.38 iters/s
step 436, batch loss 2.07, 1.38 iters/s
step 437, batch loss 1.747, 1.38 iters/s
step 438, batch loss 2.181, 1.38 iters/s
step 439, batch loss 2.225, 1.38 iters/s
step 440, batch loss 2.121, 1.38 iters/s
step 441, batch loss 2.192, 1.38 iters/s
step 442, batch loss 2.274, 1.38 iters/s
step 443, batch loss 2.195, 1.38 iters/s
step 444, batch loss 2.134, 1.38 iters/s
step 445, batch loss 2.139, 1.38 iters/s
step 446, batch loss 2.096, 1.38 iters/s
step 447, batch loss 2.1, 1.38 iters/s
step 448, batch loss 2.011, 1.37 iters/s
step 449, batch loss 2.004, 1.38 iters/s
step 450, batch loss 2.104, 1.38 iters/s
step 451, batch loss 1.973, 1.38 iters/s
step 452, batch loss 1.988, 1.38 iters/s
step 453, batch loss 2.038, 1.39 iters/s
step 454, batch loss 2.112, 1.38 iters/s
step 455, batch loss 2.332, 1.37 iters/s
step 456, batch loss 2.546, 1.38 iters/s
step 457, batch loss 2.369, 1.38 iters/s
step 458, batch loss 2.233, 1.38 iters/s

step 459, batch loss 2.211, 1.38 iters/s
step 460, batch loss 2.173, 1.39 iters/s
step 461, batch loss 2.119, 1.38 iters/s
step 462, batch loss 2.186, 1.38 iters/s
step 463, batch loss 2.283, 1.37 iters/s
step 464, batch loss 2.257, 1.38 iters/s
step 465, batch loss 2.056, 1.38 iters/s
step 466, batch loss 2.19, 1.38 iters/s
step 467, batch loss 1.933, 1.38 iters/s
step 468, batch loss 2.022, 1.38 iters/s
step 469, batch loss 2.231, 1.39 iters/s
step 470, batch loss 2.154, 1.38 iters/s
step 471, batch loss 2.565, 1.38 iters/s
step 472, batch loss 2.337, 1.38 iters/s
step 473, batch loss 2.374, 1.38 iters/s
step 474, batch loss 2.223, 1.38 iters/s
step 475, batch loss 2.127, 1.38 iters/s
step 476, batch loss 2.062, 1.38 iters/s
step 477, batch loss 2.209, 1.37 iters/s
step 478, batch loss 2.064, 1.38 iters/s
step 479, batch loss 2.348, 1.38 iters/s
step 480, batch loss 2.281, 1.38 iters/s
step 481, batch loss 2.46, 1.38 iters/s
step 482, batch loss 2.108, 1.38 iters/s
step 483, batch loss 2.027, 1.38 iters/s
step 484, batch loss 2.1, 1.38 iters/s
step 485, batch loss 2.15, 1.38 iters/s
step 486, batch loss 2.176, 1.38 iters/s
step 487, batch loss 2.19, 1.38 iters/s
step 488, batch loss 2.056, 1.38 iters/s
step 489, batch loss 2.184, 1.38 iters/s
step 490, batch loss 1.999, 1.38 iters/s
step 491, batch loss 2.211, 1.38 iters/s
step 492, batch loss 2.536, 1.38 iters/s
step 493, batch loss 2.063, 1.39 iters/s
step 494, batch loss 1.981, 1.39 iters/s
step 495, batch loss 1.989, 1.38 iters/s
step 496, batch loss 2.247, 1.38 iters/s
step 497, batch loss 2.035, 1.39 iters/s
step 498, batch loss 2.371, 1.38 iters/s
step 499, batch loss 2.076, 1.39 iters/s
step 500, batch loss 2.051, 1.38 iters/s
step 501, batch loss 2.127, 1.38 iters/s
step 502, batch loss 2.278, 1.38 iters/s
step 503, batch loss 2.226, 1.38 iters/s
step 504, batch loss 2.298, 1.38 iters/s
step 505, batch loss 2.272, 1.38 iters/s
step 506, batch loss 2.036, 1.39 iters/s

step 507, batch loss 2.611, 1.38 iters/s
step 508, batch loss 2.329, 1.39 iters/s
step 509, batch loss 2.194, 1.38 iters/s
step 510, batch loss 2.108, 1.38 iters/s
step 511, batch loss 2.193, 1.38 iters/s
step 512, batch loss 2.478, 1.38 iters/s
step 513, batch loss 2.105, 1.38 iters/s
step 514, batch loss 2.41, 1.39 iters/s
step 515, batch loss 1.955, 1.38 iters/s
step 516, batch loss 2.027, 1.39 iters/s
step 517, batch loss 2.165, 1.38 iters/s
step 518, batch loss 2.113, 1.38 iters/s
step 519, batch loss 2.261, 1.39 iters/s
step 520, batch loss 2.177, 1.39 iters/s
step 521, batch loss 2.104, 1.38 iters/s
step 522, batch loss 2.242, 1.39 iters/s
step 523, batch loss 2.366, 1.38 iters/s
step 524, batch loss 2.092, 1.38 iters/s
step 525, batch loss 2.369, 1.39 iters/s
step 526, batch loss 2.336, 1.38 iters/s
step 527, batch loss 1.939, 1.38 iters/s
step 528, batch loss 1.98, 1.38 iters/s
step 529, batch loss 2.049, 1.4 iters/s
step 530, batch loss 2.108, 1.39 iters/s
step 531, batch loss 2.213, 1.39 iters/s
step 532, batch loss 2.296, 1.38 iters/s
step 533, batch loss 2.185, 1.38 iters/s
step 534, batch loss 2.216, 1.38 iters/s
step 535, batch loss 2.029, 1.38 iters/s
step 536, batch loss 2.824, 1.38 iters/s
step 537, batch loss 2.047, 1.38 iters/s
step 538, batch loss 2.26, 1.38 iters/s
step 539, batch loss 2.328, 1.38 iters/s
step 540, batch loss 2.206, 1.38 iters/s
step 541, batch loss 2.216, 1.38 iters/s
step 542, batch loss 2.077, 1.38 iters/s
step 543, batch loss 2.283, 1.38 iters/s
step 544, batch loss 1.914, 1.38 iters/s
step 545, batch loss 2.247, 1.38 iters/s
step 546, batch loss 2.21, 1.38 iters/s
step 547, batch loss 2.033, 1.38 iters/s
step 548, batch loss 2.615, 1.38 iters/s
step 549, batch loss 2.11, 1.38 iters/s
step 550, batch loss 2.096, 1.38 iters/s
step 551, batch loss 2.444, 1.38 iters/s
step 552, batch loss 1.947, 1.39 iters/s
step 553, batch loss 2.095, 1.38 iters/s
step 554, batch loss 2.174, 1.38 iters/s

step 555, batch loss 2.126, 1.39 iters/s
step 556, batch loss 1.988, 1.39 iters/s
step 557, batch loss 2.354, 1.38 iters/s
step 558, batch loss 2.097, 1.38 iters/s
step 559, batch loss 2.144, 1.38 iters/s
step 560, batch loss 2.18, 1.39 iters/s
step 561, batch loss 2.037, 1.38 iters/s
step 562, batch loss 2.263, 1.38 iters/s
step 563, batch loss 2.27, 1.38 iters/s
step 564, batch loss 2.165, 1.38 iters/s
step 565, batch loss 1.961, 1.38 iters/s
step 566, batch loss 2.155, 1.38 iters/s
step 567, batch loss 2.208, 1.38 iters/s
step 568, batch loss 2.11, 1.39 iters/s
step 569, batch loss 2.149, 1.38 iters/s
step 570, batch loss 2.209, 1.38 iters/s
step 571, batch loss 2.285, 1.39 iters/s
step 572, batch loss 2.536, 1.38 iters/s
step 573, batch loss 2.036, 1.38 iters/s
step 574, batch loss 2.083, 1.38 iters/s
step 575, batch loss 2.278, 1.38 iters/s
step 576, batch loss 2.0, 1.38 iters/s
step 577, batch loss 2.167, 1.38 iters/s
step 578, batch loss 2.205, 1.39 iters/s
step 579, batch loss 2.025, 1.39 iters/s
step 580, batch loss 2.198, 1.38 iters/s
step 581, batch loss 2.313, 1.38 iters/s
step 582, batch loss 2.173, 1.4 iters/s
step 583, batch loss 2.27, 1.39 iters/s
step 584, batch loss 2.12, 1.38 iters/s
step 585, batch loss 2.305, 1.38 iters/s
step 586, batch loss 2.04, 1.38 iters/s
step 587, batch loss 2.575, 1.38 iters/s
step 588, batch loss 2.408, 1.38 iters/s
step 589, batch loss 2.378, 1.38 iters/s
step 590, batch loss 2.184, 1.38 iters/s
step 591, batch loss 2.161, 1.39 iters/s
step 592, batch loss 2.118, 1.38 iters/s
step 593, batch loss 2.302, 1.38 iters/s
step 594, batch loss 2.016, 1.38 iters/s
step 595, batch loss 2.261, 1.39 iters/s
step 596, batch loss 1.762, 1.4 iters/s
step 597, batch loss 2.361, 1.39 iters/s
step 598, batch loss 2.026, 1.38 iters/s
step 599, batch loss 2.104, 1.38 iters/s
step 600, batch loss 1.881, 1.39 iters/s
step 601, batch loss 2.099, 1.38 iters/s
step 602, batch loss 2.141, 1.39 iters/s

step 603, batch loss 2.196, 1.38 iters/s
step 604, batch loss 1.722, 1.38 iters/s
step 605, batch loss 2.118, 1.38 iters/s
step 606, batch loss 2.413, 1.38 iters/s
step 607, batch loss 2.14, 1.38 iters/s
step 608, batch loss 2.168, 1.39 iters/s
step 609, batch loss 2.092, 1.38 iters/s
step 610, batch loss 2.32, 1.38 iters/s
step 611, batch loss 2.039, 1.39 iters/s
step 612, batch loss 2.167, 1.39 iters/s
step 613, batch loss 2.128, 1.38 iters/s
step 614, batch loss 1.927, 1.38 iters/s
step 615, batch loss 2.154, 1.38 iters/s
step 616, batch loss 1.954, 1.38 iters/s
step 617, batch loss 2.114, 1.38 iters/s
step 618, batch loss 2.01, 1.38 iters/s
step 619, batch loss 2.16, 1.39 iters/s
step 620, batch loss 1.963, 1.38 iters/s
step 621, batch loss 2.238, 1.38 iters/s
step 622, batch loss 2.359, 1.38 iters/s
step 623, batch loss 2.186, 1.39 iters/s
step 624, batch loss 2.137, 1.38 iters/s
step 625, batch loss 2.116, 1.38 iters/s
step 626, batch loss 2.136, 1.38 iters/s
step 627, batch loss 2.107, 1.38 iters/s
step 628, batch loss 1.923, 1.39 iters/s
step 629, batch loss 2.044, 1.39 iters/s
step 630, batch loss 2.034, 1.39 iters/s
step 631, batch loss 2.271, 1.38 iters/s
step 632, batch loss 2.152, 1.39 iters/s
step 633, batch loss 2.318, 1.38 iters/s
step 634, batch loss 2.3, 1.39 iters/s
step 635, batch loss 2.292, 1.38 iters/s
step 636, batch loss 2.245, 1.39 iters/s
step 637, batch loss 2.201, 1.38 iters/s
step 638, batch loss 1.936, 1.39 iters/s
step 639, batch loss 2.375, 1.38 iters/s
step 640, batch loss 2.193, 1.39 iters/s
step 641, batch loss 2.484, 1.38 iters/s
step 642, batch loss 2.309, 1.38 iters/s
step 643, batch loss 2.009, 1.39 iters/s
step 644, batch loss 2.091, 1.38 iters/s
step 645, batch loss 2.161, 1.38 iters/s
step 646, batch loss 2.295, 1.38 iters/s
step 647, batch loss 1.89, 1.39 iters/s
step 648, batch loss 2.146, 1.39 iters/s
step 649, batch loss 2.278, 1.38 iters/s
step 650, batch loss 2.044, 1.39 iters/s

step 651, batch loss 2.152, 1.39 iters/s
step 652, batch loss 2.045, 1.38 iters/s
step 653, batch loss 2.027, 1.38 iters/s
step 654, batch loss 2.003, 1.38 iters/s
step 655, batch loss 2.196, 1.38 iters/s
step 656, batch loss 2.342, 1.38 iters/s
step 657, batch loss 2.245, 1.38 iters/s
step 658, batch loss 2.022, 1.38 iters/s
step 659, batch loss 2.302, 1.38 iters/s
step 660, batch loss 1.803, 1.39 iters/s
step 661, batch loss 2.24, 1.39 iters/s
step 662, batch loss 2.085, 1.4 iters/s
step 663, batch loss 2.309, 1.38 iters/s
step 664, batch loss 2.16, 1.39 iters/s
step 665, batch loss 1.919, 1.38 iters/s
step 666, batch loss 2.087, 1.4 iters/s
step 667, batch loss 1.946, 1.39 iters/s
step 668, batch loss 2.744, 1.38 iters/s
step 669, batch loss 2.081, 1.38 iters/s
step 670, batch loss 2.38, 1.38 iters/s
step 671, batch loss 2.088, 1.39 iters/s
step 672, batch loss 2.191, 1.39 iters/s
step 673, batch loss 2.317, 1.39 iters/s
step 674, batch loss 2.068, 1.38 iters/s
step 675, batch loss 2.415, 1.38 iters/s
step 676, batch loss 2.19, 1.38 iters/s
step 677, batch loss 2.277, 1.39 iters/s
step 678, batch loss 2.401, 1.38 iters/s
step 679, batch loss 2.452, 1.38 iters/s
step 680, batch loss 2.034, 1.38 iters/s
step 681, batch loss 2.105, 1.38 iters/s
step 682, batch loss 2.068, 1.38 iters/s
step 683, batch loss 2.277, 1.39 iters/s
step 684, batch loss 1.983, 1.38 iters/s
step 685, batch loss 1.959, 1.38 iters/s
step 686, batch loss 2.14, 1.39 iters/s
step 687, batch loss 2.36, 1.4 iters/s
step 688, batch loss 2.149, 1.38 iters/s
step 689, batch loss 2.205, 1.38 iters/s
step 690, batch loss 2.147, 1.38 iters/s
step 691, batch loss 2.182, 1.4 iters/s
step 692, batch loss 1.951, 1.38 iters/s
step 693, batch loss 2.085, 1.38 iters/s
step 694, batch loss 2.359, 1.39 iters/s
step 695, batch loss 2.207, 1.38 iters/s
step 696, batch loss 2.151, 1.39 iters/s
step 697, batch loss 2.387, 1.39 iters/s
step 698, batch loss 2.13, 1.38 iters/s

step 699, batch loss 2.629, 1.38 iters/s
step 700, batch loss 1.999, 1.38 iters/s
step 701, batch loss 2.042, 1.38 iters/s
step 702, batch loss 2.15, 1.38 iters/s
step 703, batch loss 2.188, 1.38 iters/s
step 704, batch loss 2.003, 1.38 iters/s
step 705, batch loss 2.153, 1.38 iters/s
step 706, batch loss 2.124, 1.39 iters/s
step 707, batch loss 2.163, 1.38 iters/s
step 708, batch loss 2.244, 1.38 iters/s
step 709, batch loss 2.247, 1.37 iters/s
step 710, batch loss 2.257, 1.38 iters/s
step 711, batch loss 2.232, 1.4 iters/s
step 712, batch loss 2.113, 1.39 iters/s
step 713, batch loss 2.477, 1.38 iters/s
step 714, batch loss 2.265, 1.39 iters/s
step 715, batch loss 2.244, 1.38 iters/s
step 716, batch loss 2.239, 1.38 iters/s
step 717, batch loss 2.052, 1.38 iters/s
step 718, batch loss 2.365, 1.38 iters/s
step 719, batch loss 2.037, 1.38 iters/s
step 720, batch loss 2.221, 1.38 iters/s
step 721, batch loss 2.207, 1.38 iters/s
step 722, batch loss 2.127, 1.38 iters/s
step 723, batch loss 2.32, 1.39 iters/s
step 724, batch loss 2.34, 1.38 iters/s
step 725, batch loss 2.258, 1.38 iters/s
step 726, batch loss 2.029, 1.39 iters/s
step 727, batch loss 2.119, 1.38 iters/s
step 728, batch loss 2.321, 1.39 iters/s
step 729, batch loss 2.262, 1.39 iters/s
step 730, batch loss 1.964, 1.39 iters/s
step 731, batch loss 2.126, 1.38 iters/s
step 732, batch loss 2.179, 1.39 iters/s
step 733, batch loss 2.066, 1.39 iters/s
step 734, batch loss 2.273, 1.38 iters/s
step 735, batch loss 2.1, 1.39 iters/s
step 736, batch loss 2.141, 1.38 iters/s
step 737, batch loss 2.035, 1.38 iters/s
step 738, batch loss 2.042, 1.38 iters/s
step 739, batch loss 1.897, 1.38 iters/s
step 740, batch loss 2.008, 1.39 iters/s
step 741, batch loss 2.073, 1.38 iters/s
step 742, batch loss 2.095, 1.39 iters/s
step 743, batch loss 2.124, 1.38 iters/s
step 744, batch loss 2.047, 1.38 iters/s
step 745, batch loss 1.859, 1.38 iters/s
step 746, batch loss 2.021, 1.38 iters/s

step 747, batch loss 2.222, 1.38 iters/s
step 748, batch loss 2.144, 1.38 iters/s
step 749, batch loss 2.048, 1.4 iters/s
step 750, batch loss 2.049, 1.38 iters/s
step 751, batch loss 2.008, 1.39 iters/s
step 752, batch loss 2.275, 1.38 iters/s
step 753, batch loss 2.387, 1.38 iters/s
step 754, batch loss 2.169, 1.39 iters/s
step 755, batch loss 2.245, 1.39 iters/s
step 756, batch loss 2.03, 1.39 iters/s
step 757, batch loss 2.176, 1.38 iters/s
step 758, batch loss 2.079, 1.38 iters/s
step 759, batch loss 2.528, 1.38 iters/s
step 760, batch loss 2.287, 1.39 iters/s
step 761, batch loss 2.312, 1.39 iters/s
step 762, batch loss 1.954, 1.38 iters/s
step 763, batch loss 1.998, 1.39 iters/s
step 764, batch loss 2.25, 1.38 iters/s
step 765, batch loss 2.478, 1.39 iters/s
step 766, batch loss 2.312, 1.39 iters/s
step 767, batch loss 1.9, 1.39 iters/s
step 768, batch loss 2.23, 1.39 iters/s
step 769, batch loss 2.05, 1.38 iters/s
step 770, batch loss 2.45, 1.38 iters/s
step 771, batch loss 2.266, 1.38 iters/s
step 772, batch loss 2.082, 1.38 iters/s
step 773, batch loss 1.999, 1.38 iters/s
step 774, batch loss 2.054, 1.38 iters/s
step 775, batch loss 2.098, 1.38 iters/s
step 776, batch loss 2.234, 1.38 iters/s
step 777, batch loss 2.174, 1.38 iters/s
step 778, batch loss 2.321, 1.39 iters/s
step 779, batch loss 2.037, 1.39 iters/s
step 780, batch loss 2.039, 1.39 iters/s
step 781, batch loss 2.246, 1.4 iters/s
step 782, batch loss 2.088, 1.39 iters/s
step 783, batch loss 2.433, 1.38 iters/s
step 784, batch loss 2.191, 1.39 iters/s
step 785, batch loss 2.261, 1.39 iters/s
step 786, batch loss 2.04, 1.39 iters/s
step 787, batch loss 2.283, 1.39 iters/s
step 788, batch loss 2.062, 1.39 iters/s
step 789, batch loss 2.124, 1.38 iters/s
step 790, batch loss 2.182, 1.38 iters/s
step 791, batch loss 2.166, 1.38 iters/s
step 792, batch loss 2.166, 1.38 iters/s
step 793, batch loss 2.2, 1.39 iters/s
step 794, batch loss 2.194, 1.39 iters/s

step 795, batch loss 2.317, 1.38 iters/s
step 796, batch loss 2.23, 1.39 iters/s
step 797, batch loss 2.205, 1.38 iters/s
step 798, batch loss 2.074, 1.39 iters/s
step 799, batch loss 2.825, 1.39 iters/s
step 800, batch loss 2.065, 1.4 iters/s
step 801, batch loss 2.111, 1.39 iters/s
step 802, batch loss 2.239, 1.39 iters/s
step 803, batch loss 2.145, 1.39 iters/s
step 804, batch loss 2.311, 1.39 iters/s
step 805, batch loss 2.061, 1.38 iters/s
step 806, batch loss 2.396, 1.38 iters/s
step 807, batch loss 2.212, 1.38 iters/s
step 808, batch loss 2.171, 1.38 iters/s
step 809, batch loss 2.087, 1.38 iters/s
step 810, batch loss 2.163, 1.38 iters/s
step 811, batch loss 2.122, 1.39 iters/s
step 812, batch loss 2.011, 1.38 iters/s
step 813, batch loss 2.101, 1.38 iters/s
step 814, batch loss 2.137, 1.38 iters/s
step 815, batch loss 2.261, 1.38 iters/s
step 816, batch loss 1.961, 1.39 iters/s
step 817, batch loss 2.065, 1.39 iters/s
step 818, batch loss 2.446, 1.39 iters/s
step 819, batch loss 2.211, 1.38 iters/s
step 820, batch loss 2.047, 1.38 iters/s
step 821, batch loss 2.002, 1.38 iters/s
step 822, batch loss 2.134, 1.38 iters/s
step 823, batch loss 2.14, 1.38 iters/s
step 824, batch loss 2.39, 1.39 iters/s
step 825, batch loss 2.223, 1.38 iters/s
step 826, batch loss 2.294, 1.38 iters/s
step 827, batch loss 1.753, 1.38 iters/s
step 828, batch loss 2.065, 1.38 iters/s
step 829, batch loss 2.149, 1.38 iters/s
step 830, batch loss 2.048, 1.38 iters/s
step 831, batch loss 2.119, 1.39 iters/s
step 832, batch loss 2.291, 1.4 iters/s
step 833, batch loss 1.971, 1.38 iters/s
step 834, batch loss 1.642, 1.39 iters/s
step 835, batch loss 1.867, 1.39 iters/s
step 836, batch loss 2.086, 1.38 iters/s
step 837, batch loss 2.178, 1.38 iters/s
step 838, batch loss 1.936, 1.39 iters/s
step 839, batch loss 2.152, 1.38 iters/s
step 840, batch loss 1.983, 1.39 iters/s
step 841, batch loss 2.076, 1.38 iters/s
step 842, batch loss 2.093, 1.38 iters/s

step 843, batch loss 2.097, 1.37 iters/s
step 844, batch loss 2.196, 1.39 iters/s
step 845, batch loss 2.414, 1.38 iters/s
step 846, batch loss 2.268, 1.38 iters/s
step 847, batch loss 2.219, 1.38 iters/s
step 848, batch loss 1.828, 1.38 iters/s
step 849, batch loss 2.253, 1.38 iters/s
step 850, batch loss 2.029, 1.38 iters/s
step 851, batch loss 2.365, 1.38 iters/s
step 852, batch loss 2.075, 1.38 iters/s
step 853, batch loss 2.281, 1.38 iters/s
step 854, batch loss 2.295, 1.38 iters/s
step 855, batch loss 2.238, 1.39 iters/s
step 856, batch loss 1.911, 1.38 iters/s
step 857, batch loss 1.933, 1.38 iters/s
step 858, batch loss 1.973, 1.38 iters/s
step 859, batch loss 1.929, 1.38 iters/s
step 860, batch loss 2.062, 1.39 iters/s
step 861, batch loss 1.926, 1.39 iters/s
step 862, batch loss 2.368, 1.38 iters/s
step 863, batch loss 2.344, 1.38 iters/s
step 864, batch loss 2.148, 1.38 iters/s
step 865, batch loss 2.34, 1.39 iters/s
step 866, batch loss 2.008, 1.38 iters/s
step 867, batch loss 2.498, 1.39 iters/s
step 868, batch loss 2.085, 1.38 iters/s
step 869, batch loss 2.199, 1.38 iters/s
step 870, batch loss 1.873, 1.39 iters/s
step 871, batch loss 1.95, 1.39 iters/s
step 872, batch loss 1.971, 1.38 iters/s
step 873, batch loss 2.129, 1.38 iters/s
step 874, batch loss 2.197, 1.38 iters/s
step 875, batch loss 2.37, 1.38 iters/s
step 876, batch loss 2.026, 1.38 iters/s
step 877, batch loss 2.129, 1.38 iters/s
step 878, batch loss 1.95, 1.39 iters/s
step 879, batch loss 2.234, 1.38 iters/s
step 880, batch loss 2.196, 1.38 iters/s
step 881, batch loss 2.14, 1.38 iters/s
step 882, batch loss 2.053, 1.38 iters/s
step 883, batch loss 2.23, 1.38 iters/s
step 884, batch loss 2.092, 1.38 iters/s
step 885, batch loss 1.821, 1.39 iters/s
step 886, batch loss 2.192, 1.38 iters/s
step 887, batch loss 1.929, 1.38 iters/s
step 888, batch loss 2.4, 1.38 iters/s
step 889, batch loss 2.676, 1.38 iters/s
step 890, batch loss 2.39, 1.38 iters/s

step 891, batch loss 2.053, 1.38 iters/s
step 892, batch loss 2.269, 1.38 iters/s
step 893, batch loss 2.315, 1.39 iters/s
step 894, batch loss 2.225, 1.38 iters/s
step 895, batch loss 2.273, 1.38 iters/s
step 896, batch loss 2.29, 1.38 iters/s
step 897, batch loss 2.314, 1.38 iters/s
step 898, batch loss 2.195, 1.38 iters/s
step 899, batch loss 2.095, 1.38 iters/s
step 900, batch loss 2.205, 1.38 iters/s
step 901, batch loss 1.963, 1.38 iters/s
step 902, batch loss 2.087, 1.38 iters/s
step 903, batch loss 1.976, 1.39 iters/s
step 904, batch loss 2.115, 1.38 iters/s
step 905, batch loss 1.842, 1.39 iters/s
step 906, batch loss 2.22, 1.38 iters/s
step 907, batch loss 2.086, 1.38 iters/s
step 908, batch loss 2.308, 1.38 iters/s
step 909, batch loss 2.198, 1.39 iters/s
step 910, batch loss 1.951, 1.38 iters/s
step 911, batch loss 2.113, 1.39 iters/s
step 912, batch loss 2.147, 1.39 iters/s
step 913, batch loss 1.745, 1.38 iters/s
step 914, batch loss 2.119, 1.39 iters/s
step 915, batch loss 2.18, 1.39 iters/s
step 916, batch loss 2.059, 1.38 iters/s
step 917, batch loss 2.15, 1.38 iters/s
step 918, batch loss 2.094, 1.38 iters/s
step 919, batch loss 2.299, 1.39 iters/s
step 920, batch loss 2.299, 1.38 iters/s
step 921, batch loss 2.509, 1.38 iters/s
step 922, batch loss 2.152, 1.38 iters/s
step 923, batch loss 2.099, 1.38 iters/s
step 924, batch loss 1.993, 1.38 iters/s
step 925, batch loss 2.249, 1.38 iters/s
step 926, batch loss 2.177, 1.38 iters/s
step 927, batch loss 2.211, 1.39 iters/s
step 928, batch loss 2.251, 1.38 iters/s
step 929, batch loss 2.252, 1.39 iters/s
step 930, batch loss 1.923, 1.39 iters/s
step 931, batch loss 2.38, 1.39 iters/s
step 932, batch loss 2.165, 1.38 iters/s
step 933, batch loss 2.146, 1.39 iters/s
step 934, batch loss 2.079, 1.38 iters/s
step 935, batch loss 2.268, 1.38 iters/s
step 936, batch loss 2.083, 1.38 iters/s
step 937, batch loss 2.157, 1.38 iters/s
step 938, batch loss 2.01, 1.39 iters/s

step 939, batch loss 2.075, 1.39 iters/s
step 940, batch loss 2.131, 1.38 iters/s
step 941, batch loss 2.386, 1.38 iters/s
step 942, batch loss 2.384, 1.38 iters/s
step 943, batch loss 2.022, 1.38 iters/s
step 944, batch loss 2.338, 1.38 iters/s
step 945, batch loss 2.245, 1.38 iters/s
step 946, batch loss 2.188, 1.38 iters/s
step 947, batch loss 2.345, 1.38 iters/s
step 948, batch loss 2.111, 1.38 iters/s
step 949, batch loss 2.185, 1.38 iters/s
step 950, batch loss 2.101, 1.38 iters/s
step 951, batch loss 2.472, 1.38 iters/s
step 952, batch loss 2.144, 1.38 iters/s
step 953, batch loss 1.975, 1.39 iters/s
step 954, batch loss 2.195, 1.38 iters/s
step 955, batch loss 2.162, 1.38 iters/s
step 956, batch loss 2.157, 1.38 iters/s
step 957, batch loss 2.181, 1.38 iters/s
step 958, batch loss 2.396, 1.38 iters/s
step 959, batch loss 2.161, 1.38 iters/s
step 960, batch loss 2.063, 1.38 iters/s
step 961, batch loss 2.232, 1.39 iters/s
step 962, batch loss 1.916, 1.38 iters/s
step 963, batch loss 2.249, 1.38 iters/s
step 964, batch loss 1.876, 1.39 iters/s
step 965, batch loss 2.397, 1.38 iters/s
step 966, batch loss 2.123, 1.38 iters/s
step 967, batch loss 2.196, 1.38 iters/s
step 968, batch loss 1.864, 1.38 iters/s
step 969, batch loss 1.955, 1.38 iters/s
step 970, batch loss 2.148, 1.38 iters/s
step 971, batch loss 1.862, 1.39 iters/s
step 972, batch loss 2.326, 1.38 iters/s
step 973, batch loss 2.084, 1.39 iters/s
step 974, batch loss 2.251, 1.38 iters/s
step 975, batch loss 2.371, 1.38 iters/s
step 976, batch loss 2.401, 1.38 iters/s
step 977, batch loss 2.071, 1.38 iters/s
step 978, batch loss 2.04, 1.39 iters/s
step 979, batch loss 2.263, 1.4 iters/s
step 980, batch loss 2.38, 1.38 iters/s
step 981, batch loss 2.112, 1.38 iters/s
step 982, batch loss 2.023, 1.38 iters/s
step 983, batch loss 2.079, 1.38 iters/s
step 984, batch loss 2.178, 1.38 iters/s
step 985, batch loss 2.404, 1.38 iters/s
step 986, batch loss 1.97, 1.38 iters/s

step 987, batch loss 2.171, 1.38 iters/s
step 988, batch loss 2.406, 1.38 iters/s
step 989, batch loss 2.156, 1.39 iters/s
step 990, batch loss 2.031, 1.38 iters/s
step 991, batch loss 2.162, 1.39 iters/s
step 992, batch loss 2.209, 1.38 iters/s
step 993, batch loss 1.955, 1.38 iters/s
step 994, batch loss 2.277, 1.38 iters/s
step 995, batch loss 1.936, 1.38 iters/s
step 996, batch loss 2.163, 1.38 iters/s
step 997, batch loss 2.207, 1.38 iters/s
step 998, batch loss 2.029, 1.39 iters/s
step 999, batch loss 2.099, 1.4 iters/s
step 1000, batch loss 2.06, 1.38 iters/s
step 1001, batch loss 2.02, 1.39 iters/s
step 1002, batch loss 1.892, 1.38 iters/s
step 1003, batch loss 2.231, 1.38 iters/s
step 1004, batch loss 1.841, 1.39 iters/s
step 1005, batch loss 2.041, 1.38 iters/s
step 1006, batch loss 2.068, 1.38 iters/s
step 1007, batch loss 1.917, 1.38 iters/s
step 1008, batch loss 2.012, 1.38 iters/s
step 1009, batch loss 1.876, 1.38 iters/s
step 1010, batch loss 1.975, 1.38 iters/s
step 1011, batch loss 2.509, 1.38 iters/s
step 1012, batch loss 2.325, 1.38 iters/s
step 1013, batch loss 1.778, 1.38 iters/s
step 1014, batch loss 2.098, 1.38 iters/s
step 1015, batch loss 2.081, 1.39 iters/s
step 1016, batch loss 2.142, 1.38 iters/s
step 1017, batch loss 2.07, 1.38 iters/s
step 1018, batch loss 2.221, 1.38 iters/s
step 1019, batch loss 2.056, 1.38 iters/s
step 1020, batch loss 2.238, 1.38 iters/s
step 1021, batch loss 2.109, 1.38 iters/s
step 1022, batch loss 1.958, 1.38 iters/s
step 1023, batch loss 2.214, 1.38 iters/s
step 1024, batch loss 2.254, 1.38 iters/s
step 1025, batch loss 2.003, 1.39 iters/s
step 1026, batch loss 2.341, 1.38 iters/s
step 1027, batch loss 2.048, 1.38 iters/s
step 1028, batch loss 2.143, 1.38 iters/s
step 1029, batch loss 2.108, 1.38 iters/s
step 1030, batch loss 2.16, 1.38 iters/s
step 1031, batch loss 2.328, 1.39 iters/s
step 1032, batch loss 2.051, 1.38 iters/s
step 1033, batch loss 2.296, 1.38 iters/s
step 1034, batch loss 2.217, 1.38 iters/s

step 1035, batch loss 2.25, 1.38 iters/s
step 1036, batch loss 2.465, 1.39 iters/s
step 1037, batch loss 2.271, 1.38 iters/s
step 1038, batch loss 2.582, 1.38 iters/s
step 1039, batch loss 2.16, 1.38 iters/s
step 1040, batch loss 2.318, 1.4 iters/s
step 1041, batch loss 2.164, 1.37 iters/s
step 1042, batch loss 2.193, 1.39 iters/s
step 1043, batch loss 2.246, 1.38 iters/s
step 1044, batch loss 2.045, 1.39 iters/s
step 1045, batch loss 2.491, 1.38 iters/s
step 1046, batch loss 2.635, 1.38 iters/s
step 1047, batch loss 1.988, 1.38 iters/s
step 1048, batch loss 2.367, 1.38 iters/s
step 1049, batch loss 2.201, 1.38 iters/s
step 1050, batch loss 1.948, 1.39 iters/s
step 1051, batch loss 2.217, 1.39 iters/s
step 1052, batch loss 2.231, 1.39 iters/s
step 1053, batch loss 2.019, 1.38 iters/s
step 1054, batch loss 2.139, 1.38 iters/s
step 1055, batch loss 4.011, 1.38 iters/s
step 1056, batch loss 2.098, 1.38 iters/s
step 1057, batch loss 1.907, 1.38 iters/s
step 1058, batch loss 2.111, 1.39 iters/s
step 1059, batch loss 2.33, 1.38 iters/s
step 1060, batch loss 2.087, 1.38 iters/s
step 1061, batch loss 2.596, 1.38 iters/s
step 1062, batch loss 2.088, 1.39 iters/s
step 1063, batch loss 2.218, 1.39 iters/s
step 1064, batch loss 1.865, 1.39 iters/s
step 1065, batch loss 2.257, 1.38 iters/s
step 1066, batch loss 2.082, 1.38 iters/s
step 1067, batch loss 2.281, 1.38 iters/s
step 1068, batch loss 2.214, 1.38 iters/s
step 1069, batch loss 2.089, 1.38 iters/s
step 1070, batch loss 2.365, 1.38 iters/s
step 1071, batch loss 2.283, 1.38 iters/s
step 1072, batch loss 2.197, 1.38 iters/s
step 1073, batch loss 2.273, 1.38 iters/s
step 1074, batch loss 2.294, 1.38 iters/s
step 1075, batch loss 2.18, 1.38 iters/s
step 1076, batch loss 2.106, 1.38 iters/s
step 1077, batch loss 2.401, 1.38 iters/s
step 1078, batch loss 2.18, 1.38 iters/s
step 1079, batch loss 2.112, 1.38 iters/s
step 1080, batch loss 2.185, 1.38 iters/s
step 1081, batch loss 2.1, 1.38 iters/s
step 1082, batch loss 2.147, 1.38 iters/s

step 1083, batch loss 2.128, 1.39 iters/s
step 1084, batch loss 2.099, 1.38 iters/s
step 1085, batch loss 2.329, 1.38 iters/s
step 1086, batch loss 2.136, 1.39 iters/s
step 1087, batch loss 2.129, 1.39 iters/s
step 1088, batch loss 2.077, 1.37 iters/s
step 1089, batch loss 2.14, 1.37 iters/s
step 1090, batch loss 2.009, 1.38 iters/s
step 1091, batch loss 2.271, 1.38 iters/s
step 1092, batch loss 2.253, 1.38 iters/s
step 1093, batch loss 2.306, 1.4 iters/s
step 1094, batch loss 2.333, 1.38 iters/s
step 1095, batch loss 2.222, 1.38 iters/s
step 1096, batch loss 2.155, 1.38 iters/s
step 1097, batch loss 2.152, 1.38 iters/s
step 1098, batch loss 1.904, 1.38 iters/s
step 1099, batch loss 1.947, 1.38 iters/s
step 1100, batch loss 2.038, 1.38 iters/s
step 1101, batch loss 2.568, 1.38 iters/s
step 1102, batch loss 2.027, 1.38 iters/s
step 1103, batch loss 2.284, 1.38 iters/s
step 1104, batch loss 2.042, 1.38 iters/s
step 1105, batch loss 1.95, 1.38 iters/s
step 1106, batch loss 2.277, 1.38 iters/s
step 1107, batch loss 2.194, 1.38 iters/s
step 1108, batch loss 2.138, 1.38 iters/s
step 1109, batch loss 2.415, 1.38 iters/s
step 1110, batch loss 2.143, 1.38 iters/s
step 1111, batch loss 2.211, 1.38 iters/s
step 1112, batch loss 1.884, 1.38 iters/s
step 1113, batch loss 2.108, 1.39 iters/s
step 1114, batch loss 2.181, 1.38 iters/s
step 1115, batch loss 2.16, 1.39 iters/s
step 1116, batch loss 2.344, 1.38 iters/s
step 1117, batch loss 2.083, 1.38 iters/s
step 1118, batch loss 2.129, 1.38 iters/s
step 1119, batch loss 2.217, 1.38 iters/s
step 1120, batch loss 2.251, 1.37 iters/s
step 1121, batch loss 2.185, 1.38 iters/s
step 1122, batch loss 1.972, 1.38 iters/s
step 1123, batch loss 2.122, 1.39 iters/s
step 1124, batch loss 2.126, 1.38 iters/s
step 1125, batch loss 1.987, 1.39 iters/s
step 1126, batch loss 2.139, 1.38 iters/s
step 1127, batch loss 2.004, 1.38 iters/s
step 1128, batch loss 2.368, 1.38 iters/s
step 1129, batch loss 2.118, 1.38 iters/s
step 1130, batch loss 2.277, 1.38 iters/s

step 1131, batch loss 2.266, 1.38 iters/s
step 1132, batch loss 2.128, 1.38 iters/s
step 1133, batch loss 1.922, 1.4 iters/s
step 1134, batch loss 2.249, 1.38 iters/s
step 1135, batch loss 2.097, 1.39 iters/s
step 1136, batch loss 2.399, 1.39 iters/s
step 1137, batch loss 2.182, 1.38 iters/s
step 1138, batch loss 2.251, 1.38 iters/s
step 1139, batch loss 2.116, 1.38 iters/s
step 1140, batch loss 2.297, 1.39 iters/s
step 1141, batch loss 1.982, 1.38 iters/s
step 1142, batch loss 2.148, 1.39 iters/s
step 1143, batch loss 2.094, 1.38 iters/s
step 1144, batch loss 2.112, 1.38 iters/s
step 1145, batch loss 2.193, 1.38 iters/s
step 1146, batch loss 2.205, 1.38 iters/s
step 1147, batch loss 2.41, 1.38 iters/s
step 1148, batch loss 2.163, 1.38 iters/s
step 1149, batch loss 2.165, 1.38 iters/s
step 1150, batch loss 2.18, 1.38 iters/s
step 1151, batch loss 2.184, 1.38 iters/s
step 1152, batch loss 2.17, 1.39 iters/s
step 1153, batch loss 2.054, 1.38 iters/s
step 1154, batch loss 2.288, 1.38 iters/s
step 1155, batch loss 2.243, 1.38 iters/s
step 1156, batch loss 1.864, 1.38 iters/s
step 1157, batch loss 2.088, 1.38 iters/s
step 1158, batch loss 2.036, 1.38 iters/s
step 1159, batch loss 2.365, 1.38 iters/s
step 1160, batch loss 2.112, 1.38 iters/s
step 1161, batch loss 2.55, 1.39 iters/s
step 1162, batch loss 2.16, 1.38 iters/s
step 1163, batch loss 2.024, 1.38 iters/s
step 1164, batch loss 1.89, 1.38 iters/s
step 1165, batch loss 2.18, 1.38 iters/s
step 1166, batch loss 2.082, 1.38 iters/s
step 1167, batch loss 2.091, 1.38 iters/s
step 1168, batch loss 2.043, 1.38 iters/s
step 1169, batch loss 2.021, 1.39 iters/s
step 1170, batch loss 2.214, 1.39 iters/s
step 1171, batch loss 2.176, 1.38 iters/s
step 1172, batch loss 2.194, 1.38 iters/s
step 1173, batch loss 2.155, 1.39 iters/s
step 1174, batch loss 2.149, 1.39 iters/s
step 1175, batch loss 2.431, 1.39 iters/s
step 1176, batch loss 1.888, 1.38 iters/s
step 1177, batch loss 2.026, 1.38 iters/s
step 1178, batch loss 2.219, 1.38 iters/s

step 1179, batch loss 2.332, 1.38 iters/s
step 1180, batch loss 1.998, 1.38 iters/s
step 1181, batch loss 2.254, 1.39 iters/s
step 1182, batch loss 2.028, 1.39 iters/s
step 1183, batch loss 2.116, 1.38 iters/s
step 1184, batch loss 2.112, 1.38 iters/s
step 1185, batch loss 2.035, 1.38 iters/s
step 1186, batch loss 2.5, 1.38 iters/s
step 1187, batch loss 2.191, 1.38 iters/s
step 1188, batch loss 2.192, 1.38 iters/s
step 1189, batch loss 2.612, 1.38 iters/s
step 1190, batch loss 2.067, 1.38 iters/s
step 1191, batch loss 2.208, 1.38 iters/s
step 1192, batch loss 2.097, 1.39 iters/s
step 1193, batch loss 2.179, 1.39 iters/s
step 1194, batch loss 2.235, 1.39 iters/s
step 1195, batch loss 2.617, 1.39 iters/s
step 1196, batch loss 1.956, 1.38 iters/s
step 1197, batch loss 1.965, 1.38 iters/s
step 1198, batch loss 2.231, 1.38 iters/s
step 1199, batch loss 2.277, 1.38 iters/s
step 1200, batch loss 2.135, 1.39 iters/s
step 1201, batch loss 2.356, 1.39 iters/s
step 1202, batch loss 2.46, 1.38 iters/s
step 1203, batch loss 2.149, 1.38 iters/s
step 1204, batch loss 2.043, 1.38 iters/s
step 1205, batch loss 2.276, 1.39 iters/s
step 1206, batch loss 2.19, 1.39 iters/s
step 1207, batch loss 2.482, 1.38 iters/s
step 1208, batch loss 2.529, 1.38 iters/s
step 1209, batch loss 2.11, 1.38 iters/s
step 1210, batch loss 2.037, 1.39 iters/s
step 1211, batch loss 2.063, 1.38 iters/s
step 1212, batch loss 2.267, 1.38 iters/s
step 1213, batch loss 2.101, 1.39 iters/s
step 1214, batch loss 2.15, 1.39 iters/s
step 1215, batch loss 2.036, 1.38 iters/s
step 1216, batch loss 2.045, 1.4 iters/s
step 1217, batch loss 2.101, 1.38 iters/s
step 1218, batch loss 2.132, 1.38 iters/s
step 1219, batch loss 2.085, 1.38 iters/s
step 1220, batch loss 2.248, 1.38 iters/s
step 1221, batch loss 1.995, 1.38 iters/s
step 1222, batch loss 2.234, 1.39 iters/s
step 1223, batch loss 2.161, 1.38 iters/s
step 1224, batch loss 1.987, 1.38 iters/s
step 1225, batch loss 2.066, 1.39 iters/s
step 1226, batch loss 2.879, 1.38 iters/s

step 1227, batch loss 2.244, 1.38 iters/s
step 1228, batch loss 2.145, 1.38 iters/s
step 1229, batch loss 2.402, 1.38 iters/s
step 1230, batch loss 2.078, 1.38 iters/s
step 1231, batch loss 2.251, 1.38 iters/s
step 1232, batch loss 1.944, 1.38 iters/s
step 1233, batch loss 1.99, 1.38 iters/s
step 1234, batch loss 2.181, 1.38 iters/s
step 1235, batch loss 2.189, 1.38 iters/s
step 1236, batch loss 1.886, 1.38 iters/s
step 1237, batch loss 2.263, 1.37 iters/s
step 1238, batch loss 2.378, 1.37 iters/s
step 1239, batch loss 2.154, 1.38 iters/s
step 1240, batch loss 1.766, 1.39 iters/s
step 1241, batch loss 1.875, 1.38 iters/s
step 1242, batch loss 2.446, 1.38 iters/s
step 1243, batch loss 2.378, 1.38 iters/s
step 1244, batch loss 1.914, 1.39 iters/s
step 1245, batch loss 2.119, 1.38 iters/s
step 1246, batch loss 1.901, 1.39 iters/s
step 1247, batch loss 2.17, 1.38 iters/s
step 1248, batch loss 2.25, 1.39 iters/s
step 1249, batch loss 2.377, 1.38 iters/s
step 1250, batch loss 2.024, 1.39 iters/s
step 1251, batch loss 2.481, 1.38 iters/s
step 1252, batch loss 2.358, 1.38 iters/s
step 1253, batch loss 2.145, 1.39 iters/s
step 1254, batch loss 2.448, 1.38 iters/s
step 1255, batch loss 2.13, 1.39 iters/s
step 1256, batch loss 2.209, 1.38 iters/s
step 1257, batch loss 2.234, 1.4 iters/s
step 1258, batch loss 2.17, 1.4 iters/s
step 1259, batch loss 2.486, 1.38 iters/s
step 1260, batch loss 1.797, 1.39 iters/s
step 1261, batch loss 2.156, 1.38 iters/s
step 1262, batch loss 2.227, 1.38 iters/s
step 1263, batch loss 2.206, 1.39 iters/s
step 1264, batch loss 2.208, 1.38 iters/s
step 1265, batch loss 2.159, 1.4 iters/s
step 1266, batch loss 2.131, 1.38 iters/s
step 1267, batch loss 2.175, 1.39 iters/s
step 1268, batch loss 2.038, 1.38 iters/s
step 1269, batch loss 2.359, 1.39 iters/s
step 1270, batch loss 1.887, 1.38 iters/s
step 1271, batch loss 2.218, 1.39 iters/s
step 1272, batch loss 2.328, 1.38 iters/s
step 1273, batch loss 2.247, 1.38 iters/s
step 1274, batch loss 2.29, 1.38 iters/s

step 1275, batch loss 1.839, 1.38 iters/s
step 1276, batch loss 2.08, 1.38 iters/s
step 1277, batch loss 2.184, 1.38 iters/s
step 1278, batch loss 1.99, 1.38 iters/s
step 1279, batch loss 2.036, 1.38 iters/s
step 1280, batch loss 2.058, 1.38 iters/s
step 1281, batch loss 1.909, 1.38 iters/s
step 1282, batch loss 2.109, 1.38 iters/s
step 1283, batch loss 2.182, 1.38 iters/s
step 1284, batch loss 2.324, 1.39 iters/s
step 1285, batch loss 2.035, 1.38 iters/s
step 1286, batch loss 2.253, 1.38 iters/s
step 1287, batch loss 2.564, 1.38 iters/s
step 1288, batch loss 2.12, 1.38 iters/s
step 1289, batch loss 2.301, 1.38 iters/s
step 1290, batch loss 2.066, 1.38 iters/s
step 1291, batch loss 2.105, 1.38 iters/s
step 1292, batch loss 2.063, 1.39 iters/s
step 1293, batch loss 2.157, 1.39 iters/s
step 1294, batch loss 2.038, 1.38 iters/s
step 1295, batch loss 1.958, 1.38 iters/s
step 1296, batch loss 2.173, 1.38 iters/s
step 1297, batch loss 2.225, 1.37 iters/s
step 1298, batch loss 2.289, 1.38 iters/s
step 1299, batch loss 2.224, 1.38 iters/s
step 1300, batch loss 2.084, 1.39 iters/s
step 1301, batch loss 2.372, 1.38 iters/s
step 1302, batch loss 2.761, 1.38 iters/s
step 1303, batch loss 2.241, 1.37 iters/s
step 1304, batch loss 2.108, 1.38 iters/s
step 1305, batch loss 2.206, 1.39 iters/s
step 1306, batch loss 2.045, 1.38 iters/s
step 1307, batch loss 1.926, 1.38 iters/s
step 1308, batch loss 1.955, 1.38 iters/s
step 1309, batch loss 1.992, 1.38 iters/s
step 1310, batch loss 2.067, 1.38 iters/s
step 1311, batch loss 2.026, 1.39 iters/s
step 1312, batch loss 2.038, 1.38 iters/s
step 1313, batch loss 2.159, 1.38 iters/s
step 1314, batch loss 1.994, 1.39 iters/s
step 1315, batch loss 1.886, 1.39 iters/s
step 1316, batch loss 2.095, 1.39 iters/s
step 1317, batch loss 2.113, 1.39 iters/s
step 1318, batch loss 2.34, 1.38 iters/s
step 1319, batch loss 2.061, 1.38 iters/s
step 1320, batch loss 2.208, 1.39 iters/s
step 1321, batch loss 2.161, 1.39 iters/s
step 1322, batch loss 1.99, 1.38 iters/s

step 1323, batch loss 2.233, 1.39 iters/s
step 1324, batch loss 2.06, 1.39 iters/s
step 1325, batch loss 2.074, 1.38 iters/s
step 1326, batch loss 2.064, 1.39 iters/s
step 1327, batch loss 2.199, 1.38 iters/s
step 1328, batch loss 2.285, 1.39 iters/s
step 1329, batch loss 2.466, 1.38 iters/s
step 1330, batch loss 2.271, 1.39 iters/s
step 1331, batch loss 2.021, 1.39 iters/s
step 1332, batch loss 2.241, 1.38 iters/s
step 1333, batch loss 2.303, 1.39 iters/s
step 1334, batch loss 2.233, 1.39 iters/s
step 1335, batch loss 1.932, 1.38 iters/s
step 1336, batch loss 1.91, 1.38 iters/s
step 1337, batch loss 2.559, 1.38 iters/s
step 1338, batch loss 2.064, 1.38 iters/s
step 1339, batch loss 2.279, 1.38 iters/s
step 1340, batch loss 2.218, 1.39 iters/s
step 1341, batch loss 2.135, 1.39 iters/s
step 1342, batch loss 2.24, 1.39 iters/s
step 1343, batch loss 2.091, 1.38 iters/s
step 1344, batch loss 2.213, 1.38 iters/s
step 1345, batch loss 1.988, 1.38 iters/s
step 1346, batch loss 2.177, 1.38 iters/s
step 1347, batch loss 2.281, 1.38 iters/s
step 1348, batch loss 2.293, 1.38 iters/s
step 1349, batch loss 2.329, 1.38 iters/s
step 1350, batch loss 1.908, 1.38 iters/s
step 1351, batch loss 2.206, 1.38 iters/s
step 1352, batch loss 2.171, 1.38 iters/s
step 1353, batch loss 2.178, 1.38 iters/s
step 1354, batch loss 1.893, 1.39 iters/s
step 1355, batch loss 2.463, 1.38 iters/s
step 1356, batch loss 2.153, 1.38 iters/s
step 1357, batch loss 2.215, 1.38 iters/s
step 1358, batch loss 2.105, 1.38 iters/s
step 1359, batch loss 1.936, 1.38 iters/s
step 1360, batch loss 2.252, 1.38 iters/s
step 1361, batch loss 2.063, 1.39 iters/s
step 1362, batch loss 2.495, 1.39 iters/s
step 1363, batch loss 2.155, 1.38 iters/s
step 1364, batch loss 1.983, 1.39 iters/s
step 1365, batch loss 2.15, 1.38 iters/s
step 1366, batch loss 2.111, 1.38 iters/s
step 1367, batch loss 2.174, 1.38 iters/s
step 1368, batch loss 1.996, 1.38 iters/s
step 1369, batch loss 2.15, 1.38 iters/s
step 1370, batch loss 2.181, 1.38 iters/s

step 1371, batch loss 2.479, 1.38 iters/s
step 1372, batch loss 1.912, 1.38 iters/s
step 1373, batch loss 2.321, 1.38 iters/s
step 1374, batch loss 2.188, 1.39 iters/s
step 1375, batch loss 2.139, 1.38 iters/s
step 1376, batch loss 2.121, 1.38 iters/s
step 1377, batch loss 1.954, 1.38 iters/s
step 1378, batch loss 2.275, 1.38 iters/s
step 1379, batch loss 2.172, 1.38 iters/s
step 1380, batch loss 2.133, 1.38 iters/s
step 1381, batch loss 2.176, 1.38 iters/s
step 1382, batch loss 2.266, 1.4 iters/s
step 1383, batch loss 2.32, 1.38 iters/s
step 1384, batch loss 2.496, 1.38 iters/s
step 1385, batch loss 2.08, 1.38 iters/s
step 1386, batch loss 2.04, 1.38 iters/s
step 1387, batch loss 2.145, 1.38 iters/s
step 1388, batch loss 2.385, 1.38 iters/s
step 1389, batch loss 2.362, 1.39 iters/s
step 1390, batch loss 2.376, 1.38 iters/s
step 1391, batch loss 2.072, 1.38 iters/s
step 1392, batch loss 2.065, 1.38 iters/s
step 1393, batch loss 1.9, 1.39 iters/s
step 1394, batch loss 2.146, 1.38 iters/s
step 1395, batch loss 2.11, 1.38 iters/s
step 1396, batch loss 2.127, 1.39 iters/s
step 1397, batch loss 1.893, 1.38 iters/s
step 1398, batch loss 2.324, 1.38 iters/s
step 1399, batch loss 2.116, 1.39 iters/s
step 1400, batch loss 1.819, 1.38 iters/s
step 1401, batch loss 2.169, 1.4 iters/s
step 1402, batch loss 2.067, 1.39 iters/s
step 1403, batch loss 2.032, 1.38 iters/s
step 1404, batch loss 1.999, 1.38 iters/s
step 1405, batch loss 1.997, 1.38 iters/s
step 1406, batch loss 2.146, 1.38 iters/s
step 1407, batch loss 2.333, 1.38 iters/s
step 1408, batch loss 2.377, 1.38 iters/s
step 1409, batch loss 1.995, 1.38 iters/s
step 1410, batch loss 2.034, 1.38 iters/s
step 1411, batch loss 2.194, 1.39 iters/s
step 1412, batch loss 2.279, 1.38 iters/s
step 1413, batch loss 2.306, 1.38 iters/s
step 1414, batch loss 2.206, 1.38 iters/s
step 1415, batch loss 2.245, 1.38 iters/s
step 1416, batch loss 2.299, 1.38 iters/s
step 1417, batch loss 2.132, 1.39 iters/s
step 1418, batch loss 1.943, 1.38 iters/s

step 1419, batch loss 2.317, 1.38 iters/s
step 1420, batch loss 2.185, 1.38 iters/s
step 1421, batch loss 2.221, 1.38 iters/s
step 1422, batch loss 2.172, 1.38 iters/s
step 1423, batch loss 2.103, 1.38 iters/s
step 1424, batch loss 2.054, 1.39 iters/s
step 1425, batch loss 2.228, 1.4 iters/s
step 1426, batch loss 2.062, 1.38 iters/s
step 1427, batch loss 2.048, 1.38 iters/s
step 1428, batch loss 2.137, 1.38 iters/s
step 1429, batch loss 2.157, 1.38 iters/s
step 1430, batch loss 2.123, 1.38 iters/s
step 1431, batch loss 2.261, 1.38 iters/s
step 1432, batch loss 2.366, 1.38 iters/s
step 1433, batch loss 1.998, 1.39 iters/s
step 1434, batch loss 2.22, 1.39 iters/s
step 1435, batch loss 2.124, 1.38 iters/s
step 1436, batch loss 2.439, 1.38 iters/s
step 1437, batch loss 2.249, 1.38 iters/s
step 1438, batch loss 2.117, 1.38 iters/s
step 1439, batch loss 2.391, 1.38 iters/s
step 1440, batch loss 2.06, 1.38 iters/s
step 1441, batch loss 1.906, 1.39 iters/s
step 1442, batch loss 2.267, 1.38 iters/s
step 1443, batch loss 2.108, 1.38 iters/s
step 1444, batch loss 1.939, 1.38 iters/s
step 1445, batch loss 2.282, 1.37 iters/s
step 1446, batch loss 2.898, 1.38 iters/s
step 1447, batch loss 2.13, 1.38 iters/s
step 1448, batch loss 2.056, 1.38 iters/s
step 1449, batch loss 1.899, 1.39 iters/s
step 1450, batch loss 2.016, 1.39 iters/s
step 1451, batch loss 1.967, 1.38 iters/s
step 1452, batch loss 2.244, 1.38 iters/s
step 1453, batch loss 2.017, 1.38 iters/s
step 1454, batch loss 1.881, 1.38 iters/s
step 1455, batch loss 2.252, 1.38 iters/s
step 1456, batch loss 2.183, 1.39 iters/s
step 1457, batch loss 2.209, 1.38 iters/s
step 1458, batch loss 2.098, 1.38 iters/s
step 1459, batch loss 2.229, 1.38 iters/s
step 1460, batch loss 2.13, 1.38 iters/s
step 1461, batch loss 2.27, 1.4 iters/s
step 1462, batch loss 2.198, 1.39 iters/s
step 1463, batch loss 2.125, 1.39 iters/s
step 1464, batch loss 2.065, 1.41 iters/s
step 1465, batch loss 2.21, 1.39 iters/s
step 1466, batch loss 2.281, 1.38 iters/s

step 1467, batch loss 2.038, 1.38 iters/s
step 1468, batch loss 2.043, 1.38 iters/s
step 1469, batch loss 2.216, 1.38 iters/s
step 1470, batch loss 2.21, 1.38 iters/s
step 1471, batch loss 2.002, 1.38 iters/s
step 1472, batch loss 2.458, 1.39 iters/s
step 1473, batch loss 2.303, 1.38 iters/s
step 1474, batch loss 2.092, 1.38 iters/s
step 1475, batch loss 2.421, 1.38 iters/s
step 1476, batch loss 2.08, 1.38 iters/s
step 1477, batch loss 2.19, 1.38 iters/s
step 1478, batch loss 1.959, 1.38 iters/s
step 1479, batch loss 1.955, 1.38 iters/s
step 1480, batch loss 2.029, 1.38 iters/s
step 1481, batch loss 2.009, 1.38 iters/s
step 1482, batch loss 2.132, 1.39 iters/s
step 1483, batch loss 1.766, 1.39 iters/s
step 1484, batch loss 1.973, 1.38 iters/s
step 1485, batch loss 1.999, 1.38 iters/s
step 1486, batch loss 2.083, 1.38 iters/s
step 1487, batch loss 2.066, 1.38 iters/s
step 1488, batch loss 2.42, 1.38 iters/s
step 1489, batch loss 2.042, 1.38 iters/s
step 1490, batch loss 1.958, 1.38 iters/s
step 1491, batch loss 2.163, 1.38 iters/s
step 1492, batch loss 2.175, 1.38 iters/s
step 1493, batch loss 2.26, 1.38 iters/s
step 1494, batch loss 2.157, 1.38 iters/s
step 1495, batch loss 2.074, 1.38 iters/s
step 1496, batch loss 2.105, 1.39 iters/s
step 1497, batch loss 2.207, 1.39 iters/s
step 1498, batch loss 2.376, 1.38 iters/s
step 1499, batch loss 2.079, 1.38 iters/s
step 1500, batch loss 2.059, 1.38 iters/s
step 1501, batch loss 2.181, 1.38 iters/s
step 1502, batch loss 2.033, 1.38 iters/s
step 1503, batch loss 2.055, 1.39 iters/s
step 1504, batch loss 2.218, 1.38 iters/s
step 1505, batch loss 2.089, 1.38 iters/s
step 1506, batch loss 2.383, 1.38 iters/s
step 1507, batch loss 2.09, 1.38 iters/s
step 1508, batch loss 2.369, 1.38 iters/s
step 1509, batch loss 2.004, 1.39 iters/s
step 1510, batch loss 2.164, 1.4 iters/s
step 1511, batch loss 1.993, 1.39 iters/s
step 1512, batch loss 2.279, 1.38 iters/s
step 1513, batch loss 2.323, 1.38 iters/s
step 1514, batch loss 1.911, 1.38 iters/s

step 1515, batch loss 2.039, 1.39 iters/s
step 1516, batch loss 2.05, 1.38 iters/s
step 1517, batch loss 2.091, 1.39 iters/s
step 1518, batch loss 2.244, 1.39 iters/s
step 1519, batch loss 2.164, 1.39 iters/s
step 1520, batch loss 2.124, 1.39 iters/s
step 1521, batch loss 1.933, 1.38 iters/s
step 1522, batch loss 2.179, 1.38 iters/s
step 1523, batch loss 2.105, 1.38 iters/s
step 1524, batch loss 2.132, 1.39 iters/s
step 1525, batch loss 1.966, 1.38 iters/s
step 1526, batch loss 2.021, 1.38 iters/s
step 1527, batch loss 2.107, 1.38 iters/s
step 1528, batch loss 2.01, 1.38 iters/s
step 1529, batch loss 2.129, 1.39 iters/s
step 1530, batch loss 2.502, 1.38 iters/s
step 1531, batch loss 1.95, 1.38 iters/s
step 1532, batch loss 2.114, 1.38 iters/s
step 1533, batch loss 1.917, 1.38 iters/s
step 1534, batch loss 2.262, 1.38 iters/s
step 1535, batch loss 2.033, 1.39 iters/s
step 1536, batch loss 2.331, 1.38 iters/s
step 1537, batch loss 2.287, 1.39 iters/s
step 1538, batch loss 1.915, 1.38 iters/s
step 1539, batch loss 1.911, 1.38 iters/s
step 1540, batch loss 2.239, 1.38 iters/s
step 1541, batch loss 2.09, 1.39 iters/s
step 1542, batch loss 2.399, 1.38 iters/s
step 1543, batch loss 2.023, 1.38 iters/s
step 1544, batch loss 2.124, 1.38 iters/s
step 1545, batch loss 2.224, 1.38 iters/s
step 1546, batch loss 1.859, 1.38 iters/s
step 1547, batch loss 1.852, 1.38 iters/s
step 1548, batch loss 2.28, 1.38 iters/s
step 1549, batch loss 2.145, 1.38 iters/s
step 1550, batch loss 2.034, 1.39 iters/s
step 1551, batch loss 2.092, 1.38 iters/s
step 1552, batch loss 1.941, 1.39 iters/s
step 1553, batch loss 2.011, 1.39 iters/s
step 1554, batch loss 2.028, 1.38 iters/s
step 1555, batch loss 2.369, 1.38 iters/s
step 1556, batch loss 2.04, 1.38 iters/s
step 1557, batch loss 1.985, 1.39 iters/s
step 1558, batch loss 1.989, 1.38 iters/s
step 1559, batch loss 2.145, 1.38 iters/s
step 1560, batch loss 1.996, 1.38 iters/s
step 1561, batch loss 2.345, 1.38 iters/s
step 1562, batch loss 1.942, 1.38 iters/s

step 1563, batch loss 2.136, 1.38 iters/s
step 1564, batch loss 2.277, 1.38 iters/s
step 1565, batch loss 2.16, 1.38 iters/s
step 1566, batch loss 2.002, 1.38 iters/s
step 1567, batch loss 2.17, 1.38 iters/s
step 1568, batch loss 2.251, 1.39 iters/s
step 1569, batch loss 2.109, 1.38 iters/s
step 1570, batch loss 2.242, 1.38 iters/s
step 1571, batch loss 2.392, 1.38 iters/s
step 1572, batch loss 1.706, 1.38 iters/s
step 1573, batch loss 1.751, 1.39 iters/s
step 1574, batch loss 2.206, 1.38 iters/s
step 1575, batch loss 1.755, 1.39 iters/s
step 1576, batch loss 2.255, 1.38 iters/s
step 1577, batch loss 2.066, 1.38 iters/s
step 1578, batch loss 2.125, 1.38 iters/s
step 1579, batch loss 2.035, 1.38 iters/s
step 1580, batch loss 1.991, 1.38 iters/s
step 1581, batch loss 2.023, 1.39 iters/s
step 1582, batch loss 2.079, 1.38 iters/s
step 1583, batch loss 2.138, 1.38 iters/s
step 1584, batch loss 2.372, 1.38 iters/s
step 1585, batch loss 2.274, 1.39 iters/s
step 1586, batch loss 2.035, 1.39 iters/s
step 1587, batch loss 2.065, 1.38 iters/s
step 1588, batch loss 2.021, 1.39 iters/s
step 1589, batch loss 2.231, 1.39 iters/s
step 1590, batch loss 2.104, 1.38 iters/s
step 1591, batch loss 2.253, 1.39 iters/s
step 1592, batch loss 2.078, 1.39 iters/s
step 1593, batch loss 2.674, 1.4 iters/s
step 1594, batch loss 2.082, 1.38 iters/s
step 1595, batch loss 2.033, 1.38 iters/s
step 1596, batch loss 1.927, 1.38 iters/s
step 1597, batch loss 2.052, 1.38 iters/s
step 1598, batch loss 2.297, 1.38 iters/s
step 1599, batch loss 2.294, 1.39 iters/s
step 1600, batch loss 2.3, 1.38 iters/s
step 1601, batch loss 2.044, 1.38 iters/s
step 1602, batch loss 2.397, 1.39 iters/s
step 1603, batch loss 1.867, 1.38 iters/s
step 1604, batch loss 2.068, 1.39 iters/s
step 1605, batch loss 2.032, 1.38 iters/s
step 1606, batch loss 2.175, 1.38 iters/s
step 1607, batch loss 1.924, 1.38 iters/s
step 1608, batch loss 1.947, 1.38 iters/s
step 1609, batch loss 2.168, 1.38 iters/s
step 1610, batch loss 2.205, 1.39 iters/s

step 1611, batch loss 2.148, 1.38 iters/s
step 1612, batch loss 2.069, 1.39 iters/s
step 1613, batch loss 2.436, 1.39 iters/s
step 1614, batch loss 2.115, 1.38 iters/s
step 1615, batch loss 2.236, 1.38 iters/s
step 1616, batch loss 2.378, 1.39 iters/s
step 1617, batch loss 2.247, 1.38 iters/s
step 1618, batch loss 2.207, 1.39 iters/s
step 1619, batch loss 2.071, 1.39 iters/s
step 1620, batch loss 2.221, 1.38 iters/s
step 1621, batch loss 2.1, 1.39 iters/s
step 1622, batch loss 2.033, 1.38 iters/s
step 1623, batch loss 2.147, 1.38 iters/s
step 1624, batch loss 2.134, 1.38 iters/s
step 1625, batch loss 1.863, 1.38 iters/s
step 1626, batch loss 1.993, 1.38 iters/s
step 1627, batch loss 2.248, 1.38 iters/s
step 1628, batch loss 2.163, 1.38 iters/s
step 1629, batch loss 2.16, 1.38 iters/s
step 1630, batch loss 2.365, 1.39 iters/s
step 1631, batch loss 2.557, 1.39 iters/s
step 1632, batch loss 2.175, 1.38 iters/s
step 1633, batch loss 2.128, 1.38 iters/s
step 1634, batch loss 2.041, 1.38 iters/s
step 1635, batch loss 2.44, 1.39 iters/s
step 1636, batch loss 2.007, 1.38 iters/s
step 1637, batch loss 2.227, 1.38 iters/s
step 1638, batch loss 2.038, 1.39 iters/s
step 1639, batch loss 2.183, 1.37 iters/s
step 1640, batch loss 2.298, 1.38 iters/s
step 1641, batch loss 2.367, 1.38 iters/s
step 1642, batch loss 2.583, 1.38 iters/s
step 1643, batch loss 2.146, 1.38 iters/s
step 1644, batch loss 2.07, 1.38 iters/s
step 1645, batch loss 2.221, 1.38 iters/s
step 1646, batch loss 2.093, 1.38 iters/s
step 1647, batch loss 2.04, 1.38 iters/s
step 1648, batch loss 2.012, 1.38 iters/s
step 1649, batch loss 2.418, 1.38 iters/s
step 1650, batch loss 2.357, 1.39 iters/s
step 1651, batch loss 1.932, 1.38 iters/s
step 1652, batch loss 1.931, 1.38 iters/s
step 1653, batch loss 2.249, 1.39 iters/s
step 1654, batch loss 2.087, 1.39 iters/s
step 1655, batch loss 1.965, 1.39 iters/s
step 1656, batch loss 2.139, 1.38 iters/s
step 1657, batch loss 2.061, 1.38 iters/s
step 1658, batch loss 3.26, 1.38 iters/s

step 1659, batch loss 2.084, 1.39 iters/s
step 1660, batch loss 2.049, 1.39 iters/s
step 1661, batch loss 2.237, 1.39 iters/s
step 1662, batch loss 2.093, 1.38 iters/s
step 1663, batch loss 2.273, 1.38 iters/s
step 1664, batch loss 2.292, 1.38 iters/s
step 1665, batch loss 1.947, 1.39 iters/s
step 1666, batch loss 2.297, 1.39 iters/s
step 1667, batch loss 2.135, 1.38 iters/s
step 1668, batch loss 2.368, 1.39 iters/s
step 1669, batch loss 2.185, 1.38 iters/s
step 1670, batch loss 2.3, 1.38 iters/s
step 1671, batch loss 2.058, 1.38 iters/s
step 1672, batch loss 2.006, 1.38 iters/s
step 1673, batch loss 2.143, 1.38 iters/s
step 1674, batch loss 2.139, 1.38 iters/s
step 1675, batch loss 2.102, 1.39 iters/s
step 1676, batch loss 2.062, 1.38 iters/s
step 1677, batch loss 2.085, 1.39 iters/s
step 1678, batch loss 2.288, 1.39 iters/s
step 1679, batch loss 2.183, 1.38 iters/s
step 1680, batch loss 2.36, 1.38 iters/s
step 1681, batch loss 1.882, 1.39 iters/s
step 1682, batch loss 2.179, 1.38 iters/s
step 1683, batch loss 2.364, 1.38 iters/s
step 1684, batch loss 2.133, 1.38 iters/s
step 1685, batch loss 2.115, 1.38 iters/s
step 1686, batch loss 2.081, 1.38 iters/s
step 1687, batch loss 1.982, 1.39 iters/s
step 1688, batch loss 2.036, 1.37 iters/s
step 1689, batch loss 2.014, 1.39 iters/s
step 1690, batch loss 2.122, 1.39 iters/s
step 1691, batch loss 2.227, 1.38 iters/s
step 1692, batch loss 2.222, 1.38 iters/s
step 1693, batch loss 2.307, 1.38 iters/s
step 1694, batch loss 2.248, 1.38 iters/s
step 1695, batch loss 2.109, 1.38 iters/s
step 1696, batch loss 2.006, 1.39 iters/s
step 1697, batch loss 2.191, 1.38 iters/s
step 1698, batch loss 1.997, 1.38 iters/s
step 1699, batch loss 2.082, 1.38 iters/s
step 1700, batch loss 2.214, 1.38 iters/s
step 1701, batch loss 2.052, 1.38 iters/s
step 1702, batch loss 2.334, 1.38 iters/s
step 1703, batch loss 2.06, 1.38 iters/s
step 1704, batch loss 2.453, 1.38 iters/s
step 1705, batch loss 2.469, 1.38 iters/s
step 1706, batch loss 2.547, 1.38 iters/s

step 1707, batch loss 2.282, 1.38 iters/s
step 1708, batch loss 2.045, 1.38 iters/s
step 1709, batch loss 2.211, 1.38 iters/s
step 1710, batch loss 2.141, 1.38 iters/s
step 1711, batch loss 2.284, 1.38 iters/s
step 1712, batch loss 1.912, 1.38 iters/s
step 1713, batch loss 2.018, 1.39 iters/s
step 1714, batch loss 2.063, 1.38 iters/s
step 1715, batch loss 2.494, 1.38 iters/s
step 1716, batch loss 2.198, 1.4 iters/s
step 1717, batch loss 2.191, 1.39 iters/s
step 1718, batch loss 2.329, 1.38 iters/s
step 1719, batch loss 1.881, 1.38 iters/s
step 1720, batch loss 2.192, 1.38 iters/s
step 1721, batch loss 2.098, 1.39 iters/s
step 1722, batch loss 2.236, 1.38 iters/s
step 1723, batch loss 1.916, 1.39 iters/s
step 1724, batch loss 2.26, 1.39 iters/s
step 1725, batch loss 2.013, 1.38 iters/s
step 1726, batch loss 2.008, 1.38 iters/s
step 1727, batch loss 1.916, 1.39 iters/s
step 1728, batch loss 2.199, 1.38 iters/s
step 1729, batch loss 2.102, 1.38 iters/s
step 1730, batch loss 2.086, 1.38 iters/s
step 1731, batch loss 2.111, 1.39 iters/s
step 1732, batch loss 1.979, 1.38 iters/s
step 1733, batch loss 1.894, 1.38 iters/s
step 1734, batch loss 2.027, 1.39 iters/s
step 1735, batch loss 2.313, 1.38 iters/s
step 1736, batch loss 1.96, 1.39 iters/s
step 1737, batch loss 2.022, 1.38 iters/s
step 1738, batch loss 2.161, 1.39 iters/s
step 1739, batch loss 2.31, 1.38 iters/s
step 1740, batch loss 2.136, 1.39 iters/s
step 1741, batch loss 2.301, 1.38 iters/s
step 1742, batch loss 2.102, 1.4 iters/s
step 1743, batch loss 1.984, 1.38 iters/s
step 1744, batch loss 2.26, 1.38 iters/s
step 1745, batch loss 2.212, 1.38 iters/s
step 1746, batch loss 1.914, 1.38 iters/s
step 1747, batch loss 2.18, 1.4 iters/s
step 1748, batch loss 2.102, 1.38 iters/s
step 1749, batch loss 2.224, 1.39 iters/s
step 1750, batch loss 2.071, 1.38 iters/s
step 1751, batch loss 2.026, 1.39 iters/s
step 1752, batch loss 2.37, 1.38 iters/s
step 1753, batch loss 2.286, 1.38 iters/s
step 1754, batch loss 2.895, 1.38 iters/s

step 1755, batch loss 2.355, 1.39 iters/s
step 1756, batch loss 1.829, 1.38 iters/s
step 1757, batch loss 2.166, 1.38 iters/s
step 1758, batch loss 2.121, 1.38 iters/s
step 1759, batch loss 2.207, 1.39 iters/s
step 1760, batch loss 2.112, 1.38 iters/s
step 1761, batch loss 1.959, 1.39 iters/s
step 1762, batch loss 2.278, 1.38 iters/s
step 1763, batch loss 2.156, 1.38 iters/s
step 1764, batch loss 2.056, 1.39 iters/s
step 1765, batch loss 2.072, 1.39 iters/s
step 1766, batch loss 2.189, 1.38 iters/s
step 1767, batch loss 2.185, 1.38 iters/s
step 1768, batch loss 1.859, 1.38 iters/s
step 1769, batch loss 2.015, 1.39 iters/s
step 1770, batch loss 2.078, 1.39 iters/s
step 1771, batch loss 2.108, 1.38 iters/s
step 1772, batch loss 2.231, 1.38 iters/s
step 1773, batch loss 2.146, 1.39 iters/s
step 1774, batch loss 2.052, 1.39 iters/s
step 1775, batch loss 1.901, 1.38 iters/s
step 1776, batch loss 2.473, 1.38 iters/s
step 1777, batch loss 1.925, 1.38 iters/s
step 1778, batch loss 2.497, 1.38 iters/s
step 1779, batch loss 1.834, 1.38 iters/s
step 1780, batch loss 2.111, 1.38 iters/s
step 1781, batch loss 2.198, 1.39 iters/s
step 1782, batch loss 2.184, 1.38 iters/s
step 1783, batch loss 2.339, 1.39 iters/s
step 1784, batch loss 2.262, 1.38 iters/s
step 1785, batch loss 1.938, 1.38 iters/s
step 1786, batch loss 2.045, 1.38 iters/s
step 1787, batch loss 2.267, 1.39 iters/s
step 1788, batch loss 2.106, 1.38 iters/s
step 1789, batch loss 1.998, 1.39 iters/s
step 1790, batch loss 3.209, 1.4 iters/s
step 1791, batch loss 2.185, 1.39 iters/s
step 1792, batch loss 2.201, 1.38 iters/s
step 1793, batch loss 2.542, 1.39 iters/s
step 1794, batch loss 2.594, 1.38 iters/s
step 1795, batch loss 2.222, 1.38 iters/s
step 1796, batch loss 2.333, 1.38 iters/s
step 1797, batch loss 2.078, 1.38 iters/s
step 1798, batch loss 2.228, 1.38 iters/s
step 1799, batch loss 1.952, 1.38 iters/s
step 1800, batch loss 2.155, 1.38 iters/s
step 1801, batch loss 1.999, 1.37 iters/s
step 1802, batch loss 2.215, 1.39 iters/s

step 1803, batch loss 2.508, 1.38 iters/s
step 1804, batch loss 2.045, 1.39 iters/s
step 1805, batch loss 1.934, 1.38 iters/s
step 1806, batch loss 2.057, 1.38 iters/s
step 1807, batch loss 2.176, 1.38 iters/s
step 1808, batch loss 2.102, 1.38 iters/s
step 1809, batch loss 2.213, 1.38 iters/s
step 1810, batch loss 2.033, 1.38 iters/s
step 1811, batch loss 2.278, 1.38 iters/s
step 1812, batch loss 2.057, 1.38 iters/s
step 1813, batch loss 2.222, 1.38 iters/s
step 1814, batch loss 2.092, 1.38 iters/s
step 1815, batch loss 2.421, 1.38 iters/s
step 1816, batch loss 2.047, 1.38 iters/s
step 1817, batch loss 2.306, 1.39 iters/s
step 1818, batch loss 2.402, 1.38 iters/s
step 1819, batch loss 2.165, 1.38 iters/s
step 1820, batch loss 2.023, 1.39 iters/s
step 1821, batch loss 2.165, 1.38 iters/s
step 1822, batch loss 2.033, 1.38 iters/s
step 1823, batch loss 2.736, 1.38 iters/s
step 1824, batch loss 2.117, 1.38 iters/s
step 1825, batch loss 2.067, 1.38 iters/s
step 1826, batch loss 2.101, 1.38 iters/s
step 1827, batch loss 2.141, 1.38 iters/s
step 1828, batch loss 2.378, 1.38 iters/s
step 1829, batch loss 2.149, 1.37 iters/s
step 1830, batch loss 2.275, 1.38 iters/s
step 1831, batch loss 2.156, 1.38 iters/s
step 1832, batch loss 1.889, 1.38 iters/s
step 1833, batch loss 2.309, 1.4 iters/s
step 1834, batch loss 2.254, 1.38 iters/s
step 1835, batch loss 2.028, 1.38 iters/s
step 1836, batch loss 2.269, 1.38 iters/s
step 1837, batch loss 1.964, 1.38 iters/s
step 1838, batch loss 2.259, 1.38 iters/s
step 1839, batch loss 2.127, 1.38 iters/s
step 1840, batch loss 2.541, 1.38 iters/s
step 1841, batch loss 2.318, 1.38 iters/s
step 1842, batch loss 2.427, 1.38 iters/s
step 1843, batch loss 2.14, 1.38 iters/s
step 1844, batch loss 2.039, 1.38 iters/s
step 1845, batch loss 2.436, 1.38 iters/s
step 1846, batch loss 2.426, 1.39 iters/s
step 1847, batch loss 2.381, 1.38 iters/s
step 1848, batch loss 2.272, 1.38 iters/s
step 1849, batch loss 2.02, 1.38 iters/s
step 1850, batch loss 2.838, 1.38 iters/s

step 1851, batch loss 2.224, 1.38 iters/s
step 1852, batch loss 2.295, 1.38 iters/s
step 1853, batch loss 2.266, 1.38 iters/s
step 1854, batch loss 2.197, 1.38 iters/s
step 1855, batch loss 2.121, 1.38 iters/s
step 1856, batch loss 2.165, 1.38 iters/s
step 1857, batch loss 2.209, 1.39 iters/s
step 1858, batch loss 2.143, 1.38 iters/s
step 1859, batch loss 2.263, 1.39 iters/s
step 1860, batch loss 1.808, 1.38 iters/s
step 1861, batch loss 2.057, 1.38 iters/s
step 1862, batch loss 2.413, 1.38 iters/s
step 1863, batch loss 2.096, 1.38 iters/s
step 1864, batch loss 2.162, 1.4 iters/s
step 1865, batch loss 2.178, 1.39 iters/s
step 1866, batch loss 1.928, 1.38 iters/s
step 1867, batch loss 2.164, 1.4 iters/s
step 1868, batch loss 2.23, 1.39 iters/s
step 1869, batch loss 2.532, 1.39 iters/s
step 1870, batch loss 2.262, 1.39 iters/s
step 1871, batch loss 2.132, 1.38 iters/s
step 1872, batch loss 2.245, 1.4 iters/s
step 1873, batch loss 2.06, 1.39 iters/s
step 1874, batch loss 2.305, 1.38 iters/s
step 1875, batch loss 2.233, 1.38 iters/s
step 1876, batch loss 1.703, 1.39 iters/s
step 1877, batch loss 1.958, 1.38 iters/s
step 1878, batch loss 2.106, 1.39 iters/s
step 1879, batch loss 2.198, 1.39 iters/s
step 1880, batch loss 2.097, 1.39 iters/s
step 1881, batch loss 2.293, 1.38 iters/s
step 1882, batch loss 1.874, 1.38 iters/s
step 1883, batch loss 2.005, 1.38 iters/s
step 1884, batch loss 2.28, 1.39 iters/s
step 1885, batch loss 2.376, 1.39 iters/s
step 1886, batch loss 2.154, 1.38 iters/s
step 1887, batch loss 2.2, 1.37 iters/s
step 1888, batch loss 2.186, 1.39 iters/s
step 1889, batch loss 2.03, 1.39 iters/s
step 1890, batch loss 2.532, 1.38 iters/s
step 1891, batch loss 2.048, 1.39 iters/s
step 1892, batch loss 2.226, 1.38 iters/s
step 1893, batch loss 2.156, 1.38 iters/s
step 1894, batch loss 1.825, 1.38 iters/s
step 1895, batch loss 2.075, 1.38 iters/s
step 1896, batch loss 2.023, 1.38 iters/s
step 1897, batch loss 2.209, 1.38 iters/s
step 1898, batch loss 2.459, 1.38 iters/s

step 1899, batch loss 2.145, 1.38 iters/s
step 1900, batch loss 2.567, 1.38 iters/s
step 1901, batch loss 2.088, 1.39 iters/s
step 1902, batch loss 2.074, 1.38 iters/s
step 1903, batch loss 1.956, 1.38 iters/s
step 1904, batch loss 2.014, 1.38 iters/s
step 1905, batch loss 1.683, 1.38 iters/s
step 1906, batch loss 2.055, 1.38 iters/s
step 1907, batch loss 2.319, 1.38 iters/s
step 1908, batch loss 1.996, 1.38 iters/s
step 1909, batch loss 2.3, 1.39 iters/s
step 1910, batch loss 2.12, 1.38 iters/s
step 1911, batch loss 2.121, 1.39 iters/s
step 1912, batch loss 1.947, 1.39 iters/s
step 1913, batch loss 2.087, 1.38 iters/s
step 1914, batch loss 2.078, 1.38 iters/s
step 1915, batch loss 2.35, 1.38 iters/s
step 1916, batch loss 2.0, 1.39 iters/s
step 1917, batch loss 2.047, 1.38 iters/s
step 1918, batch loss 2.198, 1.38 iters/s
step 1919, batch loss 2.295, 1.39 iters/s
step 1920, batch loss 2.412, 1.38 iters/s
step 1921, batch loss 1.982, 1.38 iters/s
step 1922, batch loss 2.35, 1.39 iters/s
step 1923, batch loss 1.882, 1.38 iters/s
step 1924, batch loss 2.075, 1.39 iters/s
step 1925, batch loss 2.265, 1.38 iters/s
step 1926, batch loss 2.12, 1.37 iters/s
step 1927, batch loss 2.085, 1.38 iters/s
step 1928, batch loss 2.102, 1.38 iters/s
step 1929, batch loss 2.233, 1.38 iters/s
step 1930, batch loss 2.309, 1.38 iters/s
step 1931, batch loss 2.297, 1.38 iters/s
step 1932, batch loss 2.152, 1.39 iters/s
step 1933, batch loss 2.171, 1.38 iters/s
step 1934, batch loss 2.359, 1.38 iters/s
step 1935, batch loss 2.516, 1.38 iters/s
step 1936, batch loss 2.297, 1.38 iters/s
step 1937, batch loss 2.074, 1.38 iters/s
step 1938, batch loss 2.354, 1.38 iters/s
step 1939, batch loss 1.952, 1.38 iters/s
step 1940, batch loss 2.265, 1.38 iters/s
step 1941, batch loss 2.222, 1.37 iters/s
step 1942, batch loss 2.022, 1.38 iters/s
step 1943, batch loss 2.167, 1.38 iters/s
step 1944, batch loss 1.858, 1.38 iters/s
step 1945, batch loss 2.267, 1.39 iters/s
step 1946, batch loss 2.053, 1.39 iters/s

step 1947, batch loss 2.316, 1.38 iters/s
step 1948, batch loss 2.373, 1.38 iters/s
step 1949, batch loss 2.517, 1.38 iters/s
step 1950, batch loss 2.425, 1.38 iters/s
step 1951, batch loss 2.285, 1.38 iters/s
step 1952, batch loss 2.211, 1.38 iters/s
step 1953, batch loss 1.912, 1.37 iters/s
step 1954, batch loss 2.201, 1.38 iters/s
step 1955, batch loss 2.232, 1.38 iters/s
step 1956, batch loss 2.393, 1.39 iters/s
step 1957, batch loss 2.114, 1.38 iters/s
step 1958, batch loss 2.102, 1.38 iters/s
step 1959, batch loss 1.932, 1.38 iters/s
step 1960, batch loss 2.054, 1.38 iters/s
step 1961, batch loss 2.167, 1.39 iters/s
step 1962, batch loss 2.053, 1.38 iters/s
step 1963, batch loss 2.035, 1.38 iters/s
step 1964, batch loss 2.133, 1.38 iters/s
step 1965, batch loss 2.122, 1.38 iters/s
step 1966, batch loss 2.15, 1.38 iters/s
step 1967, batch loss 2.055, 1.38 iters/s
step 1968, batch loss 1.994, 1.38 iters/s
step 1969, batch loss 2.158, 1.38 iters/s
step 1970, batch loss 2.322, 1.38 iters/s
step 1971, batch loss 2.138, 1.39 iters/s
step 1972, batch loss 2.035, 1.39 iters/s
step 1973, batch loss 2.117, 1.38 iters/s
step 1974, batch loss 2.018, 1.38 iters/s
step 1975, batch loss 2.147, 1.39 iters/s
step 1976, batch loss 2.118, 1.38 iters/s
step 1977, batch loss 2.049, 1.38 iters/s
step 1978, batch loss 2.22, 1.38 iters/s
step 1979, batch loss 2.167, 1.38 iters/s
step 1980, batch loss 2.406, 1.38 iters/s
step 1981, batch loss 2.457, 1.38 iters/s
step 1982, batch loss 2.097, 1.39 iters/s
step 1983, batch loss 1.906, 1.39 iters/s
step 1984, batch loss 2.269, 1.39 iters/s
step 1985, batch loss 2.345, 1.38 iters/s
step 1986, batch loss 1.883, 1.38 iters/s
step 1987, batch loss 2.037, 1.38 iters/s
step 1988, batch loss 2.084, 1.39 iters/s
step 1989, batch loss 2.075, 1.38 iters/s
step 1990, batch loss 2.246, 1.38 iters/s
step 1991, batch loss 2.093, 1.38 iters/s
step 1992, batch loss 2.116, 1.38 iters/s
step 1993, batch loss 2.208, 1.38 iters/s
step 1994, batch loss 2.113, 1.38 iters/s

step 1995, batch loss 1.919, 1.38 iters/s
step 1996, batch loss 2.11, 1.38 iters/s
step 1997, batch loss 2.103, 1.38 iters/s
step 1998, batch loss 2.191, 1.38 iters/s
step 1999, batch loss 2.346, 1.38 iters/s
step 2000, batch loss 2.216, 1.38 iters/s
step 2001, batch loss 2.252, 1.38 iters/s
step 2002, batch loss 1.87, 1.38 iters/s
step 2003, batch loss 2.328, 1.38 iters/s
step 2004, batch loss 2.051, 1.38 iters/s
step 2005, batch loss 2.299, 1.38 iters/s
step 2006, batch loss 2.013, 1.38 iters/s
step 2007, batch loss 2.148, 1.38 iters/s
step 2008, batch loss 2.062, 1.39 iters/s
step 2009, batch loss 2.014, 1.38 iters/s
step 2010, batch loss 2.26, 1.38 iters/s
step 2011, batch loss 2.211, 1.38 iters/s
step 2012, batch loss 2.115, 1.38 iters/s
step 2013, batch loss 2.313, 1.38 iters/s
step 2014, batch loss 2.045, 1.38 iters/s
step 2015, batch loss 2.318, 1.38 iters/s
step 2016, batch loss 2.203, 1.38 iters/s
step 2017, batch loss 2.353, 1.39 iters/s
step 2018, batch loss 1.944, 1.37 iters/s
step 2019, batch loss 2.174, 1.37 iters/s
step 2020, batch loss 2.168, 1.39 iters/s
step 2021, batch loss 2.025, 1.39 iters/s
step 2022, batch loss 2.193, 1.38 iters/s
step 2023, batch loss 2.391, 1.38 iters/s
step 2024, batch loss 2.143, 1.38 iters/s
step 2025, batch loss 2.154, 1.38 iters/s
step 2026, batch loss 2.218, 1.38 iters/s
step 2027, batch loss 2.169, 1.38 iters/s
step 2028, batch loss 1.963, 1.38 iters/s
step 2029, batch loss 2.12, 1.38 iters/s
step 2030, batch loss 2.277, 1.38 iters/s
step 2031, batch loss 2.22, 1.38 iters/s
step 2032, batch loss 2.171, 1.38 iters/s
step 2033, batch loss 2.099, 1.38 iters/s
step 2034, batch loss 2.017, 1.39 iters/s
step 2035, batch loss 2.073, 1.37 iters/s
step 2036, batch loss 1.971, 1.38 iters/s
step 2037, batch loss 1.892, 1.38 iters/s
step 2038, batch loss 2.025, 1.38 iters/s
step 2039, batch loss 2.032, 1.38 iters/s
step 2040, batch loss 2.147, 1.39 iters/s
step 2041, batch loss 2.04, 1.38 iters/s
step 2042, batch loss 2.096, 1.38 iters/s

step 2043, batch loss 2.27, 1.38 iters/s
step 2044, batch loss 2.092, 1.37 iters/s
step 2045, batch loss 2.203, 1.38 iters/s
step 2046, batch loss 2.091, 1.38 iters/s
step 2047, batch loss 2.145, 1.38 iters/s
step 2048, batch loss 2.139, 1.38 iters/s
step 2049, batch loss 2.076, 1.38 iters/s
step 2050, batch loss 1.999, 1.38 iters/s
step 2051, batch loss 2.241, 1.39 iters/s
step 2052, batch loss 2.359, 1.38 iters/s
step 2053, batch loss 2.187, 1.38 iters/s
step 2054, batch loss 1.978, 1.38 iters/s
step 2055, batch loss 1.853, 1.39 iters/s
step 2056, batch loss 2.22, 1.38 iters/s
step 2057, batch loss 1.98, 1.39 iters/s
step 2058, batch loss 2.005, 1.38 iters/s
step 2059, batch loss 2.428, 1.39 iters/s
step 2060, batch loss 2.033, 1.39 iters/s
step 2061, batch loss 2.139, 1.38 iters/s
step 2062, batch loss 2.034, 1.39 iters/s
step 2063, batch loss 2.274, 1.39 iters/s
step 2064, batch loss 2.284, 1.38 iters/s
step 2065, batch loss 2.04, 1.38 iters/s
step 2066, batch loss 2.159, 1.39 iters/s
step 2067, batch loss 2.145, 1.38 iters/s
step 2068, batch loss 2.175, 1.38 iters/s
step 2069, batch loss 2.235, 1.38 iters/s
step 2070, batch loss 1.981, 1.38 iters/s
step 2071, batch loss 2.212, 1.38 iters/s
step 2072, batch loss 2.084, 1.39 iters/s
step 2073, batch loss 2.142, 1.38 iters/s
step 2074, batch loss 2.361, 1.38 iters/s
step 2075, batch loss 2.054, 1.38 iters/s
step 2076, batch loss 2.189, 1.38 iters/s
step 2077, batch loss 2.509, 1.38 iters/s
step 2078, batch loss 2.316, 1.38 iters/s
step 2079, batch loss 1.87, 1.38 iters/s
step 2080, batch loss 2.058, 1.39 iters/s
step 2081, batch loss 2.046, 1.39 iters/s
step 2082, batch loss 2.59, 1.38 iters/s
step 2083, batch loss 2.238, 1.38 iters/s
step 2084, batch loss 2.241, 1.39 iters/s
step 2085, batch loss 2.149, 1.38 iters/s
step 2086, batch loss 2.268, 1.38 iters/s
step 2087, batch loss 2.138, 1.38 iters/s
step 2088, batch loss 1.947, 1.38 iters/s
step 2089, batch loss 2.238, 1.38 iters/s
step 2090, batch loss 2.293, 1.38 iters/s

step 2091, batch loss 2.077, 1.39 iters/s
step 2092, batch loss 2.084, 1.38 iters/s
step 2093, batch loss 2.227, 1.38 iters/s
step 2094, batch loss 2.105, 1.39 iters/s
step 2095, batch loss 2.105, 1.38 iters/s
step 2096, batch loss 2.002, 1.38 iters/s
step 2097, batch loss 2.335, 1.38 iters/s
step 2098, batch loss 2.016, 1.38 iters/s
step 2099, batch loss 2.084, 1.38 iters/s
step 2100, batch loss 2.039, 1.39 iters/s
step 2101, batch loss 2.331, 1.39 iters/s
step 2102, batch loss 2.136, 1.38 iters/s
step 2103, batch loss 2.044, 1.39 iters/s
step 2104, batch loss 2.219, 1.39 iters/s
step 2105, batch loss 2.182, 1.38 iters/s
step 2106, batch loss 2.142, 1.39 iters/s
step 2107, batch loss 2.222, 1.39 iters/s
step 2108, batch loss 2.324, 1.39 iters/s
step 2109, batch loss 2.307, 1.38 iters/s
step 2110, batch loss 2.195, 1.38 iters/s
step 2111, batch loss 1.836, 1.39 iters/s
step 2112, batch loss 2.119, 1.38 iters/s
step 2113, batch loss 2.02, 1.39 iters/s
step 2114, batch loss 1.902, 1.38 iters/s
step 2115, batch loss 2.042, 1.38 iters/s
step 2116, batch loss 2.083, 1.39 iters/s
step 2117, batch loss 2.128, 1.38 iters/s
step 2118, batch loss 1.951, 1.38 iters/s
step 2119, batch loss 1.903, 1.38 iters/s
step 2120, batch loss 2.089, 1.38 iters/s
step 2121, batch loss 2.099, 1.38 iters/s
step 2122, batch loss 2.274, 1.38 iters/s
step 2123, batch loss 2.097, 1.38 iters/s
step 2124, batch loss 2.021, 1.39 iters/s
step 2125, batch loss 2.129, 1.38 iters/s
step 2126, batch loss 1.937, 1.39 iters/s
step 2127, batch loss 2.05, 1.38 iters/s
step 2128, batch loss 2.444, 1.38 iters/s
step 2129, batch loss 2.163, 1.38 iters/s
step 2130, batch loss 2.092, 1.38 iters/s
step 2131, batch loss 2.182, 1.38 iters/s
step 2132, batch loss 2.367, 1.38 iters/s
step 2133, batch loss 2.221, 1.38 iters/s
step 2134, batch loss 1.99, 1.38 iters/s
step 2135, batch loss 1.959, 1.39 iters/s
step 2136, batch loss 2.196, 1.38 iters/s
step 2137, batch loss 1.857, 1.39 iters/s
step 2138, batch loss 2.333, 1.38 iters/s

step 2139, batch loss 2.224, 1.38 iters/s
step 2140, batch loss 1.942, 1.41 iters/s
step 2141, batch loss 2.198, 1.38 iters/s
step 2142, batch loss 2.292, 1.39 iters/s
step 2143, batch loss 2.065, 1.39 iters/s
step 2144, batch loss 2.173, 1.38 iters/s
step 2145, batch loss 2.002, 1.4 iters/s
step 2146, batch loss 2.132, 1.38 iters/s
step 2147, batch loss 2.149, 1.38 iters/s
step 2148, batch loss 2.077, 1.38 iters/s
step 2149, batch loss 2.247, 1.39 iters/s
step 2150, batch loss 2.245, 1.39 iters/s
step 2151, batch loss 2.166, 1.38 iters/s
step 2152, batch loss 2.22, 1.39 iters/s
step 2153, batch loss 2.116, 1.38 iters/s
step 2154, batch loss 2.019, 1.39 iters/s
step 2155, batch loss 1.991, 1.38 iters/s
step 2156, batch loss 2.25, 1.38 iters/s
step 2157, batch loss 2.099, 1.38 iters/s
step 2158, batch loss 2.174, 1.38 iters/s
step 2159, batch loss 2.249, 1.38 iters/s
step 2160, batch loss 2.28, 1.38 iters/s
step 2161, batch loss 2.086, 1.38 iters/s
step 2162, batch loss 1.995, 1.39 iters/s
step 2163, batch loss 2.303, 1.38 iters/s
step 2164, batch loss 1.893, 1.39 iters/s
step 2165, batch loss 2.104, 1.38 iters/s
step 2166, batch loss 2.372, 1.39 iters/s
step 2167, batch loss 2.058, 1.38 iters/s
step 2168, batch loss 2.143, 1.38 iters/s
step 2169, batch loss 2.236, 1.38 iters/s
step 2170, batch loss 2.107, 1.38 iters/s
step 2171, batch loss 2.1, 1.38 iters/s
step 2172, batch loss 1.667, 1.38 iters/s
step 2173, batch loss 2.184, 1.38 iters/s
step 2174, batch loss 2.253, 1.39 iters/s
step 2175, batch loss 2.122, 1.39 iters/s
step 2176, batch loss 2.066, 1.4 iters/s
step 2177, batch loss 2.028, 1.38 iters/s
step 2178, batch loss 1.955, 1.38 iters/s
step 2179, batch loss 1.928, 1.38 iters/s
step 2180, batch loss 2.067, 1.38 iters/s
step 2181, batch loss 2.122, 1.38 iters/s
step 2182, batch loss 2.144, 1.38 iters/s
step 2183, batch loss 2.286, 1.38 iters/s
step 2184, batch loss 2.311, 1.38 iters/s
step 2185, batch loss 1.994, 1.38 iters/s
step 2186, batch loss 2.108, 1.38 iters/s

step 2187, batch loss 2.106, 1.38 iters/s
step 2188, batch loss 2.249, 1.38 iters/s
step 2189, batch loss 2.4, 1.37 iters/s
step 2190, batch loss 2.351, 1.38 iters/s
step 2191, batch loss 2.184, 1.38 iters/s
step 2192, batch loss 2.115, 1.38 iters/s
step 2193, batch loss 2.178, 1.38 iters/s
step 2194, batch loss 2.039, 1.38 iters/s
step 2195, batch loss 2.152, 1.38 iters/s
step 2196, batch loss 2.241, 1.38 iters/s
step 2197, batch loss 2.119, 1.39 iters/s
step 2198, batch loss 2.156, 1.39 iters/s
step 2199, batch loss 2.314, 1.39 iters/s
step 2200, batch loss 2.248, 1.38 iters/s
step 2201, batch loss 1.936, 1.38 iters/s
step 2202, batch loss 2.22, 1.38 iters/s
step 2203, batch loss 2.093, 1.38 iters/s
step 2204, batch loss 1.94, 1.38 iters/s
step 2205, batch loss 2.094, 1.38 iters/s
step 2206, batch loss 2.39, 1.38 iters/s
step 2207, batch loss 2.529, 1.37 iters/s
step 2208, batch loss 2.26, 1.38 iters/s
step 2209, batch loss 2.269, 1.38 iters/s
step 2210, batch loss 2.086, 1.38 iters/s
step 2211, batch loss 2.23, 1.38 iters/s
step 2212, batch loss 2.287, 1.39 iters/s
step 2213, batch loss 2.132, 1.38 iters/s
step 2214, batch loss 2.047, 1.38 iters/s
step 2215, batch loss 2.136, 1.38 iters/s
step 2216, batch loss 2.237, 1.38 iters/s
step 2217, batch loss 2.199, 1.38 iters/s
step 2218, batch loss 2.175, 1.38 iters/s
step 2219, batch loss 2.468, 1.38 iters/s
step 2220, batch loss 2.711, 1.37 iters/s
step 2221, batch loss 2.039, 1.38 iters/s
step 2222, batch loss 2.114, 1.38 iters/s
step 2223, batch loss 2.029, 1.38 iters/s
step 2224, batch loss 2.008, 1.38 iters/s
step 2225, batch loss 2.182, 1.38 iters/s
step 2226, batch loss 2.185, 1.38 iters/s
step 2227, batch loss 2.438, 1.38 iters/s
step 2228, batch loss 2.042, 1.38 iters/s
step 2229, batch loss 2.307, 1.38 iters/s
step 2230, batch loss 2.163, 1.38 iters/s
step 2231, batch loss 2.202, 1.38 iters/s
step 2232, batch loss 2.156, 1.38 iters/s
step 2233, batch loss 2.162, 1.38 iters/s
step 2234, batch loss 2.126, 1.38 iters/s

step 2235, batch loss 2.503, 1.38 iters/s
step 2236, batch loss 2.309, 1.38 iters/s
step 2237, batch loss 2.329, 1.38 iters/s
step 2238, batch loss 2.237, 1.38 iters/s
step 2239, batch loss 2.364, 1.38 iters/s
step 2240, batch loss 2.124, 1.38 iters/s
step 2241, batch loss 2.006, 1.38 iters/s
step 2242, batch loss 2.219, 1.38 iters/s
step 2243, batch loss 1.917, 1.38 iters/s
step 2244, batch loss 2.004, 1.38 iters/s
step 2245, batch loss 2.011, 1.38 iters/s
step 2246, batch loss 2.13, 1.38 iters/s
step 2247, batch loss 1.849, 1.39 iters/s
step 2248, batch loss 2.194, 1.38 iters/s
step 2249, batch loss 2.631, 1.38 iters/s
step 2250, batch loss 1.836, 1.38 iters/s
step 2251, batch loss 2.232, 1.4 iters/s
step 2252, batch loss 2.175, 1.39 iters/s
step 2253, batch loss 1.972, 1.38 iters/s
step 2254, batch loss 2.15, 1.38 iters/s
step 2255, batch loss 2.175, 1.39 iters/s
step 2256, batch loss 2.188, 1.38 iters/s
step 2257, batch loss 2.159, 1.38 iters/s
step 2258, batch loss 1.942, 1.39 iters/s
step 2259, batch loss 2.159, 1.38 iters/s
step 2260, batch loss 2.157, 1.38 iters/s
step 2261, batch loss 2.772, 1.38 iters/s
step 2262, batch loss 2.179, 1.38 iters/s
step 2263, batch loss 2.107, 1.39 iters/s
step 2264, batch loss 2.227, 1.38 iters/s
step 2265, batch loss 2.266, 1.38 iters/s
step 2266, batch loss 1.952, 1.38 iters/s
step 2267, batch loss 2.222, 1.38 iters/s
step 2268, batch loss 2.113, 1.38 iters/s
step 2269, batch loss 2.173, 1.38 iters/s
step 2270, batch loss 2.147, 1.38 iters/s
step 2271, batch loss 2.083, 1.38 iters/s
step 2272, batch loss 2.213, 1.38 iters/s
step 2273, batch loss 2.232, 1.38 iters/s
step 2274, batch loss 2.089, 1.38 iters/s
step 2275, batch loss 2.201, 1.38 iters/s
step 2276, batch loss 1.957, 1.38 iters/s
step 2277, batch loss 2.072, 1.38 iters/s
step 2278, batch loss 2.144, 1.38 iters/s
step 2279, batch loss 2.32, 1.38 iters/s
step 2280, batch loss 2.272, 1.38 iters/s
step 2281, batch loss 2.15, 1.38 iters/s
step 2282, batch loss 2.018, 1.38 iters/s

step 2283, batch loss 2.121, 1.38 iters/s
step 2284, batch loss 2.234, 1.39 iters/s
step 2285, batch loss 1.951, 1.4 iters/s
step 2286, batch loss 1.963, 1.39 iters/s
step 2287, batch loss 2.234, 1.38 iters/s
step 2288, batch loss 2.04, 1.38 iters/s
step 2289, batch loss 2.052, 1.39 iters/s
step 2290, batch loss 2.068, 1.37 iters/s
step 2291, batch loss 2.352, 1.38 iters/s
step 2292, batch loss 2.313, 1.38 iters/s
step 2293, batch loss 2.392, 1.38 iters/s
step 2294, batch loss 2.474, 1.38 iters/s
step 2295, batch loss 2.111, 1.38 iters/s
step 2296, batch loss 1.966, 1.39 iters/s
step 2297, batch loss 2.211, 1.39 iters/s
step 2298, batch loss 2.065, 1.38 iters/s
step 2299, batch loss 1.93, 1.38 iters/s
step 2300, batch loss 2.141, 1.38 iters/s
step 2301, batch loss 2.206, 1.38 iters/s
step 2302, batch loss 1.944, 1.38 iters/s
step 2303, batch loss 2.168, 1.39 iters/s
step 2304, batch loss 2.104, 1.38 iters/s
step 2305, batch loss 2.138, 1.38 iters/s
step 2306, batch loss 1.967, 1.38 iters/s
step 2307, batch loss 2.05, 1.38 iters/s
step 2308, batch loss 2.222, 1.38 iters/s
step 2309, batch loss 1.768, 1.38 iters/s
step 2310, batch loss 2.332, 1.39 iters/s
step 2311, batch loss 2.223, 1.38 iters/s
step 2312, batch loss 2.149, 1.39 iters/s
step 2313, batch loss 1.965, 1.39 iters/s
step 2314, batch loss 1.924, 1.38 iters/s
step 2315, batch loss 2.051, 1.37 iters/s
step 2316, batch loss 2.158, 1.39 iters/s
step 2317, batch loss 1.946, 1.38 iters/s
step 2318, batch loss 2.101, 1.38 iters/s
step 2319, batch loss 2.159, 1.38 iters/s
step 2320, batch loss 2.142, 1.38 iters/s
step 2321, batch loss 2.214, 1.39 iters/s
step 2322, batch loss 2.128, 1.39 iters/s
step 2323, batch loss 2.168, 1.38 iters/s
step 2324, batch loss 2.117, 1.38 iters/s
step 2325, batch loss 2.191, 1.38 iters/s
step 2326, batch loss 2.162, 1.38 iters/s
step 2327, batch loss 1.859, 1.39 iters/s
step 2328, batch loss 2.193, 1.38 iters/s
step 2329, batch loss 2.098, 1.38 iters/s
step 2330, batch loss 1.914, 1.38 iters/s

step 2331, batch loss 2.122, 1.38 iters/s
step 2332, batch loss 1.99, 1.38 iters/s
step 2333, batch loss 2.173, 1.38 iters/s
step 2334, batch loss 2.02, 1.38 iters/s
step 2335, batch loss 2.276, 1.38 iters/s
step 2336, batch loss 2.315, 1.38 iters/s
step 2337, batch loss 2.043, 1.38 iters/s
step 2338, batch loss 2.028, 1.38 iters/s
step 2339, batch loss 1.996, 1.37 iters/s
step 2340, batch loss 2.0, 1.38 iters/s
step 2341, batch loss 2.155, 1.38 iters/s
step 2342, batch loss 2.204, 1.38 iters/s
step 2343, batch loss 1.928, 1.38 iters/s
step 2344, batch loss 1.974, 1.38 iters/s
step 2345, batch loss 2.292, 1.38 iters/s
step 2346, batch loss 2.283, 1.38 iters/s
step 2347, batch loss 2.16, 1.39 iters/s
step 2348, batch loss 2.397, 1.38 iters/s
step 2349, batch loss 2.152, 1.38 iters/s
step 2350, batch loss 2.036, 1.38 iters/s
step 2351, batch loss 2.273, 1.38 iters/s
step 2352, batch loss 2.061, 1.39 iters/s
step 2353, batch loss 2.213, 1.38 iters/s
step 2354, batch loss 2.307, 1.38 iters/s
step 2355, batch loss 2.078, 1.38 iters/s
step 2356, batch loss 2.15, 1.39 iters/s
step 2357, batch loss 1.978, 1.38 iters/s
step 2358, batch loss 2.164, 1.38 iters/s
step 2359, batch loss 2.265, 1.39 iters/s
step 2360, batch loss 2.13, 1.38 iters/s
step 2361, batch loss 2.185, 1.38 iters/s
step 2362, batch loss 1.968, 1.38 iters/s
step 2363, batch loss 2.212, 1.37 iters/s
step 2364, batch loss 1.912, 1.39 iters/s
step 2365, batch loss 2.03, 1.38 iters/s
step 2366, batch loss 2.067, 1.39 iters/s
step 2367, batch loss 2.055, 1.38 iters/s
step 2368, batch loss 2.052, 1.38 iters/s
step 2369, batch loss 2.005, 1.38 iters/s
step 2370, batch loss 2.234, 1.38 iters/s
step 2371, batch loss 2.192, 1.38 iters/s
step 2372, batch loss 2.055, 1.38 iters/s
step 2373, batch loss 2.441, 1.38 iters/s
step 2374, batch loss 2.109, 1.38 iters/s
step 2375, batch loss 2.252, 1.38 iters/s
step 2376, batch loss 2.244, 1.38 iters/s
step 2377, batch loss 2.551, 1.38 iters/s
step 2378, batch loss 2.128, 1.38 iters/s

step 2379, batch loss 2.21, 1.38 iters/s
step 2380, batch loss 2.095, 1.38 iters/s
step 2381, batch loss 2.464, 1.39 iters/s
step 2382, batch loss 2.092, 1.38 iters/s
step 2383, batch loss 2.096, 1.39 iters/s
step 2384, batch loss 2.059, 1.39 iters/s
step 2385, batch loss 2.274, 1.38 iters/s
step 2386, batch loss 2.065, 1.38 iters/s
step 2387, batch loss 1.916, 1.38 iters/s
step 2388, batch loss 1.995, 1.38 iters/s
step 2389, batch loss 2.211, 1.39 iters/s
step 2390, batch loss 1.907, 1.39 iters/s
step 2391, batch loss 1.958, 1.39 iters/s
step 2392, batch loss 2.112, 1.39 iters/s
step 2393, batch loss 2.296, 1.39 iters/s
step 2394, batch loss 2.366, 1.38 iters/s
step 2395, batch loss 2.113, 1.38 iters/s
step 2396, batch loss 2.148, 1.38 iters/s
step 2397, batch loss 2.235, 1.38 iters/s
step 2398, batch loss 1.964, 1.38 iters/s
step 2399, batch loss 2.474, 1.38 iters/s
step 2400, batch loss 2.614, 1.38 iters/s
step 2401, batch loss 1.987, 1.39 iters/s
step 2402, batch loss 2.118, 1.38 iters/s
step 2403, batch loss 2.014, 1.38 iters/s
step 2404, batch loss 2.12, 1.38 iters/s
step 2405, batch loss 2.069, 1.38 iters/s
step 2406, batch loss 2.115, 1.38 iters/s
step 2407, batch loss 2.335, 1.38 iters/s
step 2408, batch loss 2.096, 1.38 iters/s
step 2409, batch loss 2.2, 1.38 iters/s
step 2410, batch loss 2.293, 1.38 iters/s
step 2411, batch loss 2.359, 1.38 iters/s
step 2412, batch loss 2.069, 1.38 iters/s
step 2413, batch loss 2.157, 1.38 iters/s
step 2414, batch loss 2.317, 1.38 iters/s
step 2415, batch loss 1.992, 1.38 iters/s
step 2416, batch loss 2.046, 1.38 iters/s
step 2417, batch loss 2.231, 1.38 iters/s
step 2418, batch loss 2.418, 1.4 iters/s
step 2419, batch loss 2.067, 1.38 iters/s
step 2420, batch loss 1.933, 1.39 iters/s
step 2421, batch loss 2.06, 1.38 iters/s
step 2422, batch loss 1.953, 1.39 iters/s
step 2423, batch loss 2.258, 1.39 iters/s
step 2424, batch loss 2.28, 1.38 iters/s
step 2425, batch loss 2.283, 1.38 iters/s
step 2426, batch loss 2.148, 1.38 iters/s

step 2427, batch loss 1.991, 1.38 iters/s
step 2428, batch loss 2.136, 1.39 iters/s
step 2429, batch loss 2.172, 1.38 iters/s
step 2430, batch loss 2.243, 1.38 iters/s
step 2431, batch loss 2.117, 1.38 iters/s
step 2432, batch loss 2.352, 1.38 iters/s
step 2433, batch loss 2.137, 1.39 iters/s
step 2434, batch loss 2.433, 1.38 iters/s
step 2435, batch loss 2.165, 1.39 iters/s
step 2436, batch loss 2.201, 1.39 iters/s
step 2437, batch loss 2.295, 1.39 iters/s
step 2438, batch loss 2.099, 1.39 iters/s
step 2439, batch loss 2.187, 1.38 iters/s
step 2440, batch loss 1.892, 1.38 iters/s
step 2441, batch loss 2.1, 1.39 iters/s
step 2442, batch loss 2.029, 1.39 iters/s
step 2443, batch loss 2.26, 1.37 iters/s
step 2444, batch loss 2.064, 1.39 iters/s
step 2445, batch loss 2.398, 1.38 iters/s
step 2446, batch loss 1.988, 1.39 iters/s
step 2447, batch loss 2.018, 1.38 iters/s
step 2448, batch loss 2.31, 1.4 iters/s
step 2449, batch loss 1.914, 1.39 iters/s
step 2450, batch loss 2.059, 1.38 iters/s
step 2451, batch loss 2.223, 1.38 iters/s
step 2452, batch loss 2.113, 1.38 iters/s
step 2453, batch loss 2.218, 1.39 iters/s
step 2454, batch loss 2.123, 1.4 iters/s
step 2455, batch loss 2.155, 1.38 iters/s
step 2456, batch loss 2.007, 1.39 iters/s
step 2457, batch loss 2.201, 1.39 iters/s
step 2458, batch loss 2.035, 1.38 iters/s
step 2459, batch loss 2.328, 1.41 iters/s
step 2460, batch loss 2.244, 1.38 iters/s
step 2461, batch loss 2.148, 1.38 iters/s
step 2462, batch loss 2.11, 1.38 iters/s
step 2463, batch loss 1.996, 1.38 iters/s
step 2464, batch loss 2.163, 1.38 iters/s
step 2465, batch loss 2.16, 1.38 iters/s
step 2466, batch loss 2.013, 1.38 iters/s
step 2467, batch loss 2.159, 1.38 iters/s
step 2468, batch loss 1.874, 1.38 iters/s
step 2469, batch loss 2.031, 1.37 iters/s
step 2470, batch loss 2.285, 1.39 iters/s
step 2471, batch loss 1.933, 1.38 iters/s
step 2472, batch loss 2.153, 1.39 iters/s
step 2473, batch loss 2.242, 1.38 iters/s
step 2474, batch loss 1.828, 1.38 iters/s

step 2475, batch loss 2.304, 1.38 iters/s
step 2476, batch loss 2.29, 1.38 iters/s
step 2477, batch loss 2.44, 1.38 iters/s
step 2478, batch loss 2.249, 1.38 iters/s
step 2479, batch loss 1.895, 1.39 iters/s
step 2480, batch loss 2.122, 1.38 iters/s
step 2481, batch loss 2.009, 1.39 iters/s
step 2482, batch loss 2.471, 1.39 iters/s
step 2483, batch loss 2.294, 1.39 iters/s
step 2484, batch loss 1.967, 1.38 iters/s
step 2485, batch loss 1.68, 1.38 iters/s
step 2486, batch loss 2.196, 1.38 iters/s
step 2487, batch loss 2.203, 1.38 iters/s
step 2488, batch loss 2.177, 1.39 iters/s
step 2489, batch loss 1.89, 1.37 iters/s
step 2490, batch loss 2.275, 1.39 iters/s
step 2491, batch loss 2.364, 1.38 iters/s
step 2492, batch loss 2.095, 1.38 iters/s
step 2493, batch loss 1.851, 1.39 iters/s
step 2494, batch loss 1.928, 1.38 iters/s
step 2495, batch loss 2.27, 1.38 iters/s
step 2496, batch loss 2.296, 1.38 iters/s
step 2497, batch loss 2.17, 1.38 iters/s
step 2498, batch loss 2.126, 1.38 iters/s
step 2499, batch loss 2.062, 1.38 iters/s
step 2500, batch loss 2.041, 1.38 iters/s
step 2501, batch loss 2.141, 1.39 iters/s
step 2502, batch loss 1.873, 1.38 iters/s
step 2503, batch loss 2.167, 1.38 iters/s
step 2504, batch loss 2.109, 1.39 iters/s
step 2505, batch loss 2.168, 1.38 iters/s
step 2506, batch loss 2.239, 1.38 iters/s
step 2507, batch loss 2.188, 1.39 iters/s
step 2508, batch loss 2.042, 1.39 iters/s
step 2509, batch loss 2.062, 1.39 iters/s
step 2510, batch loss 2.261, 1.38 iters/s
step 2511, batch loss 2.1, 1.38 iters/s
step 2512, batch loss 2.154, 1.37 iters/s
step 2513, batch loss 2.15, 1.38 iters/s
step 2514, batch loss 2.207, 1.38 iters/s
step 2515, batch loss 2.158, 1.38 iters/s
step 2516, batch loss 2.273, 1.38 iters/s
step 2517, batch loss 1.976, 1.38 iters/s
step 2518, batch loss 2.045, 1.38 iters/s
step 2519, batch loss 2.078, 1.38 iters/s
step 2520, batch loss 2.078, 1.38 iters/s
step 2521, batch loss 2.113, 1.38 iters/s
step 2522, batch loss 2.028, 1.38 iters/s

step 2523, batch loss 1.917, 1.39 iters/s
step 2524, batch loss 2.213, 1.38 iters/s
step 2525, batch loss 2.292, 1.38 iters/s
step 2526, batch loss 2.058, 1.38 iters/s
step 2527, batch loss 2.081, 1.38 iters/s
step 2528, batch loss 2.172, 1.39 iters/s
step 2529, batch loss 2.052, 1.38 iters/s
step 2530, batch loss 2.096, 1.38 iters/s
step 2531, batch loss 2.161, 1.38 iters/s
step 2532, batch loss 2.05, 1.38 iters/s
step 2533, batch loss 2.265, 1.38 iters/s
step 2534, batch loss 2.492, 1.39 iters/s
step 2535, batch loss 2.167, 1.38 iters/s
step 2536, batch loss 2.197, 1.38 iters/s
step 2537, batch loss 1.833, 1.39 iters/s
step 2538, batch loss 1.904, 1.38 iters/s
step 2539, batch loss 2.299, 1.39 iters/s
step 2540, batch loss 2.107, 1.38 iters/s
step 2541, batch loss 2.226, 1.38 iters/s
step 2542, batch loss 2.46, 1.38 iters/s
step 2543, batch loss 2.371, 1.39 iters/s
step 2544, batch loss 2.343, 1.38 iters/s
step 2545, batch loss 2.075, 1.38 iters/s
step 2546, batch loss 2.212, 1.38 iters/s
step 2547, batch loss 1.986, 1.38 iters/s
step 2548, batch loss 2.273, 1.38 iters/s
step 2549, batch loss 2.278, 1.38 iters/s
step 2550, batch loss 1.903, 1.39 iters/s
step 2551, batch loss 1.839, 1.38 iters/s
step 2552, batch loss 2.261, 1.38 iters/s
step 2553, batch loss 2.084, 1.38 iters/s
step 2554, batch loss 2.25, 1.38 iters/s
step 2555, batch loss 2.232, 1.39 iters/s
step 2556, batch loss 2.375, 1.38 iters/s
step 2557, batch loss 2.051, 1.38 iters/s
step 2558, batch loss 2.118, 1.38 iters/s
step 2559, batch loss 2.207, 1.38 iters/s
step 2560, batch loss 2.025, 1.38 iters/s
step 2561, batch loss 2.108, 1.39 iters/s
step 2562, batch loss 2.069, 1.39 iters/s
step 2563, batch loss 2.203, 1.38 iters/s
step 2564, batch loss 2.056, 1.39 iters/s
step 2565, batch loss 2.392, 1.39 iters/s
step 2566, batch loss 2.302, 1.38 iters/s
step 2567, batch loss 2.349, 1.38 iters/s
step 2568, batch loss 2.177, 1.38 iters/s
step 2569, batch loss 2.369, 1.39 iters/s
step 2570, batch loss 2.015, 1.38 iters/s

step 2571, batch loss 2.168, 1.38 iters/s
step 2572, batch loss 2.192, 1.38 iters/s
step 2573, batch loss 1.97, 1.39 iters/s
step 2574, batch loss 2.08, 1.39 iters/s
step 2575, batch loss 2.109, 1.4 iters/s
step 2576, batch loss 2.11, 1.38 iters/s
step 2577, batch loss 1.95, 1.39 iters/s
step 2578, batch loss 2.145, 1.37 iters/s
step 2579, batch loss 2.154, 1.38 iters/s
step 2580, batch loss 2.17, 1.38 iters/s
step 2581, batch loss 2.543, 1.38 iters/s
step 2582, batch loss 2.058, 1.38 iters/s
step 2583, batch loss 2.362, 1.38 iters/s
step 2584, batch loss 2.271, 1.38 iters/s
step 2585, batch loss 2.157, 1.38 iters/s
step 2586, batch loss 2.002, 1.4 iters/s
step 2587, batch loss 2.296, 1.38 iters/s
step 2588, batch loss 1.966, 1.38 iters/s
step 2589, batch loss 2.177, 1.38 iters/s
step 2590, batch loss 2.19, 1.38 iters/s
step 2591, batch loss 1.944, 1.39 iters/s
step 2592, batch loss 2.221, 1.38 iters/s
step 2593, batch loss 1.98, 1.38 iters/s
step 2594, batch loss 2.053, 1.39 iters/s
step 2595, batch loss 2.268, 1.38 iters/s
step 2596, batch loss 2.039, 1.38 iters/s
step 2597, batch loss 2.185, 1.38 iters/s
step 2598, batch loss 2.18, 1.38 iters/s
step 2599, batch loss 2.343, 1.38 iters/s
step 2600, batch loss 1.982, 1.38 iters/s
step 2601, batch loss 2.166, 1.38 iters/s
step 2602, batch loss 2.102, 1.38 iters/s
step 2603, batch loss 2.377, 1.38 iters/s
step 2604, batch loss 2.253, 1.38 iters/s
step 2605, batch loss 2.063, 1.38 iters/s
step 2606, batch loss 1.95, 1.38 iters/s
step 2607, batch loss 2.097, 1.39 iters/s
step 2608, batch loss 2.032, 1.38 iters/s
step 2609, batch loss 2.114, 1.38 iters/s
step 2610, batch loss 2.031, 1.39 iters/s
step 2611, batch loss 2.032, 1.38 iters/s
step 2612, batch loss 2.26, 1.38 iters/s
step 2613, batch loss 2.49, 1.38 iters/s
step 2614, batch loss 1.961, 1.38 iters/s
step 2615, batch loss 2.241, 1.38 iters/s
step 2616, batch loss 2.048, 1.38 iters/s
step 2617, batch loss 2.227, 1.39 iters/s
step 2618, batch loss 1.96, 1.39 iters/s

step 2619, batch loss 2.251, 1.38 iters/s
step 2620, batch loss 2.403, 1.39 iters/s
step 2621, batch loss 2.182, 1.37 iters/s
step 2622, batch loss 2.149, 1.38 iters/s
step 2623, batch loss 2.166, 1.38 iters/s
step 2624, batch loss 2.149, 1.38 iters/s
step 2625, batch loss 1.788, 1.38 iters/s
step 2626, batch loss 2.275, 1.39 iters/s
step 2627, batch loss 2.322, 1.38 iters/s
step 2628, batch loss 2.279, 1.38 iters/s
step 2629, batch loss 2.033, 1.38 iters/s
step 2630, batch loss 2.162, 1.39 iters/s
step 2631, batch loss 2.303, 1.38 iters/s
step 2632, batch loss 2.211, 1.38 iters/s
step 2633, batch loss 2.038, 1.38 iters/s
step 2634, batch loss 2.235, 1.38 iters/s
step 2635, batch loss 2.116, 1.37 iters/s
step 2636, batch loss 1.889, 1.38 iters/s
step 2637, batch loss 2.223, 1.38 iters/s
step 2638, batch loss 2.12, 1.37 iters/s
step 2639, batch loss 2.426, 1.38 iters/s
step 2640, batch loss 2.206, 1.38 iters/s
step 2641, batch loss 1.924, 1.38 iters/s
step 2642, batch loss 2.507, 1.37 iters/s
step 2643, batch loss 2.113, 1.38 iters/s
step 2644, batch loss 2.295, 1.37 iters/s
step 2645, batch loss 2.024, 1.38 iters/s
step 2646, batch loss 2.243, 1.38 iters/s
step 2647, batch loss 2.129, 1.38 iters/s
step 2648, batch loss 1.989, 1.38 iters/s
step 2649, batch loss 2.398, 1.38 iters/s
step 2650, batch loss 2.155, 1.38 iters/s
step 2651, batch loss 1.955, 1.37 iters/s
step 2652, batch loss 2.068, 1.37 iters/s
step 2653, batch loss 2.403, 1.38 iters/s
step 2654, batch loss 2.096, 1.37 iters/s
step 2655, batch loss 1.983, 1.37 iters/s
step 2656, batch loss 2.071, 1.37 iters/s
step 2657, batch loss 2.264, 1.37 iters/s
step 2658, batch loss 2.31, 1.38 iters/s
step 2659, batch loss 2.62, 1.37 iters/s
step 2660, batch loss 2.129, 1.37 iters/s
step 2661, batch loss 1.97, 1.37 iters/s
step 2662, batch loss 2.085, 1.37 iters/s
step 2663, batch loss 2.13, 1.37 iters/s
step 2664, batch loss 2.016, 1.38 iters/s
step 2665, batch loss 2.143, 1.38 iters/s
step 2666, batch loss 2.081, 1.37 iters/s

step 2667, batch loss 1.98, 1.37 iters/s
step 2668, batch loss 1.995, 1.37 iters/s
step 2669, batch loss 1.981, 1.37 iters/s
step 2670, batch loss 2.236, 1.37 iters/s
step 2671, batch loss 2.177, 1.38 iters/s
step 2672, batch loss 2.217, 1.37 iters/s
step 2673, batch loss 2.11, 1.37 iters/s
step 2674, batch loss 2.112, 1.37 iters/s
step 2675, batch loss 2.206, 1.38 iters/s
step 2676, batch loss 2.107, 1.37 iters/s
step 2677, batch loss 2.165, 1.38 iters/s
step 2678, batch loss 2.051, 1.36 iters/s
step 2679, batch loss 1.974, 1.37 iters/s
step 2680, batch loss 2.105, 1.37 iters/s
step 2681, batch loss 2.253, 1.37 iters/s
step 2682, batch loss 2.192, 1.37 iters/s
step 2683, batch loss 2.378, 1.37 iters/s
step 2684, batch loss 1.986, 1.37 iters/s
step 2685, batch loss 1.99, 1.37 iters/s
step 2686, batch loss 2.186, 1.37 iters/s
step 2687, batch loss 2.042, 1.37 iters/s
step 2688, batch loss 2.343, 1.37 iters/s
step 2689, batch loss 2.143, 1.36 iters/s
step 2690, batch loss 1.89, 1.37 iters/s
step 2691, batch loss 2.0, 1.37 iters/s
step 2692, batch loss 2.104, 1.37 iters/s
step 2693, batch loss 2.116, 1.37 iters/s
step 2694, batch loss 2.227, 1.37 iters/s
step 2695, batch loss 2.134, 1.37 iters/s
step 2696, batch loss 2.08, 1.37 iters/s
step 2697, batch loss 2.163, 1.37 iters/s
step 2698, batch loss 2.282, 1.39 iters/s
step 2699, batch loss 2.399, 1.37 iters/s
step 2700, batch loss 2.017, 1.37 iters/s
step 2701, batch loss 2.02, 1.37 iters/s
step 2702, batch loss 2.048, 1.38 iters/s
step 2703, batch loss 2.138, 1.37 iters/s
step 2704, batch loss 2.087, 1.37 iters/s
step 2705, batch loss 2.648, 1.37 iters/s
step 2706, batch loss 2.043, 1.36 iters/s
step 2707, batch loss 2.176, 1.37 iters/s
step 2708, batch loss 2.077, 1.37 iters/s
step 2709, batch loss 2.005, 1.38 iters/s
step 2710, batch loss 2.141, 1.36 iters/s
step 2711, batch loss 2.285, 1.37 iters/s
step 2712, batch loss 2.195, 1.38 iters/s
step 2713, batch loss 1.977, 1.37 iters/s
step 2714, batch loss 2.103, 1.37 iters/s

step 2715, batch loss 2.33, 1.37 iters/s
step 2716, batch loss 1.974, 1.37 iters/s
step 2717, batch loss 2.236, 1.37 iters/s
step 2718, batch loss 2.138, 1.37 iters/s
step 2719, batch loss 2.341, 1.37 iters/s
step 2720, batch loss 2.078, 1.38 iters/s
step 2721, batch loss 2.39, 1.37 iters/s
step 2722, batch loss 2.218, 1.37 iters/s
step 2723, batch loss 2.081, 1.38 iters/s
step 2724, batch loss 2.144, 1.36 iters/s
step 2725, batch loss 2.359, 1.37 iters/s
step 2726, batch loss 2.047, 1.37 iters/s
step 2727, batch loss 2.683, 1.37 iters/s
step 2728, batch loss 2.105, 1.38 iters/s
step 2729, batch loss 1.982, 1.37 iters/s
step 2730, batch loss 2.311, 1.37 iters/s
step 2731, batch loss 1.857, 1.37 iters/s
step 2732, batch loss 1.993, 1.37 iters/s
step 2733, batch loss 1.999, 1.37 iters/s
step 2734, batch loss 2.553, 1.37 iters/s
step 2735, batch loss 2.15, 1.37 iters/s
step 2736, batch loss 1.97, 1.37 iters/s
step 2737, batch loss 2.087, 1.37 iters/s
step 2738, batch loss 2.237, 1.37 iters/s
step 2739, batch loss 2.524, 1.37 iters/s
step 2740, batch loss 2.174, 1.37 iters/s
step 2741, batch loss 2.163, 1.38 iters/s
step 2742, batch loss 2.0, 1.38 iters/s
step 2743, batch loss 2.244, 1.37 iters/s
step 2744, batch loss 2.017, 1.37 iters/s
step 2745, batch loss 2.149, 1.38 iters/s
step 2746, batch loss 2.326, 1.38 iters/s
step 2747, batch loss 2.604, 1.37 iters/s
step 2748, batch loss 2.204, 1.38 iters/s
step 2749, batch loss 2.1, 1.38 iters/s
step 2750, batch loss 2.09, 1.38 iters/s
step 2751, batch loss 1.932, 1.37 iters/s
step 2752, batch loss 2.424, 1.37 iters/s
step 2753, batch loss 2.198, 1.38 iters/s
step 2754, batch loss 2.145, 1.37 iters/s
step 2755, batch loss 2.11, 1.37 iters/s
step 2756, batch loss 1.915, 1.38 iters/s
step 2757, batch loss 1.814, 1.39 iters/s
step 2758, batch loss 1.982, 1.37 iters/s
step 2759, batch loss 2.264, 1.37 iters/s
step 2760, batch loss 1.871, 1.37 iters/s
step 2761, batch loss 2.421, 1.37 iters/s
step 2762, batch loss 2.2, 1.37 iters/s

step 2763, batch loss 2.042, 1.37 iters/s
step 2764, batch loss 1.887, 1.38 iters/s
step 2765, batch loss 2.034, 1.38 iters/s
step 2766, batch loss 2.027, 1.38 iters/s
step 2767, batch loss 2.067, 1.37 iters/s
step 2768, batch loss 1.824, 1.38 iters/s
step 2769, batch loss 2.139, 1.37 iters/s
step 2770, batch loss 2.622, 1.39 iters/s
step 2771, batch loss 2.053, 1.38 iters/s
step 2772, batch loss 2.043, 1.38 iters/s
step 2773, batch loss 1.793, 1.37 iters/s
step 2774, batch loss 2.162, 1.38 iters/s
step 2775, batch loss 1.948, 1.39 iters/s
step 2776, batch loss 2.082, 1.38 iters/s
step 2777, batch loss 2.084, 1.37 iters/s
step 2778, batch loss 2.076, 1.39 iters/s
step 2779, batch loss 2.284, 1.38 iters/s
step 2780, batch loss 2.629, 1.38 iters/s
step 2781, batch loss 2.194, 1.38 iters/s
step 2782, batch loss 2.17, 1.37 iters/s
step 2783, batch loss 2.331, 1.37 iters/s
step 2784, batch loss 1.881, 1.38 iters/s
step 2785, batch loss 2.353, 1.38 iters/s
step 2786, batch loss 2.035, 1.37 iters/s
step 2787, batch loss 2.255, 1.37 iters/s
step 2788, batch loss 2.109, 1.37 iters/s
step 2789, batch loss 2.097, 1.38 iters/s
step 2790, batch loss 2.169, 1.38 iters/s
step 2791, batch loss 1.715, 1.38 iters/s
step 2792, batch loss 2.292, 1.38 iters/s
step 2793, batch loss 2.525, 1.38 iters/s
step 2794, batch loss 2.031, 1.38 iters/s
step 2795, batch loss 2.144, 1.38 iters/s
step 2796, batch loss 1.876, 1.37 iters/s
step 2797, batch loss 2.469, 1.38 iters/s
step 2798, batch loss 2.126, 1.37 iters/s
step 2799, batch loss 2.157, 1.38 iters/s
step 2800, batch loss 2.028, 1.37 iters/s
step 2801, batch loss 2.032, 1.37 iters/s
step 2802, batch loss 2.136, 1.37 iters/s
step 2803, batch loss 2.118, 1.37 iters/s
step 2804, batch loss 1.803, 1.37 iters/s
step 2805, batch loss 2.363, 1.37 iters/s
step 2806, batch loss 2.18, 1.37 iters/s
step 2807, batch loss 2.046, 1.37 iters/s
step 2808, batch loss 1.954, 1.38 iters/s
step 2809, batch loss 2.359, 1.37 iters/s
step 2810, batch loss 2.014, 1.37 iters/s

step 2811, batch loss 2.393, 1.38 iters/s
step 2812, batch loss 1.922, 1.38 iters/s
step 2813, batch loss 2.099, 1.37 iters/s
step 2814, batch loss 1.836, 1.37 iters/s
step 2815, batch loss 2.42, 1.38 iters/s
step 2816, batch loss 2.369, 1.38 iters/s
step 2817, batch loss 2.299, 1.38 iters/s
step 2818, batch loss 2.089, 1.38 iters/s
step 2819, batch loss 2.327, 1.37 iters/s
step 2820, batch loss 2.018, 1.37 iters/s
step 2821, batch loss 2.099, 1.37 iters/s
step 2822, batch loss 2.182, 1.38 iters/s
step 2823, batch loss 2.115, 1.37 iters/s
step 2824, batch loss 2.239, 1.38 iters/s
step 2825, batch loss 2.306, 1.38 iters/s
step 2826, batch loss 2.102, 1.37 iters/s
step 2827, batch loss 2.089, 1.37 iters/s
step 2828, batch loss 2.205, 1.37 iters/s
step 2829, batch loss 1.946, 1.37 iters/s
step 2830, batch loss 2.24, 1.37 iters/s
step 2831, batch loss 2.018, 1.38 iters/s
step 2832, batch loss 2.181, 1.38 iters/s
step 2833, batch loss 2.315, 1.38 iters/s
step 2834, batch loss 2.085, 1.37 iters/s
step 2835, batch loss 1.956, 1.38 iters/s
step 2836, batch loss 2.03, 1.37 iters/s
step 2837, batch loss 2.232, 1.37 iters/s
step 2838, batch loss 1.735, 1.38 iters/s
step 2839, batch loss 1.931, 1.37 iters/s
step 2840, batch loss 2.054, 1.37 iters/s
step 2841, batch loss 1.984, 1.37 iters/s
step 2842, batch loss 2.431, 1.38 iters/s
step 2843, batch loss 2.184, 1.37 iters/s
step 2844, batch loss 2.291, 1.37 iters/s
step 2845, batch loss 2.136, 1.37 iters/s
step 2846, batch loss 2.195, 1.37 iters/s
step 2847, batch loss 2.563, 1.38 iters/s
step 2848, batch loss 2.012, 1.37 iters/s
step 2849, batch loss 2.107, 1.37 iters/s
step 2850, batch loss 2.101, 1.37 iters/s
step 2851, batch loss 2.072, 1.37 iters/s
step 2852, batch loss 1.841, 1.38 iters/s
step 2853, batch loss 2.105, 1.37 iters/s
step 2854, batch loss 1.858, 1.37 iters/s
step 2855, batch loss 1.844, 1.38 iters/s
step 2856, batch loss 2.231, 1.37 iters/s
step 2857, batch loss 2.069, 1.38 iters/s
step 2858, batch loss 2.141, 1.37 iters/s

step 2859, batch loss 1.977, 1.37 iters/s
step 2860, batch loss 2.358, 1.38 iters/s
step 2861, batch loss 2.014, 1.37 iters/s
step 2862, batch loss 2.12, 1.39 iters/s
step 2863, batch loss 2.509, 1.38 iters/s
step 2864, batch loss 2.152, 1.38 iters/s
step 2865, batch loss 2.093, 1.38 iters/s
step 2866, batch loss 2.034, 1.37 iters/s
step 2867, batch loss 2.57, 1.38 iters/s
step 2868, batch loss 1.929, 1.38 iters/s
step 2869, batch loss 2.176, 1.38 iters/s
step 2870, batch loss 2.154, 1.38 iters/s
step 2871, batch loss 2.103, 1.38 iters/s
step 2872, batch loss 2.046, 1.37 iters/s
step 2873, batch loss 2.218, 1.38 iters/s
step 2874, batch loss 2.039, 1.37 iters/s
step 2875, batch loss 1.993, 1.38 iters/s
step 2876, batch loss 2.087, 1.38 iters/s
step 2877, batch loss 2.15, 1.37 iters/s
step 2878, batch loss 2.121, 1.38 iters/s
step 2879, batch loss 2.147, 1.38 iters/s
step 2880, batch loss 1.907, 1.38 iters/s
step 2881, batch loss 2.093, 1.38 iters/s
step 2882, batch loss 2.17, 1.38 iters/s
step 2883, batch loss 2.174, 1.37 iters/s
step 2884, batch loss 2.164, 1.37 iters/s
step 2885, batch loss 2.057, 1.38 iters/s
step 2886, batch loss 2.063, 1.37 iters/s
step 2887, batch loss 2.114, 1.38 iters/s
step 2888, batch loss 2.363, 1.38 iters/s
step 2889, batch loss 2.243, 1.37 iters/s
step 2890, batch loss 2.06, 1.38 iters/s
step 2891, batch loss 1.904, 1.38 iters/s
step 2892, batch loss 2.069, 1.38 iters/s
step 2893, batch loss 2.086, 1.37 iters/s
step 2894, batch loss 1.914, 1.38 iters/s
step 2895, batch loss 1.945, 1.38 iters/s
step 2896, batch loss 2.074, 1.37 iters/s
step 2897, batch loss 2.172, 1.37 iters/s
step 2898, batch loss 1.804, 1.37 iters/s
step 2899, batch loss 2.119, 1.38 iters/s
step 2900, batch loss 1.933, 1.37 iters/s
step 2901, batch loss 2.167, 1.37 iters/s
step 2902, batch loss 2.418, 1.38 iters/s
step 2903, batch loss 2.16, 1.37 iters/s
step 2904, batch loss 2.2, 1.37 iters/s
step 2905, batch loss 2.058, 1.38 iters/s
step 2906, batch loss 2.117, 1.38 iters/s

step 2907, batch loss 2.298, 1.38 iters/s
step 2908, batch loss 2.192, 1.38 iters/s
step 2909, batch loss 2.395, 1.37 iters/s
step 2910, batch loss 2.377, 1.37 iters/s
step 2911, batch loss 1.967, 1.38 iters/s
step 2912, batch loss 1.997, 1.37 iters/s
step 2913, batch loss 2.131, 1.39 iters/s
step 2914, batch loss 2.168, 1.37 iters/s
step 2915, batch loss 1.894, 1.37 iters/s
step 2916, batch loss 2.281, 1.38 iters/s
step 2917, batch loss 2.098, 1.37 iters/s
step 2918, batch loss 2.284, 1.37 iters/s
step 2919, batch loss 1.998, 1.37 iters/s
step 2920, batch loss 1.894, 1.38 iters/s
step 2921, batch loss 2.009, 1.38 iters/s
step 2922, batch loss 2.035, 1.38 iters/s
step 2923, batch loss 2.058, 1.38 iters/s
step 2924, batch loss 2.298, 1.37 iters/s
step 2925, batch loss 2.272, 1.38 iters/s
step 2926, batch loss 2.036, 1.38 iters/s
step 2927, batch loss 1.958, 1.38 iters/s
step 2928, batch loss 2.053, 1.38 iters/s
step 2929, batch loss 1.89, 1.38 iters/s
step 2930, batch loss 2.181, 1.37 iters/s
step 2931, batch loss 2.142, 1.38 iters/s
step 2932, batch loss 1.928, 1.38 iters/s
step 2933, batch loss 1.896, 1.38 iters/s
step 2934, batch loss 2.22, 1.39 iters/s
step 2935, batch loss 2.172, 1.38 iters/s
step 2936, batch loss 2.09, 1.38 iters/s
step 2937, batch loss 2.113, 1.37 iters/s
step 2938, batch loss 2.187, 1.38 iters/s
step 2939, batch loss 2.17, 1.38 iters/s
step 2940, batch loss 2.191, 1.38 iters/s
step 2941, batch loss 1.766, 1.38 iters/s
step 2942, batch loss 2.229, 1.38 iters/s
step 2943, batch loss 2.285, 1.39 iters/s
step 2944, batch loss 2.308, 1.38 iters/s
step 2945, batch loss 2.055, 1.38 iters/s
step 2946, batch loss 1.898, 1.38 iters/s
step 2947, batch loss 2.009, 1.38 iters/s
step 2948, batch loss 2.118, 1.38 iters/s
step 2949, batch loss 2.023, 1.38 iters/s
step 2950, batch loss 2.065, 1.38 iters/s
step 2951, batch loss 2.555, 1.38 iters/s
step 2952, batch loss 2.074, 1.38 iters/s
step 2953, batch loss 2.143, 1.38 iters/s
step 2954, batch loss 2.233, 1.38 iters/s

step 2955, batch loss 2.216, 1.38 iters/s
step 2956, batch loss 2.047, 1.38 iters/s
step 2957, batch loss 2.075, 1.39 iters/s
step 2958, batch loss 2.204, 1.38 iters/s
step 2959, batch loss 2.286, 1.38 iters/s
step 2960, batch loss 2.095, 1.38 iters/s
step 2961, batch loss 2.03, 1.38 iters/s
step 2962, batch loss 2.86, 1.38 iters/s
step 2963, batch loss 2.094, 1.38 iters/s
step 2964, batch loss 1.982, 1.37 iters/s
step 2965, batch loss 2.038, 1.38 iters/s
step 2966, batch loss 2.236, 1.38 iters/s
step 2967, batch loss 1.823, 1.38 iters/s
step 2968, batch loss 2.065, 1.37 iters/s
step 2969, batch loss 2.119, 1.38 iters/s
step 2970, batch loss 2.083, 1.38 iters/s
step 2971, batch loss 2.159, 1.38 iters/s
step 2972, batch loss 2.012, 1.38 iters/s
step 2973, batch loss 2.414, 1.37 iters/s
step 2974, batch loss 2.02, 1.39 iters/s
step 2975, batch loss 2.041, 1.37 iters/s
step 2976, batch loss 1.725, 1.38 iters/s
step 2977, batch loss 2.264, 1.37 iters/s
step 2978, batch loss 2.435, 1.38 iters/s
step 2979, batch loss 2.087, 1.38 iters/s
step 2980, batch loss 1.965, 1.37 iters/s
step 2981, batch loss 2.439, 1.37 iters/s
step 2982, batch loss 2.123, 1.38 iters/s
step 2983, batch loss 1.951, 1.38 iters/s
step 2984, batch loss 2.087, 1.37 iters/s
step 2985, batch loss 2.168, 1.38 iters/s
step 2986, batch loss 2.025, 1.38 iters/s
step 2987, batch loss 2.124, 1.38 iters/s
step 2988, batch loss 2.094, 1.38 iters/s
step 2989, batch loss 2.023, 1.38 iters/s
step 2990, batch loss 2.151, 1.38 iters/s
step 2991, batch loss 2.315, 1.38 iters/s
step 2992, batch loss 2.169, 1.38 iters/s
step 2993, batch loss 2.132, 1.38 iters/s
step 2994, batch loss 2.166, 1.38 iters/s
step 2995, batch loss 2.038, 1.39 iters/s
step 2996, batch loss 2.278, 1.38 iters/s
step 2997, batch loss 2.723, 1.37 iters/s
step 2998, batch loss 2.088, 1.38 iters/s
step 2999, batch loss 2.541, 1.38 iters/s
step 3000, batch loss 2.097, 1.38 iters/s
step 3001, batch loss 2.282, 1.38 iters/s
step 3002, batch loss 1.995, 1.38 iters/s

step 3003, batch loss 2.173, 1.38 iters/s
step 3004, batch loss 2.417, 1.38 iters/s
step 3005, batch loss 2.061, 1.38 iters/s
step 3006, batch loss 2.283, 1.39 iters/s
step 3007, batch loss 2.386, 1.37 iters/s
step 3008, batch loss 2.119, 1.38 iters/s
step 3009, batch loss 2.032, 1.37 iters/s
step 3010, batch loss 1.963, 1.38 iters/s
step 3011, batch loss 2.118, 1.38 iters/s
step 3012, batch loss 1.931, 1.38 iters/s
step 3013, batch loss 2.46, 1.37 iters/s
step 3014, batch loss 2.133, 1.38 iters/s
step 3015, batch loss 2.352, 1.38 iters/s
step 3016, batch loss 2.147, 1.38 iters/s
step 3017, batch loss 2.233, 1.37 iters/s
step 3018, batch loss 2.393, 1.38 iters/s
step 3019, batch loss 2.071, 1.38 iters/s
step 3020, batch loss 1.88, 1.38 iters/s
step 3021, batch loss 2.068, 1.38 iters/s
step 3022, batch loss 1.996, 1.37 iters/s
step 3023, batch loss 1.816, 1.38 iters/s
step 3024, batch loss 2.148, 1.38 iters/s
step 3025, batch loss 2.137, 1.37 iters/s
step 3026, batch loss 2.108, 1.38 iters/s
step 3027, batch loss 1.978, 1.37 iters/s
step 3028, batch loss 2.407, 1.38 iters/s
step 3029, batch loss 2.089, 1.38 iters/s
step 3030, batch loss 2.11, 1.37 iters/s
step 3031, batch loss 2.0, 1.38 iters/s
step 3032, batch loss 2.125, 1.37 iters/s
step 3033, batch loss 2.401, 1.38 iters/s
step 3034, batch loss 2.521, 1.38 iters/s
step 3035, batch loss 2.137, 1.37 iters/s
step 3036, batch loss 2.023, 1.38 iters/s
step 3037, batch loss 2.216, 1.38 iters/s
step 3038, batch loss 2.431, 1.38 iters/s
step 3039, batch loss 2.016, 1.37 iters/s
step 3040, batch loss 2.113, 1.37 iters/s
step 3041, batch loss 1.909, 1.38 iters/s
step 3042, batch loss 2.244, 1.37 iters/s
step 3043, batch loss 2.083, 1.39 iters/s
step 3044, batch loss 2.24, 1.38 iters/s
step 3045, batch loss 2.382, 1.37 iters/s
step 3046, batch loss 2.039, 1.38 iters/s
step 3047, batch loss 2.346, 1.37 iters/s
step 3048, batch loss 2.121, 1.38 iters/s
step 3049, batch loss 2.147, 1.38 iters/s
step 3050, batch loss 2.024, 1.37 iters/s

step 3051, batch loss 2.002, 1.37 iters/s
step 3052, batch loss 2.306, 1.38 iters/s
step 3053, batch loss 2.09, 1.38 iters/s
step 3054, batch loss 2.133, 1.39 iters/s
step 3055, batch loss 2.043, 1.38 iters/s
step 3056, batch loss 2.226, 1.38 iters/s
step 3057, batch loss 1.861, 1.38 iters/s
step 3058, batch loss 2.214, 1.38 iters/s
step 3059, batch loss 2.147, 1.38 iters/s
step 3060, batch loss 2.075, 1.38 iters/s
step 3061, batch loss 2.074, 1.38 iters/s
step 3062, batch loss 2.168, 1.38 iters/s
step 3063, batch loss 2.127, 1.38 iters/s
step 3064, batch loss 2.156, 1.38 iters/s
step 3065, batch loss 2.168, 1.37 iters/s
step 3066, batch loss 2.214, 1.37 iters/s
step 3067, batch loss 2.096, 1.37 iters/s
step 3068, batch loss 2.076, 1.38 iters/s
step 3069, batch loss 1.936, 1.38 iters/s
step 3070, batch loss 1.994, 1.37 iters/s
step 3071, batch loss 2.319, 1.38 iters/s
step 3072, batch loss 2.002, 1.38 iters/s
step 3073, batch loss 2.04, 1.38 iters/s
step 3074, batch loss 2.128, 1.38 iters/s
step 3075, batch loss 2.401, 1.38 iters/s
step 3076, batch loss 2.328, 1.38 iters/s
step 3077, batch loss 2.161, 1.38 iters/s
step 3078, batch loss 2.234, 1.37 iters/s
step 3079, batch loss 1.983, 1.38 iters/s
step 3080, batch loss 1.992, 1.38 iters/s
step 3081, batch loss 2.169, 1.38 iters/s
step 3082, batch loss 2.112, 1.38 iters/s
step 3083, batch loss 2.362, 1.38 iters/s
step 3084, batch loss 1.946, 1.38 iters/s
step 3085, batch loss 2.136, 1.38 iters/s
step 3086, batch loss 2.242, 1.38 iters/s
step 3087, batch loss 2.311, 1.39 iters/s
step 3088, batch loss 2.135, 1.38 iters/s
step 3089, batch loss 2.019, 1.37 iters/s
step 3090, batch loss 2.041, 1.37 iters/s
step 3091, batch loss 2.063, 1.37 iters/s
step 3092, batch loss 1.949, 1.38 iters/s
step 3093, batch loss 2.018, 1.38 iters/s
step 3094, batch loss 2.449, 1.37 iters/s
step 3095, batch loss 2.101, 1.38 iters/s
step 3096, batch loss 2.081, 1.37 iters/s
step 3097, batch loss 2.142, 1.37 iters/s
step 3098, batch loss 2.245, 1.37 iters/s

step 3099, batch loss 2.159, 1.37 iters/s
step 3100, batch loss 2.069, 1.38 iters/s
step 3101, batch loss 2.082, 1.38 iters/s
step 3102, batch loss 2.273, 1.38 iters/s
step 3103, batch loss 2.202, 1.38 iters/s
step 3104, batch loss 1.73, 1.38 iters/s
step 3105, batch loss 1.9, 1.37 iters/s
step 3106, batch loss 2.007, 1.38 iters/s
step 3107, batch loss 2.053, 1.38 iters/s
step 3108, batch loss 2.163, 1.37 iters/s
step 3109, batch loss 1.949, 1.37 iters/s
step 3110, batch loss 2.071, 1.37 iters/s
step 3111, batch loss 2.099, 1.38 iters/s
step 3112, batch loss 2.352, 1.37 iters/s
step 3113, batch loss 2.206, 1.37 iters/s
step 3114, batch loss 2.257, 1.38 iters/s
step 3115, batch loss 2.125, 1.38 iters/s
step 3116, batch loss 2.158, 1.38 iters/s
step 3117, batch loss 2.062, 1.37 iters/s
step 3118, batch loss 2.802, 1.37 iters/s
step 3119, batch loss 2.118, 1.38 iters/s
step 3120, batch loss 2.003, 1.37 iters/s
step 3121, batch loss 2.163, 1.38 iters/s
step 3122, batch loss 1.985, 1.38 iters/s
step 3123, batch loss 2.149, 1.37 iters/s
step 3124, batch loss 2.19, 1.38 iters/s
step 3125, batch loss 2.086, 1.37 iters/s
step 3126, batch loss 2.1, 1.37 iters/s
step 3127, batch loss 2.773, 1.38 iters/s
step 3128, batch loss 2.261, 1.38 iters/s
step 3129, batch loss 2.483, 1.38 iters/s
step 3130, batch loss 2.076, 1.37 iters/s
step 3131, batch loss 2.225, 1.38 iters/s
step 3132, batch loss 1.93, 1.37 iters/s
step 3133, batch loss 2.263, 1.37 iters/s
step 3134, batch loss 2.217, 1.38 iters/s
step 3135, batch loss 1.963, 1.38 iters/s
step 3136, batch loss 2.065, 1.37 iters/s
step 3137, batch loss 2.137, 1.37 iters/s
step 3138, batch loss 2.086, 1.37 iters/s
step 3139, batch loss 2.205, 1.38 iters/s
step 3140, batch loss 2.19, 1.38 iters/s
step 3141, batch loss 2.187, 1.37 iters/s
step 3142, batch loss 2.318, 1.37 iters/s
step 3143, batch loss 2.241, 1.37 iters/s
step 3144, batch loss 1.984, 1.38 iters/s
step 3145, batch loss 2.007, 1.38 iters/s
step 3146, batch loss 2.185, 1.38 iters/s

step 3147, batch loss 1.94, 1.38 iters/s
step 3148, batch loss 2.018, 1.38 iters/s
step 3149, batch loss 2.193, 1.38 iters/s
step 3150, batch loss 2.14, 1.38 iters/s
step 3151, batch loss 2.295, 1.37 iters/s
step 3152, batch loss 2.133, 1.37 iters/s
step 3153, batch loss 2.274, 1.37 iters/s
step 3154, batch loss 2.067, 1.38 iters/s
step 3155, batch loss 2.424, 1.38 iters/s
step 3156, batch loss 2.249, 1.37 iters/s
step 3157, batch loss 2.145, 1.37 iters/s
step 3158, batch loss 2.069, 1.38 iters/s
step 3159, batch loss 1.976, 1.38 iters/s
step 3160, batch loss 2.231, 1.38 iters/s
step 3161, batch loss 2.047, 1.38 iters/s
step 3162, batch loss 1.976, 1.38 iters/s
step 3163, batch loss 2.26, 1.38 iters/s
step 3164, batch loss 2.007, 1.38 iters/s
step 3165, batch loss 2.059, 1.38 iters/s
step 3166, batch loss 2.203, 1.41 iters/s
step 3167, batch loss 2.025, 1.38 iters/s
step 3168, batch loss 2.229, 1.38 iters/s
step 3169, batch loss 2.167, 1.38 iters/s
step 3170, batch loss 2.275, 1.37 iters/s
step 3171, batch loss 2.246, 1.38 iters/s
step 3172, batch loss 2.288, 1.38 iters/s
step 3173, batch loss 1.842, 1.38 iters/s
step 3174, batch loss 2.036, 1.38 iters/s
step 3175, batch loss 2.067, 1.37 iters/s
step 3176, batch loss 2.012, 1.38 iters/s
step 3177, batch loss 2.186, 1.38 iters/s
step 3178, batch loss 2.019, 1.38 iters/s
step 3179, batch loss 1.991, 1.38 iters/s
step 3180, batch loss 1.938, 1.38 iters/s
step 3181, batch loss 1.932, 1.38 iters/s
step 3182, batch loss 2.158, 1.37 iters/s
step 3183, batch loss 2.237, 1.37 iters/s
step 3184, batch loss 2.132, 1.38 iters/s
step 3185, batch loss 2.275, 1.38 iters/s
step 3186, batch loss 1.981, 1.38 iters/s
step 3187, batch loss 2.15, 1.37 iters/s
step 3188, batch loss 2.329, 1.38 iters/s
step 3189, batch loss 2.347, 1.37 iters/s
step 3190, batch loss 1.987, 1.38 iters/s
step 3191, batch loss 2.065, 1.38 iters/s
step 3192, batch loss 2.224, 1.38 iters/s
step 3193, batch loss 2.054, 1.37 iters/s
step 3194, batch loss 1.79, 1.37 iters/s

step 3195, batch loss 2.156, 1.39 iters/s
step 3196, batch loss 2.281, 1.37 iters/s
step 3197, batch loss 2.232, 1.37 iters/s
step 3198, batch loss 2.129, 1.38 iters/s
step 3199, batch loss 2.31, 1.37 iters/s
step 3200, batch loss 2.04, 1.38 iters/s
step 3201, batch loss 2.174, 1.37 iters/s
step 3202, batch loss 1.938, 1.38 iters/s
step 3203, batch loss 2.321, 1.38 iters/s
step 3204, batch loss 1.996, 1.38 iters/s
step 3205, batch loss 2.054, 1.38 iters/s
step 3206, batch loss 2.234, 1.38 iters/s
step 3207, batch loss 2.075, 1.38 iters/s
step 3208, batch loss 2.166, 1.37 iters/s
step 3209, batch loss 2.21, 1.38 iters/s
step 3210, batch loss 2.188, 1.38 iters/s
step 3211, batch loss 2.106, 1.37 iters/s
step 3212, batch loss 1.999, 1.38 iters/s
step 3213, batch loss 2.222, 1.38 iters/s
step 3214, batch loss 2.163, 1.38 iters/s
step 3215, batch loss 2.406, 1.38 iters/s
step 3216, batch loss 2.003, 1.37 iters/s
step 3217, batch loss 2.218, 1.37 iters/s
step 3218, batch loss 2.018, 1.38 iters/s
step 3219, batch loss 2.286, 1.38 iters/s
step 3220, batch loss 1.971, 1.38 iters/s
step 3221, batch loss 2.348, 1.37 iters/s
step 3222, batch loss 2.117, 1.38 iters/s
step 3223, batch loss 2.133, 1.38 iters/s
step 3224, batch loss 2.286, 1.37 iters/s
step 3225, batch loss 2.342, 1.37 iters/s
step 3226, batch loss 2.157, 1.38 iters/s
step 3227, batch loss 2.212, 1.38 iters/s
step 3228, batch loss 2.282, 1.38 iters/s
step 3229, batch loss 2.098, 1.37 iters/s
step 3230, batch loss 2.017, 1.38 iters/s
step 3231, batch loss 2.694, 1.37 iters/s
step 3232, batch loss 2.09, 1.38 iters/s
step 3233, batch loss 1.997, 1.37 iters/s
step 3234, batch loss 2.054, 1.38 iters/s
step 3235, batch loss 1.978, 1.38 iters/s
step 3236, batch loss 2.065, 1.38 iters/s
step 3237, batch loss 2.027, 1.37 iters/s
step 3238, batch loss 1.882, 1.37 iters/s
step 3239, batch loss 1.788, 1.37 iters/s
step 3240, batch loss 2.423, 1.38 iters/s
step 3241, batch loss 1.973, 1.38 iters/s
step 3242, batch loss 2.112, 1.38 iters/s

step 3243, batch loss 2.354, 1.38 iters/s
step 3244, batch loss 2.115, 1.38 iters/s
step 3245, batch loss 2.043, 1.37 iters/s
step 3246, batch loss 2.024, 1.38 iters/s
step 3247, batch loss 1.802, 1.38 iters/s
step 3248, batch loss 2.345, 1.37 iters/s
step 3249, batch loss 2.293, 1.37 iters/s
step 3250, batch loss 1.986, 1.37 iters/s
step 3251, batch loss 2.092, 1.37 iters/s
step 3252, batch loss 1.992, 1.38 iters/s
step 3253, batch loss 2.104, 1.37 iters/s
step 3254, batch loss 1.985, 1.37 iters/s
step 3255, batch loss 2.231, 1.37 iters/s
step 3256, batch loss 2.238, 1.38 iters/s
step 3257, batch loss 2.24, 1.38 iters/s
step 3258, batch loss 1.949, 1.38 iters/s
step 3259, batch loss 2.133, 1.38 iters/s
step 3260, batch loss 2.0, 1.37 iters/s
step 3261, batch loss 2.399, 1.37 iters/s
step 3262, batch loss 2.164, 1.38 iters/s
step 3263, batch loss 2.189, 1.38 iters/s
step 3264, batch loss 2.432, 1.38 iters/s
step 3265, batch loss 2.067, 1.38 iters/s
step 3266, batch loss 2.128, 1.38 iters/s
step 3267, batch loss 2.066, 1.37 iters/s
step 3268, batch loss 1.986, 1.37 iters/s
step 3269, batch loss 2.255, 1.36 iters/s
step 3270, batch loss 1.988, 1.37 iters/s
step 3271, batch loss 1.958, 1.38 iters/s
step 3272, batch loss 2.046, 1.37 iters/s
step 3273, batch loss 2.32, 1.38 iters/s
step 3274, batch loss 2.401, 1.38 iters/s
step 3275, batch loss 2.047, 1.39 iters/s
step 3276, batch loss 2.651, 1.38 iters/s
step 3277, batch loss 2.315, 1.38 iters/s
step 3278, batch loss 2.082, 1.37 iters/s
step 3279, batch loss 2.07, 1.38 iters/s
step 3280, batch loss 2.006, 1.38 iters/s
step 3281, batch loss 2.214, 1.37 iters/s
step 3282, batch loss 2.361, 1.38 iters/s
step 3283, batch loss 1.915, 1.37 iters/s
step 3284, batch loss 2.174, 1.37 iters/s
step 3285, batch loss 2.414, 1.38 iters/s
step 3286, batch loss 2.143, 1.37 iters/s
step 3287, batch loss 1.986, 1.38 iters/s
step 3288, batch loss 2.239, 1.38 iters/s
step 3289, batch loss 1.902, 1.38 iters/s
step 3290, batch loss 2.092, 1.38 iters/s

step 3291, batch loss 2.203, 1.37 iters/s
step 3292, batch loss 1.829, 1.38 iters/s
step 3293, batch loss 1.972, 1.38 iters/s
step 3294, batch loss 2.159, 1.37 iters/s
step 3295, batch loss 2.182, 1.38 iters/s
step 3296, batch loss 2.043, 1.38 iters/s
step 3297, batch loss 2.009, 1.37 iters/s
step 3298, batch loss 2.225, 1.37 iters/s
step 3299, batch loss 2.116, 1.37 iters/s
step 3300, batch loss 2.119, 1.38 iters/s
step 3301, batch loss 2.209, 1.37 iters/s
step 3302, batch loss 2.202, 1.37 iters/s
step 3303, batch loss 2.049, 1.38 iters/s
step 3304, batch loss 1.824, 1.38 iters/s
step 3305, batch loss 2.095, 1.38 iters/s
step 3306, batch loss 2.262, 1.37 iters/s
step 3307, batch loss 2.11, 1.38 iters/s
step 3308, batch loss 2.224, 1.38 iters/s
step 3309, batch loss 2.357, 1.38 iters/s
step 3310, batch loss 2.154, 1.37 iters/s
step 3311, batch loss 1.894, 1.37 iters/s
step 3312, batch loss 2.011, 1.38 iters/s
step 3313, batch loss 2.034, 1.38 iters/s
step 3314, batch loss 2.01, 1.38 iters/s
step 3315, batch loss 2.165, 1.38 iters/s
step 3316, batch loss 1.948, 1.37 iters/s
step 3317, batch loss 1.941, 1.38 iters/s
step 3318, batch loss 1.973, 1.38 iters/s
step 3319, batch loss 2.137, 1.38 iters/s
step 3320, batch loss 2.204, 1.38 iters/s
step 3321, batch loss 2.011, 1.38 iters/s
step 3322, batch loss 2.259, 1.37 iters/s
step 3323, batch loss 2.163, 1.38 iters/s
step 3324, batch loss 2.107, 1.38 iters/s
step 3325, batch loss 2.022, 1.37 iters/s
step 3326, batch loss 2.044, 1.37 iters/s
step 3327, batch loss 2.251, 1.38 iters/s
step 3328, batch loss 1.915, 1.37 iters/s
step 3329, batch loss 2.051, 1.37 iters/s
step 3330, batch loss 2.325, 1.38 iters/s
step 3331, batch loss 2.025, 1.38 iters/s
step 3332, batch loss 2.16, 1.38 iters/s
step 3333, batch loss 2.07, 1.37 iters/s
step 3334, batch loss 2.17, 1.37 iters/s
step 3335, batch loss 1.948, 1.37 iters/s
step 3336, batch loss 2.19, 1.38 iters/s
step 3337, batch loss 2.143, 1.38 iters/s
step 3338, batch loss 2.011, 1.37 iters/s

step 3339, batch loss 2.096, 1.38 iters/s
step 3340, batch loss 2.05, 1.38 iters/s
step 3341, batch loss 2.302, 1.38 iters/s
step 3342, batch loss 2.052, 1.38 iters/s
step 3343, batch loss 2.676, 1.38 iters/s
step 3344, batch loss 1.995, 1.38 iters/s
step 3345, batch loss 2.164, 1.37 iters/s
step 3346, batch loss 2.255, 1.38 iters/s
step 3347, batch loss 1.957, 1.38 iters/s
step 3348, batch loss 2.087, 1.38 iters/s
step 3349, batch loss 2.369, 1.37 iters/s
step 3350, batch loss 2.259, 1.38 iters/s
step 3351, batch loss 1.972, 1.38 iters/s
step 3352, batch loss 2.01, 1.38 iters/s
step 3353, batch loss 2.285, 1.38 iters/s
step 3354, batch loss 2.292, 1.38 iters/s
step 3355, batch loss 2.179, 1.38 iters/s
step 3356, batch loss 2.239, 1.37 iters/s
step 3357, batch loss 2.259, 1.38 iters/s
step 3358, batch loss 2.166, 1.38 iters/s
step 3359, batch loss 2.044, 1.38 iters/s
step 3360, batch loss 2.064, 1.37 iters/s
step 3361, batch loss 2.167, 1.37 iters/s
step 3362, batch loss 1.906, 1.38 iters/s
step 3363, batch loss 1.906, 1.38 iters/s
step 3364, batch loss 2.114, 1.38 iters/s
step 3365, batch loss 2.053, 1.38 iters/s
step 3366, batch loss 2.54, 1.38 iters/s
step 3367, batch loss 2.139, 1.38 iters/s
step 3368, batch loss 2.078, 1.38 iters/s
step 3369, batch loss 2.185, 1.38 iters/s
step 3370, batch loss 2.122, 1.37 iters/s
step 3371, batch loss 2.078, 1.38 iters/s
step 3372, batch loss 2.205, 1.38 iters/s
step 3373, batch loss 2.201, 1.38 iters/s
step 3374, batch loss 2.242, 1.38 iters/s
step 3375, batch loss 1.947, 1.38 iters/s
step 3376, batch loss 2.157, 1.38 iters/s
step 3377, batch loss 1.982, 1.38 iters/s
step 3378, batch loss 2.066, 1.39 iters/s
step 3379, batch loss 2.135, 1.38 iters/s
step 3380, batch loss 2.355, 1.37 iters/s
step 3381, batch loss 2.143, 1.37 iters/s
step 3382, batch loss 2.239, 1.37 iters/s
step 3383, batch loss 2.3, 1.38 iters/s
step 3384, batch loss 2.036, 1.37 iters/s
step 3385, batch loss 2.221, 1.38 iters/s
step 3386, batch loss 2.232, 1.37 iters/s

step 3387, batch loss 2.044, 1.37 iters/s
step 3388, batch loss 2.032, 1.38 iters/s
step 3389, batch loss 2.187, 1.38 iters/s
step 3390, batch loss 2.036, 1.38 iters/s
step 3391, batch loss 2.068, 1.38 iters/s
step 3392, batch loss 2.209, 1.38 iters/s
step 3393, batch loss 1.991, 1.37 iters/s
step 3394, batch loss 2.179, 1.38 iters/s
step 3395, batch loss 1.973, 1.38 iters/s
step 3396, batch loss 1.832, 1.38 iters/s
step 3397, batch loss 1.968, 1.38 iters/s
step 3398, batch loss 2.055, 1.39 iters/s
step 3399, batch loss 2.12, 1.38 iters/s
step 3400, batch loss 1.963, 1.38 iters/s
step 3401, batch loss 1.767, 1.38 iters/s
step 3402, batch loss 2.024, 1.38 iters/s
step 3403, batch loss 2.058, 1.38 iters/s
step 3404, batch loss 2.126, 1.37 iters/s
step 3405, batch loss 2.058, 1.38 iters/s
step 3406, batch loss 2.148, 1.38 iters/s
step 3407, batch loss 2.08, 1.38 iters/s
step 3408, batch loss 2.324, 1.38 iters/s
step 3409, batch loss 1.918, 1.38 iters/s
step 3410, batch loss 2.164, 1.38 iters/s
step 3411, batch loss 2.169, 1.37 iters/s
step 3412, batch loss 2.032, 1.37 iters/s
step 3413, batch loss 2.291, 1.37 iters/s
step 3414, batch loss 2.211, 1.38 iters/s
step 3415, batch loss 2.053, 1.38 iters/s
step 3416, batch loss 2.115, 1.38 iters/s
step 3417, batch loss 2.049, 1.37 iters/s
step 3418, batch loss 2.122, 1.38 iters/s
step 3419, batch loss 1.978, 1.38 iters/s
step 3420, batch loss 2.073, 1.38 iters/s
step 3421, batch loss 2.202, 1.37 iters/s
step 3422, batch loss 1.972, 1.38 iters/s
step 3423, batch loss 2.063, 1.38 iters/s
step 3424, batch loss 2.235, 1.38 iters/s
step 3425, batch loss 2.01, 1.38 iters/s
step 3426, batch loss 2.197, 1.37 iters/s
step 3427, batch loss 1.977, 1.38 iters/s
step 3428, batch loss 1.863, 1.38 iters/s
step 3429, batch loss 2.269, 1.39 iters/s
step 3430, batch loss 2.326, 1.38 iters/s
step 3431, batch loss 2.017, 1.37 iters/s
step 3432, batch loss 2.189, 1.37 iters/s
step 3433, batch loss 2.091, 1.38 iters/s
step 3434, batch loss 2.388, 1.38 iters/s

step 3435, batch loss 2.128, 1.38 iters/s
step 3436, batch loss 2.076, 1.38 iters/s
step 3437, batch loss 2.257, 1.38 iters/s
step 3438, batch loss 2.274, 1.38 iters/s
step 3439, batch loss 1.879, 1.37 iters/s
step 3440, batch loss 1.966, 1.38 iters/s
step 3441, batch loss 2.281, 1.38 iters/s
step 3442, batch loss 1.913, 1.38 iters/s
step 3443, batch loss 2.277, 1.38 iters/s
step 3444, batch loss 2.339, 1.38 iters/s
step 3445, batch loss 1.984, 1.37 iters/s
step 3446, batch loss 2.246, 1.38 iters/s
step 3447, batch loss 2.123, 1.38 iters/s
step 3448, batch loss 1.96, 1.38 iters/s
step 3449, batch loss 2.17, 1.37 iters/s
step 3450, batch loss 2.118, 1.37 iters/s
step 3451, batch loss 2.181, 1.38 iters/s
step 3452, batch loss 2.315, 1.38 iters/s
step 3453, batch loss 1.925, 1.38 iters/s
step 3454, batch loss 2.153, 1.38 iters/s
step 3455, batch loss 2.258, 1.38 iters/s
step 3456, batch loss 2.011, 1.38 iters/s
step 3457, batch loss 2.476, 1.39 iters/s
step 3458, batch loss 2.083, 1.38 iters/s
step 3459, batch loss 2.386, 1.38 iters/s
step 3460, batch loss 2.26, 1.37 iters/s
step 3461, batch loss 2.094, 1.37 iters/s
step 3462, batch loss 2.07, 1.38 iters/s
step 3463, batch loss 2.118, 1.37 iters/s
step 3464, batch loss 2.139, 1.38 iters/s
step 3465, batch loss 2.492, 1.38 iters/s
step 3466, batch loss 1.757, 1.38 iters/s
step 3467, batch loss 2.274, 1.38 iters/s
step 3468, batch loss 2.033, 1.37 iters/s
step 3469, batch loss 2.284, 1.37 iters/s
step 3470, batch loss 2.225, 1.37 iters/s
step 3471, batch loss 2.113, 1.37 iters/s
step 3472, batch loss 1.885, 1.38 iters/s
step 3473, batch loss 2.347, 1.37 iters/s
step 3474, batch loss 2.158, 1.38 iters/s
step 3475, batch loss 2.114, 1.38 iters/s
step 3476, batch loss 2.193, 1.38 iters/s
step 3477, batch loss 1.973, 1.38 iters/s
step 3478, batch loss 2.212, 1.38 iters/s
step 3479, batch loss 2.147, 1.37 iters/s
step 3480, batch loss 1.858, 1.38 iters/s
step 3481, batch loss 2.214, 1.37 iters/s
step 3482, batch loss 1.884, 1.37 iters/s

step 3483, batch loss 2.166, 1.38 iters/s
step 3484, batch loss 2.266, 1.38 iters/s
step 3485, batch loss 1.991, 1.37 iters/s
step 3486, batch loss 2.267, 1.38 iters/s
step 3487, batch loss 2.009, 1.39 iters/s
step 3488, batch loss 2.383, 1.38 iters/s
step 3489, batch loss 1.905, 1.38 iters/s
step 3490, batch loss 2.167, 1.38 iters/s
step 3491, batch loss 2.32, 1.38 iters/s
step 3492, batch loss 2.1, 1.38 iters/s
step 3493, batch loss 2.354, 1.38 iters/s
step 3494, batch loss 1.983, 1.38 iters/s
step 3495, batch loss 2.084, 1.38 iters/s
step 3496, batch loss 2.047, 1.38 iters/s
step 3497, batch loss 1.806, 1.38 iters/s
step 3498, batch loss 2.104, 1.38 iters/s
step 3499, batch loss 2.303, 1.38 iters/s
step 3500, batch loss 2.12, 1.38 iters/s
step 3501, batch loss 2.122, 1.38 iters/s
step 3502, batch loss 2.149, 1.39 iters/s
step 3503, batch loss 2.115, 1.37 iters/s
step 3504, batch loss 2.351, 1.37 iters/s
step 3505, batch loss 2.077, 1.38 iters/s
step 3506, batch loss 1.956, 1.39 iters/s
step 3507, batch loss 2.133, 1.38 iters/s
step 3508, batch loss 1.926, 1.38 iters/s
step 3509, batch loss 2.1, 1.38 iters/s
step 3510, batch loss 1.995, 1.38 iters/s
step 3511, batch loss 1.91, 1.38 iters/s
step 3512, batch loss 1.964, 1.37 iters/s
step 3513, batch loss 2.119, 1.37 iters/s
step 3514, batch loss 2.055, 1.38 iters/s
step 3515, batch loss 2.049, 1.38 iters/s
step 3516, batch loss 1.921, 1.38 iters/s
step 3517, batch loss 2.075, 1.37 iters/s
step 3518, batch loss 2.29, 1.37 iters/s
step 3519, batch loss 2.098, 1.38 iters/s
step 3520, batch loss 1.966, 1.38 iters/s
step 3521, batch loss 2.143, 1.37 iters/s
step 3522, batch loss 2.346, 1.38 iters/s
step 3523, batch loss 2.173, 1.38 iters/s
step 3524, batch loss 2.214, 1.38 iters/s
step 3525, batch loss 1.917, 1.37 iters/s
step 3526, batch loss 2.089, 1.38 iters/s
step 3527, batch loss 2.203, 1.38 iters/s
step 3528, batch loss 2.531, 1.38 iters/s
step 3529, batch loss 2.353, 1.38 iters/s
step 3530, batch loss 2.263, 1.38 iters/s

step 3531, batch loss 2.073, 1.38 iters/s
step 3532, batch loss 1.821, 1.38 iters/s
step 3533, batch loss 2.111, 1.37 iters/s
step 3534, batch loss 2.008, 1.37 iters/s
step 3535, batch loss 2.203, 1.37 iters/s
step 3536, batch loss 1.87, 1.37 iters/s
step 3537, batch loss 2.276, 1.38 iters/s
step 3538, batch loss 2.032, 1.38 iters/s
step 3539, batch loss 2.283, 1.4 iters/s
step 3540, batch loss 2.095, 1.38 iters/s
step 3541, batch loss 2.372, 1.38 iters/s
step 3542, batch loss 1.969, 1.38 iters/s
step 3543, batch loss 1.973, 1.38 iters/s
step 3544, batch loss 1.941, 1.38 iters/s
step 3545, batch loss 2.205, 1.37 iters/s
step 3546, batch loss 1.94, 1.37 iters/s
step 3547, batch loss 2.129, 1.37 iters/s
step 3548, batch loss 2.09, 1.38 iters/s
step 3549, batch loss 1.85, 1.38 iters/s
step 3550, batch loss 2.329, 1.38 iters/s
step 3551, batch loss 2.095, 1.37 iters/s
step 3552, batch loss 2.228, 1.38 iters/s
step 3553, batch loss 2.29, 1.37 iters/s
step 3554, batch loss 2.15, 1.38 iters/s
step 3555, batch loss 1.891, 1.37 iters/s
step 3556, batch loss 1.468, 1.37 iters/s
step 3557, batch loss 2.13, 1.37 iters/s
step 3558, batch loss 1.861, 1.38 iters/s
step 3559, batch loss 1.982, 1.37 iters/s
step 3560, batch loss 2.14, 1.38 iters/s
step 3561, batch loss 1.875, 1.38 iters/s
step 3562, batch loss 2.246, 1.37 iters/s
step 3563, batch loss 2.144, 1.38 iters/s
step 3564, batch loss 1.944, 1.38 iters/s
step 3565, batch loss 2.163, 1.38 iters/s
step 3566, batch loss 2.06, 1.37 iters/s
step 3567, batch loss 2.261, 1.37 iters/s
step 3568, batch loss 2.397, 1.37 iters/s
step 3569, batch loss 2.235, 1.38 iters/s
step 3570, batch loss 1.975, 1.37 iters/s
step 3571, batch loss 2.089, 1.38 iters/s
step 3572, batch loss 2.023, 1.4 iters/s
step 3573, batch loss 2.151, 1.37 iters/s
step 3574, batch loss 1.874, 1.37 iters/s
step 3575, batch loss 2.129, 1.37 iters/s
step 3576, batch loss 2.018, 1.37 iters/s
step 3577, batch loss 2.411, 1.37 iters/s
step 3578, batch loss 2.128, 1.37 iters/s

step 3579, batch loss 2.496, 1.38 iters/s
step 3580, batch loss 2.122, 1.38 iters/s
step 3581, batch loss 2.388, 1.38 iters/s
step 3582, batch loss 2.031, 1.38 iters/s
step 3583, batch loss 2.107, 1.38 iters/s
step 3584, batch loss 2.395, 1.37 iters/s
step 3585, batch loss 1.995, 1.38 iters/s
step 3586, batch loss 2.184, 1.37 iters/s
step 3587, batch loss 1.825, 1.37 iters/s
step 3588, batch loss 2.124, 1.37 iters/s
step 3589, batch loss 2.27, 1.38 iters/s
step 3590, batch loss 2.084, 1.38 iters/s
step 3591, batch loss 2.265, 1.37 iters/s
step 3592, batch loss 1.921, 1.37 iters/s
step 3593, batch loss 1.99, 1.38 iters/s
step 3594, batch loss 2.113, 1.37 iters/s
step 3595, batch loss 2.072, 1.37 iters/s
step 3596, batch loss 2.104, 1.37 iters/s
step 3597, batch loss 2.194, 1.38 iters/s
step 3598, batch loss 2.137, 1.39 iters/s
step 3599, batch loss 2.124, 1.38 iters/s
step 3600, batch loss 2.132, 1.37 iters/s
step 3601, batch loss 1.925, 1.37 iters/s
step 3602, batch loss 2.171, 1.38 iters/s
step 3603, batch loss 1.941, 1.37 iters/s
step 3604, batch loss 2.073, 1.37 iters/s
step 3605, batch loss 1.99, 1.38 iters/s
step 3606, batch loss 2.236, 1.37 iters/s
step 3607, batch loss 1.98, 1.38 iters/s
step 3608, batch loss 2.044, 1.38 iters/s
step 3609, batch loss 2.215, 1.37 iters/s
step 3610, batch loss 2.003, 1.38 iters/s
step 3611, batch loss 2.133, 1.37 iters/s
step 3612, batch loss 2.104, 1.38 iters/s
step 3613, batch loss 2.144, 1.37 iters/s
step 3614, batch loss 2.04, 1.38 iters/s
step 3615, batch loss 2.12, 1.38 iters/s
step 3616, batch loss 2.183, 1.37 iters/s
step 3617, batch loss 2.159, 1.37 iters/s
step 3618, batch loss 2.176, 1.38 iters/s
step 3619, batch loss 2.234, 1.38 iters/s
step 3620, batch loss 1.957, 1.38 iters/s
step 3621, batch loss 2.078, 1.37 iters/s
step 3622, batch loss 2.282, 1.38 iters/s
step 3623, batch loss 2.082, 1.38 iters/s
step 3624, batch loss 2.077, 1.39 iters/s
step 3625, batch loss 2.0, 1.38 iters/s
step 3626, batch loss 2.131, 1.38 iters/s

step 3627, batch loss 2.243, 1.37 iters/s
step 3628, batch loss 2.208, 1.38 iters/s
step 3629, batch loss 2.586, 1.38 iters/s
step 3630, batch loss 2.423, 1.38 iters/s
step 3631, batch loss 1.954, 1.38 iters/s
step 3632, batch loss 1.989, 1.38 iters/s
step 3633, batch loss 2.143, 1.37 iters/s
step 3634, batch loss 2.29, 1.38 iters/s
step 3635, batch loss 2.291, 1.37 iters/s
step 3636, batch loss 2.053, 1.38 iters/s
step 3637, batch loss 2.106, 1.38 iters/s
step 3638, batch loss 2.135, 1.38 iters/s
step 3639, batch loss 2.184, 1.38 iters/s
step 3640, batch loss 2.416, 1.38 iters/s
step 3641, batch loss 2.13, 1.37 iters/s
step 3642, batch loss 2.369, 1.37 iters/s
step 3643, batch loss 2.1, 1.38 iters/s
step 3644, batch loss 1.9, 1.38 iters/s
step 3645, batch loss 2.116, 1.37 iters/s
step 3646, batch loss 2.008, 1.38 iters/s
step 3647, batch loss 2.267, 1.38 iters/s
step 3648, batch loss 1.938, 1.38 iters/s
step 3649, batch loss 2.337, 1.38 iters/s
step 3650, batch loss 2.144, 1.38 iters/s
step 3651, batch loss 2.383, 1.38 iters/s
step 3652, batch loss 2.188, 1.38 iters/s
step 3653, batch loss 2.075, 1.37 iters/s
step 3654, batch loss 2.366, 1.38 iters/s
step 3655, batch loss 2.017, 1.38 iters/s
step 3656, batch loss 2.236, 1.38 iters/s
step 3657, batch loss 2.095, 1.38 iters/s
step 3658, batch loss 2.104, 1.38 iters/s
step 3659, batch loss 2.018, 1.38 iters/s
step 3660, batch loss 2.262, 1.37 iters/s
step 3661, batch loss 2.061, 1.38 iters/s
step 3662, batch loss 2.075, 1.38 iters/s
step 3663, batch loss 2.069, 1.38 iters/s
step 3664, batch loss 2.144, 1.38 iters/s
step 3665, batch loss 2.049, 1.37 iters/s
step 3666, batch loss 2.148, 1.37 iters/s
step 3667, batch loss 1.899, 1.38 iters/s
step 3668, batch loss 2.172, 1.38 iters/s
step 3669, batch loss 2.117, 1.38 iters/s
step 3670, batch loss 2.205, 1.38 iters/s
step 3671, batch loss 2.435, 1.38 iters/s
step 3672, batch loss 2.015, 1.38 iters/s
step 3673, batch loss 1.922, 1.39 iters/s
step 3674, batch loss 1.961, 1.38 iters/s

step 3675, batch loss 2.033, 1.38 iters/s
step 3676, batch loss 2.275, 1.37 iters/s
step 3677, batch loss 1.976, 1.38 iters/s
step 3678, batch loss 2.289, 1.38 iters/s
step 3679, batch loss 2.095, 1.38 iters/s
step 3680, batch loss 2.374, 1.38 iters/s
step 3681, batch loss 2.01, 1.38 iters/s
step 3682, batch loss 2.006, 1.38 iters/s
step 3683, batch loss 2.255, 1.38 iters/s
step 3684, batch loss 1.863, 1.38 iters/s
step 3685, batch loss 2.106, 1.38 iters/s
step 3686, batch loss 1.944, 1.38 iters/s
step 3687, batch loss 2.299, 1.38 iters/s
step 3688, batch loss 1.952, 1.38 iters/s
step 3689, batch loss 2.308, 1.38 iters/s
step 3690, batch loss 1.921, 1.37 iters/s
step 3691, batch loss 2.114, 1.38 iters/s
step 3692, batch loss 2.117, 1.38 iters/s
step 3693, batch loss 2.181, 1.38 iters/s
step 3694, batch loss 2.354, 1.38 iters/s
step 3695, batch loss 2.176, 1.38 iters/s
step 3696, batch loss 2.335, 1.38 iters/s
step 3697, batch loss 2.163, 1.38 iters/s
step 3698, batch loss 2.039, 1.37 iters/s
step 3699, batch loss 1.942, 1.37 iters/s
step 3700, batch loss 2.093, 1.38 iters/s
step 3701, batch loss 2.129, 1.37 iters/s
step 3702, batch loss 2.127, 1.38 iters/s
step 3703, batch loss 2.166, 1.38 iters/s
step 3704, batch loss 2.161, 1.38 iters/s
step 3705, batch loss 2.031, 1.38 iters/s
step 3706, batch loss 2.138, 1.37 iters/s
step 3707, batch loss 2.156, 1.38 iters/s
step 3708, batch loss 1.975, 1.38 iters/s
step 3709, batch loss 2.129, 1.39 iters/s
step 3710, batch loss 2.203, 1.38 iters/s
step 3711, batch loss 2.161, 1.39 iters/s
step 3712, batch loss 1.639, 1.38 iters/s
step 3713, batch loss 2.428, 1.39 iters/s
step 3714, batch loss 2.236, 1.38 iters/s
step 3715, batch loss 1.902, 1.38 iters/s
step 3716, batch loss 2.087, 1.38 iters/s
step 3717, batch loss 2.347, 1.37 iters/s
step 3718, batch loss 1.993, 1.38 iters/s
step 3719, batch loss 2.077, 1.38 iters/s
step 3720, batch loss 1.945, 1.37 iters/s
step 3721, batch loss 2.193, 1.37 iters/s
step 3722, batch loss 1.981, 1.37 iters/s

step 3723, batch loss 2.174, 1.38 iters/s
step 3724, batch loss 2.2, 1.37 iters/s
step 3725, batch loss 2.454, 1.37 iters/s
step 3726, batch loss 2.398, 1.38 iters/s
step 3727, batch loss 2.131, 1.38 iters/s
step 3728, batch loss 1.948, 1.38 iters/s
step 3729, batch loss 2.208, 1.38 iters/s
step 3730, batch loss 1.924, 1.38 iters/s
step 3731, batch loss 2.035, 1.38 iters/s
step 3732, batch loss 2.022, 1.37 iters/s
step 3733, batch loss 1.875, 1.37 iters/s
step 3734, batch loss 2.227, 1.38 iters/s
step 3735, batch loss 1.979, 1.37 iters/s
step 3736, batch loss 2.058, 1.38 iters/s
step 3737, batch loss 2.081, 1.37 iters/s
step 3738, batch loss 1.916, 1.37 iters/s
step 3739, batch loss 1.936, 1.37 iters/s
step 3740, batch loss 2.14, 1.37 iters/s
step 3741, batch loss 1.886, 1.37 iters/s
step 3742, batch loss 2.322, 1.38 iters/s
step 3743, batch loss 2.26, 1.38 iters/s
step 3744, batch loss 2.005, 1.37 iters/s
step 3745, batch loss 2.004, 1.38 iters/s
step 3746, batch loss 2.182, 1.37 iters/s
step 3747, batch loss 2.002, 1.37 iters/s
step 3748, batch loss 2.002, 1.37 iters/s
step 3749, batch loss 2.746, 1.37 iters/s
step 3750, batch loss 2.045, 1.38 iters/s
step 3751, batch loss 2.341, 1.37 iters/s
step 3752, batch loss 2.083, 1.38 iters/s
step 3753, batch loss 2.447, 1.37 iters/s
step 3754, batch loss 2.335, 1.37 iters/s
step 3755, batch loss 2.067, 1.38 iters/s
step 3756, batch loss 2.453, 1.37 iters/s
step 3757, batch loss 2.186, 1.37 iters/s
step 3758, batch loss 1.991, 1.38 iters/s
step 3759, batch loss 1.919, 1.37 iters/s
step 3760, batch loss 2.039, 1.38 iters/s
step 3761, batch loss 2.021, 1.38 iters/s
step 3762, batch loss 2.105, 1.38 iters/s
step 3763, batch loss 2.252, 1.37 iters/s
step 3764, batch loss 2.235, 1.38 iters/s
step 3765, batch loss 1.969, 1.37 iters/s
step 3766, batch loss 2.461, 1.37 iters/s
step 3767, batch loss 2.174, 1.38 iters/s
step 3768, batch loss 2.114, 1.38 iters/s
step 3769, batch loss 1.838, 1.38 iters/s
step 3770, batch loss 2.049, 1.37 iters/s

step 3771, batch loss 2.07, 1.37 iters/s
step 3772, batch loss 2.03, 1.37 iters/s
step 3773, batch loss 2.561, 1.38 iters/s
step 3774, batch loss 2.055, 1.38 iters/s
step 3775, batch loss 2.037, 1.37 iters/s
step 3776, batch loss 1.988, 1.38 iters/s
step 3777, batch loss 2.036, 1.38 iters/s
step 3778, batch loss 2.213, 1.38 iters/s
step 3779, batch loss 2.296, 1.38 iters/s
step 3780, batch loss 2.313, 1.37 iters/s
step 3781, batch loss 1.954, 1.38 iters/s
step 3782, batch loss 1.943, 1.37 iters/s
step 3783, batch loss 1.882, 1.38 iters/s
step 3784, batch loss 1.893, 1.38 iters/s
step 3785, batch loss 1.903, 1.38 iters/s
step 3786, batch loss 2.572, 1.38 iters/s
step 3787, batch loss 1.978, 1.37 iters/s
step 3788, batch loss 2.117, 1.37 iters/s
step 3789, batch loss 1.982, 1.38 iters/s
step 3790, batch loss 2.107, 1.37 iters/s
step 3791, batch loss 2.101, 1.37 iters/s
step 3792, batch loss 2.127, 1.38 iters/s
step 3793, batch loss 1.862, 1.37 iters/s
step 3794, batch loss 2.032, 1.37 iters/s
step 3795, batch loss 2.096, 1.37 iters/s
step 3796, batch loss 2.557, 1.38 iters/s
step 3797, batch loss 2.077, 1.37 iters/s
step 3798, batch loss 2.001, 1.38 iters/s
step 3799, batch loss 2.27, 1.38 iters/s
step 3800, batch loss 2.649, 1.38 iters/s
step 3801, batch loss 1.859, 1.38 iters/s
step 3802, batch loss 2.13, 1.38 iters/s
step 3803, batch loss 2.189, 1.37 iters/s
step 3804, batch loss 2.399, 1.38 iters/s
step 3805, batch loss 2.061, 1.38 iters/s
step 3806, batch loss 2.173, 1.38 iters/s
step 3807, batch loss 2.048, 1.38 iters/s
step 3808, batch loss 2.165, 1.38 iters/s
step 3809, batch loss 2.069, 1.38 iters/s
step 3810, batch loss 2.161, 1.37 iters/s
step 3811, batch loss 1.968, 1.38 iters/s
step 3812, batch loss 2.108, 1.38 iters/s
step 3813, batch loss 1.915, 1.38 iters/s
step 3814, batch loss 1.908, 1.38 iters/s
step 3815, batch loss 2.029, 1.38 iters/s
step 3816, batch loss 1.959, 1.38 iters/s
step 3817, batch loss 2.13, 1.38 iters/s
step 3818, batch loss 2.146, 1.37 iters/s

step 3819, batch loss 2.178, 1.37 iters/s
step 3820, batch loss 2.322, 1.37 iters/s
step 3821, batch loss 2.044, 1.38 iters/s
step 3822, batch loss 1.928, 1.38 iters/s
step 3823, batch loss 2.15, 1.38 iters/s
step 3824, batch loss 1.98, 1.38 iters/s
step 3825, batch loss 2.425, 1.38 iters/s
step 3826, batch loss 2.361, 1.38 iters/s
step 3827, batch loss 2.318, 1.37 iters/s
step 3828, batch loss 2.05, 1.37 iters/s
step 3829, batch loss 2.038, 1.37 iters/s
step 3830, batch loss 2.163, 1.37 iters/s
step 3831, batch loss 1.884, 1.38 iters/s
step 3832, batch loss 1.978, 1.38 iters/s
step 3833, batch loss 1.6, 1.38 iters/s
step 3834, batch loss 1.953, 1.38 iters/s
step 3835, batch loss 2.133, 1.38 iters/s
step 3836, batch loss 2.3, 1.38 iters/s
step 3837, batch loss 2.202, 1.38 iters/s
step 3838, batch loss 2.061, 1.38 iters/s
step 3839, batch loss 2.042, 1.39 iters/s
step 3840, batch loss 2.186, 1.37 iters/s
step 3841, batch loss 2.201, 1.37 iters/s
step 3842, batch loss 2.001, 1.38 iters/s
step 3843, batch loss 2.174, 1.38 iters/s
step 3844, batch loss 2.162, 1.38 iters/s
step 3845, batch loss 2.037, 1.37 iters/s
step 3846, batch loss 2.191, 1.38 iters/s
step 3847, batch loss 2.135, 1.38 iters/s
step 3848, batch loss 1.975, 1.38 iters/s
step 3849, batch loss 2.053, 1.38 iters/s
step 3850, batch loss 2.182, 1.38 iters/s
step 3851, batch loss 1.941, 1.38 iters/s
step 3852, batch loss 2.214, 1.37 iters/s
step 3853, batch loss 2.038, 1.39 iters/s
step 3854, batch loss 2.129, 1.37 iters/s
step 3855, batch loss 1.89, 1.37 iters/s
step 3856, batch loss 2.177, 1.37 iters/s
step 3857, batch loss 1.847, 1.38 iters/s
step 3858, batch loss 2.136, 1.38 iters/s
step 3859, batch loss 2.206, 1.38 iters/s
step 3860, batch loss 2.03, 1.38 iters/s
step 3861, batch loss 2.173, 1.37 iters/s
step 3862, batch loss 2.133, 1.37 iters/s
step 3863, batch loss 2.178, 1.38 iters/s
step 3864, batch loss 2.235, 1.37 iters/s
step 3865, batch loss 1.707, 1.37 iters/s
step 3866, batch loss 2.352, 1.38 iters/s

step 3867, batch loss 2.102, 1.38 iters/s
step 3868, batch loss 2.181, 1.38 iters/s
step 3869, batch loss 2.046, 1.38 iters/s
step 3870, batch loss 2.028, 1.38 iters/s
step 3871, batch loss 2.022, 1.37 iters/s
step 3872, batch loss 2.389, 1.37 iters/s
step 3873, batch loss 2.032, 1.37 iters/s
step 3874, batch loss 1.862, 1.38 iters/s
step 3875, batch loss 1.994, 1.38 iters/s
step 3876, batch loss 1.979, 1.37 iters/s
step 3877, batch loss 2.129, 1.37 iters/s
step 3878, batch loss 2.15, 1.37 iters/s
step 3879, batch loss 2.225, 1.37 iters/s
step 3880, batch loss 2.132, 1.37 iters/s
step 3881, batch loss 2.064, 1.38 iters/s
step 3882, batch loss 2.055, 1.37 iters/s
step 3883, batch loss 2.127, 1.38 iters/s
step 3884, batch loss 1.978, 1.38 iters/s
step 3885, batch loss 2.044, 1.38 iters/s
step 3886, batch loss 2.076, 1.37 iters/s
step 3887, batch loss 2.257, 1.38 iters/s
step 3888, batch loss 2.07, 1.38 iters/s
step 3889, batch loss 2.085, 1.37 iters/s
step 3890, batch loss 2.109, 1.37 iters/s
step 3891, batch loss 2.066, 1.37 iters/s
step 3892, batch loss 2.34, 1.37 iters/s
step 3893, batch loss 1.903, 1.38 iters/s
step 3894, batch loss 2.046, 1.39 iters/s
step 3895, batch loss 2.193, 1.37 iters/s
step 3896, batch loss 2.03, 1.37 iters/s
step 3897, batch loss 2.089, 1.37 iters/s
step 3898, batch loss 2.075, 1.37 iters/s
step 3899, batch loss 2.156, 1.37 iters/s
step 3900, batch loss 2.09, 1.37 iters/s
step 3901, batch loss 1.987, 1.38 iters/s
step 3902, batch loss 2.085, 1.37 iters/s
step 3903, batch loss 2.509, 1.37 iters/s
step 3904, batch loss 2.071, 1.38 iters/s
step 3905, batch loss 2.014, 1.37 iters/s
step 3906, batch loss 1.82, 1.38 iters/s
step 3907, batch loss 2.243, 1.37 iters/s
step 3908, batch loss 1.896, 1.37 iters/s
step 3909, batch loss 2.209, 1.38 iters/s
step 3910, batch loss 1.871, 1.38 iters/s
step 3911, batch loss 2.281, 1.38 iters/s
step 3912, batch loss 2.067, 1.38 iters/s
step 3913, batch loss 2.256, 1.38 iters/s
step 3914, batch loss 2.119, 1.38 iters/s

step 3915, batch loss 2.07, 1.38 iters/s
step 3916, batch loss 2.339, 1.37 iters/s
step 3917, batch loss 2.248, 1.37 iters/s
step 3918, batch loss 2.187, 1.38 iters/s
step 3919, batch loss 2.095, 1.38 iters/s
step 3920, batch loss 2.183, 1.37 iters/s
step 3921, batch loss 2.273, 1.38 iters/s
step 3922, batch loss 2.194, 1.37 iters/s
step 3923, batch loss 2.166, 1.37 iters/s
step 3924, batch loss 2.043, 1.38 iters/s
step 3925, batch loss 2.126, 1.38 iters/s
step 3926, batch loss 1.848, 1.38 iters/s
step 3927, batch loss 2.335, 1.37 iters/s
step 3928, batch loss 2.016, 1.37 iters/s
step 3929, batch loss 1.965, 1.38 iters/s
step 3930, batch loss 2.3, 1.38 iters/s
step 3931, batch loss 2.089, 1.37 iters/s
step 3932, batch loss 2.101, 1.38 iters/s
step 3933, batch loss 2.545, 1.38 iters/s
step 3934, batch loss 2.062, 1.37 iters/s
step 3935, batch loss 2.217, 1.37 iters/s
step 3936, batch loss 2.032, 1.38 iters/s
step 3937, batch loss 1.928, 1.39 iters/s
step 3938, batch loss 2.246, 1.37 iters/s
step 3939, batch loss 2.234, 1.37 iters/s
step 3940, batch loss 2.054, 1.37 iters/s
step 3941, batch loss 1.902, 1.38 iters/s
step 3942, batch loss 2.099, 1.37 iters/s
step 3943, batch loss 2.213, 1.37 iters/s
step 3944, batch loss 2.667, 1.38 iters/s
step 3945, batch loss 2.097, 1.38 iters/s
step 3946, batch loss 2.148, 1.37 iters/s
step 3947, batch loss 2.07, 1.38 iters/s
step 3948, batch loss 2.154, 1.38 iters/s
step 3949, batch loss 2.023, 1.38 iters/s
step 3950, batch loss 2.144, 1.38 iters/s
step 3951, batch loss 2.115, 1.37 iters/s
step 3952, batch loss 2.12, 1.37 iters/s
step 3953, batch loss 2.378, 1.38 iters/s
step 3954, batch loss 2.156, 1.38 iters/s
step 3955, batch loss 2.098, 1.37 iters/s
step 3956, batch loss 2.006, 1.38 iters/s
step 3957, batch loss 2.046, 1.38 iters/s
step 3958, batch loss 1.998, 1.37 iters/s
step 3959, batch loss 1.889, 1.39 iters/s
step 3960, batch loss 2.035, 1.37 iters/s
step 3961, batch loss 2.076, 1.38 iters/s
step 3962, batch loss 1.773, 1.37 iters/s

step 3963, batch loss 2.373, 1.38 iters/s
step 3964, batch loss 2.051, 1.38 iters/s
step 3965, batch loss 2.086, 1.37 iters/s
step 3966, batch loss 1.98, 1.38 iters/s
step 3967, batch loss 1.992, 1.39 iters/s
step 3968, batch loss 1.98, 1.38 iters/s
step 3969, batch loss 2.153, 1.37 iters/s
step 3970, batch loss 2.093, 1.38 iters/s
step 3971, batch loss 2.068, 1.38 iters/s
step 3972, batch loss 2.151, 1.38 iters/s
step 3973, batch loss 2.072, 1.37 iters/s
step 3974, batch loss 2.007, 1.38 iters/s
step 3975, batch loss 2.189, 1.38 iters/s
step 3976, batch loss 2.158, 1.37 iters/s
step 3977, batch loss 2.019, 1.38 iters/s
step 3978, batch loss 2.113, 1.38 iters/s
step 3979, batch loss 2.371, 1.38 iters/s
step 3980, batch loss 2.102, 1.37 iters/s
step 3981, batch loss 2.042, 1.38 iters/s
step 3982, batch loss 2.355, 1.37 iters/s
step 3983, batch loss 2.208, 1.38 iters/s
step 3984, batch loss 2.018, 1.38 iters/s
step 3985, batch loss 1.932, 1.38 iters/s
step 3986, batch loss 2.046, 1.38 iters/s
step 3987, batch loss 2.214, 1.38 iters/s
step 3988, batch loss 2.179, 1.38 iters/s
step 3989, batch loss 1.792, 1.38 iters/s
step 3990, batch loss 2.368, 1.38 iters/s
step 3991, batch loss 1.937, 1.38 iters/s
step 3992, batch loss 2.144, 1.38 iters/s
step 3993, batch loss 1.983, 1.37 iters/s
step 3994, batch loss 2.375, 1.37 iters/s
step 3995, batch loss 1.908, 1.37 iters/s
step 3996, batch loss 2.093, 1.38 iters/s
step 3997, batch loss 2.105, 1.37 iters/s
step 3998, batch loss 1.998, 1.37 iters/s
step 3999, batch loss 2.107, 1.37 iters/s
step 4000, batch loss 2.202, 1.38 iters/s
step 4001, batch loss 2.109, 1.38 iters/s
step 4002, batch loss 2.039, 1.38 iters/s
step 4003, batch loss 2.102, 1.38 iters/s
step 4004, batch loss 2.077, 1.37 iters/s
step 4005, batch loss 2.188, 1.38 iters/s
step 4006, batch loss 2.156, 1.37 iters/s
step 4007, batch loss 2.079, 1.37 iters/s
step 4008, batch loss 1.926, 1.37 iters/s
step 4009, batch loss 2.25, 1.38 iters/s
step 4010, batch loss 1.945, 1.38 iters/s

step 4011, batch loss 2.164, 1.38 iters/s
step 4012, batch loss 2.199, 1.38 iters/s
step 4013, batch loss 2.436, 1.38 iters/s
step 4014, batch loss 2.327, 1.37 iters/s
step 4015, batch loss 2.057, 1.38 iters/s
step 4016, batch loss 2.537, 1.37 iters/s
step 4017, batch loss 2.046, 1.38 iters/s
step 4018, batch loss 1.938, 1.38 iters/s
step 4019, batch loss 2.299, 1.38 iters/s
step 4020, batch loss 1.978, 1.37 iters/s
step 4021, batch loss 1.869, 1.38 iters/s
step 4022, batch loss 2.036, 1.38 iters/s
step 4023, batch loss 1.899, 1.37 iters/s
step 4024, batch loss 2.324, 1.38 iters/s
step 4025, batch loss 2.067, 1.37 iters/s
step 4026, batch loss 2.135, 1.37 iters/s
step 4027, batch loss 2.28, 1.37 iters/s
step 4028, batch loss 2.001, 1.38 iters/s
step 4029, batch loss 1.85, 1.37 iters/s
step 4030, batch loss 2.054, 1.37 iters/s
step 4031, batch loss 2.137, 1.37 iters/s
step 4032, batch loss 2.022, 1.37 iters/s
step 4033, batch loss 2.088, 1.37 iters/s
step 4034, batch loss 2.115, 1.37 iters/s
step 4035, batch loss 2.148, 1.37 iters/s
step 4036, batch loss 2.177, 1.38 iters/s
step 4037, batch loss 2.037, 1.37 iters/s
step 4038, batch loss 2.146, 1.38 iters/s
step 4039, batch loss 2.168, 1.38 iters/s
step 4040, batch loss 1.969, 1.37 iters/s
step 4041, batch loss 2.031, 1.37 iters/s
step 4042, batch loss 2.543, 1.37 iters/s
step 4043, batch loss 1.944, 1.38 iters/s
step 4044, batch loss 2.086, 1.38 iters/s
step 4045, batch loss 1.978, 1.37 iters/s
step 4046, batch loss 1.907, 1.37 iters/s
step 4047, batch loss 2.178, 1.37 iters/s
step 4048, batch loss 2.015, 1.38 iters/s
step 4049, batch loss 2.078, 1.37 iters/s
step 4050, batch loss 1.934, 1.38 iters/s
step 4051, batch loss 2.18, 1.38 iters/s
step 4052, batch loss 1.871, 1.38 iters/s
step 4053, batch loss 2.067, 1.38 iters/s
step 4054, batch loss 1.905, 1.37 iters/s
step 4055, batch loss 2.136, 1.37 iters/s
step 4056, batch loss 2.195, 1.37 iters/s
step 4057, batch loss 1.871, 1.38 iters/s
step 4058, batch loss 2.398, 1.38 iters/s

step 4059, batch loss 1.89, 1.38 iters/s
step 4060, batch loss 2.22, 1.38 iters/s
step 4061, batch loss 1.928, 1.37 iters/s
step 4062, batch loss 2.063, 1.37 iters/s
step 4063, batch loss 2.258, 1.37 iters/s
step 4064, batch loss 2.084, 1.37 iters/s
step 4065, batch loss 1.963, 1.37 iters/s
step 4066, batch loss 2.111, 1.37 iters/s
step 4067, batch loss 2.258, 1.37 iters/s
step 4068, batch loss 2.458, 1.38 iters/s
step 4069, batch loss 2.01, 1.37 iters/s
step 4070, batch loss 2.229, 1.38 iters/s
step 4071, batch loss 1.944, 1.37 iters/s
step 4072, batch loss 2.375, 1.38 iters/s
step 4073, batch loss 1.939, 1.38 iters/s
step 4074, batch loss 2.085, 1.37 iters/s
step 4075, batch loss 2.058, 1.38 iters/s
step 4076, batch loss 2.212, 1.38 iters/s
step 4077, batch loss 1.95, 1.38 iters/s
step 4078, batch loss 1.921, 1.37 iters/s
step 4079, batch loss 2.264, 1.37 iters/s
step 4080, batch loss 2.339, 1.37 iters/s
step 4081, batch loss 2.071, 1.37 iters/s
step 4082, batch loss 2.174, 1.37 iters/s
step 4083, batch loss 1.917, 1.37 iters/s
step 4084, batch loss 2.173, 1.37 iters/s
step 4085, batch loss 2.072, 1.38 iters/s
step 4086, batch loss 1.957, 1.37 iters/s
step 4087, batch loss 2.077, 1.38 iters/s
step 4088, batch loss 2.026, 1.37 iters/s
step 4089, batch loss 2.527, 1.37 iters/s
step 4090, batch loss 2.079, 1.37 iters/s
step 4091, batch loss 2.214, 1.37 iters/s
step 4092, batch loss 2.486, 1.37 iters/s
step 4093, batch loss 1.962, 1.38 iters/s
step 4094, batch loss 1.972, 1.37 iters/s
step 4095, batch loss 1.976, 1.37 iters/s
step 4096, batch loss 2.128, 1.37 iters/s
step 4097, batch loss 1.808, 1.38 iters/s
step 4098, batch loss 2.173, 1.37 iters/s
step 4099, batch loss 2.03, 1.37 iters/s
step 4100, batch loss 2.139, 1.37 iters/s
step 4101, batch loss 2.211, 1.38 iters/s
step 4102, batch loss 2.113, 1.38 iters/s
step 4103, batch loss 2.035, 1.38 iters/s
step 4104, batch loss 2.124, 1.38 iters/s
step 4105, batch loss 2.048, 1.37 iters/s
step 4106, batch loss 2.03, 1.37 iters/s

step 4107, batch loss 2.216, 1.37 iters/s
step 4108, batch loss 2.015, 1.38 iters/s
step 4109, batch loss 2.288, 1.37 iters/s
step 4110, batch loss 1.996, 1.37 iters/s
step 4111, batch loss 2.218, 1.38 iters/s
step 4112, batch loss 1.973, 1.37 iters/s
step 4113, batch loss 2.063, 1.38 iters/s
step 4114, batch loss 2.067, 1.37 iters/s
step 4115, batch loss 1.855, 1.38 iters/s
step 4116, batch loss 2.454, 1.37 iters/s
step 4117, batch loss 2.231, 1.37 iters/s
step 4118, batch loss 2.085, 1.4 iters/s
step 4119, batch loss 2.307, 1.37 iters/s
step 4120, batch loss 1.944, 1.38 iters/s
step 4121, batch loss 2.294, 1.38 iters/s
step 4122, batch loss 2.196, 1.37 iters/s
step 4123, batch loss 1.999, 1.38 iters/s
step 4124, batch loss 2.021, 1.37 iters/s
step 4125, batch loss 1.995, 1.38 iters/s
step 4126, batch loss 2.385, 1.37 iters/s
step 4127, batch loss 1.728, 1.37 iters/s
step 4128, batch loss 2.368, 1.37 iters/s
step 4129, batch loss 2.152, 1.37 iters/s
step 4130, batch loss 2.28, 1.38 iters/s
step 4131, batch loss 2.164, 1.37 iters/s
step 4132, batch loss 2.023, 1.37 iters/s
step 4133, batch loss 2.23, 1.38 iters/s
step 4134, batch loss 2.152, 1.38 iters/s
step 4135, batch loss 2.07, 1.38 iters/s
step 4136, batch loss 1.916, 1.38 iters/s
step 4137, batch loss 2.187, 1.37 iters/s
step 4138, batch loss 1.982, 1.38 iters/s
step 4139, batch loss 2.363, 1.37 iters/s
step 4140, batch loss 2.054, 1.38 iters/s
step 4141, batch loss 2.194, 1.38 iters/s
step 4142, batch loss 2.112, 1.38 iters/s
step 4143, batch loss 2.22, 1.38 iters/s
step 4144, batch loss 2.145, 1.37 iters/s
step 4145, batch loss 2.24, 1.37 iters/s
step 4146, batch loss 2.072, 1.38 iters/s
step 4147, batch loss 2.348, 1.37 iters/s
step 4148, batch loss 2.471, 1.38 iters/s
step 4149, batch loss 1.849, 1.37 iters/s
step 4150, batch loss 2.278, 1.37 iters/s
step 4151, batch loss 2.234, 1.37 iters/s
step 4152, batch loss 2.007, 1.38 iters/s
step 4153, batch loss 1.995, 1.37 iters/s
step 4154, batch loss 2.272, 1.37 iters/s

step 4155, batch loss 1.953, 1.38 iters/s
step 4156, batch loss 2.307, 1.38 iters/s
step 4157, batch loss 2.056, 1.38 iters/s
step 4158, batch loss 1.666, 1.38 iters/s
step 4159, batch loss 1.936, 1.38 iters/s
step 4160, batch loss 1.992, 1.38 iters/s
step 4161, batch loss 2.211, 1.37 iters/s
step 4162, batch loss 2.076, 1.38 iters/s
step 4163, batch loss 2.191, 1.37 iters/s
step 4164, batch loss 2.336, 1.37 iters/s
step 4165, batch loss 2.101, 1.38 iters/s
step 4166, batch loss 2.208, 1.38 iters/s
step 4167, batch loss 2.567, 1.38 iters/s
step 4168, batch loss 2.373, 1.38 iters/s
step 4169, batch loss 2.246, 1.38 iters/s
step 4170, batch loss 2.237, 1.38 iters/s
step 4171, batch loss 2.254, 1.38 iters/s
step 4172, batch loss 1.703, 1.37 iters/s
step 4173, batch loss 2.279, 1.38 iters/s
step 4174, batch loss 2.049, 1.38 iters/s
step 4175, batch loss 2.249, 1.38 iters/s
step 4176, batch loss 2.23, 1.38 iters/s
step 4177, batch loss 2.227, 1.37 iters/s
step 4178, batch loss 2.294, 1.38 iters/s
step 4179, batch loss 1.877, 1.38 iters/s
step 4180, batch loss 1.958, 1.38 iters/s
step 4181, batch loss 2.065, 1.37 iters/s
step 4182, batch loss 2.221, 1.39 iters/s
step 4183, batch loss 2.147, 1.37 iters/s
step 4184, batch loss 2.21, 1.37 iters/s
step 4185, batch loss 2.166, 1.37 iters/s
step 4186, batch loss 2.135, 1.38 iters/s
step 4187, batch loss 2.319, 1.37 iters/s
step 4188, batch loss 2.128, 1.37 iters/s
step 4189, batch loss 2.097, 1.38 iters/s
step 4190, batch loss 2.045, 1.37 iters/s
step 4191, batch loss 2.123, 1.38 iters/s
step 4192, batch loss 2.331, 1.38 iters/s
step 4193, batch loss 2.206, 1.37 iters/s
step 4194, batch loss 2.221, 1.37 iters/s
step 4195, batch loss 2.253, 1.38 iters/s
step 4196, batch loss 2.29, 1.37 iters/s
step 4197, batch loss 1.596, 1.37 iters/s
step 4198, batch loss 2.422, 1.37 iters/s
step 4199, batch loss 2.116, 1.38 iters/s
step 4200, batch loss 2.133, 1.39 iters/s
step 4201, batch loss 2.135, 1.38 iters/s
step 4202, batch loss 2.244, 1.38 iters/s

step 4203, batch loss 2.07, 1.37 iters/s
step 4204, batch loss 2.154, 1.38 iters/s
step 4205, batch loss 2.148, 1.38 iters/s
step 4206, batch loss 2.113, 1.38 iters/s
step 4207, batch loss 2.075, 1.38 iters/s
step 4208, batch loss 1.92, 1.38 iters/s
step 4209, batch loss 2.271, 1.37 iters/s
step 4210, batch loss 2.147, 1.38 iters/s
step 4211, batch loss 1.812, 1.37 iters/s
step 4212, batch loss 2.114, 1.38 iters/s
step 4213, batch loss 2.114, 1.37 iters/s
step 4214, batch loss 1.888, 1.37 iters/s
step 4215, batch loss 1.953, 1.37 iters/s
step 4216, batch loss 2.005, 1.37 iters/s
step 4217, batch loss 2.128, 1.38 iters/s
step 4218, batch loss 2.435, 1.38 iters/s
step 4219, batch loss 1.979, 1.37 iters/s
step 4220, batch loss 2.024, 1.37 iters/s
step 4221, batch loss 1.906, 1.38 iters/s
step 4222, batch loss 2.18, 1.37 iters/s
step 4223, batch loss 2.009, 1.38 iters/s
step 4224, batch loss 2.109, 1.37 iters/s
step 4225, batch loss 2.221, 1.38 iters/s
step 4226, batch loss 2.063, 1.37 iters/s
step 4227, batch loss 1.988, 1.39 iters/s
step 4228, batch loss 2.179, 1.37 iters/s
step 4229, batch loss 2.141, 1.38 iters/s
step 4230, batch loss 2.137, 1.37 iters/s
step 4231, batch loss 2.175, 1.37 iters/s
step 4232, batch loss 2.17, 1.38 iters/s
step 4233, batch loss 2.244, 1.38 iters/s
step 4234, batch loss 2.04, 1.37 iters/s
step 4235, batch loss 1.969, 1.38 iters/s
step 4236, batch loss 2.03, 1.37 iters/s
step 4237, batch loss 2.153, 1.38 iters/s
step 4238, batch loss 1.953, 1.38 iters/s
step 4239, batch loss 2.093, 1.38 iters/s
step 4240, batch loss 2.072, 1.38 iters/s
step 4241, batch loss 2.271, 1.37 iters/s
step 4242, batch loss 2.116, 1.38 iters/s
step 4243, batch loss 2.098, 1.38 iters/s
step 4244, batch loss 1.848, 1.37 iters/s
step 4245, batch loss 1.967, 1.38 iters/s
step 4246, batch loss 2.104, 1.38 iters/s
step 4247, batch loss 2.061, 1.37 iters/s
step 4248, batch loss 1.951, 1.39 iters/s
step 4249, batch loss 2.008, 1.37 iters/s
step 4250, batch loss 2.066, 1.37 iters/s

step 4251, batch loss 2.239, 1.38 iters/s
step 4252, batch loss 2.129, 1.38 iters/s
step 4253, batch loss 2.276, 1.38 iters/s
step 4254, batch loss 1.951, 1.38 iters/s
step 4255, batch loss 2.158, 1.38 iters/s
step 4256, batch loss 2.3, 1.37 iters/s
step 4257, batch loss 2.62, 1.37 iters/s
step 4258, batch loss 2.007, 1.38 iters/s
step 4259, batch loss 2.499, 1.37 iters/s
step 4260, batch loss 2.476, 1.37 iters/s
step 4261, batch loss 2.013, 1.38 iters/s
step 4262, batch loss 2.178, 1.38 iters/s
step 4263, batch loss 1.921, 1.38 iters/s
step 4264, batch loss 2.199, 1.37 iters/s
step 4265, batch loss 2.089, 1.37 iters/s
step 4266, batch loss 2.116, 1.37 iters/s
step 4267, batch loss 2.238, 1.37 iters/s
step 4268, batch loss 2.009, 1.38 iters/s
step 4269, batch loss 1.977, 1.37 iters/s
step 4270, batch loss 2.29, 1.38 iters/s
step 4271, batch loss 2.09, 1.38 iters/s
step 4272, batch loss 1.933, 1.37 iters/s
step 4273, batch loss 2.15, 1.38 iters/s
step 4274, batch loss 2.045, 1.38 iters/s
step 4275, batch loss 1.999, 1.38 iters/s
step 4276, batch loss 2.138, 1.37 iters/s
step 4277, batch loss 2.099, 1.37 iters/s
step 4278, batch loss 1.977, 1.38 iters/s
step 4279, batch loss 2.089, 1.37 iters/s
step 4280, batch loss 2.272, 1.38 iters/s
step 4281, batch loss 2.297, 1.38 iters/s
step 4282, batch loss 2.064, 1.37 iters/s
step 4283, batch loss 1.992, 1.38 iters/s
step 4284, batch loss 2.256, 1.38 iters/s
step 4285, batch loss 2.221, 1.38 iters/s
step 4286, batch loss 2.183, 1.38 iters/s
step 4287, batch loss 2.082, 1.38 iters/s
step 4288, batch loss 2.205, 1.37 iters/s
step 4289, batch loss 2.09, 1.37 iters/s
step 4290, batch loss 2.104, 1.37 iters/s
step 4291, batch loss 2.26, 1.37 iters/s
step 4292, batch loss 1.934, 1.37 iters/s
step 4293, batch loss 2.171, 1.37 iters/s
step 4294, batch loss 2.344, 1.38 iters/s
step 4295, batch loss 2.013, 1.38 iters/s
step 4296, batch loss 2.228, 1.38 iters/s
step 4297, batch loss 2.058, 1.38 iters/s
step 4298, batch loss 2.343, 1.38 iters/s

step 4299, batch loss 2.004, 1.38 iters/s
step 4300, batch loss 2.487, 1.37 iters/s
step 4301, batch loss 2.144, 1.38 iters/s
step 4302, batch loss 1.903, 1.38 iters/s
step 4303, batch loss 2.25, 1.37 iters/s
step 4304, batch loss 2.671, 1.38 iters/s
step 4305, batch loss 2.322, 1.38 iters/s
step 4306, batch loss 2.188, 1.38 iters/s
step 4307, batch loss 2.205, 1.37 iters/s
step 4308, batch loss 2.001, 1.37 iters/s
step 4309, batch loss 2.202, 1.37 iters/s
step 4310, batch loss 2.219, 1.38 iters/s
step 4311, batch loss 2.07, 1.37 iters/s
step 4312, batch loss 2.257, 1.37 iters/s
step 4313, batch loss 2.016, 1.37 iters/s
step 4314, batch loss 2.254, 1.37 iters/s
step 4315, batch loss 2.391, 1.37 iters/s
step 4316, batch loss 2.218, 1.38 iters/s
step 4317, batch loss 2.134, 1.38 iters/s
step 4318, batch loss 2.034, 1.38 iters/s
step 4319, batch loss 2.335, 1.38 iters/s
step 4320, batch loss 2.055, 1.38 iters/s
step 4321, batch loss 2.259, 1.37 iters/s
step 4322, batch loss 2.069, 1.37 iters/s
step 4323, batch loss 1.998, 1.37 iters/s
step 4324, batch loss 2.699, 1.38 iters/s
step 4325, batch loss 2.285, 1.37 iters/s
step 4326, batch loss 1.989, 1.38 iters/s
step 4327, batch loss 2.137, 1.37 iters/s
step 4328, batch loss 2.14, 1.38 iters/s
step 4329, batch loss 2.064, 1.38 iters/s
step 4330, batch loss 2.414, 1.37 iters/s
step 4331, batch loss 1.94, 1.37 iters/s
step 4332, batch loss 2.18, 1.37 iters/s
step 4333, batch loss 2.353, 1.37 iters/s
step 4334, batch loss 2.033, 1.37 iters/s
step 4335, batch loss 2.121, 1.37 iters/s
step 4336, batch loss 2.171, 1.37 iters/s
step 4337, batch loss 2.314, 1.37 iters/s
step 4338, batch loss 2.305, 1.37 iters/s
step 4339, batch loss 2.219, 1.37 iters/s
step 4340, batch loss 1.887, 1.38 iters/s
step 4341, batch loss 2.195, 1.37 iters/s
step 4342, batch loss 2.161, 1.37 iters/s
step 4343, batch loss 1.649, 1.38 iters/s
step 4344, batch loss 1.881, 1.38 iters/s
step 4345, batch loss 2.252, 1.37 iters/s
step 4346, batch loss 2.073, 1.38 iters/s

step 4347, batch loss 2.103, 1.38 iters/s
step 4348, batch loss 2.296, 1.38 iters/s
step 4349, batch loss 2.069, 1.37 iters/s
step 4350, batch loss 2.758, 1.38 iters/s
step 4351, batch loss 2.364, 1.38 iters/s
step 4352, batch loss 2.822, 1.38 iters/s
step 4353, batch loss 2.206, 1.38 iters/s
step 4354, batch loss 2.234, 1.37 iters/s
step 4355, batch loss 2.031, 1.38 iters/s
step 4356, batch loss 2.102, 1.38 iters/s
step 4357, batch loss 1.925, 1.37 iters/s
step 4358, batch loss 2.123, 1.38 iters/s
step 4359, batch loss 2.021, 1.38 iters/s
step 4360, batch loss 2.204, 1.38 iters/s
step 4361, batch loss 2.049, 1.37 iters/s
step 4362, batch loss 1.994, 1.38 iters/s
step 4363, batch loss 1.972, 1.37 iters/s
step 4364, batch loss 2.165, 1.38 iters/s
step 4365, batch loss 2.111, 1.37 iters/s
step 4366, batch loss 2.4, 1.37 iters/s
step 4367, batch loss 1.922, 1.38 iters/s
step 4368, batch loss 2.337, 1.38 iters/s
step 4369, batch loss 1.806, 1.38 iters/s
step 4370, batch loss 2.344, 1.38 iters/s
step 4371, batch loss 2.183, 1.38 iters/s
step 4372, batch loss 2.183, 1.38 iters/s
step 4373, batch loss 2.067, 1.38 iters/s
step 4374, batch loss 2.142, 1.38 iters/s
step 4375, batch loss 1.904, 1.38 iters/s
step 4376, batch loss 1.996, 1.38 iters/s
step 4377, batch loss 1.816, 1.38 iters/s
step 4378, batch loss 2.11, 1.38 iters/s
step 4379, batch loss 2.15, 1.39 iters/s
step 4380, batch loss 1.881, 1.38 iters/s
step 4381, batch loss 2.01, 1.38 iters/s
step 4382, batch loss 1.991, 1.38 iters/s
step 4383, batch loss 2.042, 1.39 iters/s
step 4384, batch loss 2.253, 1.37 iters/s
step 4385, batch loss 2.159, 1.38 iters/s
step 4386, batch loss 2.534, 1.37 iters/s
step 4387, batch loss 2.088, 1.38 iters/s
step 4388, batch loss 2.022, 1.37 iters/s
step 4389, batch loss 2.021, 1.38 iters/s
step 4390, batch loss 2.046, 1.37 iters/s
step 4391, batch loss 1.93, 1.37 iters/s
step 4392, batch loss 1.998, 1.38 iters/s
step 4393, batch loss 1.924, 1.38 iters/s
step 4394, batch loss 2.276, 1.38 iters/s

step 4395, batch loss 1.882, 1.4 iters/s
step 4396, batch loss 2.036, 1.38 iters/s
step 4397, batch loss 2.112, 1.37 iters/s
step 4398, batch loss 2.094, 1.38 iters/s
step 4399, batch loss 2.167, 1.37 iters/s
step 4400, batch loss 2.068, 1.38 iters/s
step 4401, batch loss 1.999, 1.38 iters/s
step 4402, batch loss 1.916, 1.38 iters/s
step 4403, batch loss 2.182, 1.37 iters/s
step 4404, batch loss 2.389, 1.38 iters/s
step 4405, batch loss 2.036, 1.38 iters/s
step 4406, batch loss 2.072, 1.38 iters/s
step 4407, batch loss 2.208, 1.37 iters/s
step 4408, batch loss 2.171, 1.37 iters/s
step 4409, batch loss 2.134, 1.38 iters/s
step 4410, batch loss 2.396, 1.38 iters/s
step 4411, batch loss 1.966, 1.37 iters/s
step 4412, batch loss 2.18, 1.38 iters/s
step 4413, batch loss 2.174, 1.38 iters/s
step 4414, batch loss 2.408, 1.38 iters/s
step 4415, batch loss 2.14, 1.37 iters/s
step 4416, batch loss 2.107, 1.38 iters/s
step 4417, batch loss 2.433, 1.37 iters/s
step 4418, batch loss 1.888, 1.38 iters/s
step 4419, batch loss 2.22, 1.37 iters/s
step 4420, batch loss 2.21, 1.38 iters/s
step 4421, batch loss 2.231, 1.37 iters/s
step 4422, batch loss 1.957, 1.38 iters/s
step 4423, batch loss 2.116, 1.37 iters/s
step 4424, batch loss 2.031, 1.37 iters/s
step 4425, batch loss 2.389, 1.38 iters/s
step 4426, batch loss 2.051, 1.38 iters/s
step 4427, batch loss 2.0, 1.38 iters/s
step 4428, batch loss 2.133, 1.38 iters/s
step 4429, batch loss 2.246, 1.37 iters/s
step 4430, batch loss 2.143, 1.37 iters/s
step 4431, batch loss 2.116, 1.38 iters/s
step 4432, batch loss 1.952, 1.37 iters/s
step 4433, batch loss 2.307, 1.38 iters/s
step 4434, batch loss 2.011, 1.37 iters/s
step 4435, batch loss 2.091, 1.38 iters/s
step 4436, batch loss 2.03, 1.38 iters/s
step 4437, batch loss 2.23, 1.38 iters/s
step 4438, batch loss 2.168, 1.38 iters/s
step 4439, batch loss 2.028, 1.37 iters/s
step 4440, batch loss 2.26, 1.38 iters/s
step 4441, batch loss 2.245, 1.38 iters/s
step 4442, batch loss 2.079, 1.38 iters/s

step 4443, batch loss 2.02, 1.37 iters/s
step 4444, batch loss 2.192, 1.37 iters/s
step 4445, batch loss 2.086, 1.37 iters/s
step 4446, batch loss 2.112, 1.38 iters/s
step 4447, batch loss 2.177, 1.37 iters/s
step 4448, batch loss 2.076, 1.38 iters/s
step 4449, batch loss 2.058, 1.38 iters/s
step 4450, batch loss 2.114, 1.37 iters/s
step 4451, batch loss 1.969, 1.38 iters/s
step 4452, batch loss 2.018, 1.37 iters/s
step 4453, batch loss 2.174, 1.37 iters/s
step 4454, batch loss 2.323, 1.37 iters/s
step 4455, batch loss 2.124, 1.37 iters/s
step 4456, batch loss 2.236, 1.39 iters/s
step 4457, batch loss 1.875, 1.37 iters/s
step 4458, batch loss 2.398, 1.38 iters/s
step 4459, batch loss 2.197, 1.37 iters/s
step 4460, batch loss 2.133, 1.37 iters/s
step 4461, batch loss 1.826, 1.38 iters/s
step 4462, batch loss 1.909, 1.37 iters/s
step 4463, batch loss 1.928, 1.37 iters/s
step 4464, batch loss 2.191, 1.37 iters/s
step 4465, batch loss 2.253, 1.37 iters/s
step 4466, batch loss 2.094, 1.37 iters/s
step 4467, batch loss 2.296, 1.37 iters/s
step 4468, batch loss 1.991, 1.37 iters/s
step 4469, batch loss 2.02, 1.37 iters/s
step 4470, batch loss 2.354, 1.38 iters/s
step 4471, batch loss 2.162, 1.38 iters/s
step 4472, batch loss 2.262, 1.38 iters/s
step 4473, batch loss 2.152, 1.37 iters/s
step 4474, batch loss 1.993, 1.37 iters/s
step 4475, batch loss 1.89, 1.38 iters/s
step 4476, batch loss 1.786, 1.38 iters/s
step 4477, batch loss 2.265, 1.37 iters/s
step 4478, batch loss 2.153, 1.37 iters/s
step 4479, batch loss 1.87, 1.37 iters/s
step 4480, batch loss 2.307, 1.37 iters/s
step 4481, batch loss 2.156, 1.37 iters/s
step 4482, batch loss 2.259, 1.37 iters/s
step 4483, batch loss 2.519, 1.37 iters/s
step 4484, batch loss 2.5, 1.37 iters/s
step 4485, batch loss 2.002, 1.37 iters/s
step 4486, batch loss 2.532, 1.38 iters/s
step 4487, batch loss 2.027, 1.37 iters/s
step 4488, batch loss 2.124, 1.37 iters/s
step 4489, batch loss 2.128, 1.38 iters/s
step 4490, batch loss 2.125, 1.37 iters/s

step 4491, batch loss 2.043, 1.37 iters/s
step 4492, batch loss 2.383, 1.38 iters/s
step 4493, batch loss 1.953, 1.37 iters/s
step 4494, batch loss 2.155, 1.38 iters/s
step 4495, batch loss 1.814, 1.37 iters/s
step 4496, batch loss 2.186, 1.37 iters/s
step 4497, batch loss 2.111, 1.37 iters/s
step 4498, batch loss 2.019, 1.38 iters/s
step 4499, batch loss 2.269, 1.38 iters/s
step 4500, batch loss 2.097, 1.37 iters/s
step 4501, batch loss 2.022, 1.38 iters/s
step 4502, batch loss 2.299, 1.37 iters/s
step 4503, batch loss 1.899, 1.38 iters/s
step 4504, batch loss 2.218, 1.38 iters/s
step 4505, batch loss 2.007, 1.38 iters/s
step 4506, batch loss 2.159, 1.38 iters/s
step 4507, batch loss 2.164, 1.38 iters/s
step 4508, batch loss 1.992, 1.38 iters/s
step 4509, batch loss 2.141, 1.38 iters/s
step 4510, batch loss 2.29, 1.37 iters/s
step 4511, batch loss 1.97, 1.39 iters/s
step 4512, batch loss 2.002, 1.39 iters/s
step 4513, batch loss 1.848, 1.38 iters/s
step 4514, batch loss 1.953, 1.37 iters/s
step 4515, batch loss 2.201, 1.38 iters/s
step 4516, batch loss 2.119, 1.37 iters/s
step 4517, batch loss 1.882, 1.38 iters/s
step 4518, batch loss 2.31, 1.38 iters/s
step 4519, batch loss 2.05, 1.38 iters/s
step 4520, batch loss 2.858, 1.38 iters/s
step 4521, batch loss 2.352, 1.38 iters/s
step 4522, batch loss 2.212, 1.37 iters/s
step 4523, batch loss 2.239, 1.37 iters/s
step 4524, batch loss 2.189, 1.37 iters/s
step 4525, batch loss 2.085, 1.38 iters/s
step 4526, batch loss 2.3, 1.38 iters/s
step 4527, batch loss 2.112, 1.38 iters/s
step 4528, batch loss 2.21, 1.37 iters/s
step 4529, batch loss 2.103, 1.38 iters/s
step 4530, batch loss 2.116, 1.38 iters/s
step 4531, batch loss 2.024, 1.38 iters/s
step 4532, batch loss 2.096, 1.38 iters/s
step 4533, batch loss 2.046, 1.37 iters/s
step 4534, batch loss 2.121, 1.37 iters/s
step 4535, batch loss 2.022, 1.37 iters/s
step 4536, batch loss 2.03, 1.38 iters/s
step 4537, batch loss 2.49, 1.38 iters/s
step 4538, batch loss 2.018, 1.37 iters/s

step 4539, batch loss 2.236, 1.38 iters/s
step 4540, batch loss 2.069, 1.38 iters/s
step 4541, batch loss 1.974, 1.38 iters/s
step 4542, batch loss 1.927, 1.38 iters/s
step 4543, batch loss 2.466, 1.37 iters/s
step 4544, batch loss 2.325, 1.38 iters/s
step 4545, batch loss 1.808, 1.37 iters/s
step 4546, batch loss 2.021, 1.38 iters/s
step 4547, batch loss 2.148, 1.37 iters/s
step 4548, batch loss 2.184, 1.37 iters/s
step 4549, batch loss 2.1, 1.38 iters/s
step 4550, batch loss 2.17, 1.37 iters/s
step 4551, batch loss 2.139, 1.38 iters/s
step 4552, batch loss 2.039, 1.37 iters/s
step 4553, batch loss 1.965, 1.38 iters/s
step 4554, batch loss 1.924, 1.38 iters/s
step 4555, batch loss 2.136, 1.38 iters/s
step 4556, batch loss 2.165, 1.38 iters/s
step 4557, batch loss 2.047, 1.38 iters/s
step 4558, batch loss 2.395, 1.38 iters/s
step 4559, batch loss 2.241, 1.38 iters/s
step 4560, batch loss 2.2, 1.38 iters/s
step 4561, batch loss 1.932, 1.38 iters/s
step 4562, batch loss 2.057, 1.38 iters/s
step 4563, batch loss 1.979, 1.38 iters/s
step 4564, batch loss 1.881, 1.38 iters/s
step 4565, batch loss 1.689, 1.38 iters/s
step 4566, batch loss 2.049, 1.38 iters/s
step 4567, batch loss 2.007, 1.38 iters/s
step 4568, batch loss 2.026, 1.38 iters/s
step 4569, batch loss 1.84, 1.38 iters/s
step 4570, batch loss 2.062, 1.39 iters/s
step 4571, batch loss 2.146, 1.38 iters/s
step 4572, batch loss 2.294, 1.38 iters/s
step 4573, batch loss 2.441, 1.38 iters/s
step 4574, batch loss 1.85, 1.37 iters/s
step 4575, batch loss 2.136, 1.37 iters/s
step 4576, batch loss 2.075, 1.38 iters/s
step 4577, batch loss 2.295, 1.38 iters/s
step 4578, batch loss 2.071, 1.38 iters/s
step 4579, batch loss 2.199, 1.38 iters/s
step 4580, batch loss 2.169, 1.39 iters/s
step 4581, batch loss 2.077, 1.38 iters/s
step 4582, batch loss 2.046, 1.37 iters/s
step 4583, batch loss 2.322, 1.37 iters/s
step 4584, batch loss 2.047, 1.38 iters/s
step 4585, batch loss 2.296, 1.38 iters/s
step 4586, batch loss 2.122, 1.38 iters/s

step 4587, batch loss 2.202, 1.38 iters/s
step 4588, batch loss 2.026, 1.38 iters/s
step 4589, batch loss 2.029, 1.37 iters/s
step 4590, batch loss 2.072, 1.38 iters/s
step 4591, batch loss 1.977, 1.37 iters/s
step 4592, batch loss 2.149, 1.37 iters/s
step 4593, batch loss 2.138, 1.37 iters/s
step 4594, batch loss 1.996, 1.38 iters/s
step 4595, batch loss 2.187, 1.38 iters/s
step 4596, batch loss 2.022, 1.38 iters/s
step 4597, batch loss 2.155, 1.38 iters/s
step 4598, batch loss 2.233, 1.37 iters/s
step 4599, batch loss 2.037, 1.38 iters/s
step 4600, batch loss 2.18, 1.37 iters/s
step 4601, batch loss 2.025, 1.38 iters/s
step 4602, batch loss 2.476, 1.39 iters/s
step 4603, batch loss 2.913, 1.38 iters/s
step 4604, batch loss 2.197, 1.39 iters/s
step 4605, batch loss 2.267, 1.37 iters/s
step 4606, batch loss 2.204, 1.38 iters/s
step 4607, batch loss 1.981, 1.37 iters/s
step 4608, batch loss 2.292, 1.37 iters/s
step 4609, batch loss 2.144, 1.37 iters/s
step 4610, batch loss 2.164, 1.37 iters/s
step 4611, batch loss 2.324, 1.37 iters/s
step 4612, batch loss 1.945, 1.37 iters/s
step 4613, batch loss 2.16, 1.37 iters/s
step 4614, batch loss 2.028, 1.38 iters/s
step 4615, batch loss 2.194, 1.37 iters/s
step 4616, batch loss 2.412, 1.38 iters/s
step 4617, batch loss 2.136, 1.37 iters/s
step 4618, batch loss 2.026, 1.37 iters/s
step 4619, batch loss 1.98, 1.37 iters/s
step 4620, batch loss 2.179, 1.37 iters/s
step 4621, batch loss 2.041, 1.37 iters/s
step 4622, batch loss 2.277, 1.38 iters/s
step 4623, batch loss 1.975, 1.38 iters/s
step 4624, batch loss 2.104, 1.38 iters/s
step 4625, batch loss 2.136, 1.38 iters/s
step 4626, batch loss 1.947, 1.38 iters/s
step 4627, batch loss 2.227, 1.38 iters/s
step 4628, batch loss 2.493, 1.38 iters/s
step 4629, batch loss 1.845, 1.37 iters/s
step 4630, batch loss 2.247, 1.38 iters/s
step 4631, batch loss 2.184, 1.37 iters/s
step 4632, batch loss 2.047, 1.37 iters/s
step 4633, batch loss 2.03, 1.38 iters/s
step 4634, batch loss 2.256, 1.38 iters/s

step 4635, batch loss 2.059, 1.37 iters/s
step 4636, batch loss 2.129, 1.38 iters/s
step 4637, batch loss 2.169, 1.37 iters/s
step 4638, batch loss 2.12, 1.38 iters/s
step 4639, batch loss 2.052, 1.38 iters/s
step 4640, batch loss 2.471, 1.38 iters/s
step 4641, batch loss 2.147, 1.38 iters/s
step 4642, batch loss 2.261, 1.38 iters/s
step 4643, batch loss 1.955, 1.37 iters/s
step 4644, batch loss 1.864, 1.37 iters/s
step 4645, batch loss 2.012, 1.37 iters/s
step 4646, batch loss 2.345, 1.38 iters/s
step 4647, batch loss 2.013, 1.38 iters/s
step 4648, batch loss 1.985, 1.38 iters/s
step 4649, batch loss 2.017, 1.38 iters/s
step 4650, batch loss 2.024, 1.37 iters/s
step 4651, batch loss 2.206, 1.38 iters/s
step 4652, batch loss 2.077, 1.38 iters/s
step 4653, batch loss 2.051, 1.38 iters/s
step 4654, batch loss 2.152, 1.38 iters/s
step 4655, batch loss 1.938, 1.38 iters/s
step 4656, batch loss 2.265, 1.37 iters/s
step 4657, batch loss 2.048, 1.37 iters/s
step 4658, batch loss 2.182, 1.38 iters/s
step 4659, batch loss 1.891, 1.37 iters/s
step 4660, batch loss 2.158, 1.38 iters/s
step 4661, batch loss 1.825, 1.37 iters/s
step 4662, batch loss 2.358, 1.38 iters/s
step 4663, batch loss 2.285, 1.38 iters/s
step 4664, batch loss 2.033, 1.38 iters/s
step 4665, batch loss 2.117, 1.38 iters/s
step 4666, batch loss 1.978, 1.37 iters/s
step 4667, batch loss 1.881, 1.37 iters/s
step 4668, batch loss 2.008, 1.37 iters/s
step 4669, batch loss 2.133, 1.37 iters/s
step 4670, batch loss 2.164, 1.38 iters/s
step 4671, batch loss 2.126, 1.37 iters/s
step 4672, batch loss 2.05, 1.38 iters/s
step 4673, batch loss 2.161, 1.37 iters/s
step 4674, batch loss 2.173, 1.38 iters/s
step 4675, batch loss 1.971, 1.38 iters/s
step 4676, batch loss 2.145, 1.38 iters/s
step 4677, batch loss 2.269, 1.37 iters/s
step 4678, batch loss 1.934, 1.38 iters/s
step 4679, batch loss 2.12, 1.38 iters/s
step 4680, batch loss 2.21, 1.37 iters/s
step 4681, batch loss 1.975, 1.37 iters/s
step 4682, batch loss 2.828, 1.37 iters/s

step 4683, batch loss 2.027, 1.37 iters/s
step 4684, batch loss 2.351, 1.37 iters/s
step 4685, batch loss 2.143, 1.38 iters/s
step 4686, batch loss 1.972, 1.38 iters/s
step 4687, batch loss 2.098, 1.38 iters/s
step 4688, batch loss 2.097, 1.37 iters/s
step 4689, batch loss 2.13, 1.38 iters/s
step 4690, batch loss 2.019, 1.38 iters/s
step 4691, batch loss 2.048, 1.38 iters/s
step 4692, batch loss 2.063, 1.37 iters/s
step 4693, batch loss 2.203, 1.37 iters/s
step 4694, batch loss 2.365, 1.37 iters/s
step 4695, batch loss 2.083, 1.37 iters/s
step 4696, batch loss 1.951, 1.37 iters/s
step 4697, batch loss 1.931, 1.38 iters/s
step 4698, batch loss 2.069, 1.38 iters/s
step 4699, batch loss 1.992, 1.38 iters/s
step 4700, batch loss 2.007, 1.38 iters/s
step 4701, batch loss 2.102, 1.38 iters/s
step 4702, batch loss 2.287, 1.38 iters/s
step 4703, batch loss 2.545, 1.37 iters/s
step 4704, batch loss 2.352, 1.37 iters/s
step 4705, batch loss 1.992, 1.38 iters/s
step 4706, batch loss 2.004, 1.38 iters/s
step 4707, batch loss 2.037, 1.37 iters/s
step 4708, batch loss 2.207, 1.37 iters/s
step 4709, batch loss 2.212, 1.38 iters/s
step 4710, batch loss 1.93, 1.38 iters/s
step 4711, batch loss 1.74, 1.38 iters/s
step 4712, batch loss 2.146, 1.38 iters/s
step 4713, batch loss 1.987, 1.38 iters/s
step 4714, batch loss 2.126, 1.37 iters/s
step 4715, batch loss 1.846, 1.37 iters/s
step 4716, batch loss 2.019, 1.37 iters/s
step 4717, batch loss 2.272, 1.38 iters/s
step 4718, batch loss 2.074, 1.38 iters/s
step 4719, batch loss 2.142, 1.38 iters/s
step 4720, batch loss 2.116, 1.37 iters/s
step 4721, batch loss 2.225, 1.39 iters/s
step 4722, batch loss 2.255, 1.37 iters/s
step 4723, batch loss 2.431, 1.37 iters/s
step 4724, batch loss 2.036, 1.39 iters/s
step 4725, batch loss 2.225, 1.38 iters/s
step 4726, batch loss 2.172, 1.38 iters/s
step 4727, batch loss 2.038, 1.38 iters/s
step 4728, batch loss 1.978, 1.37 iters/s
step 4729, batch loss 2.32, 1.38 iters/s
step 4730, batch loss 2.114, 1.37 iters/s

step 4731, batch loss 1.894, 1.38 iters/s
step 4732, batch loss 2.144, 1.38 iters/s
step 4733, batch loss 2.178, 1.38 iters/s
step 4734, batch loss 2.447, 1.38 iters/s
step 4735, batch loss 1.855, 1.38 iters/s
step 4736, batch loss 2.161, 1.38 iters/s
step 4737, batch loss 1.962, 1.37 iters/s
step 4738, batch loss 2.051, 1.38 iters/s
step 4739, batch loss 2.215, 1.38 iters/s
step 4740, batch loss 2.105, 1.38 iters/s
step 4741, batch loss 2.044, 1.38 iters/s
step 4742, batch loss 2.01, 1.38 iters/s
step 4743, batch loss 1.969, 1.37 iters/s
step 4744, batch loss 2.104, 1.38 iters/s
step 4745, batch loss 2.139, 1.38 iters/s
step 4746, batch loss 1.683, 1.38 iters/s
step 4747, batch loss 1.908, 1.38 iters/s
step 4748, batch loss 1.929, 1.38 iters/s
step 4749, batch loss 2.145, 1.39 iters/s
step 4750, batch loss 1.968, 1.38 iters/s
step 4751, batch loss 2.096, 1.38 iters/s
step 4752, batch loss 2.266, 1.38 iters/s
step 4753, batch loss 2.13, 1.38 iters/s
step 4754, batch loss 1.954, 1.38 iters/s
step 4755, batch loss 2.306, 1.37 iters/s
step 4756, batch loss 2.09, 1.38 iters/s
step 4757, batch loss 2.406, 1.37 iters/s
step 4758, batch loss 2.253, 1.38 iters/s
step 4759, batch loss 2.206, 1.38 iters/s
step 4760, batch loss 1.941, 1.38 iters/s
step 4761, batch loss 1.958, 1.38 iters/s
step 4762, batch loss 2.075, 1.38 iters/s
step 4763, batch loss 2.075, 1.37 iters/s
step 4764, batch loss 2.101, 1.38 iters/s
step 4765, batch loss 2.114, 1.38 iters/s
step 4766, batch loss 2.001, 1.37 iters/s
step 4767, batch loss 1.985, 1.37 iters/s
step 4768, batch loss 2.012, 1.38 iters/s
step 4769, batch loss 1.856, 1.38 iters/s
step 4770, batch loss 2.214, 1.38 iters/s
step 4771, batch loss 2.282, 1.37 iters/s
step 4772, batch loss 2.09, 1.37 iters/s
step 4773, batch loss 1.935, 1.38 iters/s
step 4774, batch loss 1.899, 1.37 iters/s
step 4775, batch loss 2.088, 1.37 iters/s
step 4776, batch loss 2.111, 1.37 iters/s
step 4777, batch loss 2.092, 1.37 iters/s
step 4778, batch loss 1.661, 1.38 iters/s

step 4779, batch loss 2.1, 1.38 iters/s
step 4780, batch loss 1.863, 1.38 iters/s
step 4781, batch loss 2.066, 1.38 iters/s
step 4782, batch loss 2.269, 1.37 iters/s
step 4783, batch loss 1.934, 1.38 iters/s
step 4784, batch loss 1.832, 1.38 iters/s
step 4785, batch loss 1.96, 1.38 iters/s
step 4786, batch loss 2.014, 1.37 iters/s
step 4787, batch loss 2.112, 1.37 iters/s
step 4788, batch loss 2.182, 1.37 iters/s
step 4789, batch loss 1.82, 1.38 iters/s
step 4790, batch loss 2.237, 1.37 iters/s
step 4791, batch loss 2.22, 1.38 iters/s
step 4792, batch loss 2.118, 1.37 iters/s
step 4793, batch loss 2.167, 1.37 iters/s
step 4794, batch loss 2.136, 1.37 iters/s
step 4795, batch loss 2.19, 1.38 iters/s
step 4796, batch loss 2.099, 1.38 iters/s
step 4797, batch loss 2.253, 1.37 iters/s
step 4798, batch loss 2.322, 1.38 iters/s
step 4799, batch loss 2.12, 1.37 iters/s
step 4800, batch loss 2.199, 1.37 iters/s
step 4801, batch loss 1.901, 1.38 iters/s
step 4802, batch loss 2.125, 1.38 iters/s
step 4803, batch loss 1.995, 1.37 iters/s
step 4804, batch loss 2.32, 1.37 iters/s
step 4805, batch loss 2.084, 1.38 iters/s
step 4806, batch loss 2.0, 1.39 iters/s
step 4807, batch loss 2.361, 1.38 iters/s
step 4808, batch loss 2.046, 1.38 iters/s
step 4809, batch loss 2.116, 1.37 iters/s
step 4810, batch loss 2.1, 1.39 iters/s
step 4811, batch loss 2.272, 1.37 iters/s
step 4812, batch loss 2.225, 1.37 iters/s
step 4813, batch loss 2.098, 1.37 iters/s
step 4814, batch loss 2.276, 1.38 iters/s
step 4815, batch loss 2.148, 1.37 iters/s
step 4816, batch loss 1.955, 1.37 iters/s
step 4817, batch loss 2.131, 1.37 iters/s
step 4818, batch loss 1.943, 1.37 iters/s
step 4819, batch loss 2.221, 1.37 iters/s
step 4820, batch loss 2.2, 1.37 iters/s
step 4821, batch loss 1.969, 1.37 iters/s
step 4822, batch loss 1.901, 1.37 iters/s
step 4823, batch loss 1.915, 1.38 iters/s
step 4824, batch loss 1.909, 1.37 iters/s
step 4825, batch loss 2.384, 1.38 iters/s
step 4826, batch loss 2.123, 1.37 iters/s

step 4827, batch loss 2.191, 1.37 iters/s
step 4828, batch loss 2.321, 1.38 iters/s
step 4829, batch loss 2.282, 1.37 iters/s
step 4830, batch loss 2.152, 1.37 iters/s
step 4831, batch loss 2.123, 1.37 iters/s
step 4832, batch loss 2.033, 1.37 iters/s
step 4833, batch loss 2.012, 1.37 iters/s
step 4834, batch loss 1.986, 1.37 iters/s
step 4835, batch loss 2.195, 1.37 iters/s
step 4836, batch loss 2.266, 1.37 iters/s
step 4837, batch loss 1.825, 1.38 iters/s
step 4838, batch loss 2.06, 1.37 iters/s
step 4839, batch loss 2.16, 1.37 iters/s
step 4840, batch loss 2.011, 1.37 iters/s
step 4841, batch loss 2.167, 1.37 iters/s
step 4842, batch loss 2.271, 1.38 iters/s
step 4843, batch loss 2.094, 1.38 iters/s
step 4844, batch loss 2.31, 1.37 iters/s
step 4845, batch loss 2.244, 1.37 iters/s
step 4846, batch loss 1.943, 1.37 iters/s
step 4847, batch loss 1.974, 1.38 iters/s
step 4848, batch loss 1.964, 1.37 iters/s
step 4849, batch loss 2.138, 1.38 iters/s
step 4850, batch loss 2.077, 1.37 iters/s
step 4851, batch loss 2.103, 1.38 iters/s
step 4852, batch loss 2.028, 1.38 iters/s
step 4853, batch loss 2.139, 1.38 iters/s
step 4854, batch loss 2.031, 1.37 iters/s
step 4855, batch loss 2.105, 1.37 iters/s
step 4856, batch loss 2.081, 1.38 iters/s
step 4857, batch loss 2.051, 1.38 iters/s
step 4858, batch loss 2.202, 1.38 iters/s
step 4859, batch loss 2.029, 1.38 iters/s
step 4860, batch loss 2.126, 1.38 iters/s
step 4861, batch loss 2.074, 1.38 iters/s
step 4862, batch loss 2.386, 1.37 iters/s
step 4863, batch loss 1.876, 1.37 iters/s
step 4864, batch loss 1.972, 1.38 iters/s
step 4865, batch loss 2.02, 1.38 iters/s
step 4866, batch loss 2.054, 1.38 iters/s
step 4867, batch loss 1.904, 1.38 iters/s
step 4868, batch loss 2.184, 1.38 iters/s
step 4869, batch loss 1.827, 1.38 iters/s
step 4870, batch loss 1.929, 1.37 iters/s
step 4871, batch loss 1.768, 1.38 iters/s
step 4872, batch loss 2.186, 1.37 iters/s
step 4873, batch loss 1.997, 1.38 iters/s
step 4874, batch loss 2.274, 1.38 iters/s

step 4875, batch loss 1.984, 1.38 iters/s
step 4876, batch loss 2.002, 1.38 iters/s
step 4877, batch loss 2.196, 1.38 iters/s
step 4878, batch loss 2.011, 1.39 iters/s
step 4879, batch loss 2.036, 1.39 iters/s
step 4880, batch loss 2.164, 1.38 iters/s
step 4881, batch loss 2.247, 1.38 iters/s
step 4882, batch loss 2.237, 1.38 iters/s
step 4883, batch loss 2.01, 1.38 iters/s
step 4884, batch loss 2.097, 1.38 iters/s
step 4885, batch loss 2.26, 1.38 iters/s
step 4886, batch loss 1.914, 1.37 iters/s
step 4887, batch loss 2.203, 1.39 iters/s
step 4888, batch loss 2.209, 1.38 iters/s
step 4889, batch loss 2.192, 1.38 iters/s
step 4890, batch loss 1.949, 1.38 iters/s
step 4891, batch loss 1.999, 1.38 iters/s
step 4892, batch loss 2.088, 1.38 iters/s
step 4893, batch loss 2.26, 1.38 iters/s
step 4894, batch loss 1.913, 1.38 iters/s
step 4895, batch loss 2.018, 1.37 iters/s
step 4896, batch loss 2.136, 1.38 iters/s
step 4897, batch loss 1.864, 1.38 iters/s
step 4898, batch loss 2.097, 1.38 iters/s
step 4899, batch loss 2.177, 1.38 iters/s
step 4900, batch loss 2.081, 1.38 iters/s
step 4901, batch loss 1.979, 1.37 iters/s
step 4902, batch loss 2.031, 1.38 iters/s
step 4903, batch loss 1.859, 1.38 iters/s
step 4904, batch loss 2.113, 1.38 iters/s
step 4905, batch loss 2.132, 1.38 iters/s
step 4906, batch loss 1.918, 1.38 iters/s
step 4907, batch loss 2.075, 1.37 iters/s
step 4908, batch loss 1.942, 1.38 iters/s
step 4909, batch loss 2.198, 1.37 iters/s
step 4910, batch loss 2.156, 1.38 iters/s
step 4911, batch loss 2.04, 1.38 iters/s
step 4912, batch loss 1.985, 1.38 iters/s
step 4913, batch loss 2.047, 1.4 iters/s
step 4914, batch loss 2.287, 1.38 iters/s
step 4915, batch loss 2.267, 1.38 iters/s
step 4916, batch loss 2.11, 1.38 iters/s
step 4917, batch loss 2.166, 1.38 iters/s
step 4918, batch loss 2.157, 1.38 iters/s
step 4919, batch loss 2.147, 1.38 iters/s
step 4920, batch loss 2.279, 1.38 iters/s
step 4921, batch loss 2.256, 1.38 iters/s
step 4922, batch loss 2.061, 1.38 iters/s

step 4923, batch loss 2.14, 1.38 iters/s
step 4924, batch loss 2.168, 1.38 iters/s
step 4925, batch loss 1.925, 1.38 iters/s
step 4926, batch loss 2.08, 1.38 iters/s
step 4927, batch loss 2.097, 1.37 iters/s
step 4928, batch loss 2.232, 1.37 iters/s
step 4929, batch loss 2.414, 1.38 iters/s
step 4930, batch loss 2.187, 1.38 iters/s
step 4931, batch loss 2.208, 1.38 iters/s
step 4932, batch loss 2.081, 1.38 iters/s
step 4933, batch loss 2.199, 1.38 iters/s
step 4934, batch loss 1.82, 1.38 iters/s
step 4935, batch loss 2.36, 1.38 iters/s
step 4936, batch loss 2.16, 1.38 iters/s
step 4937, batch loss 2.076, 1.37 iters/s
step 4938, batch loss 2.268, 1.37 iters/s
step 4939, batch loss 2.124, 1.38 iters/s
step 4940, batch loss 1.669, 1.38 iters/s
step 4941, batch loss 2.2, 1.38 iters/s
step 4942, batch loss 2.046, 1.38 iters/s
step 4943, batch loss 2.072, 1.38 iters/s
step 4944, batch loss 2.062, 1.38 iters/s
step 4945, batch loss 2.046, 1.37 iters/s
step 4946, batch loss 1.98, 1.38 iters/s
step 4947, batch loss 2.026, 1.38 iters/s
step 4948, batch loss 1.86, 1.38 iters/s
step 4949, batch loss 2.222, 1.38 iters/s
step 4950, batch loss 2.107, 1.37 iters/s
step 4951, batch loss 2.061, 1.37 iters/s
step 4952, batch loss 1.958, 1.38 iters/s
step 4953, batch loss 2.227, 1.37 iters/s
step 4954, batch loss 1.92, 1.38 iters/s
step 4955, batch loss 2.028, 1.39 iters/s
step 4956, batch loss 1.809, 1.38 iters/s
step 4957, batch loss 1.947, 1.39 iters/s
step 4958, batch loss 2.11, 1.38 iters/s
step 4959, batch loss 2.107, 1.38 iters/s
step 4960, batch loss 1.999, 1.38 iters/s
step 4961, batch loss 1.987, 1.38 iters/s
step 4962, batch loss 2.381, 1.37 iters/s
step 4963, batch loss 2.092, 1.38 iters/s
step 4964, batch loss 1.944, 1.38 iters/s
step 4965, batch loss 2.188, 1.38 iters/s
step 4966, batch loss 2.331, 1.38 iters/s
step 4967, batch loss 2.2, 1.37 iters/s
step 4968, batch loss 2.108, 1.38 iters/s
step 4969, batch loss 1.926, 1.38 iters/s
step 4970, batch loss 2.199, 1.38 iters/s

step 4971, batch loss 2.279, 1.38 iters/s
step 4972, batch loss 2.302, 1.38 iters/s
step 4973, batch loss 2.031, 1.38 iters/s
step 4974, batch loss 1.98, 1.38 iters/s
step 4975, batch loss 2.044, 1.39 iters/s
step 4976, batch loss 2.112, 1.38 iters/s
step 4977, batch loss 2.369, 1.38 iters/s
step 4978, batch loss 1.887, 1.38 iters/s
step 4979, batch loss 2.03, 1.37 iters/s
step 4980, batch loss 2.114, 1.38 iters/s
step 4981, batch loss 2.109, 1.38 iters/s
step 4982, batch loss 2.205, 1.38 iters/s
step 4983, batch loss 2.115, 1.38 iters/s
step 4984, batch loss 2.167, 1.38 iters/s
step 4985, batch loss 1.884, 1.37 iters/s
step 4986, batch loss 2.037, 1.38 iters/s
step 4987, batch loss 1.847, 1.38 iters/s
step 4988, batch loss 2.038, 1.37 iters/s
step 4989, batch loss 2.116, 1.39 iters/s
step 4990, batch loss 2.209, 1.38 iters/s
step 4991, batch loss 2.386, 1.37 iters/s
step 4992, batch loss 2.053, 1.38 iters/s
step 4993, batch loss 2.02, 1.37 iters/s
step 4994, batch loss 2.115, 1.38 iters/s
step 4995, batch loss 2.484, 1.38 iters/s
step 4996, batch loss 2.276, 1.38 iters/s
step 4997, batch loss 2.129, 1.38 iters/s
step 4998, batch loss 2.185, 1.38 iters/s
step 4999, batch loss 1.936, 1.38 iters/s
step 5000, batch loss 1.832, 1.37 iters/s
step 5001, batch loss 2.152, 1.38 iters/s
step 5002, batch loss 2.124, 1.38 iters/s
step 5003, batch loss 2.19, 1.38 iters/s
step 5004, batch loss 2.405, 1.37 iters/s
step 5005, batch loss 1.983, 1.38 iters/s
step 5006, batch loss 2.144, 1.38 iters/s
step 5007, batch loss 2.091, 1.38 iters/s
step 5008, batch loss 2.239, 1.38 iters/s
step 5009, batch loss 2.26, 1.37 iters/s
step 5010, batch loss 2.012, 1.38 iters/s
step 5011, batch loss 2.136, 1.37 iters/s
step 5012, batch loss 2.227, 1.38 iters/s
step 5013, batch loss 2.507, 1.38 iters/s
step 5014, batch loss 1.991, 1.38 iters/s
step 5015, batch loss 2.181, 1.38 iters/s
step 5016, batch loss 2.334, 1.39 iters/s
step 5017, batch loss 2.144, 1.37 iters/s
step 5018, batch loss 1.543, 1.38 iters/s

step 5019, batch loss 2.044, 1.38 iters/s
step 5020, batch loss 2.099, 1.39 iters/s
step 5021, batch loss 2.073, 1.38 iters/s
step 5022, batch loss 2.187, 1.37 iters/s
step 5023, batch loss 2.165, 1.38 iters/s
step 5024, batch loss 2.155, 1.37 iters/s
step 5025, batch loss 1.939, 1.38 iters/s
step 5026, batch loss 1.934, 1.38 iters/s
step 5027, batch loss 2.073, 1.38 iters/s
step 5028, batch loss 1.936, 1.38 iters/s
step 5029, batch loss 2.192, 1.38 iters/s
step 5030, batch loss 2.145, 1.38 iters/s
step 5031, batch loss 2.372, 1.39 iters/s
step 5032, batch loss 2.091, 1.38 iters/s
step 5033, batch loss 2.178, 1.38 iters/s
step 5034, batch loss 2.087, 1.38 iters/s
step 5035, batch loss 2.113, 1.38 iters/s
step 5036, batch loss 2.302, 1.37 iters/s
step 5037, batch loss 2.169, 1.37 iters/s
step 5038, batch loss 2.138, 1.38 iters/s
step 5039, batch loss 2.233, 1.38 iters/s
step 5040, batch loss 2.265, 1.38 iters/s
step 5041, batch loss 2.355, 1.37 iters/s
step 5042, batch loss 2.194, 1.38 iters/s
step 5043, batch loss 2.268, 1.38 iters/s
step 5044, batch loss 2.134, 1.38 iters/s
step 5045, batch loss 2.201, 1.38 iters/s
step 5046, batch loss 2.006, 1.38 iters/s
step 5047, batch loss 2.094, 1.38 iters/s
step 5048, batch loss 2.232, 1.38 iters/s
step 5049, batch loss 2.22, 1.38 iters/s
step 5050, batch loss 2.12, 1.38 iters/s
step 5051, batch loss 2.438, 1.38 iters/s
step 5052, batch loss 1.971, 1.38 iters/s
step 5053, batch loss 1.978, 1.38 iters/s
step 5054, batch loss 1.952, 1.39 iters/s
step 5055, batch loss 2.61, 1.38 iters/s
step 5056, batch loss 2.157, 1.38 iters/s
step 5057, batch loss 2.154, 1.38 iters/s
step 5058, batch loss 1.989, 1.38 iters/s
step 5059, batch loss 1.783, 1.39 iters/s
step 5060, batch loss 2.111, 1.38 iters/s
step 5061, batch loss 2.171, 1.38 iters/s
step 5062, batch loss 2.137, 1.38 iters/s
step 5063, batch loss 2.263, 1.38 iters/s
step 5064, batch loss 1.984, 1.38 iters/s
step 5065, batch loss 2.212, 1.38 iters/s
step 5066, batch loss 2.413, 1.38 iters/s

step 5067, batch loss 2.202, 1.38 iters/s
step 5068, batch loss 2.502, 1.38 iters/s
step 5069, batch loss 2.069, 1.38 iters/s
step 5070, batch loss 2.502, 1.38 iters/s
step 5071, batch loss 2.191, 1.38 iters/s
step 5072, batch loss 2.141, 1.38 iters/s
step 5073, batch loss 2.281, 1.38 iters/s
step 5074, batch loss 2.103, 1.38 iters/s
step 5075, batch loss 1.938, 1.39 iters/s
step 5076, batch loss 2.04, 1.38 iters/s
step 5077, batch loss 1.871, 1.38 iters/s
step 5078, batch loss 2.223, 1.38 iters/s
step 5079, batch loss 2.699, 1.39 iters/s
step 5080, batch loss 1.964, 1.38 iters/s
step 5081, batch loss 2.194, 1.38 iters/s
step 5082, batch loss 2.584, 1.38 iters/s
step 5083, batch loss 2.251, 1.38 iters/s
step 5084, batch loss 2.537, 1.37 iters/s
step 5085, batch loss 1.986, 1.38 iters/s
step 5086, batch loss 2.097, 1.38 iters/s
step 5087, batch loss 2.009, 1.38 iters/s
step 5088, batch loss 2.184, 1.38 iters/s
step 5089, batch loss 2.102, 1.38 iters/s
step 5090, batch loss 2.219, 1.38 iters/s
step 5091, batch loss 2.104, 1.38 iters/s
step 5092, batch loss 1.943, 1.38 iters/s
step 5093, batch loss 2.053, 1.37 iters/s
step 5094, batch loss 1.999, 1.38 iters/s
step 5095, batch loss 2.279, 1.38 iters/s
step 5096, batch loss 2.314, 1.38 iters/s
step 5097, batch loss 1.868, 1.39 iters/s
step 5098, batch loss 2.205, 1.39 iters/s
step 5099, batch loss 2.293, 1.38 iters/s
step 5100, batch loss 2.183, 1.38 iters/s
step 5101, batch loss 2.119, 1.38 iters/s
step 5102, batch loss 2.203, 1.38 iters/s
step 5103, batch loss 2.063, 1.38 iters/s
step 5104, batch loss 2.126, 1.37 iters/s
step 5105, batch loss 2.105, 1.38 iters/s
step 5106, batch loss 2.177, 1.38 iters/s
step 5107, batch loss 2.046, 1.38 iters/s
step 5108, batch loss 1.967, 1.37 iters/s
step 5109, batch loss 2.111, 1.38 iters/s
step 5110, batch loss 2.243, 1.38 iters/s
step 5111, batch loss 1.891, 1.38 iters/s
step 5112, batch loss 2.089, 1.38 iters/s
step 5113, batch loss 2.206, 1.38 iters/s
step 5114, batch loss 2.178, 1.38 iters/s

step 5115, batch loss 2.506, 1.37 iters/s
step 5116, batch loss 2.354, 1.38 iters/s
step 5117, batch loss 2.3, 1.38 iters/s
step 5118, batch loss 1.877, 1.38 iters/s
step 5119, batch loss 1.946, 1.38 iters/s
step 5120, batch loss 2.137, 1.38 iters/s
step 5121, batch loss 1.949, 1.38 iters/s
step 5122, batch loss 2.303, 1.38 iters/s
step 5123, batch loss 2.02, 1.38 iters/s
step 5124, batch loss 2.26, 1.4 iters/s
step 5125, batch loss 2.131, 1.38 iters/s
step 5126, batch loss 1.976, 1.38 iters/s
step 5127, batch loss 2.194, 1.38 iters/s
step 5128, batch loss 2.106, 1.38 iters/s
step 5129, batch loss 1.73, 1.38 iters/s
step 5130, batch loss 2.201, 1.38 iters/s
step 5131, batch loss 1.879, 1.38 iters/s
step 5132, batch loss 1.955, 1.39 iters/s
step 5133, batch loss 2.447, 1.38 iters/s
step 5134, batch loss 1.926, 1.38 iters/s
step 5135, batch loss 1.939, 1.38 iters/s
step 5136, batch loss 1.907, 1.38 iters/s
step 5137, batch loss 1.952, 1.39 iters/s
step 5138, batch loss 2.041, 1.38 iters/s
step 5139, batch loss 2.07, 1.38 iters/s
step 5140, batch loss 2.245, 1.38 iters/s
step 5141, batch loss 1.913, 1.38 iters/s
step 5142, batch loss 1.956, 1.38 iters/s
step 5143, batch loss 1.987, 1.38 iters/s
step 5144, batch loss 2.365, 1.38 iters/s
step 5145, batch loss 2.358, 1.38 iters/s
step 5146, batch loss 1.936, 1.38 iters/s
step 5147, batch loss 2.249, 1.38 iters/s
step 5148, batch loss 2.005, 1.38 iters/s
step 5149, batch loss 2.119, 1.38 iters/s
step 5150, batch loss 2.004, 1.38 iters/s
step 5151, batch loss 1.867, 1.37 iters/s
step 5152, batch loss 2.076, 1.39 iters/s
step 5153, batch loss 2.091, 1.39 iters/s
step 5154, batch loss 2.318, 1.38 iters/s
step 5155, batch loss 2.017, 1.38 iters/s
step 5156, batch loss 2.136, 1.39 iters/s
step 5157, batch loss 1.946, 1.38 iters/s
step 5158, batch loss 2.241, 1.38 iters/s
step 5159, batch loss 2.228, 1.37 iters/s
step 5160, batch loss 2.158, 1.38 iters/s
step 5161, batch loss 2.017, 1.38 iters/s
step 5162, batch loss 2.383, 1.39 iters/s

step 5163, batch loss 1.983, 1.38 iters/s
step 5164, batch loss 2.091, 1.37 iters/s
step 5165, batch loss 2.307, 1.37 iters/s
step 5166, batch loss 2.172, 1.37 iters/s
step 5167, batch loss 2.344, 1.38 iters/s
step 5168, batch loss 1.991, 1.38 iters/s
step 5169, batch loss 2.177, 1.38 iters/s
step 5170, batch loss 1.966, 1.38 iters/s
step 5171, batch loss 2.104, 1.38 iters/s
step 5172, batch loss 2.134, 1.38 iters/s
step 5173, batch loss 2.124, 1.38 iters/s
step 5174, batch loss 1.942, 1.38 iters/s
step 5175, batch loss 2.003, 1.38 iters/s
step 5176, batch loss 2.047, 1.38 iters/s
step 5177, batch loss 2.02, 1.38 iters/s
step 5178, batch loss 1.946, 1.38 iters/s
step 5179, batch loss 2.138, 1.38 iters/s
step 5180, batch loss 1.882, 1.38 iters/s
step 5181, batch loss 1.992, 1.37 iters/s
step 5182, batch loss 1.992, 1.38 iters/s
step 5183, batch loss 2.111, 1.38 iters/s
step 5184, batch loss 2.042, 1.38 iters/s
step 5185, batch loss 2.07, 1.38 iters/s
step 5186, batch loss 1.81, 1.38 iters/s
step 5187, batch loss 2.374, 1.38 iters/s
step 5188, batch loss 1.876, 1.38 iters/s
step 5189, batch loss 2.042, 1.38 iters/s
step 5190, batch loss 2.146, 1.38 iters/s
step 5191, batch loss 2.008, 1.38 iters/s
step 5192, batch loss 2.108, 1.38 iters/s
step 5193, batch loss 1.969, 1.38 iters/s
step 5194, batch loss 2.352, 1.37 iters/s
step 5195, batch loss 2.237, 1.37 iters/s
step 5196, batch loss 2.017, 1.38 iters/s
step 5197, batch loss 2.19, 1.38 iters/s
step 5198, batch loss 2.047, 1.38 iters/s
step 5199, batch loss 2.134, 1.38 iters/s
step 5200, batch loss 1.886, 1.37 iters/s
step 5201, batch loss 2.015, 1.39 iters/s
step 5202, batch loss 2.351, 1.37 iters/s
step 5203, batch loss 2.005, 1.38 iters/s
step 5204, batch loss 2.261, 1.38 iters/s
step 5205, batch loss 1.968, 1.38 iters/s
step 5206, batch loss 2.035, 1.37 iters/s
step 5207, batch loss 2.311, 1.38 iters/s
step 5208, batch loss 2.237, 1.38 iters/s
step 5209, batch loss 1.957, 1.37 iters/s
step 5210, batch loss 1.99, 1.38 iters/s

step 5211, batch loss 1.935, 1.38 iters/s
step 5212, batch loss 2.044, 1.38 iters/s
step 5213, batch loss 2.288, 1.38 iters/s
step 5214, batch loss 2.268, 1.38 iters/s
step 5215, batch loss 2.084, 1.39 iters/s
step 5216, batch loss 1.98, 1.38 iters/s
step 5217, batch loss 1.888, 1.38 iters/s
step 5218, batch loss 1.936, 1.37 iters/s
step 5219, batch loss 2.129, 1.38 iters/s
step 5220, batch loss 2.011, 1.38 iters/s
step 5221, batch loss 2.089, 1.38 iters/s
step 5222, batch loss 2.114, 1.38 iters/s
step 5223, batch loss 1.945, 1.38 iters/s
step 5224, batch loss 2.095, 1.38 iters/s
step 5225, batch loss 2.048, 1.37 iters/s
step 5226, batch loss 2.335, 1.38 iters/s
step 5227, batch loss 2.123, 1.38 iters/s
step 5228, batch loss 2.317, 1.38 iters/s
step 5229, batch loss 1.817, 1.37 iters/s
step 5230, batch loss 2.03, 1.38 iters/s
step 5231, batch loss 2.216, 1.38 iters/s
step 5232, batch loss 2.294, 1.37 iters/s
step 5233, batch loss 1.851, 1.38 iters/s
step 5234, batch loss 2.105, 1.39 iters/s
step 5235, batch loss 2.03, 1.38 iters/s
step 5236, batch loss 1.999, 1.37 iters/s
step 5237, batch loss 2.019, 1.38 iters/s
step 5238, batch loss 2.051, 1.37 iters/s
step 5239, batch loss 2.083, 1.38 iters/s
step 5240, batch loss 1.995, 1.38 iters/s
step 5241, batch loss 1.993, 1.38 iters/s
step 5242, batch loss 2.03, 1.37 iters/s
step 5243, batch loss 2.249, 1.38 iters/s
step 5244, batch loss 2.301, 1.37 iters/s
step 5245, batch loss 1.901, 1.38 iters/s
step 5246, batch loss 2.21, 1.39 iters/s
step 5247, batch loss 2.172, 1.38 iters/s
step 5248, batch loss 2.272, 1.38 iters/s
step 5249, batch loss 2.131, 1.38 iters/s
step 5250, batch loss 1.936, 1.37 iters/s
step 5251, batch loss 2.105, 1.38 iters/s
step 5252, batch loss 2.087, 1.38 iters/s
step 5253, batch loss 2.21, 1.38 iters/s
step 5254, batch loss 2.285, 1.38 iters/s
step 5255, batch loss 1.903, 1.37 iters/s
step 5256, batch loss 2.01, 1.37 iters/s
step 5257, batch loss 2.293, 1.38 iters/s
step 5258, batch loss 2.323, 1.38 iters/s

step 5259, batch loss 2.173, 1.38 iters/s
step 5260, batch loss 2.296, 1.38 iters/s
step 5261, batch loss 2.286, 1.38 iters/s
step 5262, batch loss 2.024, 1.38 iters/s
step 5263, batch loss 2.455, 1.37 iters/s
step 5264, batch loss 2.326, 1.38 iters/s
step 5265, batch loss 2.051, 1.38 iters/s
step 5266, batch loss 1.947, 1.38 iters/s
step 5267, batch loss 2.312, 1.38 iters/s
step 5268, batch loss 1.926, 1.38 iters/s
step 5269, batch loss 1.703, 1.38 iters/s
step 5270, batch loss 2.096, 1.38 iters/s
step 5271, batch loss 1.971, 1.38 iters/s
step 5272, batch loss 2.388, 1.38 iters/s
step 5273, batch loss 2.0, 1.38 iters/s
step 5274, batch loss 2.261, 1.38 iters/s
step 5275, batch loss 2.048, 1.38 iters/s
step 5276, batch loss 2.034, 1.38 iters/s
step 5277, batch loss 2.166, 1.38 iters/s
step 5278, batch loss 2.065, 1.38 iters/s
step 5279, batch loss 1.959, 1.38 iters/s
step 5280, batch loss 2.341, 1.37 iters/s
step 5281, batch loss 2.104, 1.37 iters/s
step 5282, batch loss 2.414, 1.38 iters/s
step 5283, batch loss 2.119, 1.38 iters/s
step 5284, batch loss 2.087, 1.38 iters/s
step 5285, batch loss 2.272, 1.38 iters/s
step 5286, batch loss 2.198, 1.38 iters/s
step 5287, batch loss 2.241, 1.38 iters/s
step 5288, batch loss 2.418, 1.37 iters/s
step 5289, batch loss 1.767, 1.38 iters/s
step 5290, batch loss 2.103, 1.38 iters/s
step 5291, batch loss 2.152, 1.38 iters/s
step 5292, batch loss 2.117, 1.38 iters/s
step 5293, batch loss 2.147, 1.37 iters/s
step 5294, batch loss 2.066, 1.38 iters/s
step 5295, batch loss 2.274, 1.38 iters/s
step 5296, batch loss 2.222, 1.38 iters/s
step 5297, batch loss 1.863, 1.38 iters/s
step 5298, batch loss 2.446, 1.38 iters/s
step 5299, batch loss 2.464, 1.37 iters/s
step 5300, batch loss 2.446, 1.37 iters/s
step 5301, batch loss 2.092, 1.37 iters/s
step 5302, batch loss 2.481, 1.38 iters/s
step 5303, batch loss 2.099, 1.38 iters/s
step 5304, batch loss 2.132, 1.37 iters/s
step 5305, batch loss 2.214, 1.37 iters/s
step 5306, batch loss 2.043, 1.38 iters/s

step 5307, batch loss 2.131, 1.38 iters/s
step 5308, batch loss 1.847, 1.38 iters/s
step 5309, batch loss 1.949, 1.38 iters/s
step 5310, batch loss 2.145, 1.38 iters/s
step 5311, batch loss 2.106, 1.38 iters/s
step 5312, batch loss 2.279, 1.39 iters/s
step 5313, batch loss 1.97, 1.39 iters/s
step 5314, batch loss 2.154, 1.39 iters/s
step 5315, batch loss 1.923, 1.37 iters/s
step 5316, batch loss 1.943, 1.38 iters/s
step 5317, batch loss 2.105, 1.37 iters/s
step 5318, batch loss 2.115, 1.38 iters/s
step 5319, batch loss 1.944, 1.38 iters/s
step 5320, batch loss 2.471, 1.37 iters/s
step 5321, batch loss 2.12, 1.37 iters/s
step 5322, batch loss 2.139, 1.38 iters/s
step 5323, batch loss 2.189, 1.38 iters/s
step 5324, batch loss 2.058, 1.38 iters/s
step 5325, batch loss 2.215, 1.38 iters/s
step 5326, batch loss 2.132, 1.37 iters/s
step 5327, batch loss 1.996, 1.38 iters/s
step 5328, batch loss 2.066, 1.37 iters/s
step 5329, batch loss 2.2, 1.38 iters/s
step 5330, batch loss 2.201, 1.37 iters/s
step 5331, batch loss 1.821, 1.38 iters/s
step 5332, batch loss 2.135, 1.38 iters/s
step 5333, batch loss 1.937, 1.38 iters/s
step 5334, batch loss 1.982, 1.38 iters/s
step 5335, batch loss 1.966, 1.37 iters/s
step 5336, batch loss 2.431, 1.37 iters/s
step 5337, batch loss 2.192, 1.37 iters/s
step 5338, batch loss 1.93, 1.38 iters/s
step 5339, batch loss 2.048, 1.38 iters/s
step 5340, batch loss 2.07, 1.37 iters/s
step 5341, batch loss 2.101, 1.38 iters/s
step 5342, batch loss 2.162, 1.38 iters/s
step 5343, batch loss 2.074, 1.38 iters/s
step 5344, batch loss 1.857, 1.38 iters/s
step 5345, batch loss 2.075, 1.38 iters/s
step 5346, batch loss 1.963, 1.37 iters/s
step 5347, batch loss 1.977, 1.38 iters/s
step 5348, batch loss 2.209, 1.38 iters/s
step 5349, batch loss 2.084, 1.37 iters/s
step 5350, batch loss 2.209, 1.38 iters/s
step 5351, batch loss 2.146, 1.37 iters/s
step 5352, batch loss 2.22, 1.38 iters/s
step 5353, batch loss 2.015, 1.38 iters/s
step 5354, batch loss 2.336, 1.37 iters/s

step 5355, batch loss 2.417, 1.38 iters/s
step 5356, batch loss 1.961, 1.37 iters/s
step 5357, batch loss 2.136, 1.38 iters/s
step 5358, batch loss 1.963, 1.38 iters/s
step 5359, batch loss 2.037, 1.38 iters/s
step 5360, batch loss 2.031, 1.38 iters/s
step 5361, batch loss 2.176, 1.37 iters/s
step 5362, batch loss 2.034, 1.38 iters/s
step 5363, batch loss 2.144, 1.38 iters/s
step 5364, batch loss 2.16, 1.38 iters/s
step 5365, batch loss 2.069, 1.38 iters/s
step 5366, batch loss 1.81, 1.38 iters/s
step 5367, batch loss 1.995, 1.38 iters/s
step 5368, batch loss 1.978, 1.38 iters/s
step 5369, batch loss 2.284, 1.37 iters/s
step 5370, batch loss 1.766, 1.38 iters/s
step 5371, batch loss 2.003, 1.38 iters/s
step 5372, batch loss 1.762, 1.38 iters/s
step 5373, batch loss 2.299, 1.38 iters/s
step 5374, batch loss 2.038, 1.37 iters/s
step 5375, batch loss 2.099, 1.38 iters/s
step 5376, batch loss 2.213, 1.38 iters/s
step 5377, batch loss 1.994, 1.39 iters/s
step 5378, batch loss 2.008, 1.38 iters/s
step 5379, batch loss 1.878, 1.37 iters/s
step 5380, batch loss 2.009, 1.38 iters/s
step 5381, batch loss 2.319, 1.37 iters/s
step 5382, batch loss 1.991, 1.38 iters/s
step 5383, batch loss 2.311, 1.38 iters/s
step 5384, batch loss 2.268, 1.37 iters/s
step 5385, batch loss 1.913, 1.37 iters/s
step 5386, batch loss 2.005, 1.37 iters/s
step 5387, batch loss 2.117, 1.38 iters/s
step 5388, batch loss 2.177, 1.39 iters/s
step 5389, batch loss 2.214, 1.38 iters/s
step 5390, batch loss 2.02, 1.37 iters/s
step 5391, batch loss 2.138, 1.37 iters/s
step 5392, batch loss 2.035, 1.37 iters/s
step 5393, batch loss 1.849, 1.38 iters/s
step 5394, batch loss 1.79, 1.37 iters/s
step 5395, batch loss 2.001, 1.38 iters/s
step 5396, batch loss 2.17, 1.37 iters/s
step 5397, batch loss 2.052, 1.38 iters/s
step 5398, batch loss 1.93, 1.38 iters/s
step 5399, batch loss 2.14, 1.39 iters/s
step 5400, batch loss 2.415, 1.38 iters/s
step 5401, batch loss 1.968, 1.37 iters/s
step 5402, batch loss 2.329, 1.38 iters/s

step 5403, batch loss 2.137, 1.38 iters/s
step 5404, batch loss 2.235, 1.37 iters/s
step 5405, batch loss 2.142, 1.38 iters/s
step 5406, batch loss 2.1, 1.39 iters/s
step 5407, batch loss 2.018, 1.38 iters/s
step 5408, batch loss 2.024, 1.38 iters/s
step 5409, batch loss 2.16, 1.38 iters/s
step 5410, batch loss 2.67, 1.38 iters/s
step 5411, batch loss 2.361, 1.38 iters/s
step 5412, batch loss 2.003, 1.38 iters/s
step 5413, batch loss 2.097, 1.37 iters/s
step 5414, batch loss 1.988, 1.38 iters/s
step 5415, batch loss 2.166, 1.38 iters/s
step 5416, batch loss 2.042, 1.37 iters/s
step 5417, batch loss 2.142, 1.38 iters/s
step 5418, batch loss 2.207, 1.38 iters/s
step 5419, batch loss 2.311, 1.37 iters/s
step 5420, batch loss 2.119, 1.37 iters/s
step 5421, batch loss 1.987, 1.37 iters/s
step 5422, batch loss 2.12, 1.38 iters/s
step 5423, batch loss 2.341, 1.38 iters/s
step 5424, batch loss 2.002, 1.38 iters/s
step 5425, batch loss 2.258, 1.38 iters/s
step 5426, batch loss 1.949, 1.38 iters/s
step 5427, batch loss 1.919, 1.38 iters/s
step 5428, batch loss 1.916, 1.4 iters/s
step 5429, batch loss 1.875, 1.38 iters/s
step 5430, batch loss 2.05, 1.38 iters/s
step 5431, batch loss 2.059, 1.38 iters/s
step 5432, batch loss 2.051, 1.37 iters/s
step 5433, batch loss 2.001, 1.38 iters/s
step 5434, batch loss 2.237, 1.37 iters/s
step 5435, batch loss 2.22, 1.38 iters/s
step 5436, batch loss 2.073, 1.38 iters/s
step 5437, batch loss 2.033, 1.38 iters/s
step 5438, batch loss 2.324, 1.37 iters/s
step 5439, batch loss 2.01, 1.38 iters/s
step 5440, batch loss 1.994, 1.37 iters/s
step 5441, batch loss 2.34, 1.38 iters/s
step 5442, batch loss 2.096, 1.38 iters/s
step 5443, batch loss 1.834, 1.38 iters/s
step 5444, batch loss 2.042, 1.37 iters/s
step 5445, batch loss 2.196, 1.37 iters/s
step 5446, batch loss 2.461, 1.37 iters/s
step 5447, batch loss 1.647, 1.37 iters/s
step 5448, batch loss 2.15, 1.38 iters/s
step 5449, batch loss 2.023, 1.37 iters/s
step 5450, batch loss 2.17, 1.38 iters/s

step 5451, batch loss 2.486, 1.37 iters/s
step 5452, batch loss 2.09, 1.37 iters/s
step 5453, batch loss 2.07, 1.38 iters/s
step 5454, batch loss 1.987, 1.38 iters/s
step 5455, batch loss 2.096, 1.38 iters/s
step 5456, batch loss 1.987, 1.37 iters/s
step 5457, batch loss 2.164, 1.38 iters/s
step 5458, batch loss 2.221, 1.37 iters/s
step 5459, batch loss 1.86, 1.38 iters/s
step 5460, batch loss 2.204, 1.37 iters/s
step 5461, batch loss 2.107, 1.38 iters/s
step 5462, batch loss 2.19, 1.37 iters/s
step 5463, batch loss 2.111, 1.38 iters/s
step 5464, batch loss 2.03, 1.38 iters/s
step 5465, batch loss 2.127, 1.38 iters/s
step 5466, batch loss 2.123, 1.38 iters/s
step 5467, batch loss 2.232, 1.38 iters/s
step 5468, batch loss 2.058, 1.38 iters/s
step 5469, batch loss 1.764, 1.38 iters/s
step 5470, batch loss 2.088, 1.38 iters/s
step 5471, batch loss 2.543, 1.38 iters/s
step 5472, batch loss 2.497, 1.37 iters/s
step 5473, batch loss 2.27, 1.38 iters/s
step 5474, batch loss 1.886, 1.38 iters/s
step 5475, batch loss 2.141, 1.38 iters/s
step 5476, batch loss 2.192, 1.38 iters/s
step 5477, batch loss 2.128, 1.38 iters/s
step 5478, batch loss 2.227, 1.37 iters/s
step 5479, batch loss 2.565, 1.37 iters/s
step 5480, batch loss 2.142, 1.38 iters/s
step 5481, batch loss 2.162, 1.38 iters/s
step 5482, batch loss 1.978, 1.38 iters/s
step 5483, batch loss 2.288, 1.38 iters/s
step 5484, batch loss 1.95, 1.38 iters/s
step 5485, batch loss 2.219, 1.37 iters/s
step 5486, batch loss 2.269, 1.37 iters/s
step 5487, batch loss 2.266, 1.38 iters/s
step 5488, batch loss 2.149, 1.37 iters/s
step 5489, batch loss 2.0, 1.38 iters/s
step 5490, batch loss 2.262, 1.38 iters/s
step 5491, batch loss 2.3, 1.38 iters/s
step 5492, batch loss 2.015, 1.38 iters/s
step 5493, batch loss 2.145, 1.38 iters/s
step 5494, batch loss 2.074, 1.38 iters/s
step 5495, batch loss 2.26, 1.38 iters/s
step 5496, batch loss 2.188, 1.38 iters/s
step 5497, batch loss 2.247, 1.37 iters/s
step 5498, batch loss 2.217, 1.37 iters/s

step 5499, batch loss 2.002, 1.38 iters/s
step 5500, batch loss 2.032, 1.37 iters/s
step 5501, batch loss 2.01, 1.38 iters/s
step 5502, batch loss 2.032, 1.38 iters/s
step 5503, batch loss 1.895, 1.38 iters/s
step 5504, batch loss 2.181, 1.38 iters/s
step 5505, batch loss 2.283, 1.37 iters/s
step 5506, batch loss 2.143, 1.38 iters/s
step 5507, batch loss 2.059, 1.38 iters/s
step 5508, batch loss 2.074, 1.37 iters/s
step 5509, batch loss 2.024, 1.38 iters/s
step 5510, batch loss 2.101, 1.38 iters/s
step 5511, batch loss 2.289, 1.37 iters/s
step 5512, batch loss 1.992, 1.38 iters/s
step 5513, batch loss 2.108, 1.39 iters/s
step 5514, batch loss 2.304, 1.38 iters/s
step 5515, batch loss 2.485, 1.38 iters/s
step 5516, batch loss 2.276, 1.38 iters/s
step 5517, batch loss 2.205, 1.38 iters/s
step 5518, batch loss 2.068, 1.37 iters/s
step 5519, batch loss 1.877, 1.38 iters/s
step 5520, batch loss 2.23, 1.38 iters/s
step 5521, batch loss 2.039, 1.38 iters/s
step 5522, batch loss 2.04, 1.38 iters/s
step 5523, batch loss 1.8, 1.38 iters/s
step 5524, batch loss 2.346, 1.38 iters/s
step 5525, batch loss 2.163, 1.37 iters/s
step 5526, batch loss 1.641, 1.37 iters/s
step 5527, batch loss 2.168, 1.39 iters/s
step 5528, batch loss 2.205, 1.38 iters/s
step 5529, batch loss 2.267, 1.37 iters/s
step 5530, batch loss 1.991, 1.38 iters/s
step 5531, batch loss 2.179, 1.38 iters/s
step 5532, batch loss 2.01, 1.37 iters/s
step 5533, batch loss 2.033, 1.38 iters/s
step 5534, batch loss 2.268, 1.37 iters/s
step 5535, batch loss 2.564, 1.38 iters/s
step 5536, batch loss 2.757, 1.37 iters/s
step 5537, batch loss 2.076, 1.38 iters/s
step 5538, batch loss 2.058, 1.38 iters/s
step 5539, batch loss 2.11, 1.38 iters/s
step 5540, batch loss 1.974, 1.38 iters/s
step 5541, batch loss 2.281, 1.38 iters/s
step 5542, batch loss 2.008, 1.38 iters/s
step 5543, batch loss 2.222, 1.38 iters/s
step 5544, batch loss 2.194, 1.38 iters/s
step 5545, batch loss 2.004, 1.38 iters/s
step 5546, batch loss 2.31, 1.39 iters/s

step 5547, batch loss 2.013, 1.37 iters/s
step 5548, batch loss 2.145, 1.38 iters/s
step 5549, batch loss 2.23, 1.38 iters/s
step 5550, batch loss 2.049, 1.38 iters/s
step 5551, batch loss 2.087, 1.38 iters/s
step 5552, batch loss 2.074, 1.38 iters/s
step 5553, batch loss 1.965, 1.38 iters/s
step 5554, batch loss 2.05, 1.37 iters/s
step 5555, batch loss 2.128, 1.38 iters/s
step 5556, batch loss 2.223, 1.38 iters/s
step 5557, batch loss 2.306, 1.37 iters/s
step 5558, batch loss 1.999, 1.38 iters/s
step 5559, batch loss 2.205, 1.37 iters/s
step 5560, batch loss 2.192, 1.37 iters/s
step 5561, batch loss 2.036, 1.38 iters/s
step 5562, batch loss 1.864, 1.38 iters/s
step 5563, batch loss 2.148, 1.38 iters/s
step 5564, batch loss 2.156, 1.37 iters/s
step 5565, batch loss 2.226, 1.38 iters/s
step 5566, batch loss 2.218, 1.38 iters/s
step 5567, batch loss 2.331, 1.38 iters/s
step 5568, batch loss 2.021, 1.38 iters/s
step 5569, batch loss 2.038, 1.37 iters/s
step 5570, batch loss 2.195, 1.38 iters/s
step 5571, batch loss 2.056, 1.38 iters/s
step 5572, batch loss 1.829, 1.38 iters/s
step 5573, batch loss 2.416, 1.37 iters/s
step 5574, batch loss 1.953, 1.37 iters/s
step 5575, batch loss 2.134, 1.38 iters/s
step 5576, batch loss 2.177, 1.38 iters/s
step 5577, batch loss 2.09, 1.38 iters/s
step 5578, batch loss 2.398, 1.37 iters/s
step 5579, batch loss 2.046, 1.39 iters/s
step 5580, batch loss 2.016, 1.37 iters/s
step 5581, batch loss 1.959, 1.38 iters/s
step 5582, batch loss 2.273, 1.38 iters/s
step 5583, batch loss 2.057, 1.38 iters/s
step 5584, batch loss 2.082, 1.38 iters/s
step 5585, batch loss 2.086, 1.38 iters/s
step 5586, batch loss 2.494, 1.37 iters/s
step 5587, batch loss 2.158, 1.37 iters/s
step 5588, batch loss 2.003, 1.38 iters/s
step 5589, batch loss 2.043, 1.38 iters/s
step 5590, batch loss 2.437, 1.38 iters/s
step 5591, batch loss 1.842, 1.37 iters/s
step 5592, batch loss 2.178, 1.38 iters/s
step 5593, batch loss 1.981, 1.38 iters/s
step 5594, batch loss 1.855, 1.38 iters/s

step 5595, batch loss 2.09, 1.37 iters/s
step 5596, batch loss 2.211, 1.37 iters/s
step 5597, batch loss 1.969, 1.37 iters/s
step 5598, batch loss 1.868, 1.37 iters/s
step 5599, batch loss 2.276, 1.38 iters/s
step 5600, batch loss 2.124, 1.37 iters/s
step 5601, batch loss 2.07, 1.37 iters/s
step 5602, batch loss 2.216, 1.38 iters/s
step 5603, batch loss 2.169, 1.38 iters/s
step 5604, batch loss 2.191, 1.38 iters/s
step 5605, batch loss 1.976, 1.38 iters/s
step 5606, batch loss 2.022, 1.38 iters/s
step 5607, batch loss 2.062, 1.37 iters/s
step 5608, batch loss 2.108, 1.38 iters/s
step 5609, batch loss 1.985, 1.38 iters/s
step 5610, batch loss 2.303, 1.37 iters/s
step 5611, batch loss 1.911, 1.38 iters/s
step 5612, batch loss 2.075, 1.38 iters/s
step 5613, batch loss 2.473, 1.38 iters/s
step 5614, batch loss 2.156, 1.38 iters/s
step 5615, batch loss 2.12, 1.38 iters/s
step 5616, batch loss 1.978, 1.39 iters/s
step 5617, batch loss 2.373, 1.38 iters/s
step 5618, batch loss 1.911, 1.38 iters/s
step 5619, batch loss 2.192, 1.38 iters/s
step 5620, batch loss 2.175, 1.38 iters/s
step 5621, batch loss 2.199, 1.37 iters/s
step 5622, batch loss 2.325, 1.38 iters/s
step 5623, batch loss 2.125, 1.38 iters/s
step 5624, batch loss 2.112, 1.38 iters/s
step 5625, batch loss 2.048, 1.38 iters/s
step 5626, batch loss 1.955, 1.38 iters/s
step 5627, batch loss 2.103, 1.39 iters/s
step 5628, batch loss 2.217, 1.37 iters/s
step 5629, batch loss 2.106, 1.37 iters/s
step 5630, batch loss 2.044, 1.37 iters/s
step 5631, batch loss 2.227, 1.37 iters/s
step 5632, batch loss 2.07, 1.37 iters/s
step 5633, batch loss 2.454, 1.37 iters/s
step 5634, batch loss 1.909, 1.38 iters/s
step 5635, batch loss 2.252, 1.38 iters/s
step 5636, batch loss 2.166, 1.38 iters/s
step 5637, batch loss 2.447, 1.38 iters/s
step 5638, batch loss 2.394, 1.37 iters/s
step 5639, batch loss 2.333, 1.38 iters/s
step 5640, batch loss 1.965, 1.38 iters/s
step 5641, batch loss 2.119, 1.38 iters/s
step 5642, batch loss 1.958, 1.38 iters/s

step 5643, batch loss 2.075, 1.37 iters/s
step 5644, batch loss 2.306, 1.38 iters/s
step 5645, batch loss 2.198, 1.37 iters/s
step 5646, batch loss 2.118, 1.39 iters/s
step 5647, batch loss 2.279, 1.38 iters/s
step 5648, batch loss 2.13, 1.38 iters/s
step 5649, batch loss 2.065, 1.4 iters/s
step 5650, batch loss 2.183, 1.39 iters/s
step 5651, batch loss 2.163, 1.37 iters/s
step 5652, batch loss 2.579, 1.37 iters/s
step 5653, batch loss 2.013, 1.38 iters/s
step 5654, batch loss 2.157, 1.38 iters/s
step 5655, batch loss 2.332, 1.38 iters/s
step 5656, batch loss 1.984, 1.38 iters/s
step 5657, batch loss 2.26, 1.38 iters/s
step 5658, batch loss 2.341, 1.37 iters/s
step 5659, batch loss 2.162, 1.38 iters/s
step 5660, batch loss 1.966, 1.38 iters/s
step 5661, batch loss 2.192, 1.38 iters/s
step 5662, batch loss 2.122, 1.38 iters/s
step 5663, batch loss 2.302, 1.38 iters/s
step 5664, batch loss 1.905, 1.37 iters/s
step 5665, batch loss 2.226, 1.38 iters/s
step 5666, batch loss 2.163, 1.38 iters/s
step 5667, batch loss 1.97, 1.38 iters/s
step 5668, batch loss 2.155, 1.38 iters/s
step 5669, batch loss 2.119, 1.38 iters/s
step 5670, batch loss 2.076, 1.37 iters/s
step 5671, batch loss 2.236, 1.37 iters/s
step 5672, batch loss 2.282, 1.37 iters/s
step 5673, batch loss 2.05, 1.37 iters/s
step 5674, batch loss 2.013, 1.38 iters/s
step 5675, batch loss 2.476, 1.38 iters/s
step 5676, batch loss 1.988, 1.38 iters/s
step 5677, batch loss 1.93, 1.38 iters/s
step 5678, batch loss 2.127, 1.38 iters/s
step 5679, batch loss 2.158, 1.38 iters/s
step 5680, batch loss 2.072, 1.38 iters/s
step 5681, batch loss 2.203, 1.38 iters/s
step 5682, batch loss 1.953, 1.39 iters/s
step 5683, batch loss 2.172, 1.38 iters/s
step 5684, batch loss 2.167, 1.38 iters/s
step 5685, batch loss 2.16, 1.37 iters/s
step 5686, batch loss 2.177, 1.38 iters/s
step 5687, batch loss 2.18, 1.37 iters/s
step 5688, batch loss 2.155, 1.38 iters/s
step 5689, batch loss 2.096, 1.39 iters/s
step 5690, batch loss 2.325, 1.38 iters/s

step 5691, batch loss 2.11, 1.37 iters/s
step 5692, batch loss 2.006, 1.38 iters/s
step 5693, batch loss 2.392, 1.39 iters/s
step 5694, batch loss 2.142, 1.38 iters/s
step 5695, batch loss 2.171, 1.38 iters/s
step 5696, batch loss 2.017, 1.37 iters/s
step 5697, batch loss 1.91, 1.37 iters/s
step 5698, batch loss 2.2, 1.38 iters/s
step 5699, batch loss 1.854, 1.39 iters/s
step 5700, batch loss 2.076, 1.38 iters/s
step 5701, batch loss 2.255, 1.37 iters/s
step 5702, batch loss 1.8, 1.37 iters/s
step 5703, batch loss 2.336, 1.37 iters/s
step 5704, batch loss 2.071, 1.37 iters/s
step 5705, batch loss 2.167, 1.39 iters/s
step 5706, batch loss 2.09, 1.38 iters/s
step 5707, batch loss 2.09, 1.38 iters/s
step 5708, batch loss 1.96, 1.38 iters/s
step 5709, batch loss 2.113, 1.37 iters/s
step 5710, batch loss 2.339, 1.37 iters/s
step 5711, batch loss 2.067, 1.38 iters/s
step 5712, batch loss 2.045, 1.38 iters/s
step 5713, batch loss 1.94, 1.38 iters/s
step 5714, batch loss 2.126, 1.38 iters/s
step 5715, batch loss 2.082, 1.37 iters/s
step 5716, batch loss 1.963, 1.37 iters/s
step 5717, batch loss 2.188, 1.38 iters/s
step 5718, batch loss 2.049, 1.38 iters/s
step 5719, batch loss 1.948, 1.38 iters/s
step 5720, batch loss 2.022, 1.38 iters/s
step 5721, batch loss 2.083, 1.38 iters/s
step 5722, batch loss 2.132, 1.37 iters/s
step 5723, batch loss 1.776, 1.38 iters/s
step 5724, batch loss 2.065, 1.39 iters/s
step 5725, batch loss 2.147, 1.38 iters/s
step 5726, batch loss 2.142, 1.37 iters/s
step 5727, batch loss 2.266, 1.38 iters/s
step 5728, batch loss 1.978, 1.38 iters/s
step 5729, batch loss 1.989, 1.38 iters/s
step 5730, batch loss 2.175, 1.4 iters/s
step 5731, batch loss 2.071, 1.37 iters/s
step 5732, batch loss 2.382, 1.38 iters/s
step 5733, batch loss 2.392, 1.38 iters/s
step 5734, batch loss 1.955, 1.37 iters/s
step 5735, batch loss 2.012, 1.38 iters/s
step 5736, batch loss 2.128, 1.38 iters/s
step 5737, batch loss 2.175, 1.37 iters/s
step 5738, batch loss 2.351, 1.37 iters/s

step 5739, batch loss 2.149, 1.38 iters/s
step 5740, batch loss 2.003, 1.38 iters/s
step 5741, batch loss 1.735, 1.37 iters/s
step 5742, batch loss 2.182, 1.37 iters/s
step 5743, batch loss 2.035, 1.38 iters/s
step 5744, batch loss 2.113, 1.37 iters/s
step 5745, batch loss 2.14, 1.38 iters/s
step 5746, batch loss 1.917, 1.38 iters/s
step 5747, batch loss 2.18, 1.38 iters/s
step 5748, batch loss 1.895, 1.38 iters/s
step 5749, batch loss 2.697, 1.38 iters/s
step 5750, batch loss 2.165, 1.38 iters/s
step 5751, batch loss 2.22, 1.37 iters/s
step 5752, batch loss 2.247, 1.37 iters/s
step 5753, batch loss 2.304, 1.38 iters/s
step 5754, batch loss 2.043, 1.38 iters/s
step 5755, batch loss 2.095, 1.38 iters/s
step 5756, batch loss 2.058, 1.39 iters/s
step 5757, batch loss 1.999, 1.37 iters/s
step 5758, batch loss 2.194, 1.38 iters/s
step 5759, batch loss 1.828, 1.37 iters/s
step 5760, batch loss 2.126, 1.39 iters/s
step 5761, batch loss 2.115, 1.38 iters/s
step 5762, batch loss 2.174, 1.37 iters/s
step 5763, batch loss 2.059, 1.38 iters/s
step 5764, batch loss 2.161, 1.38 iters/s
step 5765, batch loss 2.192, 1.38 iters/s
step 5766, batch loss 2.19, 1.38 iters/s
step 5767, batch loss 2.072, 1.38 iters/s
step 5768, batch loss 2.097, 1.37 iters/s
step 5769, batch loss 2.019, 1.37 iters/s
step 5770, batch loss 2.141, 1.38 iters/s
step 5771, batch loss 2.212, 1.37 iters/s
step 5772, batch loss 2.036, 1.38 iters/s
step 5773, batch loss 2.429, 1.39 iters/s
step 5774, batch loss 2.181, 1.38 iters/s
step 5775, batch loss 2.016, 1.38 iters/s
step 5776, batch loss 1.96, 1.38 iters/s
step 5777, batch loss 2.046, 1.38 iters/s
step 5778, batch loss 2.328, 1.38 iters/s
step 5779, batch loss 2.182, 1.38 iters/s
step 5780, batch loss 2.432, 1.38 iters/s
step 5781, batch loss 2.126, 1.37 iters/s
step 5782, batch loss 2.095, 1.38 iters/s
step 5783, batch loss 2.035, 1.38 iters/s
step 5784, batch loss 2.131, 1.37 iters/s
step 5785, batch loss 2.161, 1.37 iters/s
step 5786, batch loss 2.054, 1.37 iters/s

step 5787, batch loss 1.842, 1.37 iters/s
step 5788, batch loss 2.215, 1.37 iters/s
step 5789, batch loss 2.132, 1.38 iters/s
step 5790, batch loss 2.161, 1.38 iters/s
step 5791, batch loss 2.036, 1.38 iters/s
step 5792, batch loss 2.033, 1.38 iters/s
step 5793, batch loss 2.125, 1.38 iters/s
step 5794, batch loss 2.064, 1.38 iters/s
step 5795, batch loss 2.287, 1.38 iters/s
step 5796, batch loss 2.106, 1.39 iters/s
step 5797, batch loss 2.077, 1.37 iters/s
step 5798, batch loss 2.054, 1.38 iters/s
step 5799, batch loss 2.177, 1.38 iters/s
step 5800, batch loss 2.019, 1.38 iters/s
step 5801, batch loss 2.088, 1.38 iters/s
step 5802, batch loss 2.234, 1.37 iters/s
step 5803, batch loss 1.921, 1.39 iters/s
step 5804, batch loss 2.661, 1.37 iters/s
step 5805, batch loss 1.922, 1.37 iters/s
step 5806, batch loss 2.227, 1.38 iters/s
step 5807, batch loss 1.995, 1.38 iters/s
step 5808, batch loss 2.083, 1.38 iters/s
step 5809, batch loss 2.079, 1.38 iters/s
step 5810, batch loss 2.037, 1.38 iters/s
step 5811, batch loss 2.109, 1.38 iters/s
step 5812, batch loss 1.974, 1.38 iters/s
step 5813, batch loss 2.139, 1.37 iters/s
step 5814, batch loss 2.181, 1.38 iters/s
step 5815, batch loss 1.936, 1.38 iters/s
step 5816, batch loss 1.871, 1.38 iters/s
step 5817, batch loss 2.131, 1.38 iters/s
step 5818, batch loss 2.09, 1.38 iters/s
step 5819, batch loss 2.341, 1.38 iters/s
step 5820, batch loss 2.234, 1.37 iters/s
step 5821, batch loss 2.13, 1.38 iters/s
step 5822, batch loss 2.143, 1.38 iters/s
step 5823, batch loss 2.342, 1.39 iters/s
step 5824, batch loss 2.155, 1.38 iters/s
step 5825, batch loss 2.319, 1.37 iters/s
step 5826, batch loss 2.187, 1.38 iters/s
step 5827, batch loss 2.118, 1.37 iters/s
step 5828, batch loss 2.091, 1.38 iters/s
step 5829, batch loss 2.141, 1.38 iters/s
step 5830, batch loss 2.225, 1.37 iters/s
step 5831, batch loss 1.768, 1.37 iters/s
step 5832, batch loss 2.124, 1.37 iters/s
step 5833, batch loss 2.08, 1.38 iters/s
step 5834, batch loss 1.894, 1.37 iters/s

step 5835, batch loss 1.957, 1.38 iters/s
step 5836, batch loss 2.277, 1.38 iters/s
step 5837, batch loss 2.378, 1.38 iters/s
step 5838, batch loss 1.713, 1.37 iters/s
step 5839, batch loss 2.196, 1.38 iters/s
step 5840, batch loss 2.003, 1.37 iters/s
step 5841, batch loss 2.359, 1.38 iters/s
step 5842, batch loss 2.248, 1.39 iters/s
step 5843, batch loss 2.161, 1.37 iters/s
step 5844, batch loss 2.087, 1.37 iters/s
step 5845, batch loss 1.973, 1.38 iters/s
step 5846, batch loss 2.299, 1.38 iters/s
step 5847, batch loss 2.062, 1.38 iters/s
step 5848, batch loss 2.199, 1.38 iters/s
step 5849, batch loss 2.27, 1.38 iters/s
step 5850, batch loss 2.286, 1.38 iters/s
step 5851, batch loss 2.121, 1.38 iters/s
step 5852, batch loss 1.986, 1.38 iters/s
step 5853, batch loss 1.984, 1.38 iters/s
step 5854, batch loss 2.008, 1.38 iters/s
step 5855, batch loss 1.943, 1.38 iters/s
step 5856, batch loss 2.017, 1.38 iters/s
step 5857, batch loss 2.143, 1.37 iters/s
step 5858, batch loss 2.175, 1.37 iters/s
step 5859, batch loss 2.054, 1.38 iters/s
step 5860, batch loss 2.144, 1.38 iters/s
step 5861, batch loss 1.878, 1.38 iters/s
step 5862, batch loss 2.338, 1.38 iters/s
step 5863, batch loss 2.648, 1.38 iters/s
step 5864, batch loss 2.068, 1.38 iters/s
step 5865, batch loss 2.196, 1.38 iters/s
step 5866, batch loss 1.831, 1.38 iters/s
step 5867, batch loss 2.018, 1.38 iters/s
step 5868, batch loss 2.143, 1.38 iters/s
step 5869, batch loss 2.056, 1.38 iters/s
step 5870, batch loss 2.551, 1.37 iters/s
step 5871, batch loss 2.121, 1.38 iters/s
step 5872, batch loss 2.11, 1.38 iters/s
step 5873, batch loss 2.02, 1.37 iters/s
step 5874, batch loss 2.274, 1.38 iters/s
step 5875, batch loss 2.201, 1.38 iters/s
step 5876, batch loss 2.208, 1.38 iters/s
step 5877, batch loss 2.271, 1.38 iters/s
step 5878, batch loss 2.082, 1.38 iters/s
step 5879, batch loss 2.153, 1.38 iters/s
step 5880, batch loss 2.303, 1.37 iters/s
step 5881, batch loss 2.171, 1.38 iters/s
step 5882, batch loss 2.165, 1.37 iters/s

step 5883, batch loss 1.954, 1.38 iters/s
step 5884, batch loss 2.019, 1.38 iters/s
step 5885, batch loss 2.697, 1.38 iters/s
step 5886, batch loss 2.051, 1.38 iters/s
step 5887, batch loss 1.907, 1.37 iters/s
step 5888, batch loss 2.094, 1.38 iters/s
step 5889, batch loss 2.598, 1.37 iters/s
step 5890, batch loss 2.092, 1.37 iters/s
step 5891, batch loss 2.123, 1.37 iters/s
step 5892, batch loss 2.032, 1.37 iters/s
step 5893, batch loss 1.985, 1.38 iters/s
step 5894, batch loss 1.996, 1.37 iters/s
step 5895, batch loss 1.925, 1.38 iters/s
step 5896, batch loss 2.094, 1.38 iters/s
step 5897, batch loss 2.014, 1.37 iters/s
step 5898, batch loss 2.107, 1.38 iters/s
step 5899, batch loss 2.069, 1.38 iters/s
step 5900, batch loss 2.095, 1.38 iters/s
step 5901, batch loss 2.249, 1.38 iters/s
step 5902, batch loss 2.315, 1.38 iters/s
step 5903, batch loss 1.979, 1.37 iters/s
step 5904, batch loss 2.051, 1.37 iters/s
step 5905, batch loss 1.914, 1.37 iters/s
step 5906, batch loss 2.276, 1.37 iters/s
step 5907, batch loss 2.197, 1.38 iters/s
step 5908, batch loss 2.007, 1.38 iters/s
step 5909, batch loss 1.974, 1.37 iters/s
step 5910, batch loss 2.119, 1.37 iters/s
step 5911, batch loss 1.953, 1.38 iters/s
step 5912, batch loss 2.302, 1.38 iters/s
step 5913, batch loss 2.076, 1.38 iters/s
step 5914, batch loss 2.317, 1.38 iters/s
step 5915, batch loss 2.058, 1.38 iters/s
step 5916, batch loss 2.117, 1.37 iters/s
step 5917, batch loss 1.909, 1.38 iters/s
step 5918, batch loss 2.203, 1.37 iters/s
step 5919, batch loss 2.212, 1.38 iters/s
step 5920, batch loss 1.952, 1.38 iters/s
step 5921, batch loss 2.117, 1.38 iters/s
step 5922, batch loss 2.333, 1.38 iters/s
step 5923, batch loss 2.203, 1.38 iters/s
step 5924, batch loss 2.113, 1.37 iters/s
step 5925, batch loss 2.48, 1.37 iters/s
step 5926, batch loss 1.972, 1.38 iters/s
step 5927, batch loss 2.216, 1.38 iters/s
step 5928, batch loss 2.108, 1.38 iters/s
step 5929, batch loss 1.9, 1.38 iters/s
step 5930, batch loss 2.425, 1.38 iters/s

step 5931, batch loss 1.954, 1.38 iters/s
step 5932, batch loss 2.158, 1.38 iters/s
step 5933, batch loss 2.088, 1.39 iters/s
step 5934, batch loss 2.112, 1.38 iters/s
step 5935, batch loss 2.029, 1.37 iters/s
step 5936, batch loss 2.152, 1.38 iters/s
step 5937, batch loss 2.134, 1.38 iters/s
step 5938, batch loss 2.201, 1.38 iters/s
step 5939, batch loss 2.072, 1.37 iters/s
step 5940, batch loss 2.283, 1.37 iters/s
step 5941, batch loss 1.968, 1.37 iters/s
step 5942, batch loss 2.123, 1.38 iters/s
step 5943, batch loss 1.998, 1.38 iters/s
step 5944, batch loss 1.922, 1.38 iters/s
step 5945, batch loss 2.06, 1.37 iters/s
step 5946, batch loss 2.296, 1.38 iters/s
step 5947, batch loss 2.194, 1.38 iters/s
step 5948, batch loss 2.193, 1.38 iters/s
step 5949, batch loss 2.189, 1.38 iters/s
step 5950, batch loss 2.082, 1.38 iters/s
step 5951, batch loss 2.083, 1.37 iters/s
step 5952, batch loss 2.229, 1.38 iters/s
step 5953, batch loss 1.966, 1.38 iters/s
step 5954, batch loss 2.152, 1.38 iters/s
step 5955, batch loss 2.33, 1.37 iters/s
step 5956, batch loss 2.111, 1.37 iters/s
step 5957, batch loss 2.242, 1.38 iters/s
step 5958, batch loss 2.246, 1.37 iters/s
step 5959, batch loss 2.002, 1.38 iters/s
step 5960, batch loss 2.079, 1.38 iters/s
step 5961, batch loss 2.001, 1.38 iters/s
step 5962, batch loss 2.135, 1.37 iters/s
step 5963, batch loss 2.231, 1.37 iters/s
step 5964, batch loss 2.189, 1.37 iters/s
step 5965, batch loss 2.13, 1.38 iters/s
step 5966, batch loss 2.354, 1.38 iters/s
step 5967, batch loss 2.018, 1.38 iters/s
step 5968, batch loss 2.078, 1.38 iters/s
step 5969, batch loss 1.786, 1.38 iters/s
step 5970, batch loss 2.218, 1.38 iters/s
step 5971, batch loss 2.177, 1.38 iters/s
step 5972, batch loss 1.92, 1.38 iters/s
step 5973, batch loss 2.332, 1.38 iters/s
step 5974, batch loss 1.945, 1.38 iters/s
step 5975, batch loss 2.062, 1.38 iters/s
step 5976, batch loss 2.428, 1.37 iters/s
step 5977, batch loss 2.58, 1.38 iters/s
step 5978, batch loss 2.116, 1.38 iters/s

step 5979, batch loss 2.017, 1.38 iters/s
step 5980, batch loss 1.952, 1.38 iters/s
step 5981, batch loss 1.899, 1.37 iters/s
step 5982, batch loss 1.858, 1.38 iters/s
step 5983, batch loss 1.959, 1.37 iters/s
step 5984, batch loss 2.204, 1.37 iters/s
step 5985, batch loss 2.227, 1.38 iters/s
step 5986, batch loss 2.168, 1.38 iters/s
step 5987, batch loss 1.75, 1.38 iters/s
step 5988, batch loss 2.113, 1.38 iters/s
step 5989, batch loss 2.054, 1.38 iters/s
step 5990, batch loss 1.96, 1.38 iters/s
step 5991, batch loss 2.027, 1.37 iters/s
step 5992, batch loss 2.34, 1.38 iters/s
step 5993, batch loss 2.083, 1.38 iters/s
step 5994, batch loss 2.1, 1.38 iters/s
step 5995, batch loss 2.131, 1.37 iters/s
step 5996, batch loss 2.089, 1.38 iters/s
step 5997, batch loss 1.998, 1.38 iters/s
step 5998, batch loss 2.336, 1.38 iters/s
step 5999, batch loss 2.044, 1.38 iters/s
step 6000, batch loss 1.988, 1.38 iters/s
step 6001, batch loss 1.985, 1.39 iters/s
step 6002, batch loss 2.136, 1.38 iters/s
step 6003, batch loss 2.11, 1.38 iters/s
step 6004, batch loss 2.048, 1.37 iters/s
step 6005, batch loss 2.098, 1.37 iters/s
step 6006, batch loss 2.113, 1.37 iters/s
step 6007, batch loss 1.924, 1.38 iters/s
step 6008, batch loss 1.971, 1.38 iters/s
step 6009, batch loss 2.086, 1.37 iters/s
step 6010, batch loss 2.012, 1.38 iters/s
step 6011, batch loss 2.097, 1.38 iters/s
step 6012, batch loss 2.099, 1.38 iters/s
step 6013, batch loss 2.162, 1.37 iters/s
step 6014, batch loss 2.131, 1.38 iters/s
step 6015, batch loss 2.14, 1.38 iters/s
step 6016, batch loss 1.935, 1.38 iters/s
step 6017, batch loss 2.204, 1.37 iters/s
step 6018, batch loss 1.858, 1.37 iters/s
step 6019, batch loss 1.847, 1.38 iters/s
step 6020, batch loss 2.208, 1.38 iters/s
step 6021, batch loss 2.081, 1.37 iters/s
step 6022, batch loss 2.111, 1.38 iters/s
step 6023, batch loss 2.325, 1.38 iters/s
step 6024, batch loss 1.922, 1.38 iters/s
step 6025, batch loss 2.184, 1.38 iters/s
step 6026, batch loss 2.232, 1.37 iters/s

step 6027, batch loss 2.11, 1.38 iters/s
step 6028, batch loss 2.283, 1.38 iters/s
step 6029, batch loss 2.161, 1.39 iters/s
step 6030, batch loss 2.345, 1.38 iters/s
step 6031, batch loss 2.014, 1.38 iters/s
step 6032, batch loss 2.004, 1.38 iters/s
step 6033, batch loss 1.952, 1.38 iters/s
step 6034, batch loss 2.235, 1.38 iters/s
step 6035, batch loss 1.94, 1.38 iters/s
step 6036, batch loss 2.182, 1.38 iters/s
step 6037, batch loss 2.025, 1.37 iters/s
step 6038, batch loss 1.847, 1.38 iters/s
step 6039, batch loss 2.335, 1.38 iters/s
step 6040, batch loss 2.188, 1.38 iters/s
step 6041, batch loss 2.357, 1.38 iters/s
step 6042, batch loss 1.959, 1.38 iters/s
step 6043, batch loss 2.1, 1.37 iters/s
step 6044, batch loss 1.942, 1.38 iters/s
step 6045, batch loss 1.82, 1.38 iters/s
step 6046, batch loss 1.986, 1.38 iters/s
step 6047, batch loss 2.174, 1.38 iters/s
step 6048, batch loss 2.024, 1.38 iters/s
step 6049, batch loss 2.111, 1.38 iters/s
step 6050, batch loss 2.208, 1.38 iters/s
step 6051, batch loss 2.106, 1.37 iters/s
step 6052, batch loss 2.243, 1.37 iters/s
step 6053, batch loss 2.117, 1.37 iters/s
step 6054, batch loss 2.132, 1.38 iters/s
step 6055, batch loss 2.316, 1.38 iters/s
step 6056, batch loss 2.298, 1.38 iters/s
step 6057, batch loss 2.294, 1.38 iters/s
step 6058, batch loss 2.236, 1.38 iters/s
step 6059, batch loss 2.145, 1.37 iters/s
step 6060, batch loss 2.035, 1.38 iters/s
step 6061, batch loss 2.118, 1.38 iters/s
step 6062, batch loss 1.915, 1.38 iters/s
step 6063, batch loss 2.221, 1.38 iters/s
step 6064, batch loss 1.998, 1.38 iters/s
step 6065, batch loss 2.18, 1.38 iters/s
step 6066, batch loss 2.036, 1.38 iters/s
step 6067, batch loss 2.09, 1.38 iters/s
step 6068, batch loss 2.036, 1.38 iters/s
step 6069, batch loss 2.023, 1.37 iters/s
step 6070, batch loss 2.164, 1.38 iters/s
step 6071, batch loss 2.081, 1.37 iters/s
step 6072, batch loss 2.065, 1.38 iters/s
step 6073, batch loss 2.032, 1.38 iters/s
step 6074, batch loss 2.091, 1.38 iters/s

step 6075, batch loss 2.353, 1.38 iters/s
step 6076, batch loss 2.266, 1.38 iters/s
step 6077, batch loss 2.56, 1.38 iters/s
step 6078, batch loss 2.034, 1.37 iters/s
step 6079, batch loss 1.905, 1.38 iters/s
step 6080, batch loss 2.192, 1.37 iters/s
step 6081, batch loss 1.941, 1.38 iters/s
step 6082, batch loss 2.237, 1.37 iters/s
step 6083, batch loss 2.018, 1.4 iters/s
step 6084, batch loss 2.202, 1.38 iters/s
step 6085, batch loss 2.2, 1.37 iters/s
step 6086, batch loss 2.188, 1.38 iters/s
step 6087, batch loss 2.105, 1.38 iters/s
step 6088, batch loss 2.305, 1.37 iters/s
step 6089, batch loss 2.127, 1.37 iters/s
step 6090, batch loss 1.966, 1.38 iters/s
step 6091, batch loss 2.167, 1.38 iters/s
step 6092, batch loss 2.006, 1.37 iters/s
step 6093, batch loss 2.212, 1.37 iters/s
step 6094, batch loss 2.077, 1.39 iters/s
step 6095, batch loss 2.052, 1.38 iters/s
step 6096, batch loss 2.4, 1.38 iters/s
step 6097, batch loss 2.04, 1.39 iters/s
step 6098, batch loss 2.143, 1.38 iters/s
step 6099, batch loss 2.653, 1.37 iters/s
step 6100, batch loss 1.949, 1.38 iters/s
step 6101, batch loss 2.371, 1.37 iters/s
step 6102, batch loss 2.183, 1.38 iters/s
step 6103, batch loss 2.11, 1.37 iters/s
step 6104, batch loss 1.941, 1.38 iters/s
step 6105, batch loss 2.049, 1.37 iters/s
step 6106, batch loss 2.003, 1.38 iters/s
step 6107, batch loss 2.035, 1.38 iters/s
step 6108, batch loss 2.544, 1.38 iters/s
step 6109, batch loss 2.17, 1.38 iters/s
step 6110, batch loss 2.127, 1.38 iters/s
step 6111, batch loss 2.161, 1.38 iters/s
step 6112, batch loss 1.994, 1.37 iters/s
step 6113, batch loss 1.81, 1.38 iters/s
step 6114, batch loss 2.197, 1.38 iters/s
step 6115, batch loss 2.104, 1.38 iters/s
step 6116, batch loss 2.0, 1.38 iters/s
step 6117, batch loss 1.995, 1.38 iters/s
step 6118, batch loss 2.274, 1.38 iters/s
step 6119, batch loss 2.332, 1.37 iters/s
step 6120, batch loss 2.17, 1.38 iters/s
step 6121, batch loss 2.291, 1.38 iters/s
step 6122, batch loss 2.154, 1.38 iters/s

step 6123, batch loss 2.02, 1.37 iters/s
step 6124, batch loss 2.007, 1.38 iters/s
step 6125, batch loss 2.313, 1.37 iters/s
step 6126, batch loss 2.074, 1.37 iters/s
step 6127, batch loss 2.206, 1.38 iters/s
step 6128, batch loss 2.106, 1.38 iters/s
step 6129, batch loss 1.787, 1.38 iters/s
step 6130, batch loss 2.194, 1.37 iters/s
step 6131, batch loss 2.162, 1.38 iters/s
step 6132, batch loss 2.324, 1.37 iters/s
step 6133, batch loss 2.088, 1.38 iters/s
step 6134, batch loss 2.102, 1.38 iters/s
step 6135, batch loss 2.064, 1.38 iters/s
step 6136, batch loss 2.075, 1.38 iters/s
step 6137, batch loss 2.213, 1.38 iters/s
step 6138, batch loss 2.179, 1.38 iters/s
step 6139, batch loss 2.243, 1.38 iters/s
step 6140, batch loss 2.374, 1.38 iters/s
step 6141, batch loss 1.97, 1.38 iters/s
step 6142, batch loss 1.955, 1.38 iters/s
step 6143, batch loss 1.996, 1.38 iters/s
step 6144, batch loss 1.932, 1.38 iters/s
step 6145, batch loss 2.039, 1.38 iters/s
step 6146, batch loss 2.289, 1.38 iters/s
step 6147, batch loss 2.218, 1.38 iters/s
step 6148, batch loss 1.957, 1.38 iters/s
step 6149, batch loss 2.291, 1.38 iters/s
step 6150, batch loss 1.977, 1.38 iters/s
step 6151, batch loss 1.902, 1.38 iters/s
step 6152, batch loss 2.242, 1.38 iters/s
step 6153, batch loss 2.122, 1.37 iters/s
step 6154, batch loss 1.966, 1.38 iters/s
step 6155, batch loss 1.974, 1.38 iters/s
step 6156, batch loss 2.231, 1.37 iters/s
step 6157, batch loss 2.261, 1.37 iters/s
step 6158, batch loss 2.092, 1.38 iters/s
step 6159, batch loss 2.114, 1.38 iters/s
step 6160, batch loss 2.385, 1.38 iters/s
step 6161, batch loss 2.118, 1.37 iters/s
step 6162, batch loss 2.232, 1.38 iters/s
step 6163, batch loss 1.786, 1.38 iters/s
step 6164, batch loss 2.05, 1.38 iters/s
step 6165, batch loss 2.373, 1.38 iters/s
step 6166, batch loss 2.209, 1.39 iters/s
step 6167, batch loss 2.153, 1.38 iters/s
step 6168, batch loss 2.184, 1.38 iters/s
step 6169, batch loss 2.144, 1.38 iters/s
step 6170, batch loss 2.084, 1.38 iters/s

step 6171, batch loss 2.064, 1.38 iters/s
step 6172, batch loss 2.015, 1.38 iters/s
step 6173, batch loss 2.147, 1.38 iters/s
step 6174, batch loss 2.23, 1.38 iters/s
step 6175, batch loss 2.122, 1.38 iters/s
step 6176, batch loss 2.056, 1.38 iters/s
step 6177, batch loss 1.992, 1.38 iters/s
step 6178, batch loss 1.937, 1.38 iters/s
step 6179, batch loss 2.108, 1.38 iters/s
step 6180, batch loss 2.184, 1.37 iters/s
step 6181, batch loss 1.881, 1.39 iters/s
step 6182, batch loss 2.21, 1.38 iters/s
step 6183, batch loss 2.341, 1.39 iters/s
step 6184, batch loss 2.072, 1.38 iters/s
step 6185, batch loss 2.165, 1.37 iters/s
step 6186, batch loss 2.036, 1.38 iters/s
step 6187, batch loss 2.197, 1.38 iters/s
step 6188, batch loss 2.22, 1.38 iters/s
step 6189, batch loss 2.17, 1.38 iters/s
step 6190, batch loss 2.316, 1.38 iters/s
step 6191, batch loss 2.135, 1.38 iters/s
step 6192, batch loss 2.329, 1.38 iters/s
step 6193, batch loss 2.101, 1.38 iters/s
step 6194, batch loss 2.146, 1.38 iters/s
step 6195, batch loss 2.044, 1.38 iters/s
step 6196, batch loss 1.889, 1.38 iters/s
step 6197, batch loss 2.106, 1.38 iters/s
step 6198, batch loss 2.045, 1.38 iters/s
step 6199, batch loss 2.184, 1.38 iters/s
step 6200, batch loss 1.917, 1.38 iters/s
step 6201, batch loss 2.167, 1.38 iters/s
step 6202, batch loss 2.001, 1.38 iters/s
step 6203, batch loss 2.111, 1.38 iters/s
step 6204, batch loss 2.291, 1.37 iters/s
step 6205, batch loss 2.078, 1.38 iters/s
step 6206, batch loss 1.928, 1.38 iters/s
step 6207, batch loss 2.439, 1.38 iters/s
step 6208, batch loss 2.356, 1.38 iters/s
step 6209, batch loss 1.945, 1.37 iters/s
step 6210, batch loss 2.106, 1.37 iters/s
step 6211, batch loss 2.059, 1.38 iters/s
step 6212, batch loss 2.388, 1.38 iters/s
step 6213, batch loss 1.934, 1.38 iters/s
step 6214, batch loss 1.962, 1.38 iters/s
step 6215, batch loss 2.034, 1.38 iters/s
step 6216, batch loss 2.27, 1.38 iters/s
step 6217, batch loss 2.135, 1.38 iters/s
step 6218, batch loss 1.986, 1.38 iters/s

step 6219, batch loss 2.257, 1.37 iters/s
step 6220, batch loss 1.914, 1.38 iters/s
step 6221, batch loss 2.088, 1.38 iters/s
step 6222, batch loss 2.173, 1.38 iters/s
step 6223, batch loss 1.973, 1.38 iters/s
step 6224, batch loss 2.235, 1.38 iters/s
step 6225, batch loss 2.477, 1.38 iters/s
step 6226, batch loss 1.889, 1.38 iters/s
step 6227, batch loss 2.197, 1.38 iters/s
step 6228, batch loss 2.079, 1.38 iters/s
step 6229, batch loss 2.188, 1.37 iters/s
step 6230, batch loss 2.113, 1.38 iters/s
step 6231, batch loss 1.904, 1.38 iters/s
step 6232, batch loss 2.228, 1.38 iters/s
step 6233, batch loss 1.832, 1.38 iters/s
step 6234, batch loss 1.865, 1.38 iters/s
step 6235, batch loss 2.144, 1.38 iters/s
step 6236, batch loss 2.156, 1.38 iters/s
step 6237, batch loss 2.408, 1.37 iters/s
step 6238, batch loss 2.158, 1.38 iters/s
step 6239, batch loss 1.87, 1.38 iters/s
step 6240, batch loss 2.349, 1.37 iters/s
step 6241, batch loss 1.826, 1.39 iters/s
step 6242, batch loss 2.013, 1.38 iters/s
step 6243, batch loss 2.044, 1.37 iters/s
step 6244, batch loss 2.098, 1.37 iters/s
step 6245, batch loss 2.177, 1.38 iters/s
step 6246, batch loss 2.017, 1.39 iters/s
step 6247, batch loss 2.092, 1.37 iters/s
step 6248, batch loss 2.136, 1.38 iters/s
step 6249, batch loss 2.205, 1.38 iters/s
step 6250, batch loss 2.348, 1.38 iters/s
step 6251, batch loss 2.313, 1.38 iters/s
step 6252, batch loss 2.198, 1.38 iters/s
step 6253, batch loss 2.151, 1.38 iters/s
step 6254, batch loss 2.04, 1.38 iters/s
step 6255, batch loss 2.192, 1.39 iters/s
step 6256, batch loss 2.093, 1.39 iters/s
step 6257, batch loss 2.099, 1.38 iters/s
step 6258, batch loss 1.89, 1.38 iters/s
step 6259, batch loss 2.178, 1.38 iters/s
step 6260, batch loss 2.151, 1.38 iters/s
step 6261, batch loss 2.205, 1.38 iters/s
step 6262, batch loss 2.028, 1.38 iters/s
step 6263, batch loss 2.152, 1.38 iters/s
step 6264, batch loss 2.115, 1.38 iters/s
step 6265, batch loss 2.09, 1.38 iters/s
step 6266, batch loss 1.969, 1.38 iters/s

step 6267, batch loss 2.032, 1.38 iters/s
step 6268, batch loss 1.976, 1.38 iters/s
step 6269, batch loss 2.042, 1.38 iters/s
step 6270, batch loss 2.141, 1.38 iters/s
step 6271, batch loss 2.437, 1.38 iters/s
step 6272, batch loss 2.197, 1.38 iters/s
step 6273, batch loss 2.046, 1.39 iters/s
step 6274, batch loss 2.072, 1.37 iters/s
step 6275, batch loss 2.144, 1.37 iters/s
step 6276, batch loss 2.163, 1.38 iters/s
step 6277, batch loss 2.004, 1.38 iters/s
step 6278, batch loss 2.253, 1.38 iters/s
step 6279, batch loss 2.316, 1.38 iters/s
step 6280, batch loss 2.269, 1.38 iters/s
step 6281, batch loss 1.923, 1.38 iters/s
step 6282, batch loss 2.181, 1.38 iters/s
step 6283, batch loss 2.193, 1.38 iters/s
step 6284, batch loss 2.187, 1.39 iters/s
step 6285, batch loss 2.171, 1.37 iters/s
step 6286, batch loss 2.219, 1.38 iters/s
step 6287, batch loss 2.094, 1.38 iters/s
step 6288, batch loss 1.995, 1.38 iters/s
step 6289, batch loss 2.294, 1.38 iters/s
step 6290, batch loss 2.025, 1.38 iters/s
step 6291, batch loss 2.156, 1.39 iters/s
step 6292, batch loss 2.262, 1.37 iters/s
step 6293, batch loss 2.163, 1.37 iters/s
step 6294, batch loss 2.043, 1.37 iters/s
step 6295, batch loss 2.068, 1.38 iters/s
step 6296, batch loss 2.152, 1.38 iters/s
step 6297, batch loss 2.098, 1.38 iters/s
step 6298, batch loss 2.206, 1.38 iters/s
step 6299, batch loss 1.994, 1.38 iters/s
step 6300, batch loss 2.165, 1.38 iters/s
step 6301, batch loss 2.191, 1.37 iters/s
step 6302, batch loss 2.245, 1.39 iters/s
step 6303, batch loss 2.276, 1.37 iters/s
step 6304, batch loss 2.321, 1.38 iters/s
step 6305, batch loss 2.036, 1.39 iters/s
step 6306, batch loss 2.213, 1.38 iters/s
step 6307, batch loss 2.077, 1.38 iters/s
step 6308, batch loss 2.205, 1.38 iters/s
step 6309, batch loss 2.098, 1.37 iters/s
step 6310, batch loss 2.513, 1.38 iters/s
step 6311, batch loss 1.944, 1.38 iters/s
step 6312, batch loss 2.25, 1.38 iters/s
step 6313, batch loss 2.067, 1.38 iters/s
step 6314, batch loss 2.056, 1.38 iters/s

step 6315, batch loss 1.881, 1.38 iters/s
step 6316, batch loss 2.116, 1.38 iters/s
step 6317, batch loss 2.137, 1.38 iters/s
step 6318, batch loss 2.215, 1.38 iters/s
step 6319, batch loss 1.866, 1.38 iters/s
step 6320, batch loss 2.302, 1.39 iters/s
step 6321, batch loss 2.134, 1.38 iters/s
step 6322, batch loss 1.942, 1.38 iters/s
step 6323, batch loss 2.15, 1.38 iters/s
step 6324, batch loss 2.25, 1.38 iters/s
step 6325, batch loss 2.121, 1.38 iters/s
step 6326, batch loss 2.282, 1.38 iters/s
step 6327, batch loss 2.161, 1.38 iters/s
step 6328, batch loss 2.251, 1.38 iters/s
step 6329, batch loss 1.878, 1.38 iters/s
step 6330, batch loss 2.088, 1.38 iters/s
step 6331, batch loss 1.924, 1.37 iters/s
step 6332, batch loss 2.156, 1.38 iters/s
step 6333, batch loss 2.227, 1.37 iters/s
step 6334, batch loss 2.155, 1.38 iters/s
step 6335, batch loss 2.023, 1.38 iters/s
step 6336, batch loss 2.12, 1.38 iters/s
step 6337, batch loss 2.198, 1.38 iters/s
step 6338, batch loss 2.059, 1.38 iters/s
step 6339, batch loss 2.081, 1.38 iters/s
step 6340, batch loss 2.025, 1.37 iters/s
step 6341, batch loss 1.955, 1.38 iters/s
step 6342, batch loss 1.941, 1.37 iters/s
step 6343, batch loss 2.167, 1.38 iters/s
step 6344, batch loss 2.085, 1.37 iters/s
step 6345, batch loss 2.147, 1.38 iters/s
step 6346, batch loss 2.049, 1.37 iters/s
step 6347, batch loss 2.023, 1.38 iters/s
step 6348, batch loss 2.075, 1.39 iters/s
step 6349, batch loss 1.826, 1.38 iters/s
step 6350, batch loss 2.071, 1.38 iters/s
step 6351, batch loss 2.309, 1.38 iters/s
step 6352, batch loss 2.127, 1.38 iters/s
step 6353, batch loss 2.276, 1.37 iters/s
step 6354, batch loss 2.018, 1.38 iters/s
step 6355, batch loss 2.272, 1.38 iters/s
step 6356, batch loss 2.008, 1.37 iters/s
step 6357, batch loss 2.386, 1.38 iters/s
step 6358, batch loss 1.916, 1.38 iters/s
step 6359, batch loss 2.255, 1.38 iters/s
step 6360, batch loss 2.049, 1.38 iters/s
step 6361, batch loss 2.06, 1.38 iters/s
step 6362, batch loss 1.981, 1.38 iters/s

step 6363, batch loss 2.072, 1.38 iters/s
step 6364, batch loss 2.26, 1.38 iters/s
step 6365, batch loss 1.609, 1.38 iters/s
step 6366, batch loss 2.165, 1.38 iters/s
step 6367, batch loss 2.001, 1.38 iters/s
step 6368, batch loss 2.296, 1.38 iters/s
step 6369, batch loss 2.158, 1.38 iters/s
step 6370, batch loss 1.976, 1.38 iters/s
step 6371, batch loss 1.93, 1.38 iters/s
step 6372, batch loss 2.117, 1.38 iters/s
step 6373, batch loss 2.086, 1.38 iters/s
step 6374, batch loss 2.18, 1.37 iters/s
step 6375, batch loss 2.033, 1.37 iters/s
step 6376, batch loss 2.168, 1.38 iters/s
step 6377, batch loss 2.3, 1.37 iters/s
step 6378, batch loss 2.427, 1.37 iters/s
step 6379, batch loss 2.094, 1.38 iters/s
step 6380, batch loss 2.105, 1.38 iters/s
step 6381, batch loss 2.095, 1.38 iters/s
step 6382, batch loss 2.281, 1.38 iters/s
step 6383, batch loss 2.094, 1.38 iters/s
step 6384, batch loss 2.144, 1.37 iters/s
step 6385, batch loss 2.073, 1.38 iters/s
step 6386, batch loss 2.144, 1.37 iters/s
step 6387, batch loss 2.115, 1.38 iters/s
step 6388, batch loss 2.057, 1.38 iters/s
step 6389, batch loss 1.904, 1.38 iters/s
step 6390, batch loss 2.028, 1.38 iters/s
step 6391, batch loss 2.204, 1.39 iters/s
step 6392, batch loss 2.026, 1.38 iters/s
step 6393, batch loss 2.261, 1.38 iters/s
step 6394, batch loss 2.162, 1.38 iters/s
step 6395, batch loss 2.123, 1.38 iters/s
step 6396, batch loss 2.271, 1.38 iters/s
step 6397, batch loss 2.034, 1.38 iters/s
step 6398, batch loss 2.084, 1.38 iters/s
step 6399, batch loss 2.322, 1.38 iters/s
step 6400, batch loss 1.841, 1.38 iters/s
step 6401, batch loss 2.022, 1.38 iters/s
step 6402, batch loss 1.994, 1.38 iters/s
step 6403, batch loss 2.095, 1.37 iters/s
step 6404, batch loss 2.27, 1.38 iters/s
step 6405, batch loss 2.158, 1.37 iters/s
step 6406, batch loss 2.148, 1.38 iters/s
step 6407, batch loss 1.978, 1.38 iters/s
step 6408, batch loss 2.117, 1.38 iters/s
step 6409, batch loss 1.852, 1.38 iters/s
step 6410, batch loss 2.017, 1.39 iters/s

step 6411, batch loss 2.098, 1.38 iters/s
step 6412, batch loss 2.032, 1.38 iters/s
step 6413, batch loss 2.09, 1.38 iters/s
step 6414, batch loss 1.948, 1.38 iters/s
step 6415, batch loss 2.006, 1.38 iters/s
step 6416, batch loss 2.172, 1.38 iters/s
step 6417, batch loss 2.024, 1.38 iters/s
step 6418, batch loss 2.065, 1.38 iters/s
step 6419, batch loss 2.1, 1.38 iters/s
step 6420, batch loss 2.168, 1.38 iters/s
step 6421, batch loss 2.214, 1.38 iters/s
step 6422, batch loss 2.08, 1.38 iters/s
step 6423, batch loss 2.143, 1.38 iters/s
step 6424, batch loss 2.087, 1.38 iters/s
step 6425, batch loss 2.393, 1.38 iters/s
step 6426, batch loss 2.118, 1.39 iters/s
step 6427, batch loss 2.189, 1.38 iters/s
step 6428, batch loss 1.998, 1.38 iters/s
step 6429, batch loss 2.132, 1.38 iters/s
step 6430, batch loss 1.952, 1.39 iters/s
step 6431, batch loss 2.169, 1.38 iters/s
step 6432, batch loss 2.049, 1.38 iters/s
step 6433, batch loss 1.953, 1.39 iters/s
step 6434, batch loss 2.239, 1.38 iters/s
step 6435, batch loss 2.533, 1.38 iters/s
step 6436, batch loss 2.163, 1.38 iters/s
step 6437, batch loss 1.928, 1.39 iters/s
step 6438, batch loss 2.34, 1.38 iters/s
step 6439, batch loss 2.215, 1.38 iters/s
step 6440, batch loss 1.916, 1.38 iters/s
step 6441, batch loss 1.913, 1.38 iters/s
step 6442, batch loss 2.519, 1.39 iters/s
step 6443, batch loss 2.207, 1.38 iters/s
step 6444, batch loss 2.072, 1.38 iters/s
step 6445, batch loss 1.609, 1.38 iters/s
step 6446, batch loss 2.05, 1.38 iters/s
step 6447, batch loss 2.152, 1.39 iters/s
step 6448, batch loss 1.996, 1.38 iters/s
step 6449, batch loss 2.06, 1.38 iters/s
step 6450, batch loss 2.035, 1.38 iters/s
step 6451, batch loss 2.099, 1.37 iters/s
step 6452, batch loss 2.053, 1.38 iters/s
step 6453, batch loss 1.957, 1.38 iters/s
step 6454, batch loss 1.941, 1.38 iters/s
step 6455, batch loss 2.271, 1.38 iters/s
step 6456, batch loss 1.931, 1.38 iters/s
step 6457, batch loss 2.412, 1.39 iters/s
step 6458, batch loss 1.987, 1.39 iters/s

step 6459, batch loss 1.847, 1.37 iters/s
step 6460, batch loss 1.996, 1.39 iters/s
step 6461, batch loss 2.089, 1.39 iters/s
step 6462, batch loss 2.073, 1.38 iters/s
step 6463, batch loss 2.206, 1.38 iters/s
step 6464, batch loss 1.938, 1.38 iters/s
step 6465, batch loss 2.227, 1.38 iters/s
step 6466, batch loss 2.239, 1.38 iters/s
step 6467, batch loss 2.14, 1.38 iters/s
step 6468, batch loss 2.244, 1.38 iters/s
step 6469, batch loss 2.071, 1.38 iters/s
step 6470, batch loss 2.007, 1.38 iters/s
step 6471, batch loss 2.143, 1.38 iters/s
step 6472, batch loss 1.983, 1.38 iters/s
step 6473, batch loss 1.986, 1.38 iters/s
step 6474, batch loss 2.326, 1.38 iters/s
step 6475, batch loss 2.359, 1.38 iters/s
step 6476, batch loss 2.021, 1.38 iters/s
step 6477, batch loss 2.215, 1.38 iters/s
step 6478, batch loss 2.277, 1.37 iters/s
step 6479, batch loss 2.099, 1.38 iters/s
step 6480, batch loss 2.265, 1.38 iters/s
step 6481, batch loss 2.022, 1.38 iters/s
step 6482, batch loss 2.163, 1.37 iters/s
step 6483, batch loss 2.155, 1.38 iters/s
step 6484, batch loss 2.055, 1.38 iters/s
step 6485, batch loss 2.005, 1.37 iters/s
step 6486, batch loss 2.372, 1.37 iters/s
step 6487, batch loss 2.197, 1.38 iters/s
step 6488, batch loss 2.745, 1.37 iters/s
step 6489, batch loss 1.926, 1.37 iters/s
step 6490, batch loss 2.205, 1.37 iters/s
step 6491, batch loss 1.89, 1.38 iters/s
step 6492, batch loss 1.838, 1.38 iters/s
step 6493, batch loss 2.293, 1.38 iters/s
step 6494, batch loss 2.396, 1.38 iters/s
step 6495, batch loss 1.872, 1.38 iters/s
step 6496, batch loss 2.018, 1.38 iters/s
step 6497, batch loss 2.016, 1.38 iters/s
step 6498, batch loss 2.009, 1.38 iters/s
step 6499, batch loss 1.984, 1.38 iters/s
step 6500, batch loss 2.013, 1.38 iters/s
step 6501, batch loss 2.013, 1.38 iters/s
step 6502, batch loss 2.132, 1.38 iters/s
step 6503, batch loss 2.218, 1.39 iters/s
step 6504, batch loss 2.046, 1.38 iters/s
step 6505, batch loss 2.297, 1.38 iters/s
step 6506, batch loss 2.403, 1.38 iters/s

step 6507, batch loss 2.414, 1.39 iters/s
step 6508, batch loss 2.158, 1.38 iters/s
step 6509, batch loss 2.084, 1.38 iters/s
step 6510, batch loss 2.462, 1.38 iters/s
step 6511, batch loss 2.079, 1.37 iters/s
step 6512, batch loss 2.139, 1.38 iters/s
step 6513, batch loss 2.128, 1.38 iters/s
step 6514, batch loss 2.108, 1.38 iters/s
step 6515, batch loss 2.128, 1.38 iters/s
step 6516, batch loss 1.97, 1.38 iters/s
step 6517, batch loss 2.133, 1.38 iters/s
step 6518, batch loss 2.155, 1.4 iters/s
step 6519, batch loss 1.983, 1.38 iters/s
step 6520, batch loss 2.245, 1.38 iters/s
step 6521, batch loss 2.219, 1.38 iters/s
step 6522, batch loss 2.006, 1.38 iters/s
step 6523, batch loss 2.19, 1.37 iters/s
step 6524, batch loss 2.251, 1.38 iters/s
step 6525, batch loss 2.218, 1.38 iters/s
step 6526, batch loss 2.077, 1.38 iters/s
step 6527, batch loss 2.049, 1.38 iters/s
step 6528, batch loss 2.167, 1.38 iters/s
step 6529, batch loss 2.208, 1.38 iters/s
step 6530, batch loss 2.059, 1.37 iters/s
step 6531, batch loss 2.169, 1.38 iters/s
step 6532, batch loss 2.539, 1.37 iters/s
step 6533, batch loss 2.219, 1.39 iters/s
step 6534, batch loss 2.319, 1.38 iters/s
step 6535, batch loss 1.898, 1.38 iters/s
step 6536, batch loss 2.021, 1.38 iters/s
step 6537, batch loss 2.016, 1.38 iters/s
step 6538, batch loss 2.267, 1.38 iters/s
step 6539, batch loss 2.045, 1.37 iters/s
step 6540, batch loss 1.954, 1.38 iters/s
step 6541, batch loss 1.975, 1.38 iters/s
step 6542, batch loss 1.859, 1.38 iters/s
step 6543, batch loss 2.161, 1.38 iters/s
step 6544, batch loss 1.894, 1.38 iters/s
step 6545, batch loss 2.208, 1.38 iters/s
step 6546, batch loss 2.121, 1.38 iters/s
step 6547, batch loss 2.065, 1.38 iters/s
step 6548, batch loss 2.104, 1.38 iters/s
step 6549, batch loss 2.01, 1.4 iters/s
step 6550, batch loss 2.095, 1.38 iters/s
step 6551, batch loss 2.168, 1.38 iters/s
step 6552, batch loss 2.242, 1.38 iters/s
step 6553, batch loss 1.927, 1.38 iters/s
step 6554, batch loss 1.999, 1.38 iters/s

step 6555, batch loss 2.074, 1.38 iters/s
step 6556, batch loss 2.1, 1.38 iters/s
step 6557, batch loss 2.221, 1.38 iters/s
step 6558, batch loss 2.445, 1.38 iters/s
step 6559, batch loss 2.22, 1.38 iters/s
step 6560, batch loss 2.274, 1.39 iters/s
step 6561, batch loss 2.259, 1.38 iters/s
step 6562, batch loss 2.171, 1.38 iters/s
step 6563, batch loss 1.732, 1.38 iters/s
step 6564, batch loss 2.129, 1.38 iters/s
step 6565, batch loss 1.863, 1.38 iters/s
step 6566, batch loss 2.141, 1.38 iters/s
step 6567, batch loss 2.097, 1.38 iters/s
step 6568, batch loss 1.967, 1.38 iters/s
step 6569, batch loss 2.288, 1.38 iters/s
step 6570, batch loss 2.099, 1.38 iters/s
step 6571, batch loss 2.137, 1.38 iters/s
step 6572, batch loss 2.163, 1.38 iters/s
step 6573, batch loss 2.053, 1.37 iters/s
step 6574, batch loss 2.124, 1.38 iters/s
step 6575, batch loss 2.112, 1.37 iters/s
step 6576, batch loss 1.903, 1.38 iters/s
step 6577, batch loss 1.894, 1.37 iters/s
step 6578, batch loss 2.197, 1.4 iters/s
step 6579, batch loss 1.841, 1.38 iters/s
step 6580, batch loss 2.033, 1.37 iters/s
step 6581, batch loss 1.917, 1.38 iters/s
step 6582, batch loss 2.147, 1.38 iters/s
step 6583, batch loss 2.045, 1.38 iters/s
step 6584, batch loss 2.419, 1.37 iters/s
step 6585, batch loss 2.245, 1.37 iters/s
step 6586, batch loss 2.39, 1.37 iters/s
step 6587, batch loss 2.265, 1.38 iters/s
step 6588, batch loss 1.976, 1.38 iters/s
step 6589, batch loss 2.041, 1.38 iters/s
step 6590, batch loss 2.452, 1.38 iters/s
step 6591, batch loss 2.071, 1.37 iters/s
step 6592, batch loss 1.812, 1.38 iters/s
step 6593, batch loss 2.272, 1.37 iters/s
step 6594, batch loss 2.066, 1.39 iters/s
step 6595, batch loss 1.977, 1.38 iters/s
step 6596, batch loss 2.088, 1.38 iters/s
step 6597, batch loss 2.198, 1.38 iters/s
step 6598, batch loss 2.247, 1.38 iters/s
step 6599, batch loss 2.056, 1.38 iters/s
step 6600, batch loss 2.215, 1.38 iters/s
step 6601, batch loss 2.139, 1.38 iters/s
step 6602, batch loss 1.927, 1.38 iters/s

step 6603, batch loss 1.871, 1.38 iters/s
step 6604, batch loss 2.031, 1.38 iters/s
step 6605, batch loss 2.05, 1.37 iters/s
step 6606, batch loss 2.184, 1.38 iters/s
step 6607, batch loss 2.053, 1.37 iters/s
step 6608, batch loss 2.034, 1.38 iters/s
step 6609, batch loss 2.238, 1.37 iters/s
step 6610, batch loss 1.938, 1.39 iters/s
step 6611, batch loss 2.149, 1.38 iters/s
step 6612, batch loss 2.208, 1.38 iters/s
step 6613, batch loss 2.054, 1.38 iters/s
step 6614, batch loss 1.985, 1.38 iters/s
step 6615, batch loss 2.885, 1.38 iters/s
step 6616, batch loss 2.18, 1.37 iters/s
step 6617, batch loss 2.26, 1.37 iters/s
step 6618, batch loss 2.09, 1.37 iters/s
step 6619, batch loss 2.107, 1.38 iters/s
step 6620, batch loss 2.005, 1.38 iters/s
step 6621, batch loss 1.966, 1.37 iters/s
step 6622, batch loss 2.205, 1.38 iters/s
step 6623, batch loss 2.102, 1.38 iters/s
step 6624, batch loss 2.35, 1.37 iters/s
step 6625, batch loss 2.141, 1.37 iters/s
step 6626, batch loss 2.269, 1.37 iters/s
step 6627, batch loss 2.217, 1.38 iters/s
step 6628, batch loss 2.061, 1.37 iters/s
step 6629, batch loss 1.904, 1.38 iters/s
step 6630, batch loss 2.125, 1.38 iters/s
step 6631, batch loss 2.071, 1.38 iters/s
step 6632, batch loss 2.183, 1.38 iters/s
step 6633, batch loss 1.976, 1.38 iters/s
step 6634, batch loss 2.151, 1.38 iters/s
step 6635, batch loss 2.031, 1.38 iters/s
step 6636, batch loss 2.183, 1.38 iters/s
step 6637, batch loss 2.066, 1.38 iters/s
step 6638, batch loss 2.276, 1.38 iters/s
step 6639, batch loss 2.256, 1.38 iters/s
step 6640, batch loss 2.043, 1.37 iters/s
step 6641, batch loss 1.991, 1.38 iters/s
step 6642, batch loss 2.328, 1.37 iters/s
step 6643, batch loss 2.09, 1.38 iters/s
step 6644, batch loss 1.942, 1.38 iters/s
step 6645, batch loss 2.044, 1.38 iters/s
step 6646, batch loss 1.987, 1.39 iters/s
step 6647, batch loss 2.503, 1.39 iters/s
step 6648, batch loss 2.076, 1.38 iters/s
step 6649, batch loss 2.183, 1.38 iters/s
step 6650, batch loss 2.077, 1.38 iters/s

step 6651, batch loss 2.161, 1.38 iters/s
step 6652, batch loss 2.054, 1.38 iters/s
step 6653, batch loss 2.347, 1.39 iters/s
step 6654, batch loss 1.896, 1.37 iters/s
step 6655, batch loss 2.308, 1.38 iters/s
step 6656, batch loss 1.943, 1.38 iters/s
step 6657, batch loss 1.901, 1.38 iters/s
step 6658, batch loss 1.99, 1.37 iters/s
step 6659, batch loss 2.053, 1.39 iters/s
step 6660, batch loss 2.045, 1.37 iters/s
step 6661, batch loss 2.033, 1.39 iters/s
step 6662, batch loss 2.12, 1.38 iters/s
step 6663, batch loss 2.197, 1.38 iters/s
step 6664, batch loss 2.515, 1.38 iters/s
step 6665, batch loss 2.07, 1.38 iters/s
step 6666, batch loss 2.173, 1.39 iters/s
step 6667, batch loss 2.324, 1.37 iters/s
step 6668, batch loss 1.782, 1.37 iters/s
step 6669, batch loss 2.337, 1.38 iters/s
step 6670, batch loss 2.345, 1.38 iters/s
step 6671, batch loss 2.157, 1.38 iters/s
step 6672, batch loss 2.295, 1.38 iters/s
step 6673, batch loss 2.168, 1.38 iters/s
step 6674, batch loss 2.072, 1.38 iters/s
step 6675, batch loss 2.28, 1.38 iters/s
step 6676, batch loss 2.327, 1.38 iters/s
step 6677, batch loss 2.549, 1.38 iters/s
step 6678, batch loss 2.184, 1.37 iters/s
step 6679, batch loss 2.09, 1.38 iters/s
step 6680, batch loss 2.498, 1.38 iters/s
step 6681, batch loss 1.937, 1.38 iters/s
step 6682, batch loss 2.107, 1.38 iters/s
step 6683, batch loss 2.087, 1.37 iters/s
step 6684, batch loss 2.281, 1.38 iters/s
step 6685, batch loss 2.002, 1.38 iters/s
step 6686, batch loss 2.016, 1.37 iters/s
step 6687, batch loss 2.252, 1.39 iters/s
step 6688, batch loss 2.198, 1.38 iters/s
step 6689, batch loss 2.004, 1.38 iters/s
step 6690, batch loss 1.844, 1.37 iters/s
step 6691, batch loss 2.27, 1.38 iters/s
step 6692, batch loss 2.044, 1.38 iters/s
step 6693, batch loss 2.196, 1.38 iters/s
step 6694, batch loss 2.204, 1.38 iters/s
step 6695, batch loss 2.065, 1.37 iters/s
step 6696, batch loss 2.067, 1.38 iters/s
step 6697, batch loss 2.065, 1.38 iters/s
step 6698, batch loss 2.334, 1.38 iters/s

step 6699, batch loss 2.191, 1.38 iters/s
step 6700, batch loss 2.419, 1.39 iters/s
step 6701, batch loss 2.267, 1.38 iters/s
step 6702, batch loss 2.131, 1.37 iters/s
step 6703, batch loss 2.27, 1.38 iters/s
step 6704, batch loss 2.227, 1.38 iters/s
step 6705, batch loss 2.198, 1.38 iters/s
step 6706, batch loss 1.945, 1.38 iters/s
step 6707, batch loss 2.195, 1.39 iters/s
step 6708, batch loss 1.983, 1.37 iters/s
step 6709, batch loss 2.08, 1.37 iters/s
step 6710, batch loss 2.225, 1.39 iters/s
step 6711, batch loss 2.013, 1.37 iters/s
step 6712, batch loss 1.954, 1.38 iters/s
step 6713, batch loss 2.15, 1.39 iters/s
step 6714, batch loss 1.789, 1.37 iters/s
step 6715, batch loss 2.09, 1.38 iters/s
step 6716, batch loss 1.821, 1.38 iters/s
step 6717, batch loss 2.081, 1.38 iters/s
step 6718, batch loss 2.219, 1.38 iters/s
step 6719, batch loss 2.032, 1.38 iters/s
step 6720, batch loss 2.171, 1.38 iters/s
step 6721, batch loss 2.202, 1.38 iters/s
step 6722, batch loss 1.93, 1.38 iters/s
step 6723, batch loss 2.162, 1.37 iters/s
step 6724, batch loss 2.187, 1.37 iters/s
step 6725, batch loss 1.942, 1.38 iters/s
step 6726, batch loss 2.059, 1.38 iters/s
step 6727, batch loss 2.022, 1.38 iters/s
step 6728, batch loss 2.238, 1.38 iters/s
step 6729, batch loss 2.016, 1.38 iters/s
step 6730, batch loss 2.156, 1.38 iters/s
step 6731, batch loss 2.057, 1.38 iters/s
step 6732, batch loss 2.147, 1.38 iters/s
step 6733, batch loss 2.151, 1.37 iters/s
step 6734, batch loss 2.092, 1.37 iters/s
step 6735, batch loss 2.27, 1.38 iters/s
step 6736, batch loss 2.143, 1.38 iters/s
step 6737, batch loss 2.273, 1.38 iters/s
step 6738, batch loss 2.236, 1.38 iters/s
step 6739, batch loss 2.103, 1.38 iters/s
step 6740, batch loss 2.079, 1.38 iters/s
step 6741, batch loss 2.11, 1.38 iters/s
step 6742, batch loss 2.211, 1.38 iters/s
step 6743, batch loss 2.256, 1.38 iters/s
step 6744, batch loss 2.213, 1.37 iters/s
step 6745, batch loss 2.201, 1.38 iters/s
step 6746, batch loss 2.36, 1.38 iters/s

step 6747, batch loss 2.143, 1.38 iters/s
step 6748, batch loss 2.465, 1.38 iters/s
step 6749, batch loss 2.229, 1.38 iters/s
step 6750, batch loss 1.873, 1.38 iters/s
step 6751, batch loss 2.098, 1.38 iters/s
step 6752, batch loss 2.339, 1.37 iters/s
step 6753, batch loss 2.262, 1.38 iters/s
step 6754, batch loss 1.92, 1.37 iters/s
step 6755, batch loss 2.159, 1.38 iters/s
step 6756, batch loss 2.183, 1.38 iters/s
step 6757, batch loss 2.162, 1.38 iters/s
step 6758, batch loss 2.001, 1.38 iters/s
step 6759, batch loss 2.233, 1.37 iters/s
step 6760, batch loss 2.018, 1.38 iters/s
step 6761, batch loss 2.17, 1.38 iters/s
step 6762, batch loss 2.597, 1.37 iters/s
step 6763, batch loss 2.274, 1.38 iters/s
step 6764, batch loss 2.172, 1.39 iters/s
step 6765, batch loss 2.056, 1.39 iters/s
step 6766, batch loss 2.366, 1.38 iters/s
step 6767, batch loss 2.28, 1.38 iters/s
step 6768, batch loss 1.98, 1.38 iters/s
step 6769, batch loss 2.027, 1.38 iters/s
step 6770, batch loss 2.242, 1.37 iters/s
step 6771, batch loss 2.041, 1.38 iters/s
step 6772, batch loss 1.946, 1.39 iters/s
step 6773, batch loss 2.167, 1.38 iters/s
step 6774, batch loss 1.934, 1.38 iters/s
step 6775, batch loss 2.045, 1.38 iters/s
step 6776, batch loss 2.032, 1.37 iters/s
step 6777, batch loss 2.211, 1.38 iters/s
step 6778, batch loss 1.901, 1.38 iters/s
step 6779, batch loss 2.051, 1.38 iters/s
step 6780, batch loss 2.085, 1.38 iters/s
step 6781, batch loss 1.978, 1.38 iters/s
step 6782, batch loss 2.324, 1.38 iters/s
step 6783, batch loss 2.289, 1.38 iters/s
step 6784, batch loss 2.023, 1.38 iters/s
step 6785, batch loss 2.176, 1.37 iters/s
step 6786, batch loss 1.993, 1.37 iters/s
step 6787, batch loss 2.001, 1.38 iters/s
step 6788, batch loss 2.028, 1.38 iters/s
step 6789, batch loss 2.02, 1.38 iters/s
step 6790, batch loss 2.156, 1.38 iters/s
step 6791, batch loss 2.088, 1.38 iters/s
step 6792, batch loss 1.948, 1.38 iters/s
step 6793, batch loss 2.412, 1.37 iters/s
step 6794, batch loss 1.954, 1.39 iters/s

step 6795, batch loss 2.129, 1.38 iters/s
step 6796, batch loss 2.054, 1.37 iters/s
step 6797, batch loss 2.618, 1.38 iters/s
step 6798, batch loss 2.249, 1.39 iters/s
step 6799, batch loss 1.883, 1.38 iters/s
step 6800, batch loss 1.831, 1.38 iters/s
step 6801, batch loss 2.007, 1.38 iters/s
step 6802, batch loss 1.995, 1.38 iters/s
step 6803, batch loss 2.03, 1.39 iters/s
step 6804, batch loss 2.076, 1.38 iters/s
step 6805, batch loss 2.151, 1.39 iters/s
step 6806, batch loss 2.224, 1.38 iters/s
step 6807, batch loss 2.195, 1.38 iters/s
step 6808, batch loss 1.966, 1.39 iters/s
step 6809, batch loss 2.036, 1.38 iters/s
step 6810, batch loss 2.08, 1.38 iters/s
step 6811, batch loss 2.029, 1.38 iters/s
step 6812, batch loss 2.136, 1.38 iters/s
step 6813, batch loss 2.128, 1.38 iters/s
step 6814, batch loss 1.92, 1.38 iters/s
step 6815, batch loss 1.923, 1.38 iters/s
step 6816, batch loss 1.656, 1.38 iters/s
step 6817, batch loss 2.191, 1.39 iters/s
step 6818, batch loss 2.109, 1.37 iters/s
step 6819, batch loss 2.397, 1.37 iters/s
step 6820, batch loss 2.187, 1.38 iters/s
step 6821, batch loss 2.181, 1.38 iters/s
step 6822, batch loss 1.954, 1.38 iters/s
step 6823, batch loss 1.89, 1.37 iters/s
step 6824, batch loss 2.264, 1.38 iters/s
step 6825, batch loss 2.297, 1.38 iters/s
step 6826, batch loss 2.106, 1.38 iters/s
step 6827, batch loss 2.103, 1.38 iters/s
step 6828, batch loss 2.045, 1.37 iters/s
step 6829, batch loss 1.956, 1.38 iters/s
step 6830, batch loss 2.692, 1.38 iters/s
step 6831, batch loss 2.054, 1.38 iters/s
step 6832, batch loss 2.063, 1.37 iters/s
step 6833, batch loss 1.929, 1.38 iters/s
step 6834, batch loss 2.036, 1.37 iters/s
step 6835, batch loss 2.021, 1.37 iters/s
step 6836, batch loss 2.087, 1.38 iters/s
step 6837, batch loss 2.132, 1.38 iters/s
step 6838, batch loss 2.12, 1.38 iters/s
step 6839, batch loss 2.051, 1.38 iters/s
step 6840, batch loss 2.399, 1.38 iters/s
step 6841, batch loss 2.167, 1.38 iters/s
step 6842, batch loss 2.039, 1.38 iters/s

step 6843, batch loss 2.154, 1.37 iters/s
step 6844, batch loss 2.214, 1.37 iters/s
step 6845, batch loss 2.358, 1.37 iters/s
step 6846, batch loss 2.159, 1.37 iters/s
step 6847, batch loss 2.293, 1.37 iters/s
step 6848, batch loss 2.318, 1.38 iters/s
step 6849, batch loss 2.06, 1.37 iters/s
step 6850, batch loss 1.97, 1.37 iters/s
step 6851, batch loss 2.242, 1.37 iters/s
step 6852, batch loss 2.207, 1.37 iters/s
step 6853, batch loss 2.125, 1.39 iters/s
step 6854, batch loss 2.093, 1.38 iters/s
step 6855, batch loss 1.923, 1.38 iters/s
step 6856, batch loss 2.165, 1.38 iters/s
step 6857, batch loss 2.104, 1.38 iters/s
step 6858, batch loss 2.252, 1.37 iters/s
step 6859, batch loss 2.171, 1.38 iters/s
step 6860, batch loss 2.383, 1.37 iters/s
step 6861, batch loss 2.099, 1.37 iters/s
step 6862, batch loss 2.262, 1.38 iters/s
step 6863, batch loss 2.045, 1.38 iters/s
step 6864, batch loss 2.008, 1.37 iters/s
step 6865, batch loss 1.957, 1.37 iters/s
step 6866, batch loss 2.024, 1.37 iters/s
step 6867, batch loss 2.128, 1.38 iters/s
step 6868, batch loss 2.14, 1.37 iters/s
step 6869, batch loss 2.218, 1.37 iters/s
step 6870, batch loss 1.87, 1.38 iters/s
step 6871, batch loss 1.983, 1.37 iters/s
step 6872, batch loss 2.218, 1.38 iters/s
step 6873, batch loss 2.105, 1.38 iters/s
step 6874, batch loss 1.978, 1.38 iters/s
step 6875, batch loss 2.081, 1.38 iters/s
step 6876, batch loss 1.949, 1.38 iters/s
step 6877, batch loss 2.139, 1.37 iters/s
step 6878, batch loss 1.815, 1.37 iters/s
step 6879, batch loss 2.211, 1.38 iters/s
step 6880, batch loss 2.087, 1.38 iters/s
step 6881, batch loss 2.06, 1.37 iters/s
step 6882, batch loss 2.246, 1.38 iters/s
step 6883, batch loss 2.252, 1.37 iters/s
step 6884, batch loss 2.17, 1.38 iters/s
step 6885, batch loss 2.079, 1.38 iters/s
step 6886, batch loss 2.148, 1.37 iters/s
step 6887, batch loss 2.164, 1.37 iters/s
step 6888, batch loss 1.946, 1.38 iters/s
step 6889, batch loss 1.997, 1.38 iters/s
step 6890, batch loss 2.13, 1.39 iters/s

step 6891, batch loss 2.087, 1.38 iters/s
step 6892, batch loss 2.304, 1.38 iters/s
step 6893, batch loss 1.942, 1.38 iters/s
step 6894, batch loss 2.162, 1.38 iters/s
step 6895, batch loss 2.357, 1.38 iters/s
step 6896, batch loss 1.963, 1.38 iters/s
step 6897, batch loss 1.975, 1.38 iters/s
step 6898, batch loss 2.116, 1.38 iters/s
step 6899, batch loss 2.196, 1.39 iters/s
step 6900, batch loss 2.219, 1.38 iters/s
step 6901, batch loss 2.445, 1.38 iters/s
step 6902, batch loss 2.134, 1.38 iters/s
step 6903, batch loss 2.324, 1.38 iters/s
step 6904, batch loss 2.088, 1.38 iters/s
step 6905, batch loss 2.194, 1.38 iters/s
step 6906, batch loss 2.107, 1.38 iters/s
step 6907, batch loss 2.047, 1.38 iters/s
step 6908, batch loss 2.065, 1.38 iters/s
step 6909, batch loss 1.997, 1.38 iters/s
step 6910, batch loss 1.998, 1.38 iters/s
step 6911, batch loss 2.166, 1.39 iters/s
step 6912, batch loss 2.006, 1.38 iters/s
step 6913, batch loss 2.084, 1.38 iters/s
step 6914, batch loss 2.333, 1.38 iters/s
step 6915, batch loss 1.916, 1.38 iters/s
step 6916, batch loss 1.896, 1.38 iters/s
step 6917, batch loss 2.185, 1.38 iters/s
step 6918, batch loss 1.958, 1.38 iters/s
step 6919, batch loss 2.473, 1.38 iters/s
step 6920, batch loss 2.0, 1.38 iters/s
step 6921, batch loss 1.972, 1.38 iters/s
step 6922, batch loss 2.321, 1.38 iters/s
step 6923, batch loss 2.03, 1.38 iters/s
step 6924, batch loss 2.028, 1.38 iters/s
step 6925, batch loss 1.996, 1.38 iters/s
step 6926, batch loss 2.258, 1.38 iters/s
step 6927, batch loss 2.016, 1.38 iters/s
step 6928, batch loss 2.238, 1.38 iters/s
step 6929, batch loss 2.045, 1.38 iters/s
step 6930, batch loss 1.843, 1.38 iters/s
step 6931, batch loss 2.118, 1.38 iters/s
step 6932, batch loss 2.192, 1.38 iters/s
step 6933, batch loss 2.383, 1.37 iters/s
step 6934, batch loss 2.361, 1.39 iters/s
step 6935, batch loss 2.204, 1.38 iters/s
step 6936, batch loss 2.402, 1.38 iters/s
step 6937, batch loss 2.211, 1.38 iters/s
step 6938, batch loss 2.296, 1.38 iters/s

step 6939, batch loss 2.199, 1.38 iters/s
step 6940, batch loss 2.335, 1.38 iters/s
step 6941, batch loss 2.075, 1.38 iters/s
step 6942, batch loss 2.05, 1.38 iters/s
step 6943, batch loss 2.23, 1.39 iters/s
step 6944, batch loss 2.169, 1.38 iters/s
step 6945, batch loss 2.155, 1.38 iters/s
step 6946, batch loss 2.049, 1.38 iters/s
step 6947, batch loss 1.966, 1.38 iters/s
step 6948, batch loss 2.101, 1.39 iters/s
step 6949, batch loss 2.258, 1.39 iters/s
step 6950, batch loss 2.196, 1.38 iters/s
step 6951, batch loss 2.239, 1.38 iters/s
step 6952, batch loss 2.268, 1.39 iters/s
step 6953, batch loss 2.122, 1.38 iters/s
step 6954, batch loss 2.2, 1.38 iters/s
step 6955, batch loss 2.015, 1.38 iters/s
step 6956, batch loss 2.325, 1.38 iters/s
step 6957, batch loss 1.972, 1.38 iters/s
step 6958, batch loss 2.119, 1.38 iters/s
step 6959, batch loss 1.847, 1.38 iters/s
step 6960, batch loss 2.183, 1.38 iters/s
step 6961, batch loss 2.182, 1.38 iters/s
step 6962, batch loss 2.161, 1.38 iters/s
step 6963, batch loss 2.181, 1.38 iters/s
step 6964, batch loss 2.083, 1.39 iters/s
step 6965, batch loss 2.017, 1.39 iters/s
step 6966, batch loss 2.027, 1.38 iters/s
step 6967, batch loss 2.153, 1.38 iters/s
step 6968, batch loss 2.008, 1.38 iters/s
step 6969, batch loss 2.159, 1.38 iters/s
step 6970, batch loss 2.102, 1.38 iters/s
step 6971, batch loss 2.267, 1.39 iters/s
step 6972, batch loss 2.03, 1.38 iters/s
step 6973, batch loss 1.918, 1.38 iters/s
step 6974, batch loss 1.81, 1.38 iters/s
step 6975, batch loss 2.236, 1.38 iters/s
step 6976, batch loss 2.14, 1.39 iters/s
step 6977, batch loss 1.888, 1.38 iters/s
step 6978, batch loss 1.878, 1.38 iters/s
step 6979, batch loss 2.043, 1.38 iters/s
step 6980, batch loss 2.014, 1.38 iters/s
step 6981, batch loss 2.152, 1.37 iters/s
step 6982, batch loss 2.541, 1.38 iters/s
step 6983, batch loss 2.152, 1.38 iters/s
step 6984, batch loss 2.174, 1.39 iters/s
step 6985, batch loss 1.829, 1.38 iters/s
step 6986, batch loss 2.065, 1.38 iters/s

step 6987, batch loss 2.11, 1.38 iters/s
step 6988, batch loss 2.224, 1.38 iters/s
step 6989, batch loss 2.342, 1.38 iters/s
step 6990, batch loss 2.355, 1.39 iters/s
step 6991, batch loss 2.049, 1.39 iters/s
step 6992, batch loss 2.075, 1.38 iters/s
step 6993, batch loss 2.384, 1.38 iters/s
step 6994, batch loss 2.054, 1.37 iters/s
step 6995, batch loss 2.511, 1.38 iters/s
step 6996, batch loss 2.028, 1.38 iters/s
step 6997, batch loss 1.869, 1.38 iters/s
step 6998, batch loss 2.129, 1.38 iters/s
step 6999, batch loss 2.302, 1.38 iters/s
step 7000, batch loss 2.159, 1.39 iters/s
step 7001, batch loss 2.151, 1.38 iters/s
step 7002, batch loss 1.976, 1.38 iters/s
step 7003, batch loss 2.24, 1.38 iters/s
step 7004, batch loss 1.938, 1.38 iters/s
step 7005, batch loss 2.339, 1.38 iters/s
step 7006, batch loss 2.47, 1.38 iters/s
step 7007, batch loss 2.111, 1.38 iters/s
step 7008, batch loss 2.438, 1.38 iters/s
step 7009, batch loss 2.001, 1.37 iters/s
step 7010, batch loss 2.301, 1.38 iters/s
step 7011, batch loss 2.313, 1.38 iters/s
step 7012, batch loss 2.252, 1.38 iters/s
step 7013, batch loss 2.358, 1.37 iters/s
step 7014, batch loss 2.066, 1.38 iters/s
step 7015, batch loss 1.866, 1.38 iters/s
step 7016, batch loss 2.052, 1.38 iters/s
step 7017, batch loss 1.926, 1.38 iters/s
step 7018, batch loss 2.233, 1.38 iters/s
step 7019, batch loss 2.217, 1.38 iters/s
step 7020, batch loss 2.006, 1.37 iters/s
step 7021, batch loss 2.002, 1.38 iters/s
step 7022, batch loss 2.17, 1.38 iters/s
step 7023, batch loss 2.292, 1.37 iters/s
step 7024, batch loss 1.841, 1.38 iters/s
step 7025, batch loss 2.038, 1.38 iters/s
step 7026, batch loss 2.069, 1.37 iters/s
step 7027, batch loss 1.931, 1.39 iters/s
step 7028, batch loss 2.375, 1.37 iters/s
step 7029, batch loss 2.198, 1.37 iters/s
step 7030, batch loss 2.069, 1.38 iters/s
step 7031, batch loss 2.219, 1.38 iters/s
step 7032, batch loss 2.062, 1.39 iters/s
step 7033, batch loss 1.996, 1.37 iters/s
step 7034, batch loss 2.036, 1.38 iters/s

step 7035, batch loss 2.039, 1.37 iters/s
step 7036, batch loss 2.123, 1.38 iters/s
step 7037, batch loss 2.288, 1.37 iters/s
step 7038, batch loss 1.935, 1.38 iters/s
step 7039, batch loss 2.027, 1.38 iters/s
step 7040, batch loss 2.226, 1.38 iters/s
step 7041, batch loss 1.833, 1.38 iters/s
step 7042, batch loss 1.949, 1.38 iters/s
step 7043, batch loss 2.236, 1.38 iters/s
step 7044, batch loss 2.261, 1.38 iters/s
step 7045, batch loss 2.037, 1.37 iters/s
step 7046, batch loss 2.147, 1.38 iters/s
step 7047, batch loss 2.061, 1.38 iters/s
step 7048, batch loss 2.118, 1.38 iters/s
step 7049, batch loss 2.138, 1.38 iters/s
step 7050, batch loss 2.21, 1.38 iters/s
step 7051, batch loss 2.072, 1.38 iters/s
step 7052, batch loss 2.021, 1.38 iters/s
step 7053, batch loss 1.965, 1.38 iters/s
step 7054, batch loss 2.301, 1.37 iters/s
step 7055, batch loss 2.069, 1.38 iters/s
step 7056, batch loss 2.182, 1.38 iters/s
step 7057, batch loss 2.33, 1.38 iters/s
step 7058, batch loss 2.018, 1.39 iters/s
step 7059, batch loss 1.916, 1.38 iters/s
step 7060, batch loss 2.283, 1.38 iters/s
step 7061, batch loss 2.461, 1.38 iters/s
step 7062, batch loss 2.141, 1.38 iters/s
step 7063, batch loss 1.991, 1.38 iters/s
step 7064, batch loss 2.504, 1.38 iters/s
step 7065, batch loss 2.004, 1.4 iters/s
step 7066, batch loss 2.112, 1.38 iters/s
step 7067, batch loss 2.115, 1.38 iters/s
step 7068, batch loss 2.055, 1.38 iters/s
step 7069, batch loss 2.055, 1.38 iters/s
step 7070, batch loss 1.969, 1.38 iters/s
step 7071, batch loss 2.0, 1.38 iters/s
step 7072, batch loss 2.079, 1.38 iters/s
step 7073, batch loss 2.314, 1.38 iters/s
step 7074, batch loss 2.381, 1.38 iters/s
step 7075, batch loss 2.061, 1.37 iters/s
step 7076, batch loss 2.193, 1.38 iters/s
step 7077, batch loss 2.075, 1.38 iters/s
step 7078, batch loss 1.804, 1.38 iters/s
step 7079, batch loss 2.128, 1.38 iters/s
step 7080, batch loss 1.99, 1.38 iters/s
step 7081, batch loss 2.454, 1.38 iters/s
step 7082, batch loss 2.393, 1.38 iters/s

step 7083, batch loss 2.177, 1.38 iters/s
step 7084, batch loss 1.83, 1.39 iters/s
step 7085, batch loss 2.004, 1.38 iters/s
step 7086, batch loss 2.24, 1.37 iters/s
step 7087, batch loss 2.074, 1.37 iters/s
step 7088, batch loss 2.477, 1.38 iters/s
step 7089, batch loss 2.231, 1.38 iters/s
step 7090, batch loss 2.232, 1.38 iters/s
step 7091, batch loss 1.809, 1.37 iters/s
step 7092, batch loss 1.979, 1.38 iters/s
step 7093, batch loss 2.159, 1.38 iters/s
step 7094, batch loss 2.068, 1.38 iters/s
step 7095, batch loss 2.334, 1.37 iters/s
step 7096, batch loss 2.354, 1.38 iters/s
step 7097, batch loss 2.556, 1.38 iters/s
step 7098, batch loss 2.186, 1.38 iters/s
step 7099, batch loss 1.845, 1.4 iters/s
step 7100, batch loss 2.165, 1.39 iters/s
step 7101, batch loss 2.282, 1.37 iters/s
step 7102, batch loss 2.055, 1.38 iters/s
step 7103, batch loss 2.012, 1.38 iters/s
step 7104, batch loss 2.226, 1.38 iters/s
step 7105, batch loss 2.009, 1.38 iters/s
step 7106, batch loss 2.171, 1.37 iters/s
step 7107, batch loss 1.949, 1.38 iters/s
step 7108, batch loss 2.051, 1.38 iters/s
step 7109, batch loss 2.17, 1.38 iters/s
step 7110, batch loss 2.041, 1.38 iters/s
step 7111, batch loss 2.255, 1.38 iters/s
step 7112, batch loss 2.087, 1.38 iters/s
step 7113, batch loss 1.854, 1.38 iters/s
step 7114, batch loss 2.108, 1.38 iters/s
step 7115, batch loss 2.095, 1.38 iters/s
step 7116, batch loss 2.291, 1.38 iters/s
step 7117, batch loss 1.882, 1.38 iters/s
step 7118, batch loss 2.123, 1.38 iters/s
step 7119, batch loss 2.058, 1.38 iters/s
step 7120, batch loss 2.095, 1.38 iters/s
step 7121, batch loss 2.146, 1.38 iters/s
step 7122, batch loss 1.872, 1.38 iters/s
step 7123, batch loss 2.218, 1.38 iters/s
step 7124, batch loss 2.375, 1.38 iters/s
step 7125, batch loss 2.13, 1.38 iters/s
step 7126, batch loss 2.276, 1.38 iters/s
step 7127, batch loss 2.215, 1.38 iters/s
step 7128, batch loss 2.009, 1.38 iters/s
step 7129, batch loss 2.122, 1.38 iters/s
step 7130, batch loss 2.19, 1.38 iters/s

step 7131, batch loss 2.129, 1.38 iters/s
step 7132, batch loss 2.432, 1.38 iters/s
step 7133, batch loss 2.124, 1.38 iters/s
step 7134, batch loss 1.846, 1.38 iters/s
step 7135, batch loss 2.271, 1.38 iters/s
step 7136, batch loss 1.836, 1.38 iters/s
step 7137, batch loss 1.911, 1.38 iters/s
step 7138, batch loss 2.042, 1.38 iters/s
step 7139, batch loss 2.034, 1.38 iters/s
step 7140, batch loss 1.997, 1.39 iters/s
step 7141, batch loss 2.071, 1.38 iters/s
step 7142, batch loss 1.924, 1.37 iters/s
step 7143, batch loss 2.409, 1.38 iters/s
step 7144, batch loss 2.026, 1.38 iters/s
step 7145, batch loss 2.096, 1.37 iters/s
step 7146, batch loss 2.159, 1.37 iters/s
step 7147, batch loss 2.226, 1.38 iters/s
step 7148, batch loss 2.189, 1.37 iters/s
step 7149, batch loss 1.9, 1.38 iters/s
step 7150, batch loss 2.178, 1.37 iters/s
step 7151, batch loss 2.039, 1.38 iters/s
step 7152, batch loss 1.94, 1.38 iters/s
step 7153, batch loss 2.363, 1.38 iters/s
step 7154, batch loss 2.051, 1.37 iters/s
step 7155, batch loss 1.969, 1.37 iters/s
step 7156, batch loss 1.93, 1.37 iters/s
step 7157, batch loss 1.894, 1.38 iters/s
step 7158, batch loss 2.061, 1.38 iters/s
step 7159, batch loss 2.127, 1.38 iters/s
step 7160, batch loss 2.361, 1.38 iters/s
step 7161, batch loss 2.568, 1.37 iters/s
step 7162, batch loss 2.301, 1.37 iters/s
step 7163, batch loss 2.363, 1.37 iters/s
step 7164, batch loss 2.207, 1.37 iters/s
step 7165, batch loss 2.146, 1.37 iters/s
step 7166, batch loss 2.084, 1.37 iters/s
step 7167, batch loss 2.05, 1.38 iters/s
step 7168, batch loss 2.101, 1.38 iters/s
step 7169, batch loss 2.033, 1.39 iters/s
step 7170, batch loss 2.227, 1.38 iters/s
step 7171, batch loss 2.137, 1.38 iters/s
step 7172, batch loss 2.051, 1.38 iters/s
step 7173, batch loss 1.925, 1.38 iters/s
step 7174, batch loss 2.536, 1.38 iters/s
step 7175, batch loss 2.161, 1.38 iters/s
step 7176, batch loss 2.307, 1.37 iters/s
step 7177, batch loss 2.291, 1.37 iters/s
step 7178, batch loss 2.408, 1.37 iters/s

step 7179, batch loss 2.264, 1.37 iters/s
step 7180, batch loss 2.124, 1.38 iters/s
step 7181, batch loss 2.218, 1.37 iters/s
step 7182, batch loss 2.043, 1.38 iters/s
step 7183, batch loss 2.005, 1.38 iters/s
step 7184, batch loss 2.016, 1.38 iters/s
step 7185, batch loss 2.075, 1.38 iters/s
step 7186, batch loss 2.147, 1.37 iters/s
step 7187, batch loss 2.39, 1.37 iters/s
step 7188, batch loss 2.29, 1.37 iters/s
step 7189, batch loss 2.082, 1.38 iters/s
step 7190, batch loss 1.966, 1.38 iters/s
step 7191, batch loss 2.143, 1.38 iters/s
step 7192, batch loss 2.009, 1.38 iters/s
step 7193, batch loss 2.275, 1.37 iters/s
step 7194, batch loss 2.133, 1.38 iters/s
step 7195, batch loss 2.062, 1.38 iters/s
step 7196, batch loss 2.175, 1.38 iters/s
step 7197, batch loss 2.137, 1.39 iters/s
step 7198, batch loss 2.065, 1.38 iters/s
step 7199, batch loss 1.974, 1.38 iters/s
step 7200, batch loss 2.099, 1.38 iters/s
step 7201, batch loss 2.386, 1.38 iters/s
step 7202, batch loss 2.017, 1.38 iters/s
step 7203, batch loss 2.172, 1.38 iters/s
step 7204, batch loss 2.064, 1.38 iters/s
step 7205, batch loss 1.954, 1.38 iters/s
step 7206, batch loss 2.054, 1.37 iters/s
step 7207, batch loss 2.159, 1.38 iters/s
step 7208, batch loss 2.056, 1.38 iters/s
step 7209, batch loss 2.185, 1.38 iters/s
step 7210, batch loss 2.127, 1.38 iters/s
step 7211, batch loss 2.148, 1.38 iters/s
step 7212, batch loss 1.889, 1.38 iters/s
step 7213, batch loss 2.12, 1.38 iters/s
step 7214, batch loss 2.184, 1.38 iters/s
step 7215, batch loss 2.247, 1.37 iters/s
step 7216, batch loss 2.17, 1.37 iters/s
step 7217, batch loss 2.122, 1.37 iters/s
step 7218, batch loss 2.393, 1.38 iters/s
step 7219, batch loss 2.154, 1.38 iters/s
step 7220, batch loss 2.004, 1.38 iters/s
step 7221, batch loss 1.946, 1.38 iters/s
step 7222, batch loss 1.824, 1.37 iters/s
step 7223, batch loss 1.881, 1.38 iters/s
step 7224, batch loss 2.312, 1.38 iters/s
step 7225, batch loss 2.218, 1.38 iters/s
step 7226, batch loss 2.007, 1.38 iters/s

step 7227, batch loss 1.958, 1.38 iters/s
step 7228, batch loss 2.327, 1.38 iters/s
step 7229, batch loss 2.09, 1.38 iters/s
step 7230, batch loss 2.046, 1.37 iters/s
step 7231, batch loss 2.182, 1.37 iters/s
step 7232, batch loss 2.15, 1.38 iters/s
step 7233, batch loss 2.139, 1.38 iters/s
step 7234, batch loss 2.202, 1.38 iters/s
step 7235, batch loss 1.849, 1.38 iters/s
step 7236, batch loss 2.096, 1.37 iters/s
step 7237, batch loss 2.151, 1.38 iters/s
step 7238, batch loss 1.96, 1.38 iters/s
step 7239, batch loss 2.153, 1.38 iters/s
step 7240, batch loss 2.082, 1.38 iters/s
step 7241, batch loss 1.958, 1.39 iters/s
step 7242, batch loss 2.036, 1.38 iters/s
step 7243, batch loss 2.103, 1.38 iters/s
step 7244, batch loss 2.181, 1.38 iters/s
step 7245, batch loss 2.097, 1.39 iters/s
step 7246, batch loss 2.106, 1.38 iters/s
step 7247, batch loss 2.159, 1.38 iters/s
step 7248, batch loss 2.009, 1.38 iters/s
step 7249, batch loss 2.102, 1.38 iters/s
step 7250, batch loss 1.892, 1.39 iters/s
step 7251, batch loss 1.924, 1.38 iters/s
step 7252, batch loss 2.266, 1.4 iters/s
step 7253, batch loss 2.009, 1.4 iters/s
step 7254, batch loss 2.113, 1.37 iters/s
step 7255, batch loss 1.866, 1.38 iters/s
step 7256, batch loss 2.058, 1.38 iters/s
step 7257, batch loss 1.916, 1.38 iters/s
step 7258, batch loss 1.953, 1.37 iters/s
step 7259, batch loss 2.193, 1.38 iters/s
step 7260, batch loss 1.677, 1.38 iters/s
step 7261, batch loss 1.972, 1.38 iters/s
step 7262, batch loss 2.073, 1.38 iters/s
step 7263, batch loss 2.34, 1.39 iters/s
step 7264, batch loss 2.021, 1.38 iters/s
step 7265, batch loss 2.129, 1.38 iters/s
step 7266, batch loss 2.146, 1.37 iters/s
step 7267, batch loss 2.094, 1.37 iters/s
step 7268, batch loss 1.865, 1.38 iters/s
step 7269, batch loss 2.349, 1.37 iters/s
step 7270, batch loss 2.184, 1.38 iters/s
step 7271, batch loss 2.057, 1.38 iters/s
step 7272, batch loss 2.394, 1.38 iters/s
step 7273, batch loss 1.902, 1.38 iters/s
step 7274, batch loss 2.072, 1.37 iters/s

step 7275, batch loss 2.2, 1.37 iters/s
step 7276, batch loss 2.392, 1.37 iters/s
step 7277, batch loss 2.148, 1.38 iters/s
step 7278, batch loss 2.137, 1.38 iters/s
step 7279, batch loss 2.072, 1.38 iters/s
step 7280, batch loss 2.046, 1.38 iters/s
step 7281, batch loss 1.95, 1.38 iters/s
step 7282, batch loss 2.107, 1.38 iters/s
step 7283, batch loss 2.116, 1.38 iters/s
step 7284, batch loss 2.57, 1.38 iters/s
step 7285, batch loss 1.985, 1.38 iters/s
step 7286, batch loss 2.055, 1.37 iters/s
step 7287, batch loss 2.39, 1.38 iters/s
step 7288, batch loss 2.186, 1.37 iters/s
step 7289, batch loss 2.3, 1.37 iters/s
step 7290, batch loss 2.123, 1.38 iters/s
step 7291, batch loss 2.23, 1.38 iters/s
step 7292, batch loss 2.19, 1.38 iters/s
step 7293, batch loss 1.922, 1.38 iters/s
step 7294, batch loss 1.752, 1.37 iters/s
step 7295, batch loss 2.197, 1.38 iters/s
step 7296, batch loss 1.973, 1.38 iters/s
step 7297, batch loss 2.125, 1.38 iters/s
step 7298, batch loss 2.054, 1.37 iters/s
step 7299, batch loss 1.958, 1.37 iters/s
step 7300, batch loss 2.052, 1.38 iters/s
step 7301, batch loss 2.084, 1.38 iters/s
step 7302, batch loss 2.045, 1.37 iters/s
step 7303, batch loss 1.991, 1.38 iters/s
step 7304, batch loss 2.199, 1.38 iters/s
step 7305, batch loss 2.154, 1.37 iters/s
step 7306, batch loss 2.394, 1.37 iters/s
step 7307, batch loss 2.079, 1.37 iters/s
step 7308, batch loss 2.254, 1.37 iters/s
step 7309, batch loss 2.462, 1.38 iters/s
step 7310, batch loss 2.131, 1.38 iters/s
step 7311, batch loss 2.228, 1.38 iters/s
step 7312, batch loss 1.922, 1.37 iters/s
step 7313, batch loss 2.29, 1.38 iters/s
step 7314, batch loss 2.086, 1.37 iters/s
step 7315, batch loss 2.222, 1.38 iters/s
step 7316, batch loss 2.066, 1.38 iters/s
step 7317, batch loss 2.298, 1.37 iters/s
step 7318, batch loss 2.105, 1.38 iters/s
step 7319, batch loss 1.922, 1.38 iters/s
step 7320, batch loss 2.011, 1.38 iters/s
step 7321, batch loss 1.928, 1.38 iters/s
step 7322, batch loss 2.177, 1.38 iters/s

step 7323, batch loss 2.15, 1.38 iters/s
step 7324, batch loss 1.977, 1.38 iters/s
step 7325, batch loss 1.938, 1.38 iters/s
step 7326, batch loss 2.095, 1.38 iters/s
step 7327, batch loss 2.087, 1.37 iters/s
step 7328, batch loss 1.951, 1.38 iters/s
step 7329, batch loss 2.03, 1.37 iters/s
step 7330, batch loss 2.112, 1.37 iters/s
step 7331, batch loss 2.255, 1.37 iters/s
step 7332, batch loss 2.073, 1.37 iters/s
step 7333, batch loss 2.277, 1.38 iters/s
step 7334, batch loss 2.651, 1.38 iters/s
step 7335, batch loss 1.796, 1.38 iters/s
step 7336, batch loss 2.107, 1.38 iters/s
step 7337, batch loss 2.368, 1.37 iters/s
step 7338, batch loss 2.784, 1.38 iters/s
step 7339, batch loss 2.232, 1.38 iters/s
step 7340, batch loss 2.145, 1.38 iters/s
step 7341, batch loss 2.065, 1.37 iters/s
step 7342, batch loss 2.265, 1.37 iters/s
step 7343, batch loss 2.029, 1.37 iters/s
step 7344, batch loss 2.156, 1.38 iters/s
step 7345, batch loss 2.061, 1.38 iters/s
step 7346, batch loss 2.3, 1.38 iters/s
step 7347, batch loss 2.179, 1.38 iters/s
step 7348, batch loss 2.064, 1.37 iters/s
step 7349, batch loss 2.051, 1.38 iters/s
step 7350, batch loss 1.97, 1.38 iters/s
step 7351, batch loss 1.992, 1.38 iters/s
step 7352, batch loss 2.062, 1.39 iters/s
step 7353, batch loss 2.099, 1.37 iters/s
step 7354, batch loss 2.124, 1.38 iters/s
step 7355, batch loss 1.977, 1.38 iters/s
step 7356, batch loss 1.857, 1.37 iters/s
step 7357, batch loss 2.198, 1.37 iters/s
step 7358, batch loss 2.135, 1.38 iters/s
step 7359, batch loss 2.101, 1.38 iters/s
step 7360, batch loss 2.162, 1.38 iters/s
step 7361, batch loss 2.309, 1.38 iters/s
step 7362, batch loss 2.027, 1.38 iters/s
step 7363, batch loss 2.1, 1.37 iters/s
step 7364, batch loss 2.03, 1.37 iters/s
step 7365, batch loss 1.929, 1.37 iters/s
step 7366, batch loss 2.106, 1.37 iters/s
step 7367, batch loss 3.109, 1.38 iters/s
step 7368, batch loss 2.128, 1.38 iters/s
step 7369, batch loss 2.014, 1.38 iters/s
step 7370, batch loss 2.399, 1.37 iters/s

step 7371, batch loss 2.172, 1.38 iters/s
step 7372, batch loss 2.094, 1.37 iters/s
step 7373, batch loss 2.225, 1.37 iters/s
step 7374, batch loss 2.279, 1.38 iters/s
step 7375, batch loss 2.559, 1.37 iters/s
step 7376, batch loss 2.019, 1.37 iters/s
step 7377, batch loss 1.755, 1.38 iters/s
step 7378, batch loss 2.013, 1.38 iters/s
step 7379, batch loss 2.397, 1.37 iters/s
step 7380, batch loss 2.116, 1.38 iters/s
step 7381, batch loss 2.015, 1.38 iters/s
step 7382, batch loss 2.291, 1.38 iters/s
step 7383, batch loss 1.945, 1.38 iters/s
step 7384, batch loss 2.195, 1.37 iters/s
step 7385, batch loss 1.883, 1.38 iters/s
step 7386, batch loss 2.152, 1.37 iters/s
step 7387, batch loss 2.079, 1.37 iters/s
step 7388, batch loss 2.13, 1.38 iters/s
step 7389, batch loss 1.944, 1.38 iters/s
step 7390, batch loss 2.123, 1.37 iters/s
step 7391, batch loss 2.225, 1.37 iters/s
step 7392, batch loss 2.079, 1.37 iters/s
step 7393, batch loss 2.087, 1.38 iters/s
step 7394, batch loss 2.052, 1.38 iters/s
step 7395, batch loss 2.126, 1.38 iters/s
step 7396, batch loss 1.986, 1.38 iters/s
step 7397, batch loss 2.156, 1.37 iters/s
step 7398, batch loss 2.063, 1.37 iters/s
step 7399, batch loss 2.004, 1.37 iters/s
step 7400, batch loss 1.976, 1.39 iters/s
step 7401, batch loss 2.208, 1.38 iters/s
step 7402, batch loss 2.01, 1.38 iters/s
step 7403, batch loss 2.117, 1.38 iters/s
step 7404, batch loss 2.031, 1.38 iters/s
step 7405, batch loss 2.099, 1.38 iters/s
step 7406, batch loss 2.053, 1.37 iters/s
step 7407, batch loss 2.138, 1.38 iters/s
step 7408, batch loss 1.949, 1.37 iters/s
step 7409, batch loss 1.901, 1.37 iters/s
step 7410, batch loss 2.237, 1.38 iters/s
step 7411, batch loss 2.152, 1.37 iters/s
step 7412, batch loss 2.048, 1.37 iters/s
step 7413, batch loss 2.062, 1.38 iters/s
step 7414, batch loss 3.056, 1.37 iters/s
step 7415, batch loss 2.187, 1.37 iters/s
step 7416, batch loss 2.08, 1.38 iters/s
step 7417, batch loss 1.798, 1.38 iters/s
step 7418, batch loss 2.069, 1.37 iters/s

step 7419, batch loss 1.787, 1.38 iters/s
step 7420, batch loss 1.928, 1.38 iters/s
step 7421, batch loss 2.059, 1.38 iters/s
step 7422, batch loss 2.126, 1.38 iters/s
step 7423, batch loss 2.19, 1.38 iters/s
step 7424, batch loss 2.138, 1.38 iters/s
step 7425, batch loss 1.845, 1.39 iters/s
step 7426, batch loss 1.999, 1.37 iters/s
step 7427, batch loss 2.061, 1.37 iters/s
step 7428, batch loss 2.129, 1.38 iters/s
step 7429, batch loss 2.079, 1.37 iters/s
step 7430, batch loss 2.158, 1.38 iters/s
step 7431, batch loss 1.846, 1.38 iters/s
step 7432, batch loss 2.161, 1.38 iters/s
step 7433, batch loss 1.8, 1.37 iters/s
step 7434, batch loss 2.346, 1.38 iters/s
step 7435, batch loss 1.939, 1.38 iters/s
step 7436, batch loss 2.021, 1.38 iters/s
step 7437, batch loss 1.996, 1.37 iters/s
step 7438, batch loss 2.223, 1.38 iters/s
step 7439, batch loss 2.335, 1.38 iters/s
step 7440, batch loss 2.198, 1.37 iters/s
step 7441, batch loss 2.105, 1.38 iters/s
step 7442, batch loss 1.974, 1.38 iters/s
step 7443, batch loss 2.274, 1.38 iters/s
step 7444, batch loss 1.889, 1.37 iters/s
step 7445, batch loss 2.036, 1.38 iters/s
step 7446, batch loss 2.276, 1.38 iters/s
step 7447, batch loss 1.976, 1.38 iters/s
step 7448, batch loss 1.935, 1.37 iters/s
step 7449, batch loss 2.015, 1.38 iters/s
step 7450, batch loss 2.183, 1.38 iters/s
step 7451, batch loss 1.799, 1.38 iters/s
step 7452, batch loss 1.967, 1.38 iters/s
step 7453, batch loss 2.21, 1.37 iters/s
step 7454, batch loss 2.077, 1.38 iters/s
step 7455, batch loss 2.228, 1.38 iters/s
step 7456, batch loss 2.015, 1.38 iters/s
step 7457, batch loss 2.224, 1.37 iters/s
step 7458, batch loss 2.6, 1.37 iters/s
step 7459, batch loss 2.334, 1.38 iters/s
step 7460, batch loss 2.074, 1.37 iters/s
step 7461, batch loss 2.213, 1.38 iters/s
step 7462, batch loss 2.068, 1.37 iters/s
step 7463, batch loss 1.876, 1.38 iters/s
step 7464, batch loss 1.812, 1.38 iters/s
step 7465, batch loss 1.907, 1.38 iters/s
step 7466, batch loss 2.341, 1.37 iters/s

step 7467, batch loss 2.289, 1.38 iters/s
step 7468, batch loss 2.435, 1.37 iters/s
step 7469, batch loss 2.009, 1.37 iters/s
step 7470, batch loss 2.123, 1.38 iters/s
step 7471, batch loss 1.907, 1.38 iters/s
step 7472, batch loss 2.035, 1.38 iters/s
step 7473, batch loss 2.009, 1.37 iters/s
step 7474, batch loss 2.11, 1.38 iters/s
step 7475, batch loss 2.067, 1.37 iters/s
step 7476, batch loss 2.479, 1.38 iters/s
step 7477, batch loss 2.218, 1.38 iters/s
step 7478, batch loss 2.318, 1.38 iters/s
step 7479, batch loss 2.103, 1.38 iters/s
step 7480, batch loss 2.379, 1.38 iters/s
step 7481, batch loss 2.145, 1.38 iters/s
step 7482, batch loss 2.215, 1.38 iters/s
step 7483, batch loss 2.249, 1.38 iters/s
step 7484, batch loss 2.077, 1.38 iters/s
step 7485, batch loss 1.992, 1.38 iters/s
step 7486, batch loss 2.186, 1.38 iters/s
step 7487, batch loss 2.212, 1.38 iters/s
step 7488, batch loss 1.856, 1.37 iters/s
step 7489, batch loss 2.076, 1.37 iters/s
step 7490, batch loss 1.797, 1.38 iters/s
step 7491, batch loss 2.08, 1.37 iters/s
step 7492, batch loss 2.032, 1.38 iters/s
step 7493, batch loss 1.783, 1.38 iters/s
step 7494, batch loss 2.117, 1.38 iters/s
step 7495, batch loss 2.074, 1.38 iters/s
step 7496, batch loss 2.091, 1.38 iters/s
step 7497, batch loss 2.162, 1.38 iters/s
step 7498, batch loss 1.888, 1.38 iters/s
step 7499, batch loss 2.149, 1.38 iters/s
step 7500, batch loss 1.988, 1.38 iters/s
step 7501, batch loss 2.126, 1.37 iters/s
step 7502, batch loss 2.117, 1.37 iters/s
step 7503, batch loss 1.946, 1.38 iters/s
step 7504, batch loss 2.382, 1.37 iters/s
step 7505, batch loss 2.021, 1.37 iters/s
step 7506, batch loss 2.155, 1.38 iters/s
step 7507, batch loss 1.977, 1.37 iters/s
step 7508, batch loss 2.012, 1.37 iters/s
step 7509, batch loss 2.168, 1.37 iters/s
step 7510, batch loss 2.13, 1.38 iters/s
step 7511, batch loss 2.199, 1.38 iters/s
step 7512, batch loss 2.278, 1.38 iters/s
step 7513, batch loss 2.324, 1.37 iters/s
step 7514, batch loss 2.195, 1.38 iters/s

step 7515, batch loss 2.07, 1.37 iters/s
step 7516, batch loss 1.995, 1.38 iters/s
step 7517, batch loss 2.298, 1.38 iters/s
step 7518, batch loss 2.106, 1.37 iters/s
step 7519, batch loss 2.095, 1.37 iters/s
step 7520, batch loss 1.837, 1.38 iters/s
step 7521, batch loss 2.207, 1.38 iters/s
step 7522, batch loss 2.047, 1.37 iters/s
step 7523, batch loss 2.098, 1.38 iters/s
step 7524, batch loss 2.083, 1.38 iters/s
step 7525, batch loss 2.071, 1.38 iters/s
step 7526, batch loss 2.176, 1.38 iters/s
step 7527, batch loss 2.089, 1.37 iters/s
step 7528, batch loss 2.087, 1.38 iters/s
step 7529, batch loss 2.73, 1.38 iters/s
step 7530, batch loss 2.103, 1.38 iters/s
step 7531, batch loss 2.279, 1.37 iters/s
step 7532, batch loss 2.227, 1.37 iters/s
step 7533, batch loss 2.265, 1.38 iters/s
step 7534, batch loss 2.125, 1.37 iters/s
step 7535, batch loss 1.847, 1.38 iters/s
step 7536, batch loss 1.898, 1.37 iters/s
step 7537, batch loss 2.182, 1.37 iters/s
step 7538, batch loss 2.021, 1.37 iters/s
step 7539, batch loss 2.17, 1.37 iters/s
step 7540, batch loss 2.204, 1.38 iters/s
step 7541, batch loss 2.102, 1.38 iters/s
step 7542, batch loss 2.389, 1.37 iters/s
step 7543, batch loss 2.071, 1.37 iters/s
step 7544, batch loss 1.944, 1.38 iters/s
step 7545, batch loss 2.077, 1.38 iters/s
step 7546, batch loss 2.454, 1.38 iters/s
step 7547, batch loss 1.989, 1.37 iters/s
step 7548, batch loss 2.019, 1.37 iters/s
step 7549, batch loss 2.052, 1.37 iters/s
step 7550, batch loss 2.081, 1.38 iters/s
step 7551, batch loss 2.378, 1.37 iters/s
step 7552, batch loss 1.991, 1.38 iters/s
step 7553, batch loss 2.242, 1.38 iters/s
step 7554, batch loss 1.978, 1.37 iters/s
step 7555, batch loss 2.407, 1.37 iters/s
step 7556, batch loss 2.485, 1.37 iters/s
step 7557, batch loss 2.117, 1.38 iters/s
step 7558, batch loss 2.184, 1.37 iters/s
step 7559, batch loss 2.48, 1.37 iters/s
step 7560, batch loss 2.162, 1.37 iters/s
step 7561, batch loss 1.938, 1.37 iters/s
step 7562, batch loss 2.25, 1.37 iters/s

step 7563, batch loss 2.046, 1.37 iters/s
step 7564, batch loss 2.17, 1.39 iters/s
step 7565, batch loss 2.074, 1.38 iters/s
step 7566, batch loss 2.105, 1.37 iters/s
step 7567, batch loss 2.244, 1.38 iters/s
step 7568, batch loss 2.077, 1.38 iters/s
step 7569, batch loss 2.094, 1.38 iters/s
step 7570, batch loss 2.186, 1.37 iters/s
step 7571, batch loss 2.12, 1.38 iters/s
step 7572, batch loss 2.02, 1.37 iters/s
step 7573, batch loss 2.262, 1.37 iters/s
step 7574, batch loss 2.219, 1.37 iters/s
step 7575, batch loss 2.143, 1.37 iters/s
step 7576, batch loss 2.266, 1.37 iters/s
step 7577, batch loss 2.108, 1.38 iters/s
step 7578, batch loss 2.054, 1.38 iters/s
step 7579, batch loss 2.072, 1.38 iters/s
step 7580, batch loss 2.12, 1.38 iters/s
step 7581, batch loss 1.915, 1.38 iters/s
step 7582, batch loss 2.012, 1.37 iters/s
step 7583, batch loss 2.141, 1.37 iters/s
step 7584, batch loss 2.19, 1.38 iters/s
step 7585, batch loss 2.148, 1.37 iters/s
step 7586, batch loss 2.159, 1.38 iters/s
step 7587, batch loss 2.03, 1.38 iters/s
step 7588, batch loss 1.886, 1.38 iters/s
step 7589, batch loss 2.021, 1.38 iters/s
step 7590, batch loss 1.883, 1.38 iters/s
step 7591, batch loss 2.209, 1.38 iters/s
step 7592, batch loss 2.171, 1.38 iters/s
step 7593, batch loss 2.065, 1.38 iters/s
step 7594, batch loss 2.154, 1.38 iters/s
step 7595, batch loss 2.33, 1.38 iters/s
step 7596, batch loss 2.018, 1.38 iters/s
step 7597, batch loss 1.957, 1.38 iters/s
step 7598, batch loss 2.132, 1.38 iters/s
step 7599, batch loss 1.805, 1.38 iters/s
step 7600, batch loss 2.142, 1.38 iters/s
step 7601, batch loss 2.288, 1.38 iters/s
step 7602, batch loss 1.948, 1.38 iters/s
step 7603, batch loss 2.466, 1.38 iters/s
step 7604, batch loss 2.558, 1.38 iters/s
step 7605, batch loss 2.178, 1.37 iters/s
step 7606, batch loss 2.193, 1.37 iters/s
step 7607, batch loss 1.975, 1.38 iters/s
step 7608, batch loss 1.87, 1.37 iters/s
step 7609, batch loss 2.033, 1.38 iters/s
step 7610, batch loss 2.222, 1.38 iters/s

step 7611, batch loss 2.112, 1.38 iters/s
step 7612, batch loss 2.302, 1.38 iters/s
step 7613, batch loss 1.892, 1.38 iters/s
step 7614, batch loss 1.907, 1.38 iters/s
step 7615, batch loss 2.103, 1.38 iters/s
step 7616, batch loss 2.005, 1.38 iters/s
step 7617, batch loss 2.173, 1.37 iters/s
step 7618, batch loss 1.897, 1.37 iters/s
step 7619, batch loss 2.123, 1.38 iters/s
step 7620, batch loss 2.084, 1.38 iters/s
step 7621, batch loss 2.266, 1.38 iters/s
step 7622, batch loss 2.014, 1.38 iters/s
step 7623, batch loss 1.858, 1.38 iters/s
step 7624, batch loss 1.929, 1.38 iters/s
step 7625, batch loss 2.226, 1.39 iters/s
step 7626, batch loss 2.246, 1.4 iters/s
step 7627, batch loss 1.916, 1.38 iters/s
step 7628, batch loss 2.099, 1.38 iters/s
step 7629, batch loss 2.393, 1.38 iters/s
step 7630, batch loss 2.117, 1.38 iters/s
step 7631, batch loss 2.182, 1.38 iters/s
step 7632, batch loss 2.077, 1.38 iters/s
step 7633, batch loss 2.049, 1.38 iters/s
step 7634, batch loss 2.158, 1.37 iters/s
step 7635, batch loss 2.265, 1.38 iters/s
step 7636, batch loss 2.005, 1.38 iters/s
step 7637, batch loss 2.186, 1.38 iters/s
step 7638, batch loss 2.163, 1.38 iters/s
step 7639, batch loss 2.286, 1.38 iters/s
step 7640, batch loss 2.212, 1.37 iters/s
step 7641, batch loss 2.153, 1.38 iters/s
step 7642, batch loss 2.169, 1.38 iters/s
step 7643, batch loss 2.009, 1.38 iters/s
step 7644, batch loss 2.339, 1.38 iters/s
step 7645, batch loss 2.36, 1.38 iters/s
step 7646, batch loss 2.163, 1.37 iters/s
step 7647, batch loss 2.18, 1.38 iters/s
step 7648, batch loss 2.421, 1.38 iters/s
step 7649, batch loss 2.019, 1.39 iters/s
step 7650, batch loss 1.963, 1.38 iters/s
step 7651, batch loss 2.184, 1.38 iters/s
step 7652, batch loss 2.04, 1.38 iters/s
step 7653, batch loss 2.49, 1.37 iters/s
step 7654, batch loss 1.9, 1.37 iters/s
step 7655, batch loss 1.751, 1.38 iters/s
step 7656, batch loss 2.2, 1.38 iters/s
step 7657, batch loss 2.206, 1.38 iters/s
step 7658, batch loss 2.224, 1.38 iters/s

step 7659, batch loss 2.206, 1.38 iters/s
step 7660, batch loss 2.056, 1.38 iters/s
step 7661, batch loss 2.021, 1.38 iters/s
step 7662, batch loss 2.265, 1.38 iters/s
step 7663, batch loss 1.901, 1.39 iters/s
step 7664, batch loss 1.834, 1.39 iters/s
step 7665, batch loss 2.038, 1.38 iters/s
step 7666, batch loss 2.114, 1.38 iters/s
step 7667, batch loss 2.065, 1.39 iters/s
step 7668, batch loss 2.108, 1.37 iters/s
step 7669, batch loss 1.978, 1.38 iters/s
step 7670, batch loss 1.924, 1.38 iters/s
step 7671, batch loss 2.003, 1.38 iters/s
step 7672, batch loss 2.295, 1.38 iters/s
step 7673, batch loss 2.009, 1.38 iters/s
step 7674, batch loss 2.182, 1.37 iters/s
step 7675, batch loss 2.044, 1.37 iters/s
step 7676, batch loss 1.915, 1.38 iters/s
step 7677, batch loss 2.004, 1.39 iters/s
step 7678, batch loss 2.073, 1.38 iters/s
step 7679, batch loss 1.921, 1.38 iters/s
step 7680, batch loss 2.036, 1.37 iters/s
step 7681, batch loss 2.225, 1.38 iters/s
step 7682, batch loss 2.034, 1.37 iters/s
step 7683, batch loss 2.097, 1.38 iters/s
step 7684, batch loss 2.441, 1.38 iters/s
step 7685, batch loss 2.285, 1.37 iters/s
step 7686, batch loss 2.199, 1.38 iters/s
step 7687, batch loss 1.904, 1.38 iters/s
step 7688, batch loss 2.13, 1.38 iters/s
step 7689, batch loss 2.12, 1.37 iters/s
step 7690, batch loss 2.152, 1.38 iters/s
step 7691, batch loss 2.149, 1.38 iters/s
step 7692, batch loss 2.196, 1.38 iters/s
step 7693, batch loss 2.062, 1.38 iters/s
step 7694, batch loss 2.382, 1.38 iters/s
step 7695, batch loss 2.066, 1.38 iters/s
step 7696, batch loss 1.98, 1.38 iters/s
step 7697, batch loss 2.152, 1.38 iters/s
step 7698, batch loss 2.087, 1.38 iters/s
step 7699, batch loss 2.204, 1.38 iters/s
step 7700, batch loss 2.13, 1.38 iters/s
step 7701, batch loss 2.183, 1.38 iters/s
step 7702, batch loss 2.036, 1.38 iters/s
step 7703, batch loss 2.156, 1.37 iters/s
step 7704, batch loss 1.93, 1.38 iters/s
step 7705, batch loss 2.019, 1.38 iters/s
step 7706, batch loss 2.066, 1.38 iters/s

step 7707, batch loss 1.863, 1.38 iters/s
step 7708, batch loss 1.937, 1.38 iters/s
step 7709, batch loss 2.154, 1.37 iters/s
step 7710, batch loss 1.881, 1.37 iters/s
step 7711, batch loss 2.31, 1.38 iters/s
step 7712, batch loss 2.06, 1.37 iters/s
step 7713, batch loss 2.1, 1.38 iters/s
step 7714, batch loss 1.706, 1.38 iters/s
step 7715, batch loss 2.258, 1.38 iters/s
step 7716, batch loss 2.226, 1.38 iters/s
step 7717, batch loss 1.838, 1.37 iters/s
step 7718, batch loss 2.02, 1.38 iters/s
step 7719, batch loss 1.896, 1.38 iters/s
step 7720, batch loss 1.905, 1.38 iters/s
step 7721, batch loss 2.343, 1.38 iters/s
step 7722, batch loss 2.156, 1.38 iters/s
step 7723, batch loss 2.154, 1.38 iters/s
step 7724, batch loss 1.817, 1.37 iters/s
step 7725, batch loss 1.941, 1.37 iters/s
step 7726, batch loss 2.01, 1.39 iters/s
step 7727, batch loss 2.241, 1.38 iters/s
step 7728, batch loss 1.894, 1.38 iters/s
step 7729, batch loss 1.944, 1.38 iters/s
step 7730, batch loss 2.14, 1.39 iters/s
step 7731, batch loss 2.24, 1.38 iters/s
step 7732, batch loss 2.105, 1.39 iters/s
step 7733, batch loss 2.311, 1.38 iters/s
step 7734, batch loss 1.879, 1.38 iters/s
step 7735, batch loss 2.086, 1.37 iters/s
step 7736, batch loss 2.132, 1.38 iters/s
step 7737, batch loss 1.854, 1.38 iters/s
step 7738, batch loss 1.946, 1.37 iters/s
step 7739, batch loss 2.045, 1.37 iters/s
step 7740, batch loss 2.28, 1.37 iters/s
step 7741, batch loss 1.963, 1.37 iters/s
step 7742, batch loss 2.013, 1.38 iters/s
step 7743, batch loss 2.447, 1.38 iters/s
step 7744, batch loss 2.007, 1.38 iters/s
step 7745, batch loss 1.997, 1.38 iters/s
step 7746, batch loss 2.174, 1.38 iters/s
step 7747, batch loss 2.025, 1.38 iters/s
step 7748, batch loss 2.059, 1.38 iters/s
step 7749, batch loss 1.888, 1.38 iters/s
step 7750, batch loss 1.937, 1.38 iters/s
step 7751, batch loss 1.953, 1.37 iters/s
step 7752, batch loss 2.105, 1.38 iters/s
step 7753, batch loss 2.177, 1.37 iters/s
step 7754, batch loss 2.071, 1.38 iters/s

step 7755, batch loss 1.991, 1.38 iters/s
step 7756, batch loss 1.786, 1.38 iters/s
step 7757, batch loss 2.029, 1.39 iters/s
step 7758, batch loss 2.041, 1.38 iters/s
step 7759, batch loss 2.108, 1.38 iters/s
step 7760, batch loss 1.695, 1.37 iters/s
step 7761, batch loss 2.19, 1.38 iters/s
step 7762, batch loss 2.035, 1.38 iters/s
step 7763, batch loss 1.914, 1.38 iters/s
step 7764, batch loss 1.991, 1.38 iters/s
step 7765, batch loss 2.099, 1.38 iters/s
step 7766, batch loss 2.11, 1.38 iters/s
step 7767, batch loss 2.048, 1.39 iters/s
step 7768, batch loss 2.268, 1.38 iters/s
step 7769, batch loss 2.079, 1.38 iters/s
step 7770, batch loss 1.964, 1.38 iters/s
step 7771, batch loss 2.118, 1.38 iters/s
step 7772, batch loss 2.087, 1.38 iters/s
step 7773, batch loss 2.184, 1.38 iters/s
step 7774, batch loss 2.21, 1.38 iters/s
step 7775, batch loss 2.036, 1.38 iters/s
step 7776, batch loss 2.023, 1.38 iters/s
step 7777, batch loss 2.064, 1.38 iters/s
step 7778, batch loss 2.091, 1.38 iters/s
step 7779, batch loss 2.15, 1.38 iters/s
step 7780, batch loss 2.004, 1.38 iters/s
step 7781, batch loss 2.223, 1.38 iters/s
step 7782, batch loss 2.141, 1.38 iters/s
step 7783, batch loss 2.104, 1.38 iters/s
step 7784, batch loss 2.204, 1.38 iters/s
step 7785, batch loss 2.285, 1.38 iters/s
step 7786, batch loss 1.997, 1.38 iters/s
step 7787, batch loss 2.032, 1.38 iters/s
step 7788, batch loss 2.082, 1.39 iters/s
step 7789, batch loss 2.081, 1.38 iters/s
step 7790, batch loss 2.116, 1.38 iters/s
step 7791, batch loss 2.178, 1.38 iters/s
step 7792, batch loss 2.119, 1.38 iters/s
step 7793, batch loss 2.316, 1.38 iters/s
step 7794, batch loss 1.879, 1.38 iters/s
step 7795, batch loss 2.088, 1.38 iters/s
step 7796, batch loss 2.158, 1.37 iters/s
step 7797, batch loss 2.181, 1.38 iters/s
step 7798, batch loss 2.338, 1.38 iters/s
step 7799, batch loss 1.976, 1.38 iters/s
step 7800, batch loss 2.162, 1.38 iters/s
step 7801, batch loss 2.059, 1.38 iters/s
step 7802, batch loss 2.25, 1.38 iters/s

step 7803, batch loss 2.261, 1.37 iters/s
step 7804, batch loss 2.207, 1.38 iters/s
step 7805, batch loss 1.871, 1.38 iters/s
step 7806, batch loss 2.114, 1.38 iters/s
step 7807, batch loss 2.087, 1.39 iters/s
step 7808, batch loss 2.058, 1.38 iters/s
step 7809, batch loss 1.774, 1.38 iters/s
step 7810, batch loss 2.124, 1.38 iters/s
step 7811, batch loss 1.673, 1.38 iters/s
step 7812, batch loss 2.318, 1.37 iters/s
step 7813, batch loss 2.117, 1.38 iters/s
step 7814, batch loss 2.058, 1.38 iters/s
step 7815, batch loss 2.212, 1.4 iters/s
step 7816, batch loss 1.991, 1.38 iters/s
step 7817, batch loss 1.819, 1.38 iters/s
step 7818, batch loss 2.128, 1.38 iters/s
step 7819, batch loss 2.265, 1.38 iters/s
step 7820, batch loss 1.965, 1.39 iters/s
step 7821, batch loss 2.036, 1.38 iters/s
step 7822, batch loss 2.273, 1.39 iters/s
step 7823, batch loss 2.086, 1.38 iters/s
step 7824, batch loss 2.074, 1.38 iters/s
step 7825, batch loss 1.931, 1.38 iters/s
step 7826, batch loss 1.981, 1.38 iters/s
step 7827, batch loss 2.365, 1.38 iters/s
step 7828, batch loss 2.129, 1.38 iters/s
step 7829, batch loss 2.094, 1.38 iters/s
step 7830, batch loss 2.217, 1.37 iters/s
step 7831, batch loss 2.123, 1.39 iters/s
step 7832, batch loss 2.261, 1.38 iters/s
step 7833, batch loss 2.758, 1.38 iters/s
step 7834, batch loss 2.192, 1.38 iters/s
step 7835, batch loss 1.96, 1.38 iters/s
step 7836, batch loss 1.97, 1.39 iters/s
step 7837, batch loss 2.163, 1.38 iters/s
step 7838, batch loss 2.004, 1.37 iters/s
step 7839, batch loss 1.984, 1.38 iters/s
step 7840, batch loss 2.13, 1.37 iters/s
step 7841, batch loss 2.13, 1.37 iters/s
step 7842, batch loss 2.142, 1.37 iters/s
step 7843, batch loss 2.206, 1.38 iters/s
step 7844, batch loss 1.881, 1.37 iters/s
step 7845, batch loss 2.188, 1.38 iters/s
step 7846, batch loss 1.93, 1.38 iters/s
step 7847, batch loss 2.262, 1.38 iters/s
step 7848, batch loss 2.195, 1.38 iters/s
step 7849, batch loss 2.199, 1.37 iters/s
step 7850, batch loss 1.896, 1.38 iters/s

step 7851, batch loss 2.178, 1.37 iters/s
step 7852, batch loss 2.126, 1.38 iters/s
step 7853, batch loss 1.946, 1.38 iters/s
step 7854, batch loss 1.951, 1.38 iters/s
step 7855, batch loss 2.311, 1.38 iters/s
step 7856, batch loss 2.111, 1.38 iters/s
step 7857, batch loss 1.903, 1.37 iters/s
step 7858, batch loss 2.26, 1.38 iters/s
step 7859, batch loss 2.017, 1.38 iters/s
step 7860, batch loss 2.155, 1.38 iters/s
step 7861, batch loss 2.07, 1.38 iters/s
step 7862, batch loss 1.978, 1.38 iters/s
step 7863, batch loss 2.064, 1.38 iters/s
step 7864, batch loss 2.113, 1.38 iters/s
step 7865, batch loss 2.205, 1.38 iters/s
step 7866, batch loss 1.977, 1.38 iters/s
step 7867, batch loss 1.877, 1.38 iters/s
step 7868, batch loss 2.021, 1.38 iters/s
step 7869, batch loss 1.944, 1.38 iters/s
step 7870, batch loss 2.268, 1.38 iters/s
step 7871, batch loss 2.214, 1.38 iters/s
step 7872, batch loss 1.985, 1.38 iters/s
step 7873, batch loss 1.906, 1.38 iters/s
step 7874, batch loss 2.158, 1.38 iters/s
step 7875, batch loss 2.029, 1.38 iters/s
step 7876, batch loss 2.038, 1.38 iters/s
step 7877, batch loss 2.047, 1.38 iters/s
step 7878, batch loss 2.18, 1.38 iters/s
step 7879, batch loss 2.083, 1.38 iters/s
step 7880, batch loss 2.422, 1.38 iters/s
step 7881, batch loss 2.357, 1.38 iters/s
step 7882, batch loss 2.166, 1.38 iters/s
step 7883, batch loss 2.076, 1.38 iters/s
step 7884, batch loss 1.978, 1.38 iters/s
step 7885, batch loss 1.958, 1.38 iters/s
step 7886, batch loss 2.057, 1.38 iters/s
step 7887, batch loss 1.986, 1.37 iters/s
step 7888, batch loss 2.288, 1.38 iters/s
step 7889, batch loss 2.074, 1.38 iters/s
step 7890, batch loss 1.98, 1.38 iters/s
step 7891, batch loss 2.306, 1.37 iters/s
step 7892, batch loss 1.912, 1.37 iters/s
step 7893, batch loss 2.055, 1.38 iters/s
step 7894, batch loss 2.096, 1.37 iters/s
step 7895, batch loss 2.195, 1.37 iters/s
step 7896, batch loss 2.067, 1.38 iters/s
step 7897, batch loss 2.198, 1.38 iters/s
step 7898, batch loss 2.595, 1.38 iters/s

step 7899, batch loss 2.208, 1.38 iters/s
step 7900, batch loss 2.196, 1.38 iters/s
step 7901, batch loss 2.093, 1.38 iters/s
step 7902, batch loss 1.927, 1.38 iters/s
step 7903, batch loss 2.177, 1.38 iters/s
step 7904, batch loss 2.216, 1.38 iters/s
step 7905, batch loss 2.118, 1.39 iters/s
step 7906, batch loss 2.163, 1.37 iters/s
step 7907, batch loss 1.935, 1.37 iters/s
step 7908, batch loss 2.244, 1.38 iters/s
step 7909, batch loss 1.997, 1.37 iters/s
step 7910, batch loss 2.181, 1.37 iters/s
step 7911, batch loss 1.975, 1.38 iters/s
step 7912, batch loss 2.333, 1.38 iters/s
step 7913, batch loss 2.076, 1.37 iters/s
step 7914, batch loss 2.123, 1.38 iters/s
step 7915, batch loss 2.018, 1.38 iters/s
step 7916, batch loss 2.207, 1.38 iters/s
step 7917, batch loss 2.144, 1.38 iters/s
step 7918, batch loss 1.99, 1.38 iters/s
step 7919, batch loss 2.109, 1.38 iters/s
step 7920, batch loss 2.045, 1.38 iters/s
step 7921, batch loss 2.323, 1.37 iters/s
step 7922, batch loss 1.948, 1.37 iters/s
step 7923, batch loss 2.356, 1.38 iters/s
step 7924, batch loss 2.162, 1.38 iters/s
step 7925, batch loss 2.243, 1.38 iters/s
step 7926, batch loss 2.168, 1.38 iters/s
step 7927, batch loss 2.053, 1.38 iters/s
step 7928, batch loss 1.997, 1.38 iters/s
step 7929, batch loss 2.059, 1.38 iters/s
step 7930, batch loss 2.327, 1.38 iters/s
step 7931, batch loss 2.135, 1.37 iters/s
step 7932, batch loss 2.105, 1.38 iters/s
step 7933, batch loss 2.005, 1.38 iters/s
step 7934, batch loss 2.307, 1.38 iters/s
step 7935, batch loss 2.192, 1.38 iters/s
step 7936, batch loss 2.482, 1.38 iters/s
step 7937, batch loss 2.187, 1.37 iters/s
step 7938, batch loss 2.087, 1.38 iters/s
step 7939, batch loss 2.087, 1.37 iters/s
step 7940, batch loss 2.096, 1.38 iters/s
step 7941, batch loss 2.027, 1.38 iters/s
step 7942, batch loss 2.246, 1.38 iters/s
step 7943, batch loss 2.218, 1.39 iters/s
step 7944, batch loss 2.176, 1.38 iters/s
step 7945, batch loss 2.073, 1.38 iters/s
step 7946, batch loss 2.222, 1.38 iters/s

step 7947, batch loss 2.028, 1.37 iters/s
step 7948, batch loss 1.953, 1.37 iters/s
step 7949, batch loss 2.307, 1.38 iters/s
step 7950, batch loss 1.974, 1.37 iters/s
step 7951, batch loss 2.182, 1.38 iters/s
step 7952, batch loss 1.956, 1.37 iters/s
step 7953, batch loss 2.044, 1.37 iters/s
step 7954, batch loss 2.045, 1.38 iters/s
step 7955, batch loss 2.208, 1.38 iters/s
step 7956, batch loss 2.27, 1.37 iters/s
step 7957, batch loss 2.103, 1.37 iters/s
step 7958, batch loss 2.039, 1.38 iters/s
step 7959, batch loss 2.22, 1.38 iters/s
step 7960, batch loss 2.0, 1.38 iters/s
step 7961, batch loss 1.731, 1.38 iters/s
step 7962, batch loss 2.122, 1.38 iters/s
step 7963, batch loss 2.247, 1.38 iters/s
step 7964, batch loss 2.0, 1.38 iters/s
step 7965, batch loss 2.051, 1.38 iters/s
step 7966, batch loss 2.006, 1.38 iters/s
step 7967, batch loss 2.093, 1.38 iters/s
step 7968, batch loss 2.135, 1.37 iters/s
step 7969, batch loss 2.019, 1.39 iters/s
step 7970, batch loss 2.19, 1.38 iters/s
step 7971, batch loss 2.101, 1.38 iters/s
step 7972, batch loss 2.047, 1.38 iters/s
step 7973, batch loss 2.277, 1.38 iters/s
step 7974, batch loss 2.048, 1.4 iters/s
step 7975, batch loss 1.734, 1.38 iters/s
step 7976, batch loss 2.041, 1.39 iters/s
step 7977, batch loss 2.099, 1.38 iters/s
step 7978, batch loss 1.936, 1.38 iters/s
step 7979, batch loss 1.859, 1.38 iters/s
step 7980, batch loss 2.077, 1.38 iters/s
step 7981, batch loss 1.848, 1.38 iters/s
step 7982, batch loss 2.022, 1.38 iters/s
step 7983, batch loss 1.936, 1.38 iters/s
step 7984, batch loss 2.105, 1.38 iters/s
step 7985, batch loss 2.266, 1.38 iters/s
step 7986, batch loss 2.073, 1.38 iters/s
step 7987, batch loss 1.866, 1.38 iters/s
step 7988, batch loss 1.826, 1.38 iters/s
step 7989, batch loss 2.197, 1.38 iters/s
step 7990, batch loss 2.202, 1.38 iters/s
step 7991, batch loss 1.91, 1.38 iters/s
step 7992, batch loss 2.06, 1.38 iters/s
step 7993, batch loss 1.941, 1.39 iters/s
step 7994, batch loss 2.231, 1.38 iters/s

step 7995, batch loss 1.947, 1.38 iters/s
step 7996, batch loss 2.068, 1.38 iters/s
step 7997, batch loss 1.968, 1.38 iters/s
step 7998, batch loss 2.073, 1.38 iters/s
step 7999, batch loss 2.368, 1.38 iters/s
step 8000, batch loss 2.369, 1.38 iters/s
step 8001, batch loss 2.213, 1.39 iters/s
step 8002, batch loss 2.113, 1.38 iters/s
step 8003, batch loss 2.081, 1.38 iters/s
step 8004, batch loss 1.92, 1.39 iters/s
step 8005, batch loss 2.088, 1.38 iters/s
step 8006, batch loss 2.078, 1.38 iters/s
step 8007, batch loss 1.952, 1.38 iters/s
step 8008, batch loss 2.065, 1.37 iters/s
step 8009, batch loss 1.895, 1.38 iters/s
step 8010, batch loss 2.083, 1.38 iters/s
step 8011, batch loss 1.914, 1.38 iters/s
step 8012, batch loss 2.19, 1.38 iters/s
step 8013, batch loss 2.031, 1.38 iters/s
step 8014, batch loss 1.928, 1.38 iters/s
step 8015, batch loss 2.199, 1.38 iters/s
step 8016, batch loss 2.303, 1.38 iters/s
step 8017, batch loss 1.999, 1.38 iters/s
step 8018, batch loss 1.991, 1.38 iters/s
step 8019, batch loss 2.196, 1.38 iters/s
step 8020, batch loss 2.021, 1.38 iters/s
step 8021, batch loss 2.071, 1.38 iters/s
step 8022, batch loss 2.202, 1.38 iters/s
step 8023, batch loss 1.889, 1.4 iters/s
step 8024, batch loss 2.152, 1.38 iters/s
step 8025, batch loss 1.984, 1.38 iters/s
step 8026, batch loss 2.326, 1.38 iters/s
step 8027, batch loss 2.081, 1.38 iters/s
step 8028, batch loss 2.057, 1.38 iters/s
step 8029, batch loss 1.985, 1.39 iters/s
step 8030, batch loss 2.103, 1.38 iters/s
step 8031, batch loss 2.28, 1.38 iters/s
step 8032, batch loss 1.979, 1.38 iters/s
step 8033, batch loss 1.984, 1.38 iters/s
step 8034, batch loss 1.958, 1.38 iters/s
step 8035, batch loss 2.006, 1.38 iters/s
step 8036, batch loss 2.094, 1.38 iters/s
step 8037, batch loss 1.908, 1.38 iters/s
step 8038, batch loss 2.149, 1.38 iters/s
step 8039, batch loss 2.164, 1.38 iters/s
step 8040, batch loss 1.874, 1.38 iters/s
step 8041, batch loss 2.086, 1.38 iters/s
step 8042, batch loss 1.886, 1.38 iters/s

step 8043, batch loss 2.171, 1.39 iters/s
step 8044, batch loss 2.173, 1.38 iters/s
step 8045, batch loss 1.979, 1.39 iters/s
step 8046, batch loss 2.281, 1.38 iters/s
step 8047, batch loss 1.998, 1.38 iters/s
step 8048, batch loss 2.078, 1.39 iters/s
step 8049, batch loss 2.268, 1.38 iters/s
step 8050, batch loss 2.026, 1.37 iters/s
step 8051, batch loss 2.076, 1.38 iters/s
step 8052, batch loss 1.982, 1.38 iters/s
step 8053, batch loss 2.08, 1.38 iters/s
step 8054, batch loss 1.989, 1.38 iters/s
step 8055, batch loss 1.978, 1.38 iters/s
step 8056, batch loss 1.908, 1.38 iters/s
step 8057, batch loss 2.12, 1.38 iters/s
step 8058, batch loss 1.806, 1.38 iters/s
step 8059, batch loss 2.019, 1.38 iters/s
step 8060, batch loss 2.363, 1.38 iters/s
step 8061, batch loss 2.26, 1.37 iters/s
step 8062, batch loss 1.888, 1.38 iters/s
step 8063, batch loss 2.311, 1.38 iters/s
step 8064, batch loss 2.281, 1.38 iters/s
step 8065, batch loss 2.04, 1.38 iters/s
step 8066, batch loss 1.999, 1.39 iters/s
step 8067, batch loss 2.115, 1.37 iters/s
step 8068, batch loss 1.85, 1.38 iters/s
step 8069, batch loss 2.079, 1.37 iters/s
step 8070, batch loss 2.096, 1.38 iters/s
step 8071, batch loss 1.992, 1.37 iters/s
step 8072, batch loss 2.299, 1.37 iters/s
step 8073, batch loss 2.182, 1.37 iters/s
step 8074, batch loss 2.165, 1.38 iters/s
step 8075, batch loss 1.875, 1.38 iters/s
step 8076, batch loss 1.861, 1.38 iters/s
step 8077, batch loss 1.99, 1.37 iters/s
step 8078, batch loss 1.908, 1.37 iters/s
step 8079, batch loss 1.97, 1.38 iters/s
step 8080, batch loss 2.058, 1.38 iters/s
step 8081, batch loss 2.033, 1.38 iters/s
step 8082, batch loss 1.939, 1.38 iters/s
step 8083, batch loss 1.953, 1.38 iters/s
step 8084, batch loss 1.976, 1.38 iters/s
step 8085, batch loss 2.225, 1.37 iters/s
step 8086, batch loss 2.037, 1.38 iters/s
step 8087, batch loss 2.121, 1.37 iters/s
step 8088, batch loss 1.967, 1.38 iters/s
step 8089, batch loss 2.275, 1.38 iters/s
step 8090, batch loss 2.113, 1.38 iters/s

step 8091, batch loss 2.229, 1.38 iters/s
step 8092, batch loss 2.116, 1.37 iters/s
step 8093, batch loss 2.04, 1.38 iters/s
step 8094, batch loss 2.209, 1.38 iters/s
step 8095, batch loss 2.111, 1.38 iters/s
step 8096, batch loss 1.917, 1.38 iters/s
step 8097, batch loss 2.125, 1.38 iters/s
step 8098, batch loss 2.122, 1.39 iters/s
step 8099, batch loss 2.291, 1.38 iters/s
step 8100, batch loss 2.162, 1.37 iters/s
step 8101, batch loss 2.33, 1.37 iters/s
step 8102, batch loss 1.919, 1.38 iters/s
step 8103, batch loss 2.109, 1.38 iters/s
step 8104, batch loss 2.269, 1.37 iters/s
step 8105, batch loss 2.259, 1.38 iters/s
step 8106, batch loss 1.883, 1.38 iters/s
step 8107, batch loss 1.978, 1.38 iters/s
step 8108, batch loss 2.146, 1.38 iters/s
step 8109, batch loss 2.103, 1.38 iters/s
step 8110, batch loss 2.147, 1.38 iters/s
step 8111, batch loss 2.215, 1.38 iters/s
step 8112, batch loss 2.057, 1.38 iters/s
step 8113, batch loss 2.023, 1.38 iters/s
step 8114, batch loss 2.528, 1.38 iters/s
step 8115, batch loss 1.999, 1.38 iters/s
step 8116, batch loss 2.211, 1.38 iters/s
step 8117, batch loss 2.075, 1.39 iters/s
step 8118, batch loss 1.915, 1.38 iters/s
step 8119, batch loss 1.984, 1.38 iters/s
step 8120, batch loss 1.917, 1.37 iters/s
step 8121, batch loss 2.182, 1.38 iters/s
step 8122, batch loss 2.015, 1.38 iters/s
step 8123, batch loss 2.154, 1.38 iters/s
step 8124, batch loss 2.253, 1.38 iters/s
step 8125, batch loss 1.974, 1.37 iters/s
step 8126, batch loss 2.103, 1.38 iters/s
step 8127, batch loss 2.135, 1.38 iters/s
step 8128, batch loss 2.003, 1.38 iters/s
step 8129, batch loss 2.047, 1.38 iters/s
step 8130, batch loss 1.941, 1.38 iters/s
step 8131, batch loss 2.321, 1.38 iters/s
step 8132, batch loss 1.95, 1.38 iters/s
step 8133, batch loss 1.935, 1.38 iters/s
step 8134, batch loss 2.157, 1.38 iters/s
step 8135, batch loss 2.143, 1.38 iters/s
step 8136, batch loss 1.908, 1.38 iters/s
step 8137, batch loss 2.039, 1.38 iters/s
step 8138, batch loss 2.277, 1.38 iters/s

step 8139, batch loss 2.116, 1.38 iters/s
step 8140, batch loss 2.173, 1.38 iters/s
step 8141, batch loss 2.005, 1.37 iters/s
step 8142, batch loss 2.135, 1.38 iters/s
step 8143, batch loss 2.285, 1.38 iters/s
step 8144, batch loss 1.953, 1.38 iters/s
step 8145, batch loss 2.298, 1.38 iters/s
step 8146, batch loss 1.958, 1.38 iters/s
step 8147, batch loss 2.048, 1.38 iters/s
step 8148, batch loss 2.1, 1.38 iters/s
step 8149, batch loss 2.04, 1.38 iters/s
step 8150, batch loss 2.186, 1.38 iters/s
step 8151, batch loss 2.308, 1.38 iters/s
step 8152, batch loss 2.533, 1.38 iters/s
step 8153, batch loss 2.157, 1.38 iters/s
step 8154, batch loss 2.312, 1.38 iters/s
step 8155, batch loss 2.051, 1.38 iters/s
step 8156, batch loss 2.067, 1.38 iters/s
step 8157, batch loss 2.077, 1.37 iters/s
step 8158, batch loss 1.957, 1.38 iters/s
step 8159, batch loss 2.027, 1.38 iters/s
step 8160, batch loss 2.351, 1.39 iters/s
step 8161, batch loss 2.311, 1.38 iters/s
step 8162, batch loss 2.19, 1.38 iters/s
step 8163, batch loss 2.139, 1.38 iters/s
step 8164, batch loss 1.954, 1.38 iters/s
step 8165, batch loss 2.064, 1.38 iters/s
step 8166, batch loss 2.074, 1.39 iters/s
step 8167, batch loss 2.077, 1.38 iters/s
step 8168, batch loss 2.248, 1.39 iters/s
step 8169, batch loss 2.058, 1.39 iters/s
step 8170, batch loss 1.974, 1.38 iters/s
step 8171, batch loss 2.081, 1.38 iters/s
step 8172, batch loss 2.199, 1.37 iters/s
step 8173, batch loss 2.392, 1.38 iters/s
step 8174, batch loss 2.321, 1.38 iters/s
step 8175, batch loss 2.399, 1.38 iters/s
step 8176, batch loss 1.986, 1.38 iters/s
step 8177, batch loss 2.183, 1.38 iters/s
step 8178, batch loss 1.955, 1.38 iters/s
step 8179, batch loss 2.067, 1.38 iters/s
step 8180, batch loss 2.168, 1.38 iters/s
step 8181, batch loss 2.043, 1.38 iters/s
step 8182, batch loss 1.923, 1.39 iters/s
step 8183, batch loss 2.109, 1.38 iters/s
step 8184, batch loss 1.743, 1.39 iters/s
step 8185, batch loss 2.158, 1.38 iters/s
step 8186, batch loss 1.969, 1.38 iters/s

step 8187, batch loss 1.841, 1.38 iters/s
step 8188, batch loss 1.912, 1.38 iters/s
step 8189, batch loss 2.186, 1.39 iters/s
step 8190, batch loss 1.951, 1.37 iters/s
step 8191, batch loss 1.979, 1.39 iters/s
step 8192, batch loss 1.929, 1.38 iters/s
step 8193, batch loss 2.346, 1.38 iters/s
step 8194, batch loss 2.198, 1.38 iters/s
step 8195, batch loss 2.144, 1.38 iters/s
step 8196, batch loss 2.39, 1.38 iters/s
step 8197, batch loss 2.211, 1.39 iters/s
step 8198, batch loss 2.13, 1.39 iters/s
step 8199, batch loss 2.176, 1.38 iters/s
step 8200, batch loss 2.177, 1.38 iters/s
step 8201, batch loss 2.128, 1.37 iters/s
step 8202, batch loss 2.06, 1.38 iters/s
step 8203, batch loss 1.816, 1.38 iters/s
step 8204, batch loss 2.078, 1.38 iters/s
step 8205, batch loss 2.133, 1.38 iters/s
step 8206, batch loss 1.956, 1.37 iters/s
step 8207, batch loss 1.916, 1.38 iters/s
step 8208, batch loss 2.181, 1.39 iters/s
step 8209, batch loss 2.009, 1.39 iters/s
step 8210, batch loss 1.902, 1.38 iters/s
step 8211, batch loss 1.917, 1.38 iters/s
step 8212, batch loss 2.031, 1.38 iters/s
step 8213, batch loss 2.316, 1.38 iters/s
step 8214, batch loss 2.204, 1.38 iters/s
step 8215, batch loss 1.849, 1.38 iters/s
step 8216, batch loss 2.237, 1.38 iters/s
step 8217, batch loss 2.145, 1.38 iters/s
step 8218, batch loss 2.396, 1.38 iters/s
step 8219, batch loss 2.04, 1.38 iters/s
step 8220, batch loss 1.843, 1.39 iters/s
step 8221, batch loss 2.129, 1.38 iters/s
step 8222, batch loss 2.06, 1.38 iters/s
step 8223, batch loss 1.848, 1.38 iters/s
step 8224, batch loss 2.072, 1.38 iters/s
step 8225, batch loss 2.298, 1.38 iters/s
step 8226, batch loss 2.26, 1.38 iters/s
step 8227, batch loss 2.01, 1.38 iters/s
step 8228, batch loss 2.334, 1.38 iters/s
step 8229, batch loss 1.903, 1.38 iters/s
step 8230, batch loss 2.015, 1.37 iters/s
step 8231, batch loss 2.231, 1.38 iters/s
step 8232, batch loss 2.081, 1.38 iters/s
step 8233, batch loss 2.213, 1.38 iters/s
step 8234, batch loss 2.07, 1.38 iters/s

step 8235, batch loss 1.904, 1.38 iters/s
step 8236, batch loss 2.136, 1.37 iters/s
step 8237, batch loss 2.083, 1.37 iters/s
step 8238, batch loss 2.045, 1.38 iters/s
step 8239, batch loss 2.07, 1.38 iters/s
step 8240, batch loss 2.214, 1.38 iters/s
step 8241, batch loss 1.86, 1.38 iters/s
step 8242, batch loss 2.059, 1.38 iters/s
step 8243, batch loss 2.072, 1.37 iters/s
step 8244, batch loss 2.038, 1.38 iters/s
step 8245, batch loss 2.241, 1.38 iters/s
step 8246, batch loss 2.241, 1.38 iters/s
step 8247, batch loss 2.067, 1.38 iters/s
step 8248, batch loss 2.201, 1.38 iters/s
step 8249, batch loss 2.039, 1.38 iters/s
step 8250, batch loss 1.916, 1.38 iters/s
step 8251, batch loss 2.032, 1.38 iters/s
step 8252, batch loss 2.115, 1.39 iters/s
step 8253, batch loss 2.279, 1.38 iters/s
step 8254, batch loss 1.91, 1.38 iters/s
step 8255, batch loss 2.237, 1.37 iters/s
step 8256, batch loss 2.139, 1.38 iters/s
step 8257, batch loss 1.969, 1.38 iters/s
step 8258, batch loss 2.099, 1.37 iters/s
step 8259, batch loss 2.133, 1.38 iters/s
step 8260, batch loss 2.148, 1.38 iters/s
step 8261, batch loss 2.184, 1.38 iters/s
step 8262, batch loss 1.953, 1.38 iters/s
step 8263, batch loss 1.998, 1.38 iters/s
step 8264, batch loss 1.833, 1.38 iters/s
step 8265, batch loss 2.176, 1.37 iters/s
step 8266, batch loss 2.12, 1.37 iters/s
step 8267, batch loss 2.395, 1.38 iters/s
step 8268, batch loss 2.121, 1.38 iters/s
step 8269, batch loss 1.906, 1.38 iters/s
step 8270, batch loss 2.175, 1.38 iters/s
step 8271, batch loss 2.196, 1.38 iters/s
step 8272, batch loss 1.997, 1.37 iters/s
step 8273, batch loss 2.1, 1.37 iters/s
step 8274, batch loss 2.075, 1.37 iters/s
step 8275, batch loss 2.564, 1.38 iters/s
step 8276, batch loss 1.984, 1.38 iters/s
step 8277, batch loss 2.247, 1.37 iters/s
step 8278, batch loss 2.301, 1.38 iters/s
step 8279, batch loss 2.359, 1.38 iters/s
step 8280, batch loss 2.26, 1.37 iters/s
step 8281, batch loss 2.012, 1.37 iters/s
step 8282, batch loss 2.199, 1.38 iters/s

step 8283, batch loss 2.339, 1.38 iters/s
step 8284, batch loss 1.981, 1.38 iters/s
step 8285, batch loss 2.092, 1.38 iters/s
step 8286, batch loss 2.293, 1.38 iters/s
step 8287, batch loss 2.134, 1.38 iters/s
step 8288, batch loss 2.182, 1.38 iters/s
step 8289, batch loss 2.143, 1.38 iters/s
step 8290, batch loss 1.956, 1.38 iters/s
step 8291, batch loss 2.058, 1.38 iters/s
step 8292, batch loss 2.004, 1.38 iters/s
step 8293, batch loss 2.341, 1.38 iters/s
step 8294, batch loss 2.084, 1.38 iters/s
step 8295, batch loss 2.011, 1.38 iters/s
step 8296, batch loss 2.312, 1.38 iters/s
step 8297, batch loss 2.386, 1.38 iters/s
step 8298, batch loss 2.389, 1.38 iters/s
step 8299, batch loss 2.137, 1.38 iters/s
step 8300, batch loss 2.09, 1.38 iters/s
step 8301, batch loss 2.347, 1.37 iters/s
step 8302, batch loss 2.175, 1.38 iters/s
step 8303, batch loss 1.838, 1.38 iters/s
step 8304, batch loss 2.212, 1.38 iters/s
step 8305, batch loss 2.169, 1.38 iters/s
step 8306, batch loss 2.293, 1.38 iters/s
step 8307, batch loss 1.983, 1.38 iters/s
step 8308, batch loss 2.084, 1.38 iters/s
step 8309, batch loss 2.134, 1.38 iters/s
step 8310, batch loss 2.384, 1.37 iters/s
step 8311, batch loss 2.195, 1.38 iters/s
step 8312, batch loss 2.081, 1.38 iters/s
step 8313, batch loss 2.179, 1.38 iters/s
step 8314, batch loss 2.124, 1.38 iters/s
step 8315, batch loss 2.162, 1.38 iters/s
step 8316, batch loss 2.179, 1.38 iters/s
step 8317, batch loss 2.1, 1.38 iters/s
step 8318, batch loss 2.429, 1.38 iters/s
step 8319, batch loss 2.288, 1.38 iters/s
step 8320, batch loss 2.098, 1.38 iters/s
step 8321, batch loss 2.184, 1.38 iters/s
step 8322, batch loss 2.023, 1.38 iters/s
step 8323, batch loss 2.022, 1.38 iters/s
step 8324, batch loss 1.971, 1.38 iters/s
step 8325, batch loss 2.111, 1.38 iters/s
step 8326, batch loss 2.02, 1.38 iters/s
step 8327, batch loss 2.17, 1.39 iters/s
step 8328, batch loss 2.166, 1.38 iters/s
step 8329, batch loss 1.96, 1.38 iters/s
step 8330, batch loss 2.292, 1.38 iters/s

step 8331, batch loss 2.131, 1.38 iters/s
step 8332, batch loss 2.217, 1.39 iters/s
step 8333, batch loss 2.359, 1.38 iters/s
step 8334, batch loss 1.775, 1.38 iters/s
step 8335, batch loss 2.175, 1.38 iters/s
step 8336, batch loss 2.329, 1.38 iters/s
step 8337, batch loss 2.182, 1.39 iters/s
step 8338, batch loss 2.122, 1.38 iters/s
step 8339, batch loss 2.414, 1.38 iters/s
step 8340, batch loss 1.955, 1.38 iters/s
step 8341, batch loss 2.293, 1.37 iters/s
step 8342, batch loss 2.011, 1.38 iters/s
step 8343, batch loss 2.234, 1.38 iters/s
step 8344, batch loss 2.187, 1.37 iters/s
step 8345, batch loss 2.208, 1.38 iters/s
step 8346, batch loss 2.166, 1.38 iters/s
step 8347, batch loss 1.999, 1.38 iters/s
step 8348, batch loss 1.803, 1.38 iters/s
step 8349, batch loss 1.926, 1.38 iters/s
step 8350, batch loss 1.803, 1.38 iters/s
step 8351, batch loss 2.156, 1.38 iters/s
step 8352, batch loss 2.24, 1.38 iters/s
step 8353, batch loss 2.019, 1.38 iters/s
step 8354, batch loss 1.987, 1.38 iters/s
step 8355, batch loss 2.035, 1.38 iters/s
step 8356, batch loss 2.142, 1.38 iters/s
step 8357, batch loss 2.013, 1.38 iters/s
step 8358, batch loss 1.982, 1.38 iters/s
step 8359, batch loss 2.193, 1.39 iters/s
step 8360, batch loss 2.185, 1.38 iters/s
step 8361, batch loss 1.963, 1.37 iters/s
step 8362, batch loss 2.137, 1.39 iters/s
step 8363, batch loss 2.014, 1.38 iters/s
step 8364, batch loss 2.477, 1.38 iters/s
step 8365, batch loss 1.761, 1.38 iters/s
step 8366, batch loss 2.168, 1.38 iters/s
step 8367, batch loss 2.447, 1.38 iters/s
step 8368, batch loss 2.324, 1.38 iters/s
step 8369, batch loss 2.18, 1.39 iters/s
step 8370, batch loss 2.069, 1.39 iters/s
step 8371, batch loss 1.992, 1.38 iters/s
step 8372, batch loss 2.401, 1.38 iters/s
step 8373, batch loss 2.192, 1.38 iters/s
step 8374, batch loss 2.194, 1.38 iters/s
step 8375, batch loss 2.087, 1.38 iters/s
step 8376, batch loss 2.214, 1.38 iters/s
step 8377, batch loss 2.128, 1.38 iters/s
step 8378, batch loss 2.131, 1.38 iters/s

step 8379, batch loss 2.218, 1.39 iters/s
step 8380, batch loss 2.207, 1.38 iters/s
step 8381, batch loss 1.932, 1.38 iters/s
step 8382, batch loss 2.222, 1.38 iters/s
step 8383, batch loss 2.014, 1.39 iters/s
step 8384, batch loss 1.977, 1.38 iters/s
step 8385, batch loss 2.09, 1.38 iters/s
step 8386, batch loss 1.994, 1.38 iters/s
step 8387, batch loss 2.236, 1.38 iters/s
step 8388, batch loss 2.249, 1.38 iters/s
step 8389, batch loss 1.998, 1.39 iters/s
step 8390, batch loss 1.989, 1.38 iters/s
step 8391, batch loss 2.038, 1.37 iters/s
step 8392, batch loss 2.022, 1.38 iters/s
step 8393, batch loss 2.108, 1.38 iters/s
step 8394, batch loss 2.129, 1.38 iters/s
step 8395, batch loss 2.024, 1.38 iters/s
step 8396, batch loss 2.158, 1.38 iters/s
step 8397, batch loss 2.005, 1.38 iters/s
step 8398, batch loss 2.008, 1.38 iters/s
step 8399, batch loss 2.12, 1.38 iters/s
step 8400, batch loss 2.33, 1.38 iters/s
step 8401, batch loss 2.368, 1.38 iters/s
step 8402, batch loss 2.054, 1.38 iters/s
step 8403, batch loss 1.822, 1.38 iters/s
step 8404, batch loss 2.113, 1.38 iters/s
step 8405, batch loss 2.086, 1.38 iters/s
step 8406, batch loss 2.215, 1.38 iters/s
step 8407, batch loss 2.186, 1.38 iters/s
step 8408, batch loss 2.184, 1.38 iters/s
step 8409, batch loss 2.068, 1.38 iters/s
step 8410, batch loss 2.125, 1.38 iters/s
step 8411, batch loss 2.264, 1.38 iters/s
step 8412, batch loss 2.003, 1.38 iters/s
step 8413, batch loss 2.174, 1.38 iters/s
step 8414, batch loss 2.036, 1.38 iters/s
step 8415, batch loss 2.073, 1.38 iters/s
step 8416, batch loss 2.037, 1.38 iters/s
step 8417, batch loss 2.035, 1.38 iters/s
step 8418, batch loss 2.265, 1.38 iters/s
step 8419, batch loss 1.933, 1.38 iters/s
step 8420, batch loss 2.077, 1.38 iters/s
step 8421, batch loss 2.347, 1.38 iters/s
step 8422, batch loss 2.108, 1.38 iters/s
step 8423, batch loss 1.886, 1.38 iters/s
step 8424, batch loss 2.267, 1.38 iters/s
step 8425, batch loss 2.115, 1.38 iters/s
step 8426, batch loss 2.069, 1.39 iters/s

step 8427, batch loss 2.299, 1.38 iters/s
step 8428, batch loss 2.116, 1.38 iters/s
step 8429, batch loss 1.91, 1.38 iters/s
step 8430, batch loss 2.098, 1.38 iters/s
step 8431, batch loss 2.248, 1.37 iters/s
step 8432, batch loss 2.595, 1.4 iters/s
step 8433, batch loss 2.15, 1.38 iters/s
step 8434, batch loss 1.987, 1.38 iters/s
step 8435, batch loss 2.143, 1.38 iters/s
step 8436, batch loss 2.113, 1.38 iters/s
step 8437, batch loss 2.173, 1.39 iters/s
step 8438, batch loss 2.122, 1.37 iters/s
step 8439, batch loss 2.327, 1.38 iters/s
step 8440, batch loss 1.921, 1.38 iters/s
step 8441, batch loss 2.04, 1.37 iters/s
step 8442, batch loss 2.332, 1.38 iters/s
step 8443, batch loss 2.058, 1.37 iters/s
step 8444, batch loss 2.017, 1.38 iters/s
step 8445, batch loss 2.006, 1.38 iters/s
step 8446, batch loss 2.462, 1.38 iters/s
step 8447, batch loss 2.161, 1.38 iters/s
step 8448, batch loss 2.169, 1.38 iters/s
step 8449, batch loss 1.893, 1.37 iters/s
step 8450, batch loss 2.076, 1.38 iters/s
step 8451, batch loss 2.093, 1.38 iters/s
step 8452, batch loss 2.147, 1.38 iters/s
step 8453, batch loss 2.33, 1.37 iters/s
step 8454, batch loss 2.012, 1.38 iters/s
step 8455, batch loss 2.328, 1.37 iters/s
step 8456, batch loss 2.251, 1.38 iters/s
step 8457, batch loss 2.198, 1.38 iters/s
step 8458, batch loss 2.151, 1.38 iters/s
step 8459, batch loss 2.115, 1.38 iters/s
step 8460, batch loss 2.13, 1.38 iters/s
step 8461, batch loss 2.066, 1.38 iters/s
step 8462, batch loss 2.062, 1.38 iters/s
step 8463, batch loss 1.945, 1.38 iters/s
step 8464, batch loss 2.003, 1.38 iters/s
step 8465, batch loss 2.212, 1.38 iters/s
step 8466, batch loss 2.203, 1.38 iters/s
step 8467, batch loss 1.801, 1.37 iters/s
step 8468, batch loss 2.374, 1.38 iters/s
step 8469, batch loss 2.231, 1.38 iters/s
step 8470, batch loss 1.993, 1.38 iters/s
step 8471, batch loss 2.061, 1.38 iters/s
step 8472, batch loss 2.254, 1.38 iters/s
step 8473, batch loss 2.328, 1.38 iters/s
step 8474, batch loss 1.975, 1.38 iters/s

step 8475, batch loss 2.495, 1.38 iters/s
step 8476, batch loss 2.074, 1.38 iters/s
step 8477, batch loss 2.21, 1.39 iters/s
step 8478, batch loss 2.054, 1.38 iters/s
step 8479, batch loss 2.039, 1.38 iters/s
step 8480, batch loss 2.292, 1.38 iters/s
step 8481, batch loss 2.301, 1.38 iters/s
step 8482, batch loss 1.961, 1.38 iters/s
step 8483, batch loss 2.187, 1.38 iters/s
step 8484, batch loss 2.162, 1.38 iters/s
step 8485, batch loss 2.087, 1.38 iters/s
step 8486, batch loss 2.137, 1.38 iters/s
step 8487, batch loss 2.333, 1.38 iters/s
step 8488, batch loss 1.726, 1.38 iters/s
step 8489, batch loss 2.29, 1.38 iters/s
step 8490, batch loss 2.193, 1.38 iters/s
step 8491, batch loss 2.049, 1.38 iters/s
step 8492, batch loss 2.033, 1.38 iters/s
step 8493, batch loss 2.501, 1.38 iters/s
step 8494, batch loss 1.996, 1.38 iters/s
step 8495, batch loss 2.261, 1.37 iters/s
step 8496, batch loss 2.077, 1.38 iters/s
step 8497, batch loss 2.308, 1.38 iters/s
step 8498, batch loss 2.376, 1.38 iters/s
step 8499, batch loss 2.008, 1.38 iters/s
step 8500, batch loss 2.297, 1.38 iters/s
step 8501, batch loss 2.157, 1.38 iters/s
step 8502, batch loss 2.15, 1.37 iters/s
step 8503, batch loss 2.011, 1.38 iters/s
step 8504, batch loss 2.148, 1.37 iters/s
step 8505, batch loss 2.21, 1.38 iters/s
step 8506, batch loss 2.337, 1.38 iters/s
step 8507, batch loss 2.218, 1.38 iters/s
step 8508, batch loss 2.211, 1.38 iters/s
step 8509, batch loss 2.532, 1.37 iters/s
step 8510, batch loss 2.179, 1.38 iters/s
step 8511, batch loss 1.769, 1.38 iters/s
step 8512, batch loss 2.129, 1.38 iters/s
step 8513, batch loss 1.949, 1.39 iters/s
step 8514, batch loss 1.965, 1.39 iters/s
step 8515, batch loss 1.974, 1.38 iters/s
step 8516, batch loss 2.359, 1.37 iters/s
step 8517, batch loss 2.049, 1.39 iters/s
step 8518, batch loss 2.183, 1.38 iters/s
step 8519, batch loss 2.077, 1.38 iters/s
step 8520, batch loss 2.21, 1.38 iters/s
step 8521, batch loss 1.951, 1.39 iters/s
step 8522, batch loss 2.25, 1.38 iters/s

step 8523, batch loss 2.066, 1.38 iters/s
step 8524, batch loss 2.178, 1.38 iters/s
step 8525, batch loss 2.212, 1.38 iters/s
step 8526, batch loss 2.111, 1.38 iters/s
step 8527, batch loss 1.915, 1.38 iters/s
step 8528, batch loss 2.018, 1.4 iters/s
step 8529, batch loss 2.036, 1.38 iters/s
step 8530, batch loss 2.025, 1.38 iters/s
step 8531, batch loss 2.025, 1.39 iters/s
step 8532, batch loss 2.076, 1.38 iters/s
step 8533, batch loss 2.01, 1.38 iters/s
step 8534, batch loss 2.139, 1.38 iters/s
step 8535, batch loss 2.075, 1.38 iters/s
step 8536, batch loss 2.212, 1.38 iters/s
step 8537, batch loss 2.324, 1.38 iters/s
step 8538, batch loss 2.42, 1.38 iters/s
step 8539, batch loss 1.987, 1.37 iters/s
step 8540, batch loss 2.292, 1.38 iters/s
step 8541, batch loss 1.821, 1.38 iters/s
step 8542, batch loss 2.002, 1.38 iters/s
step 8543, batch loss 2.007, 1.38 iters/s
step 8544, batch loss 2.125, 1.38 iters/s
step 8545, batch loss 2.173, 1.38 iters/s
step 8546, batch loss 2.098, 1.38 iters/s
step 8547, batch loss 2.279, 1.38 iters/s
step 8548, batch loss 1.87, 1.38 iters/s
step 8549, batch loss 2.081, 1.38 iters/s
step 8550, batch loss 2.07, 1.38 iters/s
step 8551, batch loss 2.114, 1.37 iters/s
step 8552, batch loss 1.975, 1.38 iters/s
step 8553, batch loss 2.223, 1.38 iters/s
step 8554, batch loss 2.021, 1.4 iters/s
step 8555, batch loss 2.149, 1.39 iters/s
step 8556, batch loss 2.05, 1.38 iters/s
step 8557, batch loss 2.024, 1.38 iters/s
step 8558, batch loss 2.313, 1.38 iters/s
step 8559, batch loss 2.046, 1.38 iters/s
step 8560, batch loss 2.143, 1.38 iters/s
step 8561, batch loss 2.195, 1.38 iters/s
step 8562, batch loss 2.078, 1.38 iters/s
step 8563, batch loss 1.807, 1.38 iters/s
step 8564, batch loss 2.13, 1.38 iters/s
step 8565, batch loss 2.175, 1.38 iters/s
step 8566, batch loss 2.128, 1.39 iters/s
step 8567, batch loss 2.125, 1.39 iters/s
step 8568, batch loss 2.049, 1.38 iters/s
step 8569, batch loss 2.133, 1.38 iters/s
step 8570, batch loss 2.274, 1.38 iters/s

step 8571, batch loss 2.028, 1.38 iters/s
step 8572, batch loss 2.117, 1.38 iters/s
step 8573, batch loss 2.567, 1.38 iters/s
step 8574, batch loss 2.038, 1.38 iters/s
step 8575, batch loss 1.941, 1.38 iters/s
step 8576, batch loss 1.971, 1.38 iters/s
step 8577, batch loss 2.078, 1.38 iters/s
step 8578, batch loss 2.174, 1.38 iters/s
step 8579, batch loss 2.012, 1.38 iters/s
step 8580, batch loss 2.064, 1.38 iters/s
step 8581, batch loss 2.055, 1.38 iters/s
step 8582, batch loss 2.114, 1.39 iters/s
step 8583, batch loss 1.847, 1.37 iters/s
step 8584, batch loss 1.916, 1.38 iters/s
step 8585, batch loss 2.017, 1.38 iters/s
step 8586, batch loss 2.033, 1.38 iters/s
step 8587, batch loss 2.125, 1.38 iters/s
step 8588, batch loss 2.378, 1.38 iters/s
step 8589, batch loss 2.01, 1.38 iters/s
step 8590, batch loss 1.977, 1.38 iters/s
step 8591, batch loss 2.155, 1.38 iters/s
step 8592, batch loss 2.217, 1.38 iters/s
step 8593, batch loss 1.997, 1.37 iters/s
step 8594, batch loss 2.091, 1.38 iters/s
step 8595, batch loss 2.093, 1.38 iters/s
step 8596, batch loss 2.184, 1.38 iters/s
step 8597, batch loss 1.863, 1.37 iters/s
step 8598, batch loss 2.006, 1.38 iters/s
step 8599, batch loss 2.246, 1.38 iters/s
step 8600, batch loss 2.123, 1.38 iters/s
step 8601, batch loss 2.062, 1.37 iters/s
step 8602, batch loss 1.946, 1.38 iters/s
step 8603, batch loss 2.012, 1.38 iters/s
step 8604, batch loss 2.184, 1.38 iters/s
step 8605, batch loss 2.511, 1.38 iters/s
step 8606, batch loss 2.032, 1.38 iters/s
step 8607, batch loss 2.31, 1.38 iters/s
step 8608, batch loss 2.127, 1.38 iters/s
step 8609, batch loss 2.2, 1.38 iters/s
step 8610, batch loss 1.955, 1.38 iters/s
step 8611, batch loss 2.368, 1.38 iters/s
step 8612, batch loss 2.235, 1.38 iters/s
step 8613, batch loss 2.205, 1.38 iters/s
step 8614, batch loss 2.046, 1.38 iters/s
step 8615, batch loss 2.008, 1.38 iters/s
step 8616, batch loss 2.104, 1.38 iters/s
step 8617, batch loss 2.399, 1.38 iters/s
step 8618, batch loss 2.124, 1.38 iters/s

step 8619, batch loss 1.982, 1.38 iters/s
step 8620, batch loss 2.353, 1.38 iters/s
step 8621, batch loss 2.124, 1.38 iters/s
step 8622, batch loss 2.071, 1.38 iters/s
step 8623, batch loss 1.913, 1.38 iters/s
step 8624, batch loss 2.025, 1.38 iters/s
step 8625, batch loss 2.081, 1.38 iters/s
step 8626, batch loss 2.206, 1.38 iters/s
step 8627, batch loss 2.138, 1.38 iters/s
step 8628, batch loss 2.201, 1.38 iters/s
step 8629, batch loss 2.494, 1.38 iters/s
step 8630, batch loss 2.041, 1.38 iters/s
step 8631, batch loss 2.019, 1.38 iters/s
step 8632, batch loss 2.3, 1.38 iters/s
step 8633, batch loss 1.922, 1.38 iters/s
step 8634, batch loss 1.99, 1.38 iters/s
step 8635, batch loss 1.994, 1.37 iters/s
step 8636, batch loss 1.937, 1.38 iters/s
step 8637, batch loss 2.008, 1.38 iters/s
step 8638, batch loss 2.235, 1.38 iters/s
step 8639, batch loss 2.276, 1.38 iters/s
step 8640, batch loss 2.092, 1.37 iters/s
step 8641, batch loss 2.174, 1.38 iters/s
step 8642, batch loss 2.024, 1.38 iters/s
step 8643, batch loss 2.014, 1.38 iters/s
step 8644, batch loss 2.052, 1.38 iters/s
step 8645, batch loss 1.584, 1.38 iters/s
step 8646, batch loss 2.016, 1.38 iters/s
step 8647, batch loss 1.914, 1.39 iters/s
step 8648, batch loss 2.033, 1.38 iters/s
step 8649, batch loss 2.084, 1.38 iters/s
step 8650, batch loss 2.139, 1.38 iters/s
step 8651, batch loss 2.192, 1.38 iters/s
step 8652, batch loss 2.089, 1.39 iters/s
step 8653, batch loss 2.032, 1.38 iters/s
step 8654, batch loss 2.195, 1.38 iters/s
step 8655, batch loss 1.948, 1.38 iters/s
step 8656, batch loss 2.027, 1.38 iters/s
step 8657, batch loss 2.288, 1.39 iters/s
step 8658, batch loss 2.084, 1.38 iters/s
step 8659, batch loss 1.965, 1.38 iters/s
step 8660, batch loss 1.982, 1.38 iters/s
step 8661, batch loss 2.194, 1.38 iters/s
step 8662, batch loss 1.972, 1.37 iters/s
step 8663, batch loss 1.963, 1.38 iters/s
step 8664, batch loss 2.044, 1.38 iters/s
step 8665, batch loss 2.064, 1.38 iters/s
step 8666, batch loss 1.985, 1.38 iters/s

step 8667, batch loss 2.069, 1.38 iters/s
step 8668, batch loss 2.024, 1.38 iters/s
step 8669, batch loss 1.727, 1.38 iters/s
step 8670, batch loss 2.21, 1.38 iters/s
step 8671, batch loss 2.016, 1.38 iters/s
step 8672, batch loss 2.057, 1.39 iters/s
step 8673, batch loss 1.834, 1.38 iters/s
step 8674, batch loss 1.995, 1.38 iters/s
step 8675, batch loss 2.027, 1.39 iters/s
step 8676, batch loss 2.021, 1.39 iters/s
step 8677, batch loss 2.007, 1.38 iters/s
step 8678, batch loss 2.29, 1.38 iters/s
step 8679, batch loss 2.195, 1.39 iters/s
step 8680, batch loss 2.302, 1.38 iters/s
step 8681, batch loss 2.121, 1.37 iters/s
step 8682, batch loss 2.278, 1.38 iters/s
step 8683, batch loss 2.102, 1.38 iters/s
step 8684, batch loss 2.466, 1.38 iters/s
step 8685, batch loss 2.341, 1.38 iters/s
step 8686, batch loss 1.983, 1.38 iters/s
step 8687, batch loss 1.894, 1.38 iters/s
step 8688, batch loss 2.14, 1.38 iters/s
step 8689, batch loss 2.248, 1.39 iters/s
step 8690, batch loss 1.955, 1.38 iters/s
step 8691, batch loss 2.119, 1.38 iters/s
step 8692, batch loss 2.038, 1.37 iters/s
step 8693, batch loss 2.068, 1.38 iters/s
step 8694, batch loss 1.955, 1.38 iters/s
step 8695, batch loss 2.087, 1.38 iters/s
step 8696, batch loss 2.062, 1.39 iters/s
step 8697, batch loss 1.957, 1.38 iters/s
step 8698, batch loss 1.906, 1.39 iters/s
step 8699, batch loss 2.071, 1.38 iters/s
step 8700, batch loss 2.162, 1.38 iters/s
step 8701, batch loss 2.336, 1.38 iters/s
step 8702, batch loss 1.979, 1.39 iters/s
step 8703, batch loss 2.221, 1.38 iters/s
step 8704, batch loss 2.129, 1.38 iters/s
step 8705, batch loss 2.299, 1.38 iters/s
step 8706, batch loss 2.12, 1.38 iters/s
step 8707, batch loss 1.96, 1.38 iters/s
step 8708, batch loss 1.988, 1.38 iters/s
step 8709, batch loss 2.155, 1.38 iters/s
step 8710, batch loss 2.078, 1.38 iters/s
step 8711, batch loss 2.038, 1.39 iters/s
step 8712, batch loss 2.349, 1.38 iters/s
step 8713, batch loss 2.346, 1.38 iters/s
step 8714, batch loss 1.995, 1.38 iters/s

step 8715, batch loss 2.096, 1.39 iters/s
step 8716, batch loss 2.054, 1.38 iters/s
step 8717, batch loss 2.141, 1.38 iters/s
step 8718, batch loss 2.277, 1.38 iters/s
step 8719, batch loss 2.074, 1.38 iters/s
step 8720, batch loss 1.934, 1.38 iters/s
step 8721, batch loss 2.06, 1.38 iters/s
step 8722, batch loss 1.992, 1.38 iters/s
step 8723, batch loss 2.041, 1.4 iters/s
step 8724, batch loss 1.976, 1.38 iters/s
step 8725, batch loss 2.099, 1.38 iters/s
step 8726, batch loss 2.102, 1.38 iters/s
step 8727, batch loss 2.157, 1.39 iters/s
step 8728, batch loss 1.991, 1.38 iters/s
step 8729, batch loss 2.004, 1.38 iters/s
step 8730, batch loss 2.05, 1.38 iters/s
step 8731, batch loss 2.196, 1.38 iters/s
step 8732, batch loss 1.992, 1.38 iters/s
step 8733, batch loss 2.08, 1.38 iters/s
step 8734, batch loss 2.09, 1.38 iters/s
step 8735, batch loss 2.232, 1.38 iters/s
step 8736, batch loss 2.193, 1.38 iters/s
step 8737, batch loss 1.99, 1.39 iters/s
step 8738, batch loss 1.872, 1.38 iters/s
step 8739, batch loss 2.026, 1.37 iters/s
step 8740, batch loss 1.967, 1.38 iters/s
step 8741, batch loss 2.161, 1.38 iters/s
step 8742, batch loss 2.336, 1.38 iters/s
step 8743, batch loss 1.919, 1.38 iters/s
step 8744, batch loss 1.991, 1.37 iters/s
step 8745, batch loss 2.127, 1.38 iters/s
step 8746, batch loss 2.255, 1.38 iters/s
step 8747, batch loss 2.174, 1.38 iters/s
step 8748, batch loss 1.943, 1.39 iters/s
step 8749, batch loss 1.774, 1.38 iters/s
step 8750, batch loss 1.924, 1.38 iters/s
step 8751, batch loss 1.975, 1.39 iters/s
step 8752, batch loss 2.104, 1.38 iters/s
step 8753, batch loss 2.082, 1.38 iters/s
step 8754, batch loss 2.051, 1.38 iters/s
step 8755, batch loss 1.995, 1.39 iters/s
step 8756, batch loss 2.162, 1.38 iters/s
step 8757, batch loss 2.033, 1.38 iters/s
step 8758, batch loss 1.814, 1.38 iters/s
step 8759, batch loss 1.984, 1.38 iters/s
step 8760, batch loss 2.224, 1.38 iters/s
step 8761, batch loss 2.228, 1.38 iters/s
step 8762, batch loss 2.523, 1.38 iters/s

step 8763, batch loss 1.993, 1.38 iters/s
step 8764, batch loss 2.211, 1.38 iters/s
step 8765, batch loss 2.311, 1.38 iters/s
step 8766, batch loss 1.993, 1.38 iters/s
step 8767, batch loss 2.011, 1.39 iters/s
step 8768, batch loss 1.935, 1.38 iters/s
step 8769, batch loss 2.076, 1.38 iters/s
step 8770, batch loss 1.985, 1.38 iters/s
step 8771, batch loss 2.396, 1.38 iters/s
step 8772, batch loss 2.35, 1.38 iters/s
step 8773, batch loss 2.068, 1.39 iters/s
step 8774, batch loss 2.084, 1.38 iters/s
step 8775, batch loss 2.337, 1.38 iters/s
step 8776, batch loss 2.149, 1.38 iters/s
step 8777, batch loss 2.155, 1.38 iters/s
step 8778, batch loss 2.103, 1.38 iters/s
step 8779, batch loss 2.076, 1.38 iters/s
step 8780, batch loss 2.044, 1.37 iters/s
step 8781, batch loss 2.252, 1.37 iters/s
step 8782, batch loss 2.117, 1.38 iters/s
step 8783, batch loss 2.071, 1.37 iters/s
step 8784, batch loss 2.114, 1.38 iters/s
step 8785, batch loss 1.898, 1.38 iters/s
step 8786, batch loss 2.174, 1.38 iters/s
step 8787, batch loss 1.985, 1.38 iters/s
step 8788, batch loss 2.066, 1.38 iters/s
step 8789, batch loss 2.002, 1.38 iters/s
step 8790, batch loss 2.014, 1.37 iters/s
step 8791, batch loss 2.228, 1.37 iters/s
step 8792, batch loss 2.165, 1.37 iters/s
step 8793, batch loss 2.288, 1.38 iters/s
step 8794, batch loss 2.173, 1.38 iters/s
step 8795, batch loss 2.337, 1.38 iters/s
step 8796, batch loss 2.24, 1.38 iters/s
step 8797, batch loss 2.031, 1.37 iters/s
step 8798, batch loss 2.063, 1.38 iters/s
step 8799, batch loss 2.268, 1.37 iters/s
step 8800, batch loss 2.328, 1.38 iters/s
step 8801, batch loss 2.149, 1.38 iters/s
step 8802, batch loss 2.243, 1.38 iters/s
step 8803, batch loss 2.074, 1.38 iters/s
step 8804, batch loss 1.967, 1.38 iters/s
step 8805, batch loss 2.084, 1.38 iters/s
step 8806, batch loss 2.422, 1.38 iters/s
step 8807, batch loss 2.329, 1.38 iters/s
step 8808, batch loss 1.95, 1.38 iters/s
step 8809, batch loss 2.264, 1.37 iters/s
step 8810, batch loss 2.244, 1.38 iters/s

step 8811, batch loss 2.207, 1.37 iters/s
step 8812, batch loss 2.3, 1.38 iters/s
step 8813, batch loss 2.05, 1.38 iters/s
step 8814, batch loss 2.093, 1.38 iters/s
step 8815, batch loss 2.315, 1.37 iters/s
step 8816, batch loss 1.936, 1.37 iters/s
step 8817, batch loss 2.063, 1.37 iters/s
step 8818, batch loss 2.117, 1.38 iters/s
step 8819, batch loss 2.033, 1.38 iters/s
step 8820, batch loss 2.155, 1.38 iters/s
step 8821, batch loss 2.14, 1.38 iters/s
step 8822, batch loss 2.055, 1.37 iters/s
step 8823, batch loss 2.303, 1.38 iters/s
step 8824, batch loss 1.758, 1.38 iters/s
step 8825, batch loss 2.14, 1.37 iters/s
step 8826, batch loss 2.244, 1.38 iters/s
step 8827, batch loss 2.292, 1.37 iters/s
step 8828, batch loss 1.951, 1.37 iters/s
step 8829, batch loss 1.932, 1.38 iters/s
step 8830, batch loss 2.29, 1.38 iters/s
step 8831, batch loss 2.25, 1.38 iters/s
step 8832, batch loss 2.003, 1.38 iters/s
step 8833, batch loss 1.933, 1.38 iters/s
step 8834, batch loss 2.213, 1.39 iters/s
step 8835, batch loss 2.245, 1.38 iters/s
step 8836, batch loss 2.109, 1.38 iters/s
step 8837, batch loss 2.2, 1.38 iters/s
step 8838, batch loss 2.037, 1.38 iters/s
step 8839, batch loss 1.716, 1.38 iters/s
step 8840, batch loss 2.318, 1.38 iters/s
step 8841, batch loss 1.926, 1.37 iters/s
step 8842, batch loss 1.998, 1.38 iters/s
step 8843, batch loss 2.012, 1.38 iters/s
step 8844, batch loss 2.063, 1.38 iters/s
step 8845, batch loss 2.239, 1.38 iters/s
step 8846, batch loss 2.062, 1.38 iters/s
step 8847, batch loss 2.314, 1.38 iters/s
step 8848, batch loss 2.198, 1.38 iters/s
step 8849, batch loss 2.344, 1.38 iters/s
step 8850, batch loss 1.849, 1.38 iters/s
step 8851, batch loss 1.99, 1.38 iters/s
step 8852, batch loss 1.953, 1.38 iters/s
step 8853, batch loss 2.19, 1.38 iters/s
step 8854, batch loss 2.039, 1.37 iters/s
step 8855, batch loss 2.241, 1.38 iters/s
step 8856, batch loss 2.217, 1.38 iters/s
step 8857, batch loss 1.991, 1.4 iters/s
step 8858, batch loss 2.121, 1.37 iters/s

step 8859, batch loss 2.585, 1.38 iters/s
step 8860, batch loss 2.055, 1.38 iters/s
step 8861, batch loss 2.084, 1.38 iters/s
step 8862, batch loss 2.063, 1.38 iters/s
step 8863, batch loss 2.284, 1.38 iters/s
step 8864, batch loss 1.875, 1.37 iters/s
step 8865, batch loss 1.987, 1.38 iters/s
step 8866, batch loss 1.876, 1.38 iters/s
step 8867, batch loss 2.198, 1.38 iters/s
step 8868, batch loss 2.103, 1.38 iters/s
step 8869, batch loss 2.258, 1.38 iters/s
step 8870, batch loss 2.014, 1.38 iters/s
step 8871, batch loss 2.098, 1.39 iters/s
step 8872, batch loss 2.279, 1.38 iters/s
step 8873, batch loss 1.919, 1.38 iters/s
step 8874, batch loss 2.057, 1.38 iters/s
step 8875, batch loss 1.991, 1.38 iters/s
step 8876, batch loss 2.336, 1.38 iters/s
step 8877, batch loss 2.122, 1.38 iters/s
step 8878, batch loss 2.095, 1.38 iters/s
step 8879, batch loss 2.139, 1.39 iters/s
step 8880, batch loss 1.913, 1.38 iters/s
step 8881, batch loss 2.131, 1.38 iters/s
step 8882, batch loss 2.295, 1.38 iters/s
step 8883, batch loss 2.022, 1.38 iters/s
step 8884, batch loss 2.198, 1.38 iters/s
step 8885, batch loss 2.091, 1.38 iters/s
step 8886, batch loss 1.916, 1.38 iters/s
step 8887, batch loss 1.99, 1.39 iters/s
step 8888, batch loss 2.046, 1.38 iters/s
step 8889, batch loss 2.097, 1.38 iters/s
step 8890, batch loss 2.211, 1.38 iters/s
step 8891, batch loss 1.943, 1.39 iters/s
step 8892, batch loss 2.106, 1.38 iters/s
step 8893, batch loss 1.95, 1.38 iters/s
step 8894, batch loss 2.124, 1.38 iters/s
step 8895, batch loss 1.967, 1.38 iters/s
step 8896, batch loss 2.136, 1.38 iters/s
step 8897, batch loss 2.408, 1.39 iters/s
step 8898, batch loss 2.169, 1.38 iters/s
step 8899, batch loss 2.319, 1.38 iters/s
step 8900, batch loss 2.362, 1.38 iters/s
step 8901, batch loss 2.222, 1.38 iters/s
step 8902, batch loss 1.968, 1.39 iters/s
step 8903, batch loss 1.906, 1.39 iters/s
step 8904, batch loss 2.009, 1.38 iters/s
step 8905, batch loss 2.162, 1.38 iters/s
step 8906, batch loss 2.104, 1.38 iters/s

step 8907, batch loss 2.134, 1.4 iters/s
step 8908, batch loss 1.838, 1.39 iters/s
step 8909, batch loss 1.917, 1.38 iters/s
step 8910, batch loss 2.276, 1.38 iters/s
step 8911, batch loss 2.16, 1.38 iters/s
step 8912, batch loss 2.287, 1.38 iters/s
step 8913, batch loss 1.822, 1.38 iters/s
step 8914, batch loss 2.092, 1.38 iters/s
step 8915, batch loss 2.135, 1.38 iters/s
step 8916, batch loss 2.282, 1.38 iters/s
step 8917, batch loss 2.127, 1.38 iters/s
step 8918, batch loss 2.231, 1.39 iters/s
step 8919, batch loss 2.204, 1.38 iters/s
step 8920, batch loss 1.908, 1.38 iters/s
step 8921, batch loss 2.237, 1.38 iters/s
step 8922, batch loss 2.016, 1.37 iters/s
step 8923, batch loss 1.856, 1.37 iters/s
step 8924, batch loss 2.205, 1.38 iters/s
step 8925, batch loss 2.135, 1.38 iters/s
step 8926, batch loss 2.109, 1.39 iters/s
step 8927, batch loss 1.963, 1.38 iters/s
step 8928, batch loss 1.993, 1.38 iters/s
step 8929, batch loss 2.128, 1.38 iters/s
step 8930, batch loss 2.121, 1.38 iters/s
step 8931, batch loss 2.265, 1.39 iters/s
step 8932, batch loss 2.155, 1.4 iters/s
step 8933, batch loss 2.136, 1.38 iters/s
step 8934, batch loss 1.851, 1.38 iters/s
step 8935, batch loss 2.337, 1.38 iters/s
step 8936, batch loss 2.337, 1.38 iters/s
step 8937, batch loss 2.005, 1.37 iters/s
step 8938, batch loss 2.176, 1.38 iters/s
step 8939, batch loss 2.221, 1.38 iters/s
step 8940, batch loss 1.908, 1.38 iters/s
step 8941, batch loss 2.409, 1.37 iters/s
step 8942, batch loss 2.26, 1.39 iters/s
step 8943, batch loss 2.11, 1.38 iters/s
step 8944, batch loss 1.883, 1.38 iters/s
step 8945, batch loss 2.144, 1.38 iters/s
step 8946, batch loss 1.957, 1.38 iters/s
step 8947, batch loss 1.966, 1.38 iters/s
step 8948, batch loss 2.103, 1.38 iters/s
step 8949, batch loss 2.168, 1.38 iters/s
step 8950, batch loss 2.053, 1.37 iters/s
step 8951, batch loss 2.191, 1.37 iters/s
step 8952, batch loss 2.147, 1.38 iters/s
step 8953, batch loss 2.013, 1.38 iters/s
step 8954, batch loss 2.181, 1.38 iters/s

step 8955, batch loss 2.162, 1.38 iters/s
step 8956, batch loss 2.267, 1.38 iters/s
step 8957, batch loss 2.5, 1.38 iters/s
step 8958, batch loss 1.899, 1.38 iters/s
step 8959, batch loss 2.114, 1.38 iters/s
step 8960, batch loss 2.151, 1.38 iters/s
step 8961, batch loss 2.202, 1.38 iters/s
step 8962, batch loss 1.866, 1.38 iters/s
step 8963, batch loss 1.957, 1.38 iters/s
step 8964, batch loss 2.086, 1.38 iters/s
step 8965, batch loss 2.233, 1.38 iters/s
step 8966, batch loss 2.179, 1.38 iters/s
step 8967, batch loss 1.849, 1.38 iters/s
step 8968, batch loss 2.301, 1.38 iters/s
step 8969, batch loss 2.087, 1.38 iters/s
step 8970, batch loss 1.939, 1.38 iters/s
step 8971, batch loss 2.02, 1.38 iters/s
step 8972, batch loss 2.132, 1.38 iters/s
step 8973, batch loss 2.268, 1.38 iters/s
step 8974, batch loss 2.347, 1.38 iters/s
step 8975, batch loss 2.135, 1.38 iters/s
step 8976, batch loss 2.042, 1.38 iters/s
step 8977, batch loss 2.328, 1.38 iters/s
step 8978, batch loss 2.204, 1.38 iters/s
step 8979, batch loss 2.071, 1.38 iters/s
step 8980, batch loss 2.079, 1.38 iters/s
step 8981, batch loss 2.244, 1.38 iters/s
step 8982, batch loss 2.031, 1.37 iters/s
step 8983, batch loss 1.928, 1.37 iters/s
step 8984, batch loss 2.081, 1.39 iters/s
step 8985, batch loss 2.141, 1.38 iters/s
step 8986, batch loss 1.925, 1.38 iters/s
step 8987, batch loss 2.018, 1.38 iters/s
step 8988, batch loss 1.97, 1.38 iters/s
step 8989, batch loss 1.947, 1.38 iters/s
step 8990, batch loss 1.928, 1.38 iters/s
step 8991, batch loss 2.106, 1.38 iters/s
step 8992, batch loss 2.27, 1.38 iters/s
step 8993, batch loss 2.224, 1.38 iters/s
step 8994, batch loss 2.067, 1.38 iters/s
step 8995, batch loss 2.165, 1.38 iters/s
step 8996, batch loss 2.062, 1.38 iters/s
step 8997, batch loss 1.936, 1.39 iters/s
step 8998, batch loss 1.838, 1.37 iters/s
step 8999, batch loss 2.046, 1.37 iters/s
step 9000, batch loss 2.136, 1.38 iters/s
step 9001, batch loss 1.937, 1.38 iters/s
step 9002, batch loss 2.183, 1.37 iters/s

step 9003, batch loss 2.712, 1.38 iters/s
step 9004, batch loss 1.989, 1.39 iters/s
step 9005, batch loss 2.009, 1.38 iters/s
step 9006, batch loss 1.666, 1.38 iters/s
step 9007, batch loss 2.077, 1.38 iters/s
step 9008, batch loss 1.988, 1.38 iters/s
step 9009, batch loss 2.069, 1.38 iters/s
step 9010, batch loss 2.059, 1.39 iters/s
step 9011, batch loss 2.061, 1.38 iters/s
step 9012, batch loss 2.303, 1.38 iters/s
step 9013, batch loss 2.104, 1.38 iters/s
step 9014, batch loss 2.199, 1.38 iters/s
step 9015, batch loss 2.312, 1.38 iters/s
step 9016, batch loss 2.166, 1.38 iters/s
step 9017, batch loss 2.063, 1.38 iters/s
step 9018, batch loss 2.008, 1.38 iters/s
step 9019, batch loss 2.054, 1.38 iters/s
step 9020, batch loss 1.762, 1.38 iters/s
step 9021, batch loss 2.323, 1.38 iters/s
step 9022, batch loss 2.064, 1.38 iters/s
step 9023, batch loss 2.046, 1.38 iters/s
step 9024, batch loss 1.841, 1.38 iters/s
step 9025, batch loss 2.101, 1.38 iters/s
step 9026, batch loss 2.099, 1.38 iters/s
step 9027, batch loss 2.185, 1.38 iters/s
step 9028, batch loss 2.457, 1.38 iters/s
step 9029, batch loss 2.05, 1.37 iters/s
step 9030, batch loss 1.835, 1.38 iters/s
step 9031, batch loss 2.006, 1.39 iters/s
step 9032, batch loss 1.937, 1.38 iters/s
step 9033, batch loss 2.097, 1.38 iters/s
step 9034, batch loss 1.939, 1.38 iters/s
step 9035, batch loss 2.039, 1.38 iters/s
step 9036, batch loss 1.838, 1.4 iters/s
step 9037, batch loss 1.84, 1.38 iters/s
step 9038, batch loss 2.107, 1.39 iters/s
step 9039, batch loss 2.353, 1.39 iters/s
step 9040, batch loss 2.007, 1.38 iters/s
step 9041, batch loss 2.108, 1.39 iters/s
step 9042, batch loss 2.047, 1.38 iters/s
step 9043, batch loss 2.246, 1.38 iters/s
step 9044, batch loss 2.188, 1.38 iters/s
step 9045, batch loss 1.882, 1.38 iters/s
step 9046, batch loss 2.184, 1.38 iters/s
step 9047, batch loss 2.399, 1.38 iters/s
step 9048, batch loss 2.092, 1.38 iters/s
step 9049, batch loss 1.979, 1.39 iters/s
step 9050, batch loss 2.188, 1.37 iters/s

step 9051, batch loss 2.1, 1.38 iters/s
step 9052, batch loss 2.572, 1.38 iters/s
step 9053, batch loss 2.461, 1.38 iters/s
step 9054, batch loss 1.935, 1.39 iters/s
step 9055, batch loss 2.111, 1.38 iters/s
step 9056, batch loss 1.974, 1.38 iters/s
step 9057, batch loss 2.195, 1.38 iters/s
step 9058, batch loss 2.116, 1.38 iters/s
step 9059, batch loss 2.18, 1.38 iters/s
step 9060, batch loss 2.057, 1.38 iters/s
step 9061, batch loss 2.347, 1.37 iters/s
step 9062, batch loss 2.176, 1.37 iters/s
step 9063, batch loss 2.381, 1.38 iters/s
step 9064, batch loss 1.994, 1.37 iters/s
step 9065, batch loss 2.19, 1.39 iters/s
step 9066, batch loss 1.954, 1.38 iters/s
step 9067, batch loss 2.036, 1.38 iters/s
step 9068, batch loss 2.034, 1.38 iters/s
step 9069, batch loss 2.228, 1.38 iters/s
step 9070, batch loss 2.105, 1.37 iters/s
step 9071, batch loss 2.225, 1.38 iters/s
step 9072, batch loss 2.201, 1.38 iters/s
step 9073, batch loss 1.876, 1.38 iters/s
step 9074, batch loss 2.096, 1.37 iters/s
step 9075, batch loss 2.053, 1.38 iters/s
step 9076, batch loss 2.109, 1.38 iters/s
step 9077, batch loss 2.102, 1.38 iters/s
step 9078, batch loss 2.075, 1.38 iters/s
step 9079, batch loss 1.949, 1.38 iters/s
step 9080, batch loss 2.125, 1.37 iters/s
step 9081, batch loss 2.149, 1.39 iters/s
step 9082, batch loss 2.476, 1.38 iters/s
step 9083, batch loss 2.44, 1.38 iters/s
step 9084, batch loss 2.097, 1.37 iters/s
step 9085, batch loss 2.198, 1.38 iters/s
step 9086, batch loss 2.402, 1.38 iters/s
step 9087, batch loss 1.95, 1.38 iters/s
step 9088, batch loss 2.214, 1.38 iters/s
step 9089, batch loss 2.288, 1.37 iters/s
step 9090, batch loss 1.934, 1.38 iters/s
step 9091, batch loss 2.317, 1.38 iters/s
step 9092, batch loss 1.965, 1.38 iters/s
step 9093, batch loss 2.252, 1.38 iters/s
step 9094, batch loss 1.893, 1.38 iters/s
step 9095, batch loss 1.958, 1.38 iters/s
step 9096, batch loss 1.878, 1.39 iters/s
step 9097, batch loss 2.032, 1.38 iters/s
step 9098, batch loss 2.326, 1.37 iters/s

step 9099, batch loss 2.298, 1.38 iters/s
step 9100, batch loss 2.212, 1.38 iters/s
step 9101, batch loss 1.935, 1.38 iters/s
step 9102, batch loss 2.019, 1.37 iters/s
step 9103, batch loss 2.128, 1.38 iters/s
step 9104, batch loss 2.184, 1.38 iters/s
step 9105, batch loss 1.935, 1.38 iters/s
step 9106, batch loss 1.942, 1.38 iters/s
step 9107, batch loss 1.942, 1.38 iters/s
step 9108, batch loss 1.952, 1.38 iters/s
step 9109, batch loss 2.031, 1.38 iters/s
step 9110, batch loss 2.067, 1.38 iters/s
step 9111, batch loss 2.107, 1.38 iters/s
step 9112, batch loss 1.972, 1.39 iters/s
step 9113, batch loss 1.982, 1.38 iters/s
step 9114, batch loss 2.095, 1.38 iters/s
step 9115, batch loss 2.266, 1.38 iters/s
step 9116, batch loss 2.241, 1.38 iters/s
step 9117, batch loss 2.314, 1.38 iters/s
step 9118, batch loss 1.966, 1.38 iters/s
step 9119, batch loss 2.272, 1.38 iters/s
step 9120, batch loss 1.95, 1.38 iters/s
step 9121, batch loss 2.12, 1.38 iters/s
step 9122, batch loss 2.191, 1.38 iters/s
step 9123, batch loss 1.933, 1.37 iters/s
step 9124, batch loss 2.21, 1.38 iters/s
step 9125, batch loss 2.164, 1.38 iters/s
step 9126, batch loss 2.062, 1.38 iters/s
step 9127, batch loss 2.011, 1.38 iters/s
step 9128, batch loss 2.052, 1.38 iters/s
step 9129, batch loss 2.149, 1.39 iters/s
step 9130, batch loss 2.235, 1.38 iters/s
step 9131, batch loss 2.177, 1.38 iters/s
step 9132, batch loss 2.357, 1.38 iters/s
step 9133, batch loss 1.925, 1.38 iters/s
step 9134, batch loss 1.898, 1.38 iters/s
step 9135, batch loss 2.137, 1.37 iters/s
step 9136, batch loss 2.712, 1.38 iters/s
step 9137, batch loss 2.261, 1.38 iters/s
step 9138, batch loss 2.002, 1.38 iters/s
step 9139, batch loss 1.937, 1.38 iters/s
step 9140, batch loss 2.096, 1.38 iters/s
step 9141, batch loss 2.345, 1.38 iters/s
step 9142, batch loss 2.289, 1.38 iters/s
step 9143, batch loss 1.922, 1.38 iters/s
step 9144, batch loss 2.05, 1.38 iters/s
step 9145, batch loss 2.02, 1.38 iters/s
step 9146, batch loss 2.161, 1.38 iters/s

step 9147, batch loss 2.088, 1.38 iters/s
step 9148, batch loss 2.125, 1.39 iters/s
step 9149, batch loss 2.089, 1.38 iters/s
step 9150, batch loss 2.105, 1.38 iters/s
step 9151, batch loss 2.341, 1.38 iters/s
step 9152, batch loss 2.124, 1.38 iters/s
step 9153, batch loss 2.005, 1.38 iters/s
step 9154, batch loss 2.302, 1.38 iters/s
step 9155, batch loss 2.162, 1.38 iters/s
step 9156, batch loss 2.082, 1.38 iters/s
step 9157, batch loss 2.008, 1.38 iters/s
step 9158, batch loss 1.953, 1.38 iters/s
step 9159, batch loss 2.235, 1.38 iters/s
step 9160, batch loss 2.249, 1.38 iters/s
step 9161, batch loss 1.901, 1.38 iters/s
step 9162, batch loss 2.382, 1.37 iters/s
step 9163, batch loss 2.117, 1.38 iters/s
step 9164, batch loss 2.376, 1.38 iters/s
step 9165, batch loss 2.008, 1.39 iters/s
step 9166, batch loss 2.118, 1.38 iters/s
step 9167, batch loss 2.107, 1.38 iters/s
step 9168, batch loss 2.166, 1.38 iters/s
step 9169, batch loss 2.227, 1.38 iters/s
step 9170, batch loss 2.111, 1.38 iters/s
step 9171, batch loss 2.078, 1.39 iters/s
step 9172, batch loss 2.134, 1.38 iters/s
step 9173, batch loss 1.95, 1.38 iters/s
step 9174, batch loss 2.094, 1.38 iters/s
step 9175, batch loss 2.223, 1.38 iters/s
step 9176, batch loss 2.343, 1.38 iters/s
step 9177, batch loss 1.92, 1.38 iters/s
step 9178, batch loss 2.273, 1.38 iters/s
step 9179, batch loss 2.012, 1.38 iters/s
step 9180, batch loss 2.089, 1.38 iters/s
step 9181, batch loss 2.165, 1.37 iters/s
step 9182, batch loss 2.487, 1.38 iters/s
step 9183, batch loss 1.982, 1.38 iters/s
step 9184, batch loss 2.27, 1.38 iters/s
step 9185, batch loss 2.263, 1.38 iters/s
step 9186, batch loss 2.047, 1.38 iters/s
step 9187, batch loss 1.949, 1.38 iters/s
step 9188, batch loss 2.214, 1.38 iters/s
step 9189, batch loss 1.985, 1.38 iters/s
step 9190, batch loss 2.023, 1.38 iters/s
step 9191, batch loss 2.227, 1.38 iters/s
step 9192, batch loss 2.407, 1.37 iters/s
step 9193, batch loss 2.199, 1.38 iters/s
step 9194, batch loss 2.246, 1.37 iters/s

step 9195, batch loss 1.93, 1.37 iters/s
step 9196, batch loss 2.347, 1.37 iters/s
step 9197, batch loss 2.199, 1.37 iters/s
step 9198, batch loss 2.168, 1.37 iters/s
step 9199, batch loss 2.067, 1.37 iters/s
step 9200, batch loss 1.998, 1.38 iters/s
step 9201, batch loss 2.061, 1.38 iters/s
step 9202, batch loss 2.038, 1.38 iters/s
step 9203, batch loss 1.998, 1.38 iters/s
step 9204, batch loss 2.156, 1.38 iters/s
step 9205, batch loss 2.242, 1.38 iters/s
step 9206, batch loss 2.289, 1.38 iters/s
step 9207, batch loss 1.791, 1.38 iters/s
step 9208, batch loss 2.19, 1.38 iters/s
step 9209, batch loss 2.087, 1.38 iters/s
step 9210, batch loss 2.12, 1.38 iters/s
step 9211, batch loss 2.301, 1.37 iters/s
step 9212, batch loss 1.802, 1.38 iters/s
step 9213, batch loss 2.001, 1.38 iters/s
step 9214, batch loss 2.001, 1.38 iters/s
step 9215, batch loss 2.136, 1.38 iters/s
step 9216, batch loss 2.234, 1.37 iters/s
step 9217, batch loss 1.806, 1.38 iters/s
step 9218, batch loss 2.23, 1.4 iters/s
step 9219, batch loss 1.936, 1.38 iters/s
step 9220, batch loss 1.801, 1.38 iters/s
step 9221, batch loss 2.068, 1.38 iters/s
step 9222, batch loss 1.987, 1.38 iters/s
step 9223, batch loss 2.338, 1.38 iters/s
step 9224, batch loss 1.907, 1.38 iters/s
step 9225, batch loss 2.317, 1.38 iters/s
step 9226, batch loss 2.008, 1.38 iters/s
step 9227, batch loss 2.016, 1.39 iters/s
step 9228, batch loss 2.257, 1.38 iters/s
step 9229, batch loss 2.272, 1.38 iters/s
step 9230, batch loss 1.894, 1.38 iters/s
step 9231, batch loss 2.479, 1.39 iters/s
step 9232, batch loss 2.334, 1.39 iters/s
step 9233, batch loss 2.053, 1.38 iters/s
step 9234, batch loss 2.173, 1.38 iters/s
step 9235, batch loss 2.066, 1.39 iters/s
step 9236, batch loss 2.127, 1.38 iters/s
step 9237, batch loss 2.828, 1.38 iters/s
step 9238, batch loss 1.909, 1.38 iters/s
step 9239, batch loss 1.888, 1.38 iters/s
step 9240, batch loss 2.09, 1.39 iters/s
step 9241, batch loss 1.846, 1.38 iters/s
step 9242, batch loss 2.125, 1.38 iters/s

step 9243, batch loss 2.116, 1.38 iters/s
step 9244, batch loss 1.936, 1.38 iters/s
step 9245, batch loss 2.06, 1.38 iters/s
step 9246, batch loss 2.049, 1.38 iters/s
step 9247, batch loss 2.329, 1.38 iters/s
step 9248, batch loss 2.079, 1.38 iters/s
step 9249, batch loss 1.941, 1.39 iters/s
step 9250, batch loss 2.073, 1.38 iters/s
step 9251, batch loss 2.047, 1.38 iters/s
step 9252, batch loss 2.103, 1.38 iters/s
step 9253, batch loss 2.189, 1.38 iters/s
step 9254, batch loss 2.171, 1.38 iters/s
step 9255, batch loss 1.934, 1.39 iters/s
step 9256, batch loss 1.974, 1.39 iters/s
step 9257, batch loss 1.995, 1.38 iters/s
step 9258, batch loss 2.496, 1.38 iters/s
step 9259, batch loss 2.412, 1.38 iters/s
step 9260, batch loss 1.967, 1.38 iters/s
step 9261, batch loss 2.345, 1.39 iters/s
step 9262, batch loss 2.193, 1.38 iters/s
step 9263, batch loss 2.092, 1.38 iters/s
step 9264, batch loss 2.094, 1.38 iters/s
step 9265, batch loss 2.008, 1.38 iters/s
step 9266, batch loss 2.133, 1.38 iters/s
step 9267, batch loss 2.388, 1.38 iters/s
step 9268, batch loss 1.685, 1.38 iters/s
step 9269, batch loss 1.972, 1.38 iters/s
step 9270, batch loss 2.327, 1.38 iters/s
step 9271, batch loss 1.983, 1.38 iters/s
step 9272, batch loss 2.065, 1.39 iters/s
step 9273, batch loss 2.044, 1.38 iters/s
step 9274, batch loss 2.047, 1.38 iters/s
step 9275, batch loss 1.79, 1.38 iters/s
step 9276, batch loss 1.894, 1.38 iters/s
step 9277, batch loss 2.109, 1.37 iters/s
step 9278, batch loss 1.938, 1.39 iters/s
step 9279, batch loss 2.027, 1.37 iters/s
step 9280, batch loss 1.899, 1.38 iters/s
step 9281, batch loss 2.163, 1.38 iters/s
step 9282, batch loss 2.144, 1.38 iters/s
step 9283, batch loss 2.229, 1.37 iters/s
step 9284, batch loss 2.38, 1.37 iters/s
step 9285, batch loss 2.08, 1.38 iters/s
step 9286, batch loss 2.121, 1.38 iters/s
step 9287, batch loss 2.248, 1.38 iters/s
step 9288, batch loss 2.392, 1.37 iters/s
step 9289, batch loss 2.278, 1.38 iters/s
step 9290, batch loss 2.023, 1.38 iters/s

step 9291, batch loss 2.218, 1.38 iters/s
step 9292, batch loss 2.134, 1.38 iters/s
step 9293, batch loss 2.118, 1.38 iters/s
step 9294, batch loss 2.033, 1.38 iters/s
step 9295, batch loss 2.382, 1.37 iters/s
step 9296, batch loss 1.974, 1.38 iters/s
step 9297, batch loss 2.067, 1.39 iters/s
step 9298, batch loss 1.936, 1.38 iters/s
step 9299, batch loss 2.172, 1.38 iters/s
step 9300, batch loss 1.987, 1.38 iters/s
step 9301, batch loss 1.965, 1.38 iters/s
step 9302, batch loss 1.933, 1.38 iters/s
step 9303, batch loss 2.199, 1.38 iters/s
step 9304, batch loss 2.222, 1.38 iters/s
step 9305, batch loss 2.084, 1.38 iters/s
step 9306, batch loss 2.086, 1.38 iters/s
step 9307, batch loss 2.05, 1.38 iters/s
step 9308, batch loss 1.965, 1.38 iters/s
step 9309, batch loss 2.122, 1.38 iters/s
step 9310, batch loss 2.009, 1.38 iters/s
step 9311, batch loss 1.912, 1.39 iters/s
step 9312, batch loss 2.149, 1.38 iters/s
step 9313, batch loss 2.157, 1.38 iters/s
step 9314, batch loss 2.026, 1.38 iters/s
step 9315, batch loss 1.969, 1.38 iters/s
step 9316, batch loss 2.273, 1.38 iters/s
step 9317, batch loss 1.978, 1.38 iters/s
step 9318, batch loss 1.996, 1.38 iters/s
step 9319, batch loss 2.053, 1.38 iters/s
step 9320, batch loss 1.953, 1.38 iters/s
step 9321, batch loss 2.2, 1.37 iters/s
step 9322, batch loss 1.928, 1.38 iters/s
step 9323, batch loss 1.989, 1.38 iters/s
step 9324, batch loss 2.519, 1.38 iters/s
step 9325, batch loss 2.024, 1.38 iters/s
step 9326, batch loss 2.012, 1.38 iters/s
step 9327, batch loss 2.246, 1.38 iters/s
step 9328, batch loss 2.083, 1.38 iters/s
step 9329, batch loss 2.008, 1.38 iters/s
step 9330, batch loss 2.317, 1.38 iters/s
step 9331, batch loss 2.199, 1.38 iters/s
step 9332, batch loss 2.194, 1.38 iters/s
step 9333, batch loss 1.903, 1.38 iters/s
step 9334, batch loss 2.262, 1.37 iters/s
step 9335, batch loss 2.08, 1.38 iters/s
step 9336, batch loss 2.383, 1.38 iters/s
step 9337, batch loss 2.047, 1.38 iters/s
step 9338, batch loss 2.167, 1.38 iters/s

step 9339, batch loss 2.054, 1.38 iters/s
step 9340, batch loss 2.095, 1.37 iters/s
step 9341, batch loss 2.02, 1.38 iters/s
step 9342, batch loss 2.241, 1.38 iters/s
step 9343, batch loss 1.967, 1.38 iters/s
step 9344, batch loss 2.513, 1.37 iters/s
step 9345, batch loss 2.117, 1.38 iters/s
step 9346, batch loss 2.01, 1.38 iters/s
step 9347, batch loss 2.247, 1.38 iters/s
step 9348, batch loss 2.178, 1.37 iters/s
step 9349, batch loss 2.137, 1.37 iters/s
step 9350, batch loss 2.082, 1.37 iters/s
step 9351, batch loss 2.132, 1.38 iters/s
step 9352, batch loss 2.283, 1.38 iters/s
step 9353, batch loss 2.676, 1.38 iters/s
step 9354, batch loss 1.916, 1.38 iters/s
step 9355, batch loss 1.969, 1.38 iters/s
step 9356, batch loss 2.122, 1.38 iters/s
step 9357, batch loss 2.057, 1.38 iters/s
step 9358, batch loss 2.107, 1.38 iters/s
step 9359, batch loss 2.139, 1.39 iters/s
step 9360, batch loss 2.227, 1.38 iters/s
step 9361, batch loss 2.149, 1.38 iters/s
step 9362, batch loss 2.093, 1.39 iters/s
step 9363, batch loss 2.018, 1.38 iters/s
step 9364, batch loss 2.16, 1.38 iters/s
step 9365, batch loss 2.081, 1.37 iters/s
step 9366, batch loss 2.052, 1.38 iters/s
step 9367, batch loss 2.021, 1.38 iters/s
step 9368, batch loss 2.03, 1.38 iters/s
step 9369, batch loss 2.077, 1.39 iters/s
step 9370, batch loss 1.976, 1.38 iters/s
step 9371, batch loss 1.966, 1.39 iters/s
step 9372, batch loss 2.203, 1.38 iters/s
step 9373, batch loss 2.214, 1.38 iters/s
step 9374, batch loss 2.129, 1.38 iters/s
step 9375, batch loss 2.255, 1.38 iters/s
step 9376, batch loss 2.138, 1.38 iters/s
step 9377, batch loss 2.029, 1.38 iters/s
step 9378, batch loss 2.275, 1.38 iters/s
step 9379, batch loss 2.208, 1.37 iters/s
step 9380, batch loss 1.949, 1.38 iters/s
step 9381, batch loss 2.13, 1.38 iters/s
step 9382, batch loss 2.229, 1.37 iters/s
step 9383, batch loss 1.608, 1.39 iters/s
step 9384, batch loss 2.37, 1.38 iters/s
step 9385, batch loss 2.213, 1.38 iters/s
step 9386, batch loss 1.903, 1.38 iters/s

step 9387, batch loss 2.044, 1.38 iters/s
step 9388, batch loss 2.166, 1.37 iters/s
step 9389, batch loss 1.995, 1.39 iters/s
step 9390, batch loss 1.875, 1.38 iters/s
step 9391, batch loss 1.955, 1.37 iters/s
step 9392, batch loss 1.969, 1.38 iters/s
step 9393, batch loss 1.878, 1.38 iters/s
step 9394, batch loss 2.148, 1.38 iters/s
step 9395, batch loss 2.315, 1.38 iters/s
step 9396, batch loss 1.955, 1.38 iters/s
step 9397, batch loss 2.151, 1.38 iters/s
step 9398, batch loss 1.932, 1.39 iters/s
step 9399, batch loss 2.11, 1.38 iters/s
step 9400, batch loss 1.979, 1.38 iters/s
step 9401, batch loss 2.001, 1.38 iters/s
step 9402, batch loss 2.196, 1.38 iters/s
step 9403, batch loss 1.992, 1.38 iters/s
step 9404, batch loss 2.009, 1.38 iters/s
step 9405, batch loss 2.379, 1.38 iters/s
step 9406, batch loss 2.045, 1.38 iters/s
step 9407, batch loss 1.93, 1.38 iters/s
step 9408, batch loss 2.239, 1.38 iters/s
step 9409, batch loss 2.094, 1.38 iters/s
step 9410, batch loss 2.307, 1.38 iters/s
step 9411, batch loss 1.982, 1.38 iters/s
step 9412, batch loss 1.927, 1.38 iters/s
step 9413, batch loss 2.035, 1.39 iters/s
step 9414, batch loss 1.955, 1.38 iters/s
step 9415, batch loss 2.16, 1.4 iters/s
step 9416, batch loss 2.183, 1.38 iters/s
step 9417, batch loss 1.958, 1.38 iters/s
step 9418, batch loss 2.106, 1.38 iters/s
step 9419, batch loss 2.091, 1.38 iters/s
step 9420, batch loss 1.92, 1.38 iters/s
step 9421, batch loss 2.27, 1.38 iters/s
step 9422, batch loss 2.057, 1.38 iters/s
step 9423, batch loss 2.021, 1.38 iters/s
step 9424, batch loss 2.074, 1.38 iters/s
step 9425, batch loss 1.804, 1.38 iters/s
step 9426, batch loss 2.217, 1.38 iters/s
step 9427, batch loss 2.143, 1.38 iters/s
step 9428, batch loss 2.21, 1.38 iters/s
step 9429, batch loss 2.323, 1.38 iters/s
step 9430, batch loss 2.001, 1.39 iters/s
step 9431, batch loss 2.129, 1.39 iters/s
step 9432, batch loss 2.527, 1.38 iters/s
step 9433, batch loss 2.539, 1.38 iters/s
step 9434, batch loss 2.14, 1.38 iters/s

step 9435, batch loss 2.1, 1.38 iters/s
step 9436, batch loss 1.998, 1.38 iters/s
step 9437, batch loss 2.142, 1.39 iters/s
step 9438, batch loss 1.936, 1.38 iters/s
step 9439, batch loss 2.066, 1.38 iters/s
step 9440, batch loss 2.033, 1.38 iters/s
step 9441, batch loss 2.068, 1.38 iters/s
step 9442, batch loss 2.192, 1.38 iters/s
step 9443, batch loss 1.971, 1.37 iters/s
step 9444, batch loss 2.077, 1.38 iters/s
step 9445, batch loss 2.228, 1.38 iters/s
step 9446, batch loss 2.035, 1.38 iters/s
step 9447, batch loss 2.136, 1.38 iters/s
step 9448, batch loss 1.875, 1.38 iters/s
step 9449, batch loss 1.982, 1.39 iters/s
step 9450, batch loss 1.967, 1.38 iters/s
step 9451, batch loss 1.946, 1.38 iters/s
step 9452, batch loss 2.078, 1.37 iters/s
step 9453, batch loss 2.145, 1.38 iters/s
step 9454, batch loss 2.275, 1.38 iters/s
step 9455, batch loss 2.203, 1.38 iters/s
step 9456, batch loss 1.902, 1.38 iters/s
step 9457, batch loss 2.494, 1.38 iters/s
step 9458, batch loss 1.884, 1.38 iters/s
step 9459, batch loss 2.075, 1.39 iters/s
step 9460, batch loss 2.031, 1.38 iters/s
step 9461, batch loss 1.982, 1.37 iters/s
step 9462, batch loss 2.011, 1.38 iters/s
step 9463, batch loss 1.829, 1.38 iters/s
step 9464, batch loss 2.081, 1.38 iters/s
step 9465, batch loss 2.545, 1.38 iters/s
step 9466, batch loss 1.954, 1.38 iters/s
step 9467, batch loss 2.072, 1.38 iters/s
step 9468, batch loss 2.125, 1.38 iters/s
step 9469, batch loss 2.27, 1.39 iters/s
step 9470, batch loss 1.892, 1.38 iters/s
step 9471, batch loss 2.52, 1.38 iters/s
step 9472, batch loss 1.953, 1.38 iters/s
step 9473, batch loss 2.332, 1.38 iters/s
step 9474, batch loss 2.166, 1.38 iters/s
step 9475, batch loss 1.932, 1.38 iters/s
step 9476, batch loss 2.144, 1.38 iters/s
step 9477, batch loss 2.082, 1.38 iters/s
step 9478, batch loss 2.033, 1.37 iters/s
step 9479, batch loss 2.349, 1.38 iters/s
step 9480, batch loss 2.152, 1.37 iters/s
step 9481, batch loss 2.195, 1.38 iters/s
step 9482, batch loss 2.203, 1.38 iters/s

step 9483, batch loss 2.066, 1.38 iters/s
step 9484, batch loss 2.256, 1.38 iters/s
step 9485, batch loss 1.829, 1.37 iters/s
step 9486, batch loss 1.984, 1.37 iters/s
step 9487, batch loss 2.085, 1.38 iters/s
step 9488, batch loss 1.861, 1.37 iters/s
step 9489, batch loss 2.112, 1.39 iters/s
step 9490, batch loss 2.099, 1.38 iters/s
step 9491, batch loss 1.984, 1.38 iters/s
step 9492, batch loss 2.057, 1.38 iters/s
step 9493, batch loss 2.083, 1.38 iters/s
step 9494, batch loss 1.862, 1.38 iters/s
step 9495, batch loss 2.178, 1.37 iters/s
step 9496, batch loss 2.041, 1.37 iters/s
step 9497, batch loss 2.258, 1.38 iters/s
step 9498, batch loss 2.35, 1.38 iters/s
step 9499, batch loss 2.072, 1.37 iters/s
step 9500, batch loss 2.043, 1.38 iters/s
step 9501, batch loss 2.056, 1.38 iters/s
step 9502, batch loss 1.869, 1.38 iters/s
step 9503, batch loss 2.224, 1.37 iters/s
step 9504, batch loss 2.119, 1.38 iters/s
step 9505, batch loss 2.01, 1.38 iters/s
step 9506, batch loss 2.068, 1.38 iters/s
step 9507, batch loss 2.166, 1.38 iters/s
step 9508, batch loss 2.018, 1.37 iters/s
step 9509, batch loss 2.256, 1.37 iters/s
step 9510, batch loss 2.193, 1.38 iters/s
step 9511, batch loss 2.144, 1.38 iters/s
step 9512, batch loss 2.081, 1.38 iters/s
step 9513, batch loss 1.87, 1.38 iters/s
step 9514, batch loss 2.235, 1.38 iters/s
step 9515, batch loss 2.212, 1.38 iters/s
step 9516, batch loss 2.067, 1.38 iters/s
step 9517, batch loss 2.445, 1.37 iters/s
step 9518, batch loss 2.014, 1.38 iters/s
step 9519, batch loss 2.041, 1.38 iters/s
step 9520, batch loss 1.907, 1.38 iters/s
step 9521, batch loss 2.156, 1.38 iters/s
step 9522, batch loss 2.092, 1.38 iters/s
step 9523, batch loss 2.114, 1.38 iters/s
step 9524, batch loss 1.96, 1.38 iters/s
step 9525, batch loss 2.094, 1.38 iters/s
step 9526, batch loss 2.148, 1.38 iters/s
step 9527, batch loss 2.054, 1.38 iters/s
step 9528, batch loss 1.74, 1.38 iters/s
step 9529, batch loss 2.143, 1.38 iters/s
step 9530, batch loss 2.0, 1.39 iters/s

step 9531, batch loss 2.04, 1.38 iters/s
step 9532, batch loss 2.138, 1.38 iters/s
step 9533, batch loss 2.051, 1.38 iters/s
step 9534, batch loss 1.899, 1.38 iters/s
step 9535, batch loss 1.976, 1.38 iters/s
step 9536, batch loss 2.075, 1.38 iters/s
step 9537, batch loss 1.954, 1.38 iters/s
step 9538, batch loss 2.007, 1.38 iters/s
step 9539, batch loss 2.145, 1.38 iters/s
step 9540, batch loss 2.125, 1.39 iters/s
step 9541, batch loss 2.231, 1.38 iters/s
step 9542, batch loss 2.081, 1.38 iters/s
step 9543, batch loss 2.259, 1.38 iters/s
step 9544, batch loss 1.837, 1.37 iters/s
step 9545, batch loss 2.009, 1.39 iters/s
step 9546, batch loss 2.321, 1.38 iters/s
step 9547, batch loss 2.2, 1.38 iters/s
step 9548, batch loss 2.282, 1.38 iters/s
step 9549, batch loss 1.936, 1.37 iters/s
step 9550, batch loss 1.856, 1.38 iters/s
step 9551, batch loss 2.057, 1.37 iters/s
step 9552, batch loss 2.051, 1.39 iters/s
step 9553, batch loss 2.291, 1.38 iters/s
step 9554, batch loss 2.122, 1.38 iters/s
step 9555, batch loss 2.122, 1.38 iters/s
step 9556, batch loss 2.161, 1.38 iters/s
step 9557, batch loss 1.932, 1.38 iters/s
step 9558, batch loss 2.22, 1.38 iters/s
step 9559, batch loss 2.543, 1.37 iters/s
step 9560, batch loss 2.093, 1.37 iters/s
step 9561, batch loss 2.234, 1.38 iters/s
step 9562, batch loss 2.073, 1.38 iters/s
step 9563, batch loss 2.099, 1.38 iters/s
step 9564, batch loss 1.883, 1.37 iters/s
step 9565, batch loss 2.423, 1.38 iters/s
step 9566, batch loss 2.047, 1.38 iters/s
step 9567, batch loss 2.218, 1.38 iters/s
step 9568, batch loss 2.177, 1.38 iters/s
step 9569, batch loss 2.023, 1.38 iters/s
step 9570, batch loss 2.193, 1.38 iters/s
step 9571, batch loss 2.112, 1.38 iters/s
step 9572, batch loss 2.106, 1.38 iters/s
step 9573, batch loss 2.025, 1.37 iters/s
step 9574, batch loss 2.144, 1.37 iters/s
step 9575, batch loss 2.387, 1.37 iters/s
step 9576, batch loss 2.175, 1.38 iters/s
step 9577, batch loss 2.192, 1.38 iters/s
step 9578, batch loss 1.983, 1.38 iters/s

step 9579, batch loss 2.106, 1.38 iters/s
step 9580, batch loss 2.145, 1.38 iters/s
step 9581, batch loss 2.046, 1.38 iters/s
step 9582, batch loss 2.012, 1.38 iters/s
step 9583, batch loss 2.017, 1.38 iters/s
step 9584, batch loss 2.21, 1.38 iters/s
step 9585, batch loss 2.13, 1.38 iters/s
step 9586, batch loss 2.2, 1.39 iters/s
step 9587, batch loss 1.972, 1.38 iters/s
step 9588, batch loss 2.161, 1.38 iters/s
step 9589, batch loss 2.102, 1.38 iters/s
step 9590, batch loss 1.974, 1.38 iters/s
step 9591, batch loss 2.138, 1.38 iters/s
step 9592, batch loss 2.146, 1.38 iters/s
step 9593, batch loss 2.263, 1.38 iters/s
step 9594, batch loss 2.203, 1.38 iters/s
step 9595, batch loss 1.686, 1.38 iters/s
step 9596, batch loss 2.241, 1.38 iters/s
step 9597, batch loss 1.878, 1.38 iters/s
step 9598, batch loss 2.227, 1.37 iters/s
step 9599, batch loss 2.183, 1.37 iters/s
step 9600, batch loss 1.926, 1.39 iters/s
step 9601, batch loss 2.464, 1.37 iters/s
step 9602, batch loss 2.022, 1.39 iters/s
step 9603, batch loss 1.872, 1.38 iters/s
step 9604, batch loss 1.991, 1.37 iters/s
step 9605, batch loss 2.251, 1.37 iters/s
step 9606, batch loss 1.963, 1.38 iters/s
step 9607, batch loss 2.123, 1.38 iters/s
step 9608, batch loss 1.908, 1.4 iters/s
step 9609, batch loss 2.241, 1.38 iters/s
step 9610, batch loss 2.017, 1.38 iters/s
step 9611, batch loss 2.18, 1.38 iters/s
step 9612, batch loss 2.163, 1.38 iters/s
step 9613, batch loss 2.06, 1.38 iters/s
step 9614, batch loss 2.079, 1.38 iters/s
step 9615, batch loss 2.216, 1.38 iters/s
step 9616, batch loss 2.037, 1.38 iters/s
step 9617, batch loss 2.085, 1.38 iters/s
step 9618, batch loss 2.218, 1.38 iters/s
step 9619, batch loss 2.073, 1.38 iters/s
step 9620, batch loss 2.107, 1.38 iters/s
step 9621, batch loss 2.17, 1.38 iters/s
step 9622, batch loss 2.102, 1.39 iters/s
step 9623, batch loss 1.954, 1.38 iters/s
step 9624, batch loss 2.308, 1.38 iters/s
step 9625, batch loss 2.12, 1.38 iters/s
step 9626, batch loss 2.043, 1.37 iters/s

step 9627, batch loss 2.078, 1.38 iters/s
step 9628, batch loss 1.975, 1.38 iters/s
step 9629, batch loss 2.036, 1.39 iters/s
step 9630, batch loss 2.291, 1.38 iters/s
step 9631, batch loss 2.291, 1.38 iters/s
step 9632, batch loss 2.142, 1.37 iters/s
step 9633, batch loss 2.195, 1.38 iters/s
step 9634, batch loss 1.946, 1.38 iters/s
step 9635, batch loss 1.993, 1.38 iters/s
step 9636, batch loss 2.279, 1.38 iters/s
step 9637, batch loss 2.18, 1.38 iters/s
step 9638, batch loss 2.388, 1.38 iters/s
step 9639, batch loss 2.23, 1.38 iters/s
step 9640, batch loss 2.411, 1.38 iters/s
step 9641, batch loss 1.723, 1.38 iters/s
step 9642, batch loss 2.204, 1.38 iters/s
step 9643, batch loss 2.12, 1.38 iters/s
step 9644, batch loss 1.854, 1.38 iters/s
step 9645, batch loss 1.97, 1.38 iters/s
step 9646, batch loss 1.88, 1.39 iters/s
step 9647, batch loss 2.423, 1.38 iters/s
step 9648, batch loss 2.288, 1.38 iters/s
step 9649, batch loss 2.451, 1.38 iters/s
step 9650, batch loss 2.068, 1.38 iters/s
step 9651, batch loss 1.969, 1.38 iters/s
step 9652, batch loss 1.872, 1.37 iters/s
step 9653, batch loss 2.042, 1.38 iters/s
step 9654, batch loss 2.202, 1.38 iters/s
step 9655, batch loss 1.898, 1.38 iters/s
step 9656, batch loss 1.828, 1.38 iters/s
step 9657, batch loss 1.971, 1.38 iters/s
step 9658, batch loss 2.008, 1.38 iters/s
step 9659, batch loss 2.172, 1.38 iters/s
step 9660, batch loss 2.072, 1.38 iters/s
step 9661, batch loss 1.975, 1.38 iters/s
step 9662, batch loss 2.225, 1.38 iters/s
step 9663, batch loss 2.113, 1.38 iters/s
step 9664, batch loss 2.114, 1.38 iters/s
step 9665, batch loss 1.936, 1.38 iters/s
step 9666, batch loss 2.134, 1.38 iters/s
step 9667, batch loss 2.141, 1.38 iters/s
step 9668, batch loss 2.109, 1.37 iters/s
step 9669, batch loss 1.975, 1.38 iters/s
step 9670, batch loss 2.01, 1.38 iters/s
step 9671, batch loss 2.054, 1.37 iters/s
step 9672, batch loss 2.158, 1.38 iters/s
step 9673, batch loss 2.061, 1.38 iters/s
step 9674, batch loss 2.05, 1.38 iters/s

step 9675, batch loss 1.901, 1.38 iters/s
step 9676, batch loss 2.406, 1.38 iters/s
step 9677, batch loss 1.909, 1.4 iters/s
step 9678, batch loss 2.006, 1.38 iters/s
step 9679, batch loss 2.02, 1.38 iters/s
step 9680, batch loss 2.4, 1.39 iters/s
step 9681, batch loss 2.221, 1.38 iters/s
step 9682, batch loss 1.964, 1.38 iters/s
step 9683, batch loss 2.239, 1.39 iters/s
step 9684, batch loss 2.244, 1.38 iters/s
step 9685, batch loss 2.112, 1.38 iters/s
step 9686, batch loss 2.098, 1.38 iters/s
step 9687, batch loss 2.519, 1.38 iters/s
step 9688, batch loss 2.092, 1.38 iters/s
step 9689, batch loss 2.173, 1.38 iters/s
step 9690, batch loss 2.194, 1.38 iters/s
step 9691, batch loss 1.938, 1.38 iters/s
step 9692, batch loss 1.916, 1.38 iters/s
step 9693, batch loss 1.947, 1.39 iters/s
step 9694, batch loss 2.187, 1.38 iters/s
step 9695, batch loss 2.36, 1.38 iters/s
step 9696, batch loss 2.074, 1.38 iters/s
step 9697, batch loss 1.99, 1.38 iters/s
step 9698, batch loss 2.129, 1.38 iters/s
step 9699, batch loss 2.051, 1.4 iters/s
step 9700, batch loss 1.996, 1.38 iters/s
step 9701, batch loss 1.923, 1.38 iters/s
step 9702, batch loss 1.987, 1.38 iters/s
step 9703, batch loss 2.052, 1.38 iters/s
step 9704, batch loss 2.127, 1.38 iters/s
step 9705, batch loss 2.34, 1.38 iters/s
step 9706, batch loss 2.127, 1.38 iters/s
step 9707, batch loss 2.022, 1.38 iters/s
step 9708, batch loss 2.157, 1.38 iters/s
step 9709, batch loss 2.224, 1.38 iters/s
step 9710, batch loss 1.897, 1.38 iters/s
step 9711, batch loss 2.497, 1.38 iters/s
step 9712, batch loss 1.997, 1.39 iters/s
step 9713, batch loss 2.212, 1.38 iters/s
step 9714, batch loss 2.172, 1.38 iters/s
step 9715, batch loss 2.16, 1.39 iters/s
step 9716, batch loss 2.355, 1.38 iters/s
step 9717, batch loss 2.307, 1.38 iters/s
step 9718, batch loss 2.054, 1.38 iters/s
step 9719, batch loss 2.173, 1.38 iters/s
step 9720, batch loss 2.094, 1.38 iters/s
step 9721, batch loss 2.083, 1.38 iters/s
step 9722, batch loss 2.172, 1.38 iters/s

step 9723, batch loss 2.117, 1.38 iters/s
step 9724, batch loss 1.957, 1.38 iters/s
step 9725, batch loss 2.122, 1.38 iters/s
step 9726, batch loss 2.329, 1.38 iters/s
step 9727, batch loss 2.045, 1.38 iters/s
step 9728, batch loss 1.958, 1.38 iters/s
step 9729, batch loss 2.096, 1.38 iters/s
step 9730, batch loss 1.867, 1.37 iters/s
step 9731, batch loss 2.142, 1.38 iters/s
step 9732, batch loss 2.342, 1.38 iters/s
step 9733, batch loss 1.906, 1.37 iters/s
step 9734, batch loss 2.042, 1.38 iters/s
step 9735, batch loss 2.306, 1.37 iters/s
step 9736, batch loss 2.048, 1.38 iters/s
step 9737, batch loss 2.106, 1.38 iters/s
step 9738, batch loss 2.024, 1.38 iters/s
step 9739, batch loss 1.913, 1.38 iters/s
step 9740, batch loss 1.981, 1.38 iters/s
step 9741, batch loss 2.045, 1.38 iters/s
step 9742, batch loss 1.962, 1.39 iters/s
step 9743, batch loss 2.036, 1.38 iters/s
step 9744, batch loss 2.271, 1.38 iters/s
step 9745, batch loss 2.062, 1.37 iters/s
step 9746, batch loss 2.256, 1.39 iters/s
step 9747, batch loss 2.117, 1.38 iters/s
step 9748, batch loss 1.935, 1.38 iters/s
step 9749, batch loss 2.074, 1.39 iters/s
step 9750, batch loss 2.092, 1.37 iters/s
step 9751, batch loss 2.087, 1.38 iters/s
step 9752, batch loss 2.042, 1.38 iters/s
step 9753, batch loss 2.059, 1.38 iters/s
step 9754, batch loss 2.234, 1.38 iters/s
step 9755, batch loss 2.077, 1.37 iters/s
step 9756, batch loss 2.351, 1.38 iters/s
step 9757, batch loss 2.006, 1.38 iters/s
step 9758, batch loss 2.525, 1.37 iters/s
step 9759, batch loss 2.016, 1.37 iters/s
step 9760, batch loss 2.178, 1.37 iters/s
step 9761, batch loss 1.938, 1.38 iters/s
step 9762, batch loss 2.181, 1.38 iters/s
step 9763, batch loss 2.239, 1.38 iters/s
step 9764, batch loss 2.077, 1.38 iters/s
step 9765, batch loss 2.133, 1.38 iters/s
step 9766, batch loss 2.164, 1.38 iters/s
step 9767, batch loss 2.108, 1.37 iters/s
step 9768, batch loss 2.087, 1.37 iters/s
step 9769, batch loss 2.01, 1.39 iters/s
step 9770, batch loss 1.912, 1.38 iters/s

step 9771, batch loss 1.98, 1.37 iters/s
step 9772, batch loss 2.528, 1.37 iters/s
step 9773, batch loss 2.093, 1.38 iters/s
step 9774, batch loss 2.15, 1.37 iters/s
step 9775, batch loss 2.063, 1.38 iters/s
step 9776, batch loss 2.385, 1.37 iters/s
step 9777, batch loss 2.307, 1.38 iters/s
step 9778, batch loss 2.182, 1.38 iters/s
step 9779, batch loss 2.044, 1.38 iters/s
step 9780, batch loss 1.824, 1.38 iters/s
step 9781, batch loss 2.195, 1.39 iters/s
step 9782, batch loss 1.888, 1.38 iters/s
step 9783, batch loss 1.985, 1.38 iters/s
step 9784, batch loss 2.168, 1.38 iters/s
step 9785, batch loss 2.0, 1.38 iters/s
step 9786, batch loss 1.953, 1.38 iters/s
step 9787, batch loss 1.941, 1.37 iters/s
step 9788, batch loss 1.984, 1.38 iters/s
step 9789, batch loss 2.125, 1.38 iters/s
step 9790, batch loss 1.86, 1.38 iters/s
step 9791, batch loss 2.106, 1.38 iters/s
step 9792, batch loss 2.463, 1.38 iters/s
step 9793, batch loss 2.069, 1.38 iters/s
step 9794, batch loss 2.07, 1.38 iters/s
step 9795, batch loss 2.197, 1.38 iters/s
step 9796, batch loss 2.032, 1.38 iters/s
step 9797, batch loss 2.082, 1.38 iters/s
step 9798, batch loss 1.939, 1.38 iters/s
step 9799, batch loss 2.001, 1.38 iters/s
step 9800, batch loss 1.942, 1.38 iters/s
step 9801, batch loss 1.937, 1.38 iters/s
step 9802, batch loss 2.001, 1.38 iters/s
step 9803, batch loss 1.963, 1.38 iters/s
step 9804, batch loss 2.052, 1.38 iters/s
step 9805, batch loss 2.019, 1.38 iters/s
step 9806, batch loss 2.197, 1.38 iters/s
step 9807, batch loss 1.987, 1.38 iters/s
step 9808, batch loss 2.019, 1.38 iters/s
step 9809, batch loss 2.381, 1.38 iters/s
step 9810, batch loss 1.907, 1.37 iters/s
step 9811, batch loss 2.206, 1.38 iters/s
step 9812, batch loss 2.269, 1.37 iters/s
step 9813, batch loss 2.04, 1.38 iters/s
step 9814, batch loss 1.997, 1.38 iters/s
step 9815, batch loss 1.56, 1.37 iters/s
step 9816, batch loss 2.238, 1.38 iters/s
step 9817, batch loss 2.083, 1.38 iters/s
step 9818, batch loss 2.148, 1.38 iters/s

step 9819, batch loss 2.644, 1.37 iters/s
step 9820, batch loss 2.251, 1.38 iters/s
step 9821, batch loss 2.134, 1.38 iters/s
step 9822, batch loss 1.785, 1.38 iters/s
step 9823, batch loss 2.003, 1.38 iters/s
step 9824, batch loss 2.069, 1.37 iters/s
step 9825, batch loss 2.061, 1.37 iters/s
step 9826, batch loss 1.955, 1.38 iters/s
step 9827, batch loss 2.11, 1.38 iters/s
step 9828, batch loss 2.237, 1.38 iters/s
step 9829, batch loss 2.229, 1.38 iters/s
step 9830, batch loss 1.798, 1.38 iters/s
step 9831, batch loss 1.929, 1.38 iters/s
step 9832, batch loss 2.232, 1.38 iters/s
step 9833, batch loss 2.069, 1.38 iters/s
step 9834, batch loss 2.347, 1.38 iters/s
step 9835, batch loss 2.081, 1.38 iters/s
step 9836, batch loss 2.231, 1.38 iters/s
step 9837, batch loss 2.044, 1.38 iters/s
step 9838, batch loss 2.009, 1.38 iters/s
step 9839, batch loss 1.743, 1.39 iters/s
step 9840, batch loss 1.938, 1.38 iters/s
step 9841, batch loss 1.622, 1.39 iters/s
step 9842, batch loss 1.968, 1.38 iters/s
step 9843, batch loss 2.038, 1.38 iters/s
step 9844, batch loss 2.009, 1.39 iters/s
step 9845, batch loss 2.334, 1.38 iters/s
step 9846, batch loss 1.983, 1.38 iters/s
step 9847, batch loss 1.992, 1.39 iters/s
step 9848, batch loss 2.119, 1.38 iters/s
step 9849, batch loss 2.327, 1.38 iters/s
step 9850, batch loss 2.371, 1.38 iters/s
step 9851, batch loss 2.179, 1.38 iters/s
step 9852, batch loss 1.98, 1.37 iters/s
step 9853, batch loss 2.086, 1.38 iters/s
step 9854, batch loss 2.325, 1.39 iters/s
step 9855, batch loss 1.983, 1.38 iters/s
step 9856, batch loss 2.132, 1.38 iters/s
step 9857, batch loss 2.181, 1.38 iters/s
step 9858, batch loss 2.135, 1.38 iters/s
step 9859, batch loss 2.275, 1.38 iters/s
step 9860, batch loss 2.269, 1.38 iters/s
step 9861, batch loss 2.206, 1.38 iters/s
step 9862, batch loss 1.973, 1.38 iters/s
step 9863, batch loss 2.261, 1.38 iters/s
step 9864, batch loss 2.178, 1.38 iters/s
step 9865, batch loss 2.379, 1.38 iters/s
step 9866, batch loss 2.104, 1.38 iters/s

step 9867, batch loss 2.033, 1.38 iters/s
step 9868, batch loss 2.523, 1.38 iters/s
step 9869, batch loss 2.556, 1.38 iters/s
step 9870, batch loss 1.968, 1.38 iters/s
step 9871, batch loss 2.297, 1.38 iters/s
step 9872, batch loss 2.088, 1.38 iters/s
step 9873, batch loss 2.094, 1.38 iters/s
step 9874, batch loss 2.123, 1.38 iters/s
step 9875, batch loss 2.087, 1.38 iters/s
step 9876, batch loss 1.995, 1.38 iters/s
step 9877, batch loss 1.771, 1.38 iters/s
step 9878, batch loss 2.439, 1.37 iters/s
step 9879, batch loss 2.072, 1.38 iters/s
step 9880, batch loss 1.713, 1.38 iters/s
step 9881, batch loss 1.861, 1.38 iters/s
step 9882, batch loss 1.97, 1.38 iters/s
step 9883, batch loss 2.154, 1.37 iters/s
step 9884, batch loss 1.868, 1.38 iters/s
step 9885, batch loss 2.159, 1.38 iters/s
step 9886, batch loss 1.998, 1.38 iters/s
step 9887, batch loss 1.868, 1.38 iters/s
step 9888, batch loss 2.027, 1.38 iters/s
step 9889, batch loss 1.968, 1.38 iters/s
step 9890, batch loss 1.987, 1.37 iters/s
step 9891, batch loss 2.342, 1.38 iters/s
step 9892, batch loss 1.93, 1.37 iters/s
step 9893, batch loss 2.082, 1.38 iters/s
step 9894, batch loss 1.995, 1.37 iters/s
step 9895, batch loss 1.837, 1.37 iters/s
step 9896, batch loss 2.164, 1.38 iters/s
step 9897, batch loss 2.389, 1.39 iters/s
step 9898, batch loss 2.015, 1.38 iters/s
step 9899, batch loss 1.89, 1.37 iters/s
step 9900, batch loss 2.161, 1.38 iters/s
step 9901, batch loss 2.01, 1.38 iters/s
step 9902, batch loss 2.09, 1.38 iters/s
step 9903, batch loss 1.947, 1.38 iters/s
step 9904, batch loss 2.117, 1.38 iters/s
step 9905, batch loss 2.261, 1.38 iters/s
step 9906, batch loss 2.151, 1.38 iters/s
step 9907, batch loss 2.004, 1.38 iters/s
step 9908, batch loss 2.213, 1.38 iters/s
step 9909, batch loss 2.086, 1.37 iters/s
step 9910, batch loss 1.991, 1.37 iters/s
step 9911, batch loss 2.102, 1.38 iters/s
step 9912, batch loss 2.042, 1.38 iters/s
step 9913, batch loss 2.187, 1.38 iters/s
step 9914, batch loss 2.119, 1.38 iters/s

step 9915, batch loss 2.075, 1.37 iters/s
step 9916, batch loss 2.201, 1.38 iters/s
step 9917, batch loss 2.052, 1.39 iters/s
step 9918, batch loss 2.037, 1.38 iters/s
step 9919, batch loss 2.46, 1.37 iters/s
step 9920, batch loss 2.014, 1.37 iters/s
step 9921, batch loss 1.907, 1.38 iters/s
step 9922, batch loss 1.974, 1.37 iters/s
step 9923, batch loss 2.387, 1.38 iters/s
step 9924, batch loss 2.158, 1.39 iters/s
step 9925, batch loss 2.3, 1.38 iters/s
step 9926, batch loss 2.305, 1.37 iters/s
step 9927, batch loss 2.024, 1.38 iters/s
step 9928, batch loss 2.246, 1.38 iters/s
step 9929, batch loss 2.074, 1.37 iters/s
step 9930, batch loss 2.082, 1.37 iters/s
step 9931, batch loss 2.342, 1.37 iters/s
step 9932, batch loss 2.016, 1.39 iters/s
step 9933, batch loss 2.345, 1.37 iters/s
step 9934, batch loss 1.885, 1.37 iters/s
step 9935, batch loss 1.828, 1.38 iters/s
step 9936, batch loss 2.103, 1.38 iters/s
step 9937, batch loss 2.047, 1.39 iters/s
step 9938, batch loss 2.169, 1.38 iters/s
step 9939, batch loss 1.846, 1.37 iters/s
step 9940, batch loss 2.433, 1.38 iters/s
step 9941, batch loss 2.033, 1.38 iters/s
step 9942, batch loss 1.95, 1.38 iters/s
step 9943, batch loss 2.421, 1.38 iters/s
step 9944, batch loss 2.06, 1.38 iters/s
step 9945, batch loss 1.861, 1.38 iters/s
step 9946, batch loss 1.903, 1.38 iters/s
step 9947, batch loss 2.06, 1.38 iters/s
step 9948, batch loss 2.012, 1.38 iters/s
step 9949, batch loss 2.53, 1.37 iters/s
step 9950, batch loss 2.027, 1.37 iters/s
step 9951, batch loss 2.155, 1.37 iters/s
step 9952, batch loss 2.028, 1.38 iters/s
step 9953, batch loss 2.018, 1.38 iters/s
step 9954, batch loss 2.058, 1.38 iters/s
step 9955, batch loss 1.973, 1.38 iters/s
step 9956, batch loss 1.953, 1.38 iters/s
step 9957, batch loss 2.124, 1.38 iters/s
step 9958, batch loss 2.074, 1.38 iters/s
step 9959, batch loss 2.386, 1.38 iters/s
step 9960, batch loss 2.281, 1.38 iters/s
step 9961, batch loss 2.052, 1.38 iters/s
step 9962, batch loss 1.9, 1.38 iters/s

```

step 9963, batch loss 1.883, 1.38 iters/s
step 9964, batch loss 1.948, 1.38 iters/s
step 9965, batch loss 2.177, 1.38 iters/s
step 9966, batch loss 2.097, 1.38 iters/s
step 9967, batch loss 2.151, 1.37 iters/s
step 9968, batch loss 2.004, 1.38 iters/s
step 9969, batch loss 2.169, 1.38 iters/s
step 9970, batch loss 1.889, 1.38 iters/s
step 9971, batch loss 2.334, 1.38 iters/s
step 9972, batch loss 2.224, 1.38 iters/s
step 9973, batch loss 2.325, 1.37 iters/s
step 9974, batch loss 1.889, 1.38 iters/s
step 9975, batch loss 2.287, 1.38 iters/s
step 9976, batch loss 2.1, 1.38 iters/s
step 9977, batch loss 2.089, 1.39 iters/s
step 9978, batch loss 2.017, 1.38 iters/s
step 9979, batch loss 2.231, 1.38 iters/s
step 9980, batch loss 2.148, 1.38 iters/s
step 9981, batch loss 1.723, 1.38 iters/s
step 9982, batch loss 1.95, 1.38 iters/s
step 9983, batch loss 2.053, 1.38 iters/s
step 9984, batch loss 1.925, 1.38 iters/s
step 9985, batch loss 1.862, 1.38 iters/s
step 9986, batch loss 2.245, 1.38 iters/s
step 9987, batch loss 2.089, 1.38 iters/s
step 9988, batch loss 2.493, 1.38 iters/s
step 9989, batch loss 2.038, 1.38 iters/s
step 9990, batch loss 2.014, 1.38 iters/s
step 9991, batch loss 2.103, 1.37 iters/s
step 9992, batch loss 2.039, 1.38 iters/s
step 9993, batch loss 2.034, 1.38 iters/s
step 9994, batch loss 2.548, 1.37 iters/s
step 9995, batch loss 2.158, 1.37 iters/s
step 9996, batch loss 1.828, 1.37 iters/s
step 9997, batch loss 2.018, 1.38 iters/s
step 9998, batch loss 1.763, 1.38 iters/s
step 9999, batch loss 2.04, 1.38 iters/s

```

```

[11]: # without LoRA adaptation
!python train_sft.py --model-type gpt2-medium --pretrain huggingface_
↪--batch-size 1 --exp-name sft_fft_exp --max-steps 20000

```

```

2026-06-30 03:14:03.397526: E
external/local_xla/xla/stream_executor/cuda/cuda_fft.cc:467] Unable to register
cuFFT factory: Attempting to register factory for plugin cuFFT when one has
already been registered
WARNING: All log messages before absl::InitializeLog() is called are written to
STDERR

```

```

E0000 00:00:1782789243.422213      171 cuda_dnn.cc:8579] Unable to register cuDNN
factory: Attempting to register factory for plugin cuDNN when one has already
been registered
E0000 00:00:1782789243.430361      171 cuda_blas.cc:1407] Unable to register
cuBLAS factory: Attempting to register factory for plugin cuBLAS when one has
already been registered
W0000 00:00:1782789243.451926      171 computation_placer.cc:177] computation
placer already registered. Please check linkage and avoid linking the same
target more than once.
W0000 00:00:1782789243.451956      171 computation_placer.cc:177] computation
placer already registered. Please check linkage and avoid linking the same
target more than once.
W0000 00:00:1782789243.451959      171 computation_placer.cc:177] computation
placer already registered. Please check linkage and avoid linking the same
target more than once.
W0000 00:00:1782789243.451963      171 computation_placer.cc:177] computation
placer already registered. Please check linkage and avoid linking the same
target more than once.
Warning: You are sending unauthenticated requests to the HF Hub. Please set a
HF_TOKEN to enable higher rate limits and faster downloads.
Loading weights: 100%| | 292/292 [00:00<00:00, 1566.70it/s, Materializing param=
GPT2LMHeadModel LOAD REPORT from: gpt2-medium
Key          | Status      | |
-----+-----+---+
h.{0...23}.attn.bias | UNEXPECTED | |

```

Notes:

- **UNEXPECTED** :can be ignored when loading from different task/architecture; not ok if you expect identical arch.

[WARNING] Enabling Full Fine-Tuning (FFT) mode for gpt2-medium.
[WARNING] All parameters are trainable. Watch out for Out-Of-Memory (OOM) errors!

```

Loading EYLSFTStaticDataset train split
Loaded 19934053 tokens from 84576 examples.
Loading EYLSFTStaticDataset test split
Loaded 844060 tokens from 3451 examples.

```

```

=====
=====
Layer (type:depth-idx)          Output Shape
Param #
=====
=====
GPT                              [1, 1024, 50257]
--
  TransformerDecoder: 1-1        [1, 1024, 1024]
--
    Embedding: 2-1              [1, 1024, 1024]
51,463,168

```


Embedding: 2-2	[1, 1024, 1024]
1,048,576	
Dropout: 2-3	[1, 1024, 1024]
--	
ModuleList: 2-4	--
--	
TransformerDecoderBlock: 3-1	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-2	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-3	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-4	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-5	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-6	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-7	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-8	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-9	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-10	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-11	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-12	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-13	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-14	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-15	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-16	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-17	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-18	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-19	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-20	[1, 1024, 1024]
12,596,224	
TransformerDecoderBlock: 3-21	[1, 1024, 1024]
12,596,224	

```

TransformerDecoderBlock: 3-22          [1, 1024, 1024]
12,596,224
TransformerDecoderBlock: 3-23          [1, 1024, 1024]
12,596,224
TransformerDecoderBlock: 3-24          [1, 1024, 1024]
12,596,224
LayerNorm: 2-5                        [1, 1024, 1024]
2,048
Linear: 1-2                           [1, 1024, 50257]
51,463,168
=====
=====
Total params: 406,286,336
Trainable params: 406,286,336
Non-trainable params: 0
Total mult-adds (Units.MEGABYTES): 406.29
=====
=====
Input size (MB): 0.01
Forward/backward pass size (MB): 2651.46
Params size (MB): 1625.15
Estimated Total Size (MB): 4276.62
=====
=====
/kaggle/working/GPT2-fine-tune/mds_proj/src/trainers.py:110: FutureWarning:
`torch.cuda.amp.GradScaler(args...)` is deprecated. Please use
`torch.amp.GradScaler('cuda', args...)` instead.
    scaler = GradScaler(enabled=(self.dtype != torch.float32 and self.device ==
'cuda'))
step 0, batch loss 2.976, 1.51 iters/s
step 1, batch loss 2.489, 2.6 iters/s
step 2, batch loss 2.266, 2.59 iters/s
step 3, batch loss 2.249, 1.86 iters/s
step 4, batch loss 2.33, 1.97 iters/s
step 5, batch loss 2.448, 1.96 iters/s
step 6, batch loss 2.418, 1.95 iters/s
step 7, batch loss 2.597, 1.95 iters/s
step 8, batch loss 2.582, 1.95 iters/s
step 9, batch loss 2.623, 1.95 iters/s
step 10, batch loss 2.376, 1.94 iters/s
step 11, batch loss 2.379, 1.94 iters/s
step 12, batch loss 2.384, 1.94 iters/s
step 13, batch loss 2.664, 1.94 iters/s
step 14, batch loss 2.282, 1.94 iters/s
step 15, batch loss 2.523, 1.93 iters/s
step 16, batch loss 2.603, 1.93 iters/s
step 17, batch loss 2.605, 1.93 iters/s
step 18, batch loss 2.26, 1.93 iters/s

```

step 19, batch loss 2.225, 1.93 iters/s
step 20, batch loss 2.318, 1.92 iters/s
step 21, batch loss 2.951, 1.92 iters/s
step 22, batch loss 2.307, 1.92 iters/s
step 23, batch loss 2.188, 1.91 iters/s
step 24, batch loss 2.11, 1.91 iters/s
step 25, batch loss 2.197, 1.9 iters/s
step 26, batch loss 2.143, 1.9 iters/s
step 27, batch loss 2.069, 1.9 iters/s
step 28, batch loss 2.315, 1.9 iters/s
step 29, batch loss 2.406, 1.89 iters/s
step 30, batch loss 2.176, 1.89 iters/s
step 31, batch loss 2.16, 1.88 iters/s
step 32, batch loss 2.285, 1.89 iters/s
step 33, batch loss 2.692, 1.88 iters/s
step 34, batch loss 1.728, 1.87 iters/s
step 35, batch loss 2.197, 1.86 iters/s
step 36, batch loss 2.021, 1.87 iters/s
step 37, batch loss 3.177, 1.86 iters/s
step 38, batch loss 2.049, 1.85 iters/s
step 39, batch loss 2.236, 1.85 iters/s
step 40, batch loss 2.414, 1.84 iters/s
step 41, batch loss 2.397, 1.84 iters/s
step 42, batch loss 2.306, 1.83 iters/s
step 43, batch loss 2.503, 1.82 iters/s
step 44, batch loss 2.203, 1.82 iters/s
step 45, batch loss 2.359, 1.83 iters/s
step 46, batch loss 2.135, 1.81 iters/s
step 47, batch loss 2.386, 1.82 iters/s
step 48, batch loss 2.139, 1.82 iters/s
step 49, batch loss 2.151, 1.82 iters/s
step 50, batch loss 2.109, 1.82 iters/s
step 51, batch loss 2.056, 1.8 iters/s
step 52, batch loss 2.248, 1.79 iters/s
step 53, batch loss 1.869, 1.8 iters/s
step 54, batch loss 2.441, 1.76 iters/s
step 55, batch loss 2.887, 1.77 iters/s
step 56, batch loss 2.186, 1.78 iters/s
step 57, batch loss 2.289, 1.77 iters/s
step 58, batch loss 2.954, 1.76 iters/s
step 59, batch loss 2.842, 1.76 iters/s
step 60, batch loss 2.117, 1.76 iters/s
step 61, batch loss 2.125, 1.75 iters/s
step 62, batch loss 2.395, 1.74 iters/s
step 63, batch loss 2.063, 1.72 iters/s
step 64, batch loss 2.208, 1.71 iters/s
step 65, batch loss 1.901, 1.73 iters/s
step 66, batch loss 2.303, 1.7 iters/s

step 67, batch loss 2.76, 1.7 iters/s
step 68, batch loss 1.981, 1.69 iters/s
step 69, batch loss 2.313, 1.7 iters/s
step 70, batch loss 1.948, 1.69 iters/s
step 71, batch loss 2.211, 1.68 iters/s
step 72, batch loss 2.69, 1.67 iters/s
step 73, batch loss 2.259, 1.67 iters/s
step 74, batch loss 2.322, 1.67 iters/s
step 75, batch loss 1.985, 1.67 iters/s
step 76, batch loss 2.257, 1.65 iters/s
step 77, batch loss 3.03, 1.65 iters/s
step 78, batch loss 2.042, 1.65 iters/s
step 79, batch loss 2.026, 1.65 iters/s
step 80, batch loss 2.276, 1.66 iters/s
step 81, batch loss 2.002, 1.68 iters/s
step 82, batch loss 2.315, 1.67 iters/s
step 83, batch loss 2.331, 1.68 iters/s
step 84, batch loss 2.172, 1.68 iters/s
step 85, batch loss 2.375, 1.69 iters/s
step 86, batch loss 2.032, 1.71 iters/s
step 87, batch loss 2.064, 1.73 iters/s
step 88, batch loss 2.313, 1.73 iters/s
step 89, batch loss 1.911, 1.74 iters/s
step 90, batch loss 2.071, 1.73 iters/s
step 91, batch loss 2.016, 1.74 iters/s
step 92, batch loss 2.089, 1.76 iters/s
step 93, batch loss 2.138, 1.77 iters/s
step 94, batch loss 2.39, 1.76 iters/s
step 95, batch loss 2.046, 1.76 iters/s
step 96, batch loss 2.001, 1.77 iters/s
step 97, batch loss 2.476, 1.77 iters/s
step 98, batch loss 1.915, 1.79 iters/s
step 99, batch loss 1.908, 1.8 iters/s
step 100, batch loss 2.462, 1.8 iters/s
step 101, batch loss 2.6, 1.82 iters/s
step 102, batch loss 2.041, 1.81 iters/s
step 103, batch loss 2.274, 1.81 iters/s
step 104, batch loss 2.189, 1.81 iters/s
step 105, batch loss 2.379, 1.82 iters/s
step 106, batch loss 2.362, 1.82 iters/s
step 107, batch loss 2.167, 1.82 iters/s
step 108, batch loss 2.028, 1.83 iters/s
step 109, batch loss 2.341, 1.83 iters/s
step 110, batch loss 2.193, 1.83 iters/s
step 111, batch loss 2.029, 1.85 iters/s
step 112, batch loss 2.378, 1.83 iters/s
step 113, batch loss 2.365, 1.84 iters/s
step 114, batch loss 1.993, 1.85 iters/s

step 115, batch loss 1.975, 1.85 iters/s
step 116, batch loss 2.099, 1.86 iters/s
step 117, batch loss 2.248, 1.85 iters/s
step 118, batch loss 2.198, 1.88 iters/s
step 119, batch loss 2.676, 1.86 iters/s
step 120, batch loss 2.007, 1.86 iters/s
step 121, batch loss 2.026, 1.87 iters/s
step 122, batch loss 2.513, 1.87 iters/s
step 123, batch loss 2.144, 1.87 iters/s
step 124, batch loss 2.309, 1.88 iters/s
step 125, batch loss 2.343, 1.88 iters/s
step 126, batch loss 2.683, 1.87 iters/s
step 127, batch loss 2.192, 1.87 iters/s
step 128, batch loss 2.246, 1.88 iters/s
step 129, batch loss 2.096, 1.87 iters/s
step 130, batch loss 2.221, 1.89 iters/s
step 131, batch loss 2.225, 1.89 iters/s
step 132, batch loss 2.24, 1.88 iters/s
step 133, batch loss 1.971, 1.88 iters/s
step 134, batch loss 2.15, 1.87 iters/s
step 135, batch loss 2.176, 1.88 iters/s
step 136, batch loss 2.138, 1.88 iters/s
step 137, batch loss 2.32, 1.88 iters/s
step 138, batch loss 2.111, 1.88 iters/s
step 139, batch loss 2.188, 1.88 iters/s
step 140, batch loss 2.186, 1.89 iters/s
step 141, batch loss 2.305, 1.9 iters/s
step 142, batch loss 2.085, 1.9 iters/s
step 143, batch loss 2.707, 1.89 iters/s
step 144, batch loss 2.103, 1.88 iters/s
step 145, batch loss 2.24, 1.89 iters/s
step 146, batch loss 2.275, 1.9 iters/s
step 147, batch loss 2.013, 1.88 iters/s
step 148, batch loss 2.28, 1.89 iters/s
step 149, batch loss 2.234, 1.88 iters/s
step 150, batch loss 2.147, 1.89 iters/s
step 151, batch loss 2.168, 1.88 iters/s
step 152, batch loss 2.104, 1.88 iters/s
step 153, batch loss 2.01, 1.89 iters/s
step 154, batch loss 1.76, 1.9 iters/s
step 155, batch loss 1.784, 1.89 iters/s
step 156, batch loss 2.343, 1.89 iters/s
step 157, batch loss 2.26, 1.89 iters/s
step 158, batch loss 2.313, 1.87 iters/s
step 159, batch loss 2.288, 1.89 iters/s
step 160, batch loss 2.217, 1.87 iters/s
step 161, batch loss 2.286, 1.88 iters/s
step 162, batch loss 2.164, 1.88 iters/s

step 163, batch loss 2.102, 1.87 iters/s
step 164, batch loss 2.532, 1.87 iters/s
step 165, batch loss 2.368, 1.87 iters/s
step 166, batch loss 1.902, 1.87 iters/s
step 167, batch loss 2.374, 1.87 iters/s
step 168, batch loss 2.204, 1.87 iters/s
step 169, batch loss 2.497, 1.87 iters/s
step 170, batch loss 2.137, 1.87 iters/s
step 171, batch loss 2.156, 1.87 iters/s
step 172, batch loss 2.001, 2.42 iters/s
step 173, batch loss 1.876, 1.86 iters/s
step 174, batch loss 2.266, 1.86 iters/s
step 175, batch loss 1.905, 1.85 iters/s
step 176, batch loss 2.271, 1.85 iters/s
step 177, batch loss 2.443, 1.86 iters/s
step 178, batch loss 2.029, 1.85 iters/s
step 179, batch loss 2.056, 1.87 iters/s
step 180, batch loss 2.053, 1.84 iters/s
step 181, batch loss 2.336, 1.84 iters/s
step 182, batch loss 2.287, 1.84 iters/s
step 183, batch loss 2.348, 1.84 iters/s
step 184, batch loss 2.449, 1.83 iters/s
step 185, batch loss 2.158, 1.85 iters/s
step 186, batch loss 2.099, 1.84 iters/s
step 187, batch loss 2.033, 1.83 iters/s
step 188, batch loss 2.491, 1.83 iters/s
step 189, batch loss 2.139, 1.82 iters/s
step 190, batch loss 1.823, 1.85 iters/s
step 191, batch loss 2.114, 1.83 iters/s
step 192, batch loss 2.417, 1.81 iters/s
step 193, batch loss 2.191, 1.82 iters/s
step 194, batch loss 2.249, 1.82 iters/s
step 195, batch loss 2.235, 1.82 iters/s
step 196, batch loss 2.193, 1.81 iters/s
step 197, batch loss 2.273, 1.8 iters/s
step 198, batch loss 2.22, 1.81 iters/s
step 199, batch loss 2.166, 1.81 iters/s
step 200, batch loss 2.237, 1.81 iters/s
step 201, batch loss 1.942, 1.8 iters/s
step 202, batch loss 2.15, 1.82 iters/s
step 203, batch loss 2.109, 1.82 iters/s
step 204, batch loss 2.252, 1.78 iters/s
step 205, batch loss 2.473, 1.81 iters/s
step 206, batch loss 2.35, 1.78 iters/s
step 207, batch loss 2.196, 1.79 iters/s
step 208, batch loss 2.019, 1.78 iters/s
step 209, batch loss 2.114, 1.79 iters/s
step 210, batch loss 2.043, 1.79 iters/s

step 211, batch loss 2.094, 1.79 iters/s
step 212, batch loss 2.136, 1.78 iters/s
step 213, batch loss 2.088, 1.78 iters/s
step 214, batch loss 2.164, 1.79 iters/s
step 215, batch loss 2.241, 1.79 iters/s
step 216, batch loss 2.099, 1.8 iters/s
step 217, batch loss 2.316, 1.79 iters/s
step 218, batch loss 1.872, 1.79 iters/s
step 219, batch loss 2.69, 1.8 iters/s
step 220, batch loss 2.406, 1.79 iters/s
step 221, batch loss 2.461, 1.79 iters/s
step 222, batch loss 2.101, 1.8 iters/s
step 223, batch loss 2.287, 1.79 iters/s
step 224, batch loss 2.262, 1.8 iters/s
step 225, batch loss 1.925, 1.8 iters/s
step 226, batch loss 2.266, 1.79 iters/s
step 227, batch loss 2.189, 1.79 iters/s
step 228, batch loss 2.186, 1.8 iters/s
step 229, batch loss 2.237, 1.79 iters/s
step 230, batch loss 1.937, 1.82 iters/s
step 231, batch loss 2.16, 1.81 iters/s
step 232, batch loss 2.506, 1.79 iters/s
step 233, batch loss 2.676, 1.8 iters/s
step 234, batch loss 2.068, 1.82 iters/s
step 235, batch loss 2.275, 1.82 iters/s
step 236, batch loss 2.284, 1.81 iters/s
step 237, batch loss 2.265, 1.81 iters/s
step 238, batch loss 2.421, 1.81 iters/s
step 239, batch loss 2.494, 1.83 iters/s
step 240, batch loss 2.149, 1.81 iters/s
step 241, batch loss 2.209, 1.82 iters/s
step 242, batch loss 1.892, 1.83 iters/s
step 243, batch loss 2.577, 1.83 iters/s
step 244, batch loss 2.239, 1.82 iters/s
step 245, batch loss 2.088, 1.83 iters/s
step 246, batch loss 2.28, 1.83 iters/s
step 247, batch loss 2.522, 1.83 iters/s
step 248, batch loss 1.969, 1.82 iters/s
step 249, batch loss 2.145, 1.83 iters/s
step 250, batch loss 2.105, 1.83 iters/s
step 251, batch loss 2.231, 1.83 iters/s
step 252, batch loss 2.325, 1.83 iters/s
step 253, batch loss 2.282, 1.83 iters/s
step 254, batch loss 2.101, 1.83 iters/s
step 255, batch loss 2.324, 1.83 iters/s
step 256, batch loss 2.143, 1.84 iters/s
step 257, batch loss 2.422, 1.84 iters/s
step 258, batch loss 2.153, 1.85 iters/s

step 259, batch loss 2.365, 1.84 iters/s
step 260, batch loss 2.048, 1.84 iters/s
step 261, batch loss 2.221, 1.84 iters/s
step 262, batch loss 2.072, 1.85 iters/s
step 263, batch loss 2.373, 1.84 iters/s
step 264, batch loss 2.278, 1.84 iters/s
step 265, batch loss 1.91, 1.85 iters/s
step 266, batch loss 2.31, 1.85 iters/s
step 267, batch loss 2.348, 1.86 iters/s
step 268, batch loss 2.48, 1.84 iters/s
step 269, batch loss 1.619, 1.85 iters/s
step 270, batch loss 2.473, 1.85 iters/s
step 271, batch loss 1.594, 1.85 iters/s
step 272, batch loss 2.603, 1.85 iters/s
step 273, batch loss 2.2, 1.86 iters/s
step 274, batch loss 2.291, 1.84 iters/s
step 275, batch loss 2.382, 1.85 iters/s
step 276, batch loss 2.347, 1.84 iters/s
step 277, batch loss 2.232, 1.85 iters/s
step 278, batch loss 2.214, 1.84 iters/s
step 279, batch loss 2.084, 1.84 iters/s
step 280, batch loss 2.268, 1.87 iters/s
step 281, batch loss 2.296, 1.85 iters/s
step 282, batch loss 1.786, 1.84 iters/s
step 283, batch loss 2.124, 1.86 iters/s
step 284, batch loss 2.059, 1.84 iters/s
step 285, batch loss 2.252, 1.84 iters/s
step 286, batch loss 2.183, 1.85 iters/s
step 287, batch loss 2.059, 1.85 iters/s
step 288, batch loss 1.708, 1.84 iters/s
step 289, batch loss 2.196, 1.84 iters/s
step 290, batch loss 1.982, 1.86 iters/s
step 291, batch loss 2.187, 1.85 iters/s
step 292, batch loss 2.163, 1.84 iters/s
step 293, batch loss 1.9, 1.85 iters/s
step 294, batch loss 1.971, 1.85 iters/s
step 295, batch loss 2.122, 1.84 iters/s
step 296, batch loss 1.477, 1.84 iters/s
step 297, batch loss 2.224, 1.84 iters/s
step 298, batch loss 2.907, 1.84 iters/s
step 299, batch loss 2.201, 1.85 iters/s
step 300, batch loss 2.168, 1.84 iters/s
step 301, batch loss 1.939, 1.86 iters/s
step 302, batch loss 2.236, 1.84 iters/s
step 303, batch loss 2.073, 1.84 iters/s
step 304, batch loss 2.391, 1.85 iters/s
step 305, batch loss 2.492, 1.84 iters/s
step 306, batch loss 2.218, 1.84 iters/s

step 307, batch loss 2.254, 1.84 iters/s
step 308, batch loss 2.398, 1.83 iters/s
step 309, batch loss 2.071, 1.83 iters/s
step 310, batch loss 1.875, 1.83 iters/s
step 311, batch loss 2.234, 1.84 iters/s
step 312, batch loss 2.577, 1.84 iters/s
step 313, batch loss 1.866, 1.84 iters/s
step 314, batch loss 2.205, 1.84 iters/s
step 315, batch loss 2.032, 1.85 iters/s
step 316, batch loss 2.065, 1.83 iters/s
step 317, batch loss 2.056, 1.84 iters/s
step 318, batch loss 2.254, 1.83 iters/s
step 319, batch loss 2.186, 1.83 iters/s
step 320, batch loss 2.144, 1.83 iters/s
step 321, batch loss 2.364, 1.82 iters/s
step 322, batch loss 2.151, 1.83 iters/s
step 323, batch loss 2.119, 1.84 iters/s
step 324, batch loss 2.079, 1.83 iters/s
step 325, batch loss 2.02, 1.82 iters/s
step 326, batch loss 3.118, 1.82 iters/s
step 327, batch loss 2.588, 1.82 iters/s
step 328, batch loss 2.1, 1.82 iters/s
step 329, batch loss 2.496, 1.83 iters/s
step 330, batch loss 1.905, 1.82 iters/s
step 331, batch loss 1.927, 1.83 iters/s
step 332, batch loss 2.531, 1.82 iters/s
step 333, batch loss 2.48, 1.83 iters/s
step 334, batch loss 2.141, 1.83 iters/s
step 335, batch loss 2.059, 1.82 iters/s
step 336, batch loss 2.374, 1.82 iters/s
step 337, batch loss 2.161, 1.82 iters/s
step 338, batch loss 2.258, 1.83 iters/s
step 339, batch loss 2.071, 1.82 iters/s
step 340, batch loss 1.615, 1.83 iters/s
step 341, batch loss 2.536, 1.82 iters/s
step 342, batch loss 1.958, 1.83 iters/s
step 343, batch loss 2.634, 1.82 iters/s
step 344, batch loss 1.798, 1.84 iters/s
step 345, batch loss 2.035, 1.82 iters/s
step 346, batch loss 2.097, 1.82 iters/s
step 347, batch loss 2.325, 1.83 iters/s
step 348, batch loss 2.046, 1.81 iters/s
step 349, batch loss 2.745, 1.82 iters/s
step 350, batch loss 2.093, 1.82 iters/s
step 351, batch loss 2.215, 1.83 iters/s
step 352, batch loss 2.019, 1.83 iters/s
step 353, batch loss 1.814, 1.82 iters/s
step 354, batch loss 2.205, 1.82 iters/s

step 355, batch loss 2.288, 1.82 iters/s
step 356, batch loss 2.573, 1.83 iters/s
step 357, batch loss 2.05, 1.83 iters/s
step 358, batch loss 2.046, 1.82 iters/s
step 359, batch loss 2.308, 1.83 iters/s
step 360, batch loss 2.024, 1.85 iters/s
step 361, batch loss 2.206, 1.82 iters/s
step 362, batch loss 2.059, 1.82 iters/s
step 363, batch loss 2.583, 1.82 iters/s
step 364, batch loss 2.047, 1.81 iters/s
step 365, batch loss 2.729, 1.82 iters/s
step 366, batch loss 2.607, 1.83 iters/s
step 367, batch loss 2.215, 1.83 iters/s
step 368, batch loss 2.069, 1.82 iters/s
step 369, batch loss 2.239, 1.82 iters/s
step 370, batch loss 2.373, 1.83 iters/s
step 371, batch loss 1.979, 1.82 iters/s
step 372, batch loss 2.112, 1.81 iters/s
step 373, batch loss 2.613, 1.82 iters/s
step 374, batch loss 2.027, 1.85 iters/s
step 375, batch loss 2.51, 1.83 iters/s
step 376, batch loss 2.138, 1.82 iters/s
step 377, batch loss 2.019, 1.82 iters/s
step 378, batch loss 2.321, 1.83 iters/s
step 379, batch loss 1.817, 1.84 iters/s
step 380, batch loss 2.322, 1.84 iters/s
step 381, batch loss 2.372, 1.83 iters/s
step 382, batch loss 2.175, 1.82 iters/s
step 383, batch loss 2.236, 1.83 iters/s
step 384, batch loss 1.916, 1.83 iters/s
step 385, batch loss 2.332, 1.83 iters/s
step 386, batch loss 2.134, 1.83 iters/s
step 387, batch loss 2.159, 1.83 iters/s
step 388, batch loss 2.015, 1.82 iters/s
step 389, batch loss 2.195, 1.83 iters/s
step 390, batch loss 2.763, 1.82 iters/s
step 391, batch loss 2.043, 1.82 iters/s
step 392, batch loss 2.446, 1.83 iters/s
step 393, batch loss 2.187, 1.83 iters/s
step 394, batch loss 2.145, 1.83 iters/s
step 395, batch loss 2.065, 1.83 iters/s
step 396, batch loss 2.213, 1.83 iters/s
step 397, batch loss 2.297, 1.84 iters/s
step 398, batch loss 2.632, 1.85 iters/s
step 399, batch loss 2.367, 1.84 iters/s
step 400, batch loss 2.508, 1.83 iters/s
step 401, batch loss 2.328, 1.83 iters/s
step 402, batch loss 2.285, 1.83 iters/s

step 403, batch loss 1.824, 1.83 iters/s
step 404, batch loss 2.418, 1.83 iters/s
step 405, batch loss 2.19, 1.83 iters/s
step 406, batch loss 2.196, 1.84 iters/s
step 407, batch loss 2.079, 1.83 iters/s
step 408, batch loss 2.226, 1.84 iters/s
step 409, batch loss 2.068, 1.85 iters/s
step 410, batch loss 2.298, 1.83 iters/s
step 411, batch loss 2.084, 1.83 iters/s
step 412, batch loss 2.22, 1.85 iters/s
step 413, batch loss 2.45, 1.84 iters/s
step 414, batch loss 2.279, 1.84 iters/s
step 415, batch loss 2.724, 1.84 iters/s
step 416, batch loss 2.299, 1.84 iters/s
step 417, batch loss 2.019, 1.84 iters/s
step 418, batch loss 1.905, 1.84 iters/s
step 419, batch loss 1.803, 1.84 iters/s
step 420, batch loss 2.021, 1.84 iters/s
step 421, batch loss 2.115, 1.85 iters/s
step 422, batch loss 2.642, 1.84 iters/s
step 423, batch loss 1.757, 1.84 iters/s
step 424, batch loss 2.209, 1.85 iters/s
step 425, batch loss 2.191, 1.84 iters/s
step 426, batch loss 2.446, 1.84 iters/s
step 427, batch loss 2.298, 1.84 iters/s
step 428, batch loss 1.988, 1.84 iters/s
step 429, batch loss 1.942, 1.84 iters/s
step 430, batch loss 2.117, 1.84 iters/s
step 431, batch loss 2.128, 1.84 iters/s
step 432, batch loss 1.928, 1.84 iters/s
step 433, batch loss 2.096, 1.84 iters/s
step 434, batch loss 2.388, 1.86 iters/s
step 435, batch loss 1.909, 1.84 iters/s
step 436, batch loss 2.152, 1.84 iters/s
step 437, batch loss 2.085, 1.85 iters/s
step 438, batch loss 2.265, 1.84 iters/s
step 439, batch loss 2.35, 1.84 iters/s
step 440, batch loss 2.069, 1.83 iters/s
step 441, batch loss 2.044, 1.85 iters/s
step 442, batch loss 2.089, 1.83 iters/s
step 443, batch loss 1.977, 1.84 iters/s
step 444, batch loss 1.993, 1.86 iters/s
step 445, batch loss 1.43, 1.84 iters/s
step 446, batch loss 1.857, 1.85 iters/s
step 447, batch loss 2.905, 1.83 iters/s
step 448, batch loss 2.032, 1.83 iters/s
step 449, batch loss 2.731, 1.85 iters/s
step 450, batch loss 1.949, 1.86 iters/s

step 451, batch loss 2.174, 1.83 iters/s
step 452, batch loss 1.971, 1.84 iters/s
step 453, batch loss 2.558, 1.84 iters/s
step 454, batch loss 2.212, 1.85 iters/s
step 455, batch loss 2.182, 1.86 iters/s
step 456, batch loss 2.018, 1.84 iters/s
step 457, batch loss 1.965, 1.84 iters/s
step 458, batch loss 2.083, 1.84 iters/s
step 459, batch loss 1.97, 1.84 iters/s
step 460, batch loss 2.111, 1.83 iters/s
step 461, batch loss 2.072, 1.84 iters/s
step 462, batch loss 2.047, 1.84 iters/s
step 463, batch loss 3.055, 1.86 iters/s
step 464, batch loss 2.115, 1.84 iters/s
step 465, batch loss 2.13, 1.83 iters/s
step 466, batch loss 1.954, 1.83 iters/s
step 467, batch loss 2.413, 1.84 iters/s
step 468, batch loss 2.101, 1.84 iters/s
step 469, batch loss 2.276, 1.84 iters/s
step 470, batch loss 1.969, 1.83 iters/s
step 471, batch loss 2.197, 1.84 iters/s
step 472, batch loss 2.463, 1.83 iters/s
step 473, batch loss 1.837, 1.83 iters/s
step 474, batch loss 2.095, 1.83 iters/s
step 475, batch loss 2.03, 1.84 iters/s
step 476, batch loss 2.484, 1.85 iters/s
step 477, batch loss 2.199, 1.85 iters/s
step 478, batch loss 2.211, 1.83 iters/s
step 479, batch loss 2.446, 1.84 iters/s
step 480, batch loss 2.189, 1.84 iters/s
step 481, batch loss 2.624, 1.83 iters/s
step 482, batch loss 2.164, 1.83 iters/s
step 483, batch loss 2.227, 1.82 iters/s
step 484, batch loss 2.25, 1.82 iters/s
step 485, batch loss 2.326, 1.83 iters/s
step 486, batch loss 2.562, 1.84 iters/s
step 487, batch loss 2.633, 1.84 iters/s
step 488, batch loss 2.734, 1.83 iters/s
step 489, batch loss 2.016, 1.83 iters/s
step 490, batch loss 2.736, 1.83 iters/s
step 491, batch loss 2.45, 1.83 iters/s
step 492, batch loss 2.101, 1.84 iters/s
step 493, batch loss 2.398, 1.84 iters/s
step 494, batch loss 2.125, 1.84 iters/s
step 495, batch loss 2.363, 1.83 iters/s
step 496, batch loss 2.135, 1.85 iters/s
step 497, batch loss 2.332, 1.84 iters/s
step 498, batch loss 2.58, 1.83 iters/s

step 499, batch loss 1.842, 1.84 iters/s
step 500, batch loss 2.11, 1.84 iters/s
step 501, batch loss 2.496, 1.85 iters/s
step 502, batch loss 2.198, 1.84 iters/s
step 503, batch loss 2.055, 1.83 iters/s
step 504, batch loss 2.04, 1.85 iters/s
step 505, batch loss 2.075, 1.83 iters/s
step 506, batch loss 1.997, 1.86 iters/s
step 507, batch loss 2.376, 1.84 iters/s
step 508, batch loss 1.997, 1.83 iters/s
step 509, batch loss 2.212, 1.84 iters/s
step 510, batch loss 1.983, 1.83 iters/s
step 511, batch loss 2.056, 1.83 iters/s
step 512, batch loss 2.052, 1.83 iters/s
step 513, batch loss 2.087, 1.85 iters/s
step 514, batch loss 2.482, 1.82 iters/s
step 515, batch loss 2.282, 1.83 iters/s
step 516, batch loss 2.269, 1.82 iters/s
step 517, batch loss 1.771, 1.83 iters/s
step 518, batch loss 1.969, 1.84 iters/s
step 519, batch loss 2.247, 1.82 iters/s
step 520, batch loss 1.997, 1.84 iters/s
step 521, batch loss 2.247, 1.83 iters/s
step 522, batch loss 2.016, 1.86 iters/s
step 523, batch loss 2.462, 1.82 iters/s
step 524, batch loss 2.144, 1.83 iters/s
step 525, batch loss 2.192, 1.82 iters/s
step 526, batch loss 2.607, 1.84 iters/s
step 527, batch loss 2.529, 1.83 iters/s
step 528, batch loss 1.893, 1.84 iters/s
step 529, batch loss 2.48, 1.82 iters/s
step 530, batch loss 1.861, 1.81 iters/s
step 531, batch loss 2.488, 1.83 iters/s
step 532, batch loss 2.163, 1.83 iters/s
step 533, batch loss 1.966, 1.82 iters/s
step 534, batch loss 2.606, 1.82 iters/s
step 535, batch loss 2.072, 1.83 iters/s
step 536, batch loss 2.397, 1.83 iters/s
step 537, batch loss 2.054, 1.82 iters/s
step 538, batch loss 2.121, 1.83 iters/s
step 539, batch loss 2.484, 1.83 iters/s
step 540, batch loss 2.055, 1.83 iters/s
step 541, batch loss 2.657, 1.82 iters/s
step 542, batch loss 1.984, 1.83 iters/s
step 543, batch loss 2.362, 1.82 iters/s
step 544, batch loss 2.536, 1.83 iters/s
step 545, batch loss 2.257, 1.83 iters/s
step 546, batch loss 2.509, 1.82 iters/s

step 547, batch loss 2.072, 1.82 iters/s
step 548, batch loss 2.206, 1.83 iters/s
step 549, batch loss 1.78, 1.82 iters/s
step 550, batch loss 2.18, 1.82 iters/s
step 551, batch loss 2.417, 1.83 iters/s
step 552, batch loss 2.189, 1.82 iters/s
step 553, batch loss 2.027, 1.82 iters/s
step 554, batch loss 2.108, 1.83 iters/s
step 555, batch loss 2.223, 1.83 iters/s
step 556, batch loss 1.809, 1.84 iters/s
step 557, batch loss 2.143, 1.82 iters/s
step 558, batch loss 1.983, 1.82 iters/s
step 559, batch loss 2.618, 1.84 iters/s
step 560, batch loss 2.236, 1.83 iters/s
step 561, batch loss 2.353, 1.82 iters/s
step 562, batch loss 2.164, 1.82 iters/s
step 563, batch loss 2.117, 1.82 iters/s
step 564, batch loss 2.408, 1.82 iters/s
step 565, batch loss 2.038, 1.83 iters/s
step 566, batch loss 2.393, 1.82 iters/s
step 567, batch loss 2.153, 1.81 iters/s
step 568, batch loss 2.006, 1.83 iters/s
step 569, batch loss 1.943, 1.83 iters/s
step 570, batch loss 2.314, 1.81 iters/s
step 571, batch loss 1.788, 1.83 iters/s
step 572, batch loss 2.568, 1.84 iters/s
step 573, batch loss 1.952, 1.81 iters/s
step 574, batch loss 2.059, 1.83 iters/s
step 575, batch loss 2.005, 1.83 iters/s
step 576, batch loss 2.537, 1.83 iters/s
step 577, batch loss 2.188, 1.82 iters/s
step 578, batch loss 1.862, 1.83 iters/s
step 579, batch loss 1.996, 1.83 iters/s
step 580, batch loss 2.251, 1.82 iters/s
step 581, batch loss 2.146, 1.84 iters/s
step 582, batch loss 1.844, 1.81 iters/s
step 583, batch loss 2.173, 1.82 iters/s
step 584, batch loss 2.298, 1.82 iters/s
step 585, batch loss 2.27, 1.82 iters/s
step 586, batch loss 2.072, 1.83 iters/s
step 587, batch loss 2.264, 1.83 iters/s
step 588, batch loss 2.522, 1.82 iters/s
step 589, batch loss 2.503, 1.81 iters/s
step 590, batch loss 2.098, 1.83 iters/s
step 591, batch loss 1.984, 1.82 iters/s
step 592, batch loss 2.325, 1.82 iters/s
step 593, batch loss 2.596, 1.82 iters/s
step 594, batch loss 2.073, 1.82 iters/s

step 595, batch loss 2.116, 1.82 iters/s
step 596, batch loss 2.276, 1.82 iters/s
step 597, batch loss 2.241, 1.83 iters/s
step 598, batch loss 2.063, 1.82 iters/s
step 599, batch loss 1.737, 1.82 iters/s
step 600, batch loss 2.358, 1.83 iters/s
step 601, batch loss 2.41, 1.82 iters/s
step 602, batch loss 2.643, 1.82 iters/s
step 603, batch loss 2.087, 1.83 iters/s
step 604, batch loss 2.298, 1.82 iters/s
step 605, batch loss 2.178, 1.83 iters/s
step 606, batch loss 2.114, 1.82 iters/s
step 607, batch loss 1.976, 1.82 iters/s
step 608, batch loss 2.022, 1.83 iters/s
step 609, batch loss 2.481, 1.83 iters/s
step 610, batch loss 2.347, 1.82 iters/s
step 611, batch loss 2.886, 1.84 iters/s
step 612, batch loss 2.259, 1.82 iters/s
step 613, batch loss 2.175, 1.84 iters/s
step 614, batch loss 2.039, 1.81 iters/s
step 615, batch loss 2.397, 1.83 iters/s
step 616, batch loss 2.002, 1.82 iters/s
step 617, batch loss 2.606, 1.81 iters/s
step 618, batch loss 1.969, 1.83 iters/s
step 619, batch loss 2.294, 1.83 iters/s
step 620, batch loss 2.527, 1.82 iters/s
step 621, batch loss 1.91, 1.82 iters/s
step 622, batch loss 2.409, 1.82 iters/s
step 623, batch loss 2.097, 1.83 iters/s
step 624, batch loss 1.978, 1.83 iters/s
step 625, batch loss 2.545, 1.83 iters/s
step 626, batch loss 2.168, 1.83 iters/s
step 627, batch loss 2.198, 1.83 iters/s
step 628, batch loss 1.96, 1.83 iters/s
step 629, batch loss 1.879, 1.82 iters/s
step 630, batch loss 1.959, 1.81 iters/s
step 631, batch loss 2.397, 1.82 iters/s
step 632, batch loss 2.381, 1.82 iters/s
step 633, batch loss 2.142, 1.84 iters/s
step 634, batch loss 1.98, 1.83 iters/s
step 635, batch loss 1.948, 1.86 iters/s
step 636, batch loss 2.281, 1.82 iters/s
step 637, batch loss 2.371, 1.83 iters/s
step 638, batch loss 2.062, 1.83 iters/s
step 639, batch loss 2.303, 1.82 iters/s
step 640, batch loss 2.243, 1.85 iters/s
step 641, batch loss 1.404, 1.83 iters/s
step 642, batch loss 2.215, 1.83 iters/s

step 643, batch loss 1.829, 1.82 iters/s
step 644, batch loss 2.031, 1.83 iters/s
step 645, batch loss 1.926, 1.82 iters/s
step 646, batch loss 2.146, 1.83 iters/s
step 647, batch loss 2.095, 1.83 iters/s
step 648, batch loss 2.383, 1.83 iters/s
step 649, batch loss 1.711, 1.82 iters/s
step 650, batch loss 2.434, 1.82 iters/s
step 651, batch loss 2.132, 1.84 iters/s
step 652, batch loss 2.388, 1.82 iters/s
step 653, batch loss 1.703, 1.82 iters/s
step 654, batch loss 2.463, 1.82 iters/s
step 655, batch loss 2.108, 1.83 iters/s
step 656, batch loss 2.369, 1.81 iters/s
step 657, batch loss 2.196, 1.84 iters/s
step 658, batch loss 1.974, 1.82 iters/s
step 659, batch loss 2.003, 1.82 iters/s
step 660, batch loss 2.42, 1.83 iters/s
step 661, batch loss 2.065, 1.82 iters/s
step 662, batch loss 2.065, 1.83 iters/s
step 663, batch loss 2.757, 1.83 iters/s
step 664, batch loss 2.11, 1.82 iters/s
step 665, batch loss 2.445, 1.84 iters/s
step 666, batch loss 2.051, 1.82 iters/s
step 667, batch loss 2.322, 1.82 iters/s
step 668, batch loss 2.165, 1.83 iters/s
step 669, batch loss 1.728, 1.83 iters/s
step 670, batch loss 3.277, 1.83 iters/s
step 671, batch loss 2.332, 1.82 iters/s
step 672, batch loss 2.217, 1.83 iters/s
step 673, batch loss 2.601, 1.82 iters/s
step 674, batch loss 1.446, 1.83 iters/s
step 675, batch loss 2.809, 1.82 iters/s
step 676, batch loss 2.202, 1.83 iters/s
step 677, batch loss 2.224, 1.82 iters/s
step 678, batch loss 2.05, 1.83 iters/s
step 679, batch loss 2.011, 1.83 iters/s
step 680, batch loss 2.555, 1.82 iters/s
step 681, batch loss 2.558, 1.83 iters/s
step 682, batch loss 2.023, 1.83 iters/s
step 683, batch loss 1.645, 1.82 iters/s
step 684, batch loss 2.276, 1.83 iters/s
step 685, batch loss 2.364, 1.82 iters/s
step 686, batch loss 2.583, 1.82 iters/s
step 687, batch loss 2.116, 1.83 iters/s
step 688, batch loss 2.02, 1.82 iters/s
step 689, batch loss 2.413, 1.85 iters/s
step 690, batch loss 2.026, 1.83 iters/s

step 691, batch loss 2.523, 1.84 iters/s
step 692, batch loss 2.185, 1.83 iters/s
step 693, batch loss 2.542, 1.84 iters/s
step 694, batch loss 2.028, 1.82 iters/s
step 695, batch loss 2.046, 1.83 iters/s
step 696, batch loss 2.491, 1.83 iters/s
step 697, batch loss 1.881, 1.83 iters/s
step 698, batch loss 2.68, 1.83 iters/s
step 699, batch loss 2.15, 1.84 iters/s
step 700, batch loss 2.433, 1.83 iters/s
step 701, batch loss 2.434, 1.84 iters/s
step 702, batch loss 2.332, 1.84 iters/s
step 703, batch loss 2.128, 1.83 iters/s
step 704, batch loss 2.128, 1.84 iters/s
step 705, batch loss 2.188, 1.83 iters/s
step 706, batch loss 2.129, 1.83 iters/s
step 707, batch loss 2.358, 1.84 iters/s
step 708, batch loss 2.288, 1.82 iters/s
step 709, batch loss 2.402, 1.83 iters/s
step 710, batch loss 2.288, 1.82 iters/s
step 711, batch loss 2.329, 1.82 iters/s
step 712, batch loss 2.228, 1.83 iters/s
step 713, batch loss 2.192, 1.84 iters/s
step 714, batch loss 1.868, 1.82 iters/s
step 715, batch loss 2.206, 1.82 iters/s
step 716, batch loss 2.496, 1.83 iters/s
step 717, batch loss 2.119, 1.83 iters/s
step 718, batch loss 2.164, 1.83 iters/s
step 719, batch loss 2.191, 1.85 iters/s
step 720, batch loss 2.136, 1.83 iters/s
step 721, batch loss 1.889, 1.83 iters/s
step 722, batch loss 2.014, 1.83 iters/s
step 723, batch loss 2.031, 1.83 iters/s
step 724, batch loss 2.261, 1.83 iters/s
step 725, batch loss 2.409, 1.83 iters/s
step 726, batch loss 2.23, 1.81 iters/s
step 727, batch loss 2.479, 1.83 iters/s
step 728, batch loss 2.201, 1.83 iters/s
step 729, batch loss 2.068, 1.83 iters/s
step 730, batch loss 1.956, 1.84 iters/s
step 731, batch loss 2.068, 1.83 iters/s
step 732, batch loss 2.459, 1.82 iters/s
step 733, batch loss 2.054, 1.83 iters/s
step 734, batch loss 1.981, 1.83 iters/s
step 735, batch loss 2.137, 1.83 iters/s
step 736, batch loss 2.271, 1.82 iters/s
step 737, batch loss 2.471, 1.86 iters/s
step 738, batch loss 1.931, 1.84 iters/s

step 739, batch loss 2.009, 1.81 iters/s
step 740, batch loss 1.997, 1.84 iters/s
step 741, batch loss 1.72, 1.83 iters/s
step 742, batch loss 1.886, 1.82 iters/s
step 743, batch loss 2.088, 1.83 iters/s
step 744, batch loss 2.247, 1.83 iters/s
step 745, batch loss 2.131, 1.84 iters/s
step 746, batch loss 2.379, 1.83 iters/s
step 747, batch loss 2.109, 1.82 iters/s
step 748, batch loss 2.147, 1.82 iters/s
step 749, batch loss 2.48, 1.82 iters/s
step 750, batch loss 1.929, 1.82 iters/s
step 751, batch loss 1.795, 1.83 iters/s
step 752, batch loss 1.762, 1.83 iters/s
step 753, batch loss 2.232, 1.85 iters/s
step 754, batch loss 2.076, 1.83 iters/s
step 755, batch loss 1.974, 1.83 iters/s
step 756, batch loss 2.132, 1.83 iters/s
step 757, batch loss 1.625, 1.82 iters/s
step 758, batch loss 2.348, 1.83 iters/s
step 759, batch loss 2.201, 1.83 iters/s
step 760, batch loss 1.711, 1.84 iters/s
step 761, batch loss 1.81, 1.86 iters/s
step 762, batch loss 1.897, 1.82 iters/s
step 763, batch loss 2.149, 1.83 iters/s
step 764, batch loss 2.416, 1.86 iters/s
step 765, batch loss 2.329, 1.83 iters/s
step 766, batch loss 1.856, 1.82 iters/s
step 767, batch loss 2.549, 1.82 iters/s
step 768, batch loss 2.276, 1.83 iters/s
step 769, batch loss 2.781, 1.85 iters/s
step 770, batch loss 2.479, 1.83 iters/s
step 771, batch loss 2.296, 1.82 iters/s
step 772, batch loss 2.37, 1.83 iters/s
step 773, batch loss 2.124, 1.83 iters/s
step 774, batch loss 2.118, 1.83 iters/s
step 775, batch loss 2.101, 1.82 iters/s
step 776, batch loss 2.195, 1.83 iters/s
step 777, batch loss 2.252, 1.83 iters/s
step 778, batch loss 2.125, 1.82 iters/s
step 779, batch loss 2.08, 1.82 iters/s
step 780, batch loss 2.068, 1.84 iters/s
step 781, batch loss 1.891, 1.83 iters/s
step 782, batch loss 2.293, 1.85 iters/s
step 783, batch loss 2.121, 1.83 iters/s
step 784, batch loss 2.314, 1.83 iters/s
step 785, batch loss 1.861, 1.84 iters/s
step 786, batch loss 2.043, 1.83 iters/s

step 787, batch loss 2.0, 1.82 iters/s
step 788, batch loss 2.308, 1.83 iters/s
step 789, batch loss 2.179, 1.83 iters/s
step 790, batch loss 2.002, 1.83 iters/s
step 791, batch loss 2.461, 1.81 iters/s
step 792, batch loss 2.243, 1.83 iters/s
step 793, batch loss 2.074, 1.82 iters/s
step 794, batch loss 2.027, 1.82 iters/s
step 795, batch loss 2.287, 1.83 iters/s
step 796, batch loss 2.776, 1.83 iters/s
step 797, batch loss 1.907, 1.83 iters/s
step 798, batch loss 2.068, 1.83 iters/s
step 799, batch loss 1.925, 1.82 iters/s
step 800, batch loss 2.116, 1.82 iters/s
step 801, batch loss 2.342, 1.82 iters/s
step 802, batch loss 2.295, 1.84 iters/s
step 803, batch loss 2.221, 1.82 iters/s
step 804, batch loss 2.191, 1.82 iters/s
step 805, batch loss 2.192, 1.82 iters/s
step 806, batch loss 2.125, 1.82 iters/s
step 807, batch loss 1.88, 1.85 iters/s
step 808, batch loss 2.243, 1.82 iters/s
step 809, batch loss 2.247, 1.83 iters/s
step 810, batch loss 2.005, 1.83 iters/s
step 811, batch loss 2.329, 1.82 iters/s
step 812, batch loss 2.159, 1.85 iters/s
step 813, batch loss 2.042, 1.84 iters/s
step 814, batch loss 2.07, 1.82 iters/s
step 815, batch loss 2.091, 1.82 iters/s
step 816, batch loss 2.031, 1.83 iters/s
step 817, batch loss 2.062, 1.82 iters/s
step 818, batch loss 2.325, 1.83 iters/s
step 819, batch loss 2.729, 1.83 iters/s
step 820, batch loss 2.339, 1.82 iters/s
step 821, batch loss 2.607, 1.83 iters/s
step 822, batch loss 2.284, 1.82 iters/s
step 823, batch loss 2.469, 1.83 iters/s
step 824, batch loss 2.068, 1.83 iters/s
step 825, batch loss 2.217, 1.83 iters/s
step 826, batch loss 2.222, 1.85 iters/s
step 827, batch loss 2.021, 1.83 iters/s
step 828, batch loss 2.092, 1.83 iters/s
step 829, batch loss 2.352, 1.83 iters/s
step 830, batch loss 2.754, 1.82 iters/s
step 831, batch loss 2.291, 1.85 iters/s
step 832, batch loss 2.147, 1.83 iters/s
step 833, batch loss 1.861, 1.82 iters/s
step 834, batch loss 2.036, 1.83 iters/s

step 835, batch loss 1.784, 1.82 iters/s
step 836, batch loss 2.269, 1.85 iters/s
step 837, batch loss 2.269, 1.85 iters/s
step 838, batch loss 1.729, 1.83 iters/s
step 839, batch loss 2.196, 1.83 iters/s
step 840, batch loss 2.152, 1.84 iters/s
step 841, batch loss 2.238, 1.82 iters/s
step 842, batch loss 2.082, 1.82 iters/s
step 843, batch loss 2.359, 1.84 iters/s
step 844, batch loss 2.142, 1.83 iters/s
step 845, batch loss 2.087, 1.83 iters/s
step 846, batch loss 1.797, 1.85 iters/s
step 847, batch loss 2.455, 1.83 iters/s
step 848, batch loss 1.987, 1.84 iters/s
step 849, batch loss 2.156, 1.82 iters/s
step 850, batch loss 2.067, 1.83 iters/s
step 851, batch loss 2.161, 1.82 iters/s
step 852, batch loss 2.075, 1.83 iters/s
step 853, batch loss 1.976, 1.83 iters/s
step 854, batch loss 1.951, 1.83 iters/s
step 855, batch loss 2.371, 1.83 iters/s
step 856, batch loss 1.76, 1.83 iters/s
step 857, batch loss 2.286, 1.83 iters/s
step 858, batch loss 2.222, 1.83 iters/s
step 859, batch loss 2.024, 1.83 iters/s
step 860, batch loss 2.379, 1.83 iters/s
step 861, batch loss 2.08, 1.83 iters/s
step 862, batch loss 2.177, 1.85 iters/s
step 863, batch loss 2.282, 1.82 iters/s
step 864, batch loss 2.026, 1.83 iters/s
step 865, batch loss 2.165, 1.83 iters/s
step 866, batch loss 2.107, 1.84 iters/s
step 867, batch loss 2.283, 1.83 iters/s
step 868, batch loss 2.681, 1.84 iters/s
step 869, batch loss 1.999, 1.84 iters/s
step 870, batch loss 2.16, 1.82 iters/s
step 871, batch loss 2.158, 1.83 iters/s
step 872, batch loss 1.883, 1.82 iters/s
step 873, batch loss 2.272, 1.83 iters/s
step 874, batch loss 2.325, 1.82 iters/s
step 875, batch loss 1.234, 1.84 iters/s
step 876, batch loss 2.375, 1.83 iters/s
step 877, batch loss 2.025, 1.83 iters/s
step 878, batch loss 2.091, 1.84 iters/s
step 879, batch loss 2.207, 1.82 iters/s
step 880, batch loss 2.211, 1.83 iters/s
step 881, batch loss 2.099, 1.84 iters/s
step 882, batch loss 2.119, 1.83 iters/s

step 883, batch loss 1.995, 1.83 iters/s
step 884, batch loss 2.455, 1.83 iters/s
step 885, batch loss 2.015, 1.84 iters/s
step 886, batch loss 2.46, 1.82 iters/s
step 887, batch loss 2.028, 1.82 iters/s
step 888, batch loss 2.38, 1.84 iters/s
step 889, batch loss 1.923, 1.82 iters/s
step 890, batch loss 2.183, 1.85 iters/s
step 891, batch loss 2.161, 1.84 iters/s
step 892, batch loss 1.769, 1.83 iters/s
step 893, batch loss 1.918, 1.83 iters/s
step 894, batch loss 1.658, 1.84 iters/s
step 895, batch loss 2.189, 1.83 iters/s
step 896, batch loss 2.173, 1.86 iters/s
step 897, batch loss 1.881, 1.83 iters/s
step 898, batch loss 2.072, 1.84 iters/s
step 899, batch loss 2.045, 1.83 iters/s
step 900, batch loss 1.906, 1.83 iters/s
step 901, batch loss 2.243, 1.84 iters/s
step 902, batch loss 2.146, 1.83 iters/s
step 903, batch loss 1.844, 1.85 iters/s
step 904, batch loss 2.073, 1.84 iters/s
step 905, batch loss 1.987, 1.83 iters/s
step 906, batch loss 2.013, 1.83 iters/s
step 907, batch loss 1.963, 1.83 iters/s
step 908, batch loss 2.121, 1.83 iters/s
step 909, batch loss 2.176, 1.82 iters/s
step 910, batch loss 2.063, 1.82 iters/s
step 911, batch loss 2.597, 1.83 iters/s
step 912, batch loss 2.956, 1.83 iters/s
step 913, batch loss 2.347, 1.83 iters/s
step 914, batch loss 2.533, 1.82 iters/s
step 915, batch loss 2.28, 1.83 iters/s
step 916, batch loss 2.215, 1.83 iters/s
step 917, batch loss 2.442, 1.82 iters/s
step 918, batch loss 2.373, 1.83 iters/s
step 919, batch loss 2.147, 1.84 iters/s
step 920, batch loss 2.063, 1.83 iters/s
step 921, batch loss 2.258, 1.83 iters/s
step 922, batch loss 2.491, 1.82 iters/s
step 923, batch loss 1.883, 1.83 iters/s
step 924, batch loss 2.076, 1.83 iters/s
step 925, batch loss 2.157, 1.84 iters/s
step 926, batch loss 2.239, 1.83 iters/s
step 927, batch loss 2.335, 1.84 iters/s
step 928, batch loss 2.368, 1.83 iters/s
step 929, batch loss 2.02, 1.82 iters/s
step 930, batch loss 2.143, 1.83 iters/s

step 931, batch loss 1.896, 1.85 iters/s
step 932, batch loss 2.287, 1.84 iters/s
step 933, batch loss 2.135, 1.83 iters/s
step 934, batch loss 1.927, 1.83 iters/s
step 935, batch loss 2.085, 1.83 iters/s
step 936, batch loss 1.895, 1.82 iters/s
step 937, batch loss 2.057, 1.83 iters/s
step 938, batch loss 2.049, 1.83 iters/s
step 939, batch loss 2.453, 1.83 iters/s
step 940, batch loss 2.272, 1.83 iters/s
step 941, batch loss 2.052, 1.83 iters/s
step 942, batch loss 2.764, 1.83 iters/s
step 943, batch loss 2.426, 1.82 iters/s
step 944, batch loss 2.416, 1.82 iters/s
step 945, batch loss 2.401, 1.83 iters/s
step 946, batch loss 2.47, 1.83 iters/s
step 947, batch loss 2.291, 1.83 iters/s
step 948, batch loss 2.241, 1.84 iters/s
step 949, batch loss 2.067, 1.85 iters/s
step 950, batch loss 1.977, 1.83 iters/s
step 951, batch loss 2.178, 1.83 iters/s
step 952, batch loss 2.038, 1.82 iters/s
step 953, batch loss 2.058, 1.82 iters/s
step 954, batch loss 2.512, 1.83 iters/s
step 955, batch loss 1.944, 1.82 iters/s
step 956, batch loss 2.108, 1.84 iters/s
step 957, batch loss 1.924, 1.82 iters/s
step 958, batch loss 2.388, 1.83 iters/s
step 959, batch loss 2.043, 1.83 iters/s
step 960, batch loss 2.341, 1.83 iters/s
step 961, batch loss 2.278, 1.83 iters/s
step 962, batch loss 2.245, 1.83 iters/s
step 963, batch loss 2.684, 1.83 iters/s
step 964, batch loss 2.178, 1.83 iters/s
step 965, batch loss 2.0, 1.83 iters/s
step 966, batch loss 1.785, 1.83 iters/s
step 967, batch loss 2.347, 1.83 iters/s
step 968, batch loss 2.224, 1.83 iters/s
step 969, batch loss 1.985, 1.85 iters/s
step 970, batch loss 2.186, 1.83 iters/s
step 971, batch loss 2.147, 1.82 iters/s
step 972, batch loss 1.963, 1.83 iters/s
step 973, batch loss 2.279, 1.82 iters/s
step 974, batch loss 2.282, 1.84 iters/s
step 975, batch loss 2.065, 1.82 iters/s
step 976, batch loss 1.761, 1.84 iters/s
step 977, batch loss 2.153, 1.83 iters/s
step 978, batch loss 2.066, 1.83 iters/s

step 979, batch loss 2.309, 1.83 iters/s
step 980, batch loss 1.901, 1.83 iters/s
step 981, batch loss 2.121, 1.83 iters/s
step 982, batch loss 2.177, 1.83 iters/s
step 983, batch loss 2.21, 1.83 iters/s
step 984, batch loss 2.939, 1.85 iters/s
step 985, batch loss 2.131, 1.83 iters/s
step 986, batch loss 1.838, 1.83 iters/s
step 987, batch loss 1.958, 1.83 iters/s
step 988, batch loss 1.794, 1.83 iters/s
step 989, batch loss 1.952, 1.82 iters/s
step 990, batch loss 2.051, 1.83 iters/s
step 991, batch loss 1.94, 1.84 iters/s
step 992, batch loss 2.123, 1.83 iters/s
step 993, batch loss 2.438, 1.84 iters/s
step 994, batch loss 2.053, 1.82 iters/s
step 995, batch loss 2.072, 1.82 iters/s
step 996, batch loss 1.945, 1.82 iters/s
step 997, batch loss 2.319, 1.83 iters/s
step 998, batch loss 2.044, 1.82 iters/s
step 999, batch loss 2.208, 1.83 iters/s
step 1000, batch loss 1.946, 1.82 iters/s
step 1001, batch loss 2.121, 1.83 iters/s
step 1002, batch loss 2.338, 1.84 iters/s
step 1003, batch loss 2.079, 1.83 iters/s
step 1004, batch loss 2.028, 1.83 iters/s
step 1005, batch loss 2.556, 1.82 iters/s
step 1006, batch loss 2.264, 1.83 iters/s
step 1007, batch loss 2.176, 1.83 iters/s
step 1008, batch loss 2.406, 1.83 iters/s
step 1009, batch loss 2.31, 1.84 iters/s
step 1010, batch loss 2.272, 1.82 iters/s
step 1011, batch loss 2.287, 1.84 iters/s
step 1012, batch loss 1.95, 1.82 iters/s
step 1013, batch loss 1.97, 1.82 iters/s
step 1014, batch loss 2.121, 1.83 iters/s
step 1015, batch loss 3.298, 1.82 iters/s
step 1016, batch loss 2.347, 1.83 iters/s
step 1017, batch loss 2.402, 1.83 iters/s
step 1018, batch loss 2.024, 1.82 iters/s
step 1019, batch loss 2.393, 1.82 iters/s
step 1020, batch loss 2.015, 1.84 iters/s
step 1021, batch loss 2.223, 1.82 iters/s
step 1022, batch loss 2.044, 1.85 iters/s
step 1023, batch loss 2.295, 1.83 iters/s
step 1024, batch loss 1.561, 1.83 iters/s
step 1025, batch loss 2.848, 1.84 iters/s
step 1026, batch loss 2.099, 1.84 iters/s

step 1027, batch loss 2.153, 1.86 iters/s
step 1028, batch loss 2.173, 1.83 iters/s
step 1029, batch loss 2.46, 1.82 iters/s
step 1030, batch loss 2.039, 1.82 iters/s
step 1031, batch loss 1.834, 1.82 iters/s
step 1032, batch loss 2.175, 1.82 iters/s
step 1033, batch loss 1.991, 1.82 iters/s
step 1034, batch loss 2.021, 1.83 iters/s
step 1035, batch loss 2.057, 1.83 iters/s
step 1036, batch loss 2.013, 1.85 iters/s
step 1037, batch loss 2.304, 1.82 iters/s
step 1038, batch loss 2.178, 1.83 iters/s
step 1039, batch loss 2.229, 1.82 iters/s
step 1040, batch loss 2.184, 1.84 iters/s
step 1041, batch loss 2.242, 1.82 iters/s
step 1042, batch loss 2.041, 1.83 iters/s
step 1043, batch loss 2.047, 1.82 iters/s
step 1044, batch loss 2.434, 1.82 iters/s
step 1045, batch loss 2.178, 1.83 iters/s
step 1046, batch loss 1.898, 1.83 iters/s
step 1047, batch loss 2.771, 1.82 iters/s
step 1048, batch loss 2.182, 1.82 iters/s
step 1049, batch loss 1.963, 1.83 iters/s
step 1050, batch loss 1.713, 1.83 iters/s
step 1051, batch loss 2.631, 1.82 iters/s
step 1052, batch loss 2.426, 1.82 iters/s
step 1053, batch loss 2.269, 1.82 iters/s
step 1054, batch loss 1.87, 1.84 iters/s
step 1055, batch loss 2.051, 1.83 iters/s
step 1056, batch loss 1.784, 1.82 iters/s
step 1057, batch loss 2.131, 1.82 iters/s
step 1058, batch loss 2.428, 1.82 iters/s
step 1059, batch loss 1.81, 1.83 iters/s
step 1060, batch loss 2.111, 1.83 iters/s
step 1061, batch loss 2.094, 1.83 iters/s
step 1062, batch loss 2.177, 1.83 iters/s
step 1063, batch loss 2.247, 1.83 iters/s
step 1064, batch loss 2.487, 1.83 iters/s
step 1065, batch loss 2.191, 1.82 iters/s
step 1066, batch loss 1.782, 1.83 iters/s
step 1067, batch loss 2.365, 1.83 iters/s
step 1068, batch loss 2.224, 1.83 iters/s
step 1069, batch loss 2.204, 1.85 iters/s
step 1070, batch loss 1.745, 1.83 iters/s
step 1071, batch loss 2.367, 1.82 iters/s
step 1072, batch loss 2.386, 1.83 iters/s
step 1073, batch loss 3.42, 1.82 iters/s
step 1074, batch loss 2.076, 1.83 iters/s

step 1075, batch loss 1.995, 1.83 iters/s
step 1076, batch loss 2.121, 1.83 iters/s
step 1077, batch loss 2.43, 1.82 iters/s
step 1078, batch loss 2.17, 1.82 iters/s
step 1079, batch loss 2.431, 1.83 iters/s
step 1080, batch loss 2.076, 1.83 iters/s
step 1081, batch loss 2.361, 1.82 iters/s
step 1082, batch loss 2.24, 1.82 iters/s
step 1083, batch loss 2.205, 1.82 iters/s
step 1084, batch loss 1.969, 1.83 iters/s
step 1085, batch loss 2.144, 1.83 iters/s
step 1086, batch loss 2.476, 1.82 iters/s
step 1087, batch loss 2.203, 1.83 iters/s
step 1088, batch loss 1.94, 1.83 iters/s
step 1089, batch loss 1.877, 1.82 iters/s
step 1090, batch loss 2.227, 1.82 iters/s
step 1091, batch loss 2.363, 1.82 iters/s
step 1092, batch loss 2.228, 1.83 iters/s
step 1093, batch loss 1.957, 1.81 iters/s
step 1094, batch loss 2.267, 1.82 iters/s
step 1095, batch loss 1.875, 1.82 iters/s
step 1096, batch loss 2.98, 1.86 iters/s
step 1097, batch loss 2.47, 1.84 iters/s
step 1098, batch loss 1.837, 1.82 iters/s
step 1099, batch loss 1.957, 1.83 iters/s
step 1100, batch loss 1.969, 1.83 iters/s
step 1101, batch loss 2.263, 1.83 iters/s
step 1102, batch loss 2.063, 1.83 iters/s
step 1103, batch loss 2.603, 1.83 iters/s
step 1104, batch loss 1.988, 1.83 iters/s
step 1105, batch loss 1.746, 1.83 iters/s
step 1106, batch loss 2.046, 1.84 iters/s
step 1107, batch loss 2.038, 1.84 iters/s
step 1108, batch loss 2.163, 1.83 iters/s
step 1109, batch loss 2.167, 1.84 iters/s
step 1110, batch loss 2.264, 1.83 iters/s
step 1111, batch loss 1.91, 1.83 iters/s
step 1112, batch loss 1.875, 1.83 iters/s
step 1113, batch loss 2.052, 1.83 iters/s
step 1114, batch loss 2.336, 1.82 iters/s
step 1115, batch loss 2.417, 1.82 iters/s
step 1116, batch loss 2.317, 1.83 iters/s
step 1117, batch loss 1.815, 1.83 iters/s
step 1118, batch loss 2.115, 1.84 iters/s
step 1119, batch loss 2.069, 1.83 iters/s
step 1120, batch loss 2.195, 1.84 iters/s
step 1121, batch loss 2.167, 1.84 iters/s
step 1122, batch loss 2.027, 1.83 iters/s

step 1123, batch loss 1.914, 1.82 iters/s
step 1124, batch loss 2.132, 1.84 iters/s
step 1125, batch loss 2.372, 1.83 iters/s
step 1126, batch loss 2.575, 1.84 iters/s
step 1127, batch loss 1.979, 1.83 iters/s
step 1128, batch loss 2.229, 1.83 iters/s
step 1129, batch loss 2.106, 1.83 iters/s
step 1130, batch loss 1.959, 1.82 iters/s
step 1131, batch loss 2.034, 1.82 iters/s
step 1132, batch loss 2.522, 1.83 iters/s
step 1133, batch loss 1.718, 1.82 iters/s
step 1134, batch loss 1.882, 1.83 iters/s
step 1135, batch loss 2.273, 1.83 iters/s
step 1136, batch loss 1.986, 1.83 iters/s
step 1137, batch loss 2.0, 1.83 iters/s
step 1138, batch loss 2.191, 1.83 iters/s
step 1139, batch loss 1.88, 1.82 iters/s
step 1140, batch loss 2.225, 1.82 iters/s
step 1141, batch loss 2.273, 1.83 iters/s
step 1142, batch loss 2.469, 1.83 iters/s
step 1143, batch loss 2.134, 1.84 iters/s
step 1144, batch loss 2.414, 1.83 iters/s
step 1145, batch loss 2.427, 1.83 iters/s
step 1146, batch loss 1.711, 1.83 iters/s
step 1147, batch loss 2.227, 1.83 iters/s
step 1148, batch loss 1.886, 1.83 iters/s
step 1149, batch loss 2.027, 1.83 iters/s
step 1150, batch loss 2.203, 1.83 iters/s
step 1151, batch loss 2.202, 1.83 iters/s
step 1152, batch loss 2.02, 1.86 iters/s
step 1153, batch loss 1.798, 1.83 iters/s
step 1154, batch loss 2.079, 1.84 iters/s
step 1155, batch loss 2.387, 1.83 iters/s
step 1156, batch loss 2.272, 1.82 iters/s
step 1157, batch loss 2.308, 1.82 iters/s
step 1158, batch loss 1.974, 1.83 iters/s
step 1159, batch loss 2.132, 1.82 iters/s
step 1160, batch loss 2.008, 1.84 iters/s
step 1161, batch loss 2.36, 1.83 iters/s
step 1162, batch loss 2.291, 1.83 iters/s
step 1163, batch loss 2.051, 1.83 iters/s
step 1164, batch loss 2.056, 1.83 iters/s
step 1165, batch loss 2.371, 1.83 iters/s
step 1166, batch loss 2.1, 1.84 iters/s
step 1167, batch loss 2.069, 1.82 iters/s
step 1168, batch loss 2.108, 1.84 iters/s
step 1169, batch loss 2.064, 1.82 iters/s
step 1170, batch loss 2.144, 1.83 iters/s

step 1171, batch loss 2.14, 1.84 iters/s
step 1172, batch loss 2.02, 1.82 iters/s
step 1173, batch loss 2.148, 1.83 iters/s
step 1174, batch loss 1.921, 1.83 iters/s
step 1175, batch loss 2.367, 1.82 iters/s
step 1176, batch loss 2.45, 1.82 iters/s
step 1177, batch loss 2.399, 1.82 iters/s
step 1178, batch loss 1.957, 1.82 iters/s
step 1179, batch loss 2.503, 1.82 iters/s
step 1180, batch loss 2.359, 1.83 iters/s
step 1181, batch loss 2.027, 1.82 iters/s
step 1182, batch loss 2.324, 1.83 iters/s
step 1183, batch loss 2.078, 1.82 iters/s
step 1184, batch loss 1.983, 1.83 iters/s
step 1185, batch loss 2.259, 1.82 iters/s
step 1186, batch loss 2.377, 1.83 iters/s
step 1187, batch loss 2.183, 1.83 iters/s
step 1188, batch loss 2.018, 1.83 iters/s
step 1189, batch loss 1.66, 1.82 iters/s
step 1190, batch loss 2.115, 1.82 iters/s
step 1191, batch loss 2.367, 1.83 iters/s
step 1192, batch loss 2.596, 1.84 iters/s
step 1193, batch loss 1.028, 1.84 iters/s
step 1194, batch loss 2.22, 1.83 iters/s
step 1195, batch loss 2.486, 1.82 iters/s
step 1196, batch loss 1.897, 1.83 iters/s
step 1197, batch loss 2.284, 1.83 iters/s
step 1198, batch loss 2.123, 1.84 iters/s
step 1199, batch loss 2.158, 1.84 iters/s
step 1200, batch loss 1.63, 1.83 iters/s
step 1201, batch loss 1.892, 1.83 iters/s
step 1202, batch loss 2.008, 1.83 iters/s
step 1203, batch loss 2.145, 1.83 iters/s
step 1204, batch loss 2.248, 1.82 iters/s
step 1205, batch loss 2.085, 1.83 iters/s
step 1206, batch loss 2.129, 1.82 iters/s
step 1207, batch loss 1.766, 1.82 iters/s
step 1208, batch loss 1.337, 1.83 iters/s
step 1209, batch loss 2.258, 1.83 iters/s
step 1210, batch loss 2.23, 1.83 iters/s
step 1211, batch loss 2.057, 1.82 iters/s
step 1212, batch loss 2.051, 1.82 iters/s
step 1213, batch loss 2.891, 1.82 iters/s
step 1214, batch loss 2.202, 1.82 iters/s
step 1215, batch loss 1.702, 1.83 iters/s
step 1216, batch loss 2.397, 1.82 iters/s
step 1217, batch loss 1.966, 1.82 iters/s
step 1218, batch loss 2.336, 1.82 iters/s

step 1219, batch loss 1.842, 1.83 iters/s
step 1220, batch loss 2.567, 1.83 iters/s
step 1221, batch loss 1.998, 1.83 iters/s
step 1222, batch loss 2.077, 1.83 iters/s
step 1223, batch loss 1.997, 1.85 iters/s
step 1224, batch loss 2.185, 1.83 iters/s
step 1225, batch loss 1.98, 1.83 iters/s
step 1226, batch loss 1.94, 1.83 iters/s
step 1227, batch loss 1.755, 1.85 iters/s
step 1228, batch loss 1.962, 1.82 iters/s
step 1229, batch loss 1.844, 1.82 iters/s
step 1230, batch loss 1.936, 1.82 iters/s
step 1231, batch loss 2.043, 1.84 iters/s
step 1232, batch loss 1.878, 1.83 iters/s
step 1233, batch loss 2.22, 1.83 iters/s
step 1234, batch loss 1.913, 1.83 iters/s
step 1235, batch loss 2.313, 1.82 iters/s
step 1236, batch loss 2.068, 1.83 iters/s
step 1237, batch loss 1.867, 1.83 iters/s
step 1238, batch loss 2.173, 1.83 iters/s
step 1239, batch loss 2.055, 1.82 iters/s
step 1240, batch loss 2.106, 1.83 iters/s
step 1241, batch loss 1.843, 1.84 iters/s
step 1242, batch loss 1.918, 1.83 iters/s
step 1243, batch loss 2.261, 1.84 iters/s
step 1244, batch loss 2.078, 1.85 iters/s
step 1245, batch loss 2.175, 1.84 iters/s
step 1246, batch loss 2.361, 1.83 iters/s
step 1247, batch loss 2.117, 1.83 iters/s
step 1248, batch loss 1.973, 1.83 iters/s
step 1249, batch loss 2.298, 1.82 iters/s
step 1250, batch loss 2.34, 1.83 iters/s
step 1251, batch loss 1.804, 1.82 iters/s
step 1252, batch loss 2.154, 1.85 iters/s
step 1253, batch loss 2.137, 1.84 iters/s
step 1254, batch loss 2.054, 1.85 iters/s
step 1255, batch loss 2.176, 1.83 iters/s
step 1256, batch loss 2.091, 1.83 iters/s
step 1257, batch loss 1.664, 1.83 iters/s
step 1258, batch loss 2.089, 1.83 iters/s
step 1259, batch loss 1.95, 1.83 iters/s
step 1260, batch loss 1.865, 1.84 iters/s
step 1261, batch loss 2.196, 1.83 iters/s
step 1262, batch loss 2.152, 1.85 iters/s
step 1263, batch loss 2.216, 1.82 iters/s
step 1264, batch loss 2.464, 1.82 iters/s
step 1265, batch loss 1.963, 1.84 iters/s
step 1266, batch loss 2.225, 1.83 iters/s

step 1267, batch loss 2.311, 1.83 iters/s
step 1268, batch loss 2.208, 1.81 iters/s
step 1269, batch loss 2.477, 1.83 iters/s
step 1270, batch loss 2.099, 1.84 iters/s
step 1271, batch loss 2.474, 1.83 iters/s
step 1272, batch loss 2.348, 1.83 iters/s
step 1273, batch loss 1.988, 1.83 iters/s
step 1274, batch loss 1.679, 1.83 iters/s
step 1275, batch loss 2.461, 1.85 iters/s
step 1276, batch loss 2.132, 1.84 iters/s
step 1277, batch loss 1.797, 1.83 iters/s
step 1278, batch loss 2.4, 1.85 iters/s
step 1279, batch loss 2.388, 1.84 iters/s
step 1280, batch loss 1.971, 1.82 iters/s
step 1281, batch loss 2.301, 1.84 iters/s
step 1282, batch loss 2.493, 1.82 iters/s
step 1283, batch loss 2.096, 1.84 iters/s
step 1284, batch loss 2.429, 1.82 iters/s
step 1285, batch loss 2.19, 1.83 iters/s
step 1286, batch loss 2.141, 1.83 iters/s
step 1287, batch loss 2.084, 1.83 iters/s
step 1288, batch loss 2.152, 1.81 iters/s
step 1289, batch loss 1.659, 1.82 iters/s
step 1290, batch loss 2.17, 1.83 iters/s
step 1291, batch loss 2.263, 1.83 iters/s
step 1292, batch loss 2.15, 1.83 iters/s
step 1293, batch loss 2.305, 1.83 iters/s
step 1294, batch loss 2.048, 1.83 iters/s
step 1295, batch loss 1.51, 1.83 iters/s
step 1296, batch loss 2.194, 1.85 iters/s
step 1297, batch loss 2.086, 1.83 iters/s
step 1298, batch loss 2.087, 1.83 iters/s
step 1299, batch loss 2.578, 1.83 iters/s
step 1300, batch loss 1.835, 1.83 iters/s
step 1301, batch loss 2.224, 1.83 iters/s
step 1302, batch loss 2.225, 1.83 iters/s
step 1303, batch loss 2.141, 1.83 iters/s
step 1304, batch loss 1.99, 1.82 iters/s
step 1305, batch loss 1.942, 1.83 iters/s
step 1306, batch loss 2.18, 1.83 iters/s
step 1307, batch loss 1.907, 1.83 iters/s
step 1308, batch loss 2.028, 1.82 iters/s
step 1309, batch loss 1.625, 1.83 iters/s
step 1310, batch loss 2.144, 1.81 iters/s
step 1311, batch loss 2.198, 1.82 iters/s
step 1312, batch loss 2.301, 1.82 iters/s
step 1313, batch loss 2.076, 1.83 iters/s
step 1314, batch loss 2.143, 1.83 iters/s

step 1315, batch loss 2.021, 1.85 iters/s
step 1316, batch loss 2.068, 1.83 iters/s
step 1317, batch loss 1.982, 1.82 iters/s
step 1318, batch loss 2.426, 1.83 iters/s
step 1319, batch loss 2.132, 1.82 iters/s
step 1320, batch loss 1.073, 1.82 iters/s
step 1321, batch loss 2.281, 1.83 iters/s
step 1322, batch loss 2.209, 1.82 iters/s
step 1323, batch loss 2.379, 1.83 iters/s
step 1324, batch loss 1.983, 1.82 iters/s
step 1325, batch loss 2.158, 1.83 iters/s
step 1326, batch loss 2.558, 1.83 iters/s
step 1327, batch loss 2.12, 1.82 iters/s
step 1328, batch loss 2.283, 1.83 iters/s
step 1329, batch loss 1.729, 1.83 iters/s
step 1330, batch loss 2.083, 1.82 iters/s
step 1331, batch loss 1.758, 1.82 iters/s
step 1332, batch loss 1.949, 1.82 iters/s
step 1333, batch loss 2.221, 1.82 iters/s
step 1334, batch loss 1.621, 1.85 iters/s
step 1335, batch loss 2.292, 1.84 iters/s
step 1336, batch loss 3.179, 1.83 iters/s
step 1337, batch loss 2.269, 1.84 iters/s
step 1338, batch loss 1.989, 1.83 iters/s
step 1339, batch loss 2.125, 1.83 iters/s
step 1340, batch loss 2.43, 1.84 iters/s
step 1341, batch loss 2.324, 1.83 iters/s
step 1342, batch loss 2.105, 1.83 iters/s
step 1343, batch loss 2.055, 1.84 iters/s
step 1344, batch loss 1.963, 1.84 iters/s
step 1345, batch loss 1.953, 1.84 iters/s
step 1346, batch loss 2.384, 1.83 iters/s
step 1347, batch loss 2.249, 1.83 iters/s
step 1348, batch loss 1.955, 1.84 iters/s
step 1349, batch loss 2.349, 1.83 iters/s
step 1350, batch loss 1.856, 1.83 iters/s
step 1351, batch loss 3.119, 1.83 iters/s
step 1352, batch loss 2.273, 1.83 iters/s
step 1353, batch loss 2.166, 1.82 iters/s
step 1354, batch loss 2.353, 1.84 iters/s
step 1355, batch loss 2.296, 1.83 iters/s
step 1356, batch loss 2.678, 1.84 iters/s
step 1357, batch loss 2.056, 1.83 iters/s
step 1358, batch loss 2.664, 1.83 iters/s
step 1359, batch loss 2.179, 1.83 iters/s
step 1360, batch loss 2.015, 1.84 iters/s
step 1361, batch loss 2.142, 1.84 iters/s
step 1362, batch loss 2.2, 1.83 iters/s

step 1363, batch loss 2.036, 1.82 iters/s
step 1364, batch loss 2.098, 1.84 iters/s
step 1365, batch loss 1.956, 1.83 iters/s
step 1366, batch loss 1.99, 1.83 iters/s
step 1367, batch loss 2.294, 1.84 iters/s
step 1368, batch loss 1.878, 1.86 iters/s
step 1369, batch loss 1.985, 1.83 iters/s
step 1370, batch loss 1.713, 1.83 iters/s
step 1371, batch loss 2.076, 1.83 iters/s
step 1372, batch loss 1.915, 1.82 iters/s
step 1373, batch loss 1.861, 1.82 iters/s
step 1374, batch loss 2.656, 1.82 iters/s
step 1375, batch loss 1.829, 1.83 iters/s
step 1376, batch loss 2.443, 1.82 iters/s
step 1377, batch loss 2.048, 1.83 iters/s
step 1378, batch loss 2.077, 1.83 iters/s
step 1379, batch loss 2.472, 1.84 iters/s
step 1380, batch loss 2.142, 1.83 iters/s
step 1381, batch loss 2.167, 1.84 iters/s
step 1382, batch loss 2.239, 1.83 iters/s
step 1383, batch loss 2.072, 1.83 iters/s
step 1384, batch loss 1.765, 1.84 iters/s
step 1385, batch loss 2.045, 1.85 iters/s
step 1386, batch loss 1.916, 1.83 iters/s
step 1387, batch loss 2.106, 1.84 iters/s
step 1388, batch loss 2.165, 1.85 iters/s
step 1389, batch loss 2.4, 1.83 iters/s
step 1390, batch loss 2.107, 1.82 iters/s
step 1391, batch loss 2.076, 1.82 iters/s
step 1392, batch loss 2.124, 1.83 iters/s
step 1393, batch loss 2.195, 1.83 iters/s
step 1394, batch loss 2.541, 1.83 iters/s
step 1395, batch loss 2.415, 1.82 iters/s
step 1396, batch loss 2.096, 1.85 iters/s
step 1397, batch loss 2.273, 1.83 iters/s
step 1398, batch loss 2.638, 1.82 iters/s
step 1399, batch loss 2.653, 1.83 iters/s
step 1400, batch loss 2.184, 1.83 iters/s
step 1401, batch loss 1.887, 1.82 iters/s
step 1402, batch loss 1.948, 1.82 iters/s
step 1403, batch loss 2.187, 1.83 iters/s
step 1404, batch loss 2.36, 1.83 iters/s
step 1405, batch loss 2.012, 1.85 iters/s
step 1406, batch loss 1.958, 1.84 iters/s
step 1407, batch loss 2.086, 1.83 iters/s
step 1408, batch loss 1.54, 1.84 iters/s
step 1409, batch loss 2.129, 1.83 iters/s
step 1410, batch loss 2.346, 1.83 iters/s

step 1411, batch loss 2.104, 1.83 iters/s
step 1412, batch loss 2.265, 1.83 iters/s
step 1413, batch loss 2.032, 1.82 iters/s
step 1414, batch loss 2.472, 1.85 iters/s
step 1415, batch loss 1.963, 1.83 iters/s
step 1416, batch loss 2.09, 1.83 iters/s
step 1417, batch loss 2.19, 1.83 iters/s
step 1418, batch loss 2.177, 1.83 iters/s
step 1419, batch loss 1.97, 1.86 iters/s
step 1420, batch loss 2.335, 1.85 iters/s
step 1421, batch loss 2.131, 1.83 iters/s
step 1422, batch loss 2.265, 1.84 iters/s
step 1423, batch loss 2.259, 1.82 iters/s
step 1424, batch loss 1.547, 1.83 iters/s
step 1425, batch loss 2.155, 1.83 iters/s
step 1426, batch loss 2.228, 1.85 iters/s
step 1427, batch loss 2.808, 1.83 iters/s
step 1428, batch loss 2.595, 1.82 iters/s
step 1429, batch loss 2.038, 1.84 iters/s
step 1430, batch loss 2.271, 1.86 iters/s
step 1431, batch loss 2.378, 1.83 iters/s
step 1432, batch loss 2.216, 1.82 iters/s
step 1433, batch loss 2.194, 1.83 iters/s
step 1434, batch loss 2.198, 1.82 iters/s
step 1435, batch loss 1.532, 1.83 iters/s
step 1436, batch loss 2.241, 1.82 iters/s
step 1437, batch loss 2.584, 1.83 iters/s
step 1438, batch loss 1.955, 1.83 iters/s
step 1439, batch loss 2.092, 1.83 iters/s
step 1440, batch loss 1.987, 1.83 iters/s
step 1441, batch loss 2.443, 1.83 iters/s
step 1442, batch loss 2.521, 1.82 iters/s
step 1443, batch loss 1.966, 1.83 iters/s
step 1444, batch loss 2.086, 1.83 iters/s
step 1445, batch loss 2.244, 1.82 iters/s
step 1446, batch loss 2.194, 1.83 iters/s
step 1447, batch loss 2.454, 1.83 iters/s
step 1448, batch loss 2.523, 1.83 iters/s
step 1449, batch loss 2.274, 1.83 iters/s
step 1450, batch loss 2.181, 1.83 iters/s
step 1451, batch loss 2.067, 1.82 iters/s
step 1452, batch loss 1.88, 1.83 iters/s
step 1453, batch loss 2.083, 1.85 iters/s
step 1454, batch loss 2.137, 1.84 iters/s
step 1455, batch loss 2.228, 1.84 iters/s
step 1456, batch loss 2.06, 1.83 iters/s
step 1457, batch loss 2.583, 1.83 iters/s
step 1458, batch loss 2.244, 1.83 iters/s

step 1459, batch loss 2.218, 1.83 iters/s
step 1460, batch loss 1.979, 1.84 iters/s
step 1461, batch loss 1.815, 1.83 iters/s
step 1462, batch loss 2.151, 1.86 iters/s
step 1463, batch loss 2.006, 1.84 iters/s
step 1464, batch loss 1.997, 1.82 iters/s
step 1465, batch loss 2.453, 1.84 iters/s
step 1466, batch loss 2.141, 1.83 iters/s
step 1467, batch loss 1.754, 1.83 iters/s
step 1468, batch loss 2.473, 1.84 iters/s
step 1469, batch loss 2.124, 1.83 iters/s
step 1470, batch loss 2.162, 1.83 iters/s
step 1471, batch loss 2.134, 1.81 iters/s
step 1472, batch loss 2.161, 1.85 iters/s
step 1473, batch loss 2.123, 1.84 iters/s
step 1474, batch loss 2.161, 1.84 iters/s
step 1475, batch loss 1.992, 1.83 iters/s
step 1476, batch loss 2.115, 1.83 iters/s
step 1477, batch loss 1.888, 1.83 iters/s
step 1478, batch loss 1.702, 1.83 iters/s
step 1479, batch loss 2.044, 1.83 iters/s
step 1480, batch loss 2.013, 1.84 iters/s
step 1481, batch loss 1.966, 1.82 iters/s
step 1482, batch loss 1.826, 1.83 iters/s
step 1483, batch loss 2.287, 1.82 iters/s
step 1484, batch loss 1.863, 1.83 iters/s
step 1485, batch loss 2.278, 1.84 iters/s
step 1486, batch loss 2.257, 1.83 iters/s
step 1487, batch loss 2.032, 1.83 iters/s
step 1488, batch loss 2.148, 1.83 iters/s
step 1489, batch loss 2.113, 1.82 iters/s
step 1490, batch loss 1.835, 1.83 iters/s
step 1491, batch loss 1.913, 1.83 iters/s
step 1492, batch loss 2.081, 1.84 iters/s
step 1493, batch loss 1.932, 1.83 iters/s
step 1494, batch loss 2.248, 1.83 iters/s
step 1495, batch loss 2.235, 1.82 iters/s
step 1496, batch loss 2.146, 1.84 iters/s
step 1497, batch loss 2.11, 1.83 iters/s
step 1498, batch loss 2.362, 1.83 iters/s
step 1499, batch loss 1.407, 1.82 iters/s
step 1500, batch loss 1.999, 1.83 iters/s
step 1501, batch loss 2.223, 1.82 iters/s
step 1502, batch loss 2.005, 1.85 iters/s
step 1503, batch loss 1.956, 1.83 iters/s
step 1504, batch loss 1.985, 1.84 iters/s
step 1505, batch loss 1.949, 1.84 iters/s
step 1506, batch loss 2.242, 1.83 iters/s

step 1507, batch loss 2.495, 1.85 iters/s
step 1508, batch loss 2.257, 1.82 iters/s
step 1509, batch loss 2.102, 1.83 iters/s
step 1510, batch loss 2.232, 1.83 iters/s
step 1511, batch loss 2.361, 1.82 iters/s
step 1512, batch loss 1.844, 1.82 iters/s
step 1513, batch loss 2.204, 1.85 iters/s
step 1514, batch loss 2.345, 1.84 iters/s
step 1515, batch loss 1.923, 1.83 iters/s
step 1516, batch loss 2.057, 1.84 iters/s
step 1517, batch loss 2.185, 1.83 iters/s
step 1518, batch loss 2.734, 1.83 iters/s
step 1519, batch loss 2.235, 1.82 iters/s
step 1520, batch loss 1.85, 1.84 iters/s
step 1521, batch loss 2.585, 1.83 iters/s
step 1522, batch loss 2.596, 1.82 iters/s
step 1523, batch loss 2.243, 1.83 iters/s
step 1524, batch loss 1.821, 1.83 iters/s
step 1525, batch loss 2.13, 1.83 iters/s
step 1526, batch loss 1.919, 1.84 iters/s
step 1527, batch loss 2.111, 1.84 iters/s
step 1528, batch loss 1.774, 1.82 iters/s
step 1529, batch loss 2.366, 1.83 iters/s
step 1530, batch loss 2.692, 1.84 iters/s
step 1531, batch loss 2.523, 1.83 iters/s
step 1532, batch loss 1.968, 1.83 iters/s
step 1533, batch loss 2.684, 1.82 iters/s
step 1534, batch loss 1.995, 1.83 iters/s
step 1535, batch loss 1.783, 1.83 iters/s
step 1536, batch loss 2.391, 1.83 iters/s
step 1537, batch loss 1.871, 1.83 iters/s
step 1538, batch loss 2.277, 1.82 iters/s
step 1539, batch loss 1.879, 1.83 iters/s
step 1540, batch loss 2.848, 1.83 iters/s
step 1541, batch loss 2.345, 1.83 iters/s
step 1542, batch loss 2.321, 1.83 iters/s
step 1543, batch loss 2.179, 1.84 iters/s
step 1544, batch loss 2.022, 1.84 iters/s
step 1545, batch loss 2.062, 1.83 iters/s
step 1546, batch loss 1.882, 1.84 iters/s
step 1547, batch loss 1.773, 1.83 iters/s
step 1548, batch loss 1.526, 1.82 iters/s
step 1549, batch loss 2.181, 1.83 iters/s
step 1550, batch loss 2.1, 1.83 iters/s
step 1551, batch loss 1.729, 1.82 iters/s
step 1552, batch loss 2.252, 1.83 iters/s
step 1553, batch loss 1.795, 1.84 iters/s
step 1554, batch loss 2.064, 1.83 iters/s

step 1555, batch loss 1.998, 1.83 iters/s
step 1556, batch loss 2.249, 1.83 iters/s
step 1557, batch loss 2.165, 1.85 iters/s
step 1558, batch loss 1.824, 1.82 iters/s
step 1559, batch loss 2.001, 1.83 iters/s
step 1560, batch loss 2.048, 1.83 iters/s
step 1561, batch loss 1.99, 1.82 iters/s
step 1562, batch loss 1.872, 1.83 iters/s
step 1563, batch loss 2.054, 1.83 iters/s
step 1564, batch loss 1.602, 1.84 iters/s
step 1565, batch loss 2.303, 1.83 iters/s
step 1566, batch loss 2.401, 1.83 iters/s
step 1567, batch loss 2.096, 1.85 iters/s
step 1568, batch loss 2.045, 1.82 iters/s
step 1569, batch loss 2.137, 1.84 iters/s
step 1570, batch loss 2.425, 1.83 iters/s
step 1571, batch loss 1.924, 1.84 iters/s
step 1572, batch loss 1.983, 1.83 iters/s
step 1573, batch loss 2.011, 1.83 iters/s
step 1574, batch loss 2.022, 1.83 iters/s
step 1575, batch loss 2.122, 1.83 iters/s
step 1576, batch loss 1.658, 1.84 iters/s
step 1577, batch loss 2.257, 1.83 iters/s
step 1578, batch loss 2.045, 1.82 iters/s
step 1579, batch loss 2.254, 1.84 iters/s
step 1580, batch loss 2.368, 1.82 iters/s
step 1581, batch loss 2.028, 1.82 iters/s
step 1582, batch loss 2.112, 1.82 iters/s
step 1583, batch loss 2.143, 1.83 iters/s
step 1584, batch loss 1.983, 1.83 iters/s
step 1585, batch loss 2.204, 1.83 iters/s
step 1586, batch loss 2.46, 1.83 iters/s
step 1587, batch loss 2.077, 1.85 iters/s
step 1588, batch loss 2.163, 1.86 iters/s
step 1589, batch loss 2.057, 1.83 iters/s
step 1590, batch loss 1.735, 1.82 iters/s
step 1591, batch loss 1.992, 1.82 iters/s
step 1592, batch loss 2.279, 1.83 iters/s
step 1593, batch loss 2.227, 1.83 iters/s
step 1594, batch loss 2.093, 1.84 iters/s
step 1595, batch loss 1.842, 1.83 iters/s
step 1596, batch loss 1.968, 1.83 iters/s
step 1597, batch loss 2.322, 1.83 iters/s
step 1598, batch loss 2.28, 1.83 iters/s
step 1599, batch loss 2.215, 1.83 iters/s
step 1600, batch loss 2.158, 1.83 iters/s
step 1601, batch loss 2.023, 1.83 iters/s
step 1602, batch loss 1.907, 1.84 iters/s

step 1603, batch loss 2.387, 1.83 iters/s
step 1604, batch loss 2.256, 1.84 iters/s
step 1605, batch loss 2.17, 1.84 iters/s
step 1606, batch loss 2.084, 1.84 iters/s
step 1607, batch loss 2.174, 1.86 iters/s
step 1608, batch loss 2.587, 1.84 iters/s
step 1609, batch loss 2.156, 1.84 iters/s
step 1610, batch loss 1.987, 1.84 iters/s
step 1611, batch loss 2.234, 1.86 iters/s
step 1612, batch loss 2.736, 1.85 iters/s
step 1613, batch loss 1.78, 1.84 iters/s
step 1614, batch loss 2.347, 1.83 iters/s
step 1615, batch loss 2.111, 1.83 iters/s
step 1616, batch loss 2.024, 1.83 iters/s
step 1617, batch loss 2.303, 1.83 iters/s
step 1618, batch loss 2.075, 1.83 iters/s
step 1619, batch loss 2.193, 1.84 iters/s
step 1620, batch loss 2.157, 1.85 iters/s
step 1621, batch loss 2.034, 1.86 iters/s
step 1622, batch loss 2.204, 1.84 iters/s
step 1623, batch loss 1.775, 1.84 iters/s
step 1624, batch loss 2.074, 1.84 iters/s
step 1625, batch loss 1.904, 1.83 iters/s
step 1626, batch loss 2.044, 1.83 iters/s
step 1627, batch loss 2.061, 1.83 iters/s
step 1628, batch loss 2.256, 1.84 iters/s
step 1629, batch loss 2.09, 1.83 iters/s
step 1630, batch loss 2.235, 1.85 iters/s
step 1631, batch loss 1.862, 1.84 iters/s
step 1632, batch loss 2.01, 1.84 iters/s
step 1633, batch loss 1.926, 1.85 iters/s
step 1634, batch loss 2.075, 1.83 iters/s
step 1635, batch loss 2.031, 1.83 iters/s
step 1636, batch loss 2.11, 1.82 iters/s
step 1637, batch loss 2.347, 1.83 iters/s
step 1638, batch loss 2.135, 1.82 iters/s
step 1639, batch loss 1.762, 1.83 iters/s
step 1640, batch loss 2.055, 1.83 iters/s
step 1641, batch loss 1.903, 1.83 iters/s
step 1642, batch loss 1.878, 1.83 iters/s
step 1643, batch loss 2.148, 1.83 iters/s
step 1644, batch loss 2.044, 1.84 iters/s
step 1645, batch loss 1.91, 1.83 iters/s
step 1646, batch loss 2.093, 1.83 iters/s
step 1647, batch loss 2.245, 1.83 iters/s
step 1648, batch loss 2.009, 1.83 iters/s
step 1649, batch loss 2.901, 1.82 iters/s
step 1650, batch loss 2.128, 1.82 iters/s

step 1651, batch loss 2.372, 1.83 iters/s
step 1652, batch loss 2.087, 1.83 iters/s
step 1653, batch loss 2.592, 1.83 iters/s
step 1654, batch loss 1.704, 1.83 iters/s
step 1655, batch loss 1.781, 1.83 iters/s
step 1656, batch loss 1.809, 1.83 iters/s
step 1657, batch loss 2.028, 1.83 iters/s
step 1658, batch loss 2.221, 1.84 iters/s
step 1659, batch loss 2.257, 1.85 iters/s
step 1660, batch loss 2.13, 1.83 iters/s
step 1661, batch loss 1.861, 1.84 iters/s
step 1662, batch loss 2.15, 1.83 iters/s
step 1663, batch loss 1.956, 1.84 iters/s
step 1664, batch loss 2.347, 1.83 iters/s
step 1665, batch loss 2.309, 1.83 iters/s
step 1666, batch loss 1.766, 1.86 iters/s
step 1667, batch loss 2.157, 1.83 iters/s
step 1668, batch loss 1.41, 1.83 iters/s
step 1669, batch loss 1.935, 1.85 iters/s
step 1670, batch loss 1.805, 1.83 iters/s
step 1671, batch loss 1.943, 1.83 iters/s
step 1672, batch loss 1.992, 1.82 iters/s
step 1673, batch loss 2.095, 1.82 iters/s
step 1674, batch loss 2.249, 1.83 iters/s
step 1675, batch loss 1.873, 1.84 iters/s
step 1676, batch loss 1.929, 1.83 iters/s
step 1677, batch loss 1.947, 1.83 iters/s
step 1678, batch loss 2.068, 1.83 iters/s
step 1679, batch loss 2.175, 1.82 iters/s
step 1680, batch loss 1.598, 1.83 iters/s
step 1681, batch loss 1.848, 1.84 iters/s
step 1682, batch loss 2.032, 1.85 iters/s
step 1683, batch loss 1.893, 1.83 iters/s
step 1684, batch loss 1.866, 1.82 iters/s
step 1685, batch loss 2.155, 1.84 iters/s
step 1686, batch loss 2.284, 1.82 iters/s
step 1687, batch loss 1.971, 1.82 iters/s
step 1688, batch loss 2.026, 1.83 iters/s
step 1689, batch loss 2.287, 1.83 iters/s
step 1690, batch loss 2.601, 1.82 iters/s
step 1691, batch loss 2.204, 1.83 iters/s
step 1692, batch loss 2.065, 1.83 iters/s
step 1693, batch loss 2.33, 1.83 iters/s
step 1694, batch loss 2.379, 1.83 iters/s
step 1695, batch loss 2.197, 1.82 iters/s
step 1696, batch loss 1.713, 1.83 iters/s
step 1697, batch loss 1.975, 1.83 iters/s
step 1698, batch loss 2.414, 1.83 iters/s

step 1699, batch loss 2.049, 1.85 iters/s
step 1700, batch loss 2.177, 1.83 iters/s
step 1701, batch loss 1.875, 1.83 iters/s
step 1702, batch loss 2.008, 1.83 iters/s
step 1703, batch loss 2.47, 1.84 iters/s
step 1704, batch loss 2.026, 1.83 iters/s
step 1705, batch loss 2.114, 1.83 iters/s
step 1706, batch loss 2.023, 1.82 iters/s
step 1707, batch loss 2.699, 1.82 iters/s
step 1708, batch loss 2.233, 1.83 iters/s
step 1709, batch loss 2.395, 1.83 iters/s
step 1710, batch loss 2.143, 1.84 iters/s
step 1711, batch loss 2.435, 1.83 iters/s
step 1712, batch loss 1.823, 1.83 iters/s
step 1713, batch loss 1.818, 1.83 iters/s
step 1714, batch loss 2.143, 1.82 iters/s
step 1715, batch loss 1.843, 1.83 iters/s
step 1716, batch loss 1.603, 1.82 iters/s
step 1717, batch loss 2.127, 1.85 iters/s
step 1718, batch loss 2.127, 1.82 iters/s
step 1719, batch loss 1.749, 1.85 iters/s
step 1720, batch loss 2.172, 1.83 iters/s
step 1721, batch loss 1.74, 1.83 iters/s
step 1722, batch loss 2.215, 1.82 iters/s
step 1723, batch loss 1.724, 1.84 iters/s
step 1724, batch loss 2.202, 1.82 iters/s
step 1725, batch loss 2.213, 1.83 iters/s
step 1726, batch loss 2.081, 1.83 iters/s
step 1727, batch loss 2.315, 1.82 iters/s
step 1728, batch loss 2.201, 1.82 iters/s
step 1729, batch loss 1.569, 1.83 iters/s
step 1730, batch loss 2.204, 1.85 iters/s
step 1731, batch loss 1.965, 1.84 iters/s
step 1732, batch loss 2.181, 1.83 iters/s
step 1733, batch loss 1.899, 1.81 iters/s
step 1734, batch loss 2.404, 1.83 iters/s
step 1735, batch loss 2.535, 1.82 iters/s
step 1736, batch loss 1.873, 1.83 iters/s
step 1737, batch loss 2.15, 1.83 iters/s
step 1738, batch loss 1.855, 1.86 iters/s
step 1739, batch loss 2.273, 1.83 iters/s
step 1740, batch loss 1.911, 1.84 iters/s
step 1741, batch loss 1.887, 1.83 iters/s
step 1742, batch loss 1.849, 1.83 iters/s
step 1743, batch loss 1.957, 1.83 iters/s
step 1744, batch loss 1.9, 1.82 iters/s
step 1745, batch loss 1.764, 1.83 iters/s
step 1746, batch loss 1.732, 1.83 iters/s

step 1747, batch loss 2.467, 1.84 iters/s
step 1748, batch loss 2.025, 1.83 iters/s
step 1749, batch loss 2.56, 1.83 iters/s
step 1750, batch loss 1.763, 1.84 iters/s
step 1751, batch loss 2.263, 1.83 iters/s
step 1752, batch loss 1.855, 1.82 iters/s
step 1753, batch loss 2.108, 1.85 iters/s
step 1754, batch loss 2.187, 1.83 iters/s
step 1755, batch loss 1.839, 1.83 iters/s
step 1756, batch loss 2.092, 1.83 iters/s
step 1757, batch loss 1.802, 1.84 iters/s
step 1758, batch loss 2.263, 1.83 iters/s
step 1759, batch loss 2.116, 1.84 iters/s
step 1760, batch loss 2.179, 1.85 iters/s
step 1761, batch loss 2.128, 1.81 iters/s
step 1762, batch loss 2.041, 1.82 iters/s
step 1763, batch loss 2.01, 1.84 iters/s
step 1764, batch loss 2.139, 1.83 iters/s
step 1765, batch loss 1.947, 1.83 iters/s
step 1766, batch loss 2.499, 1.82 iters/s
step 1767, batch loss 1.645, 1.83 iters/s
step 1768, batch loss 2.157, 1.83 iters/s
step 1769, batch loss 1.923, 1.82 iters/s
step 1770, batch loss 1.725, 1.85 iters/s
step 1771, batch loss 1.946, 1.82 iters/s
step 1772, batch loss 2.326, 1.83 iters/s
step 1773, batch loss 2.124, 1.85 iters/s
step 1774, batch loss 1.782, 1.85 iters/s
step 1775, batch loss 2.078, 1.82 iters/s
step 1776, batch loss 2.442, 1.83 iters/s
step 1777, batch loss 2.011, 1.83 iters/s
step 1778, batch loss 2.383, 1.82 iters/s
step 1779, batch loss 2.73, 1.82 iters/s
step 1780, batch loss 2.161, 1.84 iters/s
step 1781, batch loss 2.163, 1.83 iters/s
step 1782, batch loss 2.119, 1.83 iters/s
step 1783, batch loss 1.77, 1.83 iters/s
step 1784, batch loss 2.21, 1.82 iters/s
step 1785, batch loss 2.479, 1.83 iters/s
step 1786, batch loss 2.316, 1.83 iters/s
step 1787, batch loss 2.429, 1.83 iters/s
step 1788, batch loss 2.199, 1.82 iters/s
step 1789, batch loss 2.154, 1.83 iters/s
step 1790, batch loss 1.922, 1.83 iters/s
step 1791, batch loss 2.477, 1.82 iters/s
step 1792, batch loss 2.148, 1.83 iters/s
step 1793, batch loss 2.154, 1.84 iters/s
step 1794, batch loss 2.166, 1.83 iters/s

step 1795, batch loss 2.295, 1.83 iters/s
step 1796, batch loss 2.445, 1.82 iters/s
step 1797, batch loss 1.985, 1.82 iters/s
step 1798, batch loss 2.097, 1.82 iters/s
step 1799, batch loss 2.161, 1.83 iters/s
step 1800, batch loss 2.434, 1.82 iters/s
step 1801, batch loss 1.971, 1.83 iters/s
step 1802, batch loss 1.838, 1.82 iters/s
step 1803, batch loss 2.035, 1.82 iters/s
step 1804, batch loss 1.968, 1.83 iters/s
step 1805, batch loss 2.028, 1.82 iters/s
step 1806, batch loss 2.004, 1.82 iters/s
step 1807, batch loss 2.053, 1.83 iters/s
step 1808, batch loss 2.106, 1.83 iters/s
step 1809, batch loss 2.064, 1.83 iters/s
step 1810, batch loss 1.705, 1.83 iters/s
step 1811, batch loss 1.992, 1.83 iters/s
step 1812, batch loss 2.136, 1.83 iters/s
step 1813, batch loss 2.271, 1.82 iters/s
step 1814, batch loss 2.111, 1.85 iters/s
step 1815, batch loss 1.941, 1.83 iters/s
step 1816, batch loss 2.436, 1.84 iters/s
step 1817, batch loss 2.109, 1.82 iters/s
step 1818, batch loss 2.09, 1.83 iters/s
step 1819, batch loss 2.4, 1.82 iters/s
step 1820, batch loss 1.745, 1.83 iters/s
step 1821, batch loss 2.125, 1.82 iters/s
step 1822, batch loss 2.027, 1.83 iters/s
step 1823, batch loss 2.166, 1.84 iters/s
step 1824, batch loss 2.037, 1.83 iters/s
step 1825, batch loss 2.195, 1.83 iters/s
step 1826, batch loss 1.854, 1.83 iters/s
step 1827, batch loss 1.625, 1.85 iters/s
step 1828, batch loss 2.135, 1.83 iters/s
step 1829, batch loss 1.989, 1.83 iters/s
step 1830, batch loss 2.009, 1.82 iters/s
step 1831, batch loss 2.389, 1.83 iters/s
step 1832, batch loss 2.075, 1.83 iters/s
step 1833, batch loss 2.093, 1.83 iters/s
step 1834, batch loss 2.407, 1.83 iters/s
step 1835, batch loss 2.081, 1.83 iters/s
step 1836, batch loss 1.995, 1.86 iters/s
step 1837, batch loss 2.204, 1.83 iters/s
step 1838, batch loss 2.394, 1.82 iters/s
step 1839, batch loss 2.368, 1.83 iters/s
step 1840, batch loss 2.243, 1.83 iters/s
step 1841, batch loss 2.455, 1.82 iters/s
step 1842, batch loss 2.001, 1.83 iters/s

step 1843, batch loss 2.533, 1.83 iters/s
step 1844, batch loss 1.888, 1.82 iters/s
step 1845, batch loss 2.479, 1.82 iters/s
step 1846, batch loss 2.014, 1.82 iters/s
step 1847, batch loss 2.097, 1.83 iters/s
step 1848, batch loss 1.928, 1.83 iters/s
step 1849, batch loss 2.004, 1.83 iters/s
step 1850, batch loss 2.227, 1.84 iters/s
step 1851, batch loss 2.064, 1.84 iters/s
step 1852, batch loss 2.225, 1.82 iters/s
step 1853, batch loss 2.214, 1.83 iters/s
step 1854, batch loss 2.47, 1.84 iters/s
step 1855, batch loss 2.016, 1.83 iters/s
step 1856, batch loss 2.599, 1.82 iters/s
step 1857, batch loss 1.961, 1.83 iters/s
step 1858, batch loss 2.256, 1.82 iters/s
step 1859, batch loss 2.212, 1.82 iters/s
step 1860, batch loss 2.113, 1.83 iters/s
step 1861, batch loss 1.788, 1.84 iters/s
step 1862, batch loss 2.482, 1.83 iters/s
step 1863, batch loss 2.041, 1.85 iters/s
step 1864, batch loss 2.151, 1.83 iters/s
step 1865, batch loss 1.873, 1.83 iters/s
step 1866, batch loss 1.716, 1.83 iters/s
step 1867, batch loss 2.504, 1.83 iters/s
step 1868, batch loss 1.815, 1.83 iters/s
step 1869, batch loss 2.207, 1.83 iters/s
step 1870, batch loss 1.951, 1.83 iters/s
step 1871, batch loss 2.477, 1.83 iters/s
step 1872, batch loss 2.254, 1.84 iters/s
step 1873, batch loss 1.996, 1.83 iters/s
step 1874, batch loss 2.197, 1.83 iters/s
step 1875, batch loss 1.815, 1.83 iters/s
step 1876, batch loss 1.936, 1.85 iters/s
step 1877, batch loss 2.074, 1.82 iters/s
step 1878, batch loss 2.089, 1.83 iters/s
step 1879, batch loss 2.136, 1.83 iters/s
step 1880, batch loss 2.166, 1.83 iters/s
step 1881, batch loss 2.106, 1.83 iters/s
step 1882, batch loss 2.504, 1.83 iters/s
step 1883, batch loss 1.896, 1.83 iters/s
step 1884, batch loss 1.927, 1.84 iters/s
step 1885, batch loss 2.595, 1.83 iters/s
step 1886, batch loss 2.036, 1.83 iters/s
step 1887, batch loss 1.891, 1.82 iters/s
step 1888, batch loss 2.229, 1.83 iters/s
step 1889, batch loss 2.196, 1.83 iters/s
step 1890, batch loss 2.295, 1.83 iters/s

step 1891, batch loss 2.041, 1.83 iters/s
step 1892, batch loss 2.08, 1.82 iters/s
step 1893, batch loss 1.789, 1.82 iters/s
step 1894, batch loss 2.171, 1.82 iters/s
step 1895, batch loss 2.564, 1.82 iters/s
step 1896, batch loss 2.039, 1.83 iters/s
step 1897, batch loss 2.018, 1.83 iters/s
step 1898, batch loss 2.198, 1.82 iters/s
step 1899, batch loss 2.204, 1.82 iters/s
step 1900, batch loss 2.079, 1.82 iters/s
step 1901, batch loss 2.046, 1.83 iters/s
step 1902, batch loss 2.722, 1.82 iters/s
step 1903, batch loss 1.957, 1.82 iters/s
step 1904, batch loss 1.937, 1.81 iters/s
step 1905, batch loss 2.423, 1.83 iters/s
step 1906, batch loss 1.962, 1.83 iters/s
step 1907, batch loss 1.776, 1.83 iters/s
step 1908, batch loss 2.313, 1.83 iters/s
step 1909, batch loss 2.184, 1.82 iters/s
step 1910, batch loss 1.886, 1.85 iters/s
step 1911, batch loss 2.157, 1.83 iters/s
step 1912, batch loss 2.352, 1.83 iters/s
step 1913, batch loss 2.065, 1.83 iters/s
step 1914, batch loss 1.946, 1.84 iters/s
step 1915, batch loss 1.986, 1.83 iters/s
step 1916, batch loss 1.929, 1.83 iters/s
step 1917, batch loss 2.513, 1.83 iters/s
step 1918, batch loss 2.361, 1.83 iters/s
step 1919, batch loss 2.014, 1.84 iters/s
step 1920, batch loss 2.051, 1.83 iters/s
step 1921, batch loss 2.107, 1.83 iters/s
step 1922, batch loss 2.702, 1.82 iters/s
step 1923, batch loss 1.622, 1.83 iters/s
step 1924, batch loss 1.791, 1.83 iters/s
step 1925, batch loss 2.012, 1.83 iters/s
step 1926, batch loss 1.811, 1.83 iters/s
step 1927, batch loss 2.376, 1.82 iters/s
step 1928, batch loss 1.562, 1.82 iters/s
step 1929, batch loss 2.204, 1.83 iters/s
step 1930, batch loss 2.15, 1.82 iters/s
step 1931, batch loss 2.676, 1.85 iters/s
step 1932, batch loss 2.11, 1.83 iters/s
step 1933, batch loss 1.963, 1.82 iters/s
step 1934, batch loss 1.992, 1.83 iters/s
step 1935, batch loss 2.501, 1.83 iters/s
step 1936, batch loss 1.909, 1.83 iters/s
step 1937, batch loss 1.775, 1.84 iters/s
step 1938, batch loss 1.882, 1.85 iters/s

step 1939, batch loss 1.847, 1.82 iters/s
step 1940, batch loss 2.017, 1.83 iters/s
step 1941, batch loss 2.064, 1.83 iters/s
step 1942, batch loss 1.947, 1.82 iters/s
step 1943, batch loss 1.46, 1.83 iters/s
step 1944, batch loss 2.462, 1.83 iters/s
step 1945, batch loss 2.211, 1.82 iters/s
step 1946, batch loss 2.141, 1.82 iters/s
step 1947, batch loss 1.964, 1.82 iters/s
step 1948, batch loss 2.248, 1.82 iters/s
step 1949, batch loss 2.157, 1.83 iters/s
step 1950, batch loss 2.215, 1.84 iters/s
step 1951, batch loss 2.66, 1.83 iters/s
step 1952, batch loss 2.544, 1.84 iters/s
step 1953, batch loss 2.215, 1.82 iters/s
step 1954, batch loss 2.133, 1.83 iters/s
step 1955, batch loss 1.911, 1.83 iters/s
step 1956, batch loss 1.797, 1.86 iters/s
step 1957, batch loss 2.243, 1.83 iters/s
step 1958, batch loss 2.106, 1.82 iters/s
step 1959, batch loss 2.109, 1.82 iters/s
step 1960, batch loss 2.468, 1.83 iters/s
step 1961, batch loss 2.363, 1.84 iters/s
step 1962, batch loss 1.679, 1.83 iters/s
step 1963, batch loss 2.248, 1.82 iters/s
step 1964, batch loss 2.022, 1.83 iters/s
step 1965, batch loss 1.941, 1.82 iters/s
step 1966, batch loss 2.316, 1.84 iters/s
step 1967, batch loss 2.007, 1.82 iters/s
step 1968, batch loss 2.024, 1.83 iters/s
step 1969, batch loss 2.359, 1.83 iters/s
step 1970, batch loss 1.806, 1.83 iters/s
step 1971, batch loss 2.994, 1.83 iters/s
step 1972, batch loss 1.868, 1.85 iters/s
step 1973, batch loss 2.116, 1.83 iters/s
step 1974, batch loss 2.046, 1.82 iters/s
step 1975, batch loss 2.098, 1.82 iters/s
step 1976, batch loss 2.217, 1.82 iters/s
step 1977, batch loss 2.445, 1.83 iters/s
step 1978, batch loss 2.083, 1.82 iters/s
step 1979, batch loss 2.39, 1.84 iters/s
step 1980, batch loss 2.076, 1.83 iters/s
step 1981, batch loss 1.877, 1.84 iters/s
step 1982, batch loss 1.987, 1.84 iters/s
step 1983, batch loss 2.034, 1.83 iters/s
step 1984, batch loss 2.14, 1.81 iters/s
step 1985, batch loss 2.234, 1.83 iters/s
step 1986, batch loss 1.832, 1.85 iters/s

step 1987, batch loss 1.662, 1.83 iters/s
step 1988, batch loss 2.41, 1.83 iters/s
step 1989, batch loss 2.021, 1.85 iters/s
step 1990, batch loss 1.864, 1.83 iters/s
step 1991, batch loss 2.03, 1.82 iters/s
step 1992, batch loss 2.116, 1.82 iters/s
step 1993, batch loss 2.177, 1.82 iters/s
step 1994, batch loss 2.148, 1.83 iters/s
step 1995, batch loss 1.509, 1.82 iters/s
step 1996, batch loss 2.015, 1.82 iters/s
step 1997, batch loss 1.917, 1.82 iters/s
step 1998, batch loss 2.094, 1.84 iters/s
step 1999, batch loss 1.893, 1.82 iters/s
step 2000, batch loss 2.158, 1.83 iters/s
step 2001, batch loss 2.068, 1.83 iters/s
step 2002, batch loss 1.659, 1.82 iters/s
step 2003, batch loss 2.167, 1.83 iters/s
step 2004, batch loss 1.815, 1.83 iters/s
step 2005, batch loss 1.923, 1.83 iters/s
step 2006, batch loss 2.128, 1.84 iters/s
step 2007, batch loss 2.212, 1.84 iters/s
step 2008, batch loss 1.885, 1.83 iters/s
step 2009, batch loss 1.789, 1.82 iters/s
step 2010, batch loss 2.208, 1.83 iters/s
step 2011, batch loss 1.89, 1.82 iters/s
step 2012, batch loss 2.18, 1.82 iters/s
step 2013, batch loss 2.062, 1.83 iters/s
step 2014, batch loss 2.07, 1.83 iters/s
step 2015, batch loss 1.744, 1.84 iters/s
step 2016, batch loss 2.087, 1.83 iters/s
step 2017, batch loss 1.912, 1.83 iters/s
step 2018, batch loss 1.627, 1.82 iters/s
step 2019, batch loss 2.159, 1.83 iters/s
step 2020, batch loss 2.07, 1.83 iters/s
step 2021, batch loss 2.017, 1.82 iters/s
step 2022, batch loss 2.525, 1.82 iters/s
step 2023, batch loss 1.977, 1.82 iters/s
step 2024, batch loss 2.565, 1.83 iters/s
step 2025, batch loss 2.204, 1.83 iters/s
step 2026, batch loss 1.715, 1.82 iters/s
step 2027, batch loss 1.823, 1.83 iters/s
step 2028, batch loss 2.054, 1.83 iters/s
step 2029, batch loss 2.188, 1.83 iters/s
step 2030, batch loss 2.105, 1.82 iters/s
step 2031, batch loss 1.928, 1.83 iters/s
step 2032, batch loss 2.062, 1.82 iters/s
step 2033, batch loss 2.087, 1.83 iters/s
step 2034, batch loss 2.067, 1.83 iters/s

step 2035, batch loss 2.179, 1.84 iters/s
step 2036, batch loss 1.776, 1.83 iters/s
step 2037, batch loss 2.394, 1.83 iters/s
step 2038, batch loss 2.004, 1.83 iters/s
step 2039, batch loss 1.805, 1.83 iters/s
step 2040, batch loss 2.146, 1.83 iters/s
step 2041, batch loss 2.315, 1.82 iters/s
step 2042, batch loss 1.901, 1.83 iters/s
step 2043, batch loss 2.278, 1.85 iters/s
step 2044, batch loss 1.841, 1.83 iters/s
step 2045, batch loss 2.078, 1.83 iters/s
step 2046, batch loss 1.767, 1.84 iters/s
step 2047, batch loss 2.506, 1.84 iters/s
step 2048, batch loss 2.409, 1.83 iters/s
step 2049, batch loss 2.19, 1.83 iters/s
step 2050, batch loss 1.989, 1.83 iters/s
step 2051, batch loss 1.938, 1.84 iters/s
step 2052, batch loss 2.245, 1.82 iters/s
step 2053, batch loss 1.831, 1.84 iters/s
step 2054, batch loss 1.707, 1.86 iters/s
step 2055, batch loss 2.146, 1.83 iters/s
step 2056, batch loss 2.007, 1.84 iters/s
step 2057, batch loss 2.043, 1.84 iters/s
step 2058, batch loss 2.13, 1.86 iters/s
step 2059, batch loss 1.825, 1.83 iters/s
step 2060, batch loss 2.123, 1.84 iters/s
step 2061, batch loss 2.11, 1.83 iters/s
step 2062, batch loss 2.029, 1.84 iters/s
step 2063, batch loss 1.783, 1.83 iters/s
step 2064, batch loss 1.884, 1.83 iters/s
step 2065, batch loss 2.356, 1.83 iters/s
step 2066, batch loss 2.191, 1.84 iters/s
step 2067, batch loss 2.244, 1.82 iters/s
step 2068, batch loss 1.608, 1.83 iters/s
step 2069, batch loss 2.425, 1.85 iters/s
step 2070, batch loss 2.405, 1.83 iters/s
step 2071, batch loss 2.129, 1.84 iters/s
step 2072, batch loss 2.42, 1.83 iters/s
step 2073, batch loss 2.282, 1.83 iters/s
step 2074, batch loss 2.33, 1.84 iters/s
step 2075, batch loss 2.371, 1.83 iters/s
step 2076, batch loss 2.932, 1.82 iters/s
step 2077, batch loss 2.134, 1.83 iters/s
step 2078, batch loss 1.651, 1.82 iters/s
step 2079, batch loss 2.327, 1.84 iters/s
step 2080, batch loss 1.79, 1.83 iters/s
step 2081, batch loss 2.335, 1.82 iters/s
step 2082, batch loss 2.003, 1.82 iters/s

step 2083, batch loss 2.344, 1.82 iters/s
step 2084, batch loss 2.291, 1.83 iters/s
step 2085, batch loss 1.959, 1.82 iters/s
step 2086, batch loss 2.31, 1.83 iters/s
step 2087, batch loss 1.892, 1.82 iters/s
step 2088, batch loss 1.984, 1.83 iters/s
step 2089, batch loss 2.23, 1.82 iters/s
step 2090, batch loss 2.417, 1.83 iters/s
step 2091, batch loss 2.563, 1.82 iters/s
step 2092, batch loss 2.599, 1.82 iters/s
step 2093, batch loss 1.998, 1.83 iters/s
step 2094, batch loss 1.889, 1.82 iters/s
step 2095, batch loss 1.942, 1.83 iters/s
step 2096, batch loss 2.441, 1.82 iters/s
step 2097, batch loss 2.468, 1.83 iters/s
step 2098, batch loss 2.194, 1.82 iters/s
step 2099, batch loss 2.151, 1.82 iters/s
step 2100, batch loss 2.063, 1.83 iters/s
step 2101, batch loss 1.823, 1.83 iters/s
step 2102, batch loss 2.093, 1.83 iters/s
step 2103, batch loss 2.442, 1.83 iters/s
step 2104, batch loss 2.282, 1.83 iters/s
step 2105, batch loss 2.291, 1.83 iters/s
step 2106, batch loss 2.024, 1.82 iters/s
step 2107, batch loss 2.055, 1.83 iters/s
step 2108, batch loss 2.248, 1.82 iters/s
step 2109, batch loss 2.053, 1.85 iters/s
step 2110, batch loss 1.749, 1.85 iters/s
step 2111, batch loss 4.332, 1.82 iters/s
step 2112, batch loss 2.057, 1.84 iters/s
step 2113, batch loss 2.051, 1.83 iters/s
step 2114, batch loss 1.809, 1.83 iters/s
step 2115, batch loss 2.025, 1.84 iters/s
step 2116, batch loss 2.073, 1.82 iters/s
step 2117, batch loss 2.153, 1.84 iters/s
step 2118, batch loss 2.293, 1.83 iters/s
step 2119, batch loss 2.389, 1.83 iters/s
step 2120, batch loss 2.041, 1.84 iters/s
step 2121, batch loss 2.097, 1.85 iters/s
step 2122, batch loss 3.248, 1.83 iters/s
step 2123, batch loss 2.004, 1.83 iters/s
step 2124, batch loss 1.978, 1.82 iters/s
step 2125, batch loss 2.297, 1.83 iters/s
step 2126, batch loss 2.23, 1.83 iters/s
step 2127, batch loss 2.277, 1.83 iters/s
step 2128, batch loss 1.826, 1.84 iters/s
step 2129, batch loss 1.672, 1.84 iters/s
step 2130, batch loss 2.367, 1.82 iters/s

step 2131, batch loss 2.091, 1.83 iters/s
step 2132, batch loss 2.193, 1.84 iters/s
step 2133, batch loss 1.974, 1.84 iters/s
step 2134, batch loss 1.926, 1.82 iters/s
step 2135, batch loss 2.645, 1.83 iters/s
step 2136, batch loss 2.281, 1.82 iters/s
step 2137, batch loss 2.262, 1.83 iters/s
step 2138, batch loss 1.976, 1.83 iters/s
step 2139, batch loss 2.249, 1.83 iters/s
step 2140, batch loss 2.423, 1.83 iters/s
step 2141, batch loss 2.542, 1.84 iters/s
step 2142, batch loss 1.996, 1.83 iters/s
step 2143, batch loss 2.471, 1.84 iters/s
step 2144, batch loss 2.356, 1.83 iters/s
step 2145, batch loss 2.172, 1.83 iters/s
step 2146, batch loss 2.423, 1.84 iters/s
step 2147, batch loss 1.84, 1.83 iters/s
step 2148, batch loss 2.18, 1.82 iters/s
step 2149, batch loss 2.459, 1.83 iters/s
step 2150, batch loss 1.902, 1.84 iters/s
step 2151, batch loss 2.233, 1.83 iters/s
step 2152, batch loss 1.927, 1.84 iters/s
step 2153, batch loss 2.162, 1.83 iters/s
step 2154, batch loss 2.029, 1.84 iters/s
step 2155, batch loss 2.095, 1.84 iters/s
step 2156, batch loss 2.172, 1.83 iters/s
step 2157, batch loss 1.866, 1.83 iters/s
step 2158, batch loss 2.204, 1.83 iters/s
step 2159, batch loss 1.966, 1.82 iters/s
step 2160, batch loss 1.711, 1.86 iters/s
step 2161, batch loss 2.405, 1.83 iters/s
step 2162, batch loss 1.926, 1.83 iters/s
step 2163, batch loss 2.009, 1.83 iters/s
step 2164, batch loss 2.083, 1.84 iters/s
step 2165, batch loss 2.343, 1.82 iters/s
step 2166, batch loss 2.011, 1.83 iters/s
step 2167, batch loss 2.046, 1.83 iters/s
step 2168, batch loss 2.282, 1.82 iters/s
step 2169, batch loss 1.974, 1.83 iters/s
step 2170, batch loss 2.272, 1.82 iters/s
step 2171, batch loss 2.531, 1.83 iters/s
step 2172, batch loss 1.863, 1.83 iters/s
step 2173, batch loss 2.019, 1.83 iters/s
step 2174, batch loss 2.074, 1.82 iters/s
step 2175, batch loss 2.196, 1.85 iters/s
step 2176, batch loss 2.015, 1.84 iters/s
step 2177, batch loss 2.096, 1.82 iters/s
step 2178, batch loss 2.067, 1.82 iters/s

step 2179, batch loss 2.234, 1.83 iters/s
step 2180, batch loss 1.842, 1.82 iters/s
step 2181, batch loss 1.969, 1.83 iters/s
step 2182, batch loss 2.353, 1.83 iters/s
step 2183, batch loss 2.165, 1.83 iters/s
step 2184, batch loss 2.278, 1.83 iters/s
step 2185, batch loss 1.944, 1.83 iters/s
step 2186, batch loss 1.918, 1.83 iters/s
step 2187, batch loss 2.579, 1.83 iters/s
step 2188, batch loss 2.245, 1.83 iters/s
step 2189, batch loss 2.579, 1.83 iters/s
step 2190, batch loss 2.206, 1.82 iters/s
step 2191, batch loss 2.067, 1.84 iters/s
step 2192, batch loss 2.311, 1.83 iters/s
step 2193, batch loss 1.336, 1.82 iters/s
step 2194, batch loss 1.527, 1.83 iters/s
step 2195, batch loss 2.123, 1.82 iters/s
step 2196, batch loss 1.996, 1.85 iters/s
step 2197, batch loss 1.764, 1.82 iters/s
step 2198, batch loss 1.9, 1.84 iters/s
step 2199, batch loss 1.942, 1.83 iters/s
step 2200, batch loss 2.206, 1.83 iters/s
step 2201, batch loss 1.928, 1.83 iters/s
step 2202, batch loss 2.823, 1.83 iters/s
step 2203, batch loss 2.417, 1.83 iters/s
step 2204, batch loss 1.986, 1.83 iters/s
step 2205, batch loss 1.972, 1.83 iters/s
step 2206, batch loss 2.192, 1.82 iters/s
step 2207, batch loss 2.307, 1.83 iters/s
step 2208, batch loss 2.068, 1.83 iters/s
step 2209, batch loss 2.146, 1.82 iters/s
step 2210, batch loss 1.888, 1.86 iters/s
step 2211, batch loss 2.119, 1.83 iters/s
step 2212, batch loss 1.957, 1.84 iters/s
step 2213, batch loss 2.059, 1.85 iters/s
step 2214, batch loss 2.167, 1.82 iters/s
step 2215, batch loss 2.32, 1.85 iters/s
step 2216, batch loss 2.138, 1.82 iters/s
step 2217, batch loss 2.074, 1.83 iters/s
step 2218, batch loss 2.58, 1.82 iters/s
step 2219, batch loss 2.319, 1.83 iters/s
step 2220, batch loss 2.092, 1.83 iters/s
step 2221, batch loss 2.284, 1.83 iters/s
step 2222, batch loss 2.226, 1.82 iters/s
step 2223, batch loss 2.104, 1.85 iters/s
step 2224, batch loss 1.693, 1.82 iters/s
step 2225, batch loss 2.236, 1.83 iters/s
step 2226, batch loss 2.324, 1.82 iters/s

step 2227, batch loss 1.917, 1.83 iters/s
step 2228, batch loss 2.293, 1.83 iters/s
step 2229, batch loss 1.469, 1.83 iters/s
step 2230, batch loss 2.266, 1.85 iters/s
step 2231, batch loss 2.132, 1.83 iters/s
step 2232, batch loss 2.241, 1.84 iters/s
step 2233, batch loss 2.36, 1.83 iters/s
step 2234, batch loss 2.298, 1.85 iters/s
step 2235, batch loss 1.926, 1.82 iters/s
step 2236, batch loss 2.135, 1.84 iters/s
step 2237, batch loss 2.239, 1.83 iters/s
step 2238, batch loss 2.245, 1.83 iters/s
step 2239, batch loss 2.067, 1.85 iters/s
step 2240, batch loss 2.214, 1.82 iters/s
step 2241, batch loss 2.189, 1.83 iters/s
step 2242, batch loss 1.984, 1.83 iters/s
step 2243, batch loss 2.025, 1.83 iters/s
step 2244, batch loss 1.717, 1.83 iters/s
step 2245, batch loss 2.253, 1.83 iters/s
step 2246, batch loss 2.073, 1.85 iters/s
step 2247, batch loss 1.97, 1.82 iters/s
step 2248, batch loss 2.335, 1.83 iters/s
step 2249, batch loss 1.811, 1.82 iters/s
step 2250, batch loss 1.887, 1.83 iters/s
step 2251, batch loss 2.049, 1.83 iters/s
step 2252, batch loss 1.724, 1.83 iters/s
step 2253, batch loss 2.231, 1.82 iters/s
step 2254, batch loss 2.02, 1.83 iters/s
step 2255, batch loss 1.884, 1.82 iters/s
step 2256, batch loss 1.895, 1.83 iters/s
step 2257, batch loss 2.646, 1.83 iters/s
step 2258, batch loss 1.927, 1.82 iters/s
step 2259, batch loss 2.253, 1.83 iters/s
step 2260, batch loss 2.334, 1.83 iters/s
step 2261, batch loss 2.108, 1.83 iters/s
step 2262, batch loss 1.954, 1.82 iters/s
step 2263, batch loss 2.404, 1.83 iters/s
step 2264, batch loss 2.384, 1.82 iters/s
step 2265, batch loss 1.99, 1.84 iters/s
step 2266, batch loss 1.97, 1.82 iters/s
step 2267, batch loss 1.972, 1.83 iters/s
step 2268, batch loss 2.373, 1.83 iters/s
step 2269, batch loss 2.067, 1.84 iters/s
step 2270, batch loss 1.801, 1.83 iters/s
step 2271, batch loss 2.324, 1.84 iters/s
step 2272, batch loss 2.235, 1.84 iters/s
step 2273, batch loss 2.719, 1.84 iters/s
step 2274, batch loss 1.937, 1.83 iters/s

step 2275, batch loss 1.717, 1.85 iters/s
step 2276, batch loss 1.75, 1.83 iters/s
step 2277, batch loss 2.16, 1.83 iters/s
step 2278, batch loss 1.927, 1.83 iters/s
step 2279, batch loss 2.09, 1.83 iters/s
step 2280, batch loss 2.317, 1.83 iters/s
step 2281, batch loss 2.019, 1.82 iters/s
step 2282, batch loss 1.656, 1.84 iters/s
step 2283, batch loss 1.816, 1.83 iters/s
step 2284, batch loss 2.233, 1.83 iters/s
step 2285, batch loss 2.134, 1.82 iters/s
step 2286, batch loss 2.119, 1.83 iters/s
step 2287, batch loss 1.985, 1.83 iters/s
step 2288, batch loss 2.037, 1.83 iters/s
step 2289, batch loss 2.2, 1.83 iters/s
step 2290, batch loss 2.163, 1.82 iters/s
step 2291, batch loss 2.308, 1.84 iters/s
step 2292, batch loss 2.338, 1.84 iters/s
step 2293, batch loss 1.771, 1.83 iters/s
step 2294, batch loss 2.282, 1.83 iters/s
step 2295, batch loss 2.308, 1.83 iters/s
step 2296, batch loss 2.469, 1.83 iters/s
step 2297, batch loss 1.964, 1.83 iters/s
step 2298, batch loss 1.748, 1.83 iters/s
step 2299, batch loss 2.119, 1.83 iters/s
step 2300, batch loss 2.297, 1.82 iters/s
step 2301, batch loss 1.891, 1.83 iters/s
step 2302, batch loss 2.357, 1.82 iters/s
step 2303, batch loss 2.147, 1.83 iters/s
step 2304, batch loss 2.069, 1.83 iters/s
step 2305, batch loss 2.366, 1.82 iters/s
step 2306, batch loss 1.842, 1.82 iters/s
step 2307, batch loss 2.221, 1.83 iters/s
step 2308, batch loss 1.952, 1.85 iters/s
step 2309, batch loss 2.191, 1.83 iters/s
step 2310, batch loss 1.877, 1.83 iters/s
step 2311, batch loss 2.544, 1.82 iters/s
step 2312, batch loss 1.716, 1.83 iters/s
step 2313, batch loss 1.856, 1.83 iters/s
step 2314, batch loss 2.144, 1.84 iters/s
step 2315, batch loss 2.125, 1.83 iters/s
step 2316, batch loss 1.918, 1.83 iters/s
step 2317, batch loss 1.895, 1.83 iters/s
step 2318, batch loss 2.381, 1.83 iters/s
step 2319, batch loss 2.286, 1.84 iters/s
step 2320, batch loss 1.722, 1.84 iters/s
step 2321, batch loss 2.092, 1.82 iters/s
step 2322, batch loss 2.101, 1.82 iters/s

step 2323, batch loss 2.774, 1.83 iters/s
step 2324, batch loss 2.119, 1.86 iters/s
step 2325, batch loss 2.185, 1.83 iters/s
step 2326, batch loss 1.741, 1.82 iters/s
step 2327, batch loss 2.177, 1.82 iters/s
step 2328, batch loss 2.168, 1.82 iters/s
step 2329, batch loss 1.533, 1.82 iters/s
step 2330, batch loss 2.321, 1.83 iters/s
step 2331, batch loss 2.007, 1.82 iters/s
step 2332, batch loss 2.224, 1.84 iters/s
step 2333, batch loss 2.02, 1.85 iters/s
step 2334, batch loss 2.181, 1.83 iters/s
step 2335, batch loss 1.934, 1.83 iters/s
step 2336, batch loss 2.367, 1.82 iters/s
step 2337, batch loss 1.915, 1.83 iters/s
step 2338, batch loss 1.909, 1.84 iters/s
step 2339, batch loss 2.009, 1.83 iters/s
step 2340, batch loss 1.662, 1.82 iters/s
step 2341, batch loss 2.002, 1.83 iters/s
step 2342, batch loss 2.284, 1.82 iters/s
step 2343, batch loss 2.03, 1.83 iters/s
step 2344, batch loss 1.502, 1.82 iters/s
step 2345, batch loss 2.03, 1.83 iters/s
step 2346, batch loss 1.85, 1.82 iters/s
step 2347, batch loss 2.539, 1.83 iters/s
step 2348, batch loss 2.221, 1.84 iters/s
step 2349, batch loss 2.06, 1.84 iters/s
step 2350, batch loss 2.409, 1.83 iters/s
step 2351, batch loss 2.646, 1.82 iters/s
step 2352, batch loss 2.054, 1.84 iters/s
step 2353, batch loss 1.578, 1.83 iters/s
step 2354, batch loss 1.921, 1.85 iters/s
step 2355, batch loss 2.168, 1.84 iters/s
step 2356, batch loss 2.089, 1.84 iters/s
step 2357, batch loss 2.492, 1.84 iters/s
step 2358, batch loss 2.146, 1.82 iters/s
step 2359, batch loss 2.56, 1.82 iters/s
step 2360, batch loss 1.882, 1.85 iters/s
step 2361, batch loss 2.122, 1.82 iters/s
step 2362, batch loss 1.817, 1.82 iters/s
step 2363, batch loss 1.734, 1.82 iters/s
step 2364, batch loss 2.158, 1.83 iters/s
step 2365, batch loss 1.784, 1.85 iters/s
step 2366, batch loss 2.051, 1.85 iters/s
step 2367, batch loss 2.031, 1.83 iters/s
step 2368, batch loss 2.112, 1.85 iters/s
step 2369, batch loss 2.013, 1.82 iters/s
step 2370, batch loss 2.079, 1.82 iters/s

step 2371, batch loss 1.718, 1.82 iters/s
step 2372, batch loss 2.619, 1.82 iters/s
step 2373, batch loss 2.336, 1.82 iters/s
step 2374, batch loss 2.156, 1.83 iters/s
step 2375, batch loss 1.969, 1.82 iters/s
step 2376, batch loss 2.082, 1.82 iters/s
step 2377, batch loss 2.184, 1.83 iters/s
step 2378, batch loss 2.703, 1.83 iters/s
step 2379, batch loss 2.52, 1.85 iters/s
step 2380, batch loss 2.169, 1.83 iters/s
step 2381, batch loss 1.475, 1.83 iters/s
step 2382, batch loss 2.323, 1.82 iters/s
step 2383, batch loss 2.086, 1.83 iters/s
step 2384, batch loss 2.112, 1.83 iters/s
step 2385, batch loss 2.007, 1.83 iters/s
step 2386, batch loss 2.396, 1.83 iters/s
step 2387, batch loss 2.102, 1.85 iters/s
step 2388, batch loss 2.104, 1.83 iters/s
step 2389, batch loss 2.015, 1.82 iters/s
step 2390, batch loss 2.159, 1.82 iters/s
step 2391, batch loss 3.172, 1.83 iters/s
step 2392, batch loss 1.907, 1.84 iters/s
step 2393, batch loss 1.892, 1.83 iters/s
step 2394, batch loss 1.846, 1.83 iters/s
step 2395, batch loss 1.956, 1.83 iters/s
step 2396, batch loss 2.256, 1.84 iters/s
step 2397, batch loss 2.175, 1.84 iters/s
step 2398, batch loss 2.057, 1.83 iters/s
step 2399, batch loss 2.39, 1.83 iters/s
step 2400, batch loss 1.963, 1.83 iters/s
step 2401, batch loss 2.098, 1.83 iters/s
step 2402, batch loss 2.368, 1.84 iters/s
step 2403, batch loss 2.335, 1.82 iters/s
step 2404, batch loss 2.184, 1.82 iters/s
step 2405, batch loss 2.906, 1.83 iters/s
step 2406, batch loss 2.104, 1.83 iters/s
step 2407, batch loss 2.183, 1.83 iters/s
step 2408, batch loss 2.017, 1.82 iters/s
step 2409, batch loss 2.019, 1.84 iters/s
step 2410, batch loss 2.243, 1.82 iters/s
step 2411, batch loss 2.327, 1.83 iters/s
step 2412, batch loss 2.058, 1.82 iters/s
step 2413, batch loss 1.915, 1.83 iters/s
step 2414, batch loss 2.459, 1.83 iters/s
step 2415, batch loss 2.294, 1.82 iters/s
step 2416, batch loss 2.352, 1.82 iters/s
step 2417, batch loss 2.1, 1.83 iters/s
step 2418, batch loss 1.907, 1.82 iters/s

step 2419, batch loss 2.028, 1.84 iters/s
step 2420, batch loss 2.124, 1.82 iters/s
step 2421, batch loss 1.866, 1.82 iters/s
step 2422, batch loss 2.161, 1.83 iters/s
step 2423, batch loss 2.129, 1.82 iters/s
step 2424, batch loss 1.951, 1.83 iters/s
step 2425, batch loss 2.133, 1.83 iters/s
step 2426, batch loss 2.071, 1.83 iters/s
step 2427, batch loss 2.108, 1.83 iters/s
step 2428, batch loss 2.083, 1.83 iters/s
step 2429, batch loss 1.99, 1.83 iters/s
step 2430, batch loss 2.121, 1.83 iters/s
step 2431, batch loss 1.582, 1.83 iters/s
step 2432, batch loss 2.125, 1.82 iters/s
step 2433, batch loss 1.923, 1.82 iters/s
step 2434, batch loss 2.113, 1.83 iters/s
step 2435, batch loss 2.066, 1.82 iters/s
step 2436, batch loss 2.18, 1.82 iters/s
step 2437, batch loss 2.011, 1.83 iters/s
step 2438, batch loss 1.928, 1.85 iters/s
step 2439, batch loss 2.192, 1.83 iters/s
step 2440, batch loss 2.052, 1.83 iters/s
step 2441, batch loss 2.463, 1.83 iters/s
step 2442, batch loss 1.716, 1.82 iters/s
step 2443, batch loss 2.085, 1.82 iters/s
step 2444, batch loss 2.206, 1.82 iters/s
step 2445, batch loss 2.254, 1.83 iters/s
step 2446, batch loss 2.033, 1.81 iters/s
step 2447, batch loss 2.231, 1.83 iters/s
step 2448, batch loss 1.908, 1.82 iters/s
step 2449, batch loss 1.688, 1.84 iters/s
step 2450, batch loss 1.97, 1.82 iters/s
step 2451, batch loss 1.882, 1.84 iters/s
step 2452, batch loss 1.949, 1.81 iters/s
step 2453, batch loss 3.769, 2.34 iters/s
step 2454, batch loss 1.964, 1.82 iters/s
step 2455, batch loss 2.421, 1.83 iters/s
step 2456, batch loss 2.103, 1.85 iters/s
step 2457, batch loss 2.068, 1.81 iters/s
step 2458, batch loss 2.41, 1.84 iters/s
step 2459, batch loss 2.32, 1.82 iters/s
step 2460, batch loss 2.06, 1.82 iters/s
step 2461, batch loss 2.084, 1.82 iters/s
step 2462, batch loss 2.408, 1.83 iters/s
step 2463, batch loss 2.243, 1.82 iters/s
step 2464, batch loss 2.143, 1.84 iters/s
step 2465, batch loss 1.731, 1.83 iters/s
step 2466, batch loss 1.19, 1.83 iters/s

step 2467, batch loss 2.096, 1.84 iters/s
step 2468, batch loss 2.34, 1.83 iters/s
step 2469, batch loss 1.882, 1.83 iters/s
step 2470, batch loss 1.973, 1.82 iters/s
step 2471, batch loss 2.21, 1.83 iters/s
step 2472, batch loss 1.77, 1.83 iters/s
step 2473, batch loss 1.999, 1.83 iters/s
step 2474, batch loss 2.131, 1.81 iters/s
step 2475, batch loss 2.437, 1.83 iters/s
step 2476, batch loss 2.31, 1.83 iters/s
step 2477, batch loss 2.387, 1.82 iters/s
step 2478, batch loss 2.036, 1.83 iters/s
step 2479, batch loss 1.797, 1.83 iters/s
step 2480, batch loss 1.634, 1.83 iters/s
step 2481, batch loss 1.623, 1.83 iters/s
step 2482, batch loss 1.602, 1.83 iters/s
step 2483, batch loss 1.638, 1.83 iters/s
step 2484, batch loss 2.304, 1.83 iters/s
step 2485, batch loss 2.587, 1.83 iters/s
step 2486, batch loss 2.152, 1.82 iters/s
step 2487, batch loss 2.699, 1.84 iters/s
step 2488, batch loss 1.819, 1.83 iters/s
step 2489, batch loss 1.998, 1.83 iters/s
step 2490, batch loss 2.184, 1.82 iters/s
step 2491, batch loss 2.064, 1.82 iters/s
step 2492, batch loss 1.811, 1.83 iters/s
step 2493, batch loss 2.093, 1.84 iters/s
step 2494, batch loss 2.199, 1.84 iters/s
step 2495, batch loss 2.251, 1.83 iters/s
step 2496, batch loss 2.144, 1.85 iters/s
step 2497, batch loss 2.324, 1.82 iters/s
step 2498, batch loss 2.345, 1.83 iters/s
step 2499, batch loss 2.328, 1.81 iters/s
step 2500, batch loss 2.025, 1.84 iters/s
step 2501, batch loss 2.099, 1.83 iters/s
step 2502, batch loss 2.585, 1.82 iters/s
step 2503, batch loss 2.075, 1.83 iters/s
step 2504, batch loss 2.068, 1.82 iters/s
step 2505, batch loss 1.839, 1.83 iters/s
step 2506, batch loss 2.065, 1.83 iters/s
step 2507, batch loss 2.008, 1.82 iters/s
step 2508, batch loss 2.463, 1.83 iters/s
step 2509, batch loss 2.351, 1.82 iters/s
step 2510, batch loss 2.291, 1.83 iters/s
step 2511, batch loss 1.858, 1.83 iters/s
step 2512, batch loss 1.719, 1.82 iters/s
step 2513, batch loss 2.291, 1.82 iters/s
step 2514, batch loss 1.994, 1.83 iters/s

step 2515, batch loss 2.16, 1.83 iters/s
step 2516, batch loss 2.173, 1.83 iters/s
step 2517, batch loss 2.077, 1.82 iters/s
step 2518, batch loss 2.062, 1.83 iters/s
step 2519, batch loss 2.48, 1.83 iters/s
step 2520, batch loss 1.842, 1.83 iters/s
step 2521, batch loss 1.418, 1.82 iters/s
step 2522, batch loss 1.803, 1.82 iters/s
step 2523, batch loss 2.286, 1.83 iters/s
step 2524, batch loss 2.171, 1.84 iters/s
step 2525, batch loss 2.42, 1.83 iters/s
step 2526, batch loss 2.145, 1.83 iters/s
step 2527, batch loss 1.955, 1.82 iters/s
step 2528, batch loss 2.243, 1.84 iters/s
step 2529, batch loss 2.058, 1.83 iters/s
step 2530, batch loss 2.301, 1.82 iters/s
step 2531, batch loss 1.866, 1.83 iters/s
step 2532, batch loss 2.032, 1.85 iters/s
step 2533, batch loss 1.993, 1.83 iters/s
step 2534, batch loss 1.979, 1.83 iters/s
step 2535, batch loss 1.836, 1.83 iters/s
step 2536, batch loss 1.883, 1.83 iters/s
step 2537, batch loss 2.159, 1.83 iters/s
step 2538, batch loss 2.308, 1.82 iters/s
step 2539, batch loss 2.065, 1.84 iters/s
step 2540, batch loss 1.514, 1.83 iters/s
step 2541, batch loss 1.728, 1.83 iters/s
step 2542, batch loss 2.257, 1.82 iters/s
step 2543, batch loss 1.919, 1.85 iters/s
step 2544, batch loss 2.393, 1.84 iters/s
step 2545, batch loss 2.356, 1.85 iters/s
step 2546, batch loss 2.27, 1.83 iters/s
step 2547, batch loss 2.229, 1.83 iters/s
step 2548, batch loss 2.301, 1.82 iters/s
step 2549, batch loss 2.198, 1.83 iters/s
step 2550, batch loss 1.931, 1.83 iters/s
step 2551, batch loss 1.59, 1.84 iters/s
step 2552, batch loss 1.945, 1.84 iters/s
step 2553, batch loss 2.056, 1.86 iters/s
step 2554, batch loss 2.39, 1.83 iters/s
step 2555, batch loss 1.73, 1.82 iters/s
step 2556, batch loss 1.987, 1.85 iters/s
step 2557, batch loss 1.892, 1.84 iters/s
step 2558, batch loss 1.568, 1.84 iters/s
step 2559, batch loss 1.702, 1.83 iters/s
step 2560, batch loss 2.003, 1.83 iters/s
step 2561, batch loss 2.11, 1.83 iters/s
step 2562, batch loss 1.88, 1.83 iters/s

step 2563, batch loss 2.026, 1.83 iters/s
step 2564, batch loss 1.979, 1.81 iters/s
step 2565, batch loss 1.927, 1.83 iters/s
step 2566, batch loss 2.225, 1.82 iters/s
step 2567, batch loss 1.862, 1.82 iters/s
step 2568, batch loss 2.148, 1.83 iters/s
step 2569, batch loss 2.49, 1.85 iters/s
step 2570, batch loss 1.895, 1.83 iters/s
step 2571, batch loss 2.103, 1.83 iters/s
step 2572, batch loss 1.988, 1.83 iters/s
step 2573, batch loss 2.447, 1.84 iters/s
step 2574, batch loss 2.536, 1.84 iters/s
step 2575, batch loss 2.35, 1.83 iters/s
step 2576, batch loss 2.09, 1.83 iters/s
step 2577, batch loss 1.809, 1.83 iters/s
step 2578, batch loss 2.537, 1.82 iters/s
step 2579, batch loss 2.212, 1.83 iters/s
step 2580, batch loss 2.145, 1.83 iters/s
step 2581, batch loss 2.067, 1.84 iters/s
step 2582, batch loss 2.166, 1.83 iters/s
step 2583, batch loss 1.936, 1.84 iters/s
step 2584, batch loss 2.023, 1.84 iters/s
step 2585, batch loss 1.691, 1.82 iters/s
step 2586, batch loss 2.192, 1.83 iters/s
step 2587, batch loss 2.141, 1.82 iters/s
step 2588, batch loss 2.162, 1.83 iters/s
step 2589, batch loss 1.999, 1.83 iters/s
step 2590, batch loss 1.969, 1.83 iters/s
step 2591, batch loss 1.864, 1.83 iters/s
step 2592, batch loss 2.329, 1.84 iters/s
step 2593, batch loss 2.071, 1.84 iters/s
step 2594, batch loss 2.201, 1.84 iters/s
step 2595, batch loss 2.203, 1.82 iters/s
step 2596, batch loss 2.631, 1.83 iters/s
step 2597, batch loss 1.974, 1.83 iters/s
step 2598, batch loss 1.823, 1.83 iters/s
step 2599, batch loss 2.113, 1.83 iters/s
step 2600, batch loss 2.003, 1.82 iters/s
step 2601, batch loss 2.222, 1.83 iters/s
step 2602, batch loss 2.899, 1.83 iters/s
step 2603, batch loss 1.555, 1.83 iters/s
step 2604, batch loss 2.439, 1.85 iters/s
step 2605, batch loss 3.094, 1.83 iters/s
step 2606, batch loss 2.173, 1.82 iters/s
step 2607, batch loss 1.759, 1.83 iters/s
step 2608, batch loss 2.016, 1.82 iters/s
step 2609, batch loss 2.299, 1.82 iters/s
step 2610, batch loss 2.452, 1.83 iters/s

step 2611, batch loss 1.913, 1.82 iters/s
step 2612, batch loss 1.969, 1.82 iters/s
step 2613, batch loss 2.02, 1.83 iters/s
step 2614, batch loss 1.893, 1.83 iters/s
step 2615, batch loss 1.548, 1.82 iters/s
step 2616, batch loss 2.061, 1.83 iters/s
step 2617, batch loss 1.925, 1.84 iters/s
step 2618, batch loss 1.724, 1.83 iters/s
step 2619, batch loss 1.573, 1.83 iters/s
step 2620, batch loss 1.998, 1.82 iters/s
step 2621, batch loss 2.273, 1.83 iters/s
step 2622, batch loss 2.169, 1.83 iters/s
step 2623, batch loss 1.898, 1.83 iters/s
step 2624, batch loss 1.978, 1.82 iters/s
step 2625, batch loss 1.93, 1.83 iters/s
step 2626, batch loss 2.144, 1.83 iters/s
step 2627, batch loss 2.124, 1.83 iters/s
step 2628, batch loss 1.928, 1.86 iters/s
step 2629, batch loss 2.011, 1.84 iters/s
step 2630, batch loss 1.519, 1.83 iters/s
step 2631, batch loss 2.332, 1.82 iters/s
step 2632, batch loss 2.414, 1.82 iters/s
step 2633, batch loss 1.725, 1.83 iters/s
step 2634, batch loss 2.076, 1.82 iters/s
step 2635, batch loss 2.316, 1.83 iters/s
step 2636, batch loss 2.313, 1.82 iters/s
step 2637, batch loss 2.298, 1.83 iters/s
step 2638, batch loss 1.963, 1.83 iters/s
step 2639, batch loss 1.976, 1.83 iters/s
step 2640, batch loss 1.502, 1.83 iters/s
step 2641, batch loss 2.204, 1.82 iters/s
step 2642, batch loss 1.88, 1.85 iters/s
step 2643, batch loss 2.421, 1.83 iters/s
step 2644, batch loss 1.698, 1.82 iters/s
step 2645, batch loss 1.819, 1.83 iters/s
step 2646, batch loss 1.934, 1.82 iters/s
step 2647, batch loss 1.799, 1.83 iters/s
step 2648, batch loss 1.971, 1.83 iters/s
step 2649, batch loss 2.012, 1.85 iters/s
step 2650, batch loss 2.321, 1.83 iters/s
step 2651, batch loss 1.764, 1.83 iters/s
step 2652, batch loss 1.861, 1.82 iters/s
step 2653, batch loss 2.032, 1.83 iters/s
step 2654, batch loss 2.294, 1.83 iters/s
step 2655, batch loss 2.185, 1.83 iters/s
step 2656, batch loss 2.038, 1.82 iters/s
step 2657, batch loss 2.651, 1.84 iters/s
step 2658, batch loss 2.1, 1.82 iters/s

step 2659, batch loss 2.953, 1.82 iters/s
step 2660, batch loss 2.046, 1.82 iters/s
step 2661, batch loss 2.64, 1.84 iters/s
step 2662, batch loss 1.858, 1.84 iters/s
step 2663, batch loss 2.064, 1.82 iters/s
step 2664, batch loss 2.631, 1.82 iters/s
step 2665, batch loss 1.988, 1.83 iters/s
step 2666, batch loss 2.657, 1.83 iters/s
step 2667, batch loss 1.747, 1.83 iters/s
step 2668, batch loss 2.582, 1.83 iters/s
step 2669, batch loss 1.782, 1.82 iters/s
step 2670, batch loss 2.065, 1.82 iters/s
step 2671, batch loss 1.704, 1.84 iters/s
step 2672, batch loss 1.332, 1.83 iters/s
step 2673, batch loss 1.937, 1.82 iters/s
step 2674, batch loss 2.991, 1.82 iters/s
step 2675, batch loss 2.314, 1.85 iters/s
step 2676, batch loss 2.295, 1.83 iters/s
step 2677, batch loss 1.838, 1.83 iters/s
step 2678, batch loss 2.247, 1.83 iters/s
step 2679, batch loss 1.982, 1.82 iters/s
step 2680, batch loss 2.423, 1.83 iters/s
step 2681, batch loss 1.999, 1.83 iters/s
step 2682, batch loss 2.194, 1.83 iters/s
step 2683, batch loss 2.099, 1.83 iters/s
step 2684, batch loss 1.975, 1.82 iters/s
step 2685, batch loss 2.84, 1.83 iters/s
step 2686, batch loss 2.264, 1.83 iters/s
step 2687, batch loss 1.878, 1.83 iters/s
step 2688, batch loss 2.484, 1.83 iters/s
step 2689, batch loss 2.031, 1.83 iters/s
step 2690, batch loss 1.81, 1.82 iters/s
step 2691, batch loss 1.978, 1.83 iters/s
step 2692, batch loss 2.255, 1.83 iters/s
step 2693, batch loss 2.056, 1.82 iters/s
step 2694, batch loss 2.084, 1.82 iters/s
step 2695, batch loss 2.484, 1.83 iters/s
step 2696, batch loss 2.355, 1.83 iters/s
step 2697, batch loss 2.396, 1.84 iters/s
step 2698, batch loss 2.273, 1.82 iters/s
step 2699, batch loss 1.903, 1.83 iters/s
step 2700, batch loss 1.395, 1.83 iters/s
step 2701, batch loss 2.027, 1.83 iters/s
step 2702, batch loss 2.099, 1.83 iters/s
step 2703, batch loss 2.379, 1.82 iters/s
step 2704, batch loss 1.822, 1.83 iters/s
step 2705, batch loss 2.626, 1.82 iters/s
step 2706, batch loss 2.049, 1.82 iters/s

step 2707, batch loss 2.118, 1.83 iters/s
step 2708, batch loss 1.84, 1.83 iters/s
step 2709, batch loss 1.817, 1.82 iters/s
step 2710, batch loss 2.355, 1.83 iters/s
step 2711, batch loss 1.948, 1.83 iters/s
step 2712, batch loss 2.082, 1.82 iters/s
step 2713, batch loss 2.134, 1.83 iters/s
step 2714, batch loss 1.632, 1.82 iters/s
step 2715, batch loss 2.293, 1.82 iters/s
step 2716, batch loss 2.24, 1.81 iters/s
step 2717, batch loss 2.001, 1.83 iters/s
step 2718, batch loss 2.127, 1.82 iters/s
step 2719, batch loss 1.389, 1.83 iters/s
step 2720, batch loss 2.634, 1.83 iters/s
step 2721, batch loss 1.744, 1.84 iters/s
step 2722, batch loss 1.999, 1.83 iters/s
step 2723, batch loss 2.157, 1.83 iters/s
step 2724, batch loss 2.395, 1.83 iters/s
step 2725, batch loss 1.994, 1.85 iters/s
step 2726, batch loss 2.25, 1.84 iters/s
step 2727, batch loss 2.11, 1.83 iters/s
step 2728, batch loss 1.963, 1.83 iters/s
step 2729, batch loss 2.01, 1.86 iters/s
step 2730, batch loss 1.721, 1.83 iters/s
step 2731, batch loss 1.899, 1.83 iters/s
step 2732, batch loss 1.665, 1.83 iters/s
step 2733, batch loss 2.241, 1.83 iters/s
step 2734, batch loss 2.494, 1.82 iters/s
step 2735, batch loss 1.981, 1.82 iters/s
step 2736, batch loss 1.932, 1.82 iters/s
step 2737, batch loss 1.738, 1.83 iters/s
step 2738, batch loss 2.188, 1.83 iters/s
step 2739, batch loss 2.068, 1.83 iters/s
step 2740, batch loss 2.302, 1.84 iters/s
step 2741, batch loss 1.73, 1.83 iters/s
step 2742, batch loss 2.838, 1.82 iters/s
step 2743, batch loss 2.307, 1.86 iters/s
step 2744, batch loss 2.069, 1.84 iters/s
step 2745, batch loss 1.86, 1.83 iters/s
step 2746, batch loss 2.33, 1.82 iters/s
step 2747, batch loss 1.893, 1.83 iters/s
step 2748, batch loss 2.018, 1.82 iters/s
step 2749, batch loss 2.309, 1.82 iters/s
step 2750, batch loss 2.077, 1.83 iters/s
step 2751, batch loss 2.289, 1.82 iters/s
step 2752, batch loss 2.115, 1.83 iters/s
step 2753, batch loss 2.125, 1.82 iters/s
step 2754, batch loss 2.051, 1.82 iters/s

step 2755, batch loss 1.967, 1.83 iters/s
step 2756, batch loss 2.319, 1.82 iters/s
step 2757, batch loss 2.2, 1.83 iters/s
step 2758, batch loss 2.295, 1.83 iters/s
step 2759, batch loss 1.658, 1.83 iters/s
step 2760, batch loss 2.116, 1.82 iters/s
step 2761, batch loss 1.562, 1.82 iters/s
step 2762, batch loss 2.093, 1.83 iters/s
step 2763, batch loss 2.157, 1.83 iters/s
step 2764, batch loss 2.142, 1.82 iters/s
step 2765, batch loss 2.218, 1.82 iters/s
step 2766, batch loss 2.671, 1.82 iters/s
step 2767, batch loss 1.843, 1.82 iters/s
step 2768, batch loss 2.194, 1.82 iters/s
step 2769, batch loss 2.315, 1.84 iters/s
step 2770, batch loss 1.965, 1.84 iters/s
step 2771, batch loss 2.079, 1.83 iters/s
step 2772, batch loss 1.864, 1.83 iters/s
step 2773, batch loss 2.254, 1.82 iters/s
step 2774, batch loss 2.006, 1.84 iters/s
step 2775, batch loss 2.134, 1.83 iters/s
step 2776, batch loss 2.159, 1.83 iters/s
step 2777, batch loss 2.316, 1.83 iters/s
step 2778, batch loss 1.968, 1.83 iters/s
step 2779, batch loss 2.798, 1.82 iters/s
step 2780, batch loss 1.958, 1.83 iters/s
step 2781, batch loss 2.553, 1.82 iters/s
step 2782, batch loss 2.092, 1.83 iters/s
step 2783, batch loss 1.981, 1.84 iters/s
step 2784, batch loss 2.136, 1.83 iters/s
step 2785, batch loss 1.707, 1.85 iters/s
step 2786, batch loss 1.543, 1.83 iters/s
step 2787, batch loss 1.996, 1.83 iters/s
step 2788, batch loss 2.181, 1.83 iters/s
step 2789, batch loss 2.13, 1.84 iters/s
step 2790, batch loss 2.291, 1.82 iters/s
step 2791, batch loss 1.991, 1.83 iters/s
step 2792, batch loss 2.173, 1.83 iters/s
step 2793, batch loss 2.078, 1.83 iters/s
step 2794, batch loss 1.99, 1.82 iters/s
step 2795, batch loss 1.81, 1.82 iters/s
step 2796, batch loss 2.153, 1.84 iters/s
step 2797, batch loss 2.254, 1.85 iters/s
step 2798, batch loss 2.18, 1.83 iters/s
step 2799, batch loss 1.971, 1.83 iters/s
step 2800, batch loss 2.146, 1.83 iters/s
step 2801, batch loss 1.241, 1.82 iters/s
step 2802, batch loss 1.586, 1.84 iters/s

step 2803, batch loss 2.233, 1.82 iters/s
step 2804, batch loss 2.079, 1.82 iters/s
step 2805, batch loss 1.879, 1.83 iters/s
step 2806, batch loss 1.988, 1.83 iters/s
step 2807, batch loss 2.073, 1.82 iters/s
step 2808, batch loss 1.959, 1.83 iters/s
step 2809, batch loss 1.832, 1.82 iters/s
step 2810, batch loss 1.996, 1.83 iters/s
step 2811, batch loss 1.965, 1.82 iters/s
step 2812, batch loss 1.966, 1.83 iters/s
step 2813, batch loss 2.337, 1.84 iters/s
step 2814, batch loss 2.404, 1.84 iters/s
step 2815, batch loss 2.445, 1.82 iters/s
step 2816, batch loss 1.628, 1.83 iters/s
step 2817, batch loss 1.845, 1.83 iters/s
step 2818, batch loss 1.968, 1.82 iters/s
step 2819, batch loss 1.691, 1.83 iters/s
step 2820, batch loss 1.934, 1.83 iters/s
step 2821, batch loss 2.05, 1.83 iters/s
step 2822, batch loss 2.427, 1.83 iters/s
step 2823, batch loss 1.629, 1.83 iters/s
step 2824, batch loss 2.498, 1.83 iters/s
step 2825, batch loss 2.223, 1.83 iters/s
step 2826, batch loss 2.242, 1.83 iters/s
step 2827, batch loss 1.604, 1.84 iters/s
step 2828, batch loss 2.024, 1.84 iters/s
step 2829, batch loss 2.159, 1.84 iters/s
step 2830, batch loss 2.393, 1.83 iters/s
step 2831, batch loss 2.134, 1.82 iters/s
step 2832, batch loss 2.473, 1.83 iters/s
step 2833, batch loss 1.855, 1.83 iters/s
step 2834, batch loss 2.176, 1.83 iters/s
step 2835, batch loss 2.177, 1.83 iters/s
step 2836, batch loss 1.767, 1.84 iters/s
step 2837, batch loss 2.05, 1.83 iters/s
step 2838, batch loss 2.368, 1.83 iters/s
step 2839, batch loss 2.149, 1.83 iters/s
step 2840, batch loss 1.862, 1.83 iters/s
step 2841, batch loss 2.627, 1.82 iters/s
step 2842, batch loss 2.05, 1.85 iters/s
step 2843, batch loss 1.602, 1.84 iters/s
step 2844, batch loss 2.101, 1.82 iters/s
step 2845, batch loss 2.042, 1.84 iters/s
step 2846, batch loss 2.034, 1.83 iters/s
step 2847, batch loss 1.838, 1.82 iters/s
step 2848, batch loss 2.349, 1.83 iters/s
step 2849, batch loss 1.518, 1.82 iters/s
step 2850, batch loss 1.447, 1.83 iters/s

step 2851, batch loss 2.583, 1.82 iters/s
step 2852, batch loss 2.039, 1.83 iters/s
step 2853, batch loss 1.997, 1.82 iters/s
step 2854, batch loss 2.003, 1.83 iters/s
step 2855, batch loss 2.106, 1.82 iters/s
step 2856, batch loss 2.101, 1.82 iters/s
step 2857, batch loss 2.35, 1.83 iters/s
step 2858, batch loss 1.547, 1.82 iters/s
step 2859, batch loss 2.577, 1.83 iters/s
step 2860, batch loss 2.008, 1.83 iters/s
step 2861, batch loss 1.864, 1.85 iters/s
step 2862, batch loss 2.19, 1.83 iters/s
step 2863, batch loss 2.292, 1.83 iters/s
step 2864, batch loss 1.886, 1.82 iters/s
step 2865, batch loss 1.889, 1.83 iters/s
step 2866, batch loss 1.96, 1.83 iters/s
step 2867, batch loss 2.034, 1.82 iters/s
step 2868, batch loss 1.906, 1.83 iters/s
step 2869, batch loss 2.484, 1.83 iters/s
step 2870, batch loss 2.199, 1.83 iters/s
step 2871, batch loss 1.709, 1.83 iters/s
step 2872, batch loss 2.475, 1.82 iters/s
step 2873, batch loss 2.418, 1.83 iters/s
step 2874, batch loss 2.303, 1.83 iters/s
step 2875, batch loss 2.237, 1.83 iters/s
step 2876, batch loss 1.123, 1.84 iters/s
step 2877, batch loss 1.933, 1.82 iters/s
step 2878, batch loss 2.527, 1.84 iters/s
step 2879, batch loss 1.905, 1.85 iters/s
step 2880, batch loss 2.035, 1.83 iters/s
step 2881, batch loss 1.924, 1.86 iters/s
step 2882, batch loss 1.697, 1.83 iters/s
step 2883, batch loss 1.828, 1.83 iters/s
step 2884, batch loss 2.142, 1.83 iters/s
step 2885, batch loss 2.359, 1.83 iters/s
step 2886, batch loss 2.169, 1.82 iters/s
step 2887, batch loss 2.084, 1.83 iters/s
step 2888, batch loss 1.666, 1.84 iters/s
step 2889, batch loss 1.847, 1.83 iters/s
step 2890, batch loss 2.059, 1.82 iters/s
step 2891, batch loss 2.455, 1.83 iters/s
step 2892, batch loss 1.705, 1.82 iters/s
step 2893, batch loss 3.756, 1.82 iters/s
step 2894, batch loss 2.025, 1.83 iters/s
step 2895, batch loss 1.949, 1.83 iters/s
step 2896, batch loss 2.019, 1.82 iters/s
step 2897, batch loss 1.923, 1.82 iters/s
step 2898, batch loss 1.863, 1.83 iters/s

step 2899, batch loss 1.872, 1.83 iters/s
step 2900, batch loss 2.161, 1.82 iters/s
step 2901, batch loss 1.907, 1.82 iters/s
step 2902, batch loss 1.958, 1.83 iters/s
step 2903, batch loss 1.91, 1.83 iters/s
step 2904, batch loss 1.817, 1.83 iters/s
step 2905, batch loss 2.493, 1.83 iters/s
step 2906, batch loss 2.04, 1.82 iters/s
step 2907, batch loss 2.013, 1.82 iters/s
step 2908, batch loss 1.728, 1.83 iters/s
step 2909, batch loss 2.074, 1.82 iters/s
step 2910, batch loss 1.861, 1.82 iters/s
step 2911, batch loss 2.168, 1.83 iters/s
step 2912, batch loss 2.264, 1.82 iters/s
step 2913, batch loss 1.912, 1.82 iters/s
step 2914, batch loss 2.044, 1.82 iters/s
step 2915, batch loss 2.004, 1.85 iters/s
step 2916, batch loss 2.212, 1.82 iters/s
step 2917, batch loss 1.821, 1.82 iters/s
step 2918, batch loss 2.056, 1.82 iters/s
step 2919, batch loss 2.466, 1.83 iters/s
step 2920, batch loss 2.113, 1.82 iters/s
step 2921, batch loss 2.225, 1.82 iters/s
step 2922, batch loss 2.147, 1.84 iters/s
step 2923, batch loss 2.343, 1.82 iters/s
step 2924, batch loss 2.071, 1.83 iters/s
step 2925, batch loss 2.128, 1.82 iters/s
step 2926, batch loss 2.008, 1.84 iters/s
step 2927, batch loss 2.28, 1.83 iters/s
step 2928, batch loss 1.993, 1.85 iters/s
step 2929, batch loss 2.008, 1.83 iters/s
step 2930, batch loss 1.963, 1.83 iters/s
step 2931, batch loss 2.339, 1.83 iters/s
step 2932, batch loss 2.016, 1.84 iters/s
step 2933, batch loss 2.664, 1.82 iters/s
step 2934, batch loss 1.947, 1.83 iters/s
step 2935, batch loss 2.052, 1.82 iters/s
step 2936, batch loss 1.887, 1.83 iters/s
step 2937, batch loss 2.115, 1.83 iters/s
step 2938, batch loss 2.049, 1.82 iters/s
step 2939, batch loss 2.196, 1.84 iters/s
step 2940, batch loss 2.16, 1.82 iters/s
step 2941, batch loss 2.21, 1.85 iters/s
step 2942, batch loss 2.009, 1.83 iters/s
step 2943, batch loss 1.835, 1.83 iters/s
step 2944, batch loss 1.95, 1.83 iters/s
step 2945, batch loss 2.625, 1.82 iters/s
step 2946, batch loss 2.72, 1.82 iters/s

step 2947, batch loss 1.982, 1.82 iters/s
step 2948, batch loss 2.216, 1.83 iters/s
step 2949, batch loss 1.958, 1.83 iters/s
step 2950, batch loss 2.062, 1.83 iters/s
step 2951, batch loss 2.925, 1.83 iters/s
step 2952, batch loss 2.047, 1.83 iters/s
step 2953, batch loss 1.992, 1.82 iters/s
step 2954, batch loss 2.104, 1.84 iters/s
step 2955, batch loss 2.325, 1.83 iters/s
step 2956, batch loss 2.431, 1.85 iters/s
step 2957, batch loss 1.69, 1.85 iters/s
step 2958, batch loss 2.21, 1.83 iters/s
step 2959, batch loss 1.752, 1.82 iters/s
step 2960, batch loss 1.952, 1.83 iters/s
step 2961, batch loss 1.988, 1.83 iters/s
step 2962, batch loss 1.48, 1.83 iters/s
step 2963, batch loss 1.579, 1.83 iters/s
step 2964, batch loss 2.289, 1.83 iters/s
step 2965, batch loss 2.024, 1.83 iters/s
step 2966, batch loss 1.719, 1.84 iters/s
step 2967, batch loss 1.622, 1.82 iters/s
step 2968, batch loss 1.802, 1.83 iters/s
step 2969, batch loss 2.233, 1.83 iters/s
step 2970, batch loss 2.199, 1.83 iters/s
step 2971, batch loss 1.945, 1.83 iters/s
step 2972, batch loss 1.82, 1.83 iters/s
step 2973, batch loss 1.963, 1.82 iters/s
step 2974, batch loss 2.072, 1.83 iters/s
step 2975, batch loss 2.219, 1.82 iters/s
step 2976, batch loss 2.737, 1.83 iters/s
step 2977, batch loss 2.343, 1.83 iters/s
step 2978, batch loss 2.215, 1.83 iters/s
step 2979, batch loss 1.948, 1.83 iters/s
step 2980, batch loss 1.968, 1.82 iters/s
step 2981, batch loss 2.016, 1.83 iters/s
step 2982, batch loss 2.264, 1.82 iters/s
step 2983, batch loss 2.112, 1.84 iters/s
step 2984, batch loss 2.119, 1.83 iters/s
step 2985, batch loss 1.823, 1.83 iters/s
step 2986, batch loss 1.868, 1.83 iters/s
step 2987, batch loss 2.265, 1.83 iters/s
step 2988, batch loss 1.704, 1.83 iters/s
step 2989, batch loss 2.124, 1.83 iters/s
step 2990, batch loss 2.014, 1.85 iters/s
step 2991, batch loss 2.108, 1.83 iters/s
step 2992, batch loss 1.899, 1.82 iters/s
step 2993, batch loss 1.616, 1.82 iters/s
step 2994, batch loss 2.164, 1.84 iters/s

step 2995, batch loss 2.063, 1.82 iters/s
step 2996, batch loss 2.393, 1.82 iters/s
step 2997, batch loss 2.117, 1.83 iters/s
step 2998, batch loss 2.066, 1.83 iters/s
step 2999, batch loss 2.147, 1.83 iters/s
step 3000, batch loss 2.041, 1.83 iters/s
step 3001, batch loss 1.838, 1.83 iters/s
step 3002, batch loss 1.968, 1.86 iters/s
step 3003, batch loss 2.356, 1.82 iters/s
step 3004, batch loss 2.088, 1.84 iters/s
step 3005, batch loss 2.077, 1.84 iters/s
step 3006, batch loss 1.869, 1.83 iters/s
step 3007, batch loss 2.08, 1.84 iters/s
step 3008, batch loss 2.064, 1.83 iters/s
step 3009, batch loss 2.373, 1.83 iters/s
step 3010, batch loss 2.266, 1.82 iters/s
step 3011, batch loss 1.822, 1.83 iters/s
step 3012, batch loss 2.243, 1.83 iters/s
step 3013, batch loss 2.265, 1.83 iters/s
step 3014, batch loss 1.861, 1.83 iters/s
step 3015, batch loss 1.652, 1.83 iters/s
step 3016, batch loss 2.31, 1.84 iters/s
step 3017, batch loss 2.292, 1.83 iters/s
step 3018, batch loss 1.918, 1.83 iters/s
step 3019, batch loss 1.855, 1.83 iters/s
step 3020, batch loss 1.872, 1.83 iters/s
step 3021, batch loss 2.191, 1.82 iters/s
step 3022, batch loss 2.04, 1.83 iters/s
step 3023, batch loss 1.924, 1.84 iters/s
step 3024, batch loss 2.101, 1.83 iters/s
step 3025, batch loss 1.835, 1.82 iters/s
step 3026, batch loss 2.339, 1.83 iters/s
step 3027, batch loss 2.373, 1.82 iters/s
step 3028, batch loss 1.727, 1.81 iters/s
step 3029, batch loss 1.621, 1.82 iters/s
step 3030, batch loss 1.736, 1.85 iters/s
step 3031, batch loss 2.134, 1.83 iters/s
step 3032, batch loss 1.872, 1.83 iters/s
step 3033, batch loss 2.125, 1.83 iters/s
step 3034, batch loss 2.199, 1.83 iters/s
step 3035, batch loss 2.025, 1.83 iters/s
step 3036, batch loss 2.222, 1.83 iters/s
step 3037, batch loss 2.062, 1.83 iters/s
step 3038, batch loss 2.492, 1.83 iters/s
step 3039, batch loss 1.844, 1.82 iters/s
step 3040, batch loss 2.156, 1.85 iters/s
step 3041, batch loss 1.827, 1.83 iters/s
step 3042, batch loss 1.347, 1.83 iters/s

step 3043, batch loss 2.073, 1.83 iters/s
step 3044, batch loss 2.299, 1.83 iters/s
step 3045, batch loss 2.143, 1.83 iters/s
step 3046, batch loss 2.217, 1.82 iters/s
step 3047, batch loss 1.771, 1.84 iters/s
step 3048, batch loss 2.222, 1.82 iters/s
step 3049, batch loss 1.939, 1.82 iters/s
step 3050, batch loss 1.717, 1.83 iters/s
step 3051, batch loss 2.182, 1.83 iters/s
step 3052, batch loss 1.859, 1.83 iters/s
step 3053, batch loss 1.976, 1.82 iters/s
step 3054, batch loss 1.88, 1.83 iters/s
step 3055, batch loss 2.05, 1.82 iters/s
step 3056, batch loss 2.096, 1.83 iters/s
step 3057, batch loss 1.843, 1.83 iters/s
step 3058, batch loss 2.039, 1.83 iters/s
step 3059, batch loss 1.92, 1.82 iters/s
step 3060, batch loss 2.277, 1.83 iters/s
step 3061, batch loss 1.989, 1.83 iters/s
step 3062, batch loss 1.832, 1.82 iters/s
step 3063, batch loss 1.818, 1.83 iters/s
step 3064, batch loss 2.243, 1.82 iters/s
step 3065, batch loss 2.026, 1.82 iters/s
step 3066, batch loss 2.025, 1.84 iters/s
step 3067, batch loss 1.802, 1.82 iters/s
step 3068, batch loss 2.204, 1.82 iters/s
step 3069, batch loss 2.078, 1.82 iters/s
step 3070, batch loss 2.042, 1.83 iters/s
step 3071, batch loss 2.05, 1.83 iters/s
step 3072, batch loss 2.275, 1.83 iters/s
step 3073, batch loss 1.956, 1.82 iters/s
step 3074, batch loss 2.361, 1.83 iters/s
step 3075, batch loss 1.909, 1.83 iters/s
step 3076, batch loss 1.776, 1.82 iters/s
step 3077, batch loss 1.925, 1.83 iters/s
step 3078, batch loss 1.965, 1.83 iters/s
step 3079, batch loss 1.851, 1.83 iters/s
step 3080, batch loss 2.21, 1.82 iters/s
step 3081, batch loss 2.268, 1.83 iters/s
step 3082, batch loss 2.033, 1.82 iters/s
step 3083, batch loss 2.12, 1.83 iters/s
step 3084, batch loss 2.265, 1.84 iters/s
step 3085, batch loss 2.43, 1.84 iters/s
step 3086, batch loss 1.883, 1.83 iters/s
step 3087, batch loss 1.643, 1.82 iters/s
step 3088, batch loss 1.793, 1.85 iters/s
step 3089, batch loss 2.33, 1.82 iters/s
step 3090, batch loss 2.362, 1.82 iters/s

step 3091, batch loss 1.888, 1.85 iters/s
step 3092, batch loss 1.862, 1.86 iters/s
step 3093, batch loss 1.786, 1.83 iters/s
step 3094, batch loss 2.166, 1.82 iters/s
step 3095, batch loss 1.456, 1.82 iters/s
step 3096, batch loss 1.941, 1.82 iters/s
step 3097, batch loss 2.37, 1.81 iters/s
step 3098, batch loss 1.955, 1.83 iters/s
step 3099, batch loss 2.079, 1.82 iters/s
step 3100, batch loss 1.91, 1.83 iters/s
step 3101, batch loss 2.117, 1.85 iters/s
step 3102, batch loss 1.805, 1.82 iters/s
step 3103, batch loss 2.015, 1.83 iters/s
step 3104, batch loss 1.716, 1.83 iters/s
step 3105, batch loss 1.885, 1.83 iters/s
step 3106, batch loss 1.612, 1.83 iters/s
step 3107, batch loss 1.939, 1.83 iters/s
step 3108, batch loss 2.162, 1.84 iters/s
step 3109, batch loss 2.018, 1.82 iters/s
step 3110, batch loss 2.453, 1.82 iters/s
step 3111, batch loss 1.962, 1.83 iters/s
step 3112, batch loss 2.008, 1.83 iters/s
step 3113, batch loss 2.177, 1.83 iters/s
step 3114, batch loss 2.094, 1.82 iters/s
step 3115, batch loss 1.665, 1.83 iters/s
step 3116, batch loss 2.063, 1.84 iters/s
step 3117, batch loss 1.829, 1.83 iters/s
step 3118, batch loss 2.08, 1.86 iters/s
step 3119, batch loss 1.541, 1.83 iters/s
step 3120, batch loss 1.911, 1.83 iters/s
step 3121, batch loss 2.064, 1.82 iters/s
step 3122, batch loss 1.646, 1.83 iters/s
step 3123, batch loss 2.59, 1.83 iters/s
step 3124, batch loss 2.042, 1.83 iters/s
step 3125, batch loss 1.793, 1.82 iters/s
step 3126, batch loss 1.77, 1.83 iters/s
step 3127, batch loss 2.153, 1.82 iters/s
step 3128, batch loss 1.699, 1.82 iters/s
step 3129, batch loss 2.533, 1.82 iters/s
step 3130, batch loss 2.313, 1.82 iters/s
step 3131, batch loss 2.176, 1.84 iters/s
step 3132, batch loss 2.09, 1.83 iters/s
step 3133, batch loss 2.011, 1.82 iters/s
step 3134, batch loss 2.122, 1.83 iters/s
step 3135, batch loss 2.119, 1.82 iters/s
step 3136, batch loss 2.561, 1.82 iters/s
step 3137, batch loss 2.184, 1.82 iters/s
step 3138, batch loss 2.065, 1.82 iters/s

step 3139, batch loss 1.89, 1.82 iters/s
step 3140, batch loss 2.262, 1.82 iters/s
step 3141, batch loss 2.248, 1.83 iters/s
step 3142, batch loss 2.308, 1.83 iters/s
step 3143, batch loss 1.545, 1.85 iters/s
step 3144, batch loss 2.153, 1.83 iters/s
step 3145, batch loss 1.312, 1.83 iters/s
step 3146, batch loss 1.203, 1.83 iters/s
step 3147, batch loss 2.085, 1.83 iters/s
step 3148, batch loss 2.141, 1.82 iters/s
step 3149, batch loss 2.378, 1.83 iters/s
step 3150, batch loss 1.965, 1.83 iters/s
step 3151, batch loss 1.208, 1.83 iters/s
step 3152, batch loss 1.756, 1.83 iters/s
step 3153, batch loss 2.334, 1.83 iters/s
step 3154, batch loss 1.723, 1.83 iters/s
step 3155, batch loss 2.217, 1.82 iters/s
step 3156, batch loss 1.839, 1.84 iters/s
step 3157, batch loss 2.07, 1.83 iters/s
step 3158, batch loss 1.983, 1.82 iters/s
step 3159, batch loss 2.07, 1.83 iters/s
step 3160, batch loss 1.948, 1.83 iters/s
step 3161, batch loss 1.934, 1.83 iters/s
step 3162, batch loss 1.998, 1.84 iters/s
step 3163, batch loss 1.903, 1.83 iters/s
step 3164, batch loss 1.754, 1.82 iters/s
step 3165, batch loss 2.008, 1.82 iters/s
step 3166, batch loss 2.013, 1.83 iters/s
step 3167, batch loss 1.969, 1.83 iters/s
step 3168, batch loss 2.176, 1.83 iters/s
step 3169, batch loss 2.777, 1.83 iters/s
step 3170, batch loss 2.055, 1.83 iters/s
step 3171, batch loss 2.773, 1.82 iters/s
step 3172, batch loss 1.991, 1.83 iters/s
step 3173, batch loss 1.98, 1.82 iters/s
step 3174, batch loss 1.904, 1.83 iters/s
step 3175, batch loss 2.115, 1.82 iters/s
step 3176, batch loss 1.947, 1.82 iters/s
step 3177, batch loss 2.174, 1.84 iters/s
step 3178, batch loss 2.25, 1.83 iters/s
step 3179, batch loss 1.772, 1.82 iters/s
step 3180, batch loss 2.256, 1.83 iters/s
step 3181, batch loss 1.81, 1.83 iters/s
step 3182, batch loss 2.119, 1.83 iters/s
step 3183, batch loss 2.534, 1.83 iters/s
step 3184, batch loss 1.897, 1.82 iters/s
step 3185, batch loss 1.9, 1.83 iters/s
step 3186, batch loss 3.46, 1.82 iters/s

step 3187, batch loss 2.112, 1.82 iters/s
step 3188, batch loss 2.064, 1.84 iters/s
step 3189, batch loss 2.206, 1.83 iters/s
step 3190, batch loss 2.035, 1.82 iters/s
step 3191, batch loss 1.613, 1.82 iters/s
step 3192, batch loss 1.815, 1.83 iters/s
step 3193, batch loss 1.849, 1.82 iters/s
step 3194, batch loss 1.974, 1.83 iters/s
step 3195, batch loss 2.138, 1.85 iters/s
step 3196, batch loss 2.012, 1.83 iters/s
step 3197, batch loss 2.375, 1.82 iters/s
step 3198, batch loss 2.234, 1.83 iters/s
step 3199, batch loss 2.313, 1.83 iters/s
step 3200, batch loss 2.193, 1.83 iters/s
step 3201, batch loss 1.822, 1.84 iters/s
step 3202, batch loss 2.122, 1.82 iters/s
step 3203, batch loss 1.649, 1.83 iters/s
step 3204, batch loss 2.52, 1.82 iters/s
step 3205, batch loss 2.175, 1.83 iters/s
step 3206, batch loss 2.008, 1.81 iters/s
step 3207, batch loss 1.534, 1.84 iters/s
step 3208, batch loss 2.201, 1.82 iters/s
step 3209, batch loss 2.059, 1.82 iters/s
step 3210, batch loss 1.754, 1.83 iters/s
step 3211, batch loss 2.189, 1.83 iters/s
step 3212, batch loss 2.284, 1.82 iters/s
step 3213, batch loss 1.944, 1.83 iters/s
step 3214, batch loss 1.801, 1.84 iters/s
step 3215, batch loss 1.883, 1.86 iters/s
step 3216, batch loss 1.731, 1.83 iters/s
step 3217, batch loss 1.362, 1.85 iters/s
step 3218, batch loss 1.823, 1.83 iters/s
step 3219, batch loss 2.158, 1.83 iters/s
step 3220, batch loss 2.494, 1.83 iters/s
step 3221, batch loss 1.907, 1.84 iters/s
step 3222, batch loss 2.182, 1.82 iters/s
step 3223, batch loss 2.164, 1.83 iters/s
step 3224, batch loss 2.12, 1.82 iters/s
step 3225, batch loss 2.02, 1.82 iters/s
step 3226, batch loss 2.547, 1.82 iters/s
step 3227, batch loss 2.199, 1.83 iters/s
step 3228, batch loss 2.18, 1.82 iters/s
step 3229, batch loss 2.087, 1.83 iters/s
step 3230, batch loss 2.371, 1.83 iters/s
step 3231, batch loss 2.052, 1.83 iters/s
step 3232, batch loss 2.274, 1.83 iters/s
step 3233, batch loss 2.517, 1.82 iters/s
step 3234, batch loss 2.123, 1.82 iters/s

step 3235, batch loss 2.39, 1.82 iters/s
step 3236, batch loss 2.116, 1.84 iters/s
step 3237, batch loss 1.505, 1.84 iters/s
step 3238, batch loss 2.043, 1.85 iters/s
step 3239, batch loss 2.093, 1.82 iters/s
step 3240, batch loss 1.959, 1.83 iters/s
step 3241, batch loss 2.479, 1.84 iters/s
step 3242, batch loss 2.011, 1.82 iters/s
step 3243, batch loss 1.966, 1.83 iters/s
step 3244, batch loss 1.62, 1.82 iters/s
step 3245, batch loss 1.98, 1.83 iters/s
step 3246, batch loss 1.73, 1.82 iters/s
step 3247, batch loss 2.062, 1.85 iters/s
step 3248, batch loss 1.641, 1.84 iters/s
step 3249, batch loss 2.218, 1.83 iters/s
step 3250, batch loss 1.849, 1.83 iters/s
step 3251, batch loss 2.153, 1.83 iters/s
step 3252, batch loss 1.963, 1.83 iters/s
step 3253, batch loss 2.175, 1.82 iters/s
step 3254, batch loss 1.937, 1.82 iters/s
step 3255, batch loss 1.533, 1.82 iters/s
step 3256, batch loss 2.06, 1.83 iters/s
step 3257, batch loss 1.916, 1.83 iters/s
step 3258, batch loss 1.941, 1.83 iters/s
step 3259, batch loss 1.959, 1.83 iters/s
step 3260, batch loss 1.818, 1.83 iters/s
step 3261, batch loss 2.306, 1.83 iters/s
step 3262, batch loss 2.542, 1.83 iters/s
step 3263, batch loss 2.365, 1.82 iters/s
step 3264, batch loss 2.298, 1.85 iters/s
step 3265, batch loss 2.06, 1.82 iters/s
step 3266, batch loss 2.02, 1.83 iters/s
step 3267, batch loss 2.23, 1.82 iters/s
step 3268, batch loss 1.952, 1.83 iters/s
step 3269, batch loss 2.118, 1.82 iters/s
step 3270, batch loss 2.422, 1.82 iters/s
step 3271, batch loss 2.529, 1.83 iters/s
step 3272, batch loss 2.095, 1.83 iters/s
step 3273, batch loss 1.946, 1.82 iters/s
step 3274, batch loss 2.237, 1.83 iters/s
step 3275, batch loss 1.942, 1.83 iters/s
step 3276, batch loss 1.641, 1.84 iters/s
step 3277, batch loss 1.905, 1.83 iters/s
step 3278, batch loss 2.048, 1.83 iters/s
step 3279, batch loss 2.117, 1.83 iters/s
step 3280, batch loss 2.257, 1.83 iters/s
step 3281, batch loss 2.31, 1.83 iters/s
step 3282, batch loss 2.29, 1.82 iters/s

step 3283, batch loss 2.394, 1.83 iters/s
step 3284, batch loss 2.719, 1.82 iters/s
step 3285, batch loss 3.212, 1.83 iters/s
step 3286, batch loss 1.87, 1.84 iters/s
step 3287, batch loss 2.495, 1.83 iters/s
step 3288, batch loss 1.932, 1.84 iters/s
step 3289, batch loss 2.127, 1.84 iters/s
step 3290, batch loss 2.586, 1.83 iters/s
step 3291, batch loss 1.523, 1.83 iters/s
step 3292, batch loss 1.887, 1.83 iters/s
step 3293, batch loss 2.173, 1.83 iters/s
step 3294, batch loss 1.981, 1.83 iters/s
step 3295, batch loss 2.061, 1.83 iters/s
step 3296, batch loss 1.87, 1.83 iters/s
step 3297, batch loss 2.014, 1.83 iters/s
step 3298, batch loss 2.465, 1.84 iters/s
step 3299, batch loss 2.106, 1.82 iters/s
step 3300, batch loss 2.131, 1.84 iters/s
step 3301, batch loss 2.438, 1.83 iters/s
step 3302, batch loss 1.742, 1.83 iters/s
step 3303, batch loss 1.723, 1.83 iters/s
step 3304, batch loss 2.107, 1.83 iters/s
step 3305, batch loss 1.838, 1.83 iters/s
step 3306, batch loss 2.203, 1.82 iters/s
step 3307, batch loss 2.032, 1.83 iters/s
step 3308, batch loss 2.03, 1.83 iters/s
step 3309, batch loss 2.149, 1.82 iters/s
step 3310, batch loss 1.776, 1.85 iters/s
step 3311, batch loss 1.562, 1.82 iters/s
step 3312, batch loss 2.392, 1.83 iters/s
step 3313, batch loss 1.978, 1.84 iters/s
step 3314, batch loss 2.197, 1.84 iters/s
step 3315, batch loss 1.986, 1.82 iters/s
step 3316, batch loss 1.587, 1.82 iters/s
step 3317, batch loss 3.341, 1.82 iters/s
step 3318, batch loss 1.969, 1.83 iters/s
step 3319, batch loss 1.827, 1.82 iters/s
step 3320, batch loss 1.937, 1.82 iters/s
step 3321, batch loss 1.971, 1.82 iters/s
step 3322, batch loss 2.33, 1.82 iters/s
step 3323, batch loss 2.201, 1.82 iters/s
step 3324, batch loss 1.666, 1.83 iters/s
step 3325, batch loss 2.526, 1.83 iters/s
step 3326, batch loss 1.942, 1.83 iters/s
step 3327, batch loss 2.378, 1.82 iters/s
step 3328, batch loss 2.348, 1.83 iters/s
step 3329, batch loss 2.047, 1.83 iters/s
step 3330, batch loss 1.476, 1.83 iters/s

step 3331, batch loss 2.132, 1.83 iters/s
step 3332, batch loss 2.275, 1.82 iters/s
step 3333, batch loss 2.163, 1.83 iters/s
step 3334, batch loss 2.407, 1.82 iters/s
step 3335, batch loss 2.003, 1.83 iters/s
step 3336, batch loss 1.946, 1.83 iters/s
step 3337, batch loss 2.661, 1.82 iters/s
step 3338, batch loss 1.951, 1.83 iters/s
step 3339, batch loss 2.015, 1.85 iters/s
step 3340, batch loss 2.1, 1.84 iters/s
step 3341, batch loss 2.695, 1.82 iters/s
step 3342, batch loss 2.48, 1.83 iters/s
step 3343, batch loss 2.097, 1.83 iters/s
step 3344, batch loss 1.545, 1.82 iters/s
step 3345, batch loss 1.785, 1.83 iters/s
step 3346, batch loss 1.984, 1.82 iters/s
step 3347, batch loss 2.214, 1.83 iters/s
step 3348, batch loss 1.915, 1.83 iters/s
step 3349, batch loss 1.837, 1.82 iters/s
step 3350, batch loss 2.18, 1.82 iters/s
step 3351, batch loss 1.989, 1.82 iters/s
step 3352, batch loss 1.913, 1.82 iters/s
step 3353, batch loss 1.943, 1.83 iters/s
step 3354, batch loss 2.069, 1.83 iters/s
step 3355, batch loss 2.107, 1.83 iters/s
step 3356, batch loss 2.436, 1.83 iters/s
step 3357, batch loss 2.23, 1.83 iters/s
step 3358, batch loss 1.98, 1.83 iters/s
step 3359, batch loss 1.975, 1.83 iters/s
step 3360, batch loss 2.319, 1.84 iters/s
step 3361, batch loss 2.456, 1.84 iters/s
step 3362, batch loss 1.717, 1.83 iters/s
step 3363, batch loss 2.026, 1.82 iters/s
step 3364, batch loss 2.092, 1.83 iters/s
step 3365, batch loss 2.289, 1.82 iters/s
step 3366, batch loss 2.759, 1.85 iters/s
step 3367, batch loss 2.056, 1.85 iters/s
step 3368, batch loss 1.8, 1.83 iters/s
step 3369, batch loss 2.044, 1.83 iters/s
step 3370, batch loss 2.035, 1.82 iters/s
step 3371, batch loss 2.395, 1.83 iters/s
step 3372, batch loss 1.768, 1.83 iters/s
step 3373, batch loss 2.212, 1.84 iters/s
step 3374, batch loss 1.974, 1.83 iters/s
step 3375, batch loss 1.789, 1.84 iters/s
step 3376, batch loss 1.8, 1.83 iters/s
step 3377, batch loss 1.68, 1.83 iters/s
step 3378, batch loss 2.038, 1.83 iters/s

step 3379, batch loss 1.821, 1.83 iters/s
step 3380, batch loss 2.017, 1.82 iters/s
step 3381, batch loss 2.239, 1.83 iters/s
step 3382, batch loss 2.201, 1.83 iters/s
step 3383, batch loss 2.208, 1.83 iters/s
step 3384, batch loss 1.874, 1.83 iters/s
step 3385, batch loss 2.635, 1.83 iters/s
step 3386, batch loss 2.251, 1.83 iters/s
step 3387, batch loss 2.532, 1.83 iters/s
step 3388, batch loss 2.315, 1.82 iters/s
step 3389, batch loss 1.971, 1.83 iters/s
step 3390, batch loss 2.074, 1.83 iters/s
step 3391, batch loss 2.16, 1.83 iters/s
step 3392, batch loss 1.972, 1.82 iters/s
step 3393, batch loss 1.967, 1.81 iters/s
step 3394, batch loss 2.496, 1.83 iters/s
step 3395, batch loss 2.139, 1.82 iters/s
step 3396, batch loss 1.788, 1.83 iters/s
step 3397, batch loss 2.005, 1.82 iters/s
step 3398, batch loss 1.862, 1.84 iters/s
step 3399, batch loss 2.188, 1.85 iters/s
step 3400, batch loss 2.036, 1.84 iters/s
step 3401, batch loss 2.467, 1.83 iters/s
step 3402, batch loss 2.242, 1.83 iters/s
step 3403, batch loss 1.838, 1.82 iters/s
step 3404, batch loss 2.138, 1.85 iters/s
step 3405, batch loss 2.419, 1.83 iters/s
step 3406, batch loss 2.033, 1.83 iters/s
step 3407, batch loss 1.887, 1.83 iters/s
step 3408, batch loss 2.635, 1.82 iters/s
step 3409, batch loss 2.159, 1.82 iters/s
step 3410, batch loss 2.481, 1.83 iters/s
step 3411, batch loss 2.578, 1.82 iters/s
step 3412, batch loss 2.003, 1.83 iters/s
step 3413, batch loss 2.942, 1.85 iters/s
step 3414, batch loss 2.655, 1.83 iters/s
step 3415, batch loss 1.871, 1.83 iters/s
step 3416, batch loss 2.068, 1.83 iters/s
step 3417, batch loss 1.914, 1.83 iters/s
step 3418, batch loss 2.126, 1.82 iters/s
step 3419, batch loss 2.271, 1.84 iters/s
step 3420, batch loss 1.998, 1.82 iters/s
step 3421, batch loss 2.158, 1.84 iters/s
step 3422, batch loss 2.618, 1.83 iters/s
step 3423, batch loss 1.905, 1.82 iters/s
step 3424, batch loss 2.001, 1.83 iters/s
step 3425, batch loss 1.632, 1.82 iters/s
step 3426, batch loss 1.643, 1.82 iters/s

step 3427, batch loss 2.0, 1.82 iters/s
step 3428, batch loss 2.046, 1.82 iters/s
step 3429, batch loss 1.973, 1.82 iters/s
step 3430, batch loss 2.65, 1.83 iters/s
step 3431, batch loss 1.561, 1.83 iters/s
step 3432, batch loss 2.001, 1.83 iters/s
step 3433, batch loss 2.029, 1.83 iters/s
step 3434, batch loss 2.392, 1.82 iters/s
step 3435, batch loss 1.928, 1.85 iters/s
step 3436, batch loss 2.261, 1.83 iters/s
step 3437, batch loss 2.4, 1.83 iters/s
step 3438, batch loss 1.608, 1.83 iters/s
step 3439, batch loss 1.738, 1.84 iters/s
step 3440, batch loss 1.783, 1.83 iters/s
step 3441, batch loss 2.547, 1.82 iters/s
step 3442, batch loss 2.05, 1.82 iters/s
step 3443, batch loss 2.211, 1.83 iters/s
step 3444, batch loss 2.532, 1.83 iters/s
step 3445, batch loss 1.836, 1.82 iters/s
step 3446, batch loss 1.75, 1.81 iters/s
step 3447, batch loss 1.627, 1.84 iters/s
step 3448, batch loss 2.271, 1.82 iters/s
step 3449, batch loss 1.8, 1.82 iters/s
step 3450, batch loss 2.003, 1.83 iters/s
step 3451, batch loss 2.031, 1.83 iters/s
step 3452, batch loss 1.971, 1.82 iters/s
step 3453, batch loss 1.943, 1.83 iters/s
step 3454, batch loss 1.231, 1.83 iters/s
step 3455, batch loss 1.625, 1.83 iters/s
step 3456, batch loss 1.994, 1.82 iters/s
step 3457, batch loss 1.735, 1.83 iters/s
step 3458, batch loss 2.113, 1.83 iters/s
step 3459, batch loss 1.596, 1.83 iters/s
step 3460, batch loss 2.213, 1.84 iters/s
step 3461, batch loss 1.598, 1.83 iters/s
step 3462, batch loss 2.237, 1.83 iters/s
step 3463, batch loss 1.681, 1.82 iters/s
step 3464, batch loss 2.097, 1.82 iters/s
step 3465, batch loss 1.623, 1.82 iters/s
step 3466, batch loss 2.161, 1.84 iters/s
step 3467, batch loss 1.641, 1.83 iters/s
step 3468, batch loss 2.092, 1.83 iters/s
step 3469, batch loss 1.719, 1.83 iters/s
step 3470, batch loss 2.18, 1.83 iters/s
step 3471, batch loss 1.989, 1.83 iters/s
step 3472, batch loss 2.004, 1.83 iters/s
step 3473, batch loss 1.924, 1.83 iters/s
step 3474, batch loss 2.216, 1.82 iters/s

step 3475, batch loss 1.73, 1.84 iters/s
step 3476, batch loss 2.047, 1.83 iters/s
step 3477, batch loss 2.011, 1.83 iters/s
step 3478, batch loss 2.221, 1.82 iters/s
step 3479, batch loss 2.386, 1.83 iters/s
step 3480, batch loss 2.091, 1.83 iters/s
step 3481, batch loss 2.217, 1.83 iters/s
step 3482, batch loss 1.827, 1.83 iters/s
step 3483, batch loss 2.872, 1.83 iters/s
step 3484, batch loss 2.158, 1.82 iters/s
step 3485, batch loss 1.94, 1.83 iters/s
step 3486, batch loss 1.678, 1.85 iters/s
step 3487, batch loss 2.098, 1.83 iters/s
step 3488, batch loss 2.061, 1.82 iters/s
step 3489, batch loss 2.353, 1.82 iters/s
step 3490, batch loss 2.137, 1.82 iters/s
step 3491, batch loss 2.263, 1.85 iters/s
step 3492, batch loss 1.96, 1.83 iters/s
step 3493, batch loss 1.916, 1.82 iters/s
step 3494, batch loss 2.089, 1.81 iters/s
step 3495, batch loss 2.241, 1.82 iters/s
step 3496, batch loss 2.1, 1.85 iters/s
step 3497, batch loss 2.016, 1.82 iters/s
step 3498, batch loss 2.064, 1.83 iters/s
step 3499, batch loss 2.201, 1.83 iters/s
step 3500, batch loss 2.285, 1.82 iters/s
step 3501, batch loss 1.946, 1.82 iters/s
step 3502, batch loss 2.042, 1.82 iters/s
step 3503, batch loss 1.913, 1.83 iters/s
step 3504, batch loss 2.044, 1.83 iters/s
step 3505, batch loss 2.3, 1.83 iters/s
step 3506, batch loss 2.441, 1.82 iters/s
step 3507, batch loss 1.62, 1.83 iters/s
step 3508, batch loss 2.146, 1.83 iters/s
step 3509, batch loss 3.543, 1.82 iters/s
step 3510, batch loss 2.344, 1.82 iters/s
step 3511, batch loss 2.103, 1.83 iters/s
step 3512, batch loss 1.307, 1.83 iters/s
step 3513, batch loss 2.045, 1.82 iters/s
step 3514, batch loss 1.263, 1.84 iters/s
step 3515, batch loss 2.151, 1.82 iters/s
step 3516, batch loss 2.074, 1.82 iters/s
step 3517, batch loss 1.955, 1.82 iters/s
step 3518, batch loss 2.0, 1.82 iters/s
step 3519, batch loss 2.255, 1.84 iters/s
step 3520, batch loss 1.972, 1.83 iters/s
step 3521, batch loss 2.305, 1.82 iters/s
step 3522, batch loss 1.971, 1.84 iters/s

step 3523, batch loss 1.388, 1.82 iters/s
step 3524, batch loss 2.619, 1.81 iters/s
step 3525, batch loss 1.635, 1.83 iters/s
step 3526, batch loss 2.151, 1.83 iters/s
step 3527, batch loss 2.249, 1.82 iters/s
step 3528, batch loss 2.338, 1.83 iters/s
step 3529, batch loss 1.61, 1.81 iters/s
step 3530, batch loss 2.05, 1.84 iters/s
step 3531, batch loss 2.109, 1.82 iters/s
step 3532, batch loss 2.071, 1.83 iters/s
step 3533, batch loss 2.191, 1.83 iters/s
step 3534, batch loss 2.031, 1.82 iters/s
step 3535, batch loss 2.211, 1.82 iters/s
step 3536, batch loss 1.955, 1.82 iters/s
step 3537, batch loss 1.868, 1.82 iters/s
step 3538, batch loss 1.958, 1.82 iters/s
step 3539, batch loss 1.817, 1.83 iters/s
step 3540, batch loss 1.704, 1.83 iters/s
step 3541, batch loss 2.002, 1.82 iters/s
step 3542, batch loss 1.625, 1.83 iters/s
step 3543, batch loss 1.739, 1.82 iters/s
step 3544, batch loss 1.602, 1.82 iters/s
step 3545, batch loss 2.235, 1.83 iters/s
step 3546, batch loss 1.773, 1.82 iters/s
step 3547, batch loss 2.401, 1.83 iters/s
step 3548, batch loss 2.184, 1.83 iters/s
step 3549, batch loss 1.941, 1.82 iters/s
step 3550, batch loss 1.895, 1.84 iters/s
step 3551, batch loss 1.909, 1.83 iters/s
step 3552, batch loss 2.698, 1.85 iters/s
step 3553, batch loss 1.811, 1.83 iters/s
step 3554, batch loss 1.914, 1.82 iters/s
step 3555, batch loss 1.461, 1.82 iters/s
step 3556, batch loss 1.908, 1.83 iters/s
step 3557, batch loss 2.79, 1.82 iters/s
step 3558, batch loss 1.462, 1.83 iters/s
step 3559, batch loss 1.734, 1.84 iters/s
step 3560, batch loss 2.053, 1.84 iters/s
step 3561, batch loss 2.161, 1.85 iters/s
step 3562, batch loss 1.739, 1.83 iters/s
step 3563, batch loss 2.54, 1.83 iters/s
step 3564, batch loss 1.896, 1.85 iters/s
step 3565, batch loss 1.863, 1.83 iters/s
step 3566, batch loss 1.929, 1.83 iters/s
step 3567, batch loss 2.139, 1.83 iters/s
step 3568, batch loss 1.944, 1.84 iters/s
step 3569, batch loss 2.334, 1.82 iters/s
step 3570, batch loss 1.861, 1.82 iters/s

step 3571, batch loss 1.999, 1.82 iters/s
step 3572, batch loss 2.237, 1.83 iters/s
step 3573, batch loss 1.853, 1.83 iters/s
step 3574, batch loss 2.101, 1.83 iters/s
step 3575, batch loss 2.107, 1.82 iters/s
step 3576, batch loss 2.111, 1.82 iters/s
step 3577, batch loss 2.113, 1.84 iters/s
step 3578, batch loss 2.079, 1.84 iters/s
step 3579, batch loss 1.965, 1.83 iters/s
step 3580, batch loss 1.839, 1.82 iters/s
step 3581, batch loss 4.49, 2.36 iters/s
step 3582, batch loss 1.743, 1.83 iters/s
step 3583, batch loss 2.013, 1.84 iters/s
step 3584, batch loss 2.006, 1.82 iters/s
step 3585, batch loss 2.145, 1.82 iters/s
step 3586, batch loss 3.23, 1.84 iters/s
step 3587, batch loss 2.049, 1.83 iters/s
step 3588, batch loss 2.526, 1.84 iters/s
step 3589, batch loss 2.348, 1.84 iters/s
step 3590, batch loss 2.037, 1.83 iters/s
step 3591, batch loss 2.271, 1.82 iters/s
step 3592, batch loss 2.603, 1.83 iters/s
step 3593, batch loss 2.012, 1.82 iters/s
step 3594, batch loss 2.125, 1.83 iters/s
step 3595, batch loss 1.989, 1.82 iters/s
step 3596, batch loss 1.329, 1.83 iters/s
step 3597, batch loss 2.371, 1.83 iters/s
step 3598, batch loss 1.712, 1.82 iters/s
step 3599, batch loss 1.933, 1.83 iters/s
step 3600, batch loss 1.703, 1.83 iters/s
step 3601, batch loss 2.146, 1.83 iters/s
step 3602, batch loss 2.12, 1.83 iters/s
step 3603, batch loss 1.918, 1.84 iters/s
step 3604, batch loss 2.134, 1.82 iters/s
step 3605, batch loss 2.148, 1.83 iters/s
step 3606, batch loss 2.67, 1.83 iters/s
step 3607, batch loss 1.889, 1.85 iters/s
step 3608, batch loss 1.791, 1.82 iters/s
step 3609, batch loss 1.948, 1.82 iters/s
step 3610, batch loss 1.598, 1.83 iters/s
step 3611, batch loss 1.934, 1.82 iters/s
step 3612, batch loss 1.961, 1.83 iters/s
step 3613, batch loss 2.14, 1.82 iters/s
step 3614, batch loss 1.598, 1.82 iters/s
step 3615, batch loss 1.735, 1.82 iters/s
step 3616, batch loss 1.958, 1.82 iters/s
step 3617, batch loss 2.178, 1.83 iters/s
step 3618, batch loss 2.421, 1.81 iters/s

step 3619, batch loss 1.991, 1.83 iters/s
step 3620, batch loss 2.045, 1.85 iters/s
step 3621, batch loss 1.754, 1.83 iters/s
step 3622, batch loss 2.097, 1.83 iters/s
step 3623, batch loss 1.981, 1.82 iters/s
step 3624, batch loss 1.933, 1.82 iters/s
step 3625, batch loss 1.215, 1.82 iters/s
step 3626, batch loss 2.142, 1.84 iters/s
step 3627, batch loss 2.169, 1.83 iters/s
step 3628, batch loss 1.818, 1.84 iters/s
step 3629, batch loss 1.881, 1.83 iters/s
step 3630, batch loss 2.222, 1.83 iters/s
step 3631, batch loss 2.463, 1.83 iters/s
step 3632, batch loss 1.832, 1.83 iters/s
step 3633, batch loss 2.093, 1.83 iters/s
step 3634, batch loss 2.181, 1.84 iters/s
step 3635, batch loss 1.822, 1.83 iters/s
step 3636, batch loss 3.142, 1.82 iters/s
step 3637, batch loss 1.869, 1.83 iters/s
step 3638, batch loss 2.078, 1.82 iters/s
step 3639, batch loss 2.14, 1.84 iters/s
step 3640, batch loss 2.202, 1.83 iters/s
step 3641, batch loss 1.436, 1.85 iters/s
step 3642, batch loss 1.909, 1.82 iters/s
step 3643, batch loss 2.482, 1.84 iters/s
step 3644, batch loss 1.992, 1.83 iters/s
step 3645, batch loss 2.196, 1.82 iters/s
step 3646, batch loss 2.976, 1.85 iters/s
step 3647, batch loss 2.753, 1.83 iters/s
step 3648, batch loss 2.01, 1.83 iters/s
step 3649, batch loss 2.176, 1.83 iters/s
step 3650, batch loss 1.798, 1.84 iters/s
step 3651, batch loss 1.946, 1.85 iters/s
step 3652, batch loss 2.072, 1.83 iters/s
step 3653, batch loss 1.998, 1.83 iters/s
step 3654, batch loss 2.015, 1.83 iters/s
step 3655, batch loss 2.377, 1.83 iters/s
step 3656, batch loss 2.159, 1.83 iters/s
step 3657, batch loss 2.733, 1.84 iters/s
step 3658, batch loss 1.893, 1.85 iters/s
step 3659, batch loss 1.76, 1.83 iters/s
step 3660, batch loss 2.083, 1.83 iters/s
step 3661, batch loss 2.196, 1.82 iters/s
step 3662, batch loss 2.071, 1.83 iters/s
step 3663, batch loss 2.303, 1.82 iters/s
step 3664, batch loss 1.845, 1.83 iters/s
step 3665, batch loss 1.975, 1.82 iters/s
step 3666, batch loss 1.96, 1.83 iters/s

step 3667, batch loss 2.004, 1.82 iters/s
step 3668, batch loss 2.061, 1.83 iters/s
step 3669, batch loss 2.171, 1.82 iters/s
step 3670, batch loss 1.894, 1.85 iters/s
step 3671, batch loss 2.116, 1.83 iters/s
step 3672, batch loss 2.13, 1.82 iters/s
step 3673, batch loss 1.677, 1.83 iters/s
step 3674, batch loss 1.697, 1.83 iters/s
step 3675, batch loss 2.159, 1.82 iters/s
step 3676, batch loss 2.21, 1.83 iters/s
step 3677, batch loss 2.491, 1.83 iters/s
step 3678, batch loss 2.301, 1.82 iters/s
step 3679, batch loss 2.056, 1.83 iters/s
step 3680, batch loss 1.576, 1.85 iters/s
step 3681, batch loss 3.062, 1.82 iters/s
step 3682, batch loss 2.313, 1.83 iters/s
step 3683, batch loss 1.912, 1.84 iters/s
step 3684, batch loss 2.688, 1.83 iters/s
step 3685, batch loss 1.673, 1.83 iters/s
step 3686, batch loss 2.155, 1.83 iters/s
step 3687, batch loss 2.028, 1.83 iters/s
step 3688, batch loss 1.707, 1.83 iters/s
step 3689, batch loss 2.617, 1.83 iters/s
step 3690, batch loss 1.96, 1.84 iters/s
step 3691, batch loss 3.036, 1.82 iters/s
step 3692, batch loss 2.999, 1.85 iters/s
step 3693, batch loss 1.978, 1.85 iters/s
step 3694, batch loss 2.278, 1.84 iters/s
step 3695, batch loss 2.546, 1.82 iters/s
step 3696, batch loss 2.127, 1.82 iters/s
step 3697, batch loss 2.066, 1.82 iters/s
step 3698, batch loss 1.732, 1.84 iters/s
step 3699, batch loss 1.775, 1.82 iters/s
step 3700, batch loss 2.348, 1.83 iters/s
step 3701, batch loss 2.641, 1.82 iters/s
step 3702, batch loss 2.008, 1.83 iters/s
step 3703, batch loss 2.164, 1.83 iters/s
step 3704, batch loss 2.07, 1.83 iters/s
step 3705, batch loss 2.251, 1.83 iters/s
step 3706, batch loss 2.115, 1.82 iters/s
step 3707, batch loss 2.033, 1.84 iters/s
step 3708, batch loss 2.54, 1.82 iters/s
step 3709, batch loss 1.607, 1.83 iters/s
step 3710, batch loss 2.123, 1.84 iters/s
step 3711, batch loss 2.001, 1.84 iters/s
step 3712, batch loss 1.719, 1.83 iters/s
step 3713, batch loss 2.165, 1.82 iters/s
step 3714, batch loss 2.251, 1.84 iters/s

step 3715, batch loss 2.195, 1.83 iters/s
step 3716, batch loss 2.081, 1.83 iters/s
step 3717, batch loss 1.986, 1.83 iters/s
step 3718, batch loss 2.063, 1.83 iters/s
step 3719, batch loss 2.023, 1.84 iters/s
step 3720, batch loss 1.65, 1.84 iters/s
step 3721, batch loss 1.588, 1.83 iters/s
step 3722, batch loss 1.915, 1.83 iters/s
step 3723, batch loss 2.026, 1.83 iters/s
step 3724, batch loss 1.976, 1.83 iters/s
step 3725, batch loss 2.772, 1.83 iters/s
step 3726, batch loss 1.342, 1.83 iters/s
step 3727, batch loss 2.393, 1.84 iters/s
step 3728, batch loss 1.993, 1.83 iters/s
step 3729, batch loss 2.21, 1.84 iters/s
step 3730, batch loss 2.026, 1.82 iters/s
step 3731, batch loss 2.062, 1.84 iters/s
step 3732, batch loss 1.525, 1.82 iters/s
step 3733, batch loss 1.918, 1.82 iters/s
step 3734, batch loss 1.771, 1.83 iters/s
step 3735, batch loss 1.873, 1.83 iters/s
step 3736, batch loss 1.717, 1.83 iters/s
step 3737, batch loss 2.664, 1.82 iters/s
step 3738, batch loss 2.099, 1.83 iters/s
step 3739, batch loss 3.05, 1.82 iters/s
step 3740, batch loss 2.349, 1.83 iters/s
step 3741, batch loss 2.22, 1.83 iters/s
step 3742, batch loss 2.063, 1.83 iters/s
step 3743, batch loss 2.058, 1.82 iters/s
step 3744, batch loss 1.595, 1.82 iters/s
step 3745, batch loss 2.07, 1.85 iters/s
step 3746, batch loss 2.151, 1.83 iters/s
step 3747, batch loss 2.07, 1.86 iters/s
step 3748, batch loss 2.034, 1.82 iters/s
step 3749, batch loss 1.973, 1.83 iters/s
step 3750, batch loss 1.757, 1.85 iters/s
step 3751, batch loss 2.148, 1.84 iters/s
step 3752, batch loss 2.054, 1.83 iters/s
step 3753, batch loss 1.503, 1.83 iters/s
step 3754, batch loss 1.844, 1.83 iters/s
step 3755, batch loss 2.04, 1.83 iters/s
step 3756, batch loss 1.976, 1.83 iters/s
step 3757, batch loss 1.646, 1.83 iters/s
step 3758, batch loss 2.262, 1.83 iters/s
step 3759, batch loss 2.319, 1.82 iters/s
step 3760, batch loss 1.964, 1.83 iters/s
step 3761, batch loss 2.037, 1.84 iters/s
step 3762, batch loss 2.058, 1.83 iters/s

step 3763, batch loss 2.289, 1.83 iters/s
step 3764, batch loss 1.784, 1.82 iters/s
step 3765, batch loss 1.815, 1.86 iters/s
step 3766, batch loss 2.147, 1.83 iters/s
step 3767, batch loss 1.988, 1.82 iters/s
step 3768, batch loss 2.11, 1.83 iters/s
step 3769, batch loss 2.075, 1.85 iters/s
step 3770, batch loss 2.798, 1.82 iters/s
step 3771, batch loss 2.117, 1.82 iters/s
step 3772, batch loss 2.394, 1.83 iters/s
step 3773, batch loss 2.115, 1.83 iters/s
step 3774, batch loss 2.479, 1.82 iters/s
step 3775, batch loss 1.915, 1.84 iters/s
step 3776, batch loss 2.065, 1.83 iters/s
step 3777, batch loss 2.22, 1.83 iters/s
step 3778, batch loss 1.898, 1.82 iters/s
step 3779, batch loss 2.057, 1.82 iters/s
step 3780, batch loss 2.397, 1.83 iters/s
step 3781, batch loss 2.526, 1.83 iters/s
step 3782, batch loss 1.437, 1.83 iters/s
step 3783, batch loss 1.767, 1.83 iters/s
step 3784, batch loss 2.477, 1.82 iters/s
step 3785, batch loss 1.928, 1.84 iters/s
step 3786, batch loss 2.288, 1.82 iters/s
step 3787, batch loss 1.904, 1.84 iters/s
step 3788, batch loss 1.739, 1.83 iters/s
step 3789, batch loss 1.626, 1.83 iters/s
step 3790, batch loss 1.929, 1.83 iters/s
step 3791, batch loss 2.076, 1.83 iters/s
step 3792, batch loss 1.87, 1.84 iters/s
step 3793, batch loss 1.948, 1.83 iters/s
step 3794, batch loss 1.714, 1.84 iters/s
step 3795, batch loss 2.26, 1.84 iters/s
step 3796, batch loss 1.942, 1.83 iters/s
step 3797, batch loss 2.806, 1.82 iters/s
step 3798, batch loss 2.235, 1.82 iters/s
step 3799, batch loss 2.059, 1.83 iters/s
step 3800, batch loss 1.774, 1.84 iters/s
step 3801, batch loss 2.454, 1.82 iters/s
step 3802, batch loss 1.862, 1.83 iters/s
step 3803, batch loss 2.088, 1.82 iters/s
step 3804, batch loss 2.11, 1.83 iters/s
step 3805, batch loss 1.901, 1.83 iters/s
step 3806, batch loss 1.998, 1.82 iters/s
step 3807, batch loss 1.84, 1.83 iters/s
step 3808, batch loss 1.972, 1.82 iters/s
step 3809, batch loss 2.161, 1.83 iters/s
step 3810, batch loss 1.584, 1.83 iters/s

step 3811, batch loss 1.788, 1.83 iters/s
step 3812, batch loss 1.979, 1.82 iters/s
step 3813, batch loss 1.894, 1.83 iters/s
step 3814, batch loss 2.058, 1.83 iters/s
step 3815, batch loss 2.093, 1.83 iters/s
step 3816, batch loss 1.937, 1.83 iters/s
step 3817, batch loss 1.768, 1.84 iters/s
step 3818, batch loss 2.248, 1.83 iters/s
step 3819, batch loss 2.181, 1.83 iters/s
step 3820, batch loss 2.017, 1.83 iters/s
step 3821, batch loss 1.785, 1.83 iters/s
step 3822, batch loss 2.116, 1.83 iters/s
step 3823, batch loss 1.888, 1.84 iters/s
step 3824, batch loss 2.008, 1.83 iters/s
step 3825, batch loss 1.785, 1.86 iters/s
step 3826, batch loss 1.941, 1.83 iters/s
step 3827, batch loss 2.033, 1.84 iters/s
step 3828, batch loss 2.381, 1.82 iters/s
step 3829, batch loss 1.935, 1.84 iters/s
step 3830, batch loss 2.694, 1.84 iters/s
step 3831, batch loss 1.867, 1.84 iters/s
step 3832, batch loss 2.153, 1.84 iters/s
step 3833, batch loss 1.954, 1.83 iters/s
step 3834, batch loss 1.535, 1.82 iters/s
step 3835, batch loss 2.227, 1.83 iters/s
step 3836, batch loss 2.024, 1.85 iters/s
step 3837, batch loss 2.027, 1.83 iters/s
step 3838, batch loss 2.509, 1.83 iters/s
step 3839, batch loss 2.127, 1.82 iters/s
step 3840, batch loss 2.343, 1.83 iters/s
step 3841, batch loss 2.182, 1.84 iters/s
step 3842, batch loss 1.897, 1.84 iters/s
step 3843, batch loss 2.231, 1.82 iters/s
step 3844, batch loss 2.432, 1.82 iters/s
step 3845, batch loss 1.849, 1.82 iters/s
step 3846, batch loss 1.868, 1.82 iters/s
step 3847, batch loss 1.961, 1.83 iters/s
step 3848, batch loss 1.875, 1.83 iters/s
step 3849, batch loss 1.605, 1.83 iters/s
step 3850, batch loss 1.975, 1.83 iters/s
step 3851, batch loss 2.531, 1.84 iters/s
step 3852, batch loss 1.936, 1.83 iters/s
step 3853, batch loss 2.131, 1.82 iters/s
step 3854, batch loss 2.13, 1.83 iters/s
step 3855, batch loss 2.099, 1.83 iters/s
step 3856, batch loss 2.246, 1.83 iters/s
step 3857, batch loss 1.9, 1.83 iters/s
step 3858, batch loss 2.276, 1.82 iters/s

step 3859, batch loss 1.907, 1.83 iters/s
step 3860, batch loss 2.107, 1.83 iters/s
step 3861, batch loss 1.813, 1.83 iters/s
step 3862, batch loss 1.794, 1.83 iters/s
step 3863, batch loss 2.492, 1.86 iters/s
step 3864, batch loss 1.939, 1.84 iters/s
step 3865, batch loss 2.327, 1.83 iters/s
step 3866, batch loss 2.088, 1.83 iters/s
step 3867, batch loss 2.032, 1.83 iters/s
step 3868, batch loss 2.073, 1.82 iters/s
step 3869, batch loss 2.239, 1.83 iters/s
step 3870, batch loss 2.059, 1.83 iters/s
step 3871, batch loss 2.744, 1.83 iters/s
step 3872, batch loss 2.816, 1.82 iters/s
step 3873, batch loss 1.984, 1.83 iters/s
step 3874, batch loss 2.046, 1.83 iters/s
step 3875, batch loss 2.071, 1.83 iters/s
step 3876, batch loss 2.487, 1.85 iters/s
step 3877, batch loss 2.166, 1.83 iters/s
step 3878, batch loss 1.927, 1.84 iters/s
step 3879, batch loss 1.93, 1.85 iters/s
step 3880, batch loss 2.297, 1.83 iters/s
step 3881, batch loss 1.848, 1.83 iters/s
step 3882, batch loss 1.792, 1.83 iters/s
step 3883, batch loss 2.2, 1.82 iters/s
step 3884, batch loss 1.766, 1.83 iters/s
step 3885, batch loss 1.637, 1.83 iters/s
step 3886, batch loss 1.77, 1.84 iters/s
step 3887, batch loss 1.221, 1.84 iters/s
step 3888, batch loss 2.049, 1.83 iters/s
step 3889, batch loss 1.526, 1.83 iters/s
step 3890, batch loss 2.469, 1.83 iters/s
step 3891, batch loss 1.94, 1.84 iters/s
step 3892, batch loss 0.98, 1.83 iters/s
step 3893, batch loss 2.238, 1.83 iters/s
step 3894, batch loss 2.037, 1.85 iters/s
step 3895, batch loss 2.013, 1.83 iters/s
step 3896, batch loss 1.805, 1.84 iters/s
step 3897, batch loss 1.816, 1.83 iters/s
step 3898, batch loss 3.359, 1.83 iters/s
step 3899, batch loss 1.428, 1.83 iters/s
step 3900, batch loss 1.973, 1.84 iters/s
step 3901, batch loss 2.155, 1.84 iters/s
step 3902, batch loss 2.411, 1.83 iters/s
step 3903, batch loss 2.258, 1.82 iters/s
step 3904, batch loss 2.222, 1.82 iters/s
step 3905, batch loss 2.029, 1.83 iters/s
step 3906, batch loss 1.885, 1.82 iters/s

step 3907, batch loss 1.869, 1.84 iters/s
step 3908, batch loss 2.274, 1.83 iters/s
step 3909, batch loss 2.179, 1.82 iters/s
step 3910, batch loss 1.987, 1.82 iters/s
step 3911, batch loss 1.842, 1.82 iters/s
step 3912, batch loss 2.338, 1.83 iters/s
step 3913, batch loss 2.284, 1.82 iters/s
step 3914, batch loss 2.325, 1.83 iters/s
step 3915, batch loss 1.928, 1.83 iters/s
step 3916, batch loss 2.236, 1.82 iters/s
step 3917, batch loss 1.873, 1.83 iters/s
step 3918, batch loss 1.76, 1.83 iters/s
step 3919, batch loss 2.008, 1.83 iters/s
step 3920, batch loss 1.682, 1.84 iters/s
step 3921, batch loss 1.931, 1.82 iters/s
step 3922, batch loss 2.161, 1.83 iters/s
step 3923, batch loss 1.969, 1.82 iters/s
step 3924, batch loss 2.286, 1.83 iters/s
step 3925, batch loss 1.857, 1.83 iters/s
step 3926, batch loss 1.867, 1.83 iters/s
step 3927, batch loss 1.74, 1.83 iters/s
step 3928, batch loss 2.004, 1.83 iters/s
step 3929, batch loss 2.27, 1.83 iters/s
step 3930, batch loss 1.991, 1.84 iters/s
step 3931, batch loss 2.302, 1.83 iters/s
step 3932, batch loss 2.481, 1.83 iters/s
step 3933, batch loss 1.681, 1.83 iters/s
step 3934, batch loss 2.077, 1.83 iters/s
step 3935, batch loss 1.987, 1.82 iters/s
step 3936, batch loss 1.835, 1.83 iters/s
step 3937, batch loss 1.989, 1.82 iters/s
step 3938, batch loss 2.165, 1.82 iters/s
step 3939, batch loss 2.107, 1.84 iters/s
step 3940, batch loss 2.008, 1.82 iters/s
step 3941, batch loss 1.879, 1.82 iters/s
step 3942, batch loss 1.745, 1.84 iters/s
step 3943, batch loss 2.317, 1.82 iters/s
step 3944, batch loss 1.795, 1.82 iters/s
step 3945, batch loss 2.227, 1.84 iters/s
step 3946, batch loss 2.201, 1.82 iters/s
step 3947, batch loss 1.744, 1.82 iters/s
step 3948, batch loss 1.974, 1.83 iters/s
step 3949, batch loss 1.742, 1.82 iters/s
step 3950, batch loss 2.11, 1.83 iters/s
step 3951, batch loss 2.084, 1.83 iters/s
step 3952, batch loss 2.164, 1.83 iters/s
step 3953, batch loss 2.146, 1.83 iters/s
step 3954, batch loss 2.012, 1.83 iters/s

step 3955, batch loss 2.003, 1.83 iters/s
step 3956, batch loss 2.353, 1.84 iters/s
step 3957, batch loss 2.23, 1.83 iters/s
step 3958, batch loss 2.135, 1.83 iters/s
step 3959, batch loss 2.176, 1.83 iters/s
step 3960, batch loss 2.072, 1.83 iters/s
step 3961, batch loss 1.842, 1.82 iters/s
step 3962, batch loss 2.011, 1.85 iters/s
step 3963, batch loss 2.8, 1.84 iters/s
step 3964, batch loss 2.247, 1.82 iters/s
step 3965, batch loss 2.081, 1.82 iters/s
step 3966, batch loss 1.958, 1.82 iters/s
step 3967, batch loss 1.467, 1.83 iters/s
step 3968, batch loss 2.319, 1.82 iters/s
step 3969, batch loss 2.221, 1.83 iters/s
step 3970, batch loss 1.798, 1.85 iters/s
step 3971, batch loss 2.0, 1.82 iters/s
step 3972, batch loss 1.795, 1.83 iters/s
step 3973, batch loss 1.999, 1.85 iters/s
step 3974, batch loss 1.614, 1.83 iters/s
step 3975, batch loss 2.022, 1.82 iters/s
step 3976, batch loss 1.698, 1.83 iters/s
step 3977, batch loss 2.031, 1.82 iters/s
step 3978, batch loss 1.976, 1.83 iters/s
step 3979, batch loss 2.047, 1.84 iters/s
step 3980, batch loss 2.311, 1.82 iters/s
step 3981, batch loss 2.011, 1.83 iters/s
step 3982, batch loss 2.016, 1.82 iters/s
step 3983, batch loss 2.114, 1.83 iters/s
step 3984, batch loss 2.034, 1.83 iters/s
step 3985, batch loss 1.879, 1.83 iters/s
step 3986, batch loss 2.135, 1.82 iters/s
step 3987, batch loss 2.418, 1.84 iters/s
step 3988, batch loss 2.069, 1.83 iters/s
step 3989, batch loss 2.065, 1.83 iters/s
step 3990, batch loss 1.578, 1.83 iters/s
step 3991, batch loss 1.93, 1.83 iters/s
step 3992, batch loss 2.152, 1.83 iters/s
step 3993, batch loss 2.031, 1.83 iters/s
step 3994, batch loss 1.648, 1.83 iters/s
step 3995, batch loss 1.746, 1.83 iters/s
step 3996, batch loss 1.964, 1.85 iters/s
step 3997, batch loss 2.152, 1.84 iters/s
step 3998, batch loss 2.293, 1.81 iters/s
step 3999, batch loss 2.466, 1.82 iters/s
step 4000, batch loss 1.709, 1.84 iters/s
step 4001, batch loss 2.427, 1.82 iters/s
step 4002, batch loss 2.102, 1.82 iters/s

step 4003, batch loss 2.418, 1.83 iters/s
step 4004, batch loss 1.303, 1.83 iters/s
step 4005, batch loss 2.009, 1.83 iters/s
step 4006, batch loss 2.192, 1.82 iters/s
step 4007, batch loss 2.45, 1.82 iters/s
step 4008, batch loss 1.966, 1.83 iters/s
step 4009, batch loss 1.81, 1.84 iters/s
step 4010, batch loss 1.965, 1.82 iters/s
step 4011, batch loss 1.853, 1.83 iters/s
step 4012, batch loss 2.323, 1.83 iters/s
step 4013, batch loss 1.809, 1.84 iters/s
step 4014, batch loss 1.581, 1.83 iters/s
step 4015, batch loss 2.598, 1.82 iters/s
step 4016, batch loss 1.666, 1.83 iters/s
step 4017, batch loss 2.285, 1.84 iters/s
step 4018, batch loss 2.157, 1.83 iters/s
step 4019, batch loss 1.748, 1.83 iters/s
step 4020, batch loss 1.78, 1.82 iters/s
step 4021, batch loss 2.218, 1.82 iters/s
step 4022, batch loss 2.524, 1.83 iters/s
step 4023, batch loss 2.054, 1.82 iters/s
step 4024, batch loss 2.076, 1.83 iters/s
step 4025, batch loss 2.159, 1.83 iters/s
step 4026, batch loss 2.348, 1.85 iters/s
step 4027, batch loss 1.949, 1.84 iters/s
step 4028, batch loss 2.047, 1.83 iters/s
step 4029, batch loss 2.076, 1.83 iters/s
step 4030, batch loss 2.341, 1.83 iters/s
step 4031, batch loss 2.195, 1.83 iters/s
step 4032, batch loss 1.953, 1.83 iters/s
step 4033, batch loss 2.322, 1.83 iters/s
step 4034, batch loss 2.258, 1.83 iters/s
step 4035, batch loss 2.154, 1.84 iters/s
step 4036, batch loss 1.919, 1.83 iters/s
step 4037, batch loss 1.953, 1.83 iters/s
step 4038, batch loss 1.962, 1.84 iters/s
step 4039, batch loss 2.429, 1.83 iters/s
step 4040, batch loss 2.314, 1.83 iters/s
step 4041, batch loss 1.756, 1.83 iters/s
step 4042, batch loss 2.057, 1.83 iters/s
step 4043, batch loss 1.864, 1.84 iters/s
step 4044, batch loss 1.964, 1.82 iters/s
step 4045, batch loss 1.149, 1.82 iters/s
step 4046, batch loss 2.491, 1.83 iters/s
step 4047, batch loss 2.162, 1.83 iters/s
step 4048, batch loss 1.994, 1.85 iters/s
step 4049, batch loss 2.201, 1.83 iters/s
step 4050, batch loss 2.484, 1.82 iters/s

step 4051, batch loss 1.941, 1.82 iters/s
step 4052, batch loss 2.064, 1.83 iters/s
step 4053, batch loss 2.268, 1.83 iters/s
step 4054, batch loss 1.898, 1.82 iters/s
step 4055, batch loss 2.432, 1.82 iters/s
step 4056, batch loss 1.735, 1.84 iters/s
step 4057, batch loss 1.957, 1.84 iters/s
step 4058, batch loss 1.9, 1.83 iters/s
step 4059, batch loss 2.381, 1.83 iters/s
step 4060, batch loss 2.428, 1.83 iters/s
step 4061, batch loss 1.854, 1.83 iters/s
step 4062, batch loss 2.335, 1.85 iters/s
step 4063, batch loss 2.188, 1.83 iters/s
step 4064, batch loss 2.282, 1.83 iters/s
step 4065, batch loss 1.742, 1.82 iters/s
step 4066, batch loss 1.762, 1.84 iters/s
step 4067, batch loss 2.192, 1.83 iters/s
step 4068, batch loss 1.895, 1.83 iters/s
step 4069, batch loss 1.974, 1.83 iters/s
step 4070, batch loss 2.088, 1.83 iters/s
step 4071, batch loss 1.708, 1.83 iters/s
step 4072, batch loss 1.977, 1.84 iters/s
step 4073, batch loss 1.878, 1.83 iters/s
step 4074, batch loss 1.249, 1.83 iters/s
step 4075, batch loss 1.969, 1.86 iters/s
step 4076, batch loss 2.135, 1.84 iters/s
step 4077, batch loss 1.815, 1.83 iters/s
step 4078, batch loss 2.276, 1.84 iters/s
step 4079, batch loss 1.949, 1.82 iters/s
step 4080, batch loss 2.1, 1.83 iters/s
step 4081, batch loss 1.504, 1.83 iters/s
step 4082, batch loss 1.731, 1.83 iters/s
step 4083, batch loss 1.705, 1.83 iters/s
step 4084, batch loss 2.132, 1.86 iters/s
step 4085, batch loss 1.974, 1.85 iters/s
step 4086, batch loss 2.392, 1.83 iters/s
step 4087, batch loss 1.912, 1.85 iters/s
step 4088, batch loss 1.103, 1.83 iters/s
step 4089, batch loss 2.206, 1.83 iters/s
step 4090, batch loss 2.249, 1.82 iters/s
step 4091, batch loss 2.288, 1.82 iters/s
step 4092, batch loss 2.034, 1.83 iters/s
step 4093, batch loss 1.833, 1.83 iters/s
step 4094, batch loss 2.527, 1.83 iters/s
step 4095, batch loss 1.742, 1.83 iters/s
step 4096, batch loss 2.167, 1.82 iters/s
step 4097, batch loss 2.136, 1.82 iters/s
step 4098, batch loss 1.954, 1.84 iters/s

step 4099, batch loss 1.624, 1.84 iters/s
step 4100, batch loss 2.056, 1.84 iters/s
step 4101, batch loss 2.087, 1.84 iters/s
step 4102, batch loss 2.106, 1.85 iters/s
step 4103, batch loss 2.251, 1.83 iters/s
step 4104, batch loss 1.94, 1.82 iters/s
step 4105, batch loss 2.119, 1.85 iters/s
step 4106, batch loss 1.851, 1.86 iters/s
step 4107, batch loss 2.04, 1.84 iters/s
step 4108, batch loss 1.537, 1.83 iters/s
step 4109, batch loss 2.302, 1.83 iters/s
step 4110, batch loss 1.786, 1.83 iters/s
step 4111, batch loss 1.833, 1.83 iters/s
step 4112, batch loss 2.35, 1.83 iters/s
step 4113, batch loss 1.773, 1.83 iters/s
step 4114, batch loss 1.839, 1.82 iters/s
step 4115, batch loss 2.099, 1.82 iters/s
step 4116, batch loss 1.802, 1.82 iters/s
step 4117, batch loss 1.747, 1.83 iters/s
step 4118, batch loss 2.269, 1.82 iters/s
step 4119, batch loss 2.488, 1.83 iters/s
step 4120, batch loss 1.909, 1.83 iters/s
step 4121, batch loss 2.233, 1.82 iters/s
step 4122, batch loss 2.138, 1.83 iters/s
step 4123, batch loss 2.178, 1.85 iters/s
step 4124, batch loss 2.022, 1.83 iters/s
step 4125, batch loss 2.0, 1.83 iters/s
step 4126, batch loss 2.395, 1.83 iters/s
step 4127, batch loss 2.026, 1.82 iters/s
step 4128, batch loss 1.792, 1.83 iters/s
step 4129, batch loss 1.993, 1.84 iters/s
step 4130, batch loss 2.188, 1.82 iters/s
step 4131, batch loss 1.447, 1.84 iters/s
step 4132, batch loss 2.111, 1.83 iters/s
step 4133, batch loss 2.176, 1.83 iters/s
step 4134, batch loss 2.044, 1.83 iters/s
step 4135, batch loss 2.201, 1.83 iters/s
step 4136, batch loss 1.869, 1.83 iters/s
step 4137, batch loss 2.298, 1.83 iters/s
step 4138, batch loss 2.484, 1.83 iters/s
step 4139, batch loss 1.801, 1.84 iters/s
step 4140, batch loss 1.752, 1.84 iters/s
step 4141, batch loss 2.021, 1.83 iters/s
step 4142, batch loss 2.449, 1.83 iters/s
step 4143, batch loss 1.703, 1.82 iters/s
step 4144, batch loss 2.098, 1.82 iters/s
step 4145, batch loss 1.84, 1.84 iters/s
step 4146, batch loss 1.635, 1.85 iters/s

step 4147, batch loss 2.259, 1.83 iters/s
step 4148, batch loss 1.478, 1.83 iters/s
step 4149, batch loss 2.235, 1.82 iters/s
step 4150, batch loss 1.919, 1.83 iters/s
step 4151, batch loss 2.116, 1.83 iters/s
step 4152, batch loss 2.262, 1.83 iters/s
step 4153, batch loss 2.21, 1.82 iters/s
step 4154, batch loss 2.399, 1.83 iters/s
step 4155, batch loss 2.569, 1.82 iters/s
step 4156, batch loss 1.797, 1.85 iters/s
step 4157, batch loss 2.354, 1.83 iters/s
step 4158, batch loss 2.093, 1.83 iters/s
step 4159, batch loss 1.724, 1.84 iters/s
step 4160, batch loss 1.856, 1.83 iters/s
step 4161, batch loss 2.14, 1.83 iters/s
step 4162, batch loss 1.723, 1.83 iters/s
step 4163, batch loss 2.033, 1.83 iters/s
step 4164, batch loss 1.977, 1.83 iters/s
step 4165, batch loss 3.169, 1.82 iters/s
step 4166, batch loss 1.919, 1.83 iters/s
step 4167, batch loss 1.937, 1.84 iters/s
step 4168, batch loss 2.638, 1.83 iters/s
step 4169, batch loss 1.95, 1.84 iters/s
step 4170, batch loss 2.351, 1.83 iters/s
step 4171, batch loss 2.003, 1.83 iters/s
step 4172, batch loss 2.257, 1.85 iters/s
step 4173, batch loss 2.357, 1.82 iters/s
step 4174, batch loss 1.974, 1.84 iters/s
step 4175, batch loss 1.917, 1.83 iters/s
step 4176, batch loss 1.963, 1.83 iters/s
step 4177, batch loss 2.118, 1.82 iters/s
step 4178, batch loss 2.294, 1.83 iters/s
step 4179, batch loss 1.794, 1.83 iters/s
step 4180, batch loss 1.344, 1.86 iters/s
step 4181, batch loss 1.936, 1.84 iters/s
step 4182, batch loss 2.019, 1.84 iters/s
step 4183, batch loss 2.119, 1.82 iters/s
step 4184, batch loss 2.199, 1.84 iters/s
step 4185, batch loss 1.806, 1.83 iters/s
step 4186, batch loss 2.353, 1.82 iters/s
step 4187, batch loss 2.161, 1.83 iters/s
step 4188, batch loss 1.951, 1.83 iters/s
step 4189, batch loss 2.285, 1.85 iters/s
step 4190, batch loss 2.111, 1.82 iters/s
step 4191, batch loss 2.217, 1.83 iters/s
step 4192, batch loss 1.829, 1.84 iters/s
step 4193, batch loss 1.904, 1.83 iters/s
step 4194, batch loss 2.005, 1.83 iters/s

step 4195, batch loss 2.74, 1.83 iters/s
step 4196, batch loss 1.746, 1.83 iters/s
step 4197, batch loss 1.865, 1.83 iters/s
step 4198, batch loss 2.001, 1.84 iters/s
step 4199, batch loss 2.041, 1.84 iters/s
step 4200, batch loss 1.571, 1.83 iters/s
step 4201, batch loss 2.032, 1.84 iters/s
step 4202, batch loss 1.794, 1.83 iters/s
step 4203, batch loss 2.419, 1.84 iters/s
step 4204, batch loss 2.042, 1.83 iters/s
step 4205, batch loss 2.054, 1.83 iters/s
step 4206, batch loss 1.837, 1.82 iters/s
step 4207, batch loss 2.171, 1.84 iters/s
step 4208, batch loss 1.935, 1.83 iters/s
step 4209, batch loss 2.311, 1.82 iters/s
step 4210, batch loss 1.963, 1.82 iters/s
step 4211, batch loss 1.839, 1.85 iters/s
step 4212, batch loss 2.08, 1.82 iters/s
step 4213, batch loss 2.017, 1.85 iters/s
step 4214, batch loss 2.37, 1.83 iters/s
step 4215, batch loss 1.603, 1.85 iters/s
step 4216, batch loss 1.791, 1.82 iters/s
step 4217, batch loss 2.574, 1.82 iters/s
step 4218, batch loss 2.301, 1.83 iters/s
step 4219, batch loss 2.088, 1.82 iters/s
step 4220, batch loss 1.949, 1.83 iters/s
step 4221, batch loss 2.085, 1.82 iters/s
step 4222, batch loss 1.913, 1.83 iters/s
step 4223, batch loss 1.495, 1.85 iters/s
step 4224, batch loss 2.182, 1.84 iters/s
step 4225, batch loss 1.9, 1.83 iters/s
step 4226, batch loss 1.901, 1.83 iters/s
step 4227, batch loss 1.806, 1.85 iters/s
step 4228, batch loss 1.742, 1.83 iters/s
step 4229, batch loss 2.067, 1.83 iters/s
step 4230, batch loss 1.993, 1.83 iters/s
step 4231, batch loss 2.202, 1.83 iters/s
step 4232, batch loss 2.247, 1.83 iters/s
step 4233, batch loss 1.933, 1.83 iters/s
step 4234, batch loss 1.828, 1.82 iters/s
step 4235, batch loss 2.262, 1.83 iters/s
step 4236, batch loss 1.848, 1.82 iters/s
step 4237, batch loss 1.922, 1.83 iters/s
step 4238, batch loss 1.891, 1.82 iters/s
step 4239, batch loss 1.656, 1.83 iters/s
step 4240, batch loss 1.892, 1.83 iters/s
step 4241, batch loss 1.91, 1.83 iters/s
step 4242, batch loss 2.031, 1.84 iters/s

step 4243, batch loss 1.454, 1.83 iters/s
step 4244, batch loss 2.028, 1.84 iters/s
step 4245, batch loss 2.409, 1.83 iters/s
step 4246, batch loss 2.125, 1.82 iters/s
step 4247, batch loss 1.983, 1.85 iters/s
step 4248, batch loss 1.685, 1.82 iters/s
step 4249, batch loss 2.038, 1.82 iters/s
step 4250, batch loss 2.277, 1.83 iters/s
step 4251, batch loss 2.13, 1.83 iters/s
step 4252, batch loss 2.014, 1.83 iters/s
step 4253, batch loss 1.614, 1.82 iters/s
step 4254, batch loss 1.809, 1.83 iters/s
step 4255, batch loss 1.848, 1.83 iters/s
step 4256, batch loss 2.221, 1.83 iters/s
step 4257, batch loss 1.61, 1.83 iters/s
step 4258, batch loss 2.064, 1.83 iters/s
step 4259, batch loss 2.435, 1.84 iters/s
step 4260, batch loss 1.897, 1.82 iters/s
step 4261, batch loss 2.121, 1.83 iters/s
step 4262, batch loss 2.04, 1.83 iters/s
step 4263, batch loss 1.882, 1.83 iters/s
step 4264, batch loss 2.117, 1.83 iters/s
step 4265, batch loss 2.462, 1.85 iters/s
step 4266, batch loss 1.907, 1.82 iters/s
step 4267, batch loss 2.489, 1.84 iters/s
step 4268, batch loss 1.896, 1.84 iters/s
step 4269, batch loss 2.045, 1.84 iters/s
step 4270, batch loss 1.951, 1.83 iters/s
step 4271, batch loss 1.959, 1.83 iters/s
step 4272, batch loss 1.987, 1.84 iters/s
step 4273, batch loss 1.791, 1.82 iters/s
step 4274, batch loss 1.135, 1.83 iters/s
step 4275, batch loss 1.352, 1.83 iters/s
step 4276, batch loss 1.999, 1.85 iters/s
step 4277, batch loss 2.643, 1.83 iters/s
step 4278, batch loss 2.551, 1.84 iters/s
step 4279, batch loss 1.919, 1.83 iters/s
step 4280, batch loss 2.014, 1.82 iters/s
step 4281, batch loss 1.858, 1.82 iters/s
step 4282, batch loss 1.813, 1.83 iters/s
step 4283, batch loss 1.72, 1.84 iters/s
step 4284, batch loss 2.15, 1.83 iters/s
step 4285, batch loss 1.243, 1.83 iters/s
step 4286, batch loss 1.836, 1.83 iters/s
step 4287, batch loss 2.053, 1.83 iters/s
step 4288, batch loss 1.61, 1.84 iters/s
step 4289, batch loss 1.987, 1.86 iters/s
step 4290, batch loss 2.105, 1.83 iters/s

step 4291, batch loss 1.841, 1.84 iters/s
step 4292, batch loss 2.271, 1.83 iters/s
step 4293, batch loss 2.007, 1.84 iters/s
step 4294, batch loss 2.175, 1.83 iters/s
step 4295, batch loss 1.982, 1.84 iters/s
step 4296, batch loss 2.517, 1.83 iters/s
step 4297, batch loss 1.366, 1.85 iters/s
step 4298, batch loss 2.173, 1.84 iters/s
step 4299, batch loss 2.236, 1.84 iters/s
step 4300, batch loss 2.034, 1.83 iters/s
step 4301, batch loss 2.409, 1.85 iters/s
step 4302, batch loss 1.963, 1.83 iters/s
step 4303, batch loss 2.383, 1.83 iters/s
step 4304, batch loss 1.694, 1.83 iters/s
step 4305, batch loss 2.415, 1.83 iters/s
step 4306, batch loss 1.992, 1.84 iters/s
step 4307, batch loss 2.052, 1.83 iters/s
step 4308, batch loss 1.534, 1.83 iters/s
step 4309, batch loss 1.871, 1.83 iters/s
step 4310, batch loss 2.089, 1.85 iters/s
step 4311, batch loss 1.873, 1.83 iters/s
step 4312, batch loss 2.345, 1.83 iters/s
step 4313, batch loss 2.133, 1.83 iters/s
step 4314, batch loss 2.078, 1.83 iters/s
step 4315, batch loss 2.032, 1.84 iters/s
step 4316, batch loss 1.997, 1.83 iters/s
step 4317, batch loss 2.348, 1.83 iters/s
step 4318, batch loss 2.109, 1.84 iters/s
step 4319, batch loss 1.838, 1.81 iters/s
step 4320, batch loss 2.19, 1.82 iters/s
step 4321, batch loss 2.187, 1.83 iters/s
step 4322, batch loss 1.858, 1.85 iters/s
step 4323, batch loss 2.393, 1.84 iters/s
step 4324, batch loss 2.146, 1.82 iters/s
step 4325, batch loss 1.849, 1.84 iters/s
step 4326, batch loss 2.163, 1.83 iters/s
step 4327, batch loss 2.4, 1.82 iters/s
step 4328, batch loss 1.47, 1.83 iters/s
step 4329, batch loss 1.91, 1.83 iters/s
step 4330, batch loss 2.124, 1.83 iters/s
step 4331, batch loss 2.064, 1.83 iters/s
step 4332, batch loss 2.081, 1.83 iters/s
step 4333, batch loss 2.645, 1.83 iters/s
step 4334, batch loss 1.799, 1.84 iters/s
step 4335, batch loss 2.017, 1.82 iters/s
step 4336, batch loss 1.79, 1.83 iters/s
step 4337, batch loss 2.108, 1.82 iters/s
step 4338, batch loss 2.071, 1.83 iters/s

step 4339, batch loss 1.956, 1.83 iters/s
step 4340, batch loss 2.035, 1.82 iters/s
step 4341, batch loss 2.173, 1.85 iters/s
step 4342, batch loss 2.235, 1.84 iters/s
step 4343, batch loss 2.0, 1.83 iters/s
step 4344, batch loss 1.118, 1.83 iters/s
step 4345, batch loss 1.944, 1.84 iters/s
step 4346, batch loss 2.267, 1.83 iters/s
step 4347, batch loss 2.124, 1.84 iters/s
step 4348, batch loss 2.241, 1.83 iters/s
step 4349, batch loss 2.119, 1.83 iters/s
step 4350, batch loss 1.578, 1.83 iters/s
step 4351, batch loss 2.165, 1.82 iters/s
step 4352, batch loss 2.015, 1.83 iters/s
step 4353, batch loss 2.043, 1.83 iters/s
step 4354, batch loss 1.962, 1.83 iters/s
step 4355, batch loss 1.781, 1.82 iters/s
step 4356, batch loss 1.997, 1.82 iters/s
step 4357, batch loss 1.767, 1.82 iters/s
step 4358, batch loss 1.802, 1.84 iters/s
step 4359, batch loss 1.973, 1.83 iters/s
step 4360, batch loss 2.252, 1.83 iters/s
step 4361, batch loss 1.781, 1.82 iters/s
step 4362, batch loss 2.083, 1.84 iters/s
step 4363, batch loss 1.717, 1.82 iters/s
step 4364, batch loss 2.157, 1.83 iters/s
step 4365, batch loss 1.97, 1.83 iters/s
step 4366, batch loss 2.503, 1.84 iters/s
step 4367, batch loss 2.151, 1.83 iters/s
step 4368, batch loss 2.636, 1.83 iters/s
step 4369, batch loss 2.205, 1.83 iters/s
step 4370, batch loss 1.617, 1.83 iters/s
step 4371, batch loss 2.09, 1.83 iters/s
step 4372, batch loss 1.925, 1.83 iters/s
step 4373, batch loss 1.986, 1.84 iters/s
step 4374, batch loss 1.951, 1.84 iters/s
step 4375, batch loss 1.979, 1.83 iters/s
step 4376, batch loss 2.519, 1.83 iters/s
step 4377, batch loss 1.847, 1.83 iters/s
step 4378, batch loss 1.551, 1.83 iters/s
step 4379, batch loss 2.196, 1.82 iters/s
step 4380, batch loss 2.191, 1.84 iters/s
step 4381, batch loss 2.059, 1.82 iters/s
step 4382, batch loss 2.169, 1.84 iters/s
step 4383, batch loss 1.883, 1.86 iters/s
step 4384, batch loss 2.058, 1.85 iters/s
step 4385, batch loss 2.108, 1.83 iters/s
step 4386, batch loss 2.037, 1.85 iters/s

step 4387, batch loss 1.774, 1.83 iters/s
step 4388, batch loss 2.132, 1.82 iters/s
step 4389, batch loss 1.333, 1.85 iters/s
step 4390, batch loss 2.245, 1.84 iters/s
step 4391, batch loss 1.898, 1.84 iters/s
step 4392, batch loss 2.19, 1.84 iters/s
step 4393, batch loss 2.164, 1.84 iters/s
step 4394, batch loss 2.03, 1.83 iters/s
step 4395, batch loss 2.193, 1.83 iters/s
step 4396, batch loss 2.193, 1.83 iters/s
step 4397, batch loss 2.026, 1.84 iters/s
step 4398, batch loss 2.228, 1.82 iters/s
step 4399, batch loss 1.526, 1.82 iters/s
step 4400, batch loss 2.221, 1.83 iters/s
step 4401, batch loss 2.246, 1.83 iters/s
step 4402, batch loss 2.115, 1.82 iters/s
step 4403, batch loss 1.928, 1.82 iters/s
step 4404, batch loss 2.395, 1.83 iters/s
step 4405, batch loss 2.148, 1.85 iters/s
step 4406, batch loss 1.692, 1.84 iters/s
step 4407, batch loss 1.765, 1.82 iters/s
step 4408, batch loss 1.769, 1.83 iters/s
step 4409, batch loss 2.056, 1.83 iters/s
step 4410, batch loss 2.0, 1.84 iters/s
step 4411, batch loss 2.164, 1.83 iters/s
step 4412, batch loss 2.718, 1.83 iters/s
step 4413, batch loss 1.99, 1.83 iters/s
step 4414, batch loss 2.36, 1.83 iters/s
step 4415, batch loss 2.854, 1.83 iters/s
step 4416, batch loss 2.102, 1.82 iters/s
step 4417, batch loss 2.503, 1.82 iters/s
step 4418, batch loss 2.424, 1.83 iters/s
step 4419, batch loss 2.227, 1.83 iters/s
step 4420, batch loss 1.754, 1.84 iters/s
step 4421, batch loss 1.992, 1.83 iters/s
step 4422, batch loss 1.652, 1.83 iters/s
step 4423, batch loss 2.195, 1.83 iters/s
step 4424, batch loss 2.152, 1.83 iters/s
step 4425, batch loss 2.369, 1.83 iters/s
step 4426, batch loss 1.559, 1.84 iters/s
step 4427, batch loss 1.958, 1.85 iters/s
step 4428, batch loss 2.042, 1.83 iters/s
step 4429, batch loss 1.835, 1.83 iters/s
step 4430, batch loss 2.04, 1.84 iters/s
step 4431, batch loss 1.525, 1.83 iters/s
step 4432, batch loss 2.226, 1.83 iters/s
step 4433, batch loss 2.439, 1.82 iters/s
step 4434, batch loss 1.94, 1.83 iters/s

step 4435, batch loss 2.119, 1.83 iters/s
step 4436, batch loss 1.736, 1.83 iters/s
step 4437, batch loss 1.737, 1.84 iters/s
step 4438, batch loss 2.127, 1.83 iters/s
step 4439, batch loss 2.091, 1.83 iters/s
step 4440, batch loss 2.451, 1.83 iters/s
step 4441, batch loss 2.327, 1.84 iters/s
step 4442, batch loss 1.954, 1.83 iters/s
step 4443, batch loss 2.014, 1.83 iters/s
step 4444, batch loss 2.002, 1.83 iters/s
step 4445, batch loss 1.529, 1.84 iters/s
step 4446, batch loss 1.781, 1.82 iters/s
step 4447, batch loss 1.988, 1.84 iters/s
step 4448, batch loss 1.942, 1.83 iters/s
step 4449, batch loss 1.822, 1.83 iters/s
step 4450, batch loss 2.026, 1.83 iters/s
step 4451, batch loss 2.168, 1.85 iters/s
step 4452, batch loss 1.997, 1.84 iters/s
step 4453, batch loss 1.635, 1.82 iters/s
step 4454, batch loss 2.539, 1.82 iters/s
step 4455, batch loss 1.367, 1.83 iters/s
step 4456, batch loss 1.853, 1.82 iters/s
step 4457, batch loss 1.594, 1.84 iters/s
step 4458, batch loss 1.804, 1.83 iters/s
step 4459, batch loss 2.31, 1.82 iters/s
step 4460, batch loss 2.312, 1.83 iters/s
step 4461, batch loss 2.163, 1.82 iters/s
step 4462, batch loss 2.281, 1.83 iters/s
step 4463, batch loss 2.329, 1.84 iters/s
step 4464, batch loss 2.045, 1.83 iters/s
step 4465, batch loss 1.741, 1.83 iters/s
step 4466, batch loss 1.769, 1.84 iters/s
step 4467, batch loss 2.239, 1.83 iters/s
step 4468, batch loss 1.918, 1.84 iters/s
step 4469, batch loss 2.07, 1.85 iters/s
step 4470, batch loss 1.494, 1.83 iters/s
step 4471, batch loss 2.814, 1.83 iters/s
step 4472, batch loss 2.19, 1.83 iters/s
step 4473, batch loss 1.918, 1.82 iters/s
step 4474, batch loss 2.236, 1.83 iters/s
step 4475, batch loss 1.838, 1.83 iters/s
step 4476, batch loss 1.953, 1.85 iters/s
step 4477, batch loss 2.237, 1.83 iters/s
step 4478, batch loss 2.328, 1.82 iters/s
step 4479, batch loss 2.093, 1.83 iters/s
step 4480, batch loss 2.218, 1.83 iters/s
step 4481, batch loss 2.201, 1.82 iters/s
step 4482, batch loss 2.189, 1.82 iters/s

step 4483, batch loss 1.843, 1.83 iters/s
step 4484, batch loss 2.253, 1.82 iters/s
step 4485, batch loss 2.195, 1.83 iters/s
step 4486, batch loss 1.715, 1.83 iters/s
step 4487, batch loss 1.955, 1.82 iters/s
step 4488, batch loss 2.007, 1.82 iters/s
step 4489, batch loss 1.906, 1.82 iters/s
step 4490, batch loss 1.782, 1.82 iters/s
step 4491, batch loss 2.126, 1.83 iters/s
step 4492, batch loss 1.848, 1.84 iters/s
step 4493, batch loss 1.953, 1.82 iters/s
step 4494, batch loss 1.676, 1.83 iters/s
step 4495, batch loss 1.776, 1.84 iters/s
step 4496, batch loss 2.231, 1.83 iters/s
step 4497, batch loss 2.178, 1.82 iters/s
step 4498, batch loss 2.166, 1.83 iters/s
step 4499, batch loss 1.674, 1.83 iters/s
step 4500, batch loss 2.15, 1.83 iters/s
step 4501, batch loss 1.573, 1.82 iters/s
step 4502, batch loss 2.091, 1.83 iters/s
step 4503, batch loss 2.136, 1.83 iters/s
step 4504, batch loss 1.576, 1.83 iters/s
step 4505, batch loss 2.455, 1.83 iters/s
step 4506, batch loss 1.976, 1.84 iters/s
step 4507, batch loss 2.018, 1.83 iters/s
step 4508, batch loss 1.766, 1.82 iters/s
step 4509, batch loss 2.037, 1.82 iters/s
step 4510, batch loss 2.146, 1.83 iters/s
step 4511, batch loss 2.01, 1.82 iters/s
step 4512, batch loss 2.202, 1.83 iters/s
step 4513, batch loss 1.721, 1.82 iters/s
step 4514, batch loss 2.032, 1.83 iters/s
step 4515, batch loss 1.913, 1.82 iters/s
step 4516, batch loss 2.037, 1.83 iters/s
step 4517, batch loss 1.822, 1.83 iters/s
step 4518, batch loss 1.742, 1.83 iters/s
step 4519, batch loss 2.371, 1.84 iters/s
step 4520, batch loss 2.088, 1.83 iters/s
step 4521, batch loss 1.847, 1.83 iters/s
step 4522, batch loss 2.444, 1.83 iters/s
step 4523, batch loss 2.782, 1.83 iters/s
step 4524, batch loss 2.056, 1.84 iters/s
step 4525, batch loss 2.13, 1.82 iters/s
step 4526, batch loss 2.121, 1.82 iters/s
step 4527, batch loss 1.225, 1.83 iters/s
step 4528, batch loss 1.985, 1.85 iters/s
step 4529, batch loss 2.147, 1.83 iters/s
step 4530, batch loss 2.42, 1.83 iters/s

step 4531, batch loss 2.289, 1.83 iters/s
step 4532, batch loss 1.876, 1.83 iters/s
step 4533, batch loss 1.983, 1.86 iters/s
step 4534, batch loss 2.334, 1.83 iters/s
step 4535, batch loss 1.987, 1.83 iters/s
step 4536, batch loss 1.855, 1.85 iters/s
step 4537, batch loss 2.302, 1.84 iters/s
step 4538, batch loss 2.404, 1.82 iters/s
step 4539, batch loss 1.713, 1.83 iters/s
step 4540, batch loss 2.099, 1.84 iters/s
step 4541, batch loss 2.074, 1.83 iters/s
step 4542, batch loss 1.898, 1.82 iters/s
step 4543, batch loss 2.118, 1.83 iters/s
step 4544, batch loss 1.243, 1.83 iters/s
step 4545, batch loss 2.26, 1.82 iters/s
step 4546, batch loss 2.124, 1.83 iters/s
step 4547, batch loss 2.148, 1.83 iters/s
step 4548, batch loss 2.059, 1.83 iters/s
step 4549, batch loss 1.68, 1.83 iters/s
step 4550, batch loss 1.914, 1.83 iters/s
step 4551, batch loss 2.21, 1.86 iters/s
step 4552, batch loss 1.733, 1.86 iters/s
step 4553, batch loss 2.007, 1.83 iters/s
step 4554, batch loss 2.067, 1.83 iters/s
step 4555, batch loss 1.842, 1.84 iters/s
step 4556, batch loss 1.791, 1.84 iters/s
step 4557, batch loss 1.847, 1.83 iters/s
step 4558, batch loss 2.51, 1.83 iters/s
step 4559, batch loss 1.787, 1.83 iters/s
step 4560, batch loss 2.228, 1.83 iters/s
step 4561, batch loss 2.017, 1.83 iters/s
step 4562, batch loss 2.05, 1.85 iters/s
step 4563, batch loss 2.264, 1.84 iters/s
step 4564, batch loss 2.084, 1.84 iters/s
step 4565, batch loss 1.944, 1.83 iters/s
step 4566, batch loss 2.188, 1.82 iters/s
step 4567, batch loss 0.805, 1.84 iters/s
step 4568, batch loss 1.811, 1.83 iters/s
step 4569, batch loss 2.398, 1.83 iters/s
step 4570, batch loss 1.5, 1.83 iters/s
step 4571, batch loss 1.504, 1.85 iters/s
step 4572, batch loss 2.037, 1.83 iters/s
step 4573, batch loss 1.983, 1.83 iters/s
step 4574, batch loss 2.08, 1.85 iters/s
step 4575, batch loss 1.841, 1.83 iters/s
step 4576, batch loss 2.074, 1.84 iters/s
step 4577, batch loss 2.021, 1.82 iters/s
step 4578, batch loss 1.72, 1.83 iters/s

step 4579, batch loss 1.581, 1.83 iters/s
step 4580, batch loss 1.641, 1.83 iters/s
step 4581, batch loss 2.239, 1.85 iters/s
step 4582, batch loss 1.38, 1.84 iters/s
step 4583, batch loss 2.175, 1.84 iters/s
step 4584, batch loss 2.232, 1.83 iters/s
step 4585, batch loss 1.989, 1.83 iters/s
step 4586, batch loss 2.369, 1.85 iters/s
step 4587, batch loss 1.954, 1.85 iters/s
step 4588, batch loss 2.138, 1.83 iters/s
step 4589, batch loss 1.909, 1.83 iters/s
step 4590, batch loss 2.167, 1.84 iters/s
step 4591, batch loss 2.094, 1.83 iters/s
step 4592, batch loss 1.754, 1.83 iters/s
step 4593, batch loss 2.031, 1.84 iters/s
step 4594, batch loss 2.235, 1.83 iters/s
step 4595, batch loss 2.1, 1.83 iters/s
step 4596, batch loss 1.811, 1.82 iters/s
step 4597, batch loss 1.978, 1.82 iters/s
step 4598, batch loss 1.703, 1.83 iters/s
step 4599, batch loss 1.953, 1.83 iters/s
step 4600, batch loss 1.946, 1.86 iters/s
step 4601, batch loss 1.672, 1.82 iters/s
step 4602, batch loss 1.78, 1.84 iters/s
step 4603, batch loss 2.346, 1.85 iters/s
step 4604, batch loss 1.881, 1.83 iters/s
step 4605, batch loss 1.983, 1.83 iters/s
step 4606, batch loss 1.936, 1.83 iters/s
step 4607, batch loss 1.807, 1.83 iters/s
step 4608, batch loss 1.788, 1.83 iters/s
step 4609, batch loss 2.165, 1.83 iters/s
step 4610, batch loss 1.954, 1.84 iters/s
step 4611, batch loss 2.239, 1.83 iters/s
step 4612, batch loss 1.636, 1.81 iters/s
step 4613, batch loss 1.551, 1.83 iters/s
step 4614, batch loss 2.005, 1.84 iters/s
step 4615, batch loss 1.358, 1.82 iters/s
step 4616, batch loss 2.226, 1.83 iters/s
step 4617, batch loss 2.065, 1.82 iters/s
step 4618, batch loss 2.004, 1.83 iters/s
step 4619, batch loss 1.267, 1.83 iters/s
step 4620, batch loss 2.331, 1.82 iters/s
step 4621, batch loss 2.179, 1.82 iters/s
step 4622, batch loss 1.688, 1.83 iters/s
step 4623, batch loss 1.872, 1.83 iters/s
step 4624, batch loss 1.964, 1.83 iters/s
step 4625, batch loss 1.579, 1.83 iters/s
step 4626, batch loss 1.891, 1.84 iters/s

step 4627, batch loss 2.026, 1.84 iters/s
step 4628, batch loss 1.564, 1.83 iters/s
step 4629, batch loss 1.639, 1.84 iters/s
step 4630, batch loss 1.938, 1.84 iters/s
step 4631, batch loss 1.913, 1.83 iters/s
step 4632, batch loss 2.17, 1.84 iters/s
step 4633, batch loss 2.173, 1.84 iters/s
step 4634, batch loss 1.849, 1.83 iters/s
step 4635, batch loss 1.963, 1.85 iters/s
step 4636, batch loss 2.229, 1.83 iters/s
step 4637, batch loss 1.939, 1.83 iters/s
step 4638, batch loss 1.891, 1.83 iters/s
step 4639, batch loss 2.163, 1.84 iters/s
step 4640, batch loss 2.591, 1.84 iters/s
step 4641, batch loss 1.58, 1.84 iters/s
step 4642, batch loss 1.597, 1.83 iters/s
step 4643, batch loss 1.784, 1.83 iters/s
step 4644, batch loss 2.349, 1.83 iters/s
step 4645, batch loss 1.467, 1.83 iters/s
step 4646, batch loss 1.819, 1.82 iters/s
step 4647, batch loss 1.379, 1.84 iters/s
step 4648, batch loss 1.481, 1.83 iters/s
step 4649, batch loss 1.488, 1.82 iters/s
step 4650, batch loss 2.146, 1.83 iters/s
step 4651, batch loss 1.934, 1.82 iters/s
step 4652, batch loss 1.958, 1.83 iters/s
step 4653, batch loss 1.678, 1.83 iters/s
step 4654, batch loss 1.974, 1.83 iters/s
step 4655, batch loss 1.526, 1.85 iters/s
step 4656, batch loss 2.003, 1.83 iters/s
step 4657, batch loss 2.341, 1.82 iters/s
step 4658, batch loss 2.151, 1.84 iters/s
step 4659, batch loss 1.96, 1.85 iters/s
step 4660, batch loss 2.236, 1.83 iters/s
step 4661, batch loss 1.454, 1.83 iters/s
step 4662, batch loss 1.739, 1.83 iters/s
step 4663, batch loss 2.27, 1.83 iters/s
step 4664, batch loss 1.789, 1.83 iters/s
step 4665, batch loss 1.866, 1.83 iters/s
step 4666, batch loss 1.652, 1.85 iters/s
step 4667, batch loss 2.123, 1.84 iters/s
step 4668, batch loss 1.899, 1.83 iters/s
step 4669, batch loss 2.303, 1.84 iters/s
step 4670, batch loss 1.952, 1.83 iters/s
step 4671, batch loss 1.13, 1.84 iters/s
step 4672, batch loss 1.753, 1.82 iters/s
step 4673, batch loss 2.789, 1.83 iters/s
step 4674, batch loss 2.018, 1.82 iters/s

step 4675, batch loss 1.455, 1.83 iters/s
step 4676, batch loss 1.797, 1.82 iters/s
step 4677, batch loss 2.11, 1.83 iters/s
step 4678, batch loss 1.708, 1.85 iters/s
step 4679, batch loss 2.034, 1.83 iters/s
step 4680, batch loss 1.601, 1.82 iters/s
step 4681, batch loss 1.953, 1.85 iters/s
step 4682, batch loss 2.156, 1.83 iters/s
step 4683, batch loss 2.193, 1.83 iters/s
step 4684, batch loss 2.202, 1.83 iters/s
step 4685, batch loss 2.108, 1.83 iters/s
step 4686, batch loss 2.193, 1.84 iters/s
step 4687, batch loss 1.72, 1.83 iters/s
step 4688, batch loss 1.952, 1.83 iters/s
step 4689, batch loss 1.9, 1.84 iters/s
step 4690, batch loss 2.155, 1.83 iters/s
step 4691, batch loss 1.755, 1.86 iters/s
step 4692, batch loss 2.245, 1.82 iters/s
step 4693, batch loss 1.7, 1.83 iters/s
step 4694, batch loss 1.992, 1.83 iters/s
step 4695, batch loss 2.284, 1.84 iters/s
step 4696, batch loss 2.585, 1.85 iters/s
step 4697, batch loss 2.351, 1.83 iters/s
step 4698, batch loss 2.212, 1.84 iters/s
step 4699, batch loss 1.906, 1.84 iters/s
step 4700, batch loss 1.969, 1.83 iters/s
step 4701, batch loss 1.829, 1.83 iters/s
step 4702, batch loss 1.458, 1.83 iters/s
step 4703, batch loss 2.454, 1.83 iters/s
step 4704, batch loss 2.014, 1.83 iters/s
step 4705, batch loss 1.931, 1.84 iters/s
step 4706, batch loss 1.78, 1.84 iters/s
step 4707, batch loss 2.211, 1.84 iters/s
step 4708, batch loss 2.286, 1.83 iters/s
step 4709, batch loss 2.274, 1.82 iters/s
step 4710, batch loss 1.946, 1.83 iters/s
step 4711, batch loss 1.803, 1.83 iters/s
step 4712, batch loss 1.7, 1.85 iters/s
step 4713, batch loss 1.804, 1.84 iters/s
step 4714, batch loss 1.417, 1.85 iters/s
step 4715, batch loss 2.183, 1.86 iters/s
step 4716, batch loss 2.154, 1.84 iters/s
step 4717, batch loss 1.672, 1.85 iters/s
step 4718, batch loss 2.624, 1.83 iters/s
step 4719, batch loss 2.057, 1.82 iters/s
step 4720, batch loss 1.757, 1.83 iters/s
step 4721, batch loss 1.96, 1.82 iters/s
step 4722, batch loss 2.044, 1.83 iters/s

step 4723, batch loss 1.957, 1.83 iters/s
step 4724, batch loss 1.881, 1.84 iters/s
step 4725, batch loss 2.074, 1.83 iters/s
step 4726, batch loss 1.954, 1.83 iters/s
step 4727, batch loss 2.266, 1.85 iters/s
step 4728, batch loss 1.374, 1.83 iters/s
step 4729, batch loss 2.295, 1.82 iters/s
step 4730, batch loss 2.204, 1.83 iters/s
step 4731, batch loss 2.009, 1.83 iters/s
step 4732, batch loss 1.939, 1.83 iters/s
step 4733, batch loss 1.956, 1.83 iters/s
step 4734, batch loss 2.02, 1.83 iters/s
step 4735, batch loss 1.846, 1.83 iters/s
step 4736, batch loss 2.069, 1.86 iters/s
step 4737, batch loss 1.977, 1.83 iters/s
step 4738, batch loss 1.78, 1.83 iters/s
step 4739, batch loss 2.179, 1.83 iters/s
step 4740, batch loss 2.107, 1.83 iters/s
step 4741, batch loss 2.265, 1.82 iters/s
step 4742, batch loss 1.965, 1.85 iters/s
step 4743, batch loss 2.08, 1.83 iters/s
step 4744, batch loss 1.974, 1.82 iters/s
step 4745, batch loss 2.174, 1.83 iters/s
step 4746, batch loss 2.771, 1.83 iters/s
step 4747, batch loss 2.072, 1.83 iters/s
step 4748, batch loss 2.076, 1.83 iters/s
step 4749, batch loss 1.813, 1.83 iters/s
step 4750, batch loss 1.779, 1.82 iters/s
step 4751, batch loss 2.447, 1.83 iters/s
step 4752, batch loss 2.281, 1.82 iters/s
step 4753, batch loss 2.147, 1.83 iters/s
step 4754, batch loss 2.746, 1.83 iters/s
step 4755, batch loss 2.195, 1.83 iters/s
step 4756, batch loss 1.968, 1.83 iters/s
step 4757, batch loss 1.787, 1.83 iters/s
step 4758, batch loss 2.119, 1.84 iters/s
step 4759, batch loss 2.063, 1.83 iters/s
step 4760, batch loss 2.179, 1.83 iters/s
step 4761, batch loss 2.012, 1.84 iters/s
step 4762, batch loss 1.911, 1.83 iters/s
step 4763, batch loss 2.043, 1.83 iters/s
step 4764, batch loss 2.057, 1.83 iters/s
step 4765, batch loss 2.1, 1.85 iters/s
step 4766, batch loss 2.023, 1.83 iters/s
step 4767, batch loss 2.05, 1.83 iters/s
step 4768, batch loss 1.685, 1.85 iters/s
step 4769, batch loss 1.914, 1.82 iters/s
step 4770, batch loss 2.304, 1.83 iters/s

step 4771, batch loss 2.337, 1.83 iters/s
step 4772, batch loss 1.906, 1.83 iters/s
step 4773, batch loss 1.856, 1.83 iters/s
step 4774, batch loss 1.763, 1.84 iters/s
step 4775, batch loss 1.909, 1.84 iters/s
step 4776, batch loss 1.597, 1.84 iters/s
step 4777, batch loss 1.895, 1.83 iters/s
step 4778, batch loss 2.217, 1.83 iters/s
step 4779, batch loss 1.376, 1.82 iters/s
step 4780, batch loss 1.799, 1.83 iters/s
step 4781, batch loss 1.749, 1.83 iters/s
step 4782, batch loss 1.491, 1.83 iters/s
step 4783, batch loss 2.03, 1.83 iters/s
step 4784, batch loss 2.061, 1.83 iters/s
step 4785, batch loss 1.63, 1.83 iters/s
step 4786, batch loss 2.076, 1.83 iters/s
step 4787, batch loss 2.061, 1.84 iters/s
step 4788, batch loss 2.121, 1.84 iters/s
step 4789, batch loss 2.214, 1.83 iters/s
step 4790, batch loss 2.124, 1.84 iters/s
step 4791, batch loss 2.211, 1.83 iters/s
step 4792, batch loss 1.597, 1.83 iters/s
step 4793, batch loss 1.936, 1.83 iters/s
step 4794, batch loss 1.935, 1.84 iters/s
step 4795, batch loss 2.008, 1.83 iters/s
step 4796, batch loss 2.057, 1.84 iters/s
step 4797, batch loss 1.994, 1.84 iters/s
step 4798, batch loss 2.305, 1.82 iters/s
step 4799, batch loss 2.731, 1.84 iters/s
step 4800, batch loss 2.397, 1.83 iters/s
step 4801, batch loss 1.951, 1.83 iters/s
step 4802, batch loss 2.048, 1.84 iters/s
step 4803, batch loss 1.9, 1.83 iters/s
step 4804, batch loss 1.483, 1.83 iters/s
step 4805, batch loss 2.161, 1.82 iters/s
step 4806, batch loss 1.944, 1.84 iters/s
step 4807, batch loss 2.01, 1.82 iters/s
step 4808, batch loss 1.688, 1.83 iters/s
step 4809, batch loss 1.868, 1.86 iters/s
step 4810, batch loss 2.188, 1.83 iters/s
step 4811, batch loss 2.02, 1.83 iters/s
step 4812, batch loss 1.992, 1.84 iters/s
step 4813, batch loss 1.814, 1.84 iters/s
step 4814, batch loss 2.48, 1.85 iters/s
step 4815, batch loss 2.144, 1.84 iters/s
step 4816, batch loss 1.745, 1.84 iters/s
step 4817, batch loss 2.147, 1.83 iters/s
step 4818, batch loss 2.42, 1.83 iters/s

step 4819, batch loss 2.043, 1.83 iters/s
step 4820, batch loss 2.04, 1.82 iters/s
step 4821, batch loss 2.489, 1.83 iters/s
step 4822, batch loss 1.843, 1.84 iters/s
step 4823, batch loss 2.114, 1.85 iters/s
step 4824, batch loss 1.701, 1.83 iters/s
step 4825, batch loss 2.021, 1.83 iters/s
step 4826, batch loss 2.129, 1.83 iters/s
step 4827, batch loss 2.189, 1.83 iters/s
step 4828, batch loss 2.377, 1.84 iters/s
step 4829, batch loss 2.08, 1.83 iters/s
step 4830, batch loss 1.894, 1.85 iters/s
step 4831, batch loss 1.955, 1.83 iters/s
step 4832, batch loss 2.238, 1.83 iters/s
step 4833, batch loss 1.843, 1.83 iters/s
step 4834, batch loss 1.959, 1.83 iters/s
step 4835, batch loss 2.564, 1.84 iters/s
step 4836, batch loss 2.302, 1.83 iters/s
step 4837, batch loss 1.993, 1.83 iters/s
step 4838, batch loss 2.245, 1.83 iters/s
step 4839, batch loss 1.804, 1.83 iters/s
step 4840, batch loss 1.737, 1.83 iters/s
step 4841, batch loss 1.967, 1.84 iters/s
step 4842, batch loss 1.888, 1.84 iters/s
step 4843, batch loss 1.602, 1.85 iters/s
step 4844, batch loss 2.022, 1.82 iters/s
step 4845, batch loss 1.704, 1.84 iters/s
step 4846, batch loss 2.025, 1.83 iters/s
step 4847, batch loss 1.977, 1.86 iters/s
step 4848, batch loss 2.22, 1.84 iters/s
step 4849, batch loss 2.248, 1.83 iters/s
step 4850, batch loss 2.087, 1.83 iters/s
step 4851, batch loss 2.446, 1.82 iters/s
step 4852, batch loss 2.111, 1.83 iters/s
step 4853, batch loss 2.082, 1.83 iters/s
step 4854, batch loss 1.888, 1.83 iters/s
step 4855, batch loss 2.007, 1.83 iters/s
step 4856, batch loss 1.809, 1.84 iters/s
step 4857, batch loss 1.973, 1.83 iters/s
step 4858, batch loss 1.937, 1.83 iters/s
step 4859, batch loss 1.984, 1.83 iters/s
step 4860, batch loss 1.889, 1.85 iters/s
step 4861, batch loss 2.377, 1.84 iters/s
step 4862, batch loss 2.033, 1.84 iters/s
step 4863, batch loss 2.077, 1.83 iters/s
step 4864, batch loss 2.594, 1.85 iters/s
step 4865, batch loss 1.984, 1.84 iters/s
step 4866, batch loss 2.1, 1.82 iters/s

step 4867, batch loss 1.934, 1.83 iters/s
step 4868, batch loss 2.821, 1.83 iters/s
step 4869, batch loss 1.863, 1.86 iters/s
step 4870, batch loss 2.23, 1.83 iters/s
step 4871, batch loss 2.268, 1.83 iters/s
step 4872, batch loss 2.004, 1.84 iters/s
step 4873, batch loss 1.97, 1.83 iters/s
step 4874, batch loss 2.205, 1.82 iters/s
step 4875, batch loss 2.438, 1.82 iters/s
step 4876, batch loss 1.914, 1.83 iters/s
step 4877, batch loss 2.287, 1.83 iters/s
step 4878, batch loss 1.9, 1.83 iters/s
step 4879, batch loss 1.952, 1.82 iters/s
step 4880, batch loss 1.823, 1.83 iters/s
step 4881, batch loss 1.6, 1.85 iters/s
step 4882, batch loss 2.076, 1.85 iters/s
step 4883, batch loss 1.859, 1.85 iters/s
step 4884, batch loss 1.57, 1.83 iters/s
step 4885, batch loss 1.531, 1.84 iters/s
step 4886, batch loss 1.994, 1.84 iters/s
step 4887, batch loss 2.128, 1.84 iters/s
step 4888, batch loss 1.923, 1.83 iters/s
step 4889, batch loss 1.88, 1.83 iters/s
step 4890, batch loss 2.661, 1.84 iters/s
step 4891, batch loss 2.364, 1.82 iters/s
step 4892, batch loss 1.735, 1.83 iters/s
step 4893, batch loss 1.977, 1.83 iters/s
step 4894, batch loss 2.073, 1.83 iters/s
step 4895, batch loss 1.949, 1.83 iters/s
step 4896, batch loss 2.593, 1.83 iters/s
step 4897, batch loss 1.794, 1.84 iters/s
step 4898, batch loss 1.989, 1.86 iters/s
step 4899, batch loss 1.965, 1.84 iters/s
step 4900, batch loss 2.055, 1.82 iters/s
step 4901, batch loss 2.198, 1.84 iters/s
step 4902, batch loss 2.224, 1.82 iters/s
step 4903, batch loss 1.944, 1.85 iters/s
step 4904, batch loss 1.727, 1.83 iters/s
step 4905, batch loss 2.1, 1.84 iters/s
step 4906, batch loss 2.396, 1.84 iters/s
step 4907, batch loss 1.587, 1.86 iters/s
step 4908, batch loss 1.789, 1.83 iters/s
step 4909, batch loss 2.455, 1.83 iters/s
step 4910, batch loss 2.163, 1.84 iters/s
step 4911, batch loss 2.159, 1.83 iters/s
step 4912, batch loss 2.3, 1.84 iters/s
step 4913, batch loss 1.258, 1.84 iters/s
step 4914, batch loss 2.189, 1.83 iters/s

step 4915, batch loss 2.255, 1.83 iters/s
step 4916, batch loss 2.046, 1.83 iters/s
step 4917, batch loss 1.782, 1.83 iters/s
step 4918, batch loss 2.595, 1.83 iters/s
step 4919, batch loss 1.94, 1.83 iters/s
step 4920, batch loss 1.578, 1.84 iters/s
step 4921, batch loss 1.664, 1.83 iters/s
step 4922, batch loss 2.128, 1.83 iters/s
step 4923, batch loss 2.218, 1.83 iters/s
step 4924, batch loss 1.8, 1.83 iters/s
step 4925, batch loss 2.17, 1.83 iters/s
step 4926, batch loss 1.259, 1.85 iters/s
step 4927, batch loss 1.99, 1.83 iters/s
step 4928, batch loss 1.892, 1.86 iters/s
step 4929, batch loss 2.223, 1.83 iters/s
step 4930, batch loss 1.971, 1.83 iters/s
step 4931, batch loss 2.1, 1.83 iters/s
step 4932, batch loss 1.866, 1.85 iters/s
step 4933, batch loss 1.69, 1.83 iters/s
step 4934, batch loss 2.258, 1.86 iters/s
step 4935, batch loss 2.15, 1.83 iters/s
step 4936, batch loss 1.786, 1.82 iters/s
step 4937, batch loss 1.865, 1.83 iters/s
step 4938, batch loss 1.709, 1.83 iters/s
step 4939, batch loss 1.999, 1.83 iters/s
step 4940, batch loss 2.251, 1.84 iters/s
step 4941, batch loss 2.259, 1.84 iters/s
step 4942, batch loss 1.958, 1.83 iters/s
step 4943, batch loss 1.931, 1.83 iters/s
step 4944, batch loss 2.182, 1.83 iters/s
step 4945, batch loss 2.17, 1.86 iters/s
step 4946, batch loss 2.537, 1.84 iters/s
step 4947, batch loss 1.969, 1.83 iters/s
step 4948, batch loss 1.729, 1.85 iters/s
step 4949, batch loss 1.299, 1.84 iters/s
step 4950, batch loss 1.8, 1.82 iters/s
step 4951, batch loss 1.974, 1.83 iters/s
step 4952, batch loss 2.281, 1.83 iters/s
step 4953, batch loss 2.162, 1.83 iters/s
step 4954, batch loss 2.481, 1.84 iters/s
step 4955, batch loss 2.173, 1.86 iters/s
step 4956, batch loss 1.977, 1.84 iters/s
step 4957, batch loss 2.363, 1.83 iters/s
step 4958, batch loss 1.904, 1.86 iters/s
step 4959, batch loss 1.717, 1.83 iters/s
step 4960, batch loss 2.054, 1.83 iters/s
step 4961, batch loss 2.114, 1.83 iters/s
step 4962, batch loss 1.841, 1.83 iters/s

step 4963, batch loss 1.815, 1.82 iters/s
step 4964, batch loss 2.173, 1.83 iters/s
step 4965, batch loss 2.23, 1.86 iters/s
step 4966, batch loss 2.761, 1.83 iters/s
step 4967, batch loss 1.708, 1.83 iters/s
step 4968, batch loss 2.199, 1.85 iters/s
step 4969, batch loss 1.447, 1.83 iters/s
step 4970, batch loss 1.143, 1.84 iters/s
step 4971, batch loss 2.142, 1.83 iters/s
step 4972, batch loss 1.932, 1.83 iters/s
step 4973, batch loss 1.925, 1.83 iters/s
step 4974, batch loss 1.569, 1.83 iters/s
step 4975, batch loss 2.006, 1.83 iters/s
step 4976, batch loss 2.263, 1.83 iters/s
step 4977, batch loss 2.278, 1.83 iters/s
step 4978, batch loss 2.151, 1.83 iters/s
step 4979, batch loss 1.73, 1.84 iters/s
step 4980, batch loss 2.213, 1.84 iters/s
step 4981, batch loss 2.121, 1.83 iters/s
step 4982, batch loss 2.288, 1.84 iters/s
step 4983, batch loss 1.302, 1.83 iters/s
step 4984, batch loss 2.072, 1.83 iters/s
step 4985, batch loss 1.95, 1.83 iters/s
step 4986, batch loss 1.67, 1.84 iters/s
step 4987, batch loss 1.457, 1.83 iters/s
step 4988, batch loss 1.218, 1.83 iters/s
step 4989, batch loss 1.695, 1.84 iters/s
step 4990, batch loss 2.177, 1.86 iters/s
step 4991, batch loss 2.56, 1.83 iters/s
step 4992, batch loss 1.758, 1.84 iters/s
step 4993, batch loss 2.237, 1.82 iters/s
step 4994, batch loss 1.949, 1.85 iters/s
step 4995, batch loss 1.803, 1.83 iters/s
step 4996, batch loss 1.811, 1.83 iters/s
step 4997, batch loss 1.951, 1.85 iters/s
step 4998, batch loss 2.134, 1.83 iters/s
step 4999, batch loss 1.863, 1.83 iters/s
step 5000, batch loss 1.98, 1.83 iters/s
step 5001, batch loss 2.105, 1.84 iters/s
step 5002, batch loss 1.947, 1.83 iters/s
step 5003, batch loss 2.47, 1.83 iters/s
step 5004, batch loss 1.671, 1.84 iters/s
step 5005, batch loss 1.835, 1.83 iters/s
step 5006, batch loss 2.143, 1.84 iters/s
step 5007, batch loss 1.738, 1.84 iters/s
step 5008, batch loss 2.348, 1.83 iters/s
step 5009, batch loss 2.047, 1.83 iters/s
step 5010, batch loss 1.846, 1.84 iters/s

step 5011, batch loss 2.136, 1.83 iters/s
step 5012, batch loss 2.179, 1.84 iters/s
step 5013, batch loss 2.169, 1.84 iters/s
step 5014, batch loss 2.216, 1.83 iters/s
step 5015, batch loss 2.416, 1.83 iters/s
step 5016, batch loss 1.377, 1.84 iters/s
step 5017, batch loss 2.265, 1.84 iters/s
step 5018, batch loss 1.72, 1.84 iters/s
step 5019, batch loss 1.948, 1.83 iters/s
step 5020, batch loss 2.343, 1.84 iters/s
step 5021, batch loss 1.702, 1.85 iters/s
step 5022, batch loss 1.622, 1.83 iters/s
step 5023, batch loss 2.161, 1.83 iters/s
step 5024, batch loss 2.14, 1.82 iters/s
step 5025, batch loss 1.804, 1.83 iters/s
step 5026, batch loss 2.016, 1.85 iters/s
step 5027, batch loss 1.714, 1.84 iters/s
step 5028, batch loss 2.131, 1.83 iters/s
step 5029, batch loss 1.869, 1.83 iters/s
step 5030, batch loss 2.048, 1.83 iters/s
step 5031, batch loss 2.156, 1.83 iters/s
step 5032, batch loss 2.144, 1.83 iters/s
step 5033, batch loss 2.138, 1.84 iters/s
step 5034, batch loss 2.116, 1.83 iters/s
step 5035, batch loss 1.606, 1.83 iters/s
step 5036, batch loss 2.013, 1.84 iters/s
step 5037, batch loss 2.158, 1.83 iters/s
step 5038, batch loss 1.55, 1.83 iters/s
step 5039, batch loss 2.039, 1.83 iters/s
step 5040, batch loss 1.836, 1.82 iters/s
step 5041, batch loss 1.343, 1.82 iters/s
step 5042, batch loss 2.235, 1.83 iters/s
step 5043, batch loss 2.066, 1.83 iters/s
step 5044, batch loss 1.498, 1.83 iters/s
step 5045, batch loss 1.978, 1.83 iters/s
step 5046, batch loss 1.639, 1.82 iters/s
step 5047, batch loss 1.691, 1.86 iters/s
step 5048, batch loss 2.017, 1.84 iters/s
step 5049, batch loss 1.76, 1.83 iters/s
step 5050, batch loss 2.463, 1.82 iters/s
step 5051, batch loss 1.586, 1.85 iters/s
step 5052, batch loss 1.641, 1.83 iters/s
step 5053, batch loss 2.415, 1.82 iters/s
step 5054, batch loss 1.796, 1.83 iters/s
step 5055, batch loss 1.934, 1.83 iters/s
step 5056, batch loss 2.029, 1.84 iters/s
step 5057, batch loss 2.086, 1.83 iters/s
step 5058, batch loss 2.038, 1.83 iters/s

step 5059, batch loss 2.018, 1.83 iters/s
step 5060, batch loss 1.829, 1.85 iters/s
step 5061, batch loss 2.244, 1.83 iters/s
step 5062, batch loss 2.318, 1.83 iters/s
step 5063, batch loss 1.968, 1.83 iters/s
step 5064, batch loss 1.447, 1.83 iters/s
step 5065, batch loss 1.776, 1.84 iters/s
step 5066, batch loss 1.688, 1.83 iters/s
step 5067, batch loss 2.505, 1.83 iters/s
step 5068, batch loss 2.529, 1.83 iters/s
step 5069, batch loss 2.195, 1.83 iters/s
step 5070, batch loss 1.467, 1.83 iters/s
step 5071, batch loss 2.292, 1.83 iters/s
step 5072, batch loss 2.039, 1.82 iters/s
step 5073, batch loss 2.007, 1.84 iters/s
step 5074, batch loss 1.968, 1.84 iters/s
step 5075, batch loss 1.71, 1.84 iters/s
step 5076, batch loss 1.915, 1.83 iters/s
step 5077, batch loss 1.776, 1.83 iters/s
step 5078, batch loss 2.274, 1.83 iters/s
step 5079, batch loss 1.891, 1.83 iters/s
step 5080, batch loss 2.104, 1.83 iters/s
step 5081, batch loss 1.869, 1.84 iters/s
step 5082, batch loss 1.25, 1.86 iters/s
step 5083, batch loss 2.584, 1.83 iters/s
step 5084, batch loss 3.02, 1.82 iters/s
step 5085, batch loss 1.999, 1.82 iters/s
step 5086, batch loss 2.425, 1.82 iters/s
step 5087, batch loss 1.763, 1.83 iters/s
step 5088, batch loss 2.094, 1.83 iters/s
step 5089, batch loss 1.85, 1.83 iters/s
step 5090, batch loss 1.888, 1.82 iters/s
step 5091, batch loss 1.915, 1.84 iters/s
step 5092, batch loss 1.95, 1.83 iters/s
step 5093, batch loss 2.138, 1.84 iters/s
step 5094, batch loss 2.238, 1.86 iters/s
step 5095, batch loss 1.748, 1.83 iters/s
step 5096, batch loss 1.949, 1.82 iters/s
step 5097, batch loss 2.171, 1.82 iters/s
step 5098, batch loss 2.085, 1.85 iters/s
step 5099, batch loss 2.269, 1.85 iters/s
step 5100, batch loss 1.661, 1.83 iters/s
step 5101, batch loss 1.962, 1.83 iters/s
step 5102, batch loss 1.899, 1.82 iters/s
step 5103, batch loss 1.658, 1.84 iters/s
step 5104, batch loss 2.399, 1.85 iters/s
step 5105, batch loss 2.059, 1.83 iters/s
step 5106, batch loss 1.393, 1.83 iters/s

step 5107, batch loss 2.146, 1.83 iters/s
step 5108, batch loss 2.04, 1.83 iters/s
step 5109, batch loss 1.964, 1.85 iters/s
step 5110, batch loss 1.881, 1.83 iters/s
step 5111, batch loss 2.01, 1.83 iters/s
step 5112, batch loss 2.411, 1.83 iters/s
step 5113, batch loss 2.087, 1.83 iters/s
step 5114, batch loss 1.818, 1.84 iters/s
step 5115, batch loss 1.455, 1.84 iters/s
step 5116, batch loss 1.611, 1.84 iters/s
step 5117, batch loss 2.21, 1.84 iters/s
step 5118, batch loss 1.737, 1.85 iters/s
step 5119, batch loss 1.82, 1.83 iters/s
step 5120, batch loss 1.548, 1.83 iters/s
step 5121, batch loss 2.294, 1.83 iters/s
step 5122, batch loss 2.073, 1.84 iters/s
step 5123, batch loss 2.091, 1.83 iters/s
step 5124, batch loss 1.787, 1.83 iters/s
step 5125, batch loss 2.329, 1.83 iters/s
step 5126, batch loss 2.227, 1.83 iters/s
step 5127, batch loss 1.856, 1.83 iters/s
step 5128, batch loss 1.839, 1.83 iters/s
step 5129, batch loss 1.93, 1.83 iters/s
step 5130, batch loss 2.182, 1.85 iters/s
step 5131, batch loss 1.874, 1.84 iters/s
step 5132, batch loss 2.564, 1.83 iters/s
step 5133, batch loss 2.205, 1.82 iters/s
step 5134, batch loss 2.093, 1.82 iters/s
step 5135, batch loss 2.135, 1.83 iters/s
step 5136, batch loss 2.264, 1.84 iters/s
step 5137, batch loss 2.141, 1.86 iters/s
step 5138, batch loss 2.637, 1.83 iters/s
step 5139, batch loss 1.654, 1.83 iters/s
step 5140, batch loss 1.852, 1.83 iters/s
step 5141, batch loss 2.104, 1.82 iters/s
step 5142, batch loss 2.216, 1.83 iters/s
step 5143, batch loss 2.279, 1.85 iters/s
step 5144, batch loss 2.366, 1.82 iters/s
step 5145, batch loss 1.894, 1.82 iters/s
step 5146, batch loss 1.388, 1.83 iters/s
step 5147, batch loss 2.078, 1.83 iters/s
step 5148, batch loss 1.796, 1.83 iters/s
step 5149, batch loss 1.518, 1.82 iters/s
step 5150, batch loss 1.891, 1.84 iters/s
step 5151, batch loss 1.647, 1.82 iters/s
step 5152, batch loss 2.093, 1.83 iters/s
step 5153, batch loss 2.085, 1.83 iters/s
step 5154, batch loss 1.643, 1.83 iters/s

step 5155, batch loss 1.991, 1.83 iters/s
step 5156, batch loss 1.913, 1.83 iters/s
step 5157, batch loss 2.156, 1.84 iters/s
step 5158, batch loss 1.259, 1.83 iters/s
step 5159, batch loss 2.262, 1.84 iters/s
step 5160, batch loss 2.101, 1.85 iters/s
step 5161, batch loss 1.868, 1.82 iters/s
step 5162, batch loss 1.837, 1.83 iters/s
step 5163, batch loss 1.548, 1.83 iters/s
step 5164, batch loss 2.154, 1.84 iters/s
step 5165, batch loss 1.861, 1.83 iters/s
step 5166, batch loss 2.397, 1.83 iters/s
step 5167, batch loss 1.833, 1.84 iters/s
step 5168, batch loss 1.962, 1.83 iters/s
step 5169, batch loss 2.057, 1.82 iters/s
step 5170, batch loss 2.381, 1.82 iters/s
step 5171, batch loss 1.768, 1.82 iters/s
step 5172, batch loss 1.865, 1.85 iters/s
step 5173, batch loss 1.774, 1.85 iters/s
step 5174, batch loss 2.311, 1.83 iters/s
step 5175, batch loss 2.12, 1.83 iters/s
step 5176, batch loss 1.888, 1.83 iters/s
step 5177, batch loss 1.539, 1.83 iters/s
step 5178, batch loss 1.79, 1.82 iters/s
step 5179, batch loss 2.123, 1.84 iters/s
step 5180, batch loss 1.952, 1.84 iters/s
step 5181, batch loss 1.758, 1.82 iters/s
step 5182, batch loss 1.87, 1.84 iters/s
step 5183, batch loss 1.755, 1.82 iters/s
step 5184, batch loss 2.116, 1.83 iters/s
step 5185, batch loss 1.847, 1.83 iters/s
step 5186, batch loss 1.811, 1.85 iters/s
step 5187, batch loss 1.756, 1.84 iters/s
step 5188, batch loss 1.848, 1.83 iters/s
step 5189, batch loss 1.844, 1.83 iters/s
step 5190, batch loss 1.907, 1.84 iters/s
step 5191, batch loss 2.253, 1.86 iters/s
step 5192, batch loss 1.547, 1.84 iters/s
step 5193, batch loss 2.045, 1.85 iters/s
step 5194, batch loss 1.687, 1.84 iters/s
step 5195, batch loss 2.147, 1.83 iters/s
step 5196, batch loss 2.023, 1.84 iters/s
step 5197, batch loss 2.358, 1.82 iters/s
step 5198, batch loss 2.064, 1.83 iters/s
step 5199, batch loss 1.848, 1.82 iters/s
step 5200, batch loss 1.818, 1.85 iters/s
step 5201, batch loss 1.939, 1.84 iters/s
step 5202, batch loss 1.726, 1.85 iters/s

step 5203, batch loss 1.862, 1.83 iters/s
step 5204, batch loss 1.877, 1.83 iters/s
step 5205, batch loss 1.781, 1.83 iters/s
step 5206, batch loss 2.035, 1.86 iters/s
step 5207, batch loss 2.577, 1.83 iters/s
step 5208, batch loss 1.955, 1.83 iters/s
step 5209, batch loss 2.645, 1.85 iters/s
step 5210, batch loss 1.817, 1.83 iters/s
step 5211, batch loss 2.163, 1.83 iters/s
step 5212, batch loss 2.075, 1.83 iters/s
step 5213, batch loss 1.801, 1.84 iters/s
step 5214, batch loss 2.339, 1.83 iters/s
step 5215, batch loss 2.0, 1.83 iters/s
step 5216, batch loss 1.976, 1.84 iters/s
step 5217, batch loss 1.975, 1.83 iters/s
step 5218, batch loss 1.77, 1.84 iters/s
step 5219, batch loss 2.21, 1.84 iters/s
step 5220, batch loss 2.065, 1.83 iters/s
step 5221, batch loss 1.843, 1.83 iters/s
step 5222, batch loss 1.778, 1.83 iters/s
step 5223, batch loss 2.066, 1.83 iters/s
step 5224, batch loss 2.025, 1.83 iters/s
step 5225, batch loss 2.395, 1.83 iters/s
step 5226, batch loss 1.709, 1.83 iters/s
step 5227, batch loss 1.835, 1.82 iters/s
step 5228, batch loss 1.889, 1.82 iters/s
step 5229, batch loss 1.934, 1.83 iters/s
step 5230, batch loss 2.46, 1.83 iters/s
step 5231, batch loss 1.928, 1.85 iters/s
step 5232, batch loss 2.126, 1.85 iters/s
step 5233, batch loss 1.879, 1.83 iters/s
step 5234, batch loss 2.157, 1.83 iters/s
step 5235, batch loss 2.209, 1.82 iters/s
step 5236, batch loss 1.627, 1.82 iters/s
step 5237, batch loss 1.781, 1.83 iters/s
step 5238, batch loss 2.521, 1.82 iters/s
step 5239, batch loss 2.129, 1.83 iters/s
step 5240, batch loss 1.766, 1.82 iters/s
step 5241, batch loss 2.583, 1.85 iters/s
step 5242, batch loss 1.628, 1.83 iters/s
step 5243, batch loss 1.974, 1.83 iters/s
step 5244, batch loss 2.255, 1.83 iters/s
step 5245, batch loss 1.642, 1.83 iters/s
step 5246, batch loss 2.107, 1.86 iters/s
step 5247, batch loss 2.492, 1.84 iters/s
step 5248, batch loss 1.771, 1.84 iters/s
step 5249, batch loss 2.21, 1.82 iters/s
step 5250, batch loss 2.002, 1.83 iters/s

step 5251, batch loss 1.621, 1.84 iters/s
step 5252, batch loss 2.166, 1.83 iters/s
step 5253, batch loss 2.339, 1.83 iters/s
step 5254, batch loss 1.802, 1.84 iters/s
step 5255, batch loss 1.541, 1.83 iters/s
step 5256, batch loss 2.456, 1.82 iters/s
step 5257, batch loss 1.749, 1.84 iters/s
step 5258, batch loss 1.83, 1.82 iters/s
step 5259, batch loss 2.133, 1.83 iters/s
step 5260, batch loss 2.177, 1.83 iters/s
step 5261, batch loss 2.063, 1.85 iters/s
step 5262, batch loss 2.431, 1.84 iters/s
step 5263, batch loss 1.553, 1.84 iters/s
step 5264, batch loss 2.16, 1.83 iters/s
step 5265, batch loss 2.282, 1.83 iters/s
step 5266, batch loss 1.943, 1.85 iters/s
step 5267, batch loss 1.96, 1.84 iters/s
step 5268, batch loss 1.388, 1.83 iters/s
step 5269, batch loss 2.143, 1.85 iters/s
step 5270, batch loss 1.838, 1.85 iters/s
step 5271, batch loss 2.086, 1.83 iters/s
step 5272, batch loss 1.846, 1.83 iters/s
step 5273, batch loss 1.958, 1.84 iters/s
step 5274, batch loss 2.497, 1.83 iters/s
step 5275, batch loss 1.633, 1.82 iters/s
step 5276, batch loss 2.038, 1.83 iters/s
step 5277, batch loss 2.121, 1.83 iters/s
step 5278, batch loss 2.266, 1.82 iters/s
step 5279, batch loss 2.572, 1.83 iters/s
step 5280, batch loss 2.486, 1.82 iters/s
step 5281, batch loss 1.939, 1.83 iters/s
step 5282, batch loss 2.035, 1.83 iters/s
step 5283, batch loss 1.553, 1.85 iters/s
step 5284, batch loss 2.159, 1.84 iters/s
step 5285, batch loss 2.572, 1.83 iters/s
step 5286, batch loss 1.905, 1.83 iters/s
step 5287, batch loss 1.535, 1.84 iters/s
step 5288, batch loss 2.227, 1.83 iters/s
step 5289, batch loss 2.08, 1.84 iters/s
step 5290, batch loss 2.256, 1.85 iters/s
step 5291, batch loss 1.771, 1.83 iters/s
step 5292, batch loss 2.097, 1.83 iters/s
step 5293, batch loss 2.036, 1.83 iters/s
step 5294, batch loss 2.079, 1.83 iters/s
step 5295, batch loss 2.01, 1.83 iters/s
step 5296, batch loss 1.838, 1.83 iters/s
step 5297, batch loss 1.894, 1.83 iters/s
step 5298, batch loss 2.252, 1.82 iters/s

step 5299, batch loss 2.257, 1.83 iters/s
step 5300, batch loss 2.409, 1.83 iters/s
step 5301, batch loss 1.726, 1.83 iters/s
step 5302, batch loss 1.923, 1.83 iters/s
step 5303, batch loss 1.957, 1.82 iters/s
step 5304, batch loss 2.315, 1.83 iters/s
step 5305, batch loss 1.765, 1.84 iters/s
step 5306, batch loss 2.257, 1.85 iters/s
step 5307, batch loss 2.532, 1.84 iters/s
step 5308, batch loss 2.089, 1.84 iters/s
step 5309, batch loss 2.153, 1.83 iters/s
step 5310, batch loss 1.324, 1.85 iters/s
step 5311, batch loss 2.266, 1.85 iters/s
step 5312, batch loss 2.022, 1.83 iters/s
step 5313, batch loss 2.083, 1.83 iters/s
step 5314, batch loss 1.726, 1.83 iters/s
step 5315, batch loss 2.039, 1.82 iters/s
step 5316, batch loss 2.147, 1.86 iters/s
step 5317, batch loss 2.62, 1.82 iters/s
step 5318, batch loss 2.167, 1.85 iters/s
step 5319, batch loss 2.022, 1.83 iters/s
step 5320, batch loss 2.065, 1.83 iters/s
step 5321, batch loss 2.071, 1.83 iters/s
step 5322, batch loss 1.803, 1.83 iters/s
step 5323, batch loss 1.931, 1.83 iters/s
step 5324, batch loss 2.194, 1.82 iters/s
step 5325, batch loss 1.765, 1.82 iters/s
step 5326, batch loss 1.409, 1.82 iters/s
step 5327, batch loss 2.383, 1.83 iters/s
step 5328, batch loss 1.906, 1.83 iters/s
step 5329, batch loss 1.881, 1.82 iters/s
step 5330, batch loss 1.81, 1.82 iters/s
step 5331, batch loss 2.26, 1.82 iters/s
step 5332, batch loss 1.595, 1.83 iters/s
step 5333, batch loss 2.02, 1.84 iters/s
step 5334, batch loss 1.878, 1.84 iters/s
step 5335, batch loss 2.146, 1.84 iters/s
step 5336, batch loss 1.952, 1.86 iters/s
step 5337, batch loss 1.891, 1.84 iters/s
step 5338, batch loss 1.877, 1.84 iters/s
step 5339, batch loss 1.966, 1.85 iters/s
step 5340, batch loss 2.251, 1.83 iters/s
step 5341, batch loss 2.147, 1.83 iters/s
step 5342, batch loss 2.17, 1.84 iters/s
step 5343, batch loss 1.679, 1.83 iters/s
step 5344, batch loss 1.741, 1.83 iters/s
step 5345, batch loss 2.04, 1.83 iters/s
step 5346, batch loss 1.934, 1.83 iters/s

step 5347, batch loss 2.281, 1.83 iters/s
step 5348, batch loss 2.012, 1.86 iters/s
step 5349, batch loss 1.959, 1.84 iters/s
step 5350, batch loss 2.23, 1.83 iters/s
step 5351, batch loss 2.126, 1.84 iters/s
step 5352, batch loss 2.088, 1.83 iters/s
step 5353, batch loss 1.892, 1.83 iters/s
step 5354, batch loss 2.109, 1.83 iters/s
step 5355, batch loss 2.079, 1.83 iters/s
step 5356, batch loss 2.139, 1.83 iters/s
step 5357, batch loss 2.056, 1.84 iters/s
step 5358, batch loss 1.404, 1.84 iters/s
step 5359, batch loss 2.031, 1.84 iters/s
step 5360, batch loss 2.087, 1.83 iters/s
step 5361, batch loss 1.904, 1.82 iters/s
step 5362, batch loss 2.436, 1.82 iters/s
step 5363, batch loss 2.112, 1.84 iters/s
step 5364, batch loss 2.129, 1.83 iters/s
step 5365, batch loss 1.953, 1.83 iters/s
step 5366, batch loss 1.627, 1.83 iters/s
step 5367, batch loss 2.2, 1.84 iters/s
step 5368, batch loss 1.897, 1.84 iters/s
step 5369, batch loss 1.903, 1.83 iters/s
step 5370, batch loss 1.878, 1.82 iters/s
step 5371, batch loss 1.672, 1.83 iters/s
step 5372, batch loss 1.572, 1.83 iters/s
step 5373, batch loss 1.969, 1.82 iters/s
step 5374, batch loss 1.937, 1.84 iters/s
step 5375, batch loss 1.495, 1.82 iters/s
step 5376, batch loss 1.737, 1.83 iters/s
step 5377, batch loss 2.278, 1.84 iters/s
step 5378, batch loss 1.918, 1.83 iters/s
step 5379, batch loss 2.224, 1.83 iters/s
step 5380, batch loss 2.031, 1.83 iters/s
step 5381, batch loss 1.708, 1.82 iters/s
step 5382, batch loss 2.158, 1.83 iters/s
step 5383, batch loss 1.764, 1.83 iters/s
step 5384, batch loss 2.396, 1.83 iters/s
step 5385, batch loss 1.625, 1.83 iters/s
step 5386, batch loss 1.787, 1.83 iters/s
step 5387, batch loss 2.352, 1.83 iters/s
step 5388, batch loss 2.032, 1.83 iters/s
step 5389, batch loss 2.152, 1.83 iters/s
step 5390, batch loss 1.486, 1.84 iters/s
step 5391, batch loss 1.387, 1.83 iters/s
step 5392, batch loss 2.126, 1.84 iters/s
step 5393, batch loss 1.905, 1.84 iters/s
step 5394, batch loss 2.04, 1.83 iters/s

step 5395, batch loss 1.676, 1.83 iters/s
step 5396, batch loss 1.483, 1.83 iters/s
step 5397, batch loss 2.22, 1.83 iters/s
step 5398, batch loss 2.269, 1.82 iters/s
step 5399, batch loss 2.151, 1.82 iters/s
step 5400, batch loss 1.879, 1.83 iters/s
step 5401, batch loss 0.931, 1.83 iters/s
step 5402, batch loss 1.661, 1.84 iters/s
step 5403, batch loss 2.211, 1.83 iters/s
step 5404, batch loss 2.295, 1.83 iters/s
step 5405, batch loss 1.925, 1.83 iters/s
step 5406, batch loss 2.245, 1.83 iters/s
step 5407, batch loss 1.751, 1.83 iters/s
step 5408, batch loss 1.783, 1.83 iters/s
step 5409, batch loss 1.787, 1.82 iters/s
step 5410, batch loss 2.079, 1.82 iters/s
step 5411, batch loss 2.696, 1.83 iters/s
step 5412, batch loss 2.061, 1.83 iters/s
step 5413, batch loss 2.157, 1.83 iters/s
step 5414, batch loss 1.255, 1.83 iters/s
step 5415, batch loss 2.448, 1.84 iters/s
step 5416, batch loss 2.176, 1.83 iters/s
step 5417, batch loss 2.182, 1.83 iters/s
step 5418, batch loss 2.106, 1.85 iters/s
step 5419, batch loss 1.711, 1.83 iters/s
step 5420, batch loss 1.871, 1.83 iters/s
step 5421, batch loss 1.852, 1.84 iters/s
step 5422, batch loss 2.177, 1.84 iters/s
step 5423, batch loss 2.363, 1.83 iters/s
step 5424, batch loss 1.624, 1.84 iters/s
step 5425, batch loss 1.76, 1.83 iters/s
step 5426, batch loss 2.084, 1.82 iters/s
step 5427, batch loss 1.752, 1.83 iters/s
step 5428, batch loss 2.174, 1.84 iters/s
step 5429, batch loss 1.954, 1.85 iters/s
step 5430, batch loss 2.173, 1.85 iters/s
step 5431, batch loss 1.977, 1.83 iters/s
step 5432, batch loss 2.013, 1.83 iters/s
step 5433, batch loss 1.635, 1.84 iters/s
step 5434, batch loss 2.138, 1.84 iters/s
step 5435, batch loss 2.303, 1.84 iters/s
step 5436, batch loss 1.738, 1.83 iters/s
step 5437, batch loss 1.788, 1.84 iters/s
step 5438, batch loss 2.318, 1.82 iters/s
step 5439, batch loss 2.074, 1.83 iters/s
step 5440, batch loss 2.173, 1.83 iters/s
step 5441, batch loss 1.879, 1.83 iters/s
step 5442, batch loss 2.178, 1.83 iters/s

step 5443, batch loss 1.54, 1.82 iters/s
step 5444, batch loss 1.477, 1.83 iters/s
step 5445, batch loss 1.697, 1.84 iters/s
step 5446, batch loss 2.059, 1.83 iters/s
step 5447, batch loss 2.125, 1.84 iters/s
step 5448, batch loss 2.05, 1.83 iters/s
step 5449, batch loss 2.008, 1.86 iters/s
step 5450, batch loss 1.934, 1.84 iters/s
step 5451, batch loss 2.588, 1.83 iters/s
step 5452, batch loss 1.545, 1.82 iters/s
step 5453, batch loss 2.129, 1.82 iters/s
step 5454, batch loss 2.733, 1.83 iters/s
step 5455, batch loss 2.861, 1.83 iters/s
step 5456, batch loss 2.273, 1.83 iters/s
step 5457, batch loss 1.389, 1.83 iters/s
step 5458, batch loss 1.625, 1.83 iters/s
step 5459, batch loss 2.036, 1.84 iters/s
step 5460, batch loss 2.292, 1.83 iters/s
step 5461, batch loss 2.555, 1.83 iters/s
step 5462, batch loss 1.502, 1.83 iters/s
step 5463, batch loss 1.957, 1.84 iters/s
step 5464, batch loss 2.126, 1.83 iters/s
step 5465, batch loss 1.66, 1.82 iters/s
step 5466, batch loss 1.558, 1.82 iters/s
step 5467, batch loss 1.847, 1.83 iters/s
step 5468, batch loss 2.264, 1.83 iters/s
step 5469, batch loss 2.377, 1.83 iters/s
step 5470, batch loss 1.952, 1.84 iters/s
step 5471, batch loss 1.983, 1.83 iters/s
step 5472, batch loss 1.953, 1.83 iters/s
step 5473, batch loss 1.836, 1.84 iters/s
step 5474, batch loss 2.273, 1.84 iters/s
step 5475, batch loss 1.456, 1.83 iters/s
step 5476, batch loss 1.904, 1.83 iters/s
step 5477, batch loss 2.153, 1.81 iters/s
step 5478, batch loss 2.483, 1.83 iters/s
step 5479, batch loss 2.225, 1.82 iters/s
step 5480, batch loss 2.076, 1.83 iters/s
step 5481, batch loss 1.834, 1.83 iters/s
step 5482, batch loss 2.284, 1.83 iters/s
step 5483, batch loss 2.159, 1.83 iters/s
step 5484, batch loss 1.957, 1.83 iters/s
step 5485, batch loss 1.89, 1.84 iters/s
step 5486, batch loss 1.911, 1.83 iters/s
step 5487, batch loss 2.339, 1.82 iters/s
step 5488, batch loss 1.982, 1.85 iters/s
step 5489, batch loss 2.107, 1.83 iters/s
step 5490, batch loss 1.874, 1.86 iters/s

step 5491, batch loss 2.028, 1.82 iters/s
step 5492, batch loss 2.568, 1.83 iters/s
step 5493, batch loss 1.499, 1.83 iters/s
step 5494, batch loss 2.506, 1.82 iters/s
step 5495, batch loss 2.365, 1.83 iters/s
step 5496, batch loss 2.183, 1.83 iters/s
step 5497, batch loss 2.428, 1.83 iters/s
step 5498, batch loss 1.872, 1.83 iters/s
step 5499, batch loss 1.755, 1.83 iters/s
step 5500, batch loss 1.895, 1.83 iters/s
step 5501, batch loss 2.119, 1.84 iters/s
step 5502, batch loss 1.232, 1.83 iters/s
step 5503, batch loss 1.911, 1.83 iters/s
step 5504, batch loss 2.949, 1.83 iters/s
step 5505, batch loss 2.145, 1.84 iters/s
step 5506, batch loss 2.458, 1.82 iters/s
step 5507, batch loss 1.659, 1.84 iters/s
step 5508, batch loss 2.118, 1.83 iters/s
step 5509, batch loss 2.076, 1.84 iters/s
step 5510, batch loss 2.576, 1.83 iters/s
step 5511, batch loss 1.829, 1.85 iters/s
step 5512, batch loss 1.745, 1.83 iters/s
step 5513, batch loss 1.832, 1.83 iters/s
step 5514, batch loss 1.543, 1.84 iters/s
step 5515, batch loss 1.462, 1.83 iters/s
step 5516, batch loss 1.725, 1.82 iters/s
step 5517, batch loss 2.007, 1.83 iters/s
step 5518, batch loss 1.902, 1.83 iters/s
step 5519, batch loss 1.972, 1.83 iters/s
step 5520, batch loss 2.013, 1.83 iters/s
step 5521, batch loss 1.312, 1.83 iters/s
step 5522, batch loss 2.016, 1.83 iters/s
step 5523, batch loss 2.973, 1.84 iters/s
step 5524, batch loss 2.246, 1.83 iters/s
step 5525, batch loss 1.925, 1.84 iters/s
step 5526, batch loss 1.861, 1.84 iters/s
step 5527, batch loss 1.91, 1.85 iters/s
step 5528, batch loss 1.883, 1.83 iters/s
step 5529, batch loss 1.616, 1.83 iters/s
step 5530, batch loss 1.645, 1.84 iters/s
step 5531, batch loss 1.404, 1.83 iters/s
step 5532, batch loss 1.931, 1.83 iters/s
step 5533, batch loss 1.913, 1.83 iters/s
step 5534, batch loss 2.221, 1.84 iters/s
step 5535, batch loss 1.76, 1.83 iters/s
step 5536, batch loss 1.793, 1.82 iters/s
step 5537, batch loss 1.861, 1.83 iters/s
step 5538, batch loss 2.167, 1.83 iters/s

step 5539, batch loss 2.064, 1.84 iters/s
step 5540, batch loss 2.032, 1.83 iters/s
step 5541, batch loss 2.067, 1.82 iters/s
step 5542, batch loss 1.912, 1.83 iters/s
step 5543, batch loss 1.771, 1.84 iters/s
step 5544, batch loss 2.206, 1.83 iters/s
step 5545, batch loss 1.975, 1.83 iters/s
step 5546, batch loss 1.776, 1.84 iters/s
step 5547, batch loss 1.448, 1.84 iters/s
step 5548, batch loss 1.826, 1.83 iters/s
step 5549, batch loss 2.324, 1.83 iters/s
step 5550, batch loss 1.565, 1.84 iters/s
step 5551, batch loss 2.037, 1.85 iters/s
step 5552, batch loss 1.736, 1.84 iters/s
step 5553, batch loss 1.854, 1.83 iters/s
step 5554, batch loss 2.062, 1.84 iters/s
step 5555, batch loss 1.895, 1.83 iters/s
step 5556, batch loss 1.947, 1.84 iters/s
step 5557, batch loss 2.378, 1.83 iters/s
step 5558, batch loss 2.43, 1.84 iters/s
step 5559, batch loss 1.979, 1.83 iters/s
step 5560, batch loss 2.057, 1.83 iters/s
step 5561, batch loss 2.363, 1.83 iters/s
step 5562, batch loss 2.104, 1.83 iters/s
step 5563, batch loss 1.93, 1.83 iters/s
step 5564, batch loss 1.976, 1.83 iters/s
step 5565, batch loss 1.511, 1.83 iters/s
step 5566, batch loss 1.467, 1.83 iters/s
step 5567, batch loss 1.91, 1.84 iters/s
step 5568, batch loss 1.734, 1.84 iters/s
step 5569, batch loss 1.684, 1.83 iters/s
step 5570, batch loss 2.292, 1.84 iters/s
step 5571, batch loss 2.372, 1.83 iters/s
step 5572, batch loss 2.292, 1.85 iters/s
step 5573, batch loss 1.77, 1.84 iters/s
step 5574, batch loss 2.212, 1.84 iters/s
step 5575, batch loss 2.281, 1.83 iters/s
step 5576, batch loss 2.267, 1.82 iters/s
step 5577, batch loss 1.885, 1.83 iters/s
step 5578, batch loss 2.256, 1.83 iters/s
step 5579, batch loss 1.78, 1.83 iters/s
step 5580, batch loss 1.892, 1.83 iters/s
step 5581, batch loss 2.327, 1.83 iters/s
step 5582, batch loss 1.336, 1.84 iters/s
step 5583, batch loss 1.698, 1.85 iters/s
step 5584, batch loss 1.869, 1.83 iters/s
step 5585, batch loss 2.137, 1.82 iters/s
step 5586, batch loss 2.161, 1.83 iters/s

step 5587, batch loss 1.765, 1.82 iters/s
step 5588, batch loss 1.931, 1.82 iters/s
step 5589, batch loss 1.954, 1.83 iters/s
step 5590, batch loss 1.892, 1.84 iters/s
step 5591, batch loss 2.279, 1.83 iters/s
step 5592, batch loss 1.858, 1.83 iters/s
step 5593, batch loss 1.741, 1.84 iters/s
step 5594, batch loss 2.01, 1.82 iters/s
step 5595, batch loss 2.461, 1.82 iters/s
step 5596, batch loss 1.897, 1.83 iters/s
step 5597, batch loss 2.13, 1.85 iters/s
step 5598, batch loss 2.018, 1.83 iters/s
step 5599, batch loss 2.377, 1.84 iters/s
step 5600, batch loss 1.99, 1.83 iters/s
step 5601, batch loss 1.786, 1.83 iters/s
step 5602, batch loss 2.083, 1.83 iters/s
step 5603, batch loss 1.671, 1.83 iters/s
step 5604, batch loss 2.031, 1.83 iters/s
step 5605, batch loss 2.239, 1.83 iters/s
step 5606, batch loss 1.863, 1.84 iters/s
step 5607, batch loss 1.547, 1.82 iters/s
step 5608, batch loss 1.811, 1.83 iters/s
step 5609, batch loss 1.726, 1.82 iters/s
step 5610, batch loss 2.06, 1.85 iters/s
step 5611, batch loss 2.487, 1.85 iters/s
step 5612, batch loss 2.392, 1.83 iters/s
step 5613, batch loss 1.98, 1.82 iters/s
step 5614, batch loss 1.363, 1.84 iters/s
step 5615, batch loss 1.666, 1.83 iters/s
step 5616, batch loss 1.568, 1.83 iters/s
step 5617, batch loss 1.826, 1.83 iters/s
step 5618, batch loss 1.823, 1.84 iters/s
step 5619, batch loss 2.407, 1.83 iters/s
step 5620, batch loss 1.894, 1.83 iters/s
step 5621, batch loss 1.946, 1.84 iters/s
step 5622, batch loss 2.241, 1.84 iters/s
step 5623, batch loss 2.33, 1.83 iters/s
step 5624, batch loss 2.116, 1.85 iters/s
step 5625, batch loss 1.791, 1.84 iters/s
step 5626, batch loss 2.125, 1.83 iters/s
step 5627, batch loss 1.835, 1.82 iters/s
step 5628, batch loss 1.585, 1.84 iters/s
step 5629, batch loss 1.815, 1.82 iters/s
step 5630, batch loss 2.386, 1.83 iters/s
step 5631, batch loss 1.859, 1.85 iters/s
step 5632, batch loss 2.367, 1.83 iters/s
step 5633, batch loss 1.605, 1.84 iters/s
step 5634, batch loss 2.11, 1.83 iters/s

step 5635, batch loss 1.906, 1.84 iters/s
step 5636, batch loss 2.096, 1.83 iters/s
step 5637, batch loss 2.06, 1.83 iters/s
step 5638, batch loss 1.776, 1.82 iters/s
step 5639, batch loss 2.172, 1.82 iters/s
step 5640, batch loss 2.007, 1.83 iters/s
step 5641, batch loss 1.689, 1.83 iters/s
step 5642, batch loss 1.685, 1.82 iters/s
step 5643, batch loss 1.995, 1.82 iters/s
step 5644, batch loss 1.837, 1.83 iters/s
step 5645, batch loss 2.23, 1.85 iters/s
step 5646, batch loss 2.258, 1.85 iters/s
step 5647, batch loss 1.801, 1.84 iters/s
step 5648, batch loss 2.383, 1.83 iters/s
step 5649, batch loss 1.982, 1.82 iters/s
step 5650, batch loss 2.706, 1.83 iters/s
step 5651, batch loss 1.968, 1.83 iters/s
step 5652, batch loss 2.021, 1.84 iters/s
step 5653, batch loss 1.91, 1.82 iters/s
step 5654, batch loss 2.037, 1.82 iters/s
step 5655, batch loss 1.59, 1.83 iters/s
step 5656, batch loss 1.912, 1.83 iters/s
step 5657, batch loss 2.33, 1.83 iters/s
step 5658, batch loss 1.692, 1.83 iters/s
step 5659, batch loss 1.724, 1.83 iters/s
step 5660, batch loss 2.08, 1.83 iters/s
step 5661, batch loss 1.821, 1.83 iters/s
step 5662, batch loss 1.866, 1.83 iters/s
step 5663, batch loss 1.74, 1.83 iters/s
step 5664, batch loss 1.702, 1.83 iters/s
step 5665, batch loss 2.151, 1.83 iters/s
step 5666, batch loss 2.084, 1.83 iters/s
step 5667, batch loss 1.913, 1.84 iters/s
step 5668, batch loss 2.005, 1.84 iters/s
step 5669, batch loss 1.742, 1.83 iters/s
step 5670, batch loss 1.827, 1.83 iters/s
step 5671, batch loss 1.799, 1.83 iters/s
step 5672, batch loss 1.877, 1.83 iters/s
step 5673, batch loss 1.979, 1.83 iters/s
step 5674, batch loss 1.644, 1.83 iters/s
step 5675, batch loss 2.194, 1.84 iters/s
step 5676, batch loss 1.796, 1.83 iters/s
step 5677, batch loss 1.435, 1.83 iters/s
step 5678, batch loss 2.024, 1.84 iters/s
step 5679, batch loss 1.328, 1.83 iters/s
step 5680, batch loss 2.054, 1.83 iters/s
step 5681, batch loss 2.131, 1.83 iters/s
step 5682, batch loss 1.732, 1.84 iters/s

step 5683, batch loss 1.929, 1.83 iters/s
step 5684, batch loss 2.093, 1.82 iters/s
step 5685, batch loss 2.29, 1.83 iters/s
step 5686, batch loss 1.991, 1.84 iters/s
step 5687, batch loss 2.062, 1.83 iters/s
step 5688, batch loss 2.104, 1.83 iters/s
step 5689, batch loss 2.221, 1.84 iters/s
step 5690, batch loss 2.183, 1.84 iters/s
step 5691, batch loss 1.883, 1.83 iters/s
step 5692, batch loss 2.271, 1.83 iters/s
step 5693, batch loss 2.178, 1.83 iters/s
step 5694, batch loss 2.026, 1.83 iters/s
step 5695, batch loss 2.329, 1.82 iters/s
step 5696, batch loss 1.392, 1.83 iters/s
step 5697, batch loss 1.888, 1.83 iters/s
step 5698, batch loss 2.08, 1.83 iters/s
step 5699, batch loss 2.296, 1.83 iters/s
step 5700, batch loss 2.131, 1.83 iters/s
step 5701, batch loss 1.802, 1.83 iters/s
step 5702, batch loss 2.012, 1.83 iters/s
step 5703, batch loss 2.077, 1.83 iters/s
step 5704, batch loss 1.967, 1.82 iters/s
step 5705, batch loss 1.025, 1.83 iters/s
step 5706, batch loss 2.208, 1.83 iters/s
step 5707, batch loss 1.945, 1.82 iters/s
step 5708, batch loss 1.857, 1.82 iters/s
step 5709, batch loss 1.676, 1.83 iters/s
step 5710, batch loss 2.029, 1.83 iters/s
step 5711, batch loss 1.987, 1.83 iters/s
step 5712, batch loss 1.908, 1.84 iters/s
step 5713, batch loss 1.868, 1.83 iters/s
step 5714, batch loss 2.004, 1.83 iters/s
step 5715, batch loss 2.16, 1.84 iters/s
step 5716, batch loss 2.518, 1.84 iters/s
step 5717, batch loss 1.558, 1.82 iters/s
step 5718, batch loss 2.126, 1.83 iters/s
step 5719, batch loss 1.611, 1.83 iters/s
step 5720, batch loss 2.018, 1.86 iters/s
step 5721, batch loss 2.558, 1.83 iters/s
step 5722, batch loss 1.532, 1.83 iters/s
step 5723, batch loss 2.323, 1.83 iters/s
step 5724, batch loss 1.959, 1.84 iters/s
step 5725, batch loss 2.154, 1.83 iters/s
step 5726, batch loss 2.526, 1.82 iters/s
step 5727, batch loss 2.109, 1.82 iters/s
step 5728, batch loss 1.937, 1.82 iters/s
step 5729, batch loss 1.458, 1.83 iters/s
step 5730, batch loss 2.016, 1.82 iters/s

step 5731, batch loss 2.196, 1.84 iters/s
step 5732, batch loss 2.022, 1.83 iters/s
step 5733, batch loss 1.684, 1.82 iters/s
step 5734, batch loss 2.332, 1.83 iters/s
step 5735, batch loss 2.355, 1.82 iters/s
step 5736, batch loss 1.903, 1.82 iters/s
step 5737, batch loss 1.45, 1.83 iters/s
step 5738, batch loss 2.15, 1.85 iters/s
step 5739, batch loss 2.08, 1.83 iters/s
step 5740, batch loss 1.401, 1.86 iters/s
step 5741, batch loss 1.891, 1.84 iters/s
step 5742, batch loss 2.011, 1.82 iters/s
step 5743, batch loss 2.187, 1.82 iters/s
step 5744, batch loss 1.686, 1.82 iters/s
step 5745, batch loss 2.234, 1.84 iters/s
step 5746, batch loss 1.954, 1.82 iters/s
step 5747, batch loss 2.26, 1.82 iters/s
step 5748, batch loss 2.127, 1.85 iters/s
step 5749, batch loss 1.938, 1.83 iters/s
step 5750, batch loss 2.534, 1.82 iters/s
step 5751, batch loss 1.668, 1.83 iters/s
step 5752, batch loss 1.873, 1.83 iters/s
step 5753, batch loss 1.958, 1.83 iters/s
step 5754, batch loss 1.875, 1.84 iters/s
step 5755, batch loss 2.033, 1.83 iters/s
step 5756, batch loss 2.265, 1.83 iters/s
step 5757, batch loss 1.717, 1.83 iters/s
step 5758, batch loss 1.808, 1.83 iters/s
step 5759, batch loss 2.415, 1.84 iters/s
step 5760, batch loss 1.648, 1.83 iters/s
step 5761, batch loss 1.736, 1.82 iters/s
step 5762, batch loss 1.805, 1.83 iters/s
step 5763, batch loss 1.893, 1.82 iters/s
step 5764, batch loss 1.907, 1.83 iters/s
step 5765, batch loss 2.219, 1.84 iters/s
step 5766, batch loss 1.834, 1.83 iters/s
step 5767, batch loss 1.549, 1.83 iters/s
step 5768, batch loss 1.783, 1.84 iters/s
step 5769, batch loss 2.239, 1.83 iters/s
step 5770, batch loss 2.725, 1.83 iters/s
step 5771, batch loss 0.802, 1.85 iters/s
step 5772, batch loss 2.46, 1.83 iters/s
step 5773, batch loss 1.815, 1.84 iters/s
step 5774, batch loss 1.888, 1.84 iters/s
step 5775, batch loss 2.246, 1.83 iters/s
step 5776, batch loss 2.739, 1.83 iters/s
step 5777, batch loss 1.76, 1.84 iters/s
step 5778, batch loss 1.782, 1.83 iters/s

step 5779, batch loss 1.559, 1.83 iters/s
step 5780, batch loss 2.099, 1.83 iters/s
step 5781, batch loss 2.017, 1.83 iters/s
step 5782, batch loss 1.491, 1.84 iters/s
step 5783, batch loss 1.942, 1.83 iters/s
step 5784, batch loss 1.758, 1.83 iters/s
step 5785, batch loss 1.984, 1.83 iters/s
step 5786, batch loss 1.852, 1.84 iters/s
step 5787, batch loss 2.116, 1.83 iters/s
step 5788, batch loss 1.413, 1.83 iters/s
step 5789, batch loss 2.107, 1.83 iters/s
step 5790, batch loss 2.063, 1.83 iters/s
step 5791, batch loss 1.93, 1.83 iters/s
step 5792, batch loss 1.958, 1.83 iters/s
step 5793, batch loss 2.211, 1.83 iters/s
step 5794, batch loss 1.506, 1.82 iters/s
step 5795, batch loss 1.385, 1.84 iters/s
step 5796, batch loss 1.597, 1.83 iters/s
step 5797, batch loss 1.931, 1.83 iters/s
step 5798, batch loss 2.084, 1.84 iters/s
step 5799, batch loss 1.911, 1.84 iters/s
step 5800, batch loss 1.461, 1.84 iters/s
step 5801, batch loss 2.071, 1.83 iters/s
step 5802, batch loss 2.036, 1.82 iters/s
step 5803, batch loss 1.729, 1.83 iters/s
step 5804, batch loss 2.61, 1.83 iters/s
step 5805, batch loss 2.229, 1.83 iters/s
step 5806, batch loss 1.865, 1.83 iters/s
step 5807, batch loss 2.108, 1.83 iters/s
step 5808, batch loss 2.159, 1.83 iters/s
step 5809, batch loss 1.869, 1.85 iters/s
step 5810, batch loss 1.834, 1.84 iters/s
step 5811, batch loss 1.659, 1.84 iters/s
step 5812, batch loss 1.679, 1.84 iters/s
step 5813, batch loss 1.723, 1.85 iters/s
step 5814, batch loss 2.224, 1.84 iters/s
step 5815, batch loss 2.259, 1.83 iters/s
step 5816, batch loss 2.121, 1.84 iters/s
step 5817, batch loss 2.104, 1.85 iters/s
step 5818, batch loss 1.781, 1.84 iters/s
step 5819, batch loss 2.354, 1.83 iters/s
step 5820, batch loss 2.152, 1.82 iters/s
step 5821, batch loss 2.129, 1.83 iters/s
step 5822, batch loss 2.077, 1.83 iters/s
step 5823, batch loss 1.813, 1.83 iters/s
step 5824, batch loss 1.833, 1.82 iters/s
step 5825, batch loss 2.214, 1.84 iters/s
step 5826, batch loss 1.915, 1.84 iters/s

step 5827, batch loss 1.715, 1.85 iters/s
step 5828, batch loss 2.231, 1.83 iters/s
step 5829, batch loss 2.124, 1.84 iters/s
step 5830, batch loss 2.065, 1.83 iters/s
step 5831, batch loss 1.3, 1.84 iters/s
step 5832, batch loss 1.868, 1.83 iters/s
step 5833, batch loss 2.587, 1.83 iters/s
step 5834, batch loss 1.897, 1.83 iters/s
step 5835, batch loss 1.808, 1.83 iters/s
step 5836, batch loss 2.43, 1.83 iters/s
step 5837, batch loss 2.177, 1.83 iters/s
step 5838, batch loss 1.353, 1.83 iters/s
step 5839, batch loss 1.914, 1.83 iters/s
step 5840, batch loss 2.091, 1.83 iters/s
step 5841, batch loss 1.832, 1.84 iters/s
step 5842, batch loss 1.987, 1.84 iters/s
step 5843, batch loss 2.082, 1.83 iters/s
step 5844, batch loss 2.108, 1.83 iters/s
step 5845, batch loss 1.521, 1.83 iters/s
step 5846, batch loss 2.047, 1.83 iters/s
step 5847, batch loss 1.638, 1.83 iters/s
step 5848, batch loss 2.122, 1.83 iters/s
step 5849, batch loss 1.918, 1.83 iters/s
step 5850, batch loss 2.121, 1.82 iters/s
step 5851, batch loss 2.442, 1.83 iters/s
step 5852, batch loss 1.346, 1.82 iters/s
step 5853, batch loss 1.518, 1.83 iters/s
step 5854, batch loss 1.806, 1.84 iters/s
step 5855, batch loss 2.042, 1.83 iters/s
step 5856, batch loss 1.998, 1.86 iters/s
step 5857, batch loss 2.044, 1.83 iters/s
step 5858, batch loss 1.761, 1.84 iters/s
step 5859, batch loss 1.627, 1.83 iters/s
step 5860, batch loss 1.552, 1.85 iters/s
step 5861, batch loss 2.141, 1.83 iters/s
step 5862, batch loss 1.791, 1.82 iters/s
step 5863, batch loss 2.178, 1.83 iters/s
step 5864, batch loss 2.429, 1.83 iters/s
step 5865, batch loss 1.652, 1.83 iters/s
step 5866, batch loss 1.77, 1.82 iters/s
step 5867, batch loss 1.896, 1.82 iters/s
step 5868, batch loss 1.956, 1.82 iters/s
step 5869, batch loss 1.919, 1.82 iters/s
step 5870, batch loss 2.363, 1.82 iters/s
step 5871, batch loss 2.096, 1.82 iters/s
step 5872, batch loss 1.933, 1.85 iters/s
step 5873, batch loss 1.986, 1.84 iters/s
step 5874, batch loss 2.16, 1.84 iters/s

step 5875, batch loss 2.177, 1.85 iters/s
step 5876, batch loss 2.15, 1.83 iters/s
step 5877, batch loss 1.851, 1.84 iters/s
step 5878, batch loss 1.771, 1.84 iters/s
step 5879, batch loss 2.247, 1.83 iters/s
step 5880, batch loss 2.007, 1.83 iters/s
step 5881, batch loss 2.075, 1.83 iters/s
step 5882, batch loss 2.022, 1.84 iters/s
step 5883, batch loss 1.748, 1.84 iters/s
step 5884, batch loss 2.357, 1.83 iters/s
step 5885, batch loss 2.101, 1.84 iters/s
step 5886, batch loss 1.868, 1.83 iters/s
step 5887, batch loss 2.4, 1.85 iters/s
step 5888, batch loss 2.44, 1.82 iters/s
step 5889, batch loss 2.418, 1.83 iters/s
step 5890, batch loss 1.671, 1.83 iters/s
step 5891, batch loss 1.839, 1.83 iters/s
step 5892, batch loss 1.721, 1.83 iters/s
step 5893, batch loss 1.532, 1.84 iters/s
step 5894, batch loss 2.055, 1.84 iters/s
step 5895, batch loss 1.911, 1.83 iters/s
step 5896, batch loss 1.84, 1.84 iters/s
step 5897, batch loss 2.202, 1.84 iters/s
step 5898, batch loss 1.789, 1.83 iters/s
step 5899, batch loss 2.149, 1.82 iters/s
step 5900, batch loss 2.156, 1.83 iters/s
step 5901, batch loss 2.165, 1.82 iters/s
step 5902, batch loss 2.37, 1.84 iters/s
step 5903, batch loss 2.295, 1.82 iters/s
step 5904, batch loss 2.337, 1.84 iters/s
step 5905, batch loss 1.756, 1.84 iters/s
step 5906, batch loss 2.136, 1.83 iters/s
step 5907, batch loss 2.052, 1.83 iters/s
step 5908, batch loss 2.022, 1.84 iters/s
step 5909, batch loss 1.884, 1.84 iters/s
step 5910, batch loss 2.028, 1.82 iters/s
step 5911, batch loss 2.097, 1.85 iters/s
step 5912, batch loss 2.196, 1.83 iters/s
step 5913, batch loss 2.02, 1.85 iters/s
step 5914, batch loss 1.805, 1.83 iters/s
step 5915, batch loss 1.954, 1.85 iters/s
step 5916, batch loss 1.765, 1.84 iters/s
step 5917, batch loss 2.417, 1.83 iters/s
step 5918, batch loss 1.989, 1.83 iters/s
step 5919, batch loss 2.574, 1.83 iters/s
step 5920, batch loss 2.134, 1.84 iters/s
step 5921, batch loss 2.059, 1.84 iters/s
step 5922, batch loss 2.059, 1.83 iters/s

step 5923, batch loss 1.925, 1.84 iters/s
step 5924, batch loss 2.086, 1.83 iters/s
step 5925, batch loss 2.07, 1.85 iters/s
step 5926, batch loss 1.956, 1.83 iters/s
step 5927, batch loss 1.968, 1.82 iters/s
step 5928, batch loss 1.671, 1.83 iters/s
step 5929, batch loss 1.89, 1.83 iters/s
step 5930, batch loss 2.215, 1.82 iters/s
step 5931, batch loss 1.654, 1.83 iters/s
step 5932, batch loss 1.278, 1.82 iters/s
step 5933, batch loss 1.959, 1.82 iters/s
step 5934, batch loss 1.989, 1.82 iters/s
step 5935, batch loss 1.653, 1.83 iters/s
step 5936, batch loss 2.248, 1.83 iters/s
step 5937, batch loss 1.781, 1.84 iters/s
step 5938, batch loss 2.029, 1.84 iters/s
step 5939, batch loss 2.237, 1.83 iters/s
step 5940, batch loss 2.51, 1.84 iters/s
step 5941, batch loss 1.591, 1.83 iters/s
step 5942, batch loss 1.998, 1.83 iters/s
step 5943, batch loss 2.157, 1.82 iters/s
step 5944, batch loss 1.945, 1.83 iters/s
step 5945, batch loss 1.944, 1.83 iters/s
step 5946, batch loss 2.355, 1.83 iters/s
step 5947, batch loss 2.243, 1.83 iters/s
step 5948, batch loss 2.185, 1.83 iters/s
step 5949, batch loss 1.945, 1.84 iters/s
step 5950, batch loss 1.506, 1.83 iters/s
step 5951, batch loss 1.844, 1.86 iters/s
step 5952, batch loss 1.104, 1.83 iters/s
step 5953, batch loss 2.005, 1.83 iters/s
step 5954, batch loss 2.273, 1.83 iters/s
step 5955, batch loss 2.142, 1.84 iters/s
step 5956, batch loss 2.159, 1.83 iters/s
step 5957, batch loss 2.56, 1.83 iters/s
step 5958, batch loss 1.381, 1.82 iters/s
step 5959, batch loss 1.524, 1.83 iters/s
step 5960, batch loss 1.82, 1.83 iters/s
step 5961, batch loss 1.764, 1.83 iters/s
step 5962, batch loss 2.538, 1.84 iters/s
step 5963, batch loss 2.187, 1.84 iters/s
step 5964, batch loss 2.126, 1.83 iters/s
step 5965, batch loss 2.103, 1.83 iters/s
step 5966, batch loss 1.943, 1.84 iters/s
step 5967, batch loss 1.615, 1.83 iters/s
step 5968, batch loss 1.689, 1.82 iters/s
step 5969, batch loss 1.791, 1.83 iters/s
step 5970, batch loss 2.256, 1.82 iters/s

step 5971, batch loss 2.117, 1.83 iters/s
step 5972, batch loss 2.054, 1.83 iters/s
step 5973, batch loss 2.112, 1.86 iters/s
step 5974, batch loss 2.156, 1.84 iters/s
step 5975, batch loss 1.896, 1.83 iters/s
step 5976, batch loss 2.11, 1.83 iters/s
step 5977, batch loss 2.209, 1.84 iters/s
step 5978, batch loss 1.989, 1.85 iters/s
step 5979, batch loss 1.948, 1.84 iters/s
step 5980, batch loss 1.95, 1.83 iters/s
step 5981, batch loss 2.038, 1.83 iters/s
step 5982, batch loss 2.209, 1.83 iters/s
step 5983, batch loss 2.275, 1.85 iters/s
step 5984, batch loss 2.125, 1.83 iters/s
step 5985, batch loss 2.133, 1.84 iters/s
step 5986, batch loss 1.45, 1.84 iters/s
step 5987, batch loss 2.253, 1.85 iters/s
step 5988, batch loss 1.674, 1.83 iters/s
step 5989, batch loss 2.355, 1.82 iters/s
step 5990, batch loss 1.954, 1.82 iters/s
step 5991, batch loss 2.273, 1.83 iters/s
step 5992, batch loss 2.321, 1.82 iters/s
step 5993, batch loss 2.139, 1.83 iters/s
step 5994, batch loss 2.341, 1.82 iters/s
step 5995, batch loss 1.985, 1.82 iters/s
step 5996, batch loss 1.802, 1.84 iters/s
step 5997, batch loss 2.084, 1.83 iters/s
step 5998, batch loss 2.632, 1.84 iters/s
step 5999, batch loss 1.9, 1.83 iters/s
step 6000, batch loss 1.792, 1.82 iters/s
step 6001, batch loss 1.811, 1.83 iters/s
step 6002, batch loss 2.332, 1.83 iters/s
step 6003, batch loss 2.033, 1.82 iters/s
step 6004, batch loss 2.003, 1.82 iters/s
step 6005, batch loss 1.934, 1.85 iters/s
step 6006, batch loss 1.972, 1.83 iters/s
step 6007, batch loss 1.913, 1.83 iters/s
step 6008, batch loss 2.044, 1.83 iters/s
step 6009, batch loss 2.906, 1.83 iters/s
step 6010, batch loss 1.699, 1.84 iters/s
step 6011, batch loss 2.122, 1.83 iters/s
step 6012, batch loss 1.399, 1.83 iters/s
step 6013, batch loss 2.549, 1.83 iters/s
step 6014, batch loss 2.226, 1.82 iters/s
step 6015, batch loss 2.588, 1.82 iters/s
step 6016, batch loss 1.606, 1.83 iters/s
step 6017, batch loss 1.722, 1.83 iters/s
step 6018, batch loss 2.111, 1.86 iters/s

step 6019, batch loss 1.711, 1.83 iters/s
step 6020, batch loss 2.155, 1.83 iters/s
step 6021, batch loss 1.908, 1.83 iters/s
step 6022, batch loss 1.957, 1.83 iters/s
step 6023, batch loss 1.668, 1.83 iters/s
step 6024, batch loss 1.748, 1.83 iters/s
step 6025, batch loss 2.035, 1.83 iters/s
step 6026, batch loss 2.62, 1.83 iters/s
step 6027, batch loss 2.168, 1.82 iters/s
step 6028, batch loss 2.098, 1.83 iters/s
step 6029, batch loss 1.727, 1.82 iters/s
step 6030, batch loss 2.211, 1.82 iters/s
step 6031, batch loss 2.277, 1.82 iters/s
step 6032, batch loss 1.888, 1.83 iters/s
step 6033, batch loss 1.845, 1.83 iters/s
step 6034, batch loss 2.278, 1.82 iters/s
step 6035, batch loss 2.181, 1.83 iters/s
step 6036, batch loss 1.986, 1.83 iters/s
step 6037, batch loss 2.866, 1.82 iters/s
step 6038, batch loss 2.108, 1.83 iters/s
step 6039, batch loss 1.908, 1.83 iters/s
step 6040, batch loss 1.865, 1.84 iters/s
step 6041, batch loss 1.821, 1.84 iters/s
step 6042, batch loss 2.26, 1.84 iters/s
step 6043, batch loss 1.795, 1.83 iters/s
step 6044, batch loss 2.154, 1.83 iters/s
step 6045, batch loss 1.242, 1.83 iters/s
step 6046, batch loss 1.549, 1.83 iters/s
step 6047, batch loss 1.689, 1.82 iters/s
step 6048, batch loss 1.99, 1.85 iters/s
step 6049, batch loss 1.958, 1.84 iters/s
step 6050, batch loss 2.239, 1.84 iters/s
step 6051, batch loss 1.881, 1.83 iters/s
step 6052, batch loss 2.209, 1.84 iters/s
step 6053, batch loss 1.91, 1.82 iters/s
step 6054, batch loss 2.203, 1.84 iters/s
step 6055, batch loss 1.864, 1.85 iters/s
step 6056, batch loss 2.121, 1.83 iters/s
step 6057, batch loss 1.619, 1.84 iters/s
step 6058, batch loss 2.148, 1.82 iters/s
step 6059, batch loss 1.915, 1.83 iters/s
step 6060, batch loss 2.355, 1.83 iters/s
step 6061, batch loss 1.592, 1.82 iters/s
step 6062, batch loss 2.255, 1.83 iters/s
step 6063, batch loss 1.717, 1.83 iters/s
step 6064, batch loss 2.089, 1.83 iters/s
step 6065, batch loss 1.966, 1.84 iters/s
step 6066, batch loss 2.367, 1.83 iters/s

step 6067, batch loss 2.335, 1.83 iters/s
step 6068, batch loss 2.493, 1.85 iters/s
step 6069, batch loss 2.11, 1.84 iters/s
step 6070, batch loss 1.732, 1.83 iters/s
step 6071, batch loss 2.135, 1.83 iters/s
step 6072, batch loss 1.931, 1.84 iters/s
step 6073, batch loss 1.941, 1.83 iters/s
step 6074, batch loss 1.827, 1.83 iters/s
step 6075, batch loss 1.778, 1.83 iters/s
step 6076, batch loss 1.4, 1.83 iters/s
step 6077, batch loss 2.263, 1.83 iters/s
step 6078, batch loss 1.953, 1.84 iters/s
step 6079, batch loss 1.891, 1.84 iters/s
step 6080, batch loss 2.036, 1.84 iters/s
step 6081, batch loss 2.059, 1.83 iters/s
step 6082, batch loss 1.736, 1.83 iters/s
step 6083, batch loss 1.29, 1.83 iters/s
step 6084, batch loss 1.668, 1.83 iters/s
step 6085, batch loss 2.513, 1.84 iters/s
step 6086, batch loss 1.828, 1.83 iters/s
step 6087, batch loss 2.116, 1.83 iters/s
step 6088, batch loss 1.702, 1.86 iters/s
step 6089, batch loss 1.963, 1.83 iters/s
step 6090, batch loss 2.067, 1.83 iters/s
step 6091, batch loss 1.922, 1.84 iters/s
step 6092, batch loss 2.192, 1.84 iters/s
step 6093, batch loss 2.089, 1.83 iters/s
step 6094, batch loss 2.13, 1.83 iters/s
step 6095, batch loss 1.778, 1.83 iters/s
step 6096, batch loss 2.298, 1.83 iters/s
step 6097, batch loss 2.0, 1.85 iters/s
step 6098, batch loss 1.899, 1.83 iters/s
step 6099, batch loss 2.018, 1.85 iters/s
step 6100, batch loss 2.361, 1.83 iters/s
step 6101, batch loss 1.799, 1.83 iters/s
step 6102, batch loss 1.912, 1.84 iters/s
step 6103, batch loss 2.145, 1.84 iters/s
step 6104, batch loss 1.197, 1.84 iters/s
step 6105, batch loss 2.845, 1.83 iters/s
step 6106, batch loss 1.97, 1.84 iters/s
step 6107, batch loss 2.061, 1.84 iters/s
step 6108, batch loss 2.139, 1.83 iters/s
step 6109, batch loss 1.428, 1.84 iters/s
step 6110, batch loss 2.086, 1.83 iters/s
step 6111, batch loss 1.729, 1.85 iters/s
step 6112, batch loss 2.112, 1.83 iters/s
step 6113, batch loss 1.948, 1.85 iters/s
step 6114, batch loss 1.596, 1.83 iters/s

step 6115, batch loss 1.052, 1.83 iters/s
step 6116, batch loss 2.0, 1.84 iters/s
step 6117, batch loss 2.103, 1.83 iters/s
step 6118, batch loss 2.279, 1.83 iters/s
step 6119, batch loss 2.055, 1.83 iters/s
step 6120, batch loss 1.463, 1.82 iters/s
step 6121, batch loss 2.695, 1.83 iters/s
step 6122, batch loss 1.969, 1.82 iters/s
step 6123, batch loss 1.824, 1.83 iters/s
step 6124, batch loss 2.162, 1.81 iters/s
step 6125, batch loss 1.781, 1.83 iters/s
step 6126, batch loss 1.88, 1.82 iters/s
step 6127, batch loss 1.547, 1.83 iters/s
step 6128, batch loss 1.787, 1.83 iters/s
step 6129, batch loss 2.176, 1.83 iters/s
step 6130, batch loss 2.167, 1.83 iters/s
step 6131, batch loss 1.489, 1.82 iters/s
step 6132, batch loss 1.961, 1.83 iters/s
step 6133, batch loss 2.056, 1.83 iters/s
step 6134, batch loss 1.64, 1.82 iters/s
step 6135, batch loss 2.473, 1.83 iters/s
step 6136, batch loss 1.744, 1.83 iters/s
step 6137, batch loss 1.937, 1.83 iters/s
step 6138, batch loss 1.862, 1.84 iters/s
step 6139, batch loss 1.686, 1.83 iters/s
step 6140, batch loss 2.106, 1.83 iters/s
step 6141, batch loss 1.999, 1.83 iters/s
step 6142, batch loss 1.812, 1.83 iters/s
step 6143, batch loss 2.156, 1.82 iters/s
step 6144, batch loss 1.984, 1.83 iters/s
step 6145, batch loss 1.938, 1.83 iters/s
step 6146, batch loss 2.167, 1.82 iters/s
step 6147, batch loss 1.792, 1.84 iters/s
step 6148, batch loss 1.675, 1.83 iters/s
step 6149, batch loss 2.35, 1.83 iters/s
step 6150, batch loss 2.578, 1.82 iters/s
step 6151, batch loss 2.185, 1.83 iters/s
step 6152, batch loss 2.306, 1.84 iters/s
step 6153, batch loss 1.504, 1.84 iters/s
step 6154, batch loss 1.96, 1.82 iters/s
step 6155, batch loss 2.119, 1.83 iters/s
step 6156, batch loss 1.815, 1.83 iters/s
step 6157, batch loss 1.647, 1.83 iters/s
step 6158, batch loss 1.791, 1.83 iters/s
step 6159, batch loss 2.218, 1.82 iters/s
step 6160, batch loss 1.889, 1.83 iters/s
step 6161, batch loss 2.125, 1.83 iters/s
step 6162, batch loss 2.18, 1.83 iters/s

step 6163, batch loss 1.378, 1.83 iters/s
step 6164, batch loss 1.655, 1.82 iters/s
step 6165, batch loss 1.68, 1.82 iters/s
step 6166, batch loss 2.195, 1.84 iters/s
step 6167, batch loss 2.024, 1.83 iters/s
step 6168, batch loss 1.923, 1.82 iters/s
step 6169, batch loss 2.02, 1.82 iters/s
step 6170, batch loss 1.654, 1.83 iters/s
step 6171, batch loss 2.33, 1.82 iters/s
step 6172, batch loss 1.328, 1.83 iters/s
step 6173, batch loss 2.158, 1.83 iters/s
step 6174, batch loss 1.9, 1.82 iters/s
step 6175, batch loss 2.479, 1.83 iters/s
step 6176, batch loss 2.296, 1.81 iters/s
step 6177, batch loss 1.988, 1.82 iters/s
step 6178, batch loss 1.883, 1.83 iters/s
step 6179, batch loss 1.807, 1.82 iters/s
step 6180, batch loss 1.713, 1.82 iters/s
step 6181, batch loss 1.763, 1.83 iters/s
step 6182, batch loss 2.128, 1.82 iters/s
step 6183, batch loss 1.741, 1.82 iters/s
step 6184, batch loss 2.148, 1.82 iters/s
step 6185, batch loss 1.463, 1.86 iters/s
step 6186, batch loss 1.738, 1.82 iters/s
step 6187, batch loss 1.698, 1.83 iters/s
step 6188, batch loss 2.418, 1.82 iters/s
step 6189, batch loss 1.423, 1.83 iters/s
step 6190, batch loss 1.948, 1.83 iters/s
step 6191, batch loss 2.216, 1.82 iters/s
step 6192, batch loss 1.835, 1.84 iters/s
step 6193, batch loss 1.915, 1.82 iters/s
step 6194, batch loss 1.924, 1.85 iters/s
step 6195, batch loss 1.893, 1.83 iters/s
step 6196, batch loss 1.236, 1.83 iters/s
step 6197, batch loss 1.761, 1.83 iters/s
step 6198, batch loss 1.977, 1.82 iters/s
step 6199, batch loss 1.855, 1.83 iters/s
step 6200, batch loss 2.235, 1.84 iters/s
step 6201, batch loss 1.738, 1.83 iters/s
step 6202, batch loss 2.25, 1.82 iters/s
step 6203, batch loss 2.014, 1.83 iters/s
step 6204, batch loss 1.98, 1.85 iters/s
step 6205, batch loss 2.487, 1.83 iters/s
step 6206, batch loss 2.08, 1.82 iters/s
step 6207, batch loss 2.18, 1.83 iters/s
step 6208, batch loss 1.758, 1.85 iters/s
step 6209, batch loss 1.476, 1.82 iters/s
step 6210, batch loss 1.777, 1.83 iters/s

step 6211, batch loss 1.336, 1.83 iters/s
step 6212, batch loss 1.989, 1.85 iters/s
step 6213, batch loss 1.761, 1.83 iters/s
step 6214, batch loss 1.625, 1.83 iters/s
step 6215, batch loss 1.84, 1.83 iters/s
step 6216, batch loss 1.537, 1.83 iters/s
step 6217, batch loss 2.319, 1.82 iters/s
step 6218, batch loss 1.785, 1.83 iters/s
step 6219, batch loss 1.93, 1.83 iters/s
step 6220, batch loss 1.86, 1.83 iters/s
step 6221, batch loss 2.005, 1.83 iters/s
step 6222, batch loss 1.399, 1.82 iters/s
step 6223, batch loss 1.891, 1.82 iters/s
step 6224, batch loss 2.602, 1.82 iters/s
step 6225, batch loss 2.093, 1.84 iters/s
step 6226, batch loss 2.1, 1.82 iters/s
step 6227, batch loss 2.228, 1.85 iters/s
step 6228, batch loss 2.1, 1.84 iters/s
step 6229, batch loss 2.201, 1.83 iters/s
step 6230, batch loss 2.041, 1.84 iters/s
step 6231, batch loss 1.968, 1.83 iters/s
step 6232, batch loss 2.408, 1.82 iters/s
step 6233, batch loss 1.974, 1.83 iters/s
step 6234, batch loss 1.921, 1.83 iters/s
step 6235, batch loss 1.453, 1.84 iters/s
step 6236, batch loss 2.829, 1.83 iters/s
step 6237, batch loss 2.441, 1.83 iters/s
step 6238, batch loss 1.438, 1.83 iters/s
step 6239, batch loss 2.132, 1.85 iters/s
step 6240, batch loss 1.827, 1.84 iters/s
step 6241, batch loss 1.995, 1.86 iters/s
step 6242, batch loss 2.269, 1.82 iters/s
step 6243, batch loss 2.171, 1.83 iters/s
step 6244, batch loss 1.959, 1.82 iters/s
step 6245, batch loss 1.695, 1.84 iters/s
step 6246, batch loss 2.26, 1.82 iters/s
step 6247, batch loss 1.718, 1.82 iters/s
step 6248, batch loss 2.146, 1.82 iters/s
step 6249, batch loss 2.372, 1.82 iters/s
step 6250, batch loss 1.946, 1.83 iters/s
step 6251, batch loss 2.245, 1.82 iters/s
step 6252, batch loss 1.952, 1.83 iters/s
step 6253, batch loss 2.069, 1.83 iters/s
step 6254, batch loss 1.976, 1.83 iters/s
step 6255, batch loss 2.83, 1.82 iters/s
step 6256, batch loss 1.96, 1.82 iters/s
step 6257, batch loss 1.994, 1.83 iters/s
step 6258, batch loss 1.459, 1.82 iters/s

step 6259, batch loss 2.108, 1.83 iters/s
step 6260, batch loss 2.11, 1.82 iters/s
step 6261, batch loss 1.719, 1.85 iters/s
step 6262, batch loss 2.304, 1.82 iters/s
step 6263, batch loss 1.821, 1.83 iters/s
step 6264, batch loss 1.762, 1.83 iters/s
step 6265, batch loss 1.547, 1.84 iters/s
step 6266, batch loss 2.046, 1.83 iters/s
step 6267, batch loss 2.245, 1.83 iters/s
step 6268, batch loss 1.885, 1.84 iters/s
step 6269, batch loss 2.285, 1.84 iters/s
step 6270, batch loss 1.903, 1.82 iters/s
step 6271, batch loss 1.581, 1.82 iters/s
step 6272, batch loss 1.745, 1.83 iters/s
step 6273, batch loss 1.854, 1.85 iters/s
step 6274, batch loss 2.074, 1.83 iters/s
step 6275, batch loss 2.315, 1.83 iters/s
step 6276, batch loss 2.039, 1.83 iters/s
step 6277, batch loss 2.126, 1.82 iters/s
step 6278, batch loss 2.056, 1.83 iters/s
step 6279, batch loss 1.71, 1.82 iters/s
step 6280, batch loss 2.295, 1.84 iters/s
step 6281, batch loss 1.829, 1.83 iters/s
step 6282, batch loss 1.982, 1.83 iters/s
step 6283, batch loss 2.322, 1.83 iters/s
step 6284, batch loss 2.073, 1.83 iters/s
step 6285, batch loss 2.167, 1.83 iters/s
step 6286, batch loss 2.267, 1.84 iters/s
step 6287, batch loss 2.074, 1.83 iters/s
step 6288, batch loss 1.679, 1.83 iters/s
step 6289, batch loss 2.122, 1.83 iters/s
step 6290, batch loss 1.936, 1.84 iters/s
step 6291, batch loss 1.552, 1.82 iters/s
step 6292, batch loss 1.349, 1.84 iters/s
step 6293, batch loss 2.662, 1.83 iters/s
step 6294, batch loss 1.873, 1.83 iters/s
step 6295, batch loss 1.848, 1.83 iters/s
step 6296, batch loss 1.666, 1.83 iters/s
step 6297, batch loss 1.755, 1.82 iters/s
step 6298, batch loss 1.971, 1.82 iters/s
step 6299, batch loss 2.397, 1.84 iters/s
step 6300, batch loss 2.039, 1.82 iters/s
step 6301, batch loss 2.03, 1.82 iters/s
step 6302, batch loss 1.771, 1.83 iters/s
step 6303, batch loss 2.435, 1.83 iters/s
step 6304, batch loss 2.012, 1.83 iters/s
step 6305, batch loss 1.685, 1.83 iters/s
step 6306, batch loss 2.152, 1.83 iters/s

step 6307, batch loss 2.122, 1.83 iters/s
step 6308, batch loss 2.197, 1.85 iters/s
step 6309, batch loss 1.911, 1.83 iters/s
step 6310, batch loss 2.279, 1.83 iters/s
step 6311, batch loss 2.043, 1.82 iters/s
step 6312, batch loss 2.347, 1.82 iters/s
step 6313, batch loss 2.328, 1.82 iters/s
step 6314, batch loss 1.772, 1.83 iters/s
step 6315, batch loss 2.142, 1.83 iters/s
step 6316, batch loss 1.885, 1.83 iters/s
step 6317, batch loss 2.025, 1.84 iters/s
step 6318, batch loss 2.123, 1.82 iters/s
step 6319, batch loss 1.826, 1.83 iters/s
step 6320, batch loss 1.912, 1.83 iters/s
step 6321, batch loss 1.955, 1.82 iters/s
step 6322, batch loss 1.786, 1.83 iters/s
step 6323, batch loss 2.177, 1.82 iters/s
step 6324, batch loss 1.718, 1.83 iters/s
step 6325, batch loss 2.084, 1.83 iters/s
step 6326, batch loss 2.054, 1.82 iters/s
step 6327, batch loss 2.326, 1.83 iters/s
step 6328, batch loss 1.84, 1.84 iters/s
step 6329, batch loss 1.451, 1.84 iters/s
step 6330, batch loss 1.913, 1.83 iters/s
step 6331, batch loss 1.645, 1.84 iters/s
step 6332, batch loss 1.872, 1.82 iters/s
step 6333, batch loss 1.921, 1.83 iters/s
step 6334, batch loss 2.003, 1.83 iters/s
step 6335, batch loss 1.762, 1.83 iters/s
step 6336, batch loss 1.858, 1.83 iters/s
step 6337, batch loss 2.169, 1.83 iters/s
step 6338, batch loss 2.257, 1.83 iters/s
step 6339, batch loss 1.904, 1.84 iters/s
step 6340, batch loss 1.854, 1.85 iters/s
step 6341, batch loss 1.92, 1.83 iters/s
step 6342, batch loss 1.683, 1.82 iters/s
step 6343, batch loss 1.801, 1.84 iters/s
step 6344, batch loss 1.877, 1.86 iters/s
step 6345, batch loss 2.184, 1.83 iters/s
step 6346, batch loss 1.68, 1.83 iters/s
step 6347, batch loss 1.592, 1.83 iters/s
step 6348, batch loss 2.175, 1.83 iters/s
step 6349, batch loss 1.824, 1.84 iters/s
step 6350, batch loss 1.752, 1.83 iters/s
step 6351, batch loss 1.861, 1.83 iters/s
step 6352, batch loss 1.735, 1.83 iters/s
step 6353, batch loss 1.615, 1.84 iters/s
step 6354, batch loss 1.343, 1.85 iters/s

step 6355, batch loss 2.095, 1.83 iters/s
step 6356, batch loss 1.756, 1.83 iters/s
step 6357, batch loss 1.791, 1.83 iters/s
step 6358, batch loss 1.85, 1.83 iters/s
step 6359, batch loss 1.738, 1.84 iters/s
step 6360, batch loss 1.94, 1.83 iters/s
step 6361, batch loss 1.63, 1.83 iters/s
step 6362, batch loss 2.086, 1.83 iters/s
step 6363, batch loss 1.391, 1.84 iters/s
step 6364, batch loss 2.169, 1.82 iters/s
step 6365, batch loss 1.904, 1.82 iters/s
step 6366, batch loss 2.355, 1.83 iters/s
step 6367, batch loss 2.249, 1.82 iters/s
step 6368, batch loss 2.072, 1.85 iters/s
step 6369, batch loss 2.282, 1.83 iters/s
step 6370, batch loss 1.95, 1.83 iters/s
step 6371, batch loss 2.337, 1.82 iters/s
step 6372, batch loss 1.435, 1.85 iters/s
step 6373, batch loss 1.817, 1.86 iters/s
step 6374, batch loss 1.885, 1.82 iters/s
step 6375, batch loss 1.859, 1.83 iters/s
step 6376, batch loss 1.763, 1.82 iters/s
step 6377, batch loss 2.02, 1.83 iters/s
step 6378, batch loss 2.449, 1.82 iters/s
step 6379, batch loss 2.174, 1.84 iters/s
step 6380, batch loss 1.855, 1.83 iters/s
step 6381, batch loss 1.833, 1.83 iters/s
step 6382, batch loss 1.451, 1.82 iters/s
step 6383, batch loss 2.032, 1.83 iters/s
step 6384, batch loss 1.794, 1.82 iters/s
step 6385, batch loss 2.374, 1.82 iters/s
step 6386, batch loss 2.055, 1.83 iters/s
step 6387, batch loss 2.094, 1.85 iters/s
step 6388, batch loss 1.772, 1.83 iters/s
step 6389, batch loss 1.55, 1.83 iters/s
step 6390, batch loss 2.244, 1.83 iters/s
step 6391, batch loss 1.801, 1.83 iters/s
step 6392, batch loss 2.463, 1.83 iters/s
step 6393, batch loss 1.909, 1.84 iters/s
step 6394, batch loss 1.881, 1.83 iters/s
step 6395, batch loss 2.044, 1.82 iters/s
step 6396, batch loss 1.802, 1.83 iters/s
step 6397, batch loss 2.2, 1.83 iters/s
step 6398, batch loss 2.294, 1.82 iters/s
step 6399, batch loss 1.989, 1.83 iters/s
step 6400, batch loss 1.777, 1.83 iters/s
step 6401, batch loss 1.536, 1.82 iters/s
step 6402, batch loss 2.139, 1.83 iters/s

step 6403, batch loss 1.672, 1.82 iters/s
step 6404, batch loss 1.691, 1.82 iters/s
step 6405, batch loss 1.768, 1.83 iters/s
step 6406, batch loss 2.05, 1.83 iters/s
step 6407, batch loss 2.172, 1.83 iters/s
step 6408, batch loss 1.862, 1.83 iters/s
step 6409, batch loss 1.936, 1.82 iters/s
step 6410, batch loss 1.679, 1.83 iters/s
step 6411, batch loss 2.132, 1.83 iters/s
step 6412, batch loss 1.667, 1.83 iters/s
step 6413, batch loss 1.833, 1.82 iters/s
step 6414, batch loss 2.316, 1.83 iters/s
step 6415, batch loss 1.576, 1.83 iters/s
step 6416, batch loss 2.412, 1.83 iters/s
step 6417, batch loss 1.483, 1.83 iters/s
step 6418, batch loss 1.943, 1.83 iters/s
step 6419, batch loss 2.249, 1.84 iters/s
step 6420, batch loss 2.044, 1.83 iters/s
step 6421, batch loss 2.191, 1.82 iters/s
step 6422, batch loss 1.956, 1.84 iters/s
step 6423, batch loss 1.85, 1.83 iters/s
step 6424, batch loss 1.749, 1.83 iters/s
step 6425, batch loss 1.889, 1.83 iters/s
step 6426, batch loss 2.334, 1.83 iters/s
step 6427, batch loss 1.693, 1.84 iters/s
step 6428, batch loss 2.274, 1.83 iters/s
step 6429, batch loss 2.155, 1.83 iters/s
step 6430, batch loss 2.818, 1.83 iters/s
step 6431, batch loss 2.18, 1.83 iters/s
step 6432, batch loss 1.791, 1.85 iters/s
step 6433, batch loss 1.973, 1.84 iters/s
step 6434, batch loss 1.522, 1.83 iters/s
step 6435, batch loss 1.744, 1.83 iters/s
step 6436, batch loss 1.97, 1.83 iters/s
step 6437, batch loss 2.006, 1.83 iters/s
step 6438, batch loss 2.541, 1.82 iters/s
step 6439, batch loss 1.653, 1.83 iters/s
step 6440, batch loss 1.656, 1.83 iters/s
step 6441, batch loss 1.969, 1.83 iters/s
step 6442, batch loss 2.336, 1.83 iters/s
step 6443, batch loss 2.177, 1.83 iters/s
step 6444, batch loss 2.142, 1.83 iters/s
step 6445, batch loss 1.655, 1.83 iters/s
step 6446, batch loss 2.359, 1.83 iters/s
step 6447, batch loss 1.826, 1.83 iters/s
step 6448, batch loss 1.897, 1.83 iters/s
step 6449, batch loss 2.148, 1.84 iters/s
step 6450, batch loss 1.938, 1.82 iters/s

step 6451, batch loss 2.411, 1.85 iters/s
step 6452, batch loss 2.109, 1.82 iters/s
step 6453, batch loss 1.971, 1.85 iters/s
step 6454, batch loss 2.072, 1.83 iters/s
step 6455, batch loss 2.236, 1.83 iters/s
step 6456, batch loss 2.302, 1.84 iters/s
step 6457, batch loss 2.243, 1.82 iters/s
step 6458, batch loss 1.966, 1.82 iters/s
step 6459, batch loss 1.942, 1.83 iters/s
step 6460, batch loss 2.043, 1.83 iters/s
step 6461, batch loss 2.008, 1.83 iters/s
step 6462, batch loss 2.477, 1.84 iters/s
step 6463, batch loss 1.837, 1.83 iters/s
step 6464, batch loss 2.115, 1.83 iters/s
step 6465, batch loss 2.073, 1.84 iters/s
step 6466, batch loss 1.995, 1.82 iters/s
step 6467, batch loss 1.768, 1.83 iters/s
step 6468, batch loss 2.033, 1.83 iters/s
step 6469, batch loss 1.878, 1.83 iters/s
step 6470, batch loss 1.799, 1.83 iters/s
step 6471, batch loss 1.946, 1.82 iters/s
step 6472, batch loss 2.323, 1.83 iters/s
step 6473, batch loss 1.741, 1.83 iters/s
step 6474, batch loss 1.944, 1.82 iters/s
step 6475, batch loss 2.087, 1.83 iters/s
step 6476, batch loss 1.405, 1.82 iters/s
step 6477, batch loss 1.711, 1.82 iters/s
step 6478, batch loss 2.083, 1.83 iters/s
step 6479, batch loss 1.531, 1.82 iters/s
step 6480, batch loss 2.4, 1.82 iters/s
step 6481, batch loss 2.113, 1.82 iters/s
step 6482, batch loss 1.813, 1.84 iters/s
step 6483, batch loss 1.809, 1.82 iters/s
step 6484, batch loss 1.514, 1.82 iters/s
step 6485, batch loss 2.168, 1.83 iters/s
step 6486, batch loss 1.652, 1.82 iters/s
step 6487, batch loss 1.894, 1.85 iters/s
step 6488, batch loss 1.918, 1.82 iters/s
step 6489, batch loss 1.626, 1.83 iters/s
step 6490, batch loss 1.752, 1.82 iters/s
step 6491, batch loss 1.694, 1.83 iters/s
step 6492, batch loss 1.774, 1.84 iters/s
step 6493, batch loss 1.136, 1.85 iters/s
step 6494, batch loss 1.566, 1.83 iters/s
step 6495, batch loss 2.032, 1.83 iters/s
step 6496, batch loss 2.534, 1.82 iters/s
step 6497, batch loss 2.238, 1.83 iters/s
step 6498, batch loss 2.668, 1.83 iters/s

step 6499, batch loss 1.456, 1.82 iters/s
step 6500, batch loss 1.473, 1.83 iters/s
step 6501, batch loss 1.749, 1.83 iters/s
step 6502, batch loss 1.958, 1.83 iters/s
step 6503, batch loss 2.078, 1.83 iters/s
step 6504, batch loss 1.778, 1.83 iters/s
step 6505, batch loss 1.768, 1.84 iters/s
step 6506, batch loss 2.061, 1.82 iters/s
step 6507, batch loss 1.969, 1.82 iters/s
step 6508, batch loss 1.921, 1.82 iters/s
step 6509, batch loss 1.875, 1.82 iters/s
step 6510, batch loss 2.031, 1.84 iters/s
step 6511, batch loss 0.95, 1.83 iters/s
step 6512, batch loss 2.292, 1.83 iters/s
step 6513, batch loss 1.943, 1.82 iters/s
step 6514, batch loss 2.515, 1.83 iters/s
step 6515, batch loss 2.019, 1.83 iters/s
step 6516, batch loss 1.913, 1.83 iters/s
step 6517, batch loss 1.787, 1.84 iters/s
step 6518, batch loss 1.98, 1.82 iters/s
step 6519, batch loss 2.108, 1.82 iters/s
step 6520, batch loss 1.65, 1.85 iters/s
step 6521, batch loss 1.716, 1.84 iters/s
step 6522, batch loss 2.609, 1.83 iters/s
step 6523, batch loss 2.054, 1.83 iters/s
step 6524, batch loss 2.051, 1.83 iters/s
step 6525, batch loss 2.23, 1.85 iters/s
step 6526, batch loss 1.882, 1.83 iters/s
step 6527, batch loss 2.037, 1.82 iters/s
step 6528, batch loss 2.611, 1.82 iters/s
step 6529, batch loss 2.481, 1.82 iters/s
step 6530, batch loss 1.796, 1.85 iters/s
step 6531, batch loss 1.954, 1.83 iters/s
step 6532, batch loss 1.786, 1.83 iters/s
step 6533, batch loss 2.015, 1.82 iters/s
step 6534, batch loss 1.698, 1.82 iters/s
step 6535, batch loss 1.881, 1.83 iters/s
step 6536, batch loss 1.637, 1.82 iters/s
step 6537, batch loss 1.945, 1.82 iters/s
step 6538, batch loss 1.631, 1.83 iters/s
step 6539, batch loss 1.878, 1.82 iters/s
step 6540, batch loss 2.224, 1.82 iters/s
step 6541, batch loss 1.663, 1.83 iters/s
step 6542, batch loss 1.853, 1.83 iters/s
step 6543, batch loss 1.608, 1.83 iters/s
step 6544, batch loss 1.878, 1.83 iters/s
step 6545, batch loss 1.385, 1.83 iters/s
step 6546, batch loss 2.455, 1.83 iters/s

step 6547, batch loss 2.367, 1.84 iters/s
step 6548, batch loss 3.169, 1.82 iters/s
step 6549, batch loss 2.029, 1.84 iters/s
step 6550, batch loss 1.986, 1.83 iters/s
step 6551, batch loss 1.804, 1.83 iters/s
step 6552, batch loss 2.993, 1.82 iters/s
step 6553, batch loss 1.872, 1.82 iters/s
step 6554, batch loss 1.228, 1.83 iters/s
step 6555, batch loss 2.17, 1.84 iters/s
step 6556, batch loss 2.073, 1.83 iters/s
step 6557, batch loss 1.899, 1.83 iters/s
step 6558, batch loss 2.305, 1.82 iters/s
step 6559, batch loss 1.583, 1.85 iters/s
step 6560, batch loss 1.473, 1.85 iters/s
step 6561, batch loss 1.742, 1.84 iters/s
step 6562, batch loss 1.873, 1.82 iters/s
step 6563, batch loss 1.619, 1.83 iters/s
step 6564, batch loss 1.573, 1.83 iters/s
step 6565, batch loss 1.88, 1.83 iters/s
step 6566, batch loss 1.691, 1.83 iters/s
step 6567, batch loss 1.74, 1.82 iters/s
step 6568, batch loss 1.855, 1.84 iters/s
step 6569, batch loss 2.01, 1.84 iters/s
step 6570, batch loss 1.855, 1.83 iters/s
step 6571, batch loss 1.976, 1.85 iters/s
step 6572, batch loss 2.093, 1.82 iters/s
step 6573, batch loss 2.319, 1.83 iters/s
step 6574, batch loss 1.915, 1.83 iters/s
step 6575, batch loss 2.016, 1.83 iters/s
step 6576, batch loss 1.964, 1.83 iters/s
step 6577, batch loss 1.57, 1.84 iters/s
step 6578, batch loss 1.812, 1.84 iters/s
step 6579, batch loss 1.34, 1.83 iters/s
step 6580, batch loss 2.301, 1.82 iters/s
step 6581, batch loss 1.756, 1.83 iters/s
step 6582, batch loss 1.828, 1.85 iters/s
step 6583, batch loss 2.271, 1.83 iters/s
step 6584, batch loss 1.639, 1.84 iters/s
step 6585, batch loss 1.805, 1.83 iters/s
step 6586, batch loss 1.985, 1.83 iters/s
step 6587, batch loss 1.675, 1.85 iters/s
step 6588, batch loss 2.129, 1.85 iters/s
step 6589, batch loss 2.101, 1.83 iters/s
step 6590, batch loss 1.727, 1.83 iters/s
step 6591, batch loss 1.991, 1.83 iters/s
step 6592, batch loss 2.047, 1.83 iters/s
step 6593, batch loss 1.679, 1.83 iters/s
step 6594, batch loss 1.949, 1.83 iters/s

step 6595, batch loss 1.982, 1.83 iters/s
step 6596, batch loss 2.228, 1.82 iters/s
step 6597, batch loss 1.862, 1.82 iters/s
step 6598, batch loss 1.705, 1.83 iters/s
step 6599, batch loss 1.733, 1.85 iters/s
step 6600, batch loss 2.209, 1.83 iters/s
step 6601, batch loss 1.728, 1.83 iters/s
step 6602, batch loss 2.103, 1.83 iters/s
step 6603, batch loss 2.118, 1.83 iters/s
step 6604, batch loss 2.005, 1.83 iters/s
step 6605, batch loss 2.18, 1.82 iters/s
step 6606, batch loss 1.448, 1.83 iters/s
step 6607, batch loss 1.789, 1.82 iters/s
step 6608, batch loss 1.179, 1.83 iters/s
step 6609, batch loss 1.997, 1.83 iters/s
step 6610, batch loss 1.642, 1.83 iters/s
step 6611, batch loss 2.114, 1.83 iters/s
step 6612, batch loss 2.379, 1.82 iters/s
step 6613, batch loss 1.829, 1.83 iters/s
step 6614, batch loss 2.001, 1.82 iters/s
step 6615, batch loss 1.903, 1.82 iters/s
step 6616, batch loss 2.054, 1.82 iters/s
step 6617, batch loss 1.868, 1.82 iters/s
step 6618, batch loss 2.413, 1.82 iters/s
step 6619, batch loss 2.116, 1.83 iters/s
step 6620, batch loss 1.384, 1.81 iters/s
step 6621, batch loss 1.953, 1.83 iters/s
step 6622, batch loss 1.483, 1.83 iters/s
step 6623, batch loss 1.386, 1.83 iters/s
step 6624, batch loss 1.945, 1.83 iters/s
step 6625, batch loss 1.806, 1.83 iters/s
step 6626, batch loss 1.839, 1.83 iters/s
step 6627, batch loss 1.876, 1.83 iters/s
step 6628, batch loss 1.923, 1.82 iters/s
step 6629, batch loss 1.673, 1.82 iters/s
step 6630, batch loss 2.015, 1.82 iters/s
step 6631, batch loss 1.141, 1.82 iters/s
step 6632, batch loss 1.584, 1.83 iters/s
step 6633, batch loss 1.625, 1.84 iters/s
step 6634, batch loss 1.805, 1.83 iters/s
step 6635, batch loss 1.691, 1.83 iters/s
step 6636, batch loss 1.981, 1.83 iters/s
step 6637, batch loss 1.878, 1.85 iters/s
step 6638, batch loss 2.164, 1.83 iters/s
step 6639, batch loss 1.67, 1.84 iters/s
step 6640, batch loss 2.55, 1.83 iters/s
step 6641, batch loss 2.132, 1.83 iters/s
step 6642, batch loss 1.773, 1.83 iters/s

step 6643, batch loss 1.963, 1.82 iters/s
step 6644, batch loss 2.001, 1.82 iters/s
step 6645, batch loss 2.427, 1.83 iters/s
step 6646, batch loss 2.088, 1.83 iters/s
step 6647, batch loss 1.855, 1.84 iters/s
step 6648, batch loss 1.929, 1.82 iters/s
step 6649, batch loss 1.741, 1.82 iters/s
step 6650, batch loss 1.499, 1.82 iters/s
step 6651, batch loss 2.028, 1.82 iters/s
step 6652, batch loss 2.093, 1.83 iters/s
step 6653, batch loss 2.024, 1.82 iters/s
step 6654, batch loss 2.21, 1.83 iters/s
step 6655, batch loss 2.12, 1.83 iters/s
step 6656, batch loss 1.468, 1.82 iters/s
step 6657, batch loss 1.87, 1.84 iters/s
step 6658, batch loss 2.048, 1.83 iters/s
step 6659, batch loss 1.607, 1.82 iters/s
step 6660, batch loss 2.178, 1.84 iters/s
step 6661, batch loss 2.451, 1.83 iters/s
step 6662, batch loss 2.072, 1.83 iters/s
step 6663, batch loss 1.609, 1.82 iters/s
step 6664, batch loss 1.828, 1.85 iters/s
step 6665, batch loss 2.056, 1.83 iters/s
step 6666, batch loss 1.583, 1.83 iters/s
step 6667, batch loss 1.752, 1.82 iters/s
step 6668, batch loss 1.025, 1.83 iters/s
step 6669, batch loss 2.879, 1.82 iters/s
step 6670, batch loss 1.755, 1.83 iters/s
step 6671, batch loss 1.417, 1.83 iters/s
step 6672, batch loss 2.26, 1.83 iters/s
step 6673, batch loss 1.912, 1.83 iters/s
step 6674, batch loss 1.664, 1.85 iters/s
step 6675, batch loss 1.638, 1.83 iters/s
step 6676, batch loss 1.744, 1.83 iters/s
step 6677, batch loss 2.099, 1.83 iters/s
step 6678, batch loss 1.839, 1.83 iters/s
step 6679, batch loss 1.346, 1.83 iters/s
step 6680, batch loss 1.685, 1.83 iters/s
step 6681, batch loss 2.176, 1.83 iters/s
step 6682, batch loss 2.511, 1.82 iters/s
step 6683, batch loss 2.173, 1.84 iters/s
step 6684, batch loss 1.537, 1.84 iters/s
step 6685, batch loss 1.685, 1.83 iters/s
step 6686, batch loss 2.64, 1.83 iters/s
step 6687, batch loss 2.409, 1.83 iters/s
step 6688, batch loss 1.845, 1.84 iters/s
step 6689, batch loss 2.077, 1.82 iters/s
step 6690, batch loss 1.854, 1.82 iters/s

step 6691, batch loss 2.043, 1.84 iters/s
step 6692, batch loss 2.324, 1.82 iters/s
step 6693, batch loss 1.715, 1.83 iters/s
step 6694, batch loss 1.997, 1.84 iters/s
step 6695, batch loss 1.727, 1.84 iters/s
step 6696, batch loss 2.053, 1.82 iters/s
step 6697, batch loss 1.73, 1.82 iters/s
step 6698, batch loss 2.317, 1.82 iters/s
step 6699, batch loss 2.061, 1.82 iters/s
step 6700, batch loss 2.294, 1.83 iters/s
step 6701, batch loss 1.903, 1.83 iters/s
step 6702, batch loss 1.701, 1.83 iters/s
step 6703, batch loss 1.627, 1.82 iters/s
step 6704, batch loss 2.094, 1.82 iters/s
step 6705, batch loss 1.64, 1.83 iters/s
step 6706, batch loss 1.944, 1.82 iters/s
step 6707, batch loss 1.549, 1.83 iters/s
step 6708, batch loss 2.263, 1.82 iters/s
step 6709, batch loss 1.939, 1.82 iters/s
step 6710, batch loss 1.772, 1.82 iters/s
step 6711, batch loss 1.961, 1.82 iters/s
step 6712, batch loss 2.157, 1.82 iters/s
step 6713, batch loss 1.664, 1.82 iters/s
step 6714, batch loss 1.903, 1.82 iters/s
step 6715, batch loss 2.553, 1.84 iters/s
step 6716, batch loss 1.952, 1.82 iters/s
step 6717, batch loss 2.203, 1.83 iters/s
step 6718, batch loss 2.001, 1.82 iters/s
step 6719, batch loss 2.206, 1.83 iters/s
step 6720, batch loss 1.672, 1.83 iters/s
step 6721, batch loss 1.671, 1.83 iters/s
step 6722, batch loss 1.757, 1.83 iters/s
step 6723, batch loss 1.919, 1.83 iters/s
step 6724, batch loss 2.054, 1.83 iters/s
step 6725, batch loss 1.818, 1.83 iters/s
step 6726, batch loss 1.688, 1.83 iters/s
step 6727, batch loss 1.794, 1.85 iters/s
step 6728, batch loss 1.511, 1.83 iters/s
step 6729, batch loss 2.134, 1.82 iters/s
step 6730, batch loss 2.052, 1.83 iters/s
step 6731, batch loss 2.136, 1.82 iters/s
step 6732, batch loss 2.689, 1.82 iters/s
step 6733, batch loss 2.021, 1.84 iters/s
step 6734, batch loss 2.342, 1.84 iters/s
step 6735, batch loss 1.854, 1.83 iters/s
step 6736, batch loss 2.182, 1.83 iters/s
step 6737, batch loss 1.889, 1.82 iters/s
step 6738, batch loss 2.313, 1.83 iters/s

step 6739, batch loss 1.741, 1.83 iters/s
step 6740, batch loss 2.393, 1.85 iters/s
step 6741, batch loss 1.402, 1.84 iters/s
step 6742, batch loss 1.526, 1.83 iters/s
step 6743, batch loss 2.362, 1.83 iters/s
step 6744, batch loss 1.912, 1.82 iters/s
step 6745, batch loss 1.377, 1.83 iters/s
step 6746, batch loss 2.239, 1.83 iters/s
step 6747, batch loss 2.073, 1.82 iters/s
step 6748, batch loss 2.349, 1.83 iters/s
step 6749, batch loss 2.12, 1.83 iters/s
step 6750, batch loss 1.573, 1.83 iters/s
step 6751, batch loss 1.883, 1.83 iters/s
step 6752, batch loss 2.269, 1.83 iters/s
step 6753, batch loss 2.104, 1.82 iters/s
step 6754, batch loss 2.194, 1.85 iters/s
step 6755, batch loss 1.758, 1.82 iters/s
step 6756, batch loss 1.339, 1.83 iters/s
step 6757, batch loss 2.007, 1.83 iters/s
step 6758, batch loss 2.057, 1.82 iters/s
step 6759, batch loss 1.849, 1.83 iters/s
step 6760, batch loss 1.86, 1.82 iters/s
step 6761, batch loss 1.854, 1.85 iters/s
step 6762, batch loss 2.043, 1.84 iters/s
step 6763, batch loss 1.733, 1.83 iters/s
step 6764, batch loss 1.88, 1.83 iters/s
step 6765, batch loss 2.719, 1.84 iters/s
step 6766, batch loss 2.409, 1.83 iters/s
step 6767, batch loss 2.322, 1.82 iters/s
step 6768, batch loss 2.059, 1.82 iters/s
step 6769, batch loss 1.99, 1.82 iters/s
step 6770, batch loss 2.006, 1.83 iters/s
step 6771, batch loss 1.557, 1.82 iters/s
step 6772, batch loss 2.412, 1.82 iters/s
step 6773, batch loss 1.928, 1.83 iters/s
step 6774, batch loss 1.999, 1.83 iters/s
step 6775, batch loss 1.78, 1.83 iters/s
step 6776, batch loss 2.156, 1.83 iters/s
step 6777, batch loss 2.192, 1.82 iters/s
step 6778, batch loss 2.171, 1.83 iters/s
step 6779, batch loss 1.604, 1.83 iters/s
step 6780, batch loss 1.581, 1.83 iters/s
step 6781, batch loss 1.858, 1.82 iters/s
step 6782, batch loss 1.942, 1.82 iters/s
step 6783, batch loss 1.781, 1.82 iters/s
step 6784, batch loss 2.171, 1.83 iters/s
step 6785, batch loss 1.964, 1.82 iters/s
step 6786, batch loss 1.955, 1.82 iters/s

step 6787, batch loss 2.058, 1.83 iters/s
step 6788, batch loss 1.862, 1.82 iters/s
step 6789, batch loss 2.043, 1.83 iters/s
step 6790, batch loss 1.56, 1.83 iters/s
step 6791, batch loss 2.214, 1.83 iters/s
step 6792, batch loss 1.832, 1.82 iters/s
step 6793, batch loss 1.871, 1.83 iters/s
step 6794, batch loss 2.09, 1.82 iters/s
step 6795, batch loss 1.174, 1.85 iters/s
step 6796, batch loss 1.933, 1.83 iters/s
step 6797, batch loss 2.087, 1.83 iters/s
step 6798, batch loss 2.091, 1.85 iters/s
step 6799, batch loss 2.198, 1.82 iters/s
step 6800, batch loss 1.998, 1.83 iters/s
step 6801, batch loss 1.608, 1.83 iters/s
step 6802, batch loss 1.308, 1.82 iters/s
step 6803, batch loss 1.918, 1.83 iters/s
step 6804, batch loss 2.027, 1.83 iters/s
step 6805, batch loss 2.068, 1.83 iters/s
step 6806, batch loss 2.089, 1.85 iters/s
step 6807, batch loss 1.995, 1.83 iters/s
step 6808, batch loss 2.046, 1.83 iters/s
step 6809, batch loss 1.95, 1.82 iters/s
step 6810, batch loss 1.751, 1.84 iters/s
step 6811, batch loss 1.579, 1.84 iters/s
step 6812, batch loss 2.228, 1.82 iters/s
step 6813, batch loss 1.54, 1.83 iters/s
step 6814, batch loss 2.3, 1.83 iters/s
step 6815, batch loss 1.956, 1.83 iters/s
step 6816, batch loss 2.084, 1.86 iters/s
step 6817, batch loss 2.218, 1.82 iters/s
step 6818, batch loss 1.597, 1.82 iters/s
step 6819, batch loss 1.935, 1.83 iters/s
step 6820, batch loss 1.974, 1.82 iters/s
step 6821, batch loss 2.05, 1.84 iters/s
step 6822, batch loss 1.804, 1.83 iters/s
step 6823, batch loss 2.171, 1.83 iters/s
step 6824, batch loss 2.352, 1.83 iters/s
step 6825, batch loss 1.579, 1.84 iters/s
step 6826, batch loss 2.094, 1.84 iters/s
step 6827, batch loss 2.194, 1.83 iters/s
step 6828, batch loss 1.804, 1.83 iters/s
step 6829, batch loss 1.619, 1.84 iters/s
step 6830, batch loss 2.05, 1.83 iters/s
step 6831, batch loss 1.855, 1.83 iters/s
step 6832, batch loss 1.656, 1.83 iters/s
step 6833, batch loss 1.651, 1.83 iters/s
step 6834, batch loss 1.818, 1.82 iters/s

step 6835, batch loss 2.124, 1.83 iters/s
step 6836, batch loss 1.7, 1.83 iters/s
step 6837, batch loss 1.802, 1.83 iters/s
step 6838, batch loss 1.942, 1.83 iters/s
step 6839, batch loss 2.031, 1.84 iters/s
step 6840, batch loss 1.759, 1.82 iters/s
step 6841, batch loss 1.664, 1.82 iters/s
step 6842, batch loss 2.227, 1.82 iters/s
step 6843, batch loss 1.834, 1.84 iters/s
step 6844, batch loss 2.12, 1.84 iters/s
step 6845, batch loss 2.01, 1.82 iters/s
step 6846, batch loss 1.905, 1.84 iters/s
step 6847, batch loss 2.015, 1.83 iters/s
step 6848, batch loss 2.241, 1.83 iters/s
step 6849, batch loss 1.837, 1.84 iters/s
step 6850, batch loss 1.797, 1.83 iters/s
step 6851, batch loss 1.948, 1.82 iters/s
step 6852, batch loss 1.66, 1.85 iters/s
step 6853, batch loss 1.741, 1.83 iters/s
step 6854, batch loss 1.659, 1.83 iters/s
step 6855, batch loss 1.768, 1.84 iters/s
step 6856, batch loss 1.589, 1.83 iters/s
step 6857, batch loss 1.893, 1.83 iters/s
step 6858, batch loss 2.247, 1.84 iters/s
step 6859, batch loss 2.014, 1.83 iters/s
step 6860, batch loss 2.185, 1.82 iters/s
step 6861, batch loss 2.453, 1.84 iters/s
step 6862, batch loss 1.372, 1.83 iters/s
step 6863, batch loss 2.296, 1.84 iters/s
step 6864, batch loss 2.458, 1.83 iters/s
step 6865, batch loss 1.457, 1.83 iters/s
step 6866, batch loss 1.731, 1.83 iters/s
step 6867, batch loss 2.373, 1.85 iters/s
step 6868, batch loss 1.765, 1.83 iters/s
step 6869, batch loss 2.943, 1.83 iters/s
step 6870, batch loss 2.289, 1.82 iters/s
step 6871, batch loss 1.808, 1.83 iters/s
step 6872, batch loss 1.733, 1.83 iters/s
step 6873, batch loss 2.013, 1.82 iters/s
step 6874, batch loss 1.966, 1.83 iters/s
step 6875, batch loss 2.078, 1.84 iters/s
step 6876, batch loss 2.38, 1.82 iters/s
step 6877, batch loss 2.053, 1.82 iters/s
step 6878, batch loss 2.003, 1.84 iters/s
step 6879, batch loss 1.003, 1.83 iters/s
step 6880, batch loss 2.188, 1.83 iters/s
step 6881, batch loss 1.643, 1.81 iters/s
step 6882, batch loss 1.972, 1.82 iters/s

step 6883, batch loss 2.037, 1.82 iters/s
step 6884, batch loss 1.87, 1.83 iters/s
step 6885, batch loss 1.979, 1.83 iters/s
step 6886, batch loss 1.99, 1.82 iters/s
step 6887, batch loss 2.292, 1.83 iters/s
step 6888, batch loss 1.361, 1.84 iters/s
step 6889, batch loss 1.718, 1.82 iters/s
step 6890, batch loss 1.818, 1.84 iters/s
step 6891, batch loss 1.523, 1.83 iters/s
step 6892, batch loss 2.229, 1.82 iters/s
step 6893, batch loss 1.697, 1.82 iters/s
step 6894, batch loss 1.408, 1.82 iters/s
step 6895, batch loss 1.926, 1.83 iters/s
step 6896, batch loss 1.752, 1.83 iters/s
step 6897, batch loss 1.667, 1.83 iters/s
step 6898, batch loss 1.931, 1.82 iters/s
step 6899, batch loss 1.954, 1.82 iters/s
step 6900, batch loss 1.898, 1.83 iters/s
step 6901, batch loss 1.496, 1.83 iters/s
step 6902, batch loss 2.099, 1.83 iters/s
step 6903, batch loss 1.299, 1.82 iters/s
step 6904, batch loss 2.604, 1.82 iters/s
step 6905, batch loss 1.746, 1.83 iters/s
step 6906, batch loss 1.577, 1.83 iters/s
step 6907, batch loss 1.717, 1.83 iters/s
step 6908, batch loss 2.343, 1.83 iters/s
step 6909, batch loss 0.904, 1.82 iters/s
step 6910, batch loss 2.192, 1.83 iters/s
step 6911, batch loss 2.019, 1.84 iters/s
step 6912, batch loss 2.146, 1.83 iters/s
step 6913, batch loss 1.862, 1.83 iters/s
step 6914, batch loss 2.345, 1.83 iters/s
step 6915, batch loss 1.847, 1.83 iters/s
step 6916, batch loss 1.922, 1.83 iters/s
step 6917, batch loss 1.838, 1.84 iters/s
step 6918, batch loss 1.566, 1.83 iters/s
step 6919, batch loss 2.039, 1.83 iters/s
step 6920, batch loss 1.816, 1.83 iters/s
step 6921, batch loss 1.768, 1.83 iters/s
step 6922, batch loss 2.144, 1.84 iters/s
step 6923, batch loss 1.498, 1.82 iters/s
step 6924, batch loss 2.173, 1.83 iters/s
step 6925, batch loss 1.805, 1.83 iters/s
step 6926, batch loss 2.039, 1.83 iters/s
step 6927, batch loss 2.2, 1.83 iters/s
step 6928, batch loss 1.566, 1.83 iters/s
step 6929, batch loss 1.801, 1.85 iters/s
step 6930, batch loss 2.177, 1.83 iters/s

step 6931, batch loss 2.178, 1.84 iters/s
step 6932, batch loss 2.194, 1.83 iters/s
step 6933, batch loss 1.163, 1.85 iters/s
step 6934, batch loss 1.577, 1.84 iters/s
step 6935, batch loss 2.043, 1.82 iters/s
step 6936, batch loss 1.982, 1.84 iters/s
step 6937, batch loss 1.71, 1.82 iters/s
step 6938, batch loss 2.063, 1.84 iters/s
step 6939, batch loss 2.329, 1.83 iters/s
step 6940, batch loss 2.034, 1.82 iters/s
step 6941, batch loss 2.072, 1.82 iters/s
step 6942, batch loss 2.077, 1.82 iters/s
step 6943, batch loss 2.2, 1.82 iters/s
step 6944, batch loss 1.858, 1.83 iters/s
step 6945, batch loss 1.61, 1.83 iters/s
step 6946, batch loss 1.845, 1.84 iters/s
step 6947, batch loss 2.184, 1.83 iters/s
step 6948, batch loss 2.049, 1.83 iters/s
step 6949, batch loss 2.084, 1.83 iters/s
step 6950, batch loss 1.615, 1.82 iters/s
step 6951, batch loss 1.692, 1.82 iters/s
step 6952, batch loss 2.097, 1.83 iters/s
step 6953, batch loss 1.388, 1.83 iters/s
step 6954, batch loss 1.726, 1.82 iters/s
step 6955, batch loss 1.859, 1.82 iters/s
step 6956, batch loss 2.047, 1.84 iters/s
step 6957, batch loss 2.063, 1.83 iters/s
step 6958, batch loss 2.01, 1.82 iters/s
step 6959, batch loss 1.767, 1.83 iters/s
step 6960, batch loss 1.846, 1.83 iters/s
step 6961, batch loss 1.689, 1.82 iters/s
step 6962, batch loss 1.806, 1.82 iters/s
step 6963, batch loss 2.31, 1.84 iters/s
step 6964, batch loss 1.514, 1.83 iters/s
step 6965, batch loss 1.671, 1.82 iters/s
step 6966, batch loss 1.879, 1.84 iters/s
step 6967, batch loss 2.174, 1.83 iters/s
step 6968, batch loss 1.812, 1.85 iters/s
step 6969, batch loss 1.98, 1.83 iters/s
step 6970, batch loss 1.931, 1.84 iters/s
step 6971, batch loss 1.72, 1.82 iters/s
step 6972, batch loss 2.344, 1.84 iters/s
step 6973, batch loss 1.426, 1.83 iters/s
step 6974, batch loss 1.839, 1.83 iters/s
step 6975, batch loss 1.993, 1.83 iters/s
step 6976, batch loss 2.573, 1.81 iters/s
step 6977, batch loss 1.873, 1.83 iters/s
step 6978, batch loss 2.021, 1.84 iters/s

step 6979, batch loss 1.855, 1.84 iters/s
step 6980, batch loss 1.848, 1.83 iters/s
step 6981, batch loss 2.098, 1.83 iters/s
step 6982, batch loss 2.41, 1.83 iters/s
step 6983, batch loss 2.075, 1.83 iters/s
step 6984, batch loss 2.052, 1.83 iters/s
step 6985, batch loss 1.635, 1.84 iters/s
step 6986, batch loss 1.95, 1.82 iters/s
step 6987, batch loss 1.811, 1.82 iters/s
step 6988, batch loss 1.658, 1.83 iters/s
step 6989, batch loss 1.561, 1.83 iters/s
step 6990, batch loss 1.654, 1.83 iters/s
step 6991, batch loss 1.641, 1.81 iters/s
step 6992, batch loss 1.512, 1.83 iters/s
step 6993, batch loss 2.138, 1.82 iters/s
step 6994, batch loss 1.114, 1.84 iters/s
step 6995, batch loss 1.604, 1.82 iters/s
step 6996, batch loss 2.288, 1.83 iters/s
step 6997, batch loss 1.834, 1.83 iters/s
step 6998, batch loss 2.675, 1.83 iters/s
step 6999, batch loss 1.738, 1.82 iters/s
step 7000, batch loss 1.582, 1.83 iters/s
step 7001, batch loss 1.683, 1.83 iters/s
step 7002, batch loss 1.758, 1.83 iters/s
step 7003, batch loss 1.85, 1.82 iters/s
step 7004, batch loss 2.074, 1.82 iters/s
step 7005, batch loss 1.619, 1.82 iters/s
step 7006, batch loss 1.756, 1.82 iters/s
step 7007, batch loss 2.173, 1.82 iters/s
step 7008, batch loss 1.833, 1.83 iters/s
step 7009, batch loss 2.837, 1.83 iters/s
step 7010, batch loss 2.121, 1.85 iters/s
step 7011, batch loss 1.866, 1.83 iters/s
step 7012, batch loss 1.98, 1.83 iters/s
step 7013, batch loss 1.779, 1.84 iters/s
step 7014, batch loss 2.109, 1.83 iters/s
step 7015, batch loss 2.104, 1.84 iters/s
step 7016, batch loss 1.955, 1.83 iters/s
step 7017, batch loss 1.968, 1.83 iters/s
step 7018, batch loss 1.157, 1.83 iters/s
step 7019, batch loss 1.604, 1.83 iters/s
step 7020, batch loss 1.906, 1.82 iters/s
step 7021, batch loss 1.795, 1.84 iters/s
step 7022, batch loss 1.713, 1.83 iters/s
step 7023, batch loss 1.605, 1.83 iters/s
step 7024, batch loss 1.813, 1.83 iters/s
step 7025, batch loss 1.474, 1.83 iters/s
step 7026, batch loss 1.901, 1.83 iters/s

step 7027, batch loss 2.087, 1.83 iters/s
step 7028, batch loss 2.022, 1.83 iters/s
step 7029, batch loss 2.012, 1.83 iters/s
step 7030, batch loss 1.89, 1.84 iters/s
step 7031, batch loss 1.809, 1.84 iters/s
step 7032, batch loss 1.814, 1.83 iters/s
step 7033, batch loss 1.824, 1.83 iters/s
step 7034, batch loss 2.115, 1.85 iters/s
step 7035, batch loss 1.918, 1.83 iters/s
step 7036, batch loss 2.069, 1.83 iters/s
step 7037, batch loss 1.77, 1.83 iters/s
step 7038, batch loss 2.149, 1.83 iters/s
step 7039, batch loss 2.121, 1.82 iters/s
step 7040, batch loss 1.71, 1.82 iters/s
step 7041, batch loss 1.896, 1.82 iters/s
step 7042, batch loss 1.824, 1.83 iters/s
step 7043, batch loss 2.048, 1.82 iters/s
step 7044, batch loss 2.165, 1.83 iters/s
step 7045, batch loss 2.034, 1.82 iters/s
step 7046, batch loss 2.047, 1.83 iters/s
step 7047, batch loss 1.704, 1.83 iters/s
step 7048, batch loss 2.379, 1.83 iters/s
step 7049, batch loss 1.882, 1.82 iters/s
step 7050, batch loss 2.365, 1.83 iters/s
step 7051, batch loss 1.405, 1.82 iters/s
step 7052, batch loss 1.665, 1.83 iters/s
step 7053, batch loss 1.596, 1.83 iters/s
step 7054, batch loss 1.815, 1.84 iters/s
step 7055, batch loss 2.021, 1.83 iters/s
step 7056, batch loss 2.008, 1.83 iters/s
step 7057, batch loss 1.768, 1.83 iters/s
step 7058, batch loss 2.262, 1.84 iters/s
step 7059, batch loss 2.062, 1.83 iters/s
step 7060, batch loss 1.681, 1.82 iters/s
step 7061, batch loss 1.959, 1.83 iters/s
step 7062, batch loss 2.11, 1.82 iters/s
step 7063, batch loss 1.983, 1.82 iters/s
step 7064, batch loss 1.161, 1.83 iters/s
step 7065, batch loss 2.043, 1.84 iters/s
step 7066, batch loss 2.257, 1.82 iters/s
step 7067, batch loss 1.824, 1.84 iters/s
step 7068, batch loss 2.006, 1.83 iters/s
step 7069, batch loss 1.56, 1.83 iters/s
step 7070, batch loss 1.546, 1.83 iters/s
step 7071, batch loss 2.299, 1.83 iters/s
step 7072, batch loss 1.995, 1.83 iters/s
step 7073, batch loss 1.595, 1.86 iters/s
step 7074, batch loss 2.313, 1.83 iters/s

step 7075, batch loss 1.798, 1.83 iters/s
step 7076, batch loss 1.777, 1.83 iters/s
step 7077, batch loss 2.017, 1.84 iters/s
step 7078, batch loss 2.433, 1.82 iters/s
step 7079, batch loss 2.261, 1.82 iters/s
step 7080, batch loss 1.412, 1.83 iters/s
step 7081, batch loss 2.302, 1.83 iters/s
step 7082, batch loss 2.246, 1.85 iters/s
step 7083, batch loss 2.336, 1.86 iters/s
step 7084, batch loss 1.904, 1.83 iters/s
step 7085, batch loss 1.99, 1.83 iters/s
step 7086, batch loss 1.469, 1.82 iters/s
step 7087, batch loss 2.098, 1.83 iters/s
step 7088, batch loss 1.966, 1.83 iters/s
step 7089, batch loss 1.819, 1.82 iters/s
step 7090, batch loss 2.242, 1.84 iters/s
step 7091, batch loss 2.135, 1.83 iters/s
step 7092, batch loss 1.476, 1.83 iters/s
step 7093, batch loss 1.697, 1.84 iters/s
step 7094, batch loss 1.818, 1.84 iters/s
step 7095, batch loss 1.638, 1.83 iters/s
step 7096, batch loss 1.633, 1.83 iters/s
step 7097, batch loss 1.988, 1.83 iters/s
step 7098, batch loss 2.003, 1.83 iters/s
step 7099, batch loss 1.282, 1.83 iters/s
step 7100, batch loss 2.235, 1.83 iters/s
step 7101, batch loss 1.974, 1.83 iters/s
step 7102, batch loss 1.812, 1.83 iters/s
step 7103, batch loss 1.941, 1.83 iters/s
step 7104, batch loss 1.79, 1.82 iters/s
step 7105, batch loss 2.176, 1.83 iters/s
step 7106, batch loss 1.913, 1.82 iters/s
step 7107, batch loss 2.33, 1.82 iters/s
step 7108, batch loss 2.195, 1.82 iters/s
step 7109, batch loss 1.936, 1.83 iters/s
step 7110, batch loss 1.598, 1.83 iters/s
step 7111, batch loss 1.221, 1.82 iters/s
step 7112, batch loss 2.242, 1.83 iters/s
step 7113, batch loss 0.896, 1.83 iters/s
step 7114, batch loss 1.594, 1.83 iters/s
step 7115, batch loss 1.729, 1.85 iters/s
step 7116, batch loss 2.018, 1.83 iters/s
step 7117, batch loss 1.678, 1.83 iters/s
step 7118, batch loss 1.653, 1.83 iters/s
step 7119, batch loss 2.21, 1.82 iters/s
step 7120, batch loss 1.76, 1.83 iters/s
step 7121, batch loss 1.362, 1.83 iters/s
step 7122, batch loss 1.94, 1.82 iters/s

step 7123, batch loss 1.62, 1.83 iters/s
step 7124, batch loss 1.626, 1.82 iters/s
step 7125, batch loss 2.071, 1.83 iters/s
step 7126, batch loss 1.682, 1.83 iters/s
step 7127, batch loss 2.375, 1.83 iters/s
step 7128, batch loss 1.871, 1.82 iters/s
step 7129, batch loss 1.841, 1.82 iters/s
step 7130, batch loss 1.685, 1.83 iters/s
step 7131, batch loss 1.894, 1.82 iters/s
step 7132, batch loss 1.91, 1.83 iters/s
step 7133, batch loss 1.771, 1.83 iters/s
step 7134, batch loss 2.247, 1.83 iters/s
step 7135, batch loss 2.527, 1.83 iters/s
step 7136, batch loss 1.987, 1.83 iters/s
step 7137, batch loss 2.475, 1.83 iters/s
step 7138, batch loss 1.727, 1.83 iters/s
step 7139, batch loss 2.003, 1.82 iters/s
step 7140, batch loss 2.073, 1.82 iters/s
step 7141, batch loss 2.021, 1.82 iters/s
step 7142, batch loss 1.96, 1.83 iters/s
step 7143, batch loss 2.187, 1.83 iters/s
step 7144, batch loss 1.74, 1.84 iters/s
step 7145, batch loss 1.82, 1.82 iters/s
step 7146, batch loss 1.516, 1.83 iters/s
step 7147, batch loss 1.862, 1.82 iters/s
step 7148, batch loss 1.917, 1.83 iters/s
step 7149, batch loss 1.34, 1.83 iters/s
step 7150, batch loss 2.062, 1.83 iters/s
step 7151, batch loss 2.138, 1.83 iters/s
step 7152, batch loss 1.9, 1.83 iters/s
step 7153, batch loss 1.741, 1.83 iters/s
step 7154, batch loss 2.186, 1.83 iters/s
step 7155, batch loss 1.334, 1.84 iters/s
step 7156, batch loss 2.029, 1.83 iters/s
step 7157, batch loss 1.929, 1.82 iters/s
step 7158, batch loss 2.187, 1.85 iters/s
step 7159, batch loss 2.207, 1.83 iters/s
step 7160, batch loss 2.18, 1.82 iters/s
step 7161, batch loss 1.998, 1.84 iters/s
step 7162, batch loss 2.629, 1.84 iters/s
step 7163, batch loss 1.724, 1.83 iters/s
step 7164, batch loss 1.606, 1.82 iters/s
step 7165, batch loss 2.282, 1.83 iters/s
step 7166, batch loss 1.874, 1.83 iters/s
step 7167, batch loss 2.025, 1.84 iters/s
step 7168, batch loss 2.077, 1.84 iters/s
step 7169, batch loss 2.749, 1.83 iters/s
step 7170, batch loss 2.215, 1.83 iters/s

step 7171, batch loss 1.933, 1.84 iters/s
step 7172, batch loss 1.941, 1.83 iters/s
step 7173, batch loss 1.842, 1.82 iters/s
step 7174, batch loss 1.87, 1.84 iters/s
step 7175, batch loss 1.935, 1.84 iters/s
step 7176, batch loss 2.294, 1.83 iters/s
step 7177, batch loss 1.744, 1.83 iters/s
step 7178, batch loss 2.14, 1.83 iters/s
step 7179, batch loss 1.757, 1.82 iters/s
step 7180, batch loss 1.099, 1.84 iters/s
step 7181, batch loss 2.201, 1.82 iters/s
step 7182, batch loss 2.193, 1.82 iters/s
step 7183, batch loss 1.589, 1.83 iters/s
step 7184, batch loss 1.922, 1.82 iters/s
step 7185, batch loss 1.874, 1.85 iters/s
step 7186, batch loss 1.978, 1.83 iters/s
step 7187, batch loss 1.677, 1.84 iters/s
step 7188, batch loss 2.172, 1.84 iters/s
step 7189, batch loss 1.992, 1.83 iters/s
step 7190, batch loss 1.807, 1.83 iters/s
step 7191, batch loss 1.866, 1.83 iters/s
step 7192, batch loss 1.93, 1.82 iters/s
step 7193, batch loss 1.971, 1.85 iters/s
step 7194, batch loss 1.62, 1.84 iters/s
step 7195, batch loss 2.358, 1.83 iters/s
step 7196, batch loss 2.34, 1.83 iters/s
step 7197, batch loss 1.941, 1.83 iters/s
step 7198, batch loss 1.947, 1.82 iters/s
step 7199, batch loss 2.123, 1.82 iters/s
step 7200, batch loss 2.307, 1.83 iters/s
step 7201, batch loss 1.599, 1.83 iters/s
step 7202, batch loss 1.573, 1.82 iters/s
step 7203, batch loss 1.824, 1.81 iters/s
step 7204, batch loss 2.221, 1.84 iters/s
step 7205, batch loss 1.842, 1.83 iters/s
step 7206, batch loss 1.935, 1.83 iters/s
step 7207, batch loss 1.361, 1.82 iters/s
step 7208, batch loss 1.563, 1.83 iters/s
step 7209, batch loss 1.787, 1.84 iters/s
step 7210, batch loss 1.875, 1.85 iters/s
step 7211, batch loss 1.612, 1.83 iters/s
step 7212, batch loss 2.066, 1.84 iters/s
step 7213, batch loss 1.314, 1.83 iters/s
step 7214, batch loss 1.967, 1.82 iters/s
step 7215, batch loss 1.989, 1.83 iters/s
step 7216, batch loss 2.043, 1.82 iters/s
step 7217, batch loss 2.175, 1.84 iters/s
step 7218, batch loss 1.397, 1.82 iters/s

step 7219, batch loss 2.054, 1.84 iters/s
step 7220, batch loss 1.859, 1.82 iters/s
step 7221, batch loss 1.94, 1.83 iters/s
step 7222, batch loss 1.4, 1.83 iters/s
step 7223, batch loss 1.526, 1.82 iters/s
step 7224, batch loss 1.858, 1.83 iters/s
step 7225, batch loss 1.905, 1.82 iters/s
step 7226, batch loss 2.012, 1.83 iters/s
step 7227, batch loss 1.614, 1.83 iters/s
step 7228, batch loss 1.639, 1.83 iters/s
step 7229, batch loss 2.108, 1.83 iters/s
step 7230, batch loss 2.249, 1.83 iters/s
step 7231, batch loss 1.981, 1.81 iters/s
step 7232, batch loss 2.006, 1.82 iters/s
step 7233, batch loss 1.987, 1.83 iters/s
step 7234, batch loss 2.087, 1.85 iters/s
step 7235, batch loss 1.913, 1.83 iters/s
step 7236, batch loss 2.089, 1.84 iters/s
step 7237, batch loss 1.704, 1.82 iters/s
step 7238, batch loss 1.964, 1.82 iters/s
step 7239, batch loss 2.23, 1.84 iters/s
step 7240, batch loss 2.232, 1.83 iters/s
step 7241, batch loss 1.644, 1.83 iters/s
step 7242, batch loss 2.265, 1.83 iters/s
step 7243, batch loss 2.105, 1.82 iters/s
step 7244, batch loss 2.046, 1.84 iters/s
step 7245, batch loss 1.808, 1.82 iters/s
step 7246, batch loss 1.948, 1.84 iters/s
step 7247, batch loss 2.215, 1.83 iters/s
step 7248, batch loss 1.664, 1.84 iters/s
step 7249, batch loss 2.385, 1.82 iters/s
step 7250, batch loss 1.987, 1.84 iters/s
step 7251, batch loss 1.853, 1.83 iters/s
step 7252, batch loss 1.762, 1.84 iters/s
step 7253, batch loss 1.82, 1.82 iters/s
step 7254, batch loss 1.8, 1.83 iters/s
step 7255, batch loss 2.071, 1.82 iters/s
step 7256, batch loss 2.064, 1.81 iters/s
step 7257, batch loss 2.036, 1.83 iters/s
step 7258, batch loss 2.933, 1.82 iters/s
step 7259, batch loss 2.332, 1.82 iters/s
step 7260, batch loss 2.046, 1.83 iters/s
step 7261, batch loss 2.009, 1.83 iters/s
step 7262, batch loss 1.897, 1.83 iters/s
step 7263, batch loss 1.773, 1.84 iters/s
step 7264, batch loss 2.052, 1.83 iters/s
step 7265, batch loss 1.295, 1.84 iters/s
step 7266, batch loss 1.962, 1.84 iters/s

step 7267, batch loss 1.985, 1.83 iters/s
step 7268, batch loss 2.221, 1.83 iters/s
step 7269, batch loss 1.972, 1.83 iters/s
step 7270, batch loss 2.284, 1.82 iters/s
step 7271, batch loss 2.095, 1.83 iters/s
step 7272, batch loss 1.801, 1.83 iters/s
step 7273, batch loss 2.34, 1.83 iters/s
step 7274, batch loss 2.23, 1.83 iters/s
step 7275, batch loss 1.69, 1.82 iters/s
step 7276, batch loss 1.977, 1.82 iters/s
step 7277, batch loss 1.692, 1.82 iters/s
step 7278, batch loss 2.074, 1.84 iters/s
step 7279, batch loss 2.04, 1.83 iters/s
step 7280, batch loss 1.931, 1.82 iters/s
step 7281, batch loss 2.353, 1.83 iters/s
step 7282, batch loss 2.189, 1.82 iters/s
step 7283, batch loss 1.901, 1.85 iters/s
step 7284, batch loss 2.263, 1.83 iters/s
step 7285, batch loss 1.581, 1.84 iters/s
step 7286, batch loss 2.211, 1.84 iters/s
step 7287, batch loss 1.833, 1.83 iters/s
step 7288, batch loss 1.61, 1.84 iters/s
step 7289, batch loss 1.679, 1.86 iters/s
step 7290, batch loss 1.808, 1.82 iters/s
step 7291, batch loss 2.311, 1.82 iters/s
step 7292, batch loss 1.328, 1.83 iters/s
step 7293, batch loss 1.942, 1.83 iters/s
step 7294, batch loss 2.45, 1.83 iters/s
step 7295, batch loss 2.028, 1.83 iters/s
step 7296, batch loss 1.895, 1.83 iters/s
step 7297, batch loss 1.613, 1.83 iters/s
step 7298, batch loss 2.046, 1.83 iters/s
step 7299, batch loss 2.141, 1.82 iters/s
step 7300, batch loss 2.042, 1.84 iters/s
step 7301, batch loss 1.644, 1.83 iters/s
step 7302, batch loss 2.151, 1.82 iters/s
step 7303, batch loss 2.304, 1.83 iters/s
step 7304, batch loss 2.293, 1.82 iters/s
step 7305, batch loss 1.783, 1.82 iters/s
step 7306, batch loss 1.896, 1.81 iters/s
step 7307, batch loss 1.577, 1.82 iters/s
step 7308, batch loss 1.324, 1.85 iters/s
step 7309, batch loss 1.866, 1.82 iters/s
step 7310, batch loss 1.916, 1.83 iters/s
step 7311, batch loss 2.112, 1.83 iters/s
step 7312, batch loss 1.776, 1.83 iters/s
step 7313, batch loss 2.135, 1.82 iters/s
step 7314, batch loss 1.802, 1.84 iters/s

step 7315, batch loss 2.176, 1.83 iters/s
step 7316, batch loss 2.092, 1.84 iters/s
step 7317, batch loss 1.964, 1.82 iters/s
step 7318, batch loss 1.974, 1.84 iters/s
step 7319, batch loss 1.911, 1.83 iters/s
step 7320, batch loss 2.286, 1.82 iters/s
step 7321, batch loss 1.941, 1.83 iters/s
step 7322, batch loss 1.645, 1.83 iters/s
step 7323, batch loss 1.586, 1.82 iters/s
step 7324, batch loss 1.338, 1.83 iters/s
step 7325, batch loss 2.198, 1.82 iters/s
step 7326, batch loss 2.084, 1.82 iters/s
step 7327, batch loss 1.639, 1.82 iters/s
step 7328, batch loss 1.403, 1.84 iters/s
step 7329, batch loss 2.405, 1.82 iters/s
step 7330, batch loss 2.03, 1.83 iters/s
step 7331, batch loss 1.688, 1.83 iters/s
step 7332, batch loss 2.05, 1.83 iters/s
step 7333, batch loss 2.317, 1.82 iters/s
step 7334, batch loss 1.904, 1.84 iters/s
step 7335, batch loss 1.787, 1.85 iters/s
step 7336, batch loss 1.63, 1.83 iters/s
step 7337, batch loss 1.625, 1.82 iters/s
step 7338, batch loss 2.57, 1.83 iters/s
step 7339, batch loss 1.564, 1.85 iters/s
step 7340, batch loss 2.055, 1.84 iters/s
step 7341, batch loss 2.583, 1.83 iters/s
step 7342, batch loss 2.44, 1.83 iters/s
step 7343, batch loss 2.565, 1.83 iters/s
step 7344, batch loss 1.766, 1.85 iters/s
step 7345, batch loss 2.084, 1.83 iters/s
step 7346, batch loss 1.612, 1.83 iters/s
step 7347, batch loss 2.103, 1.83 iters/s
step 7348, batch loss 2.1, 1.83 iters/s
step 7349, batch loss 1.912, 1.8 iters/s
step 7350, batch loss 2.372, 1.83 iters/s
step 7351, batch loss 1.953, 1.83 iters/s
step 7352, batch loss 2.323, 1.82 iters/s
step 7353, batch loss 1.924, 1.84 iters/s
step 7354, batch loss 1.986, 1.82 iters/s
step 7355, batch loss 1.573, 1.82 iters/s
step 7356, batch loss 1.457, 1.83 iters/s
step 7357, batch loss 1.665, 1.83 iters/s
step 7358, batch loss 2.064, 1.83 iters/s
step 7359, batch loss 1.287, 1.83 iters/s
step 7360, batch loss 1.437, 1.82 iters/s
step 7361, batch loss 2.799, 1.83 iters/s
step 7362, batch loss 1.508, 1.83 iters/s

step 7363, batch loss 1.837, 1.83 iters/s
step 7364, batch loss 1.152, 1.84 iters/s
step 7365, batch loss 2.029, 1.83 iters/s
step 7366, batch loss 2.342, 1.84 iters/s
step 7367, batch loss 1.138, 1.85 iters/s
step 7368, batch loss 1.674, 1.82 iters/s
step 7369, batch loss 1.814, 1.83 iters/s
step 7370, batch loss 2.282, 1.82 iters/s
step 7371, batch loss 1.872, 1.83 iters/s
step 7372, batch loss 1.736, 1.82 iters/s
step 7373, batch loss 1.987, 1.82 iters/s
step 7374, batch loss 1.726, 1.82 iters/s
step 7375, batch loss 1.893, 1.82 iters/s
step 7376, batch loss 1.577, 1.82 iters/s
step 7377, batch loss 1.743, 1.82 iters/s
step 7378, batch loss 2.225, 1.85 iters/s
step 7379, batch loss 2.21, 1.83 iters/s
step 7380, batch loss 1.448, 1.83 iters/s
step 7381, batch loss 1.799, 1.82 iters/s
step 7382, batch loss 2.131, 1.83 iters/s
step 7383, batch loss 2.204, 1.83 iters/s
step 7384, batch loss 1.492, 1.82 iters/s
step 7385, batch loss 1.885, 1.82 iters/s
step 7386, batch loss 1.567, 1.83 iters/s
step 7387, batch loss 1.499, 1.83 iters/s
step 7388, batch loss 2.096, 1.85 iters/s
step 7389, batch loss 1.659, 1.84 iters/s
step 7390, batch loss 1.876, 1.83 iters/s
step 7391, batch loss 1.754, 1.83 iters/s
step 7392, batch loss 1.966, 1.83 iters/s
step 7393, batch loss 1.979, 1.82 iters/s
step 7394, batch loss 1.924, 1.83 iters/s
step 7395, batch loss 1.873, 1.83 iters/s
step 7396, batch loss 1.967, 1.83 iters/s
step 7397, batch loss 2.018, 1.82 iters/s
step 7398, batch loss 1.941, 1.83 iters/s
step 7399, batch loss 1.673, 1.83 iters/s
step 7400, batch loss 1.625, 1.83 iters/s
step 7401, batch loss 1.749, 1.83 iters/s
step 7402, batch loss 1.791, 1.83 iters/s
step 7403, batch loss 1.797, 1.83 iters/s
step 7404, batch loss 2.127, 1.83 iters/s
step 7405, batch loss 1.951, 1.83 iters/s
step 7406, batch loss 1.781, 1.83 iters/s
step 7407, batch loss 2.257, 1.83 iters/s
step 7408, batch loss 2.184, 1.83 iters/s
step 7409, batch loss 1.962, 1.83 iters/s
step 7410, batch loss 1.964, 1.83 iters/s

step 7411, batch loss 1.975, 1.83 iters/s
step 7412, batch loss 1.814, 1.83 iters/s
step 7413, batch loss 1.73, 1.83 iters/s
step 7414, batch loss 1.839, 1.83 iters/s
step 7415, batch loss 2.008, 1.83 iters/s
step 7416, batch loss 1.722, 1.83 iters/s
step 7417, batch loss 1.998, 1.82 iters/s
step 7418, batch loss 1.785, 1.83 iters/s
step 7419, batch loss 2.122, 1.83 iters/s
step 7420, batch loss 1.864, 1.82 iters/s
step 7421, batch loss 1.83, 1.84 iters/s
step 7422, batch loss 2.005, 1.83 iters/s
step 7423, batch loss 2.057, 1.83 iters/s
step 7424, batch loss 0.963, 1.84 iters/s
step 7425, batch loss 2.061, 1.84 iters/s
step 7426, batch loss 2.728, 1.83 iters/s
step 7427, batch loss 1.842, 1.84 iters/s
step 7428, batch loss 2.201, 1.83 iters/s
step 7429, batch loss 2.099, 1.83 iters/s
step 7430, batch loss 2.176, 1.83 iters/s
step 7431, batch loss 1.463, 1.85 iters/s
step 7432, batch loss 1.789, 1.84 iters/s
step 7433, batch loss 2.246, 1.82 iters/s
step 7434, batch loss 2.266, 1.83 iters/s
step 7435, batch loss 2.44, 1.83 iters/s
step 7436, batch loss 1.951, 1.85 iters/s
step 7437, batch loss 1.242, 1.83 iters/s
step 7438, batch loss 2.198, 1.83 iters/s
step 7439, batch loss 2.211, 1.82 iters/s
step 7440, batch loss 1.885, 1.84 iters/s
step 7441, batch loss 1.678, 1.83 iters/s
step 7442, batch loss 2.265, 1.84 iters/s
step 7443, batch loss 1.949, 1.83 iters/s
step 7444, batch loss 1.986, 1.84 iters/s
step 7445, batch loss 1.794, 1.83 iters/s
step 7446, batch loss 2.158, 1.82 iters/s
step 7447, batch loss 2.076, 1.84 iters/s
step 7448, batch loss 1.767, 1.84 iters/s
step 7449, batch loss 2.319, 1.82 iters/s
step 7450, batch loss 1.947, 1.83 iters/s
step 7451, batch loss 2.809, 1.83 iters/s
step 7452, batch loss 2.073, 1.83 iters/s
step 7453, batch loss 2.037, 1.83 iters/s
step 7454, batch loss 1.765, 1.83 iters/s
step 7455, batch loss 1.505, 1.85 iters/s
step 7456, batch loss 1.695, 1.83 iters/s
step 7457, batch loss 2.05, 1.82 iters/s
step 7458, batch loss 1.939, 1.84 iters/s

step 7459, batch loss 2.128, 1.82 iters/s
step 7460, batch loss 1.723, 1.83 iters/s
step 7461, batch loss 2.137, 1.82 iters/s
step 7462, batch loss 1.878, 1.83 iters/s
step 7463, batch loss 1.516, 1.83 iters/s
step 7464, batch loss 1.864, 1.82 iters/s
step 7465, batch loss 1.994, 1.83 iters/s
step 7466, batch loss 1.846, 1.82 iters/s
step 7467, batch loss 1.998, 1.83 iters/s
step 7468, batch loss 1.961, 1.83 iters/s
step 7469, batch loss 2.549, 1.84 iters/s
step 7470, batch loss 2.079, 1.83 iters/s
step 7471, batch loss 1.819, 1.84 iters/s
step 7472, batch loss 1.89, 1.83 iters/s
step 7473, batch loss 1.937, 1.83 iters/s
step 7474, batch loss 1.782, 1.83 iters/s
step 7475, batch loss 2.082, 1.82 iters/s
step 7476, batch loss 1.968, 1.85 iters/s
step 7477, batch loss 1.524, 1.83 iters/s
step 7478, batch loss 1.97, 1.82 iters/s
step 7479, batch loss 1.78, 1.83 iters/s
step 7480, batch loss 2.264, 1.83 iters/s
step 7481, batch loss 1.985, 1.83 iters/s
step 7482, batch loss 1.916, 1.83 iters/s
step 7483, batch loss 1.867, 1.83 iters/s
step 7484, batch loss 2.539, 1.83 iters/s
step 7485, batch loss 2.077, 1.83 iters/s
step 7486, batch loss 2.425, 1.83 iters/s
step 7487, batch loss 2.166, 1.83 iters/s
step 7488, batch loss 2.179, 1.83 iters/s
step 7489, batch loss 1.542, 1.83 iters/s
step 7490, batch loss 1.86, 1.83 iters/s
step 7491, batch loss 1.59, 1.83 iters/s
step 7492, batch loss 1.736, 1.82 iters/s
step 7493, batch loss 2.235, 1.84 iters/s
step 7494, batch loss 1.923, 1.82 iters/s
step 7495, batch loss 1.812, 1.83 iters/s
step 7496, batch loss 1.651, 1.83 iters/s
step 7497, batch loss 1.991, 1.82 iters/s
step 7498, batch loss 2.174, 1.83 iters/s
step 7499, batch loss 1.415, 1.82 iters/s
step 7500, batch loss 1.895, 1.86 iters/s
step 7501, batch loss 2.066, 1.83 iters/s
step 7502, batch loss 2.429, 1.84 iters/s
step 7503, batch loss 1.798, 1.83 iters/s
step 7504, batch loss 1.899, 1.83 iters/s
step 7505, batch loss 2.23, 1.83 iters/s
step 7506, batch loss 3.181, 1.82 iters/s

step 7507, batch loss 1.735, 1.83 iters/s
step 7508, batch loss 2.204, 1.83 iters/s
step 7509, batch loss 1.756, 1.83 iters/s
step 7510, batch loss 1.968, 1.83 iters/s
step 7511, batch loss 1.572, 1.82 iters/s
step 7512, batch loss 2.537, 1.82 iters/s
step 7513, batch loss 2.435, 1.82 iters/s
step 7514, batch loss 2.1, 1.83 iters/s
step 7515, batch loss 1.528, 1.82 iters/s
step 7516, batch loss 1.571, 1.82 iters/s
step 7517, batch loss 1.92, 1.82 iters/s
step 7518, batch loss 1.592, 1.83 iters/s
step 7519, batch loss 1.762, 1.82 iters/s
step 7520, batch loss 2.242, 1.83 iters/s
step 7521, batch loss 1.8, 1.83 iters/s
step 7522, batch loss 1.777, 1.83 iters/s
step 7523, batch loss 2.025, 1.83 iters/s
step 7524, batch loss 1.811, 1.83 iters/s
step 7525, batch loss 1.969, 1.83 iters/s
step 7526, batch loss 1.895, 1.84 iters/s
step 7527, batch loss 2.017, 1.83 iters/s
step 7528, batch loss 1.607, 1.82 iters/s
step 7529, batch loss 2.415, 1.84 iters/s
step 7530, batch loss 1.723, 1.84 iters/s
step 7531, batch loss 1.811, 1.83 iters/s
step 7532, batch loss 1.63, 1.82 iters/s
step 7533, batch loss 2.258, 1.83 iters/s
step 7534, batch loss 1.93, 1.83 iters/s
step 7535, batch loss 1.229, 1.84 iters/s
step 7536, batch loss 1.918, 1.83 iters/s
step 7537, batch loss 1.76, 1.84 iters/s
step 7538, batch loss 1.955, 1.83 iters/s
step 7539, batch loss 1.69, 1.83 iters/s
step 7540, batch loss 1.968, 1.83 iters/s
step 7541, batch loss 1.996, 1.83 iters/s
step 7542, batch loss 2.258, 1.83 iters/s
step 7543, batch loss 1.792, 1.83 iters/s
step 7544, batch loss 1.725, 1.83 iters/s
step 7545, batch loss 1.917, 1.84 iters/s
step 7546, batch loss 1.882, 1.84 iters/s
step 7547, batch loss 3.056, 1.81 iters/s
step 7548, batch loss 2.033, 1.84 iters/s
step 7549, batch loss 1.866, 1.83 iters/s
step 7550, batch loss 1.815, 1.83 iters/s
step 7551, batch loss 1.696, 1.83 iters/s
step 7552, batch loss 1.827, 1.84 iters/s
step 7553, batch loss 1.873, 1.83 iters/s
step 7554, batch loss 1.83, 1.83 iters/s

step 7555, batch loss 2.097, 1.84 iters/s
step 7556, batch loss 1.62, 1.84 iters/s
step 7557, batch loss 2.112, 1.83 iters/s
step 7558, batch loss 1.613, 1.83 iters/s
step 7559, batch loss 2.271, 1.83 iters/s
step 7560, batch loss 1.955, 1.82 iters/s
step 7561, batch loss 2.107, 1.83 iters/s
step 7562, batch loss 1.793, 1.83 iters/s
step 7563, batch loss 1.754, 1.82 iters/s
step 7564, batch loss 2.084, 1.84 iters/s
step 7565, batch loss 1.532, 1.83 iters/s
step 7566, batch loss 1.714, 1.85 iters/s
step 7567, batch loss 1.568, 1.82 iters/s
step 7568, batch loss 1.972, 1.83 iters/s
step 7569, batch loss 1.643, 1.83 iters/s
step 7570, batch loss 1.511, 1.84 iters/s
step 7571, batch loss 1.745, 1.83 iters/s
step 7572, batch loss 1.263, 1.83 iters/s
step 7573, batch loss 3.139, 1.83 iters/s
step 7574, batch loss 2.141, 1.82 iters/s
step 7575, batch loss 1.567, 1.82 iters/s
step 7576, batch loss 1.935, 1.83 iters/s
step 7577, batch loss 1.896, 1.83 iters/s
step 7578, batch loss 1.775, 1.83 iters/s
step 7579, batch loss 1.482, 1.81 iters/s
step 7580, batch loss 1.68, 1.83 iters/s
step 7581, batch loss 2.194, 1.82 iters/s
step 7582, batch loss 1.549, 1.83 iters/s
step 7583, batch loss 2.028, 1.82 iters/s
step 7584, batch loss 2.248, 1.82 iters/s
step 7585, batch loss 2.076, 1.82 iters/s
step 7586, batch loss 1.81, 1.83 iters/s
step 7587, batch loss 1.529, 1.83 iters/s
step 7588, batch loss 1.672, 1.82 iters/s
step 7589, batch loss 1.939, 1.82 iters/s
step 7590, batch loss 1.84, 1.83 iters/s
step 7591, batch loss 2.078, 1.83 iters/s
step 7592, batch loss 1.203, 1.83 iters/s
step 7593, batch loss 3.475, 1.83 iters/s
step 7594, batch loss 1.912, 1.85 iters/s
step 7595, batch loss 2.013, 1.83 iters/s
step 7596, batch loss 2.233, 1.83 iters/s
step 7597, batch loss 1.75, 1.83 iters/s
step 7598, batch loss 1.973, 1.83 iters/s
step 7599, batch loss 2.014, 1.84 iters/s
step 7600, batch loss 2.657, 1.83 iters/s
step 7601, batch loss 1.446, 1.84 iters/s
step 7602, batch loss 1.994, 1.85 iters/s

step 7603, batch loss 1.627, 1.83 iters/s
step 7604, batch loss 1.755, 1.82 iters/s
step 7605, batch loss 2.171, 1.83 iters/s
step 7606, batch loss 1.297, 1.85 iters/s
step 7607, batch loss 1.985, 1.83 iters/s
step 7608, batch loss 1.54, 1.83 iters/s
step 7609, batch loss 2.096, 1.86 iters/s
step 7610, batch loss 1.78, 1.83 iters/s
step 7611, batch loss 2.005, 1.83 iters/s
step 7612, batch loss 2.193, 1.83 iters/s
step 7613, batch loss 1.798, 1.84 iters/s
step 7614, batch loss 1.73, 1.82 iters/s
step 7615, batch loss 1.977, 1.83 iters/s
step 7616, batch loss 1.946, 1.83 iters/s
step 7617, batch loss 2.033, 1.82 iters/s
step 7618, batch loss 1.759, 1.82 iters/s
step 7619, batch loss 2.048, 1.83 iters/s
step 7620, batch loss 1.864, 1.84 iters/s
step 7621, batch loss 2.312, 1.82 iters/s
step 7622, batch loss 1.455, 1.83 iters/s
step 7623, batch loss 1.584, 1.84 iters/s
step 7624, batch loss 2.017, 1.83 iters/s
step 7625, batch loss 2.051, 1.84 iters/s
step 7626, batch loss 1.837, 1.83 iters/s
step 7627, batch loss 1.808, 1.83 iters/s
step 7628, batch loss 1.926, 1.83 iters/s
step 7629, batch loss 1.545, 1.84 iters/s
step 7630, batch loss 1.977, 1.82 iters/s
step 7631, batch loss 1.753, 1.83 iters/s
step 7632, batch loss 1.481, 1.83 iters/s
step 7633, batch loss 1.987, 1.83 iters/s
step 7634, batch loss 2.072, 1.83 iters/s
step 7635, batch loss 1.918, 1.83 iters/s
step 7636, batch loss 1.539, 1.82 iters/s
step 7637, batch loss 2.131, 1.82 iters/s
step 7638, batch loss 2.061, 1.83 iters/s
step 7639, batch loss 1.845, 1.83 iters/s
step 7640, batch loss 2.226, 1.83 iters/s
step 7641, batch loss 2.219, 1.83 iters/s
step 7642, batch loss 1.189, 1.83 iters/s
step 7643, batch loss 1.971, 1.82 iters/s
step 7644, batch loss 1.511, 1.82 iters/s
step 7645, batch loss 2.201, 1.82 iters/s
step 7646, batch loss 2.413, 1.83 iters/s
step 7647, batch loss 1.888, 1.83 iters/s
step 7648, batch loss 2.116, 1.82 iters/s
step 7649, batch loss 1.562, 1.82 iters/s
step 7650, batch loss 2.685, 1.82 iters/s

step 7651, batch loss 1.886, 1.83 iters/s
step 7652, batch loss 1.619, 1.83 iters/s
step 7653, batch loss 2.511, 1.83 iters/s
step 7654, batch loss 2.207, 1.82 iters/s
step 7655, batch loss 1.843, 1.83 iters/s
step 7656, batch loss 1.833, 1.82 iters/s
step 7657, batch loss 1.8, 1.82 iters/s
step 7658, batch loss 2.06, 1.85 iters/s
step 7659, batch loss 1.564, 1.83 iters/s
step 7660, batch loss 1.888, 1.83 iters/s
step 7661, batch loss 2.356, 1.83 iters/s
step 7662, batch loss 1.963, 1.84 iters/s
step 7663, batch loss 1.702, 1.83 iters/s
step 7664, batch loss 1.779, 1.83 iters/s
step 7665, batch loss 1.795, 1.82 iters/s
step 7666, batch loss 1.416, 1.82 iters/s
step 7667, batch loss 1.306, 1.84 iters/s
step 7668, batch loss 1.326, 1.82 iters/s
step 7669, batch loss 2.125, 1.82 iters/s
step 7670, batch loss 2.037, 1.83 iters/s
step 7671, batch loss 2.102, 1.83 iters/s
step 7672, batch loss 2.021, 1.83 iters/s
step 7673, batch loss 1.993, 1.83 iters/s
step 7674, batch loss 1.906, 1.82 iters/s
step 7675, batch loss 2.053, 1.82 iters/s
step 7676, batch loss 1.938, 1.83 iters/s
step 7677, batch loss 2.171, 1.83 iters/s
step 7678, batch loss 2.111, 1.83 iters/s
step 7679, batch loss 2.092, 1.85 iters/s
step 7680, batch loss 1.78, 1.83 iters/s
step 7681, batch loss 2.316, 1.83 iters/s
step 7682, batch loss 2.425, 1.82 iters/s
step 7683, batch loss 1.481, 1.83 iters/s
step 7684, batch loss 1.986, 1.82 iters/s
step 7685, batch loss 1.429, 1.82 iters/s
step 7686, batch loss 2.366, 1.83 iters/s
step 7687, batch loss 1.634, 1.82 iters/s
step 7688, batch loss 2.21, 1.83 iters/s
step 7689, batch loss 1.677, 1.82 iters/s
step 7690, batch loss 1.625, 1.83 iters/s
step 7691, batch loss 1.588, 1.83 iters/s
step 7692, batch loss 1.918, 1.82 iters/s
step 7693, batch loss 2.114, 1.84 iters/s
step 7694, batch loss 2.253, 1.82 iters/s
step 7695, batch loss 1.93, 1.83 iters/s
step 7696, batch loss 1.941, 1.83 iters/s
step 7697, batch loss 1.935, 1.82 iters/s
step 7698, batch loss 2.474, 1.82 iters/s

step 7699, batch loss 1.524, 1.83 iters/s
step 7700, batch loss 1.19, 1.84 iters/s
step 7701, batch loss 1.483, 1.83 iters/s
step 7702, batch loss 1.65, 1.82 iters/s
step 7703, batch loss 1.64, 1.83 iters/s
step 7704, batch loss 1.884, 1.84 iters/s
step 7705, batch loss 2.009, 1.82 iters/s
step 7706, batch loss 1.509, 1.82 iters/s
step 7707, batch loss 1.229, 1.83 iters/s
step 7708, batch loss 1.534, 1.83 iters/s
step 7709, batch loss 1.374, 1.83 iters/s
step 7710, batch loss 1.498, 1.83 iters/s
step 7711, batch loss 2.005, 1.82 iters/s
step 7712, batch loss 1.994, 1.83 iters/s
step 7713, batch loss 2.307, 1.83 iters/s
step 7714, batch loss 2.035, 1.83 iters/s
step 7715, batch loss 1.66, 1.82 iters/s
step 7716, batch loss 2.181, 1.82 iters/s
step 7717, batch loss 2.136, 1.83 iters/s
step 7718, batch loss 1.789, 1.82 iters/s
step 7719, batch loss 1.995, 1.83 iters/s
step 7720, batch loss 1.614, 1.83 iters/s
step 7721, batch loss 0.949, 1.83 iters/s
step 7722, batch loss 1.306, 1.83 iters/s
step 7723, batch loss 2.49, 1.82 iters/s
step 7724, batch loss 1.948, 1.82 iters/s
step 7725, batch loss 1.94, 1.82 iters/s
step 7726, batch loss 2.195, 1.83 iters/s
step 7727, batch loss 1.883, 1.83 iters/s
step 7728, batch loss 2.286, 1.82 iters/s
step 7729, batch loss 2.287, 1.82 iters/s
step 7730, batch loss 1.741, 1.85 iters/s
step 7731, batch loss 1.553, 1.83 iters/s
step 7732, batch loss 1.946, 1.83 iters/s
step 7733, batch loss 1.873, 1.83 iters/s
step 7734, batch loss 1.892, 1.84 iters/s
step 7735, batch loss 2.199, 1.84 iters/s
step 7736, batch loss 2.002, 1.82 iters/s
step 7737, batch loss 1.411, 1.83 iters/s
step 7738, batch loss 1.776, 1.82 iters/s
step 7739, batch loss 2.183, 1.83 iters/s
step 7740, batch loss 2.153, 1.83 iters/s
step 7741, batch loss 1.798, 1.82 iters/s
step 7742, batch loss 1.52, 1.83 iters/s
step 7743, batch loss 1.516, 1.83 iters/s
step 7744, batch loss 2.898, 1.83 iters/s
step 7745, batch loss 2.212, 1.82 iters/s
step 7746, batch loss 1.559, 1.83 iters/s

step 7747, batch loss 1.94, 1.83 iters/s
step 7748, batch loss 1.316, 1.83 iters/s
step 7749, batch loss 1.972, 1.83 iters/s
step 7750, batch loss 1.818, 1.83 iters/s
step 7751, batch loss 2.049, 1.84 iters/s
step 7752, batch loss 1.631, 1.84 iters/s
step 7753, batch loss 1.711, 1.82 iters/s
step 7754, batch loss 1.163, 1.82 iters/s
step 7755, batch loss 2.002, 1.84 iters/s
step 7756, batch loss 2.139, 1.82 iters/s
step 7757, batch loss 1.956, 1.82 iters/s
step 7758, batch loss 2.063, 1.83 iters/s
step 7759, batch loss 2.439, 1.83 iters/s
step 7760, batch loss 2.251, 1.82 iters/s
step 7761, batch loss 1.962, 1.82 iters/s
step 7762, batch loss 1.819, 1.83 iters/s
step 7763, batch loss 2.16, 1.84 iters/s
step 7764, batch loss 1.852, 1.83 iters/s
step 7765, batch loss 1.867, 1.83 iters/s
step 7766, batch loss 1.905, 1.82 iters/s
step 7767, batch loss 1.791, 1.82 iters/s
step 7768, batch loss 1.413, 1.84 iters/s
step 7769, batch loss 1.909, 1.82 iters/s
step 7770, batch loss 2.077, 1.83 iters/s
step 7771, batch loss 1.999, 1.82 iters/s
step 7772, batch loss 1.961, 1.84 iters/s
step 7773, batch loss 2.084, 1.81 iters/s
step 7774, batch loss 1.739, 1.82 iters/s
step 7775, batch loss 1.573, 1.83 iters/s
step 7776, batch loss 1.864, 1.83 iters/s
step 7777, batch loss 1.468, 1.86 iters/s
step 7778, batch loss 2.129, 1.83 iters/s
step 7779, batch loss 1.845, 1.86 iters/s
step 7780, batch loss 1.368, 1.85 iters/s
step 7781, batch loss 1.996, 1.83 iters/s
step 7782, batch loss 2.016, 1.82 iters/s
step 7783, batch loss 1.792, 1.83 iters/s
step 7784, batch loss 1.827, 1.84 iters/s
step 7785, batch loss 1.731, 1.83 iters/s
step 7786, batch loss 1.759, 1.83 iters/s
step 7787, batch loss 1.946, 1.83 iters/s
step 7788, batch loss 1.659, 1.83 iters/s
step 7789, batch loss 1.873, 1.82 iters/s
step 7790, batch loss 1.639, 1.83 iters/s
step 7791, batch loss 2.279, 1.82 iters/s
step 7792, batch loss 1.303, 1.83 iters/s
step 7793, batch loss 1.599, 1.82 iters/s
step 7794, batch loss 1.894, 1.82 iters/s

step 7795, batch loss 1.94, 1.81 iters/s
step 7796, batch loss 2.033, 1.83 iters/s
step 7797, batch loss 1.661, 1.82 iters/s
step 7798, batch loss 1.699, 1.83 iters/s
step 7799, batch loss 1.973, 1.83 iters/s
step 7800, batch loss 2.055, 1.85 iters/s
step 7801, batch loss 1.852, 1.84 iters/s
step 7802, batch loss 1.84, 1.84 iters/s
step 7803, batch loss 1.588, 1.83 iters/s
step 7804, batch loss 1.925, 1.82 iters/s
step 7805, batch loss 1.548, 1.83 iters/s
step 7806, batch loss 1.589, 1.82 iters/s
step 7807, batch loss 2.532, 1.82 iters/s
step 7808, batch loss 2.175, 1.83 iters/s
step 7809, batch loss 1.857, 1.83 iters/s
step 7810, batch loss 1.932, 1.82 iters/s
step 7811, batch loss 1.428, 1.84 iters/s
step 7812, batch loss 2.142, 1.85 iters/s
step 7813, batch loss 1.623, 1.83 iters/s
step 7814, batch loss 2.212, 1.83 iters/s
step 7815, batch loss 1.561, 1.83 iters/s
step 7816, batch loss 1.803, 1.82 iters/s
step 7817, batch loss 1.995, 1.84 iters/s
step 7818, batch loss 1.387, 1.81 iters/s
step 7819, batch loss 2.533, 1.82 iters/s
step 7820, batch loss 1.85, 1.83 iters/s
step 7821, batch loss 1.49, 1.83 iters/s
step 7822, batch loss 1.759, 1.82 iters/s
step 7823, batch loss 2.159, 1.83 iters/s
step 7824, batch loss 2.115, 1.82 iters/s
step 7825, batch loss 2.195, 1.83 iters/s
step 7826, batch loss 1.707, 1.83 iters/s
step 7827, batch loss 2.178, 1.82 iters/s
step 7828, batch loss 2.016, 1.83 iters/s
step 7829, batch loss 2.158, 1.83 iters/s
step 7830, batch loss 1.602, 1.83 iters/s
step 7831, batch loss 2.051, 1.83 iters/s
step 7832, batch loss 2.295, 1.83 iters/s
step 7833, batch loss 2.341, 1.83 iters/s
step 7834, batch loss 2.144, 1.82 iters/s
step 7835, batch loss 2.195, 1.85 iters/s
step 7836, batch loss 1.529, 1.85 iters/s
step 7837, batch loss 2.084, 1.83 iters/s
step 7838, batch loss 1.68, 1.83 iters/s
step 7839, batch loss 1.777, 1.83 iters/s
step 7840, batch loss 1.789, 1.85 iters/s
step 7841, batch loss 2.45, 1.82 iters/s
step 7842, batch loss 1.966, 1.82 iters/s

step 7843, batch loss 2.438, 1.82 iters/s
step 7844, batch loss 1.923, 1.83 iters/s
step 7845, batch loss 2.484, 1.83 iters/s
step 7846, batch loss 1.835, 1.82 iters/s
step 7847, batch loss 1.329, 1.82 iters/s
step 7848, batch loss 2.025, 1.82 iters/s
step 7849, batch loss 1.782, 1.83 iters/s
step 7850, batch loss 2.171, 1.83 iters/s
step 7851, batch loss 1.64, 1.83 iters/s
step 7852, batch loss 1.452, 1.82 iters/s
step 7853, batch loss 1.482, 1.83 iters/s
step 7854, batch loss 1.624, 1.83 iters/s
step 7855, batch loss 2.375, 1.83 iters/s
step 7856, batch loss 1.753, 1.83 iters/s
step 7857, batch loss 1.866, 1.85 iters/s
step 7858, batch loss 1.826, 1.83 iters/s
step 7859, batch loss 1.939, 1.83 iters/s
step 7860, batch loss 2.102, 1.85 iters/s
step 7861, batch loss 2.066, 1.82 iters/s
step 7862, batch loss 1.671, 1.82 iters/s
step 7863, batch loss 2.08, 1.82 iters/s
step 7864, batch loss 2.155, 1.84 iters/s
step 7865, batch loss 1.561, 1.82 iters/s
step 7866, batch loss 2.454, 1.83 iters/s
step 7867, batch loss 2.105, 1.82 iters/s
step 7868, batch loss 1.749, 1.83 iters/s
step 7869, batch loss 1.847, 1.83 iters/s
step 7870, batch loss 2.209, 1.84 iters/s
step 7871, batch loss 1.753, 1.83 iters/s
step 7872, batch loss 1.65, 1.82 iters/s
step 7873, batch loss 1.856, 1.85 iters/s
step 7874, batch loss 1.678, 1.83 iters/s
step 7875, batch loss 1.705, 1.83 iters/s
step 7876, batch loss 2.051, 1.83 iters/s
step 7877, batch loss 2.176, 1.83 iters/s
step 7878, batch loss 2.023, 1.82 iters/s
step 7879, batch loss 2.343, 1.83 iters/s
step 7880, batch loss 2.124, 1.82 iters/s
step 7881, batch loss 1.727, 1.83 iters/s
step 7882, batch loss 1.974, 1.83 iters/s
step 7883, batch loss 1.895, 1.83 iters/s
step 7884, batch loss 1.629, 1.83 iters/s
step 7885, batch loss 2.082, 1.82 iters/s
step 7886, batch loss 2.449, 1.83 iters/s
step 7887, batch loss 1.864, 1.85 iters/s
step 7888, batch loss 2.342, 1.83 iters/s
step 7889, batch loss 3.28, 1.82 iters/s
step 7890, batch loss 1.948, 1.82 iters/s

step 7891, batch loss 2.024, 1.83 iters/s
step 7892, batch loss 2.044, 1.83 iters/s
step 7893, batch loss 1.793, 1.83 iters/s
step 7894, batch loss 1.462, 1.83 iters/s
step 7895, batch loss 2.09, 1.83 iters/s
step 7896, batch loss 1.984, 1.84 iters/s
step 7897, batch loss 2.191, 1.83 iters/s
step 7898, batch loss 1.712, 1.83 iters/s
step 7899, batch loss 1.813, 1.83 iters/s
step 7900, batch loss 2.072, 1.83 iters/s
step 7901, batch loss 1.918, 1.82 iters/s
step 7902, batch loss 1.965, 1.83 iters/s
step 7903, batch loss 1.822, 1.83 iters/s
step 7904, batch loss 1.589, 1.82 iters/s
step 7905, batch loss 2.061, 1.83 iters/s
step 7906, batch loss 2.443, 1.82 iters/s
step 7907, batch loss 1.833, 1.83 iters/s
step 7908, batch loss 1.812, 1.82 iters/s
step 7909, batch loss 2.081, 1.82 iters/s
step 7910, batch loss 1.106, 1.82 iters/s
step 7911, batch loss 1.57, 1.83 iters/s
step 7912, batch loss 1.737, 1.82 iters/s
step 7913, batch loss 1.976, 1.83 iters/s
step 7914, batch loss 1.739, 1.83 iters/s
step 7915, batch loss 2.177, 1.83 iters/s
step 7916, batch loss 1.197, 1.81 iters/s
step 7917, batch loss 2.056, 1.84 iters/s
step 7918, batch loss 1.266, 1.83 iters/s
step 7919, batch loss 2.009, 1.84 iters/s
step 7920, batch loss 2.008, 1.84 iters/s
step 7921, batch loss 2.068, 1.85 iters/s
step 7922, batch loss 1.807, 1.83 iters/s
step 7923, batch loss 1.722, 1.83 iters/s
step 7924, batch loss 1.381, 1.83 iters/s
step 7925, batch loss 1.479, 1.83 iters/s
step 7926, batch loss 2.142, 1.83 iters/s
step 7927, batch loss 1.664, 1.84 iters/s
step 7928, batch loss 1.912, 1.83 iters/s
step 7929, batch loss 1.853, 1.84 iters/s
step 7930, batch loss 1.403, 1.84 iters/s
step 7931, batch loss 1.727, 1.83 iters/s
step 7932, batch loss 1.666, 1.83 iters/s
step 7933, batch loss 1.754, 1.82 iters/s
step 7934, batch loss 1.951, 1.82 iters/s
step 7935, batch loss 1.83, 1.83 iters/s
step 7936, batch loss 1.938, 1.83 iters/s
step 7937, batch loss 1.731, 1.85 iters/s
step 7938, batch loss 2.292, 1.82 iters/s

step 7939, batch loss 1.825, 1.83 iters/s
step 7940, batch loss 2.016, 1.84 iters/s
step 7941, batch loss 1.95, 1.83 iters/s
step 7942, batch loss 1.848, 1.83 iters/s
step 7943, batch loss 1.982, 1.82 iters/s
step 7944, batch loss 1.447, 1.83 iters/s
step 7945, batch loss 2.191, 1.81 iters/s
step 7946, batch loss 1.284, 1.83 iters/s
step 7947, batch loss 1.246, 1.83 iters/s
step 7948, batch loss 1.581, 1.83 iters/s
step 7949, batch loss 1.927, 1.82 iters/s
step 7950, batch loss 1.761, 1.82 iters/s
step 7951, batch loss 1.975, 1.83 iters/s
step 7952, batch loss 1.783, 1.83 iters/s
step 7953, batch loss 2.273, 1.84 iters/s
step 7954, batch loss 1.928, 1.83 iters/s
step 7955, batch loss 1.613, 1.83 iters/s
step 7956, batch loss 1.963, 1.83 iters/s
step 7957, batch loss 2.32, 1.82 iters/s
step 7958, batch loss 2.356, 1.82 iters/s
step 7959, batch loss 1.893, 1.84 iters/s
step 7960, batch loss 1.952, 1.83 iters/s
step 7961, batch loss 2.223, 1.83 iters/s
step 7962, batch loss 1.427, 1.83 iters/s
step 7963, batch loss 2.252, 1.84 iters/s
step 7964, batch loss 2.6, 1.84 iters/s
step 7965, batch loss 2.178, 1.84 iters/s
step 7966, batch loss 1.874, 1.82 iters/s
step 7967, batch loss 2.207, 1.83 iters/s
step 7968, batch loss 1.964, 1.83 iters/s
step 7969, batch loss 1.757, 1.83 iters/s
step 7970, batch loss 1.839, 1.82 iters/s
step 7971, batch loss 1.691, 1.82 iters/s
step 7972, batch loss 2.168, 1.84 iters/s
step 7973, batch loss 1.781, 1.82 iters/s
step 7974, batch loss 1.936, 1.84 iters/s
step 7975, batch loss 1.887, 1.83 iters/s
step 7976, batch loss 2.046, 1.84 iters/s
step 7977, batch loss 2.288, 1.81 iters/s
step 7978, batch loss 1.509, 1.82 iters/s
step 7979, batch loss 1.639, 1.83 iters/s
step 7980, batch loss 2.005, 1.83 iters/s
step 7981, batch loss 2.732, 1.82 iters/s
step 7982, batch loss 1.892, 1.83 iters/s
step 7983, batch loss 1.788, 1.83 iters/s
step 7984, batch loss 2.074, 1.83 iters/s
step 7985, batch loss 2.016, 1.82 iters/s
step 7986, batch loss 1.899, 1.83 iters/s

step 7987, batch loss 1.408, 1.82 iters/s
step 7988, batch loss 1.495, 1.83 iters/s
step 7989, batch loss 1.418, 1.83 iters/s
step 7990, batch loss 2.136, 1.83 iters/s
step 7991, batch loss 1.736, 1.86 iters/s
step 7992, batch loss 2.225, 1.83 iters/s
step 7993, batch loss 1.97, 1.83 iters/s
step 7994, batch loss 2.158, 1.82 iters/s
step 7995, batch loss 2.009, 1.84 iters/s
step 7996, batch loss 1.632, 1.84 iters/s
step 7997, batch loss 1.767, 1.82 iters/s
step 7998, batch loss 1.572, 1.83 iters/s
step 7999, batch loss 1.722, 1.83 iters/s
step 8000, batch loss 2.6, 1.82 iters/s
step 8001, batch loss 1.838, 1.82 iters/s
step 8002, batch loss 1.874, 1.85 iters/s
step 8003, batch loss 2.031, 1.82 iters/s
step 8004, batch loss 1.982, 1.81 iters/s
step 8005, batch loss 1.59, 1.84 iters/s
step 8006, batch loss 1.634, 1.83 iters/s
step 8007, batch loss 2.305, 1.82 iters/s
step 8008, batch loss 2.241, 1.82 iters/s
step 8009, batch loss 1.817, 1.82 iters/s
step 8010, batch loss 1.832, 1.82 iters/s
step 8011, batch loss 2.344, 1.82 iters/s
step 8012, batch loss 1.783, 1.82 iters/s
step 8013, batch loss 0.827, 1.83 iters/s
step 8014, batch loss 1.779, 1.83 iters/s
step 8015, batch loss 1.85, 1.83 iters/s
step 8016, batch loss 1.928, 1.83 iters/s
step 8017, batch loss 1.614, 1.82 iters/s
step 8018, batch loss 2.137, 1.83 iters/s
step 8019, batch loss 1.923, 1.82 iters/s
step 8020, batch loss 1.817, 1.83 iters/s
step 8021, batch loss 1.616, 1.82 iters/s
step 8022, batch loss 1.937, 1.82 iters/s
step 8023, batch loss 1.719, 1.83 iters/s
step 8024, batch loss 1.699, 1.82 iters/s
step 8025, batch loss 1.515, 1.83 iters/s
step 8026, batch loss 2.028, 1.83 iters/s
step 8027, batch loss 1.614, 1.82 iters/s
step 8028, batch loss 1.526, 1.83 iters/s
step 8029, batch loss 2.034, 1.83 iters/s
step 8030, batch loss 2.305, 1.82 iters/s
step 8031, batch loss 1.619, 1.85 iters/s
step 8032, batch loss 2.298, 1.83 iters/s
step 8033, batch loss 2.226, 1.83 iters/s
step 8034, batch loss 1.63, 1.83 iters/s

step 8035, batch loss 1.712, 1.83 iters/s
step 8036, batch loss 1.508, 1.83 iters/s
step 8037, batch loss 1.353, 1.82 iters/s
step 8038, batch loss 2.487, 1.84 iters/s
step 8039, batch loss 2.168, 1.82 iters/s
step 8040, batch loss 1.931, 1.82 iters/s
step 8041, batch loss 2.044, 1.83 iters/s
step 8042, batch loss 1.616, 1.83 iters/s
step 8043, batch loss 2.119, 1.84 iters/s
step 8044, batch loss 1.975, 1.84 iters/s
step 8045, batch loss 1.73, 1.83 iters/s
step 8046, batch loss 2.246, 1.82 iters/s
step 8047, batch loss 1.374, 1.84 iters/s
step 8048, batch loss 1.032, 1.83 iters/s
step 8049, batch loss 2.168, 1.83 iters/s
step 8050, batch loss 1.726, 1.83 iters/s
step 8051, batch loss 1.731, 1.83 iters/s
step 8052, batch loss 1.748, 1.83 iters/s
step 8053, batch loss 1.92, 1.83 iters/s
step 8054, batch loss 2.204, 1.83 iters/s
step 8055, batch loss 2.446, 1.84 iters/s
step 8056, batch loss 2.025, 1.83 iters/s
step 8057, batch loss 2.117, 1.83 iters/s
step 8058, batch loss 1.738, 1.84 iters/s
step 8059, batch loss 1.96, 1.82 iters/s
step 8060, batch loss 1.951, 1.82 iters/s
step 8061, batch loss 1.874, 1.83 iters/s
step 8062, batch loss 1.904, 1.84 iters/s
step 8063, batch loss 1.736, 1.82 iters/s
step 8064, batch loss 1.948, 1.83 iters/s
step 8065, batch loss 1.772, 1.83 iters/s
step 8066, batch loss 2.041, 1.83 iters/s
step 8067, batch loss 2.167, 1.82 iters/s
step 8068, batch loss 1.772, 1.83 iters/s
step 8069, batch loss 1.783, 1.82 iters/s
step 8070, batch loss 2.161, 1.86 iters/s
step 8071, batch loss 2.192, 1.83 iters/s
step 8072, batch loss 2.208, 1.85 iters/s
step 8073, batch loss 1.826, 1.83 iters/s
step 8074, batch loss 1.873, 1.82 iters/s
step 8075, batch loss 1.936, 1.83 iters/s
step 8076, batch loss 1.897, 1.83 iters/s
step 8077, batch loss 2.176, 1.83 iters/s
step 8078, batch loss 1.776, 1.83 iters/s
step 8079, batch loss 2.358, 1.83 iters/s
step 8080, batch loss 1.722, 1.84 iters/s
step 8081, batch loss 1.855, 1.84 iters/s
step 8082, batch loss 1.905, 1.82 iters/s

step 8083, batch loss 2.109, 1.83 iters/s
step 8084, batch loss 2.084, 1.83 iters/s
step 8085, batch loss 2.429, 1.82 iters/s
step 8086, batch loss 2.207, 1.82 iters/s
step 8087, batch loss 1.285, 1.84 iters/s
step 8088, batch loss 1.937, 1.82 iters/s
step 8089, batch loss 1.855, 1.82 iters/s
step 8090, batch loss 1.818, 1.83 iters/s
step 8091, batch loss 1.596, 1.83 iters/s
step 8092, batch loss 1.558, 1.82 iters/s
step 8093, batch loss 1.855, 1.83 iters/s
step 8094, batch loss 1.964, 1.83 iters/s
step 8095, batch loss 1.902, 1.85 iters/s
step 8096, batch loss 1.645, 1.83 iters/s
step 8097, batch loss 2.084, 1.85 iters/s
step 8098, batch loss 1.515, 1.81 iters/s
step 8099, batch loss 1.898, 1.82 iters/s
step 8100, batch loss 1.936, 1.83 iters/s
step 8101, batch loss 1.753, 1.82 iters/s
step 8102, batch loss 1.807, 1.83 iters/s
step 8103, batch loss 2.162, 1.84 iters/s
step 8104, batch loss 1.851, 1.83 iters/s
step 8105, batch loss 1.143, 1.84 iters/s
step 8106, batch loss 1.906, 1.83 iters/s
step 8107, batch loss 1.872, 1.82 iters/s
step 8108, batch loss 1.877, 1.82 iters/s
step 8109, batch loss 1.331, 1.83 iters/s
step 8110, batch loss 1.602, 1.85 iters/s
step 8111, batch loss 2.088, 1.85 iters/s
step 8112, batch loss 1.523, 1.82 iters/s
step 8113, batch loss 1.622, 1.82 iters/s
step 8114, batch loss 1.657, 1.83 iters/s
step 8115, batch loss 1.749, 1.85 iters/s
step 8116, batch loss 2.305, 1.84 iters/s
step 8117, batch loss 1.989, 1.83 iters/s
step 8118, batch loss 1.201, 1.83 iters/s
step 8119, batch loss 1.9, 1.83 iters/s
step 8120, batch loss 1.998, 1.84 iters/s
step 8121, batch loss 2.394, 1.83 iters/s
step 8122, batch loss 1.483, 1.83 iters/s
step 8123, batch loss 1.667, 1.85 iters/s
step 8124, batch loss 1.394, 1.83 iters/s
step 8125, batch loss 1.954, 1.83 iters/s
step 8126, batch loss 2.505, 1.83 iters/s
step 8127, batch loss 2.248, 1.83 iters/s
step 8128, batch loss 1.868, 1.84 iters/s
step 8129, batch loss 1.827, 1.84 iters/s
step 8130, batch loss 2.273, 1.83 iters/s

step 8131, batch loss 1.069, 1.83 iters/s
step 8132, batch loss 1.82, 1.83 iters/s
step 8133, batch loss 2.092, 1.83 iters/s
step 8134, batch loss 1.893, 1.83 iters/s
step 8135, batch loss 2.365, 1.82 iters/s
step 8136, batch loss 1.843, 1.83 iters/s
step 8137, batch loss 2.261, 1.83 iters/s
step 8138, batch loss 1.561, 1.82 iters/s
step 8139, batch loss 2.107, 1.83 iters/s
step 8140, batch loss 1.234, 1.82 iters/s
step 8141, batch loss 2.054, 1.82 iters/s
step 8142, batch loss 1.538, 1.83 iters/s
step 8143, batch loss 1.893, 1.83 iters/s
step 8144, batch loss 1.199, 1.83 iters/s
step 8145, batch loss 2.785, 1.84 iters/s
step 8146, batch loss 1.648, 1.83 iters/s
step 8147, batch loss 1.913, 1.82 iters/s
step 8148, batch loss 1.559, 1.84 iters/s
step 8149, batch loss 2.054, 1.84 iters/s
step 8150, batch loss 1.941, 1.84 iters/s
step 8151, batch loss 1.775, 1.85 iters/s
step 8152, batch loss 1.907, 1.83 iters/s
step 8153, batch loss 1.846, 1.82 iters/s
step 8154, batch loss 2.227, 1.83 iters/s
step 8155, batch loss 1.459, 1.83 iters/s
step 8156, batch loss 2.12, 1.83 iters/s
step 8157, batch loss 1.772, 1.84 iters/s
step 8158, batch loss 2.253, 1.83 iters/s
step 8159, batch loss 2.147, 1.83 iters/s
step 8160, batch loss 2.692, 1.85 iters/s
step 8161, batch loss 1.691, 1.82 iters/s
step 8162, batch loss 0.816, 1.83 iters/s
step 8163, batch loss 2.048, 1.85 iters/s
step 8164, batch loss 1.947, 1.83 iters/s
step 8165, batch loss 2.246, 1.83 iters/s
step 8166, batch loss 1.245, 1.83 iters/s
step 8167, batch loss 1.954, 1.84 iters/s
step 8168, batch loss 1.906, 1.84 iters/s
step 8169, batch loss 2.287, 1.84 iters/s
step 8170, batch loss 1.809, 1.83 iters/s
step 8171, batch loss 1.876, 1.84 iters/s
step 8172, batch loss 1.774, 1.83 iters/s
step 8173, batch loss 1.874, 1.85 iters/s
step 8174, batch loss 1.573, 1.83 iters/s
step 8175, batch loss 2.158, 1.82 iters/s
step 8176, batch loss 1.485, 1.83 iters/s
step 8177, batch loss 1.666, 1.84 iters/s
step 8178, batch loss 2.038, 1.83 iters/s

step 8179, batch loss 3.177, 1.83 iters/s
step 8180, batch loss 1.666, 1.85 iters/s
step 8181, batch loss 1.511, 1.83 iters/s
step 8182, batch loss 2.259, 1.82 iters/s
step 8183, batch loss 1.945, 1.82 iters/s
step 8184, batch loss 2.507, 1.85 iters/s
step 8185, batch loss 1.829, 1.83 iters/s
step 8186, batch loss 1.867, 1.83 iters/s
step 8187, batch loss 1.689, 1.83 iters/s
step 8188, batch loss 1.718, 1.85 iters/s
step 8189, batch loss 1.974, 1.82 iters/s
step 8190, batch loss 1.494, 1.83 iters/s
step 8191, batch loss 2.093, 1.83 iters/s
step 8192, batch loss 1.892, 1.84 iters/s
step 8193, batch loss 2.166, 1.85 iters/s
step 8194, batch loss 1.778, 1.82 iters/s
step 8195, batch loss 1.611, 1.83 iters/s
step 8196, batch loss 2.351, 1.82 iters/s
step 8197, batch loss 1.829, 1.82 iters/s
step 8198, batch loss 1.971, 1.82 iters/s
step 8199, batch loss 1.844, 1.82 iters/s
step 8200, batch loss 2.216, 1.83 iters/s
step 8201, batch loss 1.895, 1.83 iters/s
step 8202, batch loss 2.648, 1.82 iters/s
step 8203, batch loss 1.961, 1.85 iters/s
step 8204, batch loss 1.939, 1.86 iters/s
step 8205, batch loss 2.092, 1.85 iters/s
step 8206, batch loss 1.855, 1.83 iters/s
step 8207, batch loss 1.801, 1.82 iters/s
step 8208, batch loss 1.98, 1.83 iters/s
step 8209, batch loss 1.875, 1.82 iters/s
step 8210, batch loss 1.964, 1.82 iters/s
step 8211, batch loss 2.137, 1.83 iters/s
step 8212, batch loss 1.649, 1.82 iters/s
step 8213, batch loss 2.06, 1.82 iters/s
step 8214, batch loss 1.488, 1.83 iters/s
step 8215, batch loss 2.259, 1.83 iters/s
step 8216, batch loss 1.921, 1.83 iters/s
step 8217, batch loss 1.696, 1.83 iters/s
step 8218, batch loss 2.527, 1.83 iters/s
step 8219, batch loss 1.974, 1.83 iters/s
step 8220, batch loss 1.925, 1.84 iters/s
step 8221, batch loss 1.852, 1.83 iters/s
step 8222, batch loss 2.553, 1.83 iters/s
step 8223, batch loss 1.566, 1.83 iters/s
step 8224, batch loss 2.113, 1.83 iters/s
step 8225, batch loss 1.95, 1.83 iters/s
step 8226, batch loss 1.956, 1.84 iters/s

step 8227, batch loss 1.566, 1.84 iters/s
step 8228, batch loss 1.308, 1.82 iters/s
step 8229, batch loss 1.985, 1.83 iters/s
step 8230, batch loss 1.045, 1.83 iters/s
step 8231, batch loss 1.838, 1.83 iters/s
step 8232, batch loss 1.984, 1.83 iters/s
step 8233, batch loss 2.328, 1.81 iters/s
step 8234, batch loss 1.852, 1.84 iters/s
step 8235, batch loss 2.178, 1.84 iters/s
step 8236, batch loss 2.232, 1.84 iters/s
step 8237, batch loss 1.997, 1.82 iters/s
step 8238, batch loss 1.984, 1.84 iters/s
step 8239, batch loss 2.227, 1.83 iters/s
step 8240, batch loss 1.617, 1.83 iters/s
step 8241, batch loss 1.778, 1.84 iters/s
step 8242, batch loss 2.301, 1.85 iters/s
step 8243, batch loss 2.105, 1.83 iters/s
step 8244, batch loss 1.973, 1.82 iters/s
step 8245, batch loss 1.956, 1.81 iters/s
step 8246, batch loss 1.867, 1.85 iters/s
step 8247, batch loss 1.621, 1.83 iters/s
step 8248, batch loss 2.039, 1.83 iters/s
step 8249, batch loss 1.402, 1.84 iters/s
step 8250, batch loss 1.827, 1.83 iters/s
step 8251, batch loss 2.152, 1.82 iters/s
step 8252, batch loss 2.395, 1.82 iters/s
step 8253, batch loss 1.881, 1.82 iters/s
step 8254, batch loss 1.494, 1.82 iters/s
step 8255, batch loss 1.077, 1.84 iters/s
step 8256, batch loss 2.171, 1.82 iters/s
step 8257, batch loss 2.804, 1.82 iters/s
step 8258, batch loss 1.816, 1.82 iters/s
step 8259, batch loss 1.675, 1.82 iters/s
step 8260, batch loss 2.697, 1.83 iters/s
step 8261, batch loss 1.622, 1.83 iters/s
step 8262, batch loss 2.042, 1.82 iters/s
step 8263, batch loss 2.217, 1.83 iters/s
step 8264, batch loss 1.41, 1.82 iters/s
step 8265, batch loss 2.159, 1.82 iters/s
step 8266, batch loss 1.93, 1.83 iters/s
step 8267, batch loss 2.121, 1.84 iters/s
step 8268, batch loss 2.311, 1.84 iters/s
step 8269, batch loss 2.056, 1.82 iters/s
step 8270, batch loss 1.939, 1.82 iters/s
step 8271, batch loss 2.004, 1.82 iters/s
step 8272, batch loss 1.559, 1.82 iters/s
step 8273, batch loss 2.019, 1.84 iters/s
step 8274, batch loss 2.174, 1.82 iters/s

step 8275, batch loss 2.089, 1.82 iters/s
step 8276, batch loss 1.751, 1.83 iters/s
step 8277, batch loss 1.861, 1.84 iters/s
step 8278, batch loss 1.732, 1.83 iters/s
step 8279, batch loss 2.492, 1.82 iters/s
step 8280, batch loss 1.751, 1.85 iters/s
step 8281, batch loss 1.678, 1.83 iters/s
step 8282, batch loss 2.102, 1.83 iters/s
step 8283, batch loss 1.929, 1.84 iters/s
step 8284, batch loss 1.902, 1.83 iters/s
step 8285, batch loss 1.623, 1.82 iters/s
step 8286, batch loss 2.476, 1.83 iters/s
step 8287, batch loss 1.723, 1.83 iters/s
step 8288, batch loss 1.708, 1.83 iters/s
step 8289, batch loss 2.125, 1.82 iters/s
step 8290, batch loss 2.19, 1.83 iters/s
step 8291, batch loss 2.06, 1.82 iters/s
step 8292, batch loss 2.055, 1.83 iters/s
step 8293, batch loss 1.85, 1.83 iters/s
step 8294, batch loss 1.754, 1.82 iters/s
step 8295, batch loss 1.99, 1.82 iters/s
step 8296, batch loss 1.88, 1.83 iters/s
step 8297, batch loss 1.861, 1.82 iters/s
step 8298, batch loss 1.708, 1.82 iters/s
step 8299, batch loss 1.866, 1.83 iters/s
step 8300, batch loss 1.598, 1.82 iters/s
step 8301, batch loss 1.985, 1.83 iters/s
step 8302, batch loss 2.243, 1.83 iters/s
step 8303, batch loss 2.267, 1.82 iters/s
step 8304, batch loss 2.088, 1.83 iters/s
step 8305, batch loss 1.997, 1.82 iters/s
step 8306, batch loss 1.495, 1.82 iters/s
step 8307, batch loss 1.814, 1.83 iters/s
step 8308, batch loss 1.895, 1.83 iters/s
step 8309, batch loss 1.846, 1.83 iters/s
step 8310, batch loss 1.498, 1.82 iters/s
step 8311, batch loss 2.145, 1.83 iters/s
step 8312, batch loss 2.234, 1.83 iters/s
step 8313, batch loss 2.345, 1.82 iters/s
step 8314, batch loss 1.73, 1.82 iters/s
step 8315, batch loss 2.124, 1.83 iters/s
step 8316, batch loss 1.098, 1.83 iters/s
step 8317, batch loss 2.015, 1.81 iters/s
step 8318, batch loss 1.667, 1.83 iters/s
step 8319, batch loss 1.651, 1.83 iters/s
step 8320, batch loss 1.769, 1.82 iters/s
step 8321, batch loss 2.144, 1.83 iters/s
step 8322, batch loss 2.132, 1.83 iters/s

step 8323, batch loss 1.488, 1.82 iters/s
step 8324, batch loss 2.532, 1.83 iters/s
step 8325, batch loss 1.281, 1.83 iters/s
step 8326, batch loss 1.869, 1.83 iters/s
step 8327, batch loss 2.185, 1.83 iters/s
step 8328, batch loss 2.141, 1.83 iters/s
step 8329, batch loss 2.345, 1.82 iters/s
step 8330, batch loss 1.801, 1.84 iters/s
step 8331, batch loss 2.05, 1.84 iters/s
step 8332, batch loss 2.315, 1.83 iters/s
step 8333, batch loss 2.131, 1.83 iters/s
step 8334, batch loss 2.474, 1.83 iters/s
step 8335, batch loss 2.128, 1.83 iters/s
step 8336, batch loss 1.776, 1.82 iters/s
step 8337, batch loss 2.341, 1.82 iters/s
step 8338, batch loss 1.849, 1.84 iters/s
step 8339, batch loss 1.887, 1.82 iters/s
step 8340, batch loss 1.804, 1.83 iters/s
step 8341, batch loss 2.227, 1.83 iters/s
step 8342, batch loss 2.412, 1.83 iters/s
step 8343, batch loss 1.619, 1.82 iters/s
step 8344, batch loss 0.942, 1.83 iters/s
step 8345, batch loss 1.504, 1.84 iters/s
step 8346, batch loss 1.802, 1.84 iters/s
step 8347, batch loss 1.584, 1.82 iters/s
step 8348, batch loss 1.808, 1.83 iters/s
step 8349, batch loss 2.094, 1.83 iters/s
step 8350, batch loss 2.086, 1.85 iters/s
step 8351, batch loss 1.619, 1.83 iters/s
step 8352, batch loss 2.033, 1.84 iters/s
step 8353, batch loss 2.521, 1.83 iters/s
step 8354, batch loss 2.307, 1.83 iters/s
step 8355, batch loss 2.04, 1.83 iters/s
step 8356, batch loss 2.4, 1.82 iters/s
step 8357, batch loss 2.422, 1.83 iters/s
step 8358, batch loss 1.679, 1.83 iters/s
step 8359, batch loss 1.804, 1.82 iters/s
step 8360, batch loss 1.804, 1.82 iters/s
step 8361, batch loss 1.558, 1.83 iters/s
step 8362, batch loss 2.03, 1.83 iters/s
step 8363, batch loss 2.145, 1.83 iters/s
step 8364, batch loss 2.101, 1.83 iters/s
step 8365, batch loss 2.288, 1.83 iters/s
step 8366, batch loss 2.107, 1.82 iters/s
step 8367, batch loss 1.798, 1.82 iters/s
step 8368, batch loss 1.759, 1.82 iters/s
step 8369, batch loss 1.721, 1.83 iters/s
step 8370, batch loss 2.453, 1.85 iters/s

step 8371, batch loss 1.912, 1.84 iters/s
step 8372, batch loss 2.257, 1.82 iters/s
step 8373, batch loss 1.98, 1.83 iters/s
step 8374, batch loss 1.886, 1.84 iters/s
step 8375, batch loss 2.267, 1.83 iters/s
step 8376, batch loss 1.414, 1.84 iters/s
step 8377, batch loss 1.621, 1.85 iters/s
step 8378, batch loss 1.685, 1.83 iters/s
step 8379, batch loss 1.617, 1.83 iters/s
step 8380, batch loss 1.693, 1.83 iters/s
step 8381, batch loss 1.773, 1.84 iters/s
step 8382, batch loss 2.193, 1.85 iters/s
step 8383, batch loss 2.017, 1.82 iters/s
step 8384, batch loss 2.345, 1.83 iters/s
step 8385, batch loss 2.243, 1.82 iters/s
step 8386, batch loss 1.792, 1.83 iters/s
step 8387, batch loss 1.417, 1.82 iters/s
step 8388, batch loss 1.705, 1.85 iters/s
step 8389, batch loss 1.987, 1.82 iters/s
step 8390, batch loss 1.802, 1.82 iters/s
step 8391, batch loss 2.623, 1.83 iters/s
step 8392, batch loss 1.841, 1.82 iters/s
step 8393, batch loss 2.135, 1.83 iters/s
step 8394, batch loss 0.934, 1.83 iters/s
step 8395, batch loss 1.647, 1.82 iters/s
step 8396, batch loss 2.324, 1.82 iters/s
step 8397, batch loss 1.993, 1.82 iters/s
step 8398, batch loss 2.198, 1.83 iters/s
step 8399, batch loss 2.084, 1.83 iters/s
step 8400, batch loss 2.089, 1.84 iters/s
step 8401, batch loss 1.597, 1.83 iters/s
step 8402, batch loss 2.104, 1.83 iters/s
step 8403, batch loss 2.046, 1.83 iters/s
step 8404, batch loss 2.274, 1.82 iters/s
step 8405, batch loss 1.745, 1.84 iters/s
step 8406, batch loss 2.011, 1.83 iters/s
step 8407, batch loss 1.941, 1.83 iters/s
step 8408, batch loss 1.349, 1.82 iters/s
step 8409, batch loss 1.36, 1.86 iters/s
step 8410, batch loss 2.142, 1.84 iters/s
step 8411, batch loss 1.703, 1.82 iters/s
step 8412, batch loss 2.343, 1.83 iters/s
step 8413, batch loss 2.055, 1.82 iters/s
step 8414, batch loss 2.167, 1.86 iters/s
step 8415, batch loss 1.584, 1.82 iters/s
step 8416, batch loss 1.694, 1.84 iters/s
step 8417, batch loss 1.805, 1.82 iters/s
step 8418, batch loss 1.891, 1.83 iters/s

step 8419, batch loss 1.967, 1.83 iters/s
step 8420, batch loss 1.874, 1.84 iters/s
step 8421, batch loss 2.035, 1.83 iters/s
step 8422, batch loss 1.612, 1.85 iters/s
step 8423, batch loss 1.775, 1.83 iters/s
step 8424, batch loss 1.817, 1.84 iters/s
step 8425, batch loss 1.801, 1.83 iters/s
step 8426, batch loss 2.031, 1.83 iters/s
step 8427, batch loss 2.02, 1.85 iters/s
step 8428, batch loss 1.775, 1.82 iters/s
step 8429, batch loss 1.824, 1.83 iters/s
step 8430, batch loss 1.727, 1.83 iters/s
step 8431, batch loss 1.803, 1.83 iters/s
step 8432, batch loss 2.24, 1.83 iters/s
step 8433, batch loss 1.445, 1.82 iters/s
step 8434, batch loss 1.835, 1.83 iters/s
step 8435, batch loss 2.174, 1.83 iters/s
step 8436, batch loss 1.117, 1.83 iters/s
step 8437, batch loss 1.84, 1.82 iters/s
step 8438, batch loss 1.766, 1.83 iters/s
step 8439, batch loss 1.566, 1.83 iters/s
step 8440, batch loss 2.158, 1.83 iters/s
step 8441, batch loss 2.017, 1.85 iters/s
step 8442, batch loss 2.005, 1.82 iters/s
step 8443, batch loss 1.359, 1.83 iters/s
step 8444, batch loss 1.755, 1.83 iters/s
step 8445, batch loss 2.091, 1.83 iters/s
step 8446, batch loss 1.394, 1.84 iters/s
step 8447, batch loss 2.04, 1.84 iters/s
step 8448, batch loss 1.799, 1.83 iters/s
step 8449, batch loss 1.92, 1.83 iters/s
step 8450, batch loss 2.44, 1.83 iters/s
step 8451, batch loss 2.064, 1.83 iters/s
step 8452, batch loss 1.485, 1.82 iters/s
step 8453, batch loss 1.575, 1.82 iters/s
step 8454, batch loss 1.287, 1.83 iters/s
step 8455, batch loss 2.026, 1.82 iters/s
step 8456, batch loss 1.695, 1.83 iters/s
step 8457, batch loss 2.029, 1.82 iters/s
step 8458, batch loss 2.258, 1.83 iters/s
step 8459, batch loss 1.722, 1.82 iters/s
step 8460, batch loss 2.134, 1.83 iters/s
step 8461, batch loss 2.246, 1.83 iters/s
step 8462, batch loss 1.767, 1.84 iters/s
step 8463, batch loss 1.503, 1.83 iters/s
step 8464, batch loss 2.199, 1.82 iters/s
step 8465, batch loss 2.215, 1.82 iters/s
step 8466, batch loss 2.292, 1.82 iters/s

step 8467, batch loss 1.914, 1.82 iters/s
step 8468, batch loss 1.849, 1.84 iters/s
step 8469, batch loss 2.075, 1.83 iters/s
step 8470, batch loss 1.517, 1.82 iters/s
step 8471, batch loss 1.549, 1.84 iters/s
step 8472, batch loss 1.681, 1.83 iters/s
step 8473, batch loss 2.271, 1.83 iters/s
step 8474, batch loss 2.292, 1.83 iters/s
step 8475, batch loss 1.889, 1.82 iters/s
step 8476, batch loss 1.942, 1.83 iters/s
step 8477, batch loss 1.363, 1.83 iters/s
step 8478, batch loss 2.013, 1.82 iters/s
step 8479, batch loss 1.48, 1.82 iters/s
step 8480, batch loss 1.957, 1.84 iters/s
step 8481, batch loss 1.972, 1.83 iters/s
step 8482, batch loss 2.0, 1.83 iters/s
step 8483, batch loss 2.437, 1.83 iters/s
step 8484, batch loss 1.534, 1.83 iters/s
step 8485, batch loss 1.492, 1.83 iters/s
step 8486, batch loss 2.303, 1.82 iters/s
step 8487, batch loss 1.688, 1.83 iters/s
step 8488, batch loss 1.532, 1.85 iters/s
step 8489, batch loss 1.713, 1.83 iters/s
step 8490, batch loss 1.506, 1.82 iters/s
step 8491, batch loss 1.655, 1.82 iters/s
step 8492, batch loss 1.746, 1.83 iters/s
step 8493, batch loss 1.85, 1.84 iters/s
step 8494, batch loss 2.33, 1.83 iters/s
step 8495, batch loss 1.604, 1.84 iters/s
step 8496, batch loss 1.997, 1.83 iters/s
step 8497, batch loss 1.649, 1.86 iters/s
step 8498, batch loss 2.177, 1.82 iters/s
step 8499, batch loss 1.665, 1.86 iters/s
step 8500, batch loss 2.334, 1.82 iters/s
step 8501, batch loss 1.799, 1.83 iters/s
step 8502, batch loss 2.291, 1.83 iters/s
step 8503, batch loss 2.343, 1.83 iters/s
step 8504, batch loss 2.163, 1.82 iters/s
step 8505, batch loss 1.982, 1.83 iters/s
step 8506, batch loss 2.377, 1.83 iters/s
step 8507, batch loss 1.791, 1.83 iters/s
step 8508, batch loss 1.921, 1.86 iters/s
step 8509, batch loss 1.6, 1.82 iters/s
step 8510, batch loss 2.041, 1.82 iters/s
step 8511, batch loss 1.785, 1.83 iters/s
step 8512, batch loss 2.106, 1.82 iters/s
step 8513, batch loss 2.086, 1.84 iters/s
step 8514, batch loss 2.251, 1.85 iters/s

step 8515, batch loss 1.911, 1.82 iters/s
step 8516, batch loss 1.351, 1.83 iters/s
step 8517, batch loss 2.043, 1.82 iters/s
step 8518, batch loss 1.968, 1.83 iters/s
step 8519, batch loss 1.761, 1.83 iters/s
step 8520, batch loss 1.94, 1.84 iters/s
step 8521, batch loss 1.505, 1.82 iters/s
step 8522, batch loss 1.96, 1.83 iters/s
step 8523, batch loss 1.9, 1.81 iters/s
step 8524, batch loss 1.994, 1.83 iters/s
step 8525, batch loss 1.23, 1.83 iters/s
step 8526, batch loss 1.869, 1.83 iters/s
step 8527, batch loss 1.473, 1.83 iters/s
step 8528, batch loss 2.216, 1.84 iters/s
step 8529, batch loss 2.076, 1.84 iters/s
step 8530, batch loss 1.846, 1.83 iters/s
step 8531, batch loss 1.992, 1.83 iters/s
step 8532, batch loss 1.671, 1.83 iters/s
step 8533, batch loss 1.944, 1.83 iters/s
step 8534, batch loss 2.049, 1.82 iters/s
step 8535, batch loss 1.773, 1.83 iters/s
step 8536, batch loss 2.031, 1.83 iters/s
step 8537, batch loss 1.993, 1.84 iters/s
step 8538, batch loss 1.286, 1.84 iters/s
step 8539, batch loss 1.688, 1.84 iters/s
step 8540, batch loss 2.161, 1.83 iters/s
step 8541, batch loss 2.351, 1.82 iters/s
step 8542, batch loss 2.075, 1.82 iters/s
step 8543, batch loss 1.202, 1.83 iters/s
step 8544, batch loss 1.679, 1.83 iters/s
step 8545, batch loss 1.05, 1.84 iters/s
step 8546, batch loss 2.148, 1.83 iters/s
step 8547, batch loss 1.966, 1.84 iters/s
step 8548, batch loss 1.761, 1.83 iters/s
step 8549, batch loss 1.648, 1.82 iters/s
step 8550, batch loss 1.734, 1.84 iters/s
step 8551, batch loss 2.07, 1.83 iters/s
step 8552, batch loss 2.063, 1.83 iters/s
step 8553, batch loss 1.785, 1.82 iters/s
step 8554, batch loss 1.641, 1.81 iters/s
step 8555, batch loss 2.669, 1.82 iters/s
step 8556, batch loss 1.601, 1.83 iters/s
step 8557, batch loss 1.748, 1.85 iters/s
step 8558, batch loss 1.558, 1.83 iters/s
step 8559, batch loss 1.779, 1.84 iters/s
step 8560, batch loss 1.908, 1.84 iters/s
step 8561, batch loss 1.667, 1.83 iters/s
step 8562, batch loss 1.773, 1.83 iters/s

step 8563, batch loss 2.07, 1.83 iters/s
step 8564, batch loss 1.808, 1.83 iters/s
step 8565, batch loss 2.201, 1.84 iters/s
step 8566, batch loss 2.013, 1.83 iters/s
step 8567, batch loss 2.036, 1.83 iters/s
step 8568, batch loss 2.408, 1.83 iters/s
step 8569, batch loss 2.046, 1.84 iters/s
step 8570, batch loss 1.766, 1.83 iters/s
step 8571, batch loss 1.819, 1.83 iters/s
step 8572, batch loss 2.047, 1.83 iters/s
step 8573, batch loss 2.203, 1.82 iters/s
step 8574, batch loss 1.884, 1.83 iters/s
step 8575, batch loss 2.063, 1.82 iters/s
step 8576, batch loss 1.657, 1.82 iters/s
step 8577, batch loss 1.406, 1.82 iters/s
step 8578, batch loss 1.733, 1.82 iters/s
step 8579, batch loss 2.184, 1.83 iters/s
step 8580, batch loss 1.97, 1.82 iters/s
step 8581, batch loss 1.863, 1.82 iters/s
step 8582, batch loss 2.084, 1.83 iters/s
step 8583, batch loss 2.497, 1.82 iters/s
step 8584, batch loss 1.697, 1.83 iters/s
step 8585, batch loss 1.974, 1.83 iters/s
step 8586, batch loss 2.191, 1.83 iters/s
step 8587, batch loss 2.114, 1.82 iters/s
step 8588, batch loss 1.813, 1.83 iters/s
step 8589, batch loss 2.26, 1.84 iters/s
step 8590, batch loss 1.876, 1.83 iters/s
step 8591, batch loss 1.635, 1.83 iters/s
step 8592, batch loss 2.459, 1.82 iters/s
step 8593, batch loss 1.55, 1.84 iters/s
step 8594, batch loss 2.052, 1.84 iters/s
step 8595, batch loss 1.967, 1.83 iters/s
step 8596, batch loss 1.584, 1.82 iters/s
step 8597, batch loss 2.171, 1.83 iters/s
step 8598, batch loss 1.228, 1.83 iters/s
step 8599, batch loss 2.08, 1.83 iters/s
step 8600, batch loss 2.827, 1.83 iters/s
step 8601, batch loss 1.672, 1.83 iters/s
step 8602, batch loss 2.104, 1.85 iters/s
step 8603, batch loss 1.999, 1.82 iters/s
step 8604, batch loss 1.902, 1.83 iters/s
step 8605, batch loss 1.625, 1.83 iters/s
step 8606, batch loss 2.532, 1.82 iters/s
step 8607, batch loss 2.011, 1.83 iters/s
step 8608, batch loss 1.958, 1.83 iters/s
step 8609, batch loss 2.66, 1.84 iters/s
step 8610, batch loss 1.701, 1.83 iters/s

step 8611, batch loss 2.343, 1.82 iters/s
step 8612, batch loss 2.37, 1.82 iters/s
step 8613, batch loss 1.958, 1.84 iters/s
step 8614, batch loss 1.96, 1.83 iters/s
step 8615, batch loss 2.181, 1.83 iters/s
step 8616, batch loss 1.954, 1.85 iters/s
step 8617, batch loss 1.849, 1.83 iters/s
step 8618, batch loss 1.548, 1.82 iters/s
step 8619, batch loss 1.561, 1.83 iters/s
step 8620, batch loss 1.729, 1.83 iters/s
step 8621, batch loss 2.224, 1.83 iters/s
step 8622, batch loss 1.767, 1.83 iters/s
step 8623, batch loss 2.116, 1.82 iters/s
step 8624, batch loss 1.797, 1.81 iters/s
step 8625, batch loss 1.177, 1.83 iters/s
step 8626, batch loss 1.38, 1.83 iters/s
step 8627, batch loss 1.991, 1.83 iters/s
step 8628, batch loss 1.603, 1.82 iters/s
step 8629, batch loss 2.161, 1.82 iters/s
step 8630, batch loss 2.153, 1.82 iters/s
step 8631, batch loss 2.15, 1.83 iters/s
step 8632, batch loss 2.109, 1.82 iters/s
step 8633, batch loss 2.237, 1.83 iters/s
step 8634, batch loss 1.969, 1.83 iters/s
step 8635, batch loss 1.968, 1.83 iters/s
step 8636, batch loss 1.657, 1.83 iters/s
step 8637, batch loss 1.808, 1.83 iters/s
step 8638, batch loss 1.691, 1.82 iters/s
step 8639, batch loss 2.223, 1.84 iters/s
step 8640, batch loss 1.893, 1.83 iters/s
step 8641, batch loss 2.148, 1.83 iters/s
step 8642, batch loss 1.833, 1.82 iters/s
step 8643, batch loss 2.146, 1.82 iters/s
step 8644, batch loss 2.046, 1.82 iters/s
step 8645, batch loss 1.612, 1.83 iters/s
step 8646, batch loss 1.862, 1.82 iters/s
step 8647, batch loss 2.039, 1.83 iters/s
step 8648, batch loss 2.111, 1.83 iters/s
step 8649, batch loss 1.994, 1.84 iters/s
step 8650, batch loss 2.025, 1.83 iters/s
step 8651, batch loss 2.171, 1.83 iters/s
step 8652, batch loss 1.925, 1.84 iters/s
step 8653, batch loss 1.948, 1.83 iters/s
step 8654, batch loss 2.164, 1.83 iters/s
step 8655, batch loss 2.162, 1.82 iters/s
step 8656, batch loss 2.096, 1.83 iters/s
step 8657, batch loss 1.961, 1.82 iters/s
step 8658, batch loss 1.736, 1.83 iters/s

step 8659, batch loss 2.101, 1.83 iters/s
step 8660, batch loss 2.04, 1.83 iters/s
step 8661, batch loss 2.507, 1.83 iters/s
step 8662, batch loss 1.884, 1.83 iters/s
step 8663, batch loss 1.669, 1.83 iters/s
step 8664, batch loss 2.27, 1.85 iters/s
step 8665, batch loss 1.515, 1.83 iters/s
step 8666, batch loss 1.757, 1.82 iters/s
step 8667, batch loss 2.19, 1.82 iters/s
step 8668, batch loss 1.873, 1.83 iters/s
step 8669, batch loss 1.625, 1.83 iters/s
step 8670, batch loss 1.971, 1.83 iters/s
step 8671, batch loss 1.797, 1.83 iters/s
step 8672, batch loss 1.977, 1.85 iters/s
step 8673, batch loss 1.995, 1.83 iters/s
step 8674, batch loss 1.937, 1.83 iters/s
step 8675, batch loss 1.37, 1.83 iters/s
step 8676, batch loss 1.777, 1.82 iters/s
step 8677, batch loss 1.885, 1.82 iters/s
step 8678, batch loss 1.948, 1.84 iters/s
step 8679, batch loss 1.65, 1.83 iters/s
step 8680, batch loss 1.827, 1.84 iters/s
step 8681, batch loss 1.217, 1.83 iters/s
step 8682, batch loss 2.336, 1.85 iters/s
step 8683, batch loss 1.875, 1.83 iters/s
step 8684, batch loss 2.281, 1.83 iters/s
step 8685, batch loss 2.037, 1.83 iters/s
step 8686, batch loss 1.527, 1.82 iters/s
step 8687, batch loss 1.54, 1.83 iters/s
step 8688, batch loss 1.86, 1.83 iters/s
step 8689, batch loss 1.846, 1.83 iters/s
step 8690, batch loss 2.015, 1.83 iters/s
step 8691, batch loss 2.177, 1.83 iters/s
step 8692, batch loss 1.871, 1.82 iters/s
step 8693, batch loss 1.946, 1.84 iters/s
step 8694, batch loss 1.898, 1.82 iters/s
step 8695, batch loss 1.731, 1.83 iters/s
step 8696, batch loss 1.929, 1.83 iters/s
step 8697, batch loss 2.16, 1.84 iters/s
step 8698, batch loss 2.223, 1.82 iters/s
step 8699, batch loss 2.003, 1.85 iters/s
step 8700, batch loss 1.413, 1.83 iters/s
step 8701, batch loss 3.321, 1.82 iters/s
step 8702, batch loss 2.154, 1.82 iters/s
step 8703, batch loss 1.797, 1.82 iters/s
step 8704, batch loss 3.899, 1.82 iters/s
step 8705, batch loss 1.74, 1.83 iters/s
step 8706, batch loss 2.212, 1.83 iters/s

step 8707, batch loss 1.766, 1.83 iters/s
step 8708, batch loss 1.598, 1.83 iters/s
step 8709, batch loss 1.874, 1.83 iters/s
step 8710, batch loss 1.708, 1.84 iters/s
step 8711, batch loss 1.734, 1.83 iters/s
step 8712, batch loss 2.046, 1.83 iters/s
step 8713, batch loss 2.073, 1.83 iters/s
step 8714, batch loss 1.45, 1.83 iters/s
step 8715, batch loss 2.1, 1.84 iters/s
step 8716, batch loss 1.675, 1.83 iters/s
step 8717, batch loss 1.986, 1.82 iters/s
step 8718, batch loss 1.222, 1.83 iters/s
step 8719, batch loss 2.278, 1.83 iters/s
step 8720, batch loss 2.194, 1.82 iters/s
step 8721, batch loss 1.531, 1.83 iters/s
step 8722, batch loss 2.297, 1.82 iters/s
step 8723, batch loss 1.45, 1.82 iters/s
step 8724, batch loss 1.805, 1.84 iters/s
step 8725, batch loss 1.483, 1.85 iters/s
step 8726, batch loss 1.971, 1.83 iters/s
step 8727, batch loss 1.893, 1.83 iters/s
step 8728, batch loss 1.875, 1.83 iters/s
step 8729, batch loss 2.201, 1.84 iters/s
step 8730, batch loss 1.362, 1.83 iters/s
step 8731, batch loss 1.868, 1.83 iters/s
step 8732, batch loss 2.415, 1.83 iters/s
step 8733, batch loss 1.675, 1.83 iters/s
step 8734, batch loss 1.575, 1.84 iters/s
step 8735, batch loss 1.902, 1.82 iters/s
step 8736, batch loss 1.872, 1.83 iters/s
step 8737, batch loss 2.065, 1.82 iters/s
step 8738, batch loss 1.871, 1.83 iters/s
step 8739, batch loss 1.467, 1.82 iters/s
step 8740, batch loss 1.578, 1.82 iters/s
step 8741, batch loss 1.922, 1.83 iters/s
step 8742, batch loss 1.552, 1.85 iters/s
step 8743, batch loss 1.793, 1.83 iters/s
step 8744, batch loss 1.723, 1.83 iters/s
step 8745, batch loss 1.741, 1.84 iters/s
step 8746, batch loss 1.63, 1.82 iters/s
step 8747, batch loss 2.07, 1.82 iters/s
step 8748, batch loss 1.455, 1.83 iters/s
step 8749, batch loss 1.751, 1.84 iters/s
step 8750, batch loss 2.084, 1.81 iters/s
step 8751, batch loss 1.81, 1.83 iters/s
step 8752, batch loss 1.78, 1.83 iters/s
step 8753, batch loss 0.959, 1.83 iters/s
step 8754, batch loss 1.472, 1.83 iters/s

step 8755, batch loss 2.009, 1.83 iters/s
step 8756, batch loss 1.461, 1.83 iters/s
step 8757, batch loss 1.737, 1.83 iters/s
step 8758, batch loss 2.401, 1.83 iters/s
step 8759, batch loss 1.525, 1.83 iters/s
step 8760, batch loss 1.162, 1.83 iters/s
step 8761, batch loss 1.82, 1.83 iters/s
step 8762, batch loss 2.001, 1.82 iters/s
step 8763, batch loss 2.165, 1.83 iters/s
step 8764, batch loss 1.914, 1.82 iters/s
step 8765, batch loss 2.011, 1.83 iters/s
step 8766, batch loss 2.445, 1.85 iters/s
step 8767, batch loss 1.843, 1.83 iters/s
step 8768, batch loss 2.129, 1.83 iters/s
step 8769, batch loss 1.886, 1.82 iters/s
step 8770, batch loss 2.031, 1.82 iters/s
step 8771, batch loss 1.743, 1.82 iters/s
step 8772, batch loss 2.108, 1.83 iters/s
step 8773, batch loss 3.173, 1.82 iters/s
step 8774, batch loss 1.905, 1.83 iters/s
step 8775, batch loss 2.265, 1.82 iters/s
step 8776, batch loss 2.079, 1.83 iters/s
step 8777, batch loss 1.71, 1.83 iters/s
step 8778, batch loss 1.812, 1.84 iters/s
step 8779, batch loss 1.779, 1.83 iters/s
step 8780, batch loss 1.594, 1.84 iters/s
step 8781, batch loss 1.871, 1.83 iters/s
step 8782, batch loss 1.538, 1.83 iters/s
step 8783, batch loss 1.963, 1.83 iters/s
step 8784, batch loss 1.932, 1.84 iters/s
step 8785, batch loss 1.015, 1.83 iters/s
step 8786, batch loss 1.687, 1.83 iters/s
step 8787, batch loss 1.555, 1.83 iters/s
step 8788, batch loss 2.021, 1.85 iters/s
step 8789, batch loss 1.198, 1.82 iters/s
step 8790, batch loss 1.57, 1.81 iters/s
step 8791, batch loss 1.698, 1.83 iters/s
step 8792, batch loss 1.549, 1.83 iters/s
step 8793, batch loss 1.747, 1.83 iters/s
step 8794, batch loss 1.211, 1.82 iters/s
step 8795, batch loss 1.601, 1.83 iters/s
step 8796, batch loss 1.715, 1.82 iters/s
step 8797, batch loss 1.542, 1.82 iters/s
step 8798, batch loss 1.4, 1.82 iters/s
step 8799, batch loss 2.661, 1.86 iters/s
step 8800, batch loss 1.4, 1.84 iters/s
step 8801, batch loss 1.712, 1.83 iters/s
step 8802, batch loss 1.567, 1.82 iters/s

step 8803, batch loss 1.9, 1.83 iters/s
step 8804, batch loss 1.387, 1.84 iters/s
step 8805, batch loss 1.807, 1.82 iters/s
step 8806, batch loss 1.772, 1.82 iters/s
step 8807, batch loss 2.223, 1.83 iters/s
step 8808, batch loss 2.523, 1.83 iters/s
step 8809, batch loss 1.832, 1.83 iters/s
step 8810, batch loss 2.027, 1.83 iters/s
step 8811, batch loss 2.054, 1.83 iters/s
step 8812, batch loss 2.347, 1.83 iters/s
step 8813, batch loss 1.614, 1.83 iters/s
step 8814, batch loss 1.292, 1.82 iters/s
step 8815, batch loss 2.41, 1.82 iters/s
step 8816, batch loss 1.92, 1.83 iters/s
step 8817, batch loss 2.155, 1.84 iters/s
step 8818, batch loss 2.021, 1.83 iters/s
step 8819, batch loss 2.072, 1.81 iters/s
step 8820, batch loss 2.09, 1.84 iters/s
step 8821, batch loss 2.421, 1.83 iters/s
step 8822, batch loss 1.862, 1.85 iters/s
step 8823, batch loss 1.924, 1.85 iters/s
step 8824, batch loss 1.154, 1.84 iters/s
step 8825, batch loss 2.073, 1.84 iters/s
step 8826, batch loss 1.459, 1.82 iters/s
step 8827, batch loss 2.371, 1.84 iters/s
step 8828, batch loss 2.475, 1.83 iters/s
step 8829, batch loss 1.869, 1.82 iters/s
step 8830, batch loss 1.98, 1.82 iters/s
step 8831, batch loss 1.601, 1.82 iters/s
step 8832, batch loss 2.1, 1.82 iters/s
step 8833, batch loss 1.865, 1.84 iters/s
step 8834, batch loss 1.591, 1.82 iters/s
step 8835, batch loss 2.951, 1.82 iters/s
step 8836, batch loss 1.643, 1.83 iters/s
step 8837, batch loss 1.86, 1.84 iters/s
step 8838, batch loss 1.822, 1.83 iters/s
step 8839, batch loss 1.327, 1.83 iters/s
step 8840, batch loss 1.46, 1.83 iters/s
step 8841, batch loss 1.224, 1.82 iters/s
step 8842, batch loss 1.777, 1.83 iters/s
step 8843, batch loss 1.274, 1.83 iters/s
step 8844, batch loss 1.727, 1.84 iters/s
step 8845, batch loss 2.043, 1.85 iters/s
step 8846, batch loss 1.615, 1.83 iters/s
step 8847, batch loss 2.336, 1.85 iters/s
step 8848, batch loss 1.649, 1.82 iters/s
step 8849, batch loss 1.593, 1.83 iters/s
step 8850, batch loss 1.446, 1.82 iters/s

step 8851, batch loss 2.487, 1.83 iters/s
step 8852, batch loss 1.595, 1.84 iters/s
step 8853, batch loss 1.658, 1.83 iters/s
step 8854, batch loss 1.876, 1.86 iters/s
step 8855, batch loss 1.537, 1.85 iters/s
step 8856, batch loss 2.032, 1.84 iters/s
step 8857, batch loss 1.402, 1.83 iters/s
step 8858, batch loss 1.951, 1.83 iters/s
step 8859, batch loss 2.496, 1.82 iters/s
step 8860, batch loss 2.026, 1.82 iters/s
step 8861, batch loss 2.213, 1.82 iters/s
step 8862, batch loss 1.882, 1.83 iters/s
step 8863, batch loss 1.802, 1.82 iters/s
step 8864, batch loss 1.576, 1.84 iters/s
step 8865, batch loss 1.945, 1.82 iters/s
step 8866, batch loss 1.991, 1.83 iters/s
step 8867, batch loss 1.59, 1.82 iters/s
step 8868, batch loss 1.665, 1.83 iters/s
step 8869, batch loss 1.395, 1.85 iters/s
step 8870, batch loss 2.144, 1.83 iters/s
step 8871, batch loss 1.592, 1.83 iters/s
step 8872, batch loss 1.408, 1.83 iters/s
step 8873, batch loss 1.791, 1.82 iters/s
step 8874, batch loss 2.271, 1.83 iters/s
step 8875, batch loss 1.541, 1.82 iters/s
step 8876, batch loss 1.789, 1.83 iters/s
step 8877, batch loss 2.264, 1.84 iters/s
step 8878, batch loss 1.769, 1.82 iters/s
step 8879, batch loss 2.184, 1.82 iters/s
step 8880, batch loss 1.79, 1.82 iters/s
step 8881, batch loss 1.815, 1.82 iters/s
step 8882, batch loss 2.088, 1.83 iters/s
step 8883, batch loss 1.86, 1.85 iters/s
step 8884, batch loss 1.777, 1.83 iters/s
step 8885, batch loss 2.113, 1.83 iters/s
step 8886, batch loss 1.94, 1.82 iters/s
step 8887, batch loss 1.788, 1.83 iters/s
step 8888, batch loss 1.676, 1.82 iters/s
step 8889, batch loss 2.195, 1.82 iters/s
step 8890, batch loss 1.994, 1.83 iters/s
step 8891, batch loss 1.871, 1.84 iters/s
step 8892, batch loss 2.145, 1.83 iters/s
step 8893, batch loss 1.608, 1.83 iters/s
step 8894, batch loss 2.614, 1.82 iters/s
step 8895, batch loss 1.925, 1.83 iters/s
step 8896, batch loss 1.717, 1.83 iters/s
step 8897, batch loss 1.907, 1.82 iters/s
step 8898, batch loss 1.884, 1.83 iters/s

step 8899, batch loss 1.852, 1.83 iters/s
step 8900, batch loss 1.96, 1.83 iters/s
step 8901, batch loss 1.641, 1.84 iters/s
step 8902, batch loss 1.22, 1.83 iters/s
step 8903, batch loss 2.07, 1.82 iters/s
step 8904, batch loss 2.037, 1.83 iters/s
step 8905, batch loss 1.768, 1.83 iters/s
step 8906, batch loss 1.866, 1.84 iters/s
step 8907, batch loss 2.195, 1.82 iters/s
step 8908, batch loss 2.236, 1.83 iters/s
step 8909, batch loss 2.13, 1.82 iters/s
step 8910, batch loss 1.862, 1.82 iters/s
step 8911, batch loss 2.174, 1.81 iters/s
step 8912, batch loss 1.864, 1.83 iters/s
step 8913, batch loss 1.938, 1.82 iters/s
step 8914, batch loss 1.731, 1.83 iters/s
step 8915, batch loss 1.632, 1.85 iters/s
step 8916, batch loss 2.073, 1.83 iters/s
step 8917, batch loss 2.015, 1.82 iters/s
step 8918, batch loss 1.734, 1.83 iters/s
step 8919, batch loss 1.551, 1.85 iters/s
step 8920, batch loss 2.091, 1.83 iters/s
step 8921, batch loss 1.633, 1.82 iters/s
step 8922, batch loss 1.485, 1.82 iters/s
step 8923, batch loss 1.333, 1.82 iters/s
step 8924, batch loss 1.459, 1.84 iters/s
step 8925, batch loss 1.328, 1.82 iters/s
step 8926, batch loss 1.357, 1.83 iters/s
step 8927, batch loss 2.019, 1.83 iters/s
step 8928, batch loss 1.661, 1.83 iters/s
step 8929, batch loss 2.372, 1.83 iters/s
step 8930, batch loss 1.359, 1.83 iters/s
step 8931, batch loss 1.985, 1.83 iters/s
step 8932, batch loss 1.637, 1.82 iters/s
step 8933, batch loss 1.522, 1.83 iters/s
step 8934, batch loss 2.005, 1.82 iters/s
step 8935, batch loss 1.96, 1.83 iters/s
step 8936, batch loss 1.484, 1.83 iters/s
step 8937, batch loss 1.383, 1.82 iters/s
step 8938, batch loss 1.822, 1.83 iters/s
step 8939, batch loss 2.063, 1.85 iters/s
step 8940, batch loss 2.17, 1.82 iters/s
step 8941, batch loss 2.337, 1.83 iters/s
step 8942, batch loss 1.649, 1.84 iters/s
step 8943, batch loss 2.056, 1.83 iters/s
step 8944, batch loss 1.645, 1.82 iters/s
step 8945, batch loss 2.046, 1.83 iters/s
step 8946, batch loss 1.778, 1.83 iters/s

step 8947, batch loss 1.987, 1.83 iters/s
step 8948, batch loss 1.34, 1.83 iters/s
step 8949, batch loss 1.956, 1.85 iters/s
step 8950, batch loss 1.841, 1.82 iters/s
step 8951, batch loss 1.638, 1.82 iters/s
step 8952, batch loss 1.978, 1.83 iters/s
step 8953, batch loss 1.506, 1.82 iters/s
step 8954, batch loss 1.634, 1.82 iters/s
step 8955, batch loss 1.374, 1.84 iters/s
step 8956, batch loss 2.201, 1.83 iters/s
step 8957, batch loss 2.019, 1.82 iters/s
step 8958, batch loss 1.251, 1.83 iters/s
step 8959, batch loss 1.938, 1.83 iters/s
step 8960, batch loss 2.049, 1.83 iters/s
step 8961, batch loss 1.137, 1.82 iters/s
step 8962, batch loss 2.135, 1.84 iters/s
step 8963, batch loss 1.561, 1.83 iters/s
step 8964, batch loss 2.312, 1.82 iters/s
step 8965, batch loss 1.877, 1.83 iters/s
step 8966, batch loss 1.771, 1.82 iters/s
step 8967, batch loss 2.748, 1.83 iters/s
step 8968, batch loss 1.329, 1.83 iters/s
step 8969, batch loss 1.692, 1.83 iters/s
step 8970, batch loss 1.607, 1.83 iters/s
step 8971, batch loss 1.773, 1.85 iters/s
step 8972, batch loss 1.99, 1.82 iters/s
step 8973, batch loss 2.827, 1.83 iters/s
step 8974, batch loss 1.924, 1.82 iters/s
step 8975, batch loss 1.596, 1.82 iters/s
step 8976, batch loss 1.858, 1.83 iters/s
step 8977, batch loss 1.988, 1.83 iters/s
step 8978, batch loss 2.059, 1.84 iters/s
step 8979, batch loss 2.224, 1.83 iters/s
step 8980, batch loss 1.847, 1.82 iters/s
step 8981, batch loss 1.374, 1.83 iters/s
step 8982, batch loss 1.76, 1.83 iters/s
step 8983, batch loss 1.405, 1.83 iters/s
step 8984, batch loss 2.09, 1.83 iters/s
step 8985, batch loss 1.792, 1.84 iters/s
step 8986, batch loss 1.533, 1.82 iters/s
step 8987, batch loss 1.729, 1.82 iters/s
step 8988, batch loss 1.555, 1.84 iters/s
step 8989, batch loss 2.293, 1.83 iters/s
step 8990, batch loss 1.732, 1.83 iters/s
step 8991, batch loss 1.496, 1.83 iters/s
step 8992, batch loss 1.863, 1.82 iters/s
step 8993, batch loss 1.959, 1.85 iters/s
step 8994, batch loss 1.727, 1.82 iters/s

step 8995, batch loss 1.887, 1.83 iters/s
step 8996, batch loss 1.827, 1.83 iters/s
step 8997, batch loss 2.17, 1.82 iters/s
step 8998, batch loss 2.496, 1.83 iters/s
step 8999, batch loss 1.561, 1.83 iters/s
step 9000, batch loss 1.523, 1.83 iters/s
step 9001, batch loss 1.9, 1.83 iters/s
step 9002, batch loss 2.018, 1.83 iters/s
step 9003, batch loss 1.778, 1.82 iters/s
step 9004, batch loss 2.101, 1.83 iters/s
step 9005, batch loss 2.734, 1.82 iters/s
step 9006, batch loss 1.867, 1.82 iters/s
step 9007, batch loss 2.01, 1.82 iters/s
step 9008, batch loss 2.264, 1.83 iters/s
step 9009, batch loss 1.848, 1.83 iters/s
step 9010, batch loss 1.48, 1.82 iters/s
step 9011, batch loss 2.18, 1.83 iters/s
step 9012, batch loss 1.587, 1.83 iters/s
step 9013, batch loss 1.253, 1.83 iters/s
step 9014, batch loss 2.005, 1.83 iters/s
step 9015, batch loss 2.226, 1.83 iters/s
step 9016, batch loss 2.156, 1.83 iters/s
step 9017, batch loss 1.492, 1.83 iters/s
step 9018, batch loss 2.23, 1.83 iters/s
step 9019, batch loss 2.108, 1.82 iters/s
step 9020, batch loss 2.5, 1.83 iters/s
step 9021, batch loss 1.84, 1.83 iters/s
step 9022, batch loss 1.376, 1.84 iters/s
step 9023, batch loss 1.763, 1.83 iters/s
step 9024, batch loss 2.03, 1.83 iters/s
step 9025, batch loss 1.75, 1.83 iters/s
step 9026, batch loss 2.011, 1.85 iters/s
step 9027, batch loss 1.385, 1.83 iters/s
step 9028, batch loss 1.683, 1.83 iters/s
step 9029, batch loss 1.96, 1.83 iters/s
step 9030, batch loss 2.352, 1.83 iters/s
step 9031, batch loss 2.045, 1.83 iters/s
step 9032, batch loss 1.769, 1.83 iters/s
step 9033, batch loss 1.838, 1.83 iters/s
step 9034, batch loss 1.851, 1.82 iters/s
step 9035, batch loss 2.022, 1.83 iters/s
step 9036, batch loss 2.515, 1.83 iters/s
step 9037, batch loss 1.956, 1.84 iters/s
step 9038, batch loss 2.166, 1.84 iters/s
step 9039, batch loss 1.702, 1.85 iters/s
step 9040, batch loss 3.003, 1.83 iters/s
step 9041, batch loss 2.191, 1.83 iters/s
step 9042, batch loss 1.89, 1.83 iters/s

step 9043, batch loss 1.643, 1.82 iters/s
step 9044, batch loss 1.674, 1.83 iters/s
step 9045, batch loss 2.107, 1.84 iters/s
step 9046, batch loss 1.954, 1.82 iters/s
step 9047, batch loss 1.861, 1.83 iters/s
step 9048, batch loss 2.089, 1.83 iters/s
step 9049, batch loss 1.953, 1.83 iters/s
step 9050, batch loss 1.472, 1.83 iters/s
step 9051, batch loss 1.528, 1.85 iters/s
step 9052, batch loss 2.192, 1.83 iters/s
step 9053, batch loss 2.471, 1.83 iters/s
step 9054, batch loss 1.829, 1.83 iters/s
step 9055, batch loss 2.368, 1.83 iters/s
step 9056, batch loss 1.298, 1.83 iters/s
step 9057, batch loss 2.144, 1.82 iters/s
step 9058, batch loss 1.406, 1.82 iters/s
step 9059, batch loss 1.671, 1.84 iters/s
step 9060, batch loss 1.404, 1.82 iters/s
step 9061, batch loss 1.577, 1.83 iters/s
step 9062, batch loss 2.036, 1.82 iters/s
step 9063, batch loss 1.557, 1.84 iters/s
step 9064, batch loss 1.648, 1.83 iters/s
step 9065, batch loss 1.872, 1.86 iters/s
step 9066, batch loss 1.753, 1.82 iters/s
step 9067, batch loss 2.094, 1.83 iters/s
step 9068, batch loss 1.98, 1.83 iters/s
step 9069, batch loss 2.248, 1.83 iters/s
step 9070, batch loss 1.918, 1.83 iters/s
step 9071, batch loss 2.016, 1.83 iters/s
step 9072, batch loss 1.413, 1.83 iters/s
step 9073, batch loss 1.939, 1.85 iters/s
step 9074, batch loss 1.28, 1.83 iters/s
step 9075, batch loss 2.268, 1.83 iters/s
step 9076, batch loss 1.96, 1.83 iters/s
step 9077, batch loss 1.825, 1.85 iters/s
step 9078, batch loss 1.472, 1.82 iters/s
step 9079, batch loss 1.989, 1.83 iters/s
step 9080, batch loss 1.927, 1.83 iters/s
step 9081, batch loss 1.996, 1.83 iters/s
step 9082, batch loss 1.405, 1.84 iters/s
step 9083, batch loss 2.345, 1.83 iters/s
step 9084, batch loss 1.295, 1.84 iters/s
step 9085, batch loss 1.815, 1.84 iters/s
step 9086, batch loss 1.713, 1.83 iters/s
step 9087, batch loss 2.248, 1.82 iters/s
step 9088, batch loss 2.182, 1.83 iters/s
step 9089, batch loss 1.846, 1.83 iters/s
step 9090, batch loss 1.707, 1.83 iters/s

step 9091, batch loss 1.601, 1.83 iters/s
step 9092, batch loss 1.382, 1.84 iters/s
step 9093, batch loss 1.688, 1.84 iters/s
step 9094, batch loss 1.907, 1.84 iters/s
step 9095, batch loss 2.324, 1.83 iters/s
step 9096, batch loss 2.474, 1.83 iters/s
step 9097, batch loss 2.095, 1.83 iters/s
step 9098, batch loss 1.519, 1.84 iters/s
step 9099, batch loss 1.925, 1.83 iters/s
step 9100, batch loss 1.84, 1.82 iters/s
step 9101, batch loss 2.05, 1.82 iters/s
step 9102, batch loss 1.94, 1.82 iters/s
step 9103, batch loss 1.986, 1.82 iters/s
step 9104, batch loss 1.996, 1.84 iters/s
step 9105, batch loss 1.722, 1.83 iters/s
step 9106, batch loss 1.39, 1.82 iters/s
step 9107, batch loss 1.564, 1.83 iters/s
step 9108, batch loss 1.648, 1.83 iters/s
step 9109, batch loss 1.77, 1.83 iters/s
step 9110, batch loss 1.045, 1.83 iters/s
step 9111, batch loss 2.393, 1.82 iters/s
step 9112, batch loss 1.887, 1.83 iters/s
step 9113, batch loss 2.502, 1.82 iters/s
step 9114, batch loss 1.8, 1.83 iters/s
step 9115, batch loss 1.889, 1.82 iters/s
step 9116, batch loss 2.303, 1.84 iters/s
step 9117, batch loss 1.964, 1.82 iters/s
step 9118, batch loss 2.212, 1.83 iters/s
step 9119, batch loss 2.224, 1.83 iters/s
step 9120, batch loss 1.743, 1.82 iters/s
step 9121, batch loss 1.617, 1.82 iters/s
step 9122, batch loss 1.817, 1.82 iters/s
step 9123, batch loss 1.909, 1.84 iters/s
step 9124, batch loss 0.936, 1.82 iters/s
step 9125, batch loss 1.933, 1.84 iters/s
step 9126, batch loss 1.599, 1.83 iters/s
step 9127, batch loss 1.708, 1.83 iters/s
step 9128, batch loss 1.273, 1.85 iters/s
step 9129, batch loss 1.877, 1.83 iters/s
step 9130, batch loss 1.166, 1.86 iters/s
step 9131, batch loss 1.941, 1.83 iters/s
step 9132, batch loss 1.439, 1.85 iters/s
step 9133, batch loss 1.767, 1.85 iters/s
step 9134, batch loss 1.848, 1.82 iters/s
step 9135, batch loss 1.807, 1.84 iters/s
step 9136, batch loss 1.878, 1.82 iters/s
step 9137, batch loss 1.496, 1.83 iters/s
step 9138, batch loss 1.78, 1.81 iters/s

step 9139, batch loss 2.006, 1.83 iters/s
step 9140, batch loss 1.313, 1.82 iters/s
step 9141, batch loss 1.556, 1.84 iters/s
step 9142, batch loss 1.592, 1.82 iters/s
step 9143, batch loss 1.984, 1.83 iters/s
step 9144, batch loss 2.134, 1.82 iters/s
step 9145, batch loss 2.064, 1.82 iters/s
step 9146, batch loss 2.176, 1.83 iters/s
step 9147, batch loss 1.934, 1.82 iters/s
step 9148, batch loss 1.632, 1.83 iters/s
step 9149, batch loss 1.363, 1.83 iters/s
step 9150, batch loss 1.915, 1.83 iters/s
step 9151, batch loss 1.289, 1.83 iters/s
step 9152, batch loss 1.481, 1.83 iters/s
step 9153, batch loss 1.932, 1.85 iters/s
step 9154, batch loss 2.25, 1.83 iters/s
step 9155, batch loss 2.009, 1.86 iters/s
step 9156, batch loss 2.256, 1.83 iters/s
step 9157, batch loss 1.757, 1.84 iters/s
step 9158, batch loss 2.029, 1.83 iters/s
step 9159, batch loss 1.624, 1.82 iters/s
step 9160, batch loss 1.786, 1.82 iters/s
step 9161, batch loss 2.038, 1.82 iters/s
step 9162, batch loss 1.961, 1.83 iters/s
step 9163, batch loss 1.67, 1.83 iters/s
step 9164, batch loss 2.205, 1.84 iters/s
step 9165, batch loss 2.041, 1.82 iters/s
step 9166, batch loss 2.48, 1.82 iters/s
step 9167, batch loss 2.074, 1.82 iters/s
step 9168, batch loss 1.977, 1.83 iters/s
step 9169, batch loss 1.86, 1.83 iters/s
step 9170, batch loss 1.861, 1.83 iters/s
step 9171, batch loss 2.401, 1.84 iters/s
step 9172, batch loss 1.82, 1.83 iters/s
step 9173, batch loss 1.732, 1.83 iters/s
step 9174, batch loss 1.631, 1.83 iters/s
step 9175, batch loss 1.957, 1.82 iters/s
step 9176, batch loss 1.804, 1.83 iters/s
step 9177, batch loss 1.572, 1.85 iters/s
step 9178, batch loss 2.111, 1.82 iters/s
step 9179, batch loss 1.672, 1.83 iters/s
step 9180, batch loss 1.574, 1.84 iters/s
step 9181, batch loss 2.152, 1.83 iters/s
step 9182, batch loss 1.175, 1.84 iters/s
step 9183, batch loss 1.941, 1.86 iters/s
step 9184, batch loss 1.893, 1.83 iters/s
step 9185, batch loss 2.289, 1.83 iters/s
step 9186, batch loss 2.181, 1.83 iters/s

step 9187, batch loss 1.881, 1.83 iters/s
step 9188, batch loss 1.745, 1.83 iters/s
step 9189, batch loss 1.41, 1.83 iters/s
step 9190, batch loss 1.545, 1.83 iters/s
step 9191, batch loss 2.289, 1.83 iters/s
step 9192, batch loss 1.868, 1.84 iters/s
step 9193, batch loss 1.968, 1.83 iters/s
step 9194, batch loss 1.462, 1.82 iters/s
step 9195, batch loss 2.011, 1.84 iters/s
step 9196, batch loss 2.216, 1.83 iters/s
step 9197, batch loss 1.84, 1.83 iters/s
step 9198, batch loss 1.128, 1.83 iters/s
step 9199, batch loss 1.839, 1.83 iters/s
step 9200, batch loss 2.512, 1.83 iters/s
step 9201, batch loss 1.939, 1.83 iters/s
step 9202, batch loss 1.381, 1.83 iters/s
step 9203, batch loss 1.929, 1.83 iters/s
step 9204, batch loss 1.438, 1.83 iters/s
step 9205, batch loss 2.478, 1.83 iters/s
step 9206, batch loss 1.947, 1.82 iters/s
step 9207, batch loss 3.529, 1.83 iters/s
step 9208, batch loss 2.0, 1.83 iters/s
step 9209, batch loss 0.945, 1.83 iters/s
step 9210, batch loss 2.66, 1.83 iters/s
step 9211, batch loss 1.919, 1.82 iters/s
step 9212, batch loss 1.995, 1.82 iters/s
step 9213, batch loss 2.067, 1.82 iters/s
step 9214, batch loss 2.196, 1.85 iters/s
step 9215, batch loss 1.763, 1.83 iters/s
step 9216, batch loss 1.421, 1.83 iters/s
step 9217, batch loss 1.889, 1.83 iters/s
step 9218, batch loss 1.773, 1.83 iters/s
step 9219, batch loss 2.007, 1.83 iters/s
step 9220, batch loss 1.734, 1.86 iters/s
step 9221, batch loss 2.213, 1.83 iters/s
step 9222, batch loss 2.141, 1.84 iters/s
step 9223, batch loss 0.945, 1.82 iters/s
step 9224, batch loss 1.521, 1.82 iters/s
step 9225, batch loss 1.779, 1.84 iters/s
step 9226, batch loss 2.197, 1.83 iters/s
step 9227, batch loss 1.749, 1.83 iters/s
step 9228, batch loss 1.47, 1.83 iters/s
step 9229, batch loss 2.188, 1.83 iters/s
step 9230, batch loss 1.704, 1.84 iters/s
step 9231, batch loss 2.155, 1.83 iters/s
step 9232, batch loss 2.576, 1.85 iters/s
step 9233, batch loss 1.804, 1.83 iters/s
step 9234, batch loss 1.959, 1.83 iters/s

step 9235, batch loss 1.576, 1.83 iters/s
step 9236, batch loss 2.041, 1.83 iters/s
step 9237, batch loss 1.589, 1.84 iters/s
step 9238, batch loss 1.638, 1.83 iters/s
step 9239, batch loss 1.359, 1.84 iters/s
step 9240, batch loss 2.043, 1.83 iters/s
step 9241, batch loss 2.153, 1.84 iters/s
step 9242, batch loss 1.845, 1.83 iters/s
step 9243, batch loss 2.118, 1.83 iters/s
step 9244, batch loss 1.675, 1.83 iters/s
step 9245, batch loss 2.367, 1.82 iters/s
step 9246, batch loss 1.427, 1.83 iters/s
step 9247, batch loss 1.607, 1.82 iters/s
step 9248, batch loss 1.903, 1.83 iters/s
step 9249, batch loss 1.991, 1.82 iters/s
step 9250, batch loss 1.576, 1.83 iters/s
step 9251, batch loss 1.736, 1.82 iters/s
step 9252, batch loss 1.875, 1.84 iters/s
step 9253, batch loss 1.301, 1.83 iters/s
step 9254, batch loss 1.983, 1.85 iters/s
step 9255, batch loss 2.005, 1.83 iters/s
step 9256, batch loss 2.066, 1.83 iters/s
step 9257, batch loss 2.617, 1.82 iters/s
step 9258, batch loss 1.395, 1.84 iters/s
step 9259, batch loss 2.155, 1.83 iters/s
step 9260, batch loss 1.59, 1.83 iters/s
step 9261, batch loss 2.04, 1.84 iters/s
step 9262, batch loss 1.831, 1.83 iters/s
step 9263, batch loss 2.066, 1.83 iters/s
step 9264, batch loss 1.791, 1.83 iters/s
step 9265, batch loss 2.112, 1.84 iters/s
step 9266, batch loss 1.616, 1.83 iters/s
step 9267, batch loss 2.105, 1.82 iters/s
step 9268, batch loss 1.773, 1.82 iters/s
step 9269, batch loss 2.182, 1.83 iters/s
step 9270, batch loss 1.822, 1.82 iters/s
step 9271, batch loss 2.154, 1.83 iters/s
step 9272, batch loss 2.153, 1.83 iters/s
step 9273, batch loss 2.03, 1.86 iters/s
step 9274, batch loss 2.086, 1.83 iters/s
step 9275, batch loss 2.164, 1.82 iters/s
step 9276, batch loss 1.993, 1.82 iters/s
step 9277, batch loss 2.134, 1.84 iters/s
step 9278, batch loss 1.224, 1.85 iters/s
step 9279, batch loss 2.019, 1.83 iters/s
step 9280, batch loss 1.339, 1.84 iters/s
step 9281, batch loss 2.167, 1.84 iters/s
step 9282, batch loss 2.235, 1.83 iters/s

step 9283, batch loss 1.701, 1.82 iters/s
step 9284, batch loss 2.389, 1.82 iters/s
step 9285, batch loss 1.928, 1.82 iters/s
step 9286, batch loss 1.362, 1.83 iters/s
step 9287, batch loss 1.988, 1.83 iters/s
step 9288, batch loss 1.92, 1.83 iters/s
step 9289, batch loss 1.91, 1.83 iters/s
step 9290, batch loss 1.886, 1.84 iters/s
step 9291, batch loss 1.685, 1.83 iters/s
step 9292, batch loss 2.12, 1.83 iters/s
step 9293, batch loss 2.151, 1.82 iters/s
step 9294, batch loss 1.533, 1.83 iters/s
step 9295, batch loss 1.93, 1.83 iters/s
step 9296, batch loss 1.713, 1.84 iters/s
step 9297, batch loss 1.7, 1.82 iters/s
step 9298, batch loss 2.133, 1.85 iters/s
step 9299, batch loss 1.699, 1.85 iters/s
step 9300, batch loss 1.992, 1.83 iters/s
step 9301, batch loss 2.043, 1.84 iters/s
step 9302, batch loss 1.794, 1.83 iters/s
step 9303, batch loss 1.999, 1.82 iters/s
step 9304, batch loss 2.229, 1.83 iters/s
step 9305, batch loss 2.077, 1.82 iters/s
step 9306, batch loss 1.469, 1.83 iters/s
step 9307, batch loss 1.686, 1.82 iters/s
step 9308, batch loss 1.555, 1.83 iters/s
step 9309, batch loss 2.114, 1.83 iters/s
step 9310, batch loss 1.263, 1.82 iters/s
step 9311, batch loss 2.194, 1.83 iters/s
step 9312, batch loss 1.878, 1.82 iters/s
step 9313, batch loss 1.626, 1.83 iters/s
step 9314, batch loss 2.109, 1.82 iters/s
step 9315, batch loss 1.415, 1.83 iters/s
step 9316, batch loss 2.072, 1.82 iters/s
step 9317, batch loss 1.652, 1.82 iters/s
step 9318, batch loss 1.892, 1.83 iters/s
step 9319, batch loss 1.429, 1.82 iters/s
step 9320, batch loss 2.057, 1.82 iters/s
step 9321, batch loss 2.061, 1.83 iters/s
step 9322, batch loss 1.851, 1.85 iters/s
step 9323, batch loss 1.081, 1.83 iters/s
step 9324, batch loss 2.445, 1.83 iters/s
step 9325, batch loss 2.14, 1.83 iters/s
step 9326, batch loss 1.467, 1.83 iters/s
step 9327, batch loss 1.997, 1.83 iters/s
step 9328, batch loss 1.405, 1.85 iters/s
step 9329, batch loss 1.293, 1.83 iters/s
step 9330, batch loss 1.827, 1.83 iters/s

step 9331, batch loss 1.882, 1.84 iters/s
step 9332, batch loss 1.428, 1.83 iters/s
step 9333, batch loss 1.646, 1.84 iters/s
step 9334, batch loss 1.896, 1.83 iters/s
step 9335, batch loss 1.652, 1.82 iters/s
step 9336, batch loss 1.055, 1.83 iters/s
step 9337, batch loss 1.89, 1.84 iters/s
step 9338, batch loss 1.855, 1.83 iters/s
step 9339, batch loss 2.445, 1.85 iters/s
step 9340, batch loss 1.529, 1.84 iters/s
step 9341, batch loss 2.148, 1.82 iters/s
step 9342, batch loss 1.706, 1.83 iters/s
step 9343, batch loss 1.968, 1.83 iters/s
step 9344, batch loss 1.477, 1.82 iters/s
step 9345, batch loss 1.872, 1.83 iters/s
step 9346, batch loss 1.831, 1.83 iters/s
step 9347, batch loss 2.209, 1.82 iters/s
step 9348, batch loss 2.385, 1.82 iters/s
step 9349, batch loss 1.032, 1.83 iters/s
step 9350, batch loss 1.49, 1.83 iters/s
step 9351, batch loss 1.948, 1.83 iters/s
step 9352, batch loss 1.915, 1.83 iters/s
step 9353, batch loss 1.578, 1.85 iters/s
step 9354, batch loss 2.399, 1.82 iters/s
step 9355, batch loss 2.04, 1.82 iters/s
step 9356, batch loss 1.986, 1.83 iters/s
step 9357, batch loss 1.985, 1.82 iters/s
step 9358, batch loss 1.419, 1.86 iters/s
step 9359, batch loss 1.944, 1.84 iters/s
step 9360, batch loss 1.778, 1.83 iters/s
step 9361, batch loss 2.008, 1.85 iters/s
step 9362, batch loss 1.936, 1.82 iters/s
step 9363, batch loss 1.683, 1.83 iters/s
step 9364, batch loss 2.264, 1.84 iters/s
step 9365, batch loss 2.465, 1.82 iters/s
step 9366, batch loss 2.068, 1.83 iters/s
step 9367, batch loss 1.367, 1.82 iters/s
step 9368, batch loss 1.463, 1.83 iters/s
step 9369, batch loss 2.894, 1.82 iters/s
step 9370, batch loss 1.853, 1.83 iters/s
step 9371, batch loss 2.101, 1.82 iters/s
step 9372, batch loss 1.867, 1.83 iters/s
step 9373, batch loss 1.462, 1.84 iters/s
step 9374, batch loss 1.358, 1.83 iters/s
step 9375, batch loss 2.353, 1.83 iters/s
step 9376, batch loss 1.569, 1.85 iters/s
step 9377, batch loss 1.967, 1.83 iters/s
step 9378, batch loss 2.165, 1.85 iters/s

step 9379, batch loss 1.305, 1.83 iters/s
step 9380, batch loss 1.391, 1.83 iters/s
step 9381, batch loss 1.289, 1.82 iters/s
step 9382, batch loss 1.68, 1.85 iters/s
step 9383, batch loss 2.067, 1.83 iters/s
step 9384, batch loss 2.005, 1.83 iters/s
step 9385, batch loss 1.646, 1.84 iters/s
step 9386, batch loss 2.23, 1.83 iters/s
step 9387, batch loss 2.0, 1.82 iters/s
step 9388, batch loss 2.421, 1.84 iters/s
step 9389, batch loss 1.552, 1.85 iters/s
step 9390, batch loss 1.933, 1.82 iters/s
step 9391, batch loss 1.892, 1.82 iters/s
step 9392, batch loss 1.66, 1.82 iters/s
step 9393, batch loss 1.368, 1.83 iters/s
step 9394, batch loss 1.565, 1.83 iters/s
step 9395, batch loss 1.787, 1.84 iters/s
step 9396, batch loss 1.972, 1.83 iters/s
step 9397, batch loss 1.937, 1.82 iters/s
step 9398, batch loss 1.833, 1.84 iters/s
step 9399, batch loss 1.819, 1.83 iters/s
step 9400, batch loss 1.57, 1.83 iters/s
step 9401, batch loss 1.427, 1.83 iters/s
step 9402, batch loss 1.571, 1.83 iters/s
step 9403, batch loss 1.319, 1.82 iters/s
step 9404, batch loss 1.684, 1.82 iters/s
step 9405, batch loss 1.079, 1.83 iters/s
step 9406, batch loss 1.428, 1.84 iters/s
step 9407, batch loss 2.396, 1.83 iters/s
step 9408, batch loss 2.063, 1.84 iters/s
step 9409, batch loss 1.977, 1.83 iters/s
step 9410, batch loss 2.036, 1.86 iters/s
step 9411, batch loss 2.129, 1.83 iters/s
step 9412, batch loss 1.713, 1.83 iters/s
step 9413, batch loss 2.128, 1.83 iters/s
step 9414, batch loss 1.124, 1.85 iters/s
step 9415, batch loss 1.615, 1.82 iters/s
step 9416, batch loss 2.009, 1.82 iters/s
step 9417, batch loss 1.907, 1.83 iters/s
step 9418, batch loss 1.989, 1.83 iters/s
step 9419, batch loss 1.71, 1.83 iters/s
step 9420, batch loss 1.85, 1.83 iters/s
step 9421, batch loss 2.039, 1.83 iters/s
step 9422, batch loss 0.897, 1.83 iters/s
step 9423, batch loss 1.823, 1.82 iters/s
step 9424, batch loss 2.061, 1.85 iters/s
step 9425, batch loss 2.069, 1.82 iters/s
step 9426, batch loss 1.962, 1.83 iters/s

step 9427, batch loss 1.888, 1.84 iters/s
step 9428, batch loss 1.893, 1.85 iters/s
step 9429, batch loss 1.606, 1.83 iters/s
step 9430, batch loss 1.8, 1.82 iters/s
step 9431, batch loss 1.407, 1.82 iters/s
step 9432, batch loss 1.705, 1.82 iters/s
step 9433, batch loss 1.683, 1.82 iters/s
step 9434, batch loss 2.494, 1.83 iters/s
step 9435, batch loss 1.954, 1.82 iters/s
step 9436, batch loss 1.717, 1.83 iters/s
step 9437, batch loss 2.284, 1.83 iters/s
step 9438, batch loss 2.082, 1.84 iters/s
step 9439, batch loss 2.036, 1.82 iters/s
step 9440, batch loss 1.932, 1.82 iters/s
step 9441, batch loss 1.467, 1.83 iters/s
step 9442, batch loss 2.16, 1.82 iters/s
step 9443, batch loss 1.991, 1.81 iters/s
step 9444, batch loss 1.78, 1.83 iters/s
step 9445, batch loss 2.075, 1.82 iters/s
step 9446, batch loss 2.564, 1.84 iters/s
step 9447, batch loss 1.752, 1.84 iters/s
step 9448, batch loss 1.068, 1.84 iters/s
step 9449, batch loss 2.029, 1.82 iters/s
step 9450, batch loss 1.93, 1.83 iters/s
step 9451, batch loss 2.008, 1.84 iters/s
step 9452, batch loss 1.833, 1.83 iters/s
step 9453, batch loss 1.306, 1.83 iters/s
step 9454, batch loss 1.834, 1.83 iters/s
step 9455, batch loss 1.998, 1.82 iters/s
step 9456, batch loss 1.818, 1.82 iters/s
step 9457, batch loss 2.108, 1.83 iters/s
step 9458, batch loss 2.636, 1.83 iters/s
step 9459, batch loss 1.844, 1.82 iters/s
step 9460, batch loss 1.915, 1.83 iters/s
step 9461, batch loss 2.002, 1.83 iters/s
step 9462, batch loss 2.14, 1.83 iters/s
step 9463, batch loss 1.494, 1.82 iters/s
step 9464, batch loss 1.877, 1.83 iters/s
step 9465, batch loss 2.06, 1.83 iters/s
step 9466, batch loss 2.274, 1.83 iters/s
step 9467, batch loss 1.813, 1.85 iters/s
step 9468, batch loss 1.893, 1.83 iters/s
step 9469, batch loss 2.376, 1.83 iters/s
step 9470, batch loss 1.738, 1.85 iters/s
step 9471, batch loss 1.96, 1.83 iters/s
step 9472, batch loss 1.751, 1.82 iters/s
step 9473, batch loss 2.211, 1.83 iters/s
step 9474, batch loss 1.737, 1.81 iters/s

step 9475, batch loss 1.785, 1.83 iters/s
step 9476, batch loss 1.888, 1.84 iters/s
step 9477, batch loss 1.351, 1.82 iters/s
step 9478, batch loss 2.182, 1.83 iters/s
step 9479, batch loss 2.465, 1.84 iters/s
step 9480, batch loss 1.351, 1.83 iters/s
step 9481, batch loss 1.539, 1.86 iters/s
step 9482, batch loss 2.029, 1.83 iters/s
step 9483, batch loss 1.74, 1.83 iters/s
step 9484, batch loss 1.986, 1.82 iters/s
step 9485, batch loss 2.049, 1.82 iters/s
step 9486, batch loss 1.983, 1.83 iters/s
step 9487, batch loss 1.547, 1.82 iters/s
step 9488, batch loss 1.459, 1.82 iters/s
step 9489, batch loss 2.174, 1.83 iters/s
step 9490, batch loss 1.93, 1.82 iters/s
step 9491, batch loss 1.539, 1.83 iters/s
step 9492, batch loss 1.59, 1.84 iters/s
step 9493, batch loss 1.004, 1.83 iters/s
step 9494, batch loss 1.874, 1.84 iters/s
step 9495, batch loss 1.279, 1.82 iters/s
step 9496, batch loss 1.865, 1.85 iters/s
step 9497, batch loss 1.264, 1.83 iters/s
step 9498, batch loss 2.154, 1.82 iters/s
step 9499, batch loss 1.701, 1.84 iters/s
step 9500, batch loss 1.993, 1.83 iters/s
step 9501, batch loss 1.89, 1.82 iters/s
step 9502, batch loss 1.666, 1.83 iters/s
step 9503, batch loss 1.507, 1.83 iters/s
step 9504, batch loss 1.922, 1.85 iters/s
step 9505, batch loss 2.413, 1.83 iters/s
step 9506, batch loss 2.045, 1.82 iters/s
step 9507, batch loss 2.093, 1.83 iters/s
step 9508, batch loss 1.646, 1.85 iters/s
step 9509, batch loss 1.516, 1.83 iters/s
step 9510, batch loss 2.143, 1.84 iters/s
step 9511, batch loss 1.988, 1.84 iters/s
step 9512, batch loss 2.405, 1.83 iters/s
step 9513, batch loss 1.816, 1.83 iters/s
step 9514, batch loss 2.247, 1.82 iters/s
step 9515, batch loss 1.724, 1.83 iters/s
step 9516, batch loss 1.813, 1.83 iters/s
step 9517, batch loss 2.24, 1.82 iters/s
step 9518, batch loss 1.756, 1.82 iters/s
step 9519, batch loss 1.852, 1.82 iters/s
step 9520, batch loss 1.856, 1.82 iters/s
step 9521, batch loss 1.466, 1.82 iters/s
step 9522, batch loss 1.76, 1.83 iters/s

step 9523, batch loss 1.744, 1.82 iters/s
step 9524, batch loss 2.272, 1.83 iters/s
step 9525, batch loss 1.709, 1.83 iters/s
step 9526, batch loss 1.956, 1.83 iters/s
step 9527, batch loss 2.301, 1.85 iters/s
step 9528, batch loss 1.663, 1.83 iters/s
step 9529, batch loss 1.816, 1.85 iters/s
step 9530, batch loss 1.848, 1.83 iters/s
step 9531, batch loss 1.267, 1.83 iters/s
step 9532, batch loss 1.723, 1.82 iters/s
step 9533, batch loss 1.866, 1.84 iters/s
step 9534, batch loss 1.663, 1.83 iters/s
step 9535, batch loss 1.94, 1.83 iters/s
step 9536, batch loss 1.764, 1.83 iters/s
step 9537, batch loss 1.63, 1.83 iters/s
step 9538, batch loss 1.698, 1.82 iters/s
step 9539, batch loss 1.279, 1.83 iters/s
step 9540, batch loss 2.01, 1.82 iters/s
step 9541, batch loss 2.479, 1.82 iters/s
step 9542, batch loss 2.207, 1.83 iters/s
step 9543, batch loss 1.872, 1.81 iters/s
step 9544, batch loss 1.866, 1.83 iters/s
step 9545, batch loss 1.739, 1.84 iters/s
step 9546, batch loss 1.808, 1.83 iters/s
step 9547, batch loss 1.776, 1.83 iters/s
step 9548, batch loss 1.903, 1.84 iters/s
step 9549, batch loss 1.951, 1.83 iters/s
step 9550, batch loss 2.001, 1.83 iters/s
step 9551, batch loss 1.831, 1.83 iters/s
step 9552, batch loss 1.761, 1.83 iters/s
step 9553, batch loss 2.067, 1.83 iters/s
step 9554, batch loss 2.129, 1.83 iters/s
step 9555, batch loss 1.74, 1.82 iters/s
step 9556, batch loss 1.858, 1.85 iters/s
step 9557, batch loss 1.28, 1.83 iters/s
step 9558, batch loss 1.556, 1.84 iters/s
step 9559, batch loss 1.826, 1.83 iters/s
step 9560, batch loss 2.002, 1.84 iters/s
step 9561, batch loss 1.691, 1.83 iters/s
step 9562, batch loss 2.08, 1.82 iters/s
step 9563, batch loss 1.798, 1.83 iters/s
step 9564, batch loss 2.006, 1.83 iters/s
step 9565, batch loss 1.977, 1.84 iters/s
step 9566, batch loss 2.191, 1.83 iters/s
step 9567, batch loss 1.552, 1.82 iters/s
step 9568, batch loss 1.048, 1.82 iters/s
step 9569, batch loss 1.684, 1.82 iters/s
step 9570, batch loss 1.821, 1.83 iters/s

step 9571, batch loss 1.872, 1.83 iters/s
step 9572, batch loss 1.924, 1.83 iters/s
step 9573, batch loss 1.754, 1.83 iters/s
step 9574, batch loss 1.951, 1.82 iters/s
step 9575, batch loss 2.085, 1.83 iters/s
step 9576, batch loss 1.702, 1.82 iters/s
step 9577, batch loss 1.967, 1.83 iters/s
step 9578, batch loss 1.671, 1.82 iters/s
step 9579, batch loss 1.777, 1.82 iters/s
step 9580, batch loss 2.047, 1.82 iters/s
step 9581, batch loss 1.771, 1.85 iters/s
step 9582, batch loss 1.798, 1.82 iters/s
step 9583, batch loss 1.904, 1.82 iters/s
step 9584, batch loss 1.73, 1.82 iters/s
step 9585, batch loss 1.448, 1.82 iters/s
step 9586, batch loss 1.904, 1.82 iters/s
step 9587, batch loss 1.214, 1.83 iters/s
step 9588, batch loss 2.342, 1.84 iters/s
step 9589, batch loss 1.781, 1.83 iters/s
step 9590, batch loss 2.222, 1.82 iters/s
step 9591, batch loss 1.81, 1.83 iters/s
step 9592, batch loss 1.679, 1.83 iters/s
step 9593, batch loss 1.936, 1.83 iters/s
step 9594, batch loss 1.857, 1.83 iters/s
step 9595, batch loss 1.808, 1.82 iters/s
step 9596, batch loss 1.579, 1.82 iters/s
step 9597, batch loss 2.163, 1.82 iters/s
step 9598, batch loss 1.916, 1.82 iters/s
step 9599, batch loss 1.869, 1.83 iters/s
step 9600, batch loss 1.517, 1.83 iters/s
step 9601, batch loss 1.997, 1.82 iters/s
step 9602, batch loss 1.729, 1.83 iters/s
step 9603, batch loss 1.98, 1.82 iters/s
step 9604, batch loss 1.54, 1.82 iters/s
step 9605, batch loss 2.248, 1.82 iters/s
step 9606, batch loss 1.375, 1.84 iters/s
step 9607, batch loss 2.142, 1.82 iters/s
step 9608, batch loss 2.165, 1.85 iters/s
step 9609, batch loss 1.927, 1.83 iters/s
step 9610, batch loss 2.127, 1.82 iters/s
step 9611, batch loss 2.184, 1.83 iters/s
step 9612, batch loss 1.777, 1.83 iters/s
step 9613, batch loss 1.917, 1.82 iters/s
step 9614, batch loss 1.812, 1.82 iters/s
step 9615, batch loss 2.686, 1.82 iters/s
step 9616, batch loss 1.692, 1.83 iters/s
step 9617, batch loss 2.002, 1.83 iters/s
step 9618, batch loss 1.356, 1.82 iters/s

step 9619, batch loss 1.464, 1.82 iters/s
step 9620, batch loss 1.482, 1.83 iters/s
step 9621, batch loss 2.032, 1.83 iters/s
step 9622, batch loss 1.702, 1.83 iters/s
step 9623, batch loss 1.972, 1.83 iters/s
step 9624, batch loss 1.537, 1.82 iters/s
step 9625, batch loss 2.012, 1.82 iters/s
step 9626, batch loss 2.044, 1.82 iters/s
step 9627, batch loss 1.927, 1.82 iters/s
step 9628, batch loss 2.357, 1.83 iters/s
step 9629, batch loss 2.029, 1.85 iters/s
step 9630, batch loss 2.358, 1.82 iters/s
step 9631, batch loss 1.23, 1.82 iters/s
step 9632, batch loss 1.449, 1.83 iters/s
step 9633, batch loss 1.748, 1.84 iters/s
step 9634, batch loss 1.806, 1.83 iters/s
step 9635, batch loss 1.149, 1.83 iters/s
step 9636, batch loss 1.138, 1.83 iters/s
step 9637, batch loss 1.983, 1.84 iters/s
step 9638, batch loss 1.902, 1.84 iters/s
step 9639, batch loss 1.853, 1.83 iters/s
step 9640, batch loss 1.623, 1.83 iters/s
step 9641, batch loss 2.222, 1.84 iters/s
step 9642, batch loss 1.768, 1.82 iters/s
step 9643, batch loss 1.791, 1.83 iters/s
step 9644, batch loss 1.578, 1.83 iters/s
step 9645, batch loss 1.829, 1.83 iters/s
step 9646, batch loss 1.276, 1.83 iters/s
step 9647, batch loss 1.42, 1.83 iters/s
step 9648, batch loss 1.442, 1.85 iters/s
step 9649, batch loss 2.051, 1.82 iters/s
step 9650, batch loss 1.814, 1.83 iters/s
step 9651, batch loss 0.898, 1.82 iters/s
step 9652, batch loss 2.456, 1.82 iters/s
step 9653, batch loss 1.958, 1.82 iters/s
step 9654, batch loss 2.157, 1.82 iters/s
step 9655, batch loss 1.354, 1.83 iters/s
step 9656, batch loss 2.021, 1.84 iters/s
step 9657, batch loss 2.11, 1.83 iters/s
step 9658, batch loss 2.514, 1.84 iters/s
step 9659, batch loss 1.873, 1.83 iters/s
step 9660, batch loss 1.877, 1.85 iters/s
step 9661, batch loss 2.207, 1.83 iters/s
step 9662, batch loss 1.765, 1.83 iters/s
step 9663, batch loss 1.756, 1.82 iters/s
step 9664, batch loss 1.779, 1.85 iters/s
step 9665, batch loss 1.546, 1.83 iters/s
step 9666, batch loss 1.826, 1.83 iters/s

step 9667, batch loss 1.814, 1.83 iters/s
step 9668, batch loss 1.689, 1.82 iters/s
step 9669, batch loss 1.999, 1.83 iters/s
step 9670, batch loss 1.578, 1.82 iters/s
step 9671, batch loss 2.023, 1.82 iters/s
step 9672, batch loss 1.866, 1.85 iters/s
step 9673, batch loss 2.27, 1.82 iters/s
step 9674, batch loss 1.795, 1.86 iters/s
step 9675, batch loss 1.753, 1.83 iters/s
step 9676, batch loss 1.592, 1.83 iters/s
step 9677, batch loss 2.394, 1.83 iters/s
step 9678, batch loss 1.898, 1.82 iters/s
step 9679, batch loss 1.301, 1.83 iters/s
step 9680, batch loss 1.241, 1.83 iters/s
step 9681, batch loss 1.609, 1.83 iters/s
step 9682, batch loss 2.147, 1.83 iters/s
step 9683, batch loss 1.881, 1.83 iters/s
step 9684, batch loss 1.821, 1.83 iters/s
step 9685, batch loss 2.27, 1.83 iters/s
step 9686, batch loss 1.949, 1.83 iters/s
step 9687, batch loss 1.792, 1.82 iters/s
step 9688, batch loss 2.072, 1.82 iters/s
step 9689, batch loss 1.032, 1.85 iters/s
step 9690, batch loss 1.878, 1.83 iters/s
step 9691, batch loss 1.763, 1.83 iters/s
step 9692, batch loss 1.639, 1.82 iters/s
step 9693, batch loss 1.736, 1.82 iters/s
step 9694, batch loss 1.761, 1.83 iters/s
step 9695, batch loss 1.731, 1.82 iters/s
step 9696, batch loss 1.731, 1.82 iters/s
step 9697, batch loss 2.006, 1.83 iters/s
step 9698, batch loss 1.978, 1.82 iters/s
step 9699, batch loss 2.228, 1.82 iters/s
step 9700, batch loss 1.747, 1.83 iters/s
step 9701, batch loss 1.714, 1.83 iters/s
step 9702, batch loss 2.035, 1.82 iters/s
step 9703, batch loss 2.009, 1.82 iters/s
step 9704, batch loss 2.141, 1.83 iters/s
step 9705, batch loss 1.643, 1.83 iters/s
step 9706, batch loss 1.706, 1.83 iters/s
step 9707, batch loss 1.285, 1.83 iters/s
step 9708, batch loss 1.841, 1.82 iters/s
step 9709, batch loss 1.438, 1.81 iters/s
step 9710, batch loss 2.107, 1.84 iters/s
step 9711, batch loss 1.898, 1.82 iters/s
step 9712, batch loss 1.955, 1.82 iters/s
step 9713, batch loss 1.868, 1.85 iters/s
step 9714, batch loss 1.394, 1.83 iters/s

step 9715, batch loss 1.906, 1.83 iters/s
step 9716, batch loss 1.956, 1.82 iters/s
step 9717, batch loss 1.551, 1.82 iters/s
step 9718, batch loss 1.567, 1.82 iters/s
step 9719, batch loss 1.537, 1.83 iters/s
step 9720, batch loss 1.506, 1.82 iters/s
step 9721, batch loss 1.987, 1.84 iters/s
step 9722, batch loss 2.063, 1.84 iters/s
step 9723, batch loss 2.112, 1.83 iters/s
step 9724, batch loss 3.144, 1.83 iters/s
step 9725, batch loss 1.882, 1.83 iters/s
step 9726, batch loss 1.86, 1.83 iters/s
step 9727, batch loss 1.73, 1.84 iters/s
step 9728, batch loss 1.9, 1.84 iters/s
step 9729, batch loss 1.857, 1.82 iters/s
step 9730, batch loss 2.093, 1.83 iters/s
step 9731, batch loss 1.738, 1.83 iters/s
step 9732, batch loss 2.073, 1.83 iters/s
step 9733, batch loss 1.614, 1.82 iters/s
step 9734, batch loss 1.735, 1.82 iters/s
step 9735, batch loss 1.753, 1.83 iters/s
step 9736, batch loss 2.081, 1.82 iters/s
step 9737, batch loss 1.989, 1.82 iters/s
step 9738, batch loss 1.575, 1.82 iters/s
step 9739, batch loss 1.182, 1.82 iters/s
step 9740, batch loss 1.486, 1.83 iters/s
step 9741, batch loss 1.491, 1.83 iters/s
step 9742, batch loss 1.009, 1.82 iters/s
step 9743, batch loss 2.181, 1.82 iters/s
step 9744, batch loss 2.123, 1.84 iters/s
step 9745, batch loss 2.252, 1.83 iters/s
step 9746, batch loss 2.121, 1.83 iters/s
step 9747, batch loss 1.724, 1.82 iters/s
step 9748, batch loss 2.271, 1.82 iters/s
step 9749, batch loss 2.152, 1.83 iters/s
step 9750, batch loss 0.752, 1.82 iters/s
step 9751, batch loss 1.93, 1.82 iters/s
step 9752, batch loss 2.124, 1.83 iters/s
step 9753, batch loss 1.417, 1.83 iters/s
step 9754, batch loss 1.758, 1.82 iters/s
step 9755, batch loss 2.15, 1.82 iters/s
step 9756, batch loss 1.484, 1.82 iters/s
step 9757, batch loss 1.924, 1.82 iters/s
step 9758, batch loss 1.719, 1.83 iters/s
step 9759, batch loss 1.578, 1.83 iters/s
step 9760, batch loss 1.583, 1.83 iters/s
step 9761, batch loss 2.329, 1.83 iters/s
step 9762, batch loss 2.096, 1.82 iters/s

step 9763, batch loss 1.979, 1.82 iters/s
step 9764, batch loss 1.486, 1.82 iters/s
step 9765, batch loss 1.937, 1.82 iters/s
step 9766, batch loss 1.881, 1.83 iters/s
step 9767, batch loss 1.784, 1.82 iters/s
step 9768, batch loss 1.407, 1.83 iters/s
step 9769, batch loss 1.552, 1.84 iters/s
step 9770, batch loss 2.368, 1.82 iters/s
step 9771, batch loss 1.361, 1.82 iters/s
step 9772, batch loss 1.99, 1.82 iters/s
step 9773, batch loss 1.36, 1.83 iters/s
step 9774, batch loss 2.154, 1.83 iters/s
step 9775, batch loss 1.739, 1.83 iters/s
step 9776, batch loss 2.104, 1.82 iters/s
step 9777, batch loss 2.029, 1.83 iters/s
step 9778, batch loss 2.124, 1.82 iters/s
step 9779, batch loss 1.902, 1.82 iters/s
step 9780, batch loss 1.701, 1.82 iters/s
step 9781, batch loss 2.006, 1.83 iters/s
step 9782, batch loss 1.243, 1.82 iters/s
step 9783, batch loss 1.657, 1.83 iters/s
step 9784, batch loss 2.055, 1.83 iters/s
step 9785, batch loss 1.762, 1.84 iters/s
step 9786, batch loss 1.816, 1.84 iters/s
step 9787, batch loss 1.797, 1.83 iters/s
step 9788, batch loss 1.782, 1.84 iters/s
step 9789, batch loss 1.694, 1.83 iters/s
step 9790, batch loss 1.738, 1.83 iters/s
step 9791, batch loss 1.882, 1.83 iters/s
step 9792, batch loss 1.741, 1.83 iters/s
step 9793, batch loss 2.219, 1.83 iters/s
step 9794, batch loss 1.673, 1.83 iters/s
step 9795, batch loss 1.602, 1.85 iters/s
step 9796, batch loss 1.901, 1.82 iters/s
step 9797, batch loss 1.609, 1.84 iters/s
step 9798, batch loss 2.151, 1.83 iters/s
step 9799, batch loss 2.126, 1.82 iters/s
step 9800, batch loss 1.758, 1.83 iters/s
step 9801, batch loss 1.778, 1.83 iters/s
step 9802, batch loss 1.751, 1.83 iters/s
step 9803, batch loss 1.93, 1.85 iters/s
step 9804, batch loss 1.948, 1.84 iters/s
step 9805, batch loss 1.956, 1.83 iters/s
step 9806, batch loss 1.755, 1.83 iters/s
step 9807, batch loss 1.863, 1.83 iters/s
step 9808, batch loss 2.186, 1.82 iters/s
step 9809, batch loss 1.802, 1.82 iters/s
step 9810, batch loss 2.198, 1.83 iters/s

step 9811, batch loss 1.891, 1.82 iters/s
step 9812, batch loss 1.986, 1.82 iters/s
step 9813, batch loss 1.542, 1.83 iters/s
step 9814, batch loss 1.888, 1.83 iters/s
step 9815, batch loss 2.031, 1.83 iters/s
step 9816, batch loss 1.89, 1.82 iters/s
step 9817, batch loss 1.955, 1.83 iters/s
step 9818, batch loss 1.625, 1.82 iters/s
step 9819, batch loss 2.429, 1.83 iters/s
step 9820, batch loss 2.056, 1.83 iters/s
step 9821, batch loss 2.139, 1.83 iters/s
step 9822, batch loss 2.089, 1.82 iters/s
step 9823, batch loss 1.879, 1.81 iters/s
step 9824, batch loss 1.828, 1.83 iters/s
step 9825, batch loss 1.486, 1.84 iters/s
step 9826, batch loss 1.394, 1.83 iters/s
step 9827, batch loss 1.804, 1.84 iters/s
step 9828, batch loss 1.882, 1.83 iters/s
step 9829, batch loss 1.677, 1.83 iters/s
step 9830, batch loss 1.698, 1.85 iters/s
step 9831, batch loss 1.88, 1.82 iters/s
step 9832, batch loss 1.664, 1.83 iters/s
step 9833, batch loss 1.496, 1.84 iters/s
step 9834, batch loss 1.56, 1.82 iters/s
step 9835, batch loss 1.81, 1.82 iters/s
step 9836, batch loss 2.098, 1.83 iters/s
step 9837, batch loss 1.641, 1.82 iters/s
step 9838, batch loss 1.975, 1.83 iters/s
step 9839, batch loss 2.254, 1.83 iters/s
step 9840, batch loss 2.107, 1.83 iters/s
step 9841, batch loss 2.513, 1.83 iters/s
step 9842, batch loss 1.608, 1.82 iters/s
step 9843, batch loss 2.099, 1.81 iters/s
step 9844, batch loss 1.871, 1.83 iters/s
step 9845, batch loss 2.049, 1.83 iters/s
step 9846, batch loss 1.961, 1.82 iters/s
step 9847, batch loss 1.761, 1.82 iters/s
step 9848, batch loss 1.553, 1.84 iters/s
step 9849, batch loss 1.767, 1.83 iters/s
step 9850, batch loss 1.665, 1.82 iters/s
step 9851, batch loss 1.743, 1.82 iters/s
step 9852, batch loss 1.223, 1.83 iters/s
step 9853, batch loss 2.063, 1.82 iters/s
step 9854, batch loss 1.514, 1.83 iters/s
step 9855, batch loss 2.125, 1.82 iters/s
step 9856, batch loss 2.472, 1.81 iters/s
step 9857, batch loss 1.807, 1.84 iters/s
step 9858, batch loss 2.058, 1.82 iters/s

step 9859, batch loss 1.79, 1.83 iters/s
step 9860, batch loss 1.822, 1.82 iters/s
step 9861, batch loss 1.86, 1.84 iters/s
step 9862, batch loss 1.567, 1.83 iters/s
step 9863, batch loss 2.055, 1.82 iters/s
step 9864, batch loss 1.92, 1.82 iters/s
step 9865, batch loss 1.8, 1.85 iters/s
step 9866, batch loss 1.462, 1.82 iters/s
step 9867, batch loss 2.326, 1.83 iters/s
step 9868, batch loss 1.898, 1.83 iters/s
step 9869, batch loss 1.186, 1.82 iters/s
step 9870, batch loss 1.751, 1.82 iters/s
step 9871, batch loss 2.779, 1.83 iters/s
step 9872, batch loss 1.953, 1.82 iters/s
step 9873, batch loss 2.08, 1.83 iters/s
step 9874, batch loss 1.846, 1.82 iters/s
step 9875, batch loss 1.915, 1.83 iters/s
step 9876, batch loss 2.219, 1.82 iters/s
step 9877, batch loss 2.245, 1.83 iters/s
step 9878, batch loss 1.903, 1.82 iters/s
step 9879, batch loss 2.094, 1.83 iters/s
step 9880, batch loss 1.073, 1.82 iters/s
step 9881, batch loss 1.776, 1.83 iters/s
step 9882, batch loss 1.931, 1.82 iters/s
step 9883, batch loss 1.696, 1.83 iters/s
step 9884, batch loss 1.995, 1.82 iters/s
step 9885, batch loss 1.785, 1.83 iters/s
step 9886, batch loss 1.302, 1.83 iters/s
step 9887, batch loss 1.52, 1.83 iters/s
step 9888, batch loss 2.34, 1.82 iters/s
step 9889, batch loss 1.939, 1.83 iters/s
step 9890, batch loss 1.245, 1.82 iters/s
step 9891, batch loss 1.568, 1.82 iters/s
step 9892, batch loss 2.016, 1.83 iters/s
step 9893, batch loss 1.805, 1.83 iters/s
step 9894, batch loss 1.71, 1.83 iters/s
step 9895, batch loss 2.145, 1.82 iters/s
step 9896, batch loss 1.474, 1.83 iters/s
step 9897, batch loss 1.573, 1.82 iters/s
step 9898, batch loss 1.9, 1.83 iters/s
step 9899, batch loss 1.921, 1.83 iters/s
step 9900, batch loss 1.793, 1.83 iters/s
step 9901, batch loss 1.455, 1.85 iters/s
step 9902, batch loss 2.118, 1.85 iters/s
step 9903, batch loss 1.354, 1.84 iters/s
step 9904, batch loss 2.013, 1.83 iters/s
step 9905, batch loss 1.829, 1.82 iters/s
step 9906, batch loss 0.968, 1.83 iters/s

step 9907, batch loss 1.863, 1.83 iters/s
step 9908, batch loss 2.103, 1.85 iters/s
step 9909, batch loss 1.774, 1.83 iters/s
step 9910, batch loss 1.597, 1.83 iters/s
step 9911, batch loss 1.539, 1.83 iters/s
step 9912, batch loss 1.478, 1.84 iters/s
step 9913, batch loss 1.811, 1.83 iters/s
step 9914, batch loss 2.07, 1.82 iters/s
step 9915, batch loss 1.811, 1.82 iters/s
step 9916, batch loss 2.068, 1.83 iters/s
step 9917, batch loss 1.806, 1.83 iters/s
step 9918, batch loss 1.716, 1.83 iters/s
step 9919, batch loss 2.312, 1.83 iters/s
step 9920, batch loss 1.802, 1.85 iters/s
step 9921, batch loss 2.309, 1.84 iters/s
step 9922, batch loss 1.902, 1.83 iters/s
step 9923, batch loss 1.614, 1.83 iters/s
step 9924, batch loss 1.23, 1.83 iters/s
step 9925, batch loss 1.915, 1.83 iters/s
step 9926, batch loss 2.36, 1.82 iters/s
step 9927, batch loss 1.793, 1.83 iters/s
step 9928, batch loss 2.143, 1.83 iters/s
step 9929, batch loss 1.753, 1.83 iters/s
step 9930, batch loss 2.126, 1.83 iters/s
step 9931, batch loss 2.008, 1.83 iters/s
step 9932, batch loss 2.166, 1.83 iters/s
step 9933, batch loss 2.013, 1.83 iters/s
step 9934, batch loss 2.03, 1.83 iters/s
step 9935, batch loss 1.93, 1.83 iters/s
step 9936, batch loss 1.755, 1.83 iters/s
step 9937, batch loss 1.645, 1.83 iters/s
step 9938, batch loss 1.374, 1.83 iters/s
step 9939, batch loss 2.055, 1.83 iters/s
step 9940, batch loss 1.819, 1.82 iters/s
step 9941, batch loss 1.889, 1.83 iters/s
step 9942, batch loss 2.146, 1.83 iters/s
step 9943, batch loss 2.345, 1.82 iters/s
step 9944, batch loss 1.737, 1.85 iters/s
step 9945, batch loss 2.53, 1.83 iters/s
step 9946, batch loss 2.013, 1.83 iters/s
step 9947, batch loss 1.541, 1.83 iters/s
step 9948, batch loss 1.015, 1.83 iters/s
step 9949, batch loss 1.523, 1.83 iters/s
step 9950, batch loss 1.751, 1.83 iters/s
step 9951, batch loss 1.736, 1.83 iters/s
step 9952, batch loss 1.416, 1.85 iters/s
step 9953, batch loss 2.01, 1.82 iters/s
step 9954, batch loss 2.832, 1.82 iters/s

step 9955, batch loss 1.887, 1.83 iters/s
step 9956, batch loss 1.5, 1.84 iters/s
step 9957, batch loss 1.657, 1.83 iters/s
step 9958, batch loss 1.808, 1.82 iters/s
step 9959, batch loss 2.083, 1.82 iters/s
step 9960, batch loss 1.349, 1.83 iters/s
step 9961, batch loss 2.524, 1.84 iters/s
step 9962, batch loss 1.369, 1.83 iters/s
step 9963, batch loss 1.935, 1.83 iters/s
step 9964, batch loss 1.47, 1.83 iters/s
step 9965, batch loss 2.209, 1.82 iters/s
step 9966, batch loss 1.408, 1.83 iters/s
step 9967, batch loss 2.21, 1.83 iters/s
step 9968, batch loss 1.961, 1.83 iters/s
step 9969, batch loss 1.833, 1.84 iters/s
step 9970, batch loss 1.529, 1.85 iters/s
step 9971, batch loss 1.716, 1.82 iters/s
step 9972, batch loss 2.105, 1.83 iters/s
step 9973, batch loss 1.553, 1.82 iters/s
step 9974, batch loss 1.734, 1.83 iters/s
step 9975, batch loss 1.585, 1.82 iters/s
step 9976, batch loss 1.945, 1.83 iters/s
step 9977, batch loss 1.963, 1.82 iters/s
step 9978, batch loss 1.379, 1.83 iters/s
step 9979, batch loss 1.785, 1.82 iters/s
step 9980, batch loss 1.671, 1.83 iters/s
step 9981, batch loss 1.871, 1.83 iters/s
step 9982, batch loss 2.715, 1.83 iters/s
step 9983, batch loss 1.45, 1.82 iters/s
step 9984, batch loss 1.953, 1.82 iters/s
step 9985, batch loss 1.744, 1.83 iters/s
step 9986, batch loss 2.226, 1.83 iters/s
step 9987, batch loss 1.686, 1.83 iters/s
step 9988, batch loss 1.51, 1.83 iters/s
step 9989, batch loss 2.53, 1.83 iters/s
step 9990, batch loss 1.84, 1.83 iters/s
step 9991, batch loss 2.284, 1.82 iters/s
step 9992, batch loss 2.069, 1.82 iters/s
step 9993, batch loss 0.84, 1.83 iters/s
step 9994, batch loss 1.508, 1.82 iters/s
step 9995, batch loss 1.784, 1.82 iters/s
step 9996, batch loss 1.98, 1.84 iters/s
step 9997, batch loss 1.484, 1.83 iters/s
step 9998, batch loss 1.576, 1.83 iters/s
step 9999, batch loss 1.951, 1.82 iters/s
step 10000, batch loss 1.654, 1.84 iters/s
step 10001, batch loss 1.968, 1.83 iters/s
step 10002, batch loss 1.79, 1.83 iters/s

step 10003, batch loss 2.179, 1.82 iters/s
step 10004, batch loss 1.92, 1.83 iters/s
step 10005, batch loss 2.386, 1.84 iters/s
step 10006, batch loss 2.328, 1.83 iters/s
step 10007, batch loss 1.215, 1.83 iters/s
step 10008, batch loss 1.601, 1.85 iters/s
step 10009, batch loss 1.664, 1.85 iters/s
step 10010, batch loss 1.647, 1.82 iters/s
step 10011, batch loss 1.932, 1.83 iters/s
step 10012, batch loss 1.693, 1.82 iters/s
step 10013, batch loss 1.871, 1.83 iters/s
step 10014, batch loss 1.631, 1.82 iters/s
step 10015, batch loss 2.083, 1.82 iters/s
step 10016, batch loss 2.516, 1.82 iters/s
step 10017, batch loss 1.738, 1.83 iters/s
step 10018, batch loss 2.025, 1.83 iters/s
step 10019, batch loss 1.653, 1.83 iters/s
step 10020, batch loss 1.735, 1.83 iters/s
step 10021, batch loss 1.748, 1.82 iters/s
step 10022, batch loss 1.985, 1.82 iters/s
step 10023, batch loss 1.904, 1.83 iters/s
step 10024, batch loss 2.021, 1.83 iters/s
step 10025, batch loss 1.316, 1.83 iters/s
step 10026, batch loss 2.407, 1.82 iters/s
step 10027, batch loss 2.669, 1.85 iters/s
step 10028, batch loss 1.768, 1.82 iters/s
step 10029, batch loss 2.032, 1.84 iters/s
step 10030, batch loss 1.81, 1.83 iters/s
step 10031, batch loss 1.683, 1.83 iters/s
step 10032, batch loss 2.004, 1.82 iters/s
step 10033, batch loss 1.783, 1.83 iters/s
step 10034, batch loss 2.225, 1.83 iters/s
step 10035, batch loss 2.138, 1.81 iters/s
step 10036, batch loss 1.169, 1.84 iters/s
step 10037, batch loss 0.776, 1.83 iters/s
step 10038, batch loss 2.222, 1.83 iters/s
step 10039, batch loss 1.467, 1.83 iters/s
step 10040, batch loss 1.362, 1.83 iters/s
step 10041, batch loss 2.016, 1.86 iters/s
step 10042, batch loss 1.394, 1.82 iters/s
step 10043, batch loss 2.007, 1.83 iters/s
step 10044, batch loss 1.81, 1.82 iters/s
step 10045, batch loss 1.977, 1.83 iters/s
step 10046, batch loss 1.305, 1.84 iters/s
step 10047, batch loss 1.945, 1.83 iters/s
step 10048, batch loss 1.955, 1.83 iters/s
step 10049, batch loss 2.151, 1.83 iters/s
step 10050, batch loss 2.289, 1.84 iters/s

step 10051, batch loss 1.635, 1.83 iters/s
step 10052, batch loss 1.649, 1.83 iters/s
step 10053, batch loss 1.895, 1.82 iters/s
step 10054, batch loss 1.717, 1.82 iters/s
step 10055, batch loss 1.833, 1.81 iters/s
step 10056, batch loss 1.839, 1.83 iters/s
step 10057, batch loss 1.911, 1.83 iters/s
step 10058, batch loss 1.798, 1.82 iters/s
step 10059, batch loss 2.058, 1.83 iters/s
step 10060, batch loss 1.603, 1.82 iters/s
step 10061, batch loss 1.738, 1.83 iters/s
step 10062, batch loss 1.636, 1.82 iters/s
step 10063, batch loss 1.412, 1.83 iters/s
step 10064, batch loss 1.918, 1.83 iters/s
step 10065, batch loss 2.028, 1.82 iters/s
step 10066, batch loss 1.798, 1.82 iters/s
step 10067, batch loss 1.585, 1.83 iters/s
step 10068, batch loss 1.696, 1.85 iters/s
step 10069, batch loss 1.649, 1.83 iters/s
step 10070, batch loss 2.1, 1.83 iters/s
step 10071, batch loss 1.847, 1.84 iters/s
step 10072, batch loss 2.232, 1.82 iters/s
step 10073, batch loss 1.421, 1.84 iters/s
step 10074, batch loss 1.477, 1.83 iters/s
step 10075, batch loss 2.118, 1.82 iters/s
step 10076, batch loss 2.264, 1.82 iters/s
step 10077, batch loss 1.456, 1.82 iters/s
step 10078, batch loss 1.806, 1.85 iters/s
step 10079, batch loss 1.63, 1.83 iters/s
step 10080, batch loss 1.957, 1.83 iters/s
step 10081, batch loss 2.412, 1.83 iters/s
step 10082, batch loss 1.844, 1.85 iters/s
step 10083, batch loss 1.863, 1.82 iters/s
step 10084, batch loss 1.421, 1.82 iters/s
step 10085, batch loss 1.497, 1.83 iters/s
step 10086, batch loss 2.321, 1.82 iters/s
step 10087, batch loss 1.947, 1.82 iters/s
step 10088, batch loss 1.999, 1.83 iters/s
step 10089, batch loss 1.77, 1.84 iters/s
step 10090, batch loss 2.029, 1.82 iters/s
step 10091, batch loss 1.73, 1.82 iters/s
step 10092, batch loss 1.928, 1.83 iters/s
step 10093, batch loss 1.667, 1.83 iters/s
step 10094, batch loss 1.763, 1.84 iters/s
step 10095, batch loss 2.036, 1.82 iters/s
step 10096, batch loss 1.845, 1.83 iters/s
step 10097, batch loss 2.1, 1.82 iters/s
step 10098, batch loss 1.859, 1.83 iters/s

step 10099, batch loss 1.562, 1.82 iters/s
step 10100, batch loss 2.05, 1.83 iters/s
step 10101, batch loss 2.25, 1.84 iters/s
step 10102, batch loss 1.742, 1.82 iters/s
step 10103, batch loss 1.588, 1.83 iters/s
step 10104, batch loss 1.676, 1.84 iters/s
step 10105, batch loss 1.851, 1.83 iters/s
step 10106, batch loss 1.738, 1.82 iters/s
step 10107, batch loss 1.715, 1.83 iters/s
step 10108, batch loss 1.276, 1.81 iters/s
step 10109, batch loss 1.873, 1.84 iters/s
step 10110, batch loss 2.81, 1.82 iters/s
step 10111, batch loss 2.281, 1.83 iters/s
step 10112, batch loss 2.299, 1.82 iters/s
step 10113, batch loss 2.166, 1.83 iters/s
step 10114, batch loss 1.873, 1.83 iters/s
step 10115, batch loss 1.81, 1.83 iters/s
step 10116, batch loss 1.351, 1.83 iters/s
step 10117, batch loss 2.142, 1.86 iters/s
step 10118, batch loss 1.334, 1.84 iters/s
step 10119, batch loss 1.482, 1.83 iters/s
step 10120, batch loss 1.97, 1.83 iters/s
step 10121, batch loss 1.406, 1.82 iters/s
step 10122, batch loss 2.144, 1.83 iters/s
step 10123, batch loss 1.777, 1.83 iters/s
step 10124, batch loss 1.179, 1.83 iters/s
step 10125, batch loss 1.565, 1.84 iters/s
step 10126, batch loss 1.87, 1.82 iters/s
step 10127, batch loss 1.918, 1.82 iters/s
step 10128, batch loss 1.939, 1.85 iters/s
step 10129, batch loss 1.384, 1.83 iters/s
step 10130, batch loss 1.803, 1.83 iters/s
step 10131, batch loss 1.848, 1.83 iters/s
step 10132, batch loss 1.629, 1.83 iters/s
step 10133, batch loss 2.109, 1.84 iters/s
step 10134, batch loss 1.647, 1.83 iters/s
step 10135, batch loss 1.271, 1.83 iters/s
step 10136, batch loss 1.641, 1.82 iters/s
step 10137, batch loss 2.235, 1.82 iters/s
step 10138, batch loss 1.613, 1.82 iters/s
step 10139, batch loss 1.652, 1.83 iters/s
step 10140, batch loss 1.903, 1.82 iters/s
step 10141, batch loss 2.495, 1.83 iters/s
step 10142, batch loss 1.19, 1.83 iters/s
step 10143, batch loss 1.762, 1.85 iters/s
step 10144, batch loss 2.069, 1.83 iters/s
step 10145, batch loss 2.055, 1.84 iters/s
step 10146, batch loss 1.487, 1.83 iters/s

step 10147, batch loss 1.804, 1.84 iters/s
step 10148, batch loss 1.425, 1.81 iters/s
step 10149, batch loss 1.469, 1.83 iters/s
step 10150, batch loss 1.192, 1.82 iters/s
step 10151, batch loss 1.816, 1.82 iters/s
step 10152, batch loss 1.448, 1.82 iters/s
step 10153, batch loss 1.41, 1.82 iters/s
step 10154, batch loss 1.71, 1.83 iters/s
step 10155, batch loss 1.753, 1.82 iters/s
step 10156, batch loss 2.238, 1.82 iters/s
step 10157, batch loss 2.208, 1.82 iters/s
step 10158, batch loss 1.903, 1.82 iters/s
step 10159, batch loss 1.606, 1.82 iters/s
step 10160, batch loss 1.212, 1.82 iters/s
step 10161, batch loss 1.576, 1.83 iters/s
step 10162, batch loss 2.121, 1.83 iters/s
step 10163, batch loss 1.884, 1.81 iters/s
step 10164, batch loss 2.425, 1.81 iters/s
step 10165, batch loss 1.672, 1.83 iters/s
step 10166, batch loss 1.949, 1.83 iters/s
step 10167, batch loss 1.691, 1.82 iters/s
step 10168, batch loss 1.803, 1.82 iters/s
step 10169, batch loss 1.901, 1.83 iters/s
step 10170, batch loss 1.342, 1.82 iters/s
step 10171, batch loss 2.025, 1.82 iters/s
step 10172, batch loss 1.951, 1.83 iters/s
step 10173, batch loss 2.244, 1.82 iters/s
step 10174, batch loss 1.509, 1.83 iters/s
step 10175, batch loss 2.102, 1.83 iters/s
step 10176, batch loss 1.845, 1.82 iters/s
step 10177, batch loss 1.901, 1.83 iters/s
step 10178, batch loss 1.616, 1.82 iters/s
step 10179, batch loss 1.87, 1.82 iters/s
step 10180, batch loss 1.51, 1.82 iters/s
step 10181, batch loss 1.971, 1.83 iters/s
step 10182, batch loss 0.984, 1.84 iters/s
step 10183, batch loss 1.605, 1.83 iters/s
step 10184, batch loss 1.367, 1.83 iters/s
step 10185, batch loss 2.047, 1.85 iters/s
step 10186, batch loss 1.382, 1.84 iters/s
step 10187, batch loss 1.674, 1.83 iters/s
step 10188, batch loss 1.721, 1.83 iters/s
step 10189, batch loss 1.79, 1.83 iters/s
step 10190, batch loss 1.743, 1.83 iters/s
step 10191, batch loss 1.991, 1.84 iters/s
step 10192, batch loss 1.705, 1.83 iters/s
step 10193, batch loss 1.287, 1.83 iters/s
step 10194, batch loss 1.617, 1.83 iters/s

step 10195, batch loss 1.766, 1.83 iters/s
step 10196, batch loss 1.851, 1.82 iters/s
step 10197, batch loss 2.114, 1.85 iters/s
step 10198, batch loss 2.767, 1.82 iters/s
step 10199, batch loss 1.564, 1.84 iters/s
step 10200, batch loss 1.346, 1.82 iters/s
step 10201, batch loss 1.464, 1.83 iters/s
step 10202, batch loss 1.582, 1.82 iters/s
step 10203, batch loss 1.022, 1.83 iters/s
step 10204, batch loss 1.8, 1.82 iters/s
step 10205, batch loss 1.981, 1.82 iters/s
step 10206, batch loss 1.834, 1.84 iters/s
step 10207, batch loss 1.928, 1.83 iters/s
step 10208, batch loss 2.209, 1.82 iters/s
step 10209, batch loss 1.675, 1.83 iters/s
step 10210, batch loss 1.813, 1.83 iters/s
step 10211, batch loss 2.149, 1.82 iters/s
step 10212, batch loss 1.281, 1.83 iters/s
step 10213, batch loss 1.758, 1.83 iters/s
step 10214, batch loss 1.359, 1.82 iters/s
step 10215, batch loss 1.606, 1.83 iters/s
step 10216, batch loss 1.936, 1.82 iters/s
step 10217, batch loss 1.887, 1.83 iters/s
step 10218, batch loss 1.67, 1.83 iters/s
step 10219, batch loss 1.72, 1.83 iters/s
step 10220, batch loss 1.735, 1.82 iters/s
step 10221, batch loss 2.135, 1.83 iters/s
step 10222, batch loss 1.715, 1.82 iters/s
step 10223, batch loss 1.513, 1.83 iters/s
step 10224, batch loss 1.635, 1.83 iters/s
step 10225, batch loss 1.982, 1.83 iters/s
step 10226, batch loss 1.713, 1.82 iters/s
step 10227, batch loss 1.928, 1.83 iters/s
step 10228, batch loss 1.847, 1.83 iters/s
step 10229, batch loss 2.264, 1.82 iters/s
step 10230, batch loss 1.876, 1.84 iters/s
step 10231, batch loss 2.441, 1.83 iters/s
step 10232, batch loss 2.159, 1.83 iters/s
step 10233, batch loss 2.142, 1.82 iters/s
step 10234, batch loss 2.401, 1.83 iters/s
step 10235, batch loss 1.367, 1.82 iters/s
step 10236, batch loss 1.622, 1.83 iters/s
step 10237, batch loss 1.875, 1.83 iters/s
step 10238, batch loss 2.005, 1.82 iters/s
step 10239, batch loss 1.544, 1.82 iters/s
step 10240, batch loss 2.243, 1.83 iters/s
step 10241, batch loss 1.519, 1.83 iters/s
step 10242, batch loss 1.411, 1.82 iters/s

step 10243, batch loss 1.9, 1.82 iters/s
step 10244, batch loss 2.218, 1.82 iters/s
step 10245, batch loss 1.741, 1.83 iters/s
step 10246, batch loss 2.0, 1.82 iters/s
step 10247, batch loss 1.72, 1.83 iters/s
step 10248, batch loss 1.793, 1.82 iters/s
step 10249, batch loss 1.604, 1.83 iters/s
step 10250, batch loss 2.169, 1.83 iters/s
step 10251, batch loss 2.126, 1.82 iters/s
step 10252, batch loss 2.019, 1.83 iters/s
step 10253, batch loss 1.922, 1.83 iters/s
step 10254, batch loss 1.53, 1.83 iters/s
step 10255, batch loss 1.84, 1.83 iters/s
step 10256, batch loss 1.097, 1.83 iters/s
step 10257, batch loss 2.009, 1.83 iters/s
step 10258, batch loss 1.243, 1.85 iters/s
step 10259, batch loss 1.962, 1.82 iters/s
step 10260, batch loss 2.199, 1.83 iters/s
step 10261, batch loss 2.015, 1.83 iters/s
step 10262, batch loss 1.983, 1.82 iters/s
step 10263, batch loss 1.947, 1.85 iters/s
step 10264, batch loss 1.88, 1.82 iters/s
step 10265, batch loss 1.396, 1.83 iters/s
step 10266, batch loss 1.246, 1.84 iters/s
step 10267, batch loss 1.383, 1.83 iters/s
step 10268, batch loss 2.159, 1.83 iters/s
step 10269, batch loss 1.485, 1.83 iters/s
step 10270, batch loss 1.421, 1.83 iters/s
step 10271, batch loss 2.086, 1.83 iters/s
step 10272, batch loss 1.914, 1.83 iters/s
step 10273, batch loss 1.452, 1.84 iters/s
step 10274, batch loss 1.395, 1.85 iters/s
step 10275, batch loss 1.945, 1.82 iters/s
step 10276, batch loss 1.894, 1.82 iters/s
step 10277, batch loss 1.888, 1.82 iters/s
step 10278, batch loss 1.961, 1.82 iters/s
step 10279, batch loss 2.02, 1.82 iters/s
step 10280, batch loss 2.183, 1.82 iters/s
step 10281, batch loss 1.69, 1.83 iters/s
step 10282, batch loss 1.556, 1.83 iters/s
step 10283, batch loss 1.935, 1.82 iters/s
step 10284, batch loss 2.076, 1.83 iters/s
step 10285, batch loss 1.964, 1.83 iters/s
step 10286, batch loss 2.145, 1.83 iters/s
step 10287, batch loss 2.014, 1.83 iters/s
step 10288, batch loss 1.96, 1.83 iters/s
step 10289, batch loss 1.715, 1.83 iters/s
step 10290, batch loss 2.134, 1.84 iters/s

step 10291, batch loss 1.991, 1.83 iters/s
step 10292, batch loss 1.058, 1.84 iters/s
step 10293, batch loss 1.807, 1.83 iters/s
step 10294, batch loss 1.818, 1.83 iters/s
step 10295, batch loss 1.978, 1.83 iters/s
step 10296, batch loss 1.728, 1.83 iters/s
step 10297, batch loss 1.878, 1.82 iters/s
step 10298, batch loss 2.208, 1.84 iters/s
step 10299, batch loss 2.278, 1.83 iters/s
step 10300, batch loss 1.911, 1.83 iters/s
step 10301, batch loss 1.962, 1.83 iters/s
step 10302, batch loss 1.252, 1.83 iters/s
step 10303, batch loss 1.807, 1.82 iters/s
step 10304, batch loss 1.969, 1.82 iters/s
step 10305, batch loss 1.709, 1.84 iters/s
step 10306, batch loss 1.64, 1.83 iters/s
step 10307, batch loss 2.154, 1.82 iters/s
step 10308, batch loss 1.923, 1.83 iters/s
step 10309, batch loss 1.692, 1.84 iters/s
step 10310, batch loss 1.912, 1.82 iters/s
step 10311, batch loss 1.911, 1.83 iters/s
step 10312, batch loss 1.861, 1.83 iters/s
step 10313, batch loss 1.853, 1.83 iters/s
step 10314, batch loss 1.868, 1.84 iters/s
step 10315, batch loss 2.114, 1.84 iters/s
step 10316, batch loss 1.536, 1.83 iters/s
step 10317, batch loss 1.935, 1.83 iters/s
step 10318, batch loss 2.032, 1.83 iters/s
step 10319, batch loss 1.599, 1.83 iters/s
step 10320, batch loss 1.716, 1.82 iters/s
step 10321, batch loss 1.597, 1.83 iters/s
step 10322, batch loss 2.112, 1.84 iters/s
step 10323, batch loss 1.704, 1.82 iters/s
step 10324, batch loss 1.824, 1.83 iters/s
step 10325, batch loss 2.092, 1.82 iters/s
step 10326, batch loss 1.94, 1.82 iters/s
step 10327, batch loss 1.772, 1.83 iters/s
step 10328, batch loss 2.128, 1.83 iters/s
step 10329, batch loss 1.872, 1.83 iters/s
step 10330, batch loss 1.764, 1.83 iters/s
step 10331, batch loss 1.916, 1.83 iters/s
step 10332, batch loss 2.368, 1.83 iters/s
step 10333, batch loss 2.187, 1.84 iters/s
step 10334, batch loss 1.659, 1.83 iters/s
step 10335, batch loss 2.374, 1.84 iters/s
step 10336, batch loss 1.918, 1.83 iters/s
step 10337, batch loss 1.331, 1.83 iters/s
step 10338, batch loss 0.973, 1.84 iters/s

step 10339, batch loss 1.669, 1.83 iters/s
step 10340, batch loss 1.861, 1.83 iters/s
step 10341, batch loss 2.134, 1.83 iters/s
step 10342, batch loss 1.397, 1.85 iters/s
step 10343, batch loss 1.757, 1.83 iters/s
step 10344, batch loss 1.895, 1.83 iters/s
step 10345, batch loss 2.398, 1.83 iters/s
step 10346, batch loss 1.709, 1.83 iters/s
step 10347, batch loss 1.604, 1.83 iters/s
step 10348, batch loss 1.201, 1.83 iters/s
step 10349, batch loss 1.516, 1.83 iters/s
step 10350, batch loss 1.562, 1.82 iters/s
step 10351, batch loss 1.682, 1.83 iters/s
step 10352, batch loss 2.246, 1.82 iters/s
step 10353, batch loss 1.805, 1.84 iters/s
step 10354, batch loss 2.033, 1.83 iters/s
step 10355, batch loss 1.847, 1.83 iters/s
step 10356, batch loss 1.883, 1.83 iters/s
step 10357, batch loss 1.571, 1.84 iters/s
step 10358, batch loss 2.067, 1.82 iters/s
step 10359, batch loss 1.917, 1.83 iters/s
step 10360, batch loss 1.513, 1.82 iters/s
step 10361, batch loss 1.442, 1.83 iters/s
step 10362, batch loss 1.69, 1.83 iters/s
step 10363, batch loss 1.538, 1.83 iters/s
step 10364, batch loss 1.89, 1.83 iters/s
step 10365, batch loss 1.99, 1.83 iters/s
step 10366, batch loss 1.754, 1.83 iters/s
step 10367, batch loss 2.199, 1.82 iters/s
step 10368, batch loss 2.165, 1.83 iters/s
step 10369, batch loss 1.594, 1.83 iters/s
step 10370, batch loss 1.599, 1.82 iters/s
step 10371, batch loss 2.087, 1.82 iters/s
step 10372, batch loss 1.286, 1.83 iters/s
step 10373, batch loss 1.34, 1.83 iters/s
step 10374, batch loss 1.791, 1.83 iters/s
step 10375, batch loss 2.339, 1.83 iters/s
step 10376, batch loss 1.376, 1.83 iters/s
step 10377, batch loss 1.288, 1.85 iters/s
step 10378, batch loss 1.193, 1.84 iters/s
step 10379, batch loss 1.749, 1.83 iters/s
step 10380, batch loss 1.999, 1.82 iters/s
step 10381, batch loss 1.125, 1.83 iters/s
step 10382, batch loss 2.204, 1.83 iters/s
step 10383, batch loss 1.953, 1.83 iters/s
step 10384, batch loss 2.101, 1.83 iters/s
step 10385, batch loss 2.33, 1.83 iters/s
step 10386, batch loss 1.598, 1.84 iters/s

step 10387, batch loss 1.803, 1.83 iters/s
step 10388, batch loss 2.344, 1.83 iters/s
step 10389, batch loss 2.474, 1.83 iters/s
step 10390, batch loss 2.184, 1.82 iters/s
step 10391, batch loss 1.727, 1.83 iters/s
step 10392, batch loss 1.37, 1.83 iters/s
step 10393, batch loss 1.822, 1.83 iters/s
step 10394, batch loss 1.886, 1.84 iters/s
step 10395, batch loss 2.217, 1.83 iters/s
step 10396, batch loss 1.878, 1.82 iters/s
step 10397, batch loss 1.487, 1.83 iters/s
step 10398, batch loss 2.345, 1.83 iters/s
step 10399, batch loss 1.677, 1.83 iters/s
step 10400, batch loss 1.606, 1.82 iters/s
step 10401, batch loss 1.082, 1.85 iters/s
step 10402, batch loss 1.631, 1.83 iters/s
step 10403, batch loss 0.978, 1.83 iters/s
step 10404, batch loss 1.795, 1.84 iters/s
step 10405, batch loss 1.909, 1.83 iters/s
step 10406, batch loss 1.445, 1.83 iters/s
step 10407, batch loss 1.25, 1.86 iters/s
step 10408, batch loss 1.908, 1.82 iters/s
step 10409, batch loss 1.833, 1.83 iters/s
step 10410, batch loss 1.45, 1.83 iters/s
step 10411, batch loss 1.704, 1.84 iters/s
step 10412, batch loss 1.992, 1.82 iters/s
step 10413, batch loss 1.293, 1.84 iters/s
step 10414, batch loss 2.003, 1.83 iters/s
step 10415, batch loss 2.227, 1.82 iters/s
step 10416, batch loss 1.703, 1.85 iters/s
step 10417, batch loss 1.684, 1.83 iters/s
step 10418, batch loss 1.963, 1.83 iters/s
step 10419, batch loss 1.356, 1.83 iters/s
step 10420, batch loss 1.98, 1.82 iters/s
step 10421, batch loss 2.082, 1.82 iters/s
step 10422, batch loss 1.554, 1.83 iters/s
step 10423, batch loss 1.561, 1.84 iters/s
step 10424, batch loss 1.423, 1.83 iters/s
step 10425, batch loss 2.345, 1.82 iters/s
step 10426, batch loss 1.767, 1.83 iters/s
step 10427, batch loss 2.623, 1.82 iters/s
step 10428, batch loss 1.564, 1.82 iters/s
step 10429, batch loss 2.01, 1.82 iters/s
step 10430, batch loss 2.289, 1.82 iters/s
step 10431, batch loss 1.949, 1.83 iters/s
step 10432, batch loss 1.842, 1.83 iters/s
step 10433, batch loss 2.005, 1.83 iters/s
step 10434, batch loss 1.642, 1.83 iters/s

step 10435, batch loss 1.559, 1.83 iters/s
step 10436, batch loss 1.499, 1.83 iters/s
step 10437, batch loss 1.662, 1.84 iters/s
step 10438, batch loss 1.915, 1.82 iters/s
step 10439, batch loss 1.436, 1.83 iters/s
step 10440, batch loss 1.599, 1.83 iters/s
step 10441, batch loss 2.121, 1.83 iters/s
step 10442, batch loss 1.751, 1.83 iters/s
step 10443, batch loss 2.085, 1.83 iters/s
step 10444, batch loss 0.91, 1.83 iters/s
step 10445, batch loss 2.033, 1.82 iters/s
step 10446, batch loss 1.755, 1.83 iters/s
step 10447, batch loss 1.644, 1.85 iters/s
step 10448, batch loss 1.853, 1.83 iters/s
step 10449, batch loss 1.562, 1.83 iters/s
step 10450, batch loss 1.893, 1.83 iters/s
step 10451, batch loss 2.372, 1.82 iters/s
step 10452, batch loss 1.374, 1.84 iters/s
step 10453, batch loss 1.92, 1.85 iters/s
step 10454, batch loss 1.499, 1.83 iters/s
step 10455, batch loss 2.115, 1.83 iters/s
step 10456, batch loss 1.727, 1.83 iters/s
step 10457, batch loss 1.241, 1.83 iters/s
step 10458, batch loss 1.325, 1.83 iters/s
step 10459, batch loss 1.5, 1.82 iters/s
step 10460, batch loss 2.325, 1.83 iters/s
step 10461, batch loss 1.846, 1.83 iters/s
step 10462, batch loss 1.985, 1.85 iters/s
step 10463, batch loss 1.123, 1.85 iters/s
step 10464, batch loss 2.688, 1.83 iters/s
step 10465, batch loss 1.636, 1.82 iters/s
step 10466, batch loss 1.914, 1.83 iters/s
step 10467, batch loss 1.43, 1.83 iters/s
step 10468, batch loss 1.808, 1.83 iters/s
step 10469, batch loss 1.165, 1.83 iters/s
step 10470, batch loss 1.744, 1.82 iters/s
step 10471, batch loss 2.031, 1.83 iters/s
step 10472, batch loss 1.963, 1.86 iters/s
step 10473, batch loss 1.616, 1.83 iters/s
step 10474, batch loss 1.826, 1.82 iters/s
step 10475, batch loss 2.019, 1.83 iters/s
step 10476, batch loss 2.124, 1.82 iters/s
step 10477, batch loss 1.768, 1.82 iters/s
step 10478, batch loss 1.732, 1.82 iters/s
step 10479, batch loss 2.13, 1.82 iters/s
step 10480, batch loss 1.784, 1.83 iters/s
step 10481, batch loss 1.653, 1.82 iters/s
step 10482, batch loss 1.556, 1.85 iters/s

step 10483, batch loss 1.393, 1.83 iters/s
step 10484, batch loss 1.315, 1.83 iters/s
step 10485, batch loss 2.057, 1.83 iters/s
step 10486, batch loss 1.689, 1.84 iters/s
step 10487, batch loss 2.516, 1.83 iters/s
step 10488, batch loss 1.952, 1.83 iters/s
step 10489, batch loss 1.468, 1.83 iters/s
step 10490, batch loss 1.794, 1.83 iters/s
step 10491, batch loss 1.949, 1.83 iters/s
step 10492, batch loss 2.248, 1.83 iters/s
step 10493, batch loss 1.575, 1.83 iters/s
step 10494, batch loss 1.705, 1.83 iters/s
step 10495, batch loss 2.347, 1.82 iters/s
step 10496, batch loss 2.354, 1.83 iters/s
step 10497, batch loss 2.419, 1.83 iters/s
step 10498, batch loss 2.022, 1.83 iters/s
step 10499, batch loss 1.694, 1.84 iters/s
step 10500, batch loss 1.878, 1.83 iters/s
step 10501, batch loss 1.908, 1.83 iters/s
step 10502, batch loss 1.289, 1.84 iters/s
step 10503, batch loss 1.553, 1.83 iters/s
step 10504, batch loss 1.643, 1.83 iters/s
step 10505, batch loss 1.601, 1.85 iters/s
step 10506, batch loss 2.152, 1.85 iters/s
step 10507, batch loss 1.799, 1.84 iters/s
step 10508, batch loss 1.671, 1.83 iters/s
step 10509, batch loss 1.27, 1.82 iters/s
step 10510, batch loss 1.93, 1.82 iters/s
step 10511, batch loss 1.312, 1.82 iters/s
step 10512, batch loss 1.774, 1.83 iters/s
step 10513, batch loss 1.86, 1.82 iters/s
step 10514, batch loss 1.562, 1.83 iters/s
step 10515, batch loss 1.576, 1.83 iters/s
step 10516, batch loss 2.137, 1.85 iters/s
step 10517, batch loss 2.084, 1.82 iters/s
step 10518, batch loss 2.183, 1.83 iters/s
step 10519, batch loss 1.828, 1.83 iters/s
step 10520, batch loss 1.954, 1.82 iters/s
step 10521, batch loss 1.811, 1.83 iters/s
step 10522, batch loss 1.838, 1.84 iters/s
step 10523, batch loss 2.541, 1.82 iters/s
step 10524, batch loss 1.657, 1.83 iters/s
step 10525, batch loss 2.22, 1.82 iters/s
step 10526, batch loss 2.346, 1.83 iters/s
step 10527, batch loss 1.337, 1.84 iters/s
step 10528, batch loss 2.127, 1.84 iters/s
step 10529, batch loss 1.239, 1.83 iters/s
step 10530, batch loss 2.254, 1.83 iters/s

step 10531, batch loss 1.797, 1.84 iters/s
step 10532, batch loss 1.821, 1.83 iters/s
step 10533, batch loss 1.531, 1.83 iters/s
step 10534, batch loss 2.07, 1.82 iters/s
step 10535, batch loss 1.935, 1.83 iters/s
step 10536, batch loss 1.196, 1.83 iters/s
step 10537, batch loss 2.135, 1.83 iters/s
step 10538, batch loss 1.576, 1.83 iters/s
step 10539, batch loss 1.173, 1.83 iters/s
step 10540, batch loss 1.834, 1.83 iters/s
step 10541, batch loss 1.939, 1.85 iters/s
step 10542, batch loss 1.407, 1.83 iters/s
step 10543, batch loss 1.532, 1.86 iters/s
step 10544, batch loss 1.918, 1.85 iters/s
step 10545, batch loss 1.999, 1.83 iters/s
step 10546, batch loss 1.941, 1.83 iters/s
step 10547, batch loss 1.919, 1.83 iters/s
step 10548, batch loss 2.408, 1.82 iters/s
step 10549, batch loss 1.194, 1.85 iters/s
step 10550, batch loss 1.911, 1.84 iters/s
step 10551, batch loss 1.692, 1.83 iters/s
step 10552, batch loss 2.064, 1.82 iters/s
step 10553, batch loss 1.524, 1.83 iters/s
step 10554, batch loss 1.966, 1.85 iters/s
step 10555, batch loss 2.288, 1.82 iters/s
step 10556, batch loss 1.784, 1.83 iters/s
step 10557, batch loss 1.817, 1.82 iters/s
step 10558, batch loss 1.465, 1.83 iters/s
step 10559, batch loss 1.676, 1.83 iters/s
step 10560, batch loss 1.935, 1.84 iters/s
step 10561, batch loss 1.803, 1.83 iters/s
step 10562, batch loss 2.022, 1.82 iters/s
step 10563, batch loss 1.686, 1.83 iters/s
step 10564, batch loss 2.303, 1.83 iters/s
step 10565, batch loss 1.904, 1.82 iters/s
step 10566, batch loss 1.331, 1.82 iters/s
step 10567, batch loss 1.504, 1.83 iters/s
step 10568, batch loss 1.894, 1.83 iters/s
step 10569, batch loss 1.712, 1.84 iters/s
step 10570, batch loss 2.048, 1.83 iters/s
step 10571, batch loss 1.656, 1.82 iters/s
step 10572, batch loss 2.133, 1.83 iters/s
step 10573, batch loss 2.269, 1.82 iters/s
step 10574, batch loss 2.015, 1.83 iters/s
step 10575, batch loss 1.36, 1.83 iters/s
step 10576, batch loss 2.099, 1.82 iters/s
step 10577, batch loss 2.025, 1.82 iters/s
step 10578, batch loss 1.125, 1.83 iters/s

step 10579, batch loss 1.436, 1.82 iters/s
step 10580, batch loss 2.1, 1.83 iters/s
step 10581, batch loss 1.284, 1.83 iters/s
step 10582, batch loss 1.796, 1.83 iters/s
step 10583, batch loss 1.836, 1.83 iters/s
step 10584, batch loss 1.484, 1.83 iters/s
step 10585, batch loss 2.325, 1.83 iters/s
step 10586, batch loss 1.704, 1.83 iters/s
step 10587, batch loss 1.983, 1.83 iters/s
step 10588, batch loss 1.718, 1.85 iters/s
step 10589, batch loss 1.752, 1.84 iters/s
step 10590, batch loss 2.057, 1.85 iters/s
step 10591, batch loss 2.085, 1.83 iters/s
step 10592, batch loss 2.401, 1.83 iters/s
step 10593, batch loss 1.078, 1.82 iters/s
step 10594, batch loss 1.556, 1.84 iters/s
step 10595, batch loss 1.539, 1.84 iters/s
step 10596, batch loss 2.252, 1.83 iters/s
step 10597, batch loss 1.797, 1.83 iters/s
step 10598, batch loss 1.79, 1.84 iters/s
step 10599, batch loss 3.009, 1.85 iters/s
step 10600, batch loss 2.468, 1.83 iters/s
step 10601, batch loss 2.366, 1.83 iters/s
step 10602, batch loss 2.162, 1.83 iters/s
step 10603, batch loss 1.836, 1.83 iters/s
step 10604, batch loss 2.969, 1.83 iters/s
step 10605, batch loss 1.978, 1.83 iters/s
step 10606, batch loss 2.076, 1.83 iters/s
step 10607, batch loss 1.757, 1.83 iters/s
step 10608, batch loss 1.616, 1.84 iters/s
step 10609, batch loss 1.758, 1.83 iters/s
step 10610, batch loss 2.217, 1.82 iters/s
step 10611, batch loss 1.79, 1.83 iters/s
step 10612, batch loss 1.859, 1.83 iters/s
step 10613, batch loss 1.481, 1.82 iters/s
step 10614, batch loss 1.758, 1.82 iters/s
step 10615, batch loss 1.399, 1.83 iters/s
step 10616, batch loss 1.446, 1.84 iters/s
step 10617, batch loss 1.826, 1.83 iters/s
step 10618, batch loss 1.413, 1.83 iters/s
step 10619, batch loss 2.008, 1.83 iters/s
step 10620, batch loss 1.222, 1.83 iters/s
step 10621, batch loss 2.237, 1.83 iters/s
step 10622, batch loss 1.586, 1.81 iters/s
step 10623, batch loss 2.331, 1.83 iters/s
step 10624, batch loss 1.864, 1.83 iters/s
step 10625, batch loss 2.186, 1.83 iters/s
step 10626, batch loss 1.454, 1.82 iters/s

step 10627, batch loss 1.993, 1.82 iters/s
step 10628, batch loss 1.749, 1.83 iters/s
step 10629, batch loss 1.813, 1.83 iters/s
step 10630, batch loss 1.646, 1.83 iters/s
step 10631, batch loss 1.547, 1.83 iters/s
step 10632, batch loss 1.996, 1.83 iters/s
step 10633, batch loss 1.988, 1.84 iters/s
step 10634, batch loss 1.877, 1.83 iters/s
step 10635, batch loss 1.949, 1.85 iters/s
step 10636, batch loss 1.848, 1.83 iters/s
step 10637, batch loss 1.987, 1.83 iters/s
step 10638, batch loss 1.913, 1.83 iters/s
step 10639, batch loss 1.468, 1.83 iters/s
step 10640, batch loss 2.208, 1.83 iters/s
step 10641, batch loss 2.175, 1.83 iters/s
step 10642, batch loss 2.027, 1.83 iters/s
step 10643, batch loss 1.583, 1.85 iters/s
step 10644, batch loss 1.431, 1.82 iters/s
step 10645, batch loss 1.948, 1.82 iters/s
step 10646, batch loss 2.014, 1.83 iters/s
step 10647, batch loss 1.466, 1.83 iters/s
step 10648, batch loss 1.991, 1.83 iters/s
step 10649, batch loss 1.96, 1.83 iters/s
step 10650, batch loss 1.923, 1.84 iters/s
step 10651, batch loss 1.865, 1.86 iters/s
step 10652, batch loss 1.53, 1.82 iters/s
step 10653, batch loss 1.312, 1.83 iters/s
step 10654, batch loss 1.89, 1.83 iters/s
step 10655, batch loss 1.472, 1.83 iters/s
step 10656, batch loss 1.77, 1.83 iters/s
step 10657, batch loss 1.85, 1.84 iters/s
step 10658, batch loss 1.604, 1.83 iters/s
step 10659, batch loss 1.876, 1.83 iters/s
step 10660, batch loss 2.275, 1.83 iters/s
step 10661, batch loss 1.843, 1.84 iters/s
step 10662, batch loss 1.754, 1.82 iters/s
step 10663, batch loss 1.297, 1.82 iters/s
step 10664, batch loss 1.993, 1.83 iters/s
step 10665, batch loss 1.891, 1.84 iters/s
step 10666, batch loss 1.573, 1.85 iters/s
step 10667, batch loss 1.891, 1.82 iters/s
step 10668, batch loss 1.933, 1.84 iters/s
step 10669, batch loss 1.731, 1.83 iters/s
step 10670, batch loss 1.899, 1.82 iters/s
step 10671, batch loss 1.464, 1.83 iters/s
step 10672, batch loss 1.743, 1.83 iters/s
step 10673, batch loss 2.089, 1.82 iters/s
step 10674, batch loss 1.36, 1.82 iters/s

step 10675, batch loss 1.869, 1.83 iters/s
step 10676, batch loss 1.846, 1.83 iters/s
step 10677, batch loss 2.149, 1.82 iters/s
step 10678, batch loss 1.79, 1.83 iters/s
step 10679, batch loss 1.874, 1.82 iters/s
step 10680, batch loss 1.84, 1.83 iters/s
step 10681, batch loss 1.831, 1.82 iters/s
step 10682, batch loss 1.511, 1.82 iters/s
step 10683, batch loss 1.479, 1.83 iters/s
step 10684, batch loss 1.903, 1.82 iters/s
step 10685, batch loss 2.436, 1.82 iters/s
step 10686, batch loss 1.836, 1.83 iters/s
step 10687, batch loss 1.544, 1.82 iters/s
step 10688, batch loss 1.964, 1.84 iters/s
step 10689, batch loss 0.991, 1.83 iters/s
step 10690, batch loss 1.872, 1.84 iters/s
step 10691, batch loss 2.09, 1.84 iters/s
step 10692, batch loss 1.947, 1.84 iters/s
step 10693, batch loss 2.006, 1.83 iters/s
step 10694, batch loss 1.836, 1.82 iters/s
step 10695, batch loss 1.905, 1.83 iters/s
step 10696, batch loss 1.936, 1.83 iters/s
step 10697, batch loss 1.442, 1.83 iters/s
step 10698, batch loss 1.825, 1.82 iters/s
step 10699, batch loss 1.757, 1.82 iters/s
step 10700, batch loss 2.178, 1.83 iters/s
step 10701, batch loss 2.152, 1.83 iters/s
step 10702, batch loss 1.695, 1.84 iters/s
step 10703, batch loss 1.685, 1.85 iters/s
step 10704, batch loss 1.965, 1.84 iters/s
step 10705, batch loss 2.213, 1.83 iters/s
step 10706, batch loss 1.975, 1.82 iters/s
step 10707, batch loss 1.356, 1.83 iters/s
step 10708, batch loss 1.571, 1.83 iters/s
step 10709, batch loss 1.689, 1.82 iters/s
step 10710, batch loss 1.462, 1.82 iters/s
step 10711, batch loss 2.419, 1.82 iters/s
step 10712, batch loss 1.504, 1.83 iters/s
step 10713, batch loss 1.831, 1.83 iters/s
step 10714, batch loss 1.679, 1.83 iters/s
step 10715, batch loss 1.882, 1.84 iters/s
step 10716, batch loss 1.868, 1.83 iters/s
step 10717, batch loss 2.08, 1.83 iters/s
step 10718, batch loss 1.812, 1.83 iters/s
step 10719, batch loss 1.955, 1.84 iters/s
step 10720, batch loss 1.877, 1.83 iters/s
step 10721, batch loss 1.549, 1.86 iters/s
step 10722, batch loss 1.807, 1.83 iters/s

step 10723, batch loss 1.997, 1.83 iters/s
step 10724, batch loss 1.554, 1.82 iters/s
step 10725, batch loss 1.421, 1.83 iters/s
step 10726, batch loss 1.954, 1.82 iters/s
step 10727, batch loss 1.975, 1.83 iters/s
step 10728, batch loss 2.326, 1.82 iters/s
step 10729, batch loss 1.593, 1.81 iters/s
step 10730, batch loss 1.651, 1.83 iters/s
step 10731, batch loss 1.625, 1.84 iters/s
step 10732, batch loss 2.115, 1.83 iters/s
step 10733, batch loss 1.445, 1.83 iters/s
step 10734, batch loss 1.87, 1.82 iters/s
step 10735, batch loss 1.506, 1.83 iters/s
step 10736, batch loss 1.661, 1.83 iters/s
step 10737, batch loss 1.922, 1.83 iters/s
step 10738, batch loss 1.84, 1.83 iters/s
step 10739, batch loss 2.362, 1.82 iters/s
step 10740, batch loss 1.712, 1.83 iters/s
step 10741, batch loss 1.424, 1.83 iters/s
step 10742, batch loss 2.119, 1.82 iters/s
step 10743, batch loss 1.635, 1.82 iters/s
step 10744, batch loss 0.758, 1.83 iters/s
step 10745, batch loss 1.707, 1.82 iters/s
step 10746, batch loss 1.427, 1.82 iters/s
step 10747, batch loss 1.643, 1.84 iters/s
step 10748, batch loss 1.409, 1.84 iters/s
step 10749, batch loss 1.668, 1.83 iters/s
step 10750, batch loss 1.915, 1.83 iters/s
step 10751, batch loss 1.613, 1.83 iters/s
step 10752, batch loss 2.241, 1.82 iters/s
step 10753, batch loss 2.0, 1.83 iters/s
step 10754, batch loss 1.937, 1.83 iters/s
step 10755, batch loss 2.024, 1.83 iters/s
step 10756, batch loss 1.094, 1.83 iters/s
step 10757, batch loss 1.726, 1.83 iters/s
step 10758, batch loss 1.536, 1.85 iters/s
step 10759, batch loss 1.919, 1.83 iters/s
step 10760, batch loss 1.211, 1.82 iters/s
step 10761, batch loss 1.682, 1.84 iters/s
step 10762, batch loss 1.243, 1.82 iters/s
step 10763, batch loss 2.35, 1.83 iters/s
step 10764, batch loss 2.074, 1.84 iters/s
step 10765, batch loss 1.933, 1.82 iters/s
step 10766, batch loss 1.664, 1.84 iters/s
step 10767, batch loss 1.988, 1.83 iters/s
step 10768, batch loss 2.713, 1.82 iters/s
step 10769, batch loss 1.708, 1.83 iters/s
step 10770, batch loss 1.169, 1.84 iters/s

step 10771, batch loss 1.753, 1.83 iters/s
step 10772, batch loss 1.671, 1.84 iters/s
step 10773, batch loss 1.686, 1.83 iters/s
step 10774, batch loss 0.947, 1.84 iters/s
step 10775, batch loss 1.926, 1.83 iters/s
step 10776, batch loss 1.96, 1.83 iters/s
step 10777, batch loss 1.448, 1.83 iters/s
step 10778, batch loss 1.51, 1.82 iters/s
step 10779, batch loss 1.665, 1.83 iters/s
step 10780, batch loss 1.198, 1.82 iters/s
step 10781, batch loss 1.546, 1.84 iters/s
step 10782, batch loss 1.78, 1.84 iters/s
step 10783, batch loss 1.337, 1.83 iters/s
step 10784, batch loss 2.131, 1.85 iters/s
step 10785, batch loss 1.547, 1.83 iters/s
step 10786, batch loss 1.15, 1.83 iters/s
step 10787, batch loss 1.577, 1.84 iters/s
step 10788, batch loss 1.39, 1.83 iters/s
step 10789, batch loss 0.97, 1.84 iters/s
step 10790, batch loss 1.168, 1.85 iters/s
step 10791, batch loss 1.746, 1.82 iters/s
step 10792, batch loss 1.755, 1.83 iters/s
step 10793, batch loss 1.575, 1.82 iters/s
step 10794, batch loss 0.992, 1.82 iters/s
step 10795, batch loss 1.272, 1.83 iters/s
step 10796, batch loss 2.055, 1.82 iters/s
step 10797, batch loss 1.73, 1.82 iters/s
step 10798, batch loss 2.204, 1.84 iters/s
step 10799, batch loss 2.006, 1.82 iters/s
step 10800, batch loss 1.987, 1.81 iters/s
step 10801, batch loss 1.834, 1.83 iters/s
step 10802, batch loss 1.633, 1.83 iters/s
step 10803, batch loss 1.569, 1.83 iters/s
step 10804, batch loss 1.504, 1.83 iters/s
step 10805, batch loss 2.035, 1.82 iters/s
step 10806, batch loss 2.001, 1.83 iters/s
step 10807, batch loss 1.326, 1.82 iters/s
step 10808, batch loss 2.083, 1.82 iters/s
step 10809, batch loss 1.546, 1.82 iters/s
step 10810, batch loss 1.606, 1.83 iters/s
step 10811, batch loss 1.153, 1.82 iters/s
step 10812, batch loss 1.924, 1.83 iters/s
step 10813, batch loss 1.882, 1.82 iters/s
step 10814, batch loss 2.039, 1.83 iters/s
step 10815, batch loss 1.486, 1.82 iters/s
step 10816, batch loss 1.561, 1.84 iters/s
step 10817, batch loss 1.958, 1.82 iters/s
step 10818, batch loss 1.576, 1.83 iters/s

step 10819, batch loss 2.034, 1.82 iters/s
step 10820, batch loss 2.52, 1.83 iters/s
step 10821, batch loss 1.934, 1.83 iters/s
step 10822, batch loss 2.359, 1.84 iters/s
step 10823, batch loss 1.697, 1.83 iters/s
step 10824, batch loss 1.897, 1.83 iters/s
step 10825, batch loss 2.332, 1.82 iters/s
step 10826, batch loss 1.476, 1.84 iters/s
step 10827, batch loss 1.978, 1.84 iters/s
step 10828, batch loss 2.031, 1.83 iters/s
step 10829, batch loss 1.832, 1.84 iters/s
step 10830, batch loss 1.819, 1.84 iters/s
step 10831, batch loss 2.048, 1.83 iters/s
step 10832, batch loss 1.899, 1.83 iters/s
step 10833, batch loss 1.554, 1.83 iters/s
step 10834, batch loss 1.947, 1.83 iters/s
step 10835, batch loss 1.879, 1.83 iters/s
step 10836, batch loss 2.123, 1.84 iters/s
step 10837, batch loss 1.863, 1.83 iters/s
step 10838, batch loss 2.154, 1.83 iters/s
step 10839, batch loss 1.505, 1.85 iters/s
step 10840, batch loss 1.927, 1.82 iters/s
step 10841, batch loss 1.883, 1.82 iters/s
step 10842, batch loss 1.775, 1.84 iters/s
step 10843, batch loss 1.476, 1.83 iters/s
step 10844, batch loss 1.916, 1.83 iters/s
step 10845, batch loss 1.877, 1.82 iters/s
step 10846, batch loss 1.776, 1.82 iters/s
step 10847, batch loss 1.987, 1.83 iters/s
step 10848, batch loss 1.366, 1.83 iters/s
step 10849, batch loss 2.094, 1.83 iters/s
step 10850, batch loss 1.118, 1.83 iters/s
step 10851, batch loss 1.954, 1.82 iters/s
step 10852, batch loss 1.863, 1.83 iters/s
step 10853, batch loss 1.688, 1.83 iters/s
step 10854, batch loss 1.595, 1.82 iters/s
step 10855, batch loss 1.503, 1.82 iters/s
step 10856, batch loss 1.243, 1.83 iters/s
step 10857, batch loss 2.008, 1.82 iters/s
step 10858, batch loss 1.634, 1.82 iters/s
step 10859, batch loss 2.05, 1.83 iters/s
step 10860, batch loss 1.804, 1.83 iters/s
step 10861, batch loss 1.43, 1.82 iters/s
step 10862, batch loss 1.369, 1.83 iters/s
step 10863, batch loss 1.644, 1.83 iters/s
step 10864, batch loss 1.162, 1.82 iters/s
step 10865, batch loss 2.001, 1.82 iters/s
step 10866, batch loss 1.565, 1.83 iters/s

step 10867, batch loss 2.077, 1.82 iters/s
step 10868, batch loss 1.887, 1.83 iters/s
step 10869, batch loss 1.277, 1.83 iters/s
step 10870, batch loss 1.702, 1.82 iters/s
step 10871, batch loss 1.767, 1.83 iters/s
step 10872, batch loss 2.006, 1.82 iters/s
step 10873, batch loss 1.995, 1.84 iters/s
step 10874, batch loss 2.16, 1.85 iters/s
step 10875, batch loss 2.077, 1.83 iters/s
step 10876, batch loss 2.129, 1.84 iters/s
step 10877, batch loss 2.707, 1.84 iters/s
step 10878, batch loss 1.789, 1.83 iters/s
step 10879, batch loss 2.014, 1.84 iters/s
step 10880, batch loss 1.499, 1.82 iters/s
step 10881, batch loss 1.331, 1.83 iters/s
step 10882, batch loss 1.824, 1.84 iters/s
step 10883, batch loss 2.123, 1.83 iters/s
step 10884, batch loss 1.909, 1.84 iters/s
step 10885, batch loss 1.743, 1.82 iters/s
step 10886, batch loss 1.009, 1.83 iters/s
step 10887, batch loss 1.855, 1.84 iters/s
step 10888, batch loss 1.802, 1.82 iters/s
step 10889, batch loss 1.992, 1.82 iters/s
step 10890, batch loss 1.043, 1.85 iters/s
step 10891, batch loss 1.527, 1.83 iters/s
step 10892, batch loss 2.417, 1.84 iters/s
step 10893, batch loss 1.73, 1.82 iters/s
step 10894, batch loss 0.942, 1.84 iters/s
step 10895, batch loss 1.459, 1.83 iters/s
step 10896, batch loss 1.878, 1.83 iters/s
step 10897, batch loss 1.872, 1.83 iters/s
step 10898, batch loss 2.213, 1.84 iters/s
step 10899, batch loss 1.64, 1.82 iters/s
step 10900, batch loss 1.927, 1.83 iters/s
step 10901, batch loss 2.162, 1.83 iters/s
step 10902, batch loss 1.88, 1.82 iters/s
step 10903, batch loss 1.962, 1.83 iters/s
step 10904, batch loss 1.537, 1.84 iters/s
step 10905, batch loss 2.284, 1.82 iters/s
step 10906, batch loss 1.984, 1.83 iters/s
step 10907, batch loss 1.881, 1.83 iters/s
step 10908, batch loss 1.762, 1.83 iters/s
step 10909, batch loss 1.346, 1.84 iters/s
step 10910, batch loss 1.922, 1.83 iters/s
step 10911, batch loss 1.669, 1.83 iters/s
step 10912, batch loss 1.431, 1.84 iters/s
step 10913, batch loss 1.216, 1.83 iters/s
step 10914, batch loss 1.654, 1.83 iters/s

step 10915, batch loss 1.962, 1.83 iters/s
step 10916, batch loss 1.999, 1.82 iters/s
step 10917, batch loss 1.98, 1.83 iters/s
step 10918, batch loss 1.583, 1.82 iters/s
step 10919, batch loss 1.008, 1.84 iters/s
step 10920, batch loss 1.964, 1.83 iters/s
step 10921, batch loss 2.425, 1.83 iters/s
step 10922, batch loss 1.927, 1.82 iters/s
step 10923, batch loss 1.822, 1.84 iters/s
step 10924, batch loss 2.137, 1.84 iters/s
step 10925, batch loss 1.746, 1.83 iters/s
step 10926, batch loss 2.173, 1.83 iters/s
step 10927, batch loss 1.809, 1.83 iters/s
step 10928, batch loss 2.087, 1.84 iters/s
step 10929, batch loss 1.415, 1.84 iters/s
step 10930, batch loss 1.652, 1.81 iters/s
step 10931, batch loss 1.676, 1.83 iters/s
step 10932, batch loss 1.939, 1.84 iters/s
step 10933, batch loss 1.969, 1.83 iters/s
step 10934, batch loss 2.003, 1.82 iters/s
step 10935, batch loss 1.126, 1.82 iters/s
step 10936, batch loss 1.974, 1.82 iters/s
step 10937, batch loss 1.351, 1.84 iters/s
step 10938, batch loss 1.129, 1.83 iters/s
step 10939, batch loss 0.754, 1.82 iters/s
step 10940, batch loss 1.986, 1.83 iters/s
step 10941, batch loss 1.847, 1.82 iters/s
step 10942, batch loss 2.831, 1.85 iters/s
step 10943, batch loss 2.12, 1.85 iters/s
step 10944, batch loss 1.729, 1.83 iters/s
step 10945, batch loss 2.118, 1.83 iters/s
step 10946, batch loss 1.289, 1.83 iters/s
step 10947, batch loss 2.081, 1.82 iters/s
step 10948, batch loss 2.134, 1.85 iters/s
step 10949, batch loss 1.488, 1.83 iters/s
step 10950, batch loss 1.454, 1.83 iters/s
step 10951, batch loss 2.014, 1.82 iters/s
step 10952, batch loss 1.715, 1.82 iters/s
step 10953, batch loss 2.362, 1.82 iters/s
step 10954, batch loss 2.03, 1.82 iters/s
step 10955, batch loss 1.685, 1.83 iters/s
step 10956, batch loss 1.26, 1.83 iters/s
step 10957, batch loss 2.316, 1.83 iters/s
step 10958, batch loss 2.168, 1.83 iters/s
step 10959, batch loss 1.488, 1.83 iters/s
step 10960, batch loss 1.551, 1.83 iters/s
step 10961, batch loss 2.177, 1.81 iters/s
step 10962, batch loss 2.082, 1.83 iters/s

step 10963, batch loss 2.117, 1.83 iters/s
step 10964, batch loss 1.988, 1.81 iters/s
step 10965, batch loss 2.065, 1.83 iters/s
step 10966, batch loss 2.049, 1.84 iters/s
step 10967, batch loss 2.33, 1.83 iters/s
step 10968, batch loss 1.737, 1.83 iters/s
step 10969, batch loss 1.858, 1.82 iters/s
step 10970, batch loss 1.44, 1.83 iters/s
step 10971, batch loss 2.064, 1.82 iters/s
step 10972, batch loss 2.16, 1.83 iters/s
step 10973, batch loss 2.269, 1.83 iters/s
step 10974, batch loss 2.644, 1.83 iters/s
step 10975, batch loss 1.915, 1.83 iters/s
step 10976, batch loss 1.793, 1.84 iters/s
step 10977, batch loss 1.912, 1.83 iters/s
step 10978, batch loss 1.377, 1.85 iters/s
step 10979, batch loss 1.32, 1.83 iters/s
step 10980, batch loss 1.964, 1.83 iters/s
step 10981, batch loss 2.091, 1.83 iters/s
step 10982, batch loss 2.214, 1.83 iters/s
step 10983, batch loss 1.945, 1.85 iters/s
step 10984, batch loss 1.48, 1.83 iters/s
step 10985, batch loss 1.744, 1.82 iters/s
step 10986, batch loss 2.248, 1.82 iters/s
step 10987, batch loss 1.868, 1.84 iters/s
step 10988, batch loss 1.672, 1.82 iters/s
step 10989, batch loss 2.163, 1.83 iters/s
step 10990, batch loss 1.916, 1.83 iters/s
step 10991, batch loss 2.117, 1.85 iters/s
step 10992, batch loss 2.245, 1.83 iters/s
step 10993, batch loss 1.789, 1.84 iters/s
step 10994, batch loss 1.638, 1.83 iters/s
step 10995, batch loss 1.785, 1.83 iters/s
step 10996, batch loss 2.074, 1.83 iters/s
step 10997, batch loss 2.124, 1.83 iters/s
step 10998, batch loss 1.583, 1.84 iters/s
step 10999, batch loss 1.195, 1.83 iters/s
step 11000, batch loss 1.726, 1.83 iters/s
step 11001, batch loss 1.628, 1.83 iters/s
step 11002, batch loss 1.613, 1.83 iters/s
step 11003, batch loss 1.798, 1.84 iters/s
step 11004, batch loss 2.132, 1.83 iters/s
step 11005, batch loss 2.017, 1.83 iters/s
step 11006, batch loss 1.671, 1.82 iters/s
step 11007, batch loss 1.644, 1.83 iters/s
step 11008, batch loss 2.013, 1.84 iters/s
step 11009, batch loss 1.641, 1.84 iters/s
step 11010, batch loss 1.687, 1.83 iters/s

step 11011, batch loss 1.678, 1.86 iters/s
step 11012, batch loss 2.136, 1.83 iters/s
step 11013, batch loss 1.994, 1.82 iters/s
step 11014, batch loss 1.89, 1.83 iters/s
step 11015, batch loss 1.674, 1.84 iters/s
step 11016, batch loss 1.706, 1.86 iters/s
step 11017, batch loss 1.467, 1.83 iters/s
step 11018, batch loss 1.781, 1.83 iters/s
step 11019, batch loss 2.089, 1.83 iters/s
step 11020, batch loss 1.724, 1.82 iters/s
step 11021, batch loss 1.796, 1.84 iters/s
step 11022, batch loss 2.723, 1.82 iters/s
step 11023, batch loss 1.634, 1.83 iters/s
step 11024, batch loss 1.96, 1.83 iters/s
step 11025, batch loss 1.922, 1.84 iters/s
step 11026, batch loss 2.055, 1.85 iters/s
step 11027, batch loss 1.899, 1.83 iters/s
step 11028, batch loss 1.713, 1.83 iters/s
step 11029, batch loss 2.699, 1.82 iters/s
step 11030, batch loss 1.91, 1.83 iters/s
step 11031, batch loss 2.478, 1.83 iters/s
step 11032, batch loss 1.516, 1.83 iters/s
step 11033, batch loss 1.737, 1.83 iters/s
step 11034, batch loss 2.164, 1.82 iters/s
step 11035, batch loss 1.368, 1.83 iters/s
step 11036, batch loss 1.874, 1.83 iters/s
step 11037, batch loss 1.517, 1.83 iters/s
step 11038, batch loss 1.762, 1.84 iters/s
step 11039, batch loss 1.64, 1.82 iters/s
step 11040, batch loss 1.814, 1.83 iters/s
step 11041, batch loss 1.175, 1.83 iters/s
step 11042, batch loss 1.851, 1.82 iters/s
step 11043, batch loss 1.871, 1.83 iters/s
step 11044, batch loss 2.068, 1.83 iters/s
step 11045, batch loss 2.11, 1.83 iters/s
step 11046, batch loss 1.721, 1.82 iters/s
step 11047, batch loss 1.57, 1.82 iters/s
step 11048, batch loss 1.553, 1.83 iters/s
step 11049, batch loss 1.524, 1.83 iters/s
step 11050, batch loss 2.208, 1.83 iters/s
step 11051, batch loss 1.994, 1.83 iters/s
step 11052, batch loss 1.619, 1.83 iters/s
step 11053, batch loss 1.273, 1.86 iters/s
step 11054, batch loss 1.974, 1.82 iters/s
step 11055, batch loss 2.083, 1.83 iters/s
step 11056, batch loss 2.113, 1.83 iters/s
step 11057, batch loss 2.273, 1.84 iters/s
step 11058, batch loss 1.684, 1.82 iters/s

step 11059, batch loss 1.612, 1.83 iters/s
step 11060, batch loss 1.524, 1.85 iters/s
step 11061, batch loss 1.817, 1.84 iters/s
step 11062, batch loss 1.872, 1.82 iters/s
step 11063, batch loss 2.276, 1.83 iters/s
step 11064, batch loss 1.927, 1.85 iters/s
step 11065, batch loss 1.47, 1.83 iters/s
step 11066, batch loss 2.253, 1.83 iters/s
step 11067, batch loss 1.42, 1.85 iters/s
step 11068, batch loss 2.354, 1.83 iters/s
step 11069, batch loss 1.843, 1.83 iters/s
step 11070, batch loss 2.177, 1.82 iters/s
step 11071, batch loss 1.193, 1.84 iters/s
step 11072, batch loss 1.415, 1.84 iters/s
step 11073, batch loss 1.708, 1.83 iters/s
step 11074, batch loss 1.94, 1.83 iters/s
step 11075, batch loss 1.258, 1.84 iters/s
step 11076, batch loss 1.325, 1.85 iters/s
step 11077, batch loss 1.545, 1.82 iters/s
step 11078, batch loss 1.348, 1.82 iters/s
step 11079, batch loss 1.819, 1.83 iters/s
step 11080, batch loss 1.687, 1.83 iters/s
step 11081, batch loss 1.376, 1.83 iters/s
step 11082, batch loss 1.903, 1.83 iters/s
step 11083, batch loss 1.732, 1.83 iters/s
step 11084, batch loss 1.898, 1.86 iters/s
step 11085, batch loss 1.484, 1.82 iters/s
step 11086, batch loss 1.793, 1.83 iters/s
step 11087, batch loss 1.403, 1.84 iters/s
step 11088, batch loss 1.749, 1.83 iters/s
step 11089, batch loss 2.028, 1.83 iters/s
step 11090, batch loss 1.777, 1.85 iters/s
step 11091, batch loss 1.943, 1.84 iters/s
step 11092, batch loss 1.784, 1.83 iters/s
step 11093, batch loss 1.954, 1.85 iters/s
step 11094, batch loss 2.035, 1.83 iters/s
step 11095, batch loss 1.736, 1.82 iters/s
step 11096, batch loss 2.351, 1.82 iters/s
step 11097, batch loss 1.562, 1.83 iters/s
step 11098, batch loss 2.005, 1.82 iters/s
step 11099, batch loss 1.902, 1.84 iters/s
step 11100, batch loss 1.28, 1.85 iters/s
step 11101, batch loss 2.139, 1.85 iters/s
step 11102, batch loss 1.61, 1.83 iters/s
step 11103, batch loss 1.999, 1.83 iters/s
step 11104, batch loss 1.695, 1.83 iters/s
step 11105, batch loss 2.052, 1.85 iters/s
step 11106, batch loss 1.593, 1.84 iters/s

step 11107, batch loss 1.572, 1.82 iters/s
step 11108, batch loss 1.825, 1.85 iters/s
step 11109, batch loss 1.264, 1.83 iters/s
step 11110, batch loss 1.814, 1.83 iters/s
step 11111, batch loss 2.01, 1.82 iters/s
step 11112, batch loss 2.502, 1.83 iters/s
step 11113, batch loss 1.816, 1.82 iters/s
step 11114, batch loss 1.714, 1.84 iters/s
step 11115, batch loss 2.394, 1.81 iters/s
step 11116, batch loss 1.617, 1.83 iters/s
step 11117, batch loss 1.574, 1.83 iters/s
step 11118, batch loss 1.579, 1.83 iters/s
step 11119, batch loss 1.975, 1.82 iters/s
step 11120, batch loss 2.009, 1.83 iters/s
step 11121, batch loss 2.186, 1.82 iters/s
step 11122, batch loss 1.852, 1.83 iters/s
step 11123, batch loss 1.427, 1.82 iters/s
step 11124, batch loss 2.081, 1.83 iters/s
step 11125, batch loss 1.969, 1.82 iters/s
step 11126, batch loss 2.123, 1.83 iters/s
step 11127, batch loss 1.369, 1.82 iters/s
step 11128, batch loss 2.085, 1.82 iters/s
step 11129, batch loss 1.815, 1.83 iters/s
step 11130, batch loss 2.319, 1.82 iters/s
step 11131, batch loss 1.742, 1.83 iters/s
step 11132, batch loss 2.059, 1.83 iters/s
step 11133, batch loss 1.683, 1.83 iters/s
step 11134, batch loss 1.547, 1.83 iters/s
step 11135, batch loss 1.818, 1.82 iters/s
step 11136, batch loss 1.721, 1.82 iters/s
step 11137, batch loss 1.416, 1.83 iters/s
step 11138, batch loss 1.934, 1.83 iters/s
step 11139, batch loss 1.747, 1.83 iters/s
step 11140, batch loss 2.081, 1.85 iters/s
step 11141, batch loss 1.965, 1.83 iters/s
step 11142, batch loss 1.335, 1.83 iters/s
step 11143, batch loss 1.869, 1.83 iters/s
step 11144, batch loss 1.969, 1.81 iters/s
step 11145, batch loss 1.094, 1.83 iters/s
step 11146, batch loss 1.936, 1.82 iters/s
step 11147, batch loss 2.083, 1.83 iters/s
step 11148, batch loss 1.802, 1.84 iters/s
step 11149, batch loss 1.895, 1.83 iters/s
step 11150, batch loss 1.997, 1.83 iters/s
step 11151, batch loss 1.299, 1.84 iters/s
step 11152, batch loss 1.893, 1.83 iters/s
step 11153, batch loss 2.063, 1.83 iters/s
step 11154, batch loss 2.102, 1.83 iters/s

step 11155, batch loss 1.79, 1.86 iters/s
step 11156, batch loss 2.065, 1.83 iters/s
step 11157, batch loss 1.692, 1.83 iters/s
step 11158, batch loss 1.447, 1.83 iters/s
step 11159, batch loss 1.927, 1.83 iters/s
step 11160, batch loss 1.515, 1.83 iters/s
step 11161, batch loss 1.992, 1.83 iters/s
step 11162, batch loss 1.709, 1.82 iters/s
step 11163, batch loss 2.076, 1.83 iters/s
step 11164, batch loss 1.94, 1.83 iters/s
step 11165, batch loss 2.456, 1.83 iters/s
step 11166, batch loss 1.847, 1.83 iters/s
step 11167, batch loss 1.479, 1.83 iters/s
step 11168, batch loss 1.993, 1.83 iters/s
step 11169, batch loss 1.65, 1.82 iters/s
step 11170, batch loss 1.54, 1.83 iters/s
step 11171, batch loss 1.9, 1.83 iters/s
step 11172, batch loss 2.204, 1.84 iters/s
step 11173, batch loss 1.754, 1.83 iters/s
step 11174, batch loss 1.531, 1.82 iters/s
step 11175, batch loss 1.703, 1.83 iters/s
step 11176, batch loss 1.744, 1.84 iters/s
step 11177, batch loss 1.821, 1.83 iters/s
step 11178, batch loss 1.557, 1.83 iters/s
step 11179, batch loss 2.014, 1.84 iters/s
step 11180, batch loss 1.953, 1.83 iters/s
step 11181, batch loss 2.29, 1.82 iters/s
step 11182, batch loss 1.942, 1.85 iters/s
step 11183, batch loss 1.29, 1.83 iters/s
step 11184, batch loss 1.233, 1.83 iters/s
step 11185, batch loss 1.937, 1.83 iters/s
step 11186, batch loss 2.038, 1.82 iters/s
step 11187, batch loss 1.571, 1.82 iters/s
step 11188, batch loss 1.747, 1.83 iters/s
step 11189, batch loss 1.554, 1.82 iters/s
step 11190, batch loss 2.292, 1.83 iters/s
step 11191, batch loss 1.682, 1.83 iters/s
step 11192, batch loss 1.832, 1.83 iters/s
step 11193, batch loss 1.32, 1.86 iters/s
step 11194, batch loss 1.274, 1.83 iters/s
step 11195, batch loss 1.647, 1.83 iters/s
step 11196, batch loss 1.843, 1.85 iters/s
step 11197, batch loss 1.447, 1.82 iters/s
step 11198, batch loss 1.824, 1.83 iters/s
step 11199, batch loss 2.256, 1.83 iters/s
step 11200, batch loss 2.053, 1.83 iters/s
step 11201, batch loss 1.53, 1.83 iters/s
step 11202, batch loss 2.137, 1.82 iters/s

step 11203, batch loss 1.318, 1.83 iters/s
step 11204, batch loss 2.094, 1.83 iters/s
step 11205, batch loss 2.176, 1.82 iters/s
step 11206, batch loss 2.369, 1.84 iters/s
step 11207, batch loss 1.568, 1.84 iters/s
step 11208, batch loss 1.718, 1.82 iters/s
step 11209, batch loss 1.484, 1.84 iters/s
step 11210, batch loss 1.758, 1.84 iters/s
step 11211, batch loss 1.508, 1.83 iters/s
step 11212, batch loss 1.765, 1.82 iters/s
step 11213, batch loss 1.866, 1.83 iters/s
step 11214, batch loss 1.968, 1.82 iters/s
step 11215, batch loss 1.622, 1.83 iters/s
step 11216, batch loss 2.034, 1.83 iters/s
step 11217, batch loss 2.035, 1.84 iters/s
step 11218, batch loss 1.898, 1.84 iters/s
step 11219, batch loss 1.456, 1.83 iters/s
step 11220, batch loss 1.974, 1.83 iters/s
step 11221, batch loss 2.329, 1.84 iters/s
step 11222, batch loss 1.331, 1.84 iters/s
step 11223, batch loss 2.024, 1.82 iters/s
step 11224, batch loss 1.51, 1.83 iters/s
step 11225, batch loss 1.471, 1.82 iters/s
step 11226, batch loss 2.636, 1.83 iters/s
step 11227, batch loss 2.497, 1.83 iters/s
step 11228, batch loss 1.994, 1.83 iters/s
step 11229, batch loss 1.557, 1.83 iters/s
step 11230, batch loss 1.686, 1.83 iters/s
step 11231, batch loss 1.506, 1.83 iters/s
step 11232, batch loss 1.503, 1.83 iters/s
step 11233, batch loss 2.112, 1.83 iters/s
step 11234, batch loss 2.064, 1.83 iters/s
step 11235, batch loss 2.106, 1.82 iters/s
step 11236, batch loss 1.943, 1.83 iters/s
step 11237, batch loss 2.079, 1.83 iters/s
step 11238, batch loss 1.237, 1.82 iters/s
step 11239, batch loss 1.875, 1.83 iters/s
step 11240, batch loss 1.724, 1.83 iters/s
step 11241, batch loss 1.991, 1.83 iters/s
step 11242, batch loss 1.84, 1.82 iters/s
step 11243, batch loss 2.09, 1.82 iters/s
step 11244, batch loss 1.834, 1.82 iters/s
step 11245, batch loss 2.323, 1.82 iters/s
step 11246, batch loss 2.14, 1.83 iters/s
step 11247, batch loss 1.792, 1.82 iters/s
step 11248, batch loss 1.862, 1.84 iters/s
step 11249, batch loss 1.985, 1.82 iters/s
step 11250, batch loss 1.788, 1.83 iters/s

step 11251, batch loss 1.47, 1.83 iters/s
step 11252, batch loss 2.046, 1.82 iters/s
step 11253, batch loss 1.777, 1.84 iters/s
step 11254, batch loss 1.679, 1.83 iters/s
step 11255, batch loss 1.565, 1.83 iters/s
step 11256, batch loss 1.26, 1.83 iters/s
step 11257, batch loss 1.133, 1.82 iters/s
step 11258, batch loss 1.375, 1.83 iters/s
step 11259, batch loss 1.186, 1.83 iters/s
step 11260, batch loss 1.68, 1.83 iters/s
step 11261, batch loss 1.968, 1.84 iters/s
step 11262, batch loss 2.017, 1.84 iters/s
step 11263, batch loss 1.944, 1.83 iters/s
step 11264, batch loss 1.736, 1.84 iters/s
step 11265, batch loss 1.785, 1.84 iters/s
step 11266, batch loss 1.831, 1.82 iters/s
step 11267, batch loss 1.635, 1.82 iters/s
step 11268, batch loss 1.997, 1.83 iters/s
step 11269, batch loss 0.819, 1.84 iters/s
step 11270, batch loss 1.666, 1.83 iters/s
step 11271, batch loss 1.774, 1.83 iters/s
step 11272, batch loss 1.948, 1.84 iters/s
step 11273, batch loss 2.357, 1.83 iters/s
step 11274, batch loss 2.69, 1.83 iters/s
step 11275, batch loss 2.379, 1.83 iters/s
step 11276, batch loss 2.045, 1.83 iters/s
step 11277, batch loss 1.503, 1.83 iters/s
step 11278, batch loss 1.681, 1.83 iters/s
step 11279, batch loss 2.599, 1.83 iters/s
step 11280, batch loss 1.519, 1.84 iters/s
step 11281, batch loss 1.294, 1.84 iters/s
step 11282, batch loss 2.058, 1.84 iters/s
step 11283, batch loss 1.973, 1.83 iters/s
step 11284, batch loss 1.58, 1.82 iters/s
step 11285, batch loss 1.863, 1.83 iters/s
step 11286, batch loss 1.056, 1.83 iters/s
step 11287, batch loss 1.881, 1.83 iters/s
step 11288, batch loss 1.242, 1.83 iters/s
step 11289, batch loss 2.109, 1.83 iters/s
step 11290, batch loss 1.667, 1.83 iters/s
step 11291, batch loss 1.745, 1.84 iters/s
step 11292, batch loss 1.612, 1.84 iters/s
step 11293, batch loss 1.969, 1.83 iters/s
step 11294, batch loss 1.767, 1.83 iters/s
step 11295, batch loss 1.948, 1.83 iters/s
step 11296, batch loss 1.465, 1.83 iters/s
step 11297, batch loss 1.535, 1.83 iters/s
step 11298, batch loss 2.24, 1.83 iters/s

step 11299, batch loss 2.078, 1.83 iters/s
step 11300, batch loss 1.913, 1.83 iters/s
step 11301, batch loss 1.815, 1.82 iters/s
step 11302, batch loss 1.673, 1.83 iters/s
step 11303, batch loss 1.828, 1.83 iters/s
step 11304, batch loss 2.367, 1.82 iters/s
step 11305, batch loss 1.983, 1.84 iters/s
step 11306, batch loss 1.862, 1.84 iters/s
step 11307, batch loss 1.582, 1.83 iters/s
step 11308, batch loss 1.775, 1.84 iters/s
step 11309, batch loss 1.688, 1.83 iters/s
step 11310, batch loss 2.342, 1.85 iters/s
step 11311, batch loss 1.08, 1.83 iters/s
step 11312, batch loss 0.925, 1.84 iters/s
step 11313, batch loss 2.069, 1.83 iters/s
step 11314, batch loss 2.408, 1.84 iters/s
step 11315, batch loss 1.673, 1.84 iters/s
step 11316, batch loss 2.113, 1.83 iters/s
step 11317, batch loss 1.805, 1.83 iters/s
step 11318, batch loss 1.414, 1.83 iters/s
step 11319, batch loss 2.484, 1.84 iters/s
step 11320, batch loss 1.132, 1.83 iters/s
step 11321, batch loss 1.393, 1.83 iters/s
step 11322, batch loss 2.077, 1.84 iters/s
step 11323, batch loss 1.714, 1.84 iters/s
step 11324, batch loss 1.958, 1.83 iters/s
step 11325, batch loss 1.948, 1.83 iters/s
step 11326, batch loss 2.467, 1.82 iters/s
step 11327, batch loss 2.348, 1.84 iters/s
step 11328, batch loss 1.68, 1.82 iters/s
step 11329, batch loss 1.457, 1.82 iters/s
step 11330, batch loss 1.712, 1.83 iters/s
step 11331, batch loss 2.079, 1.83 iters/s
step 11332, batch loss 1.188, 1.83 iters/s
step 11333, batch loss 1.622, 1.84 iters/s
step 11334, batch loss 1.973, 1.83 iters/s
step 11335, batch loss 1.241, 1.86 iters/s
step 11336, batch loss 1.574, 1.83 iters/s
step 11337, batch loss 1.929, 1.85 iters/s
step 11338, batch loss 1.711, 1.83 iters/s
step 11339, batch loss 1.846, 1.83 iters/s
step 11340, batch loss 1.995, 1.83 iters/s
step 11341, batch loss 2.419, 1.83 iters/s
step 11342, batch loss 1.647, 1.83 iters/s
step 11343, batch loss 2.203, 1.83 iters/s
step 11344, batch loss 2.86, 1.82 iters/s
step 11345, batch loss 1.21, 1.83 iters/s
step 11346, batch loss 2.231, 1.82 iters/s

step 11347, batch loss 1.895, 1.83 iters/s
step 11348, batch loss 1.684, 1.83 iters/s
step 11349, batch loss 1.979, 1.83 iters/s
step 11350, batch loss 2.214, 1.83 iters/s
step 11351, batch loss 2.014, 1.82 iters/s
step 11352, batch loss 1.42, 1.83 iters/s
step 11353, batch loss 1.344, 1.84 iters/s
step 11354, batch loss 1.415, 1.83 iters/s
step 11355, batch loss 1.853, 1.83 iters/s
step 11356, batch loss 1.761, 1.83 iters/s
step 11357, batch loss 2.223, 1.83 iters/s
step 11358, batch loss 1.645, 1.82 iters/s
step 11359, batch loss 1.741, 1.83 iters/s
step 11360, batch loss 1.037, 1.83 iters/s
step 11361, batch loss 1.713, 1.83 iters/s
step 11362, batch loss 1.594, 1.83 iters/s
step 11363, batch loss 2.248, 1.83 iters/s
step 11364, batch loss 1.879, 1.84 iters/s
step 11365, batch loss 1.562, 1.83 iters/s
step 11366, batch loss 1.791, 1.82 iters/s
step 11367, batch loss 2.07, 1.83 iters/s
step 11368, batch loss 1.605, 1.85 iters/s
step 11369, batch loss 1.694, 1.83 iters/s
step 11370, batch loss 1.585, 1.84 iters/s
step 11371, batch loss 2.051, 1.83 iters/s
step 11372, batch loss 2.002, 1.84 iters/s
step 11373, batch loss 1.896, 1.83 iters/s
step 11374, batch loss 1.555, 1.83 iters/s
step 11375, batch loss 1.584, 1.86 iters/s
step 11376, batch loss 2.094, 1.83 iters/s
step 11377, batch loss 1.883, 1.82 iters/s
step 11378, batch loss 2.094, 1.83 iters/s
step 11379, batch loss 1.685, 1.84 iters/s
step 11380, batch loss 1.734, 1.86 iters/s
step 11381, batch loss 1.375, 1.84 iters/s
step 11382, batch loss 1.64, 1.83 iters/s
step 11383, batch loss 1.624, 1.82 iters/s
step 11384, batch loss 1.602, 1.84 iters/s
step 11385, batch loss 1.674, 1.83 iters/s
step 11386, batch loss 0.948, 1.83 iters/s
step 11387, batch loss 1.461, 1.83 iters/s
step 11388, batch loss 1.469, 1.84 iters/s
step 11389, batch loss 2.251, 1.82 iters/s
step 11390, batch loss 1.907, 1.84 iters/s
step 11391, batch loss 1.208, 1.85 iters/s
step 11392, batch loss 1.134, 1.84 iters/s
step 11393, batch loss 1.73, 1.82 iters/s
step 11394, batch loss 1.428, 1.83 iters/s

step 11395, batch loss 1.715, 1.83 iters/s
step 11396, batch loss 1.258, 1.82 iters/s
step 11397, batch loss 1.076, 1.84 iters/s
step 11398, batch loss 1.885, 1.83 iters/s
step 11399, batch loss 1.781, 1.83 iters/s
step 11400, batch loss 2.085, 1.83 iters/s
step 11401, batch loss 1.739, 1.84 iters/s
step 11402, batch loss 1.344, 1.83 iters/s
step 11403, batch loss 1.672, 1.82 iters/s
step 11404, batch loss 1.143, 1.84 iters/s
step 11405, batch loss 1.996, 1.82 iters/s
step 11406, batch loss 1.827, 1.83 iters/s
step 11407, batch loss 1.996, 1.83 iters/s
step 11408, batch loss 1.943, 1.83 iters/s
step 11409, batch loss 1.793, 1.84 iters/s
step 11410, batch loss 2.164, 1.83 iters/s
step 11411, batch loss 2.01, 1.83 iters/s
step 11412, batch loss 2.458, 1.83 iters/s
step 11413, batch loss 1.721, 1.85 iters/s
step 11414, batch loss 1.805, 1.86 iters/s
step 11415, batch loss 1.278, 1.83 iters/s
step 11416, batch loss 1.647, 1.83 iters/s
step 11417, batch loss 1.552, 1.83 iters/s
step 11418, batch loss 2.093, 1.84 iters/s
step 11419, batch loss 1.689, 1.83 iters/s
step 11420, batch loss 1.815, 1.83 iters/s
step 11421, batch loss 2.182, 1.83 iters/s
step 11422, batch loss 1.922, 1.83 iters/s
step 11423, batch loss 1.701, 1.83 iters/s
step 11424, batch loss 1.72, 1.83 iters/s
step 11425, batch loss 2.256, 1.83 iters/s
step 11426, batch loss 2.066, 1.83 iters/s
step 11427, batch loss 1.699, 1.83 iters/s
step 11428, batch loss 1.767, 1.83 iters/s
step 11429, batch loss 1.997, 1.83 iters/s
step 11430, batch loss 1.805, 1.84 iters/s
step 11431, batch loss 1.233, 1.85 iters/s
step 11432, batch loss 1.484, 1.82 iters/s
step 11433, batch loss 1.729, 1.83 iters/s
step 11434, batch loss 1.718, 1.83 iters/s
step 11435, batch loss 2.201, 1.84 iters/s
step 11436, batch loss 1.461, 1.83 iters/s
step 11437, batch loss 1.527, 1.83 iters/s
step 11438, batch loss 1.594, 1.83 iters/s
step 11439, batch loss 1.791, 1.82 iters/s
step 11440, batch loss 1.204, 1.83 iters/s
step 11441, batch loss 2.12, 1.83 iters/s
step 11442, batch loss 1.136, 1.83 iters/s

step 11443, batch loss 1.851, 1.83 iters/s
step 11444, batch loss 2.178, 1.83 iters/s
step 11445, batch loss 1.913, 1.83 iters/s
step 11446, batch loss 2.323, 1.82 iters/s
step 11447, batch loss 1.095, 1.83 iters/s
step 11448, batch loss 1.634, 1.83 iters/s
step 11449, batch loss 1.974, 1.83 iters/s
step 11450, batch loss 1.535, 1.84 iters/s
step 11451, batch loss 1.386, 1.83 iters/s
step 11452, batch loss 1.373, 1.83 iters/s
step 11453, batch loss 1.574, 1.83 iters/s
step 11454, batch loss 1.76, 1.83 iters/s
step 11455, batch loss 1.502, 1.83 iters/s
step 11456, batch loss 1.976, 1.83 iters/s
step 11457, batch loss 1.76, 1.83 iters/s
step 11458, batch loss 1.78, 1.83 iters/s
step 11459, batch loss 1.875, 1.82 iters/s
step 11460, batch loss 2.213, 1.82 iters/s
step 11461, batch loss 1.719, 1.83 iters/s
step 11462, batch loss 1.136, 1.82 iters/s
step 11463, batch loss 1.81, 1.83 iters/s
step 11464, batch loss 1.901, 1.82 iters/s
step 11465, batch loss 2.893, 1.83 iters/s
step 11466, batch loss 1.626, 1.85 iters/s
step 11467, batch loss 2.662, 1.83 iters/s
step 11468, batch loss 1.696, 1.83 iters/s
step 11469, batch loss 0.976, 1.83 iters/s
step 11470, batch loss 1.879, 1.83 iters/s
step 11471, batch loss 1.85, 1.84 iters/s
step 11472, batch loss 1.854, 1.83 iters/s
step 11473, batch loss 2.011, 1.83 iters/s
step 11474, batch loss 1.775, 1.83 iters/s
step 11475, batch loss 2.154, 1.83 iters/s
step 11476, batch loss 1.656, 1.83 iters/s
step 11477, batch loss 1.913, 1.83 iters/s
step 11478, batch loss 2.059, 1.83 iters/s
step 11479, batch loss 1.325, 1.83 iters/s
step 11480, batch loss 1.893, 1.83 iters/s
step 11481, batch loss 1.814, 1.83 iters/s
step 11482, batch loss 1.205, 1.83 iters/s
step 11483, batch loss 1.713, 1.83 iters/s
step 11484, batch loss 1.475, 1.83 iters/s
step 11485, batch loss 1.896, 1.83 iters/s
step 11486, batch loss 1.656, 1.82 iters/s
step 11487, batch loss 2.077, 1.84 iters/s
step 11488, batch loss 1.753, 1.84 iters/s
step 11489, batch loss 1.795, 1.83 iters/s
step 11490, batch loss 2.228, 1.82 iters/s

step 11491, batch loss 1.46, 1.83 iters/s
step 11492, batch loss 1.726, 1.83 iters/s
step 11493, batch loss 1.943, 1.84 iters/s
step 11494, batch loss 1.977, 1.83 iters/s
step 11495, batch loss 2.02, 1.83 iters/s
step 11496, batch loss 1.286, 1.84 iters/s
step 11497, batch loss 2.107, 1.83 iters/s
step 11498, batch loss 1.219, 1.85 iters/s
step 11499, batch loss 2.203, 1.82 iters/s
step 11500, batch loss 1.515, 1.85 iters/s
step 11501, batch loss 0.772, 1.83 iters/s
step 11502, batch loss 2.24, 1.83 iters/s
step 11503, batch loss 1.752, 1.83 iters/s
step 11504, batch loss 2.267, 1.83 iters/s
step 11505, batch loss 1.913, 1.83 iters/s
step 11506, batch loss 2.094, 1.86 iters/s
step 11507, batch loss 2.463, 1.82 iters/s
step 11508, batch loss 1.705, 1.83 iters/s
step 11509, batch loss 1.894, 1.83 iters/s
step 11510, batch loss 2.143, 1.83 iters/s
step 11511, batch loss 1.578, 1.82 iters/s
step 11512, batch loss 1.556, 1.83 iters/s
step 11513, batch loss 1.773, 1.83 iters/s
step 11514, batch loss 1.637, 1.83 iters/s
step 11515, batch loss 1.526, 1.85 iters/s
step 11516, batch loss 2.245, 1.82 iters/s
step 11517, batch loss 1.397, 1.83 iters/s
step 11518, batch loss 1.638, 1.82 iters/s
step 11519, batch loss 1.69, 1.83 iters/s
step 11520, batch loss 2.312, 1.85 iters/s
step 11521, batch loss 1.495, 1.85 iters/s
step 11522, batch loss 2.112, 1.83 iters/s
step 11523, batch loss 1.869, 1.86 iters/s
step 11524, batch loss 1.722, 1.83 iters/s
step 11525, batch loss 2.305, 1.83 iters/s
step 11526, batch loss 1.352, 1.83 iters/s
step 11527, batch loss 2.134, 1.84 iters/s
step 11528, batch loss 1.854, 1.84 iters/s
step 11529, batch loss 1.548, 1.84 iters/s
step 11530, batch loss 2.166, 1.83 iters/s
step 11531, batch loss 1.886, 1.84 iters/s
step 11532, batch loss 1.91, 1.83 iters/s
step 11533, batch loss 2.167, 1.83 iters/s
step 11534, batch loss 1.967, 1.86 iters/s
step 11535, batch loss 1.774, 1.83 iters/s
step 11536, batch loss 1.406, 1.82 iters/s
step 11537, batch loss 2.187, 1.83 iters/s
step 11538, batch loss 1.793, 1.82 iters/s

step 11539, batch loss 1.528, 1.83 iters/s
step 11540, batch loss 2.008, 1.84 iters/s
step 11541, batch loss 1.941, 1.82 iters/s
step 11542, batch loss 1.9, 1.84 iters/s
step 11543, batch loss 1.317, 1.83 iters/s
step 11544, batch loss 1.265, 1.82 iters/s
step 11545, batch loss 1.397, 1.84 iters/s
step 11546, batch loss 2.928, 1.83 iters/s
step 11547, batch loss 2.116, 1.83 iters/s
step 11548, batch loss 1.807, 1.83 iters/s
step 11549, batch loss 1.719, 1.83 iters/s
step 11550, batch loss 2.071, 1.83 iters/s
step 11551, batch loss 1.8, 1.82 iters/s
step 11552, batch loss 1.476, 1.83 iters/s
step 11553, batch loss 2.013, 1.83 iters/s
step 11554, batch loss 1.637, 1.86 iters/s
step 11555, batch loss 1.92, 1.85 iters/s
step 11556, batch loss 1.466, 1.84 iters/s
step 11557, batch loss 1.904, 1.83 iters/s
step 11558, batch loss 1.964, 1.83 iters/s
step 11559, batch loss 1.832, 1.83 iters/s
step 11560, batch loss 2.893, 1.83 iters/s
step 11561, batch loss 1.79, 1.83 iters/s
step 11562, batch loss 1.639, 1.84 iters/s
step 11563, batch loss 1.824, 1.83 iters/s
step 11564, batch loss 2.021, 1.82 iters/s
step 11565, batch loss 1.665, 1.83 iters/s
step 11566, batch loss 2.154, 1.83 iters/s
step 11567, batch loss 1.588, 1.82 iters/s
step 11568, batch loss 1.261, 1.83 iters/s
step 11569, batch loss 1.924, 1.83 iters/s
step 11570, batch loss 2.006, 1.83 iters/s
step 11571, batch loss 1.291, 1.83 iters/s
step 11572, batch loss 1.51, 1.82 iters/s
step 11573, batch loss 1.426, 1.83 iters/s
step 11574, batch loss 1.463, 1.83 iters/s
step 11575, batch loss 1.473, 1.82 iters/s
step 11576, batch loss 2.435, 1.82 iters/s
step 11577, batch loss 1.952, 1.83 iters/s
step 11578, batch loss 1.565, 1.83 iters/s
step 11579, batch loss 1.654, 1.84 iters/s
step 11580, batch loss 1.509, 1.83 iters/s
step 11581, batch loss 2.456, 1.84 iters/s
step 11582, batch loss 1.769, 1.83 iters/s
step 11583, batch loss 1.704, 1.84 iters/s
step 11584, batch loss 1.857, 1.84 iters/s
step 11585, batch loss 2.086, 1.83 iters/s
step 11586, batch loss 2.065, 1.82 iters/s

step 11587, batch loss 1.852, 1.83 iters/s
step 11588, batch loss 2.206, 1.83 iters/s
step 11589, batch loss 1.483, 1.83 iters/s
step 11590, batch loss 2.218, 1.83 iters/s
step 11591, batch loss 2.359, 1.83 iters/s
step 11592, batch loss 1.932, 1.85 iters/s
step 11593, batch loss 2.029, 1.83 iters/s
step 11594, batch loss 2.048, 1.82 iters/s
step 11595, batch loss 1.599, 1.83 iters/s
step 11596, batch loss 1.514, 1.85 iters/s
step 11597, batch loss 1.243, 1.83 iters/s
step 11598, batch loss 1.874, 1.83 iters/s
step 11599, batch loss 2.15, 1.84 iters/s
step 11600, batch loss 1.106, 1.84 iters/s
step 11601, batch loss 1.836, 1.84 iters/s
step 11602, batch loss 1.911, 1.83 iters/s
step 11603, batch loss 1.501, 1.83 iters/s
step 11604, batch loss 1.837, 1.83 iters/s
step 11605, batch loss 0.857, 1.83 iters/s
step 11606, batch loss 2.047, 1.83 iters/s
step 11607, batch loss 1.37, 1.83 iters/s
step 11608, batch loss 1.982, 1.82 iters/s
step 11609, batch loss 1.541, 1.84 iters/s
step 11610, batch loss 1.745, 1.83 iters/s
step 11611, batch loss 1.865, 1.83 iters/s
step 11612, batch loss 1.658, 1.84 iters/s
step 11613, batch loss 1.771, 1.83 iters/s
step 11614, batch loss 1.772, 1.84 iters/s
step 11615, batch loss 2.063, 1.82 iters/s
step 11616, batch loss 1.441, 1.83 iters/s
step 11617, batch loss 2.106, 1.83 iters/s
step 11618, batch loss 1.562, 1.85 iters/s
step 11619, batch loss 1.72, 1.82 iters/s
step 11620, batch loss 1.88, 1.82 iters/s
step 11621, batch loss 2.043, 1.83 iters/s
step 11622, batch loss 1.737, 1.83 iters/s
step 11623, batch loss 1.676, 1.82 iters/s
step 11624, batch loss 1.644, 1.85 iters/s
step 11625, batch loss 2.133, 1.83 iters/s
step 11626, batch loss 1.209, 1.83 iters/s
step 11627, batch loss 1.966, 1.83 iters/s
step 11628, batch loss 1.667, 1.82 iters/s
step 11629, batch loss 2.263, 1.83 iters/s
step 11630, batch loss 1.488, 1.83 iters/s
step 11631, batch loss 1.732, 1.82 iters/s
step 11632, batch loss 1.402, 1.85 iters/s
step 11633, batch loss 1.974, 1.83 iters/s
step 11634, batch loss 2.408, 1.82 iters/s

step 11635, batch loss 1.677, 1.84 iters/s
step 11636, batch loss 2.315, 1.83 iters/s
step 11637, batch loss 1.461, 1.83 iters/s
step 11638, batch loss 1.817, 1.83 iters/s
step 11639, batch loss 1.419, 1.83 iters/s
step 11640, batch loss 2.162, 1.82 iters/s
step 11641, batch loss 2.161, 1.82 iters/s
step 11642, batch loss 2.013, 1.83 iters/s
step 11643, batch loss 1.805, 1.82 iters/s
step 11644, batch loss 2.311, 1.83 iters/s
step 11645, batch loss 1.657, 1.83 iters/s
step 11646, batch loss 2.014, 1.83 iters/s
step 11647, batch loss 2.269, 1.84 iters/s
step 11648, batch loss 1.376, 1.82 iters/s
step 11649, batch loss 1.435, 1.83 iters/s
step 11650, batch loss 1.393, 1.82 iters/s
step 11651, batch loss 2.766, 1.83 iters/s
step 11652, batch loss 1.461, 1.82 iters/s
step 11653, batch loss 1.541, 1.83 iters/s
step 11654, batch loss 1.701, 1.83 iters/s
step 11655, batch loss 1.523, 1.83 iters/s
step 11656, batch loss 2.019, 1.83 iters/s
step 11657, batch loss 2.043, 1.83 iters/s
step 11658, batch loss 1.649, 1.83 iters/s
step 11659, batch loss 1.388, 1.83 iters/s
step 11660, batch loss 2.516, 1.83 iters/s
step 11661, batch loss 1.749, 1.84 iters/s
step 11662, batch loss 2.189, 1.85 iters/s
step 11663, batch loss 1.183, 1.82 iters/s
step 11664, batch loss 1.626, 1.82 iters/s
step 11665, batch loss 1.75, 1.83 iters/s
step 11666, batch loss 1.626, 1.83 iters/s
step 11667, batch loss 1.207, 1.83 iters/s
step 11668, batch loss 1.511, 1.84 iters/s
step 11669, batch loss 2.018, 1.83 iters/s
step 11670, batch loss 1.292, 1.83 iters/s
step 11671, batch loss 2.041, 1.82 iters/s
step 11672, batch loss 1.352, 1.82 iters/s
step 11673, batch loss 1.887, 1.82 iters/s
step 11674, batch loss 1.908, 1.83 iters/s
step 11675, batch loss 2.398, 1.82 iters/s
step 11676, batch loss 0.695, 1.83 iters/s
step 11677, batch loss 1.29, 1.83 iters/s
step 11678, batch loss 1.7, 1.83 iters/s
step 11679, batch loss 0.971, 1.83 iters/s
step 11680, batch loss 1.904, 1.82 iters/s
step 11681, batch loss 1.612, 1.83 iters/s
step 11682, batch loss 1.954, 1.82 iters/s

step 11683, batch loss 1.647, 1.82 iters/s
step 11684, batch loss 2.293, 1.84 iters/s
step 11685, batch loss 1.752, 1.83 iters/s
step 11686, batch loss 1.353, 1.82 iters/s
step 11687, batch loss 2.198, 1.83 iters/s
step 11688, batch loss 2.083, 1.82 iters/s
step 11689, batch loss 2.096, 1.83 iters/s
step 11690, batch loss 1.203, 1.83 iters/s
step 11691, batch loss 1.767, 1.83 iters/s
step 11692, batch loss 1.922, 1.83 iters/s
step 11693, batch loss 2.339, 1.83 iters/s
step 11694, batch loss 1.627, 1.84 iters/s
step 11695, batch loss 1.783, 1.84 iters/s
step 11696, batch loss 1.867, 1.83 iters/s
step 11697, batch loss 1.894, 1.83 iters/s
step 11698, batch loss 1.859, 1.83 iters/s
step 11699, batch loss 2.833, 1.83 iters/s
step 11700, batch loss 2.215, 1.82 iters/s
step 11701, batch loss 1.975, 1.83 iters/s
step 11702, batch loss 1.999, 1.83 iters/s
step 11703, batch loss 1.352, 1.82 iters/s
step 11704, batch loss 1.851, 1.82 iters/s
step 11705, batch loss 1.694, 1.84 iters/s
step 11706, batch loss 1.826, 1.85 iters/s
step 11707, batch loss 1.586, 1.83 iters/s
step 11708, batch loss 0.808, 1.84 iters/s
step 11709, batch loss 1.273, 1.82 iters/s
step 11710, batch loss 1.769, 1.84 iters/s
step 11711, batch loss 1.6, 1.83 iters/s
step 11712, batch loss 1.925, 1.82 iters/s
step 11713, batch loss 1.959, 1.84 iters/s
step 11714, batch loss 2.034, 1.83 iters/s
step 11715, batch loss 1.928, 1.83 iters/s
step 11716, batch loss 1.48, 1.83 iters/s
step 11717, batch loss 2.147, 1.83 iters/s
step 11718, batch loss 1.38, 1.83 iters/s
step 11719, batch loss 1.648, 1.85 iters/s
step 11720, batch loss 1.801, 1.82 iters/s
step 11721, batch loss 2.208, 1.83 iters/s
step 11722, batch loss 1.668, 1.83 iters/s
step 11723, batch loss 1.511, 1.83 iters/s
step 11724, batch loss 1.319, 1.82 iters/s
step 11725, batch loss 1.95, 1.83 iters/s
step 11726, batch loss 2.8, 1.81 iters/s
step 11727, batch loss 2.003, 1.84 iters/s
step 11728, batch loss 1.886, 1.82 iters/s
step 11729, batch loss 1.902, 1.83 iters/s
step 11730, batch loss 1.771, 1.83 iters/s

step 11731, batch loss 2.378, 1.83 iters/s
step 11732, batch loss 1.161, 1.83 iters/s
step 11733, batch loss 1.287, 1.82 iters/s
step 11734, batch loss 1.933, 1.82 iters/s
step 11735, batch loss 1.336, 1.84 iters/s
step 11736, batch loss 1.842, 1.85 iters/s
step 11737, batch loss 1.811, 1.84 iters/s
step 11738, batch loss 1.476, 1.83 iters/s
step 11739, batch loss 1.33, 1.82 iters/s
step 11740, batch loss 1.36, 1.82 iters/s
step 11741, batch loss 2.356, 1.83 iters/s
step 11742, batch loss 1.754, 1.83 iters/s
step 11743, batch loss 1.621, 1.83 iters/s
step 11744, batch loss 0.957, 1.84 iters/s
step 11745, batch loss 1.859, 1.83 iters/s
step 11746, batch loss 1.656, 1.82 iters/s
step 11747, batch loss 2.121, 1.82 iters/s
step 11748, batch loss 1.799, 1.83 iters/s
step 11749, batch loss 2.045, 1.82 iters/s
step 11750, batch loss 2.044, 1.83 iters/s
step 11751, batch loss 1.836, 1.82 iters/s
step 11752, batch loss 2.39, 1.82 iters/s
step 11753, batch loss 1.797, 1.82 iters/s
step 11754, batch loss 1.508, 1.83 iters/s
step 11755, batch loss 2.158, 1.84 iters/s
step 11756, batch loss 2.062, 1.83 iters/s
step 11757, batch loss 2.176, 1.83 iters/s
step 11758, batch loss 1.66, 1.84 iters/s
step 11759, batch loss 2.166, 1.83 iters/s
step 11760, batch loss 0.886, 1.83 iters/s
step 11761, batch loss 1.406, 1.86 iters/s
step 11762, batch loss 2.426, 1.83 iters/s
step 11763, batch loss 1.752, 1.83 iters/s
step 11764, batch loss 2.019, 1.84 iters/s
step 11765, batch loss 1.662, 1.82 iters/s
step 11766, batch loss 1.362, 1.83 iters/s
step 11767, batch loss 2.126, 1.83 iters/s
step 11768, batch loss 2.065, 1.82 iters/s
step 11769, batch loss 1.899, 1.85 iters/s
step 11770, batch loss 1.83, 1.83 iters/s
step 11771, batch loss 2.021, 1.83 iters/s
step 11772, batch loss 1.673, 1.84 iters/s
step 11773, batch loss 1.62, 1.83 iters/s
step 11774, batch loss 1.346, 1.83 iters/s
step 11775, batch loss 1.819, 1.83 iters/s
step 11776, batch loss 2.0, 1.83 iters/s
step 11777, batch loss 1.364, 1.83 iters/s
step 11778, batch loss 1.93, 1.82 iters/s

step 11779, batch loss 2.713, 1.82 iters/s
step 11780, batch loss 2.341, 1.82 iters/s
step 11781, batch loss 1.3, 1.83 iters/s
step 11782, batch loss 1.325, 1.84 iters/s
step 11783, batch loss 1.756, 1.83 iters/s
step 11784, batch loss 2.175, 1.83 iters/s
step 11785, batch loss 1.717, 1.83 iters/s
step 11786, batch loss 1.982, 1.83 iters/s
step 11787, batch loss 1.869, 1.86 iters/s
step 11788, batch loss 1.527, 1.83 iters/s
step 11789, batch loss 2.1, 1.83 iters/s
step 11790, batch loss 1.465, 1.83 iters/s
step 11791, batch loss 1.403, 1.83 iters/s
step 11792, batch loss 2.112, 1.85 iters/s
step 11793, batch loss 1.584, 1.82 iters/s
step 11794, batch loss 1.921, 1.83 iters/s
step 11795, batch loss 1.608, 1.83 iters/s
step 11796, batch loss 1.714, 1.83 iters/s
step 11797, batch loss 2.201, 1.83 iters/s
step 11798, batch loss 1.937, 1.82 iters/s
step 11799, batch loss 1.384, 1.83 iters/s
step 11800, batch loss 1.952, 1.82 iters/s
step 11801, batch loss 1.905, 1.83 iters/s
step 11802, batch loss 2.031, 1.83 iters/s
step 11803, batch loss 1.808, 1.83 iters/s
step 11804, batch loss 0.917, 1.83 iters/s
step 11805, batch loss 1.822, 1.84 iters/s
step 11806, batch loss 1.731, 1.83 iters/s
step 11807, batch loss 1.875, 1.83 iters/s
step 11808, batch loss 2.115, 1.83 iters/s
step 11809, batch loss 1.667, 1.83 iters/s
step 11810, batch loss 1.543, 1.83 iters/s
step 11811, batch loss 1.428, 1.85 iters/s
step 11812, batch loss 2.016, 1.83 iters/s
step 11813, batch loss 1.643, 1.83 iters/s
step 11814, batch loss 1.92, 1.85 iters/s
step 11815, batch loss 1.89, 1.83 iters/s
step 11816, batch loss 1.517, 1.83 iters/s
step 11817, batch loss 1.826, 1.84 iters/s
step 11818, batch loss 1.952, 1.83 iters/s
step 11819, batch loss 1.762, 1.83 iters/s
step 11820, batch loss 1.531, 1.85 iters/s
step 11821, batch loss 1.81, 1.83 iters/s
step 11822, batch loss 1.725, 1.83 iters/s
step 11823, batch loss 1.885, 1.83 iters/s
step 11824, batch loss 2.187, 1.83 iters/s
step 11825, batch loss 2.189, 1.84 iters/s
step 11826, batch loss 1.952, 1.83 iters/s

step 11827, batch loss 1.043, 1.84 iters/s
step 11828, batch loss 2.266, 1.84 iters/s
step 11829, batch loss 1.72, 1.83 iters/s
step 11830, batch loss 1.648, 1.82 iters/s
step 11831, batch loss 1.741, 1.83 iters/s
step 11832, batch loss 2.142, 1.83 iters/s
step 11833, batch loss 1.423, 1.82 iters/s
step 11834, batch loss 1.643, 1.85 iters/s
step 11835, batch loss 1.794, 1.82 iters/s
step 11836, batch loss 1.611, 1.85 iters/s
step 11837, batch loss 2.323, 1.83 iters/s
step 11838, batch loss 1.275, 1.82 iters/s
step 11839, batch loss 1.735, 1.85 iters/s
step 11840, batch loss 1.612, 1.84 iters/s
step 11841, batch loss 1.864, 1.82 iters/s
step 11842, batch loss 1.747, 1.83 iters/s
step 11843, batch loss 1.56, 1.83 iters/s
step 11844, batch loss 1.488, 1.83 iters/s
step 11845, batch loss 1.103, 1.85 iters/s
step 11846, batch loss 2.162, 1.83 iters/s
step 11847, batch loss 1.786, 1.82 iters/s
step 11848, batch loss 1.128, 1.83 iters/s
step 11849, batch loss 1.631, 1.82 iters/s
step 11850, batch loss 1.8, 1.85 iters/s
step 11851, batch loss 2.84, 1.83 iters/s
step 11852, batch loss 1.734, 1.83 iters/s
step 11853, batch loss 1.809, 1.82 iters/s
step 11854, batch loss 1.74, 1.84 iters/s
step 11855, batch loss 1.891, 1.84 iters/s
step 11856, batch loss 1.58, 1.83 iters/s
step 11857, batch loss 1.607, 1.84 iters/s
step 11858, batch loss 1.351, 1.83 iters/s
step 11859, batch loss 2.006, 1.83 iters/s
step 11860, batch loss 1.887, 1.82 iters/s
step 11861, batch loss 2.41, 1.82 iters/s
step 11862, batch loss 1.711, 1.83 iters/s
step 11863, batch loss 0.796, 1.83 iters/s
step 11864, batch loss 2.108, 1.83 iters/s
step 11865, batch loss 2.129, 1.83 iters/s
step 11866, batch loss 1.756, 1.83 iters/s
step 11867, batch loss 1.749, 1.82 iters/s
step 11868, batch loss 2.077, 1.83 iters/s
step 11869, batch loss 2.144, 1.83 iters/s
step 11870, batch loss 1.508, 1.83 iters/s
step 11871, batch loss 1.115, 1.83 iters/s
step 11872, batch loss 1.072, 1.83 iters/s
step 11873, batch loss 1.941, 1.84 iters/s
step 11874, batch loss 2.072, 1.83 iters/s

step 11875, batch loss 1.718, 1.85 iters/s
step 11876, batch loss 2.297, 1.83 iters/s
step 11877, batch loss 2.081, 1.81 iters/s
step 11878, batch loss 1.487, 1.82 iters/s
step 11879, batch loss 1.766, 1.83 iters/s
step 11880, batch loss 1.726, 1.84 iters/s
step 11881, batch loss 2.169, 1.82 iters/s
step 11882, batch loss 2.235, 1.83 iters/s
step 11883, batch loss 1.72, 1.83 iters/s
step 11884, batch loss 1.97, 1.83 iters/s
step 11885, batch loss 0.956, 1.85 iters/s
step 11886, batch loss 1.819, 1.82 iters/s
step 11887, batch loss 1.892, 1.83 iters/s
step 11888, batch loss 1.906, 1.83 iters/s
step 11889, batch loss 1.745, 1.82 iters/s
step 11890, batch loss 1.103, 1.82 iters/s
step 11891, batch loss 1.527, 1.83 iters/s
step 11892, batch loss 2.369, 1.82 iters/s
step 11893, batch loss 1.833, 1.83 iters/s
step 11894, batch loss 1.521, 1.83 iters/s
step 11895, batch loss 1.725, 1.84 iters/s
step 11896, batch loss 1.352, 1.83 iters/s
step 11897, batch loss 1.933, 1.82 iters/s
step 11898, batch loss 1.84, 1.82 iters/s
step 11899, batch loss 1.997, 1.83 iters/s
step 11900, batch loss 1.795, 1.83 iters/s
step 11901, batch loss 1.475, 1.83 iters/s
step 11902, batch loss 1.888, 1.85 iters/s
step 11903, batch loss 2.273, 1.83 iters/s
step 11904, batch loss 2.13, 1.84 iters/s
step 11905, batch loss 2.054, 1.83 iters/s
step 11906, batch loss 1.615, 1.83 iters/s
step 11907, batch loss 1.977, 1.83 iters/s
step 11908, batch loss 1.808, 1.83 iters/s
step 11909, batch loss 1.666, 1.83 iters/s
step 11910, batch loss 2.28, 1.84 iters/s
step 11911, batch loss 1.522, 1.83 iters/s
step 11912, batch loss 1.545, 1.83 iters/s
step 11913, batch loss 1.512, 1.81 iters/s
step 11914, batch loss 2.545, 1.85 iters/s
step 11915, batch loss 1.508, 1.85 iters/s
step 11916, batch loss 2.009, 1.85 iters/s
step 11917, batch loss 2.024, 1.82 iters/s
step 11918, batch loss 1.865, 1.83 iters/s
step 11919, batch loss 1.697, 1.82 iters/s
step 11920, batch loss 1.456, 1.83 iters/s
step 11921, batch loss 1.472, 1.83 iters/s
step 11922, batch loss 1.71, 1.82 iters/s

step 11923, batch loss 1.375, 1.83 iters/s
step 11924, batch loss 2.164, 1.82 iters/s
step 11925, batch loss 1.826, 1.83 iters/s
step 11926, batch loss 2.187, 1.83 iters/s
step 11927, batch loss 1.556, 1.83 iters/s
step 11928, batch loss 1.437, 1.83 iters/s
step 11929, batch loss 2.312, 1.82 iters/s
step 11930, batch loss 2.104, 2.34 iters/s
step 11931, batch loss 1.588, 1.84 iters/s
step 11932, batch loss 2.355, 1.82 iters/s
step 11933, batch loss 1.661, 1.83 iters/s
step 11934, batch loss 1.799, 1.82 iters/s
step 11935, batch loss 1.423, 1.82 iters/s
step 11936, batch loss 2.17, 1.83 iters/s
step 11937, batch loss 1.734, 1.84 iters/s
step 11938, batch loss 1.403, 1.83 iters/s
step 11939, batch loss 1.039, 1.82 iters/s
step 11940, batch loss 1.997, 1.83 iters/s
step 11941, batch loss 2.378, 1.82 iters/s
step 11942, batch loss 1.905, 1.85 iters/s
step 11943, batch loss 1.808, 1.86 iters/s
step 11944, batch loss 1.738, 1.84 iters/s
step 11945, batch loss 1.696, 1.83 iters/s
step 11946, batch loss 2.028, 1.82 iters/s
step 11947, batch loss 2.22, 1.82 iters/s
step 11948, batch loss 1.911, 1.83 iters/s
step 11949, batch loss 2.135, 1.83 iters/s
step 11950, batch loss 0.964, 1.86 iters/s
step 11951, batch loss 1.023, 1.83 iters/s
step 11952, batch loss 1.997, 1.83 iters/s
step 11953, batch loss 1.757, 1.82 iters/s
step 11954, batch loss 1.514, 1.82 iters/s
step 11955, batch loss 2.802, 1.84 iters/s
step 11956, batch loss 1.998, 1.84 iters/s
step 11957, batch loss 1.374, 1.82 iters/s
step 11958, batch loss 1.507, 1.83 iters/s
step 11959, batch loss 1.952, 1.83 iters/s
step 11960, batch loss 1.107, 1.83 iters/s
step 11961, batch loss 2.089, 1.83 iters/s
step 11962, batch loss 1.512, 1.83 iters/s
step 11963, batch loss 1.226, 1.83 iters/s
step 11964, batch loss 1.319, 1.82 iters/s
step 11965, batch loss 1.161, 1.84 iters/s
step 11966, batch loss 1.862, 1.83 iters/s
step 11967, batch loss 1.869, 1.83 iters/s
step 11968, batch loss 1.496, 1.83 iters/s
step 11969, batch loss 1.944, 1.83 iters/s
step 11970, batch loss 1.61, 1.82 iters/s

step 11971, batch loss 1.976, 1.84 iters/s
step 11972, batch loss 2.406, 1.83 iters/s
step 11973, batch loss 1.89, 1.84 iters/s
step 11974, batch loss 1.851, 1.82 iters/s
step 11975, batch loss 1.07, 1.84 iters/s
step 11976, batch loss 1.856, 1.85 iters/s
step 11977, batch loss 1.93, 1.83 iters/s
step 11978, batch loss 1.319, 1.86 iters/s
step 11979, batch loss 1.453, 1.82 iters/s
step 11980, batch loss 1.623, 1.82 iters/s
step 11981, batch loss 1.56, 1.85 iters/s
step 11982, batch loss 2.172, 1.85 iters/s
step 11983, batch loss 1.229, 1.84 iters/s
step 11984, batch loss 1.823, 1.82 iters/s
step 11985, batch loss 2.155, 1.83 iters/s
step 11986, batch loss 2.273, 1.83 iters/s
step 11987, batch loss 1.401, 1.83 iters/s
step 11988, batch loss 2.033, 1.82 iters/s
step 11989, batch loss 1.547, 1.84 iters/s
step 11990, batch loss 1.898, 1.84 iters/s
step 11991, batch loss 1.293, 1.84 iters/s
step 11992, batch loss 2.516, 1.84 iters/s
step 11993, batch loss 1.842, 1.84 iters/s
step 11994, batch loss 1.789, 1.85 iters/s
step 11995, batch loss 1.147, 1.82 iters/s
step 11996, batch loss 2.291, 1.83 iters/s
step 11997, batch loss 1.898, 1.83 iters/s
step 11998, batch loss 0.841, 1.83 iters/s
step 11999, batch loss 1.497, 1.84 iters/s
step 12000, batch loss 1.746, 1.84 iters/s
step 12001, batch loss 1.946, 1.83 iters/s
step 12002, batch loss 2.18, 1.83 iters/s
step 12003, batch loss 1.71, 1.82 iters/s
step 12004, batch loss 2.071, 1.84 iters/s
step 12005, batch loss 1.366, 1.83 iters/s
step 12006, batch loss 1.464, 1.83 iters/s
step 12007, batch loss 2.16, 1.86 iters/s
step 12008, batch loss 2.239, 1.84 iters/s
step 12009, batch loss 2.097, 1.83 iters/s
step 12010, batch loss 1.784, 1.82 iters/s
step 12011, batch loss 1.759, 1.83 iters/s
step 12012, batch loss 1.874, 1.83 iters/s
step 12013, batch loss 1.777, 1.83 iters/s
step 12014, batch loss 1.774, 1.83 iters/s
step 12015, batch loss 1.585, 1.83 iters/s
step 12016, batch loss 1.573, 1.83 iters/s
step 12017, batch loss 1.69, 1.82 iters/s
step 12018, batch loss 1.566, 1.85 iters/s

step 12019, batch loss 1.927, 1.84 iters/s
step 12020, batch loss 1.711, 1.84 iters/s
step 12021, batch loss 1.158, 1.83 iters/s
step 12022, batch loss 1.433, 1.83 iters/s
step 12023, batch loss 1.415, 1.85 iters/s
step 12024, batch loss 1.658, 1.84 iters/s
step 12025, batch loss 1.902, 1.82 iters/s
step 12026, batch loss 1.904, 1.82 iters/s
step 12027, batch loss 2.156, 1.83 iters/s
step 12028, batch loss 1.994, 1.85 iters/s
step 12029, batch loss 1.426, 1.83 iters/s
step 12030, batch loss 2.22, 1.83 iters/s
step 12031, batch loss 1.392, 1.83 iters/s
step 12032, batch loss 1.456, 1.84 iters/s
step 12033, batch loss 1.915, 1.83 iters/s
step 12034, batch loss 2.275, 1.82 iters/s
step 12035, batch loss 1.545, 1.83 iters/s
step 12036, batch loss 1.462, 1.84 iters/s
step 12037, batch loss 0.989, 1.82 iters/s
step 12038, batch loss 1.648, 1.83 iters/s
step 12039, batch loss 1.615, 1.82 iters/s
step 12040, batch loss 1.61, 1.83 iters/s
step 12041, batch loss 1.19, 1.84 iters/s
step 12042, batch loss 1.351, 1.82 iters/s
step 12043, batch loss 1.699, 1.83 iters/s
step 12044, batch loss 1.79, 1.83 iters/s
step 12045, batch loss 2.064, 1.84 iters/s
step 12046, batch loss 1.823, 1.85 iters/s
step 12047, batch loss 1.962, 1.83 iters/s
step 12048, batch loss 1.801, 1.83 iters/s
step 12049, batch loss 1.143, 1.82 iters/s
step 12050, batch loss 2.238, 1.82 iters/s
step 12051, batch loss 1.709, 1.84 iters/s
step 12052, batch loss 2.104, 1.82 iters/s
step 12053, batch loss 1.215, 1.82 iters/s
step 12054, batch loss 1.271, 1.82 iters/s
step 12055, batch loss 2.309, 1.83 iters/s
step 12056, batch loss 2.111, 1.82 iters/s
step 12057, batch loss 2.081, 1.83 iters/s
step 12058, batch loss 1.901, 1.83 iters/s
step 12059, batch loss 2.27, 1.83 iters/s
step 12060, batch loss 1.904, 1.83 iters/s
step 12061, batch loss 1.564, 1.83 iters/s
step 12062, batch loss 1.808, 1.85 iters/s
step 12063, batch loss 1.69, 1.83 iters/s
step 12064, batch loss 1.312, 1.83 iters/s
step 12065, batch loss 1.806, 1.84 iters/s
step 12066, batch loss 1.964, 1.83 iters/s

step 12067, batch loss 1.977, 1.82 iters/s
step 12068, batch loss 2.202, 1.82 iters/s
step 12069, batch loss 2.076, 1.83 iters/s
step 12070, batch loss 1.132, 1.83 iters/s
step 12071, batch loss 1.798, 1.86 iters/s
step 12072, batch loss 2.206, 1.83 iters/s
step 12073, batch loss 1.686, 1.83 iters/s
step 12074, batch loss 1.214, 1.83 iters/s
step 12075, batch loss 1.194, 1.84 iters/s
step 12076, batch loss 1.904, 1.83 iters/s
step 12077, batch loss 1.305, 1.83 iters/s
step 12078, batch loss 1.905, 1.82 iters/s
step 12079, batch loss 2.077, 1.83 iters/s
step 12080, batch loss 1.913, 1.83 iters/s
step 12081, batch loss 2.348, 1.83 iters/s
step 12082, batch loss 2.052, 1.82 iters/s
step 12083, batch loss 1.962, 1.83 iters/s
step 12084, batch loss 1.615, 1.83 iters/s
step 12085, batch loss 1.812, 1.82 iters/s
step 12086, batch loss 1.912, 1.83 iters/s
step 12087, batch loss 1.57, 1.82 iters/s
step 12088, batch loss 1.772, 1.83 iters/s
step 12089, batch loss 1.906, 1.83 iters/s
step 12090, batch loss 1.433, 1.83 iters/s
step 12091, batch loss 0.815, 1.84 iters/s
step 12092, batch loss 2.211, 1.83 iters/s
step 12093, batch loss 1.932, 1.83 iters/s
step 12094, batch loss 1.492, 1.83 iters/s
step 12095, batch loss 1.368, 1.83 iters/s
step 12096, batch loss 1.95, 1.84 iters/s
step 12097, batch loss 2.013, 1.83 iters/s
step 12098, batch loss 1.73, 1.83 iters/s
step 12099, batch loss 1.783, 1.83 iters/s
step 12100, batch loss 1.577, 1.85 iters/s
step 12101, batch loss 1.949, 1.83 iters/s
step 12102, batch loss 1.421, 1.83 iters/s
step 12103, batch loss 1.545, 1.83 iters/s
step 12104, batch loss 1.248, 1.82 iters/s
step 12105, batch loss 1.329, 1.84 iters/s
step 12106, batch loss 2.106, 1.84 iters/s
step 12107, batch loss 1.685, 1.84 iters/s
step 12108, batch loss 2.42, 1.82 iters/s
step 12109, batch loss 1.972, 1.83 iters/s
step 12110, batch loss 1.83, 1.84 iters/s
step 12111, batch loss 2.1, 1.83 iters/s
step 12112, batch loss 1.658, 1.83 iters/s
step 12113, batch loss 1.569, 1.82 iters/s
step 12114, batch loss 1.755, 1.84 iters/s

step 12115, batch loss 1.996, 1.82 iters/s
step 12116, batch loss 2.114, 1.83 iters/s
step 12117, batch loss 2.219, 1.83 iters/s
step 12118, batch loss 1.905, 1.85 iters/s
step 12119, batch loss 2.418, 1.85 iters/s
step 12120, batch loss 1.741, 1.83 iters/s
step 12121, batch loss 1.511, 1.83 iters/s
step 12122, batch loss 1.965, 1.83 iters/s
step 12123, batch loss 1.977, 1.84 iters/s
step 12124, batch loss 1.404, 1.83 iters/s
step 12125, batch loss 1.867, 1.83 iters/s
step 12126, batch loss 2.029, 1.84 iters/s
step 12127, batch loss 2.027, 1.83 iters/s
step 12128, batch loss 0.728, 1.83 iters/s
step 12129, batch loss 1.864, 1.82 iters/s
step 12130, batch loss 1.992, 1.83 iters/s
step 12131, batch loss 1.876, 1.83 iters/s
step 12132, batch loss 1.935, 1.84 iters/s
step 12133, batch loss 1.962, 1.84 iters/s
step 12134, batch loss 2.151, 1.84 iters/s
step 12135, batch loss 1.884, 1.83 iters/s
step 12136, batch loss 1.949, 1.83 iters/s
step 12137, batch loss 2.06, 1.84 iters/s
step 12138, batch loss 1.684, 1.83 iters/s
step 12139, batch loss 1.652, 1.83 iters/s
step 12140, batch loss 1.766, 1.83 iters/s
step 12141, batch loss 1.73, 1.83 iters/s
step 12142, batch loss 1.915, 1.83 iters/s
step 12143, batch loss 1.618, 1.83 iters/s
step 12144, batch loss 1.703, 1.82 iters/s
step 12145, batch loss 1.184, 1.84 iters/s
step 12146, batch loss 2.319, 1.83 iters/s
step 12147, batch loss 1.452, 1.85 iters/s
step 12148, batch loss 1.748, 1.83 iters/s
step 12149, batch loss 1.859, 1.83 iters/s
step 12150, batch loss 2.527, 1.83 iters/s
step 12151, batch loss 1.677, 1.83 iters/s
step 12152, batch loss 1.909, 1.83 iters/s
step 12153, batch loss 1.977, 1.83 iters/s
step 12154, batch loss 1.607, 1.83 iters/s
step 12155, batch loss 1.629, 1.83 iters/s
step 12156, batch loss 1.415, 1.83 iters/s
step 12157, batch loss 1.81, 1.83 iters/s
step 12158, batch loss 1.928, 1.83 iters/s
step 12159, batch loss 1.336, 1.84 iters/s
step 12160, batch loss 2.013, 1.84 iters/s
step 12161, batch loss 1.677, 1.85 iters/s
step 12162, batch loss 1.687, 1.83 iters/s

step 12163, batch loss 1.739, 1.82 iters/s
step 12164, batch loss 2.126, 1.83 iters/s
step 12165, batch loss 2.033, 1.83 iters/s
step 12166, batch loss 1.358, 1.83 iters/s
step 12167, batch loss 1.755, 1.82 iters/s
step 12168, batch loss 1.527, 1.82 iters/s
step 12169, batch loss 1.248, 1.83 iters/s
step 12170, batch loss 1.523, 1.83 iters/s
step 12171, batch loss 1.895, 1.83 iters/s
step 12172, batch loss 1.593, 1.84 iters/s
step 12173, batch loss 2.189, 1.84 iters/s
step 12174, batch loss 2.28, 1.84 iters/s
step 12175, batch loss 1.962, 1.83 iters/s
step 12176, batch loss 2.264, 1.83 iters/s
step 12177, batch loss 2.413, 1.83 iters/s
step 12178, batch loss 1.687, 1.83 iters/s
step 12179, batch loss 1.386, 1.83 iters/s
step 12180, batch loss 1.582, 1.85 iters/s
step 12181, batch loss 1.92, 1.82 iters/s
step 12182, batch loss 1.568, 1.83 iters/s
step 12183, batch loss 2.253, 1.82 iters/s
step 12184, batch loss 1.499, 1.84 iters/s
step 12185, batch loss 1.77, 1.83 iters/s
step 12186, batch loss 2.201, 1.83 iters/s
step 12187, batch loss 1.879, 1.85 iters/s
step 12188, batch loss 1.862, 1.83 iters/s
step 12189, batch loss 1.89, 1.84 iters/s
step 12190, batch loss 0.731, 1.82 iters/s
step 12191, batch loss 1.735, 1.83 iters/s
step 12192, batch loss 1.675, 1.83 iters/s
step 12193, batch loss 2.026, 1.83 iters/s
step 12194, batch loss 2.215, 1.85 iters/s
step 12195, batch loss 1.456, 1.85 iters/s
step 12196, batch loss 1.336, 1.84 iters/s
step 12197, batch loss 1.524, 1.83 iters/s
step 12198, batch loss 2.292, 1.83 iters/s
step 12199, batch loss 1.331, 1.83 iters/s
step 12200, batch loss 1.851, 1.85 iters/s
step 12201, batch loss 1.417, 1.84 iters/s
step 12202, batch loss 1.69, 1.83 iters/s
step 12203, batch loss 1.829, 1.83 iters/s
step 12204, batch loss 2.292, 1.84 iters/s
step 12205, batch loss 1.58, 1.84 iters/s
step 12206, batch loss 1.927, 1.83 iters/s
step 12207, batch loss 2.124, 1.83 iters/s
step 12208, batch loss 1.449, 1.84 iters/s
step 12209, batch loss 1.918, 1.83 iters/s
step 12210, batch loss 1.621, 1.83 iters/s

step 12211, batch loss 2.195, 1.83 iters/s
step 12212, batch loss 2.136, 1.84 iters/s
step 12213, batch loss 1.158, 1.83 iters/s
step 12214, batch loss 1.695, 1.82 iters/s
step 12215, batch loss 2.335, 1.83 iters/s
step 12216, batch loss 2.354, 1.83 iters/s
step 12217, batch loss 2.129, 1.82 iters/s
step 12218, batch loss 1.514, 1.82 iters/s
step 12219, batch loss 1.884, 1.84 iters/s
step 12220, batch loss 1.87, 1.83 iters/s
step 12221, batch loss 1.667, 1.82 iters/s
step 12222, batch loss 2.291, 1.86 iters/s
step 12223, batch loss 1.839, 1.83 iters/s
step 12224, batch loss 2.051, 1.83 iters/s
step 12225, batch loss 1.26, 1.83 iters/s
step 12226, batch loss 1.365, 1.83 iters/s
step 12227, batch loss 1.828, 1.83 iters/s
step 12228, batch loss 1.738, 1.83 iters/s
step 12229, batch loss 2.154, 1.85 iters/s
step 12230, batch loss 1.863, 1.84 iters/s
step 12231, batch loss 1.801, 1.84 iters/s
step 12232, batch loss 1.551, 1.83 iters/s
step 12233, batch loss 1.696, 1.84 iters/s
step 12234, batch loss 0.871, 1.82 iters/s
step 12235, batch loss 2.203, 1.82 iters/s
step 12236, batch loss 1.802, 1.85 iters/s
step 12237, batch loss 1.649, 1.83 iters/s
step 12238, batch loss 2.027, 1.83 iters/s
step 12239, batch loss 1.659, 1.83 iters/s
step 12240, batch loss 1.726, 1.84 iters/s
step 12241, batch loss 1.648, 1.83 iters/s
step 12242, batch loss 1.742, 1.83 iters/s
step 12243, batch loss 1.945, 1.84 iters/s
step 12244, batch loss 2.211, 1.83 iters/s
step 12245, batch loss 1.925, 1.85 iters/s
step 12246, batch loss 2.106, 1.84 iters/s
step 12247, batch loss 1.883, 1.85 iters/s
step 12248, batch loss 1.146, 1.84 iters/s
step 12249, batch loss 1.738, 1.84 iters/s
step 12250, batch loss 1.859, 1.83 iters/s
step 12251, batch loss 2.527, 1.82 iters/s
step 12252, batch loss 1.745, 1.82 iters/s
step 12253, batch loss 1.92, 1.83 iters/s
step 12254, batch loss 1.783, 1.83 iters/s
step 12255, batch loss 1.381, 1.84 iters/s
step 12256, batch loss 1.924, 1.82 iters/s
step 12257, batch loss 2.023, 1.82 iters/s
step 12258, batch loss 1.206, 1.84 iters/s

step 12259, batch loss 1.426, 1.84 iters/s
step 12260, batch loss 1.658, 1.83 iters/s
step 12261, batch loss 1.826, 1.83 iters/s
step 12262, batch loss 1.891, 1.84 iters/s
step 12263, batch loss 1.791, 1.84 iters/s
step 12264, batch loss 1.524, 1.82 iters/s
step 12265, batch loss 2.161, 1.84 iters/s
step 12266, batch loss 1.176, 1.83 iters/s
step 12267, batch loss 1.385, 1.84 iters/s
step 12268, batch loss 1.961, 1.82 iters/s
step 12269, batch loss 1.576, 1.84 iters/s
step 12270, batch loss 1.725, 1.84 iters/s
step 12271, batch loss 1.76, 1.83 iters/s
step 12272, batch loss 1.958, 1.83 iters/s
step 12273, batch loss 1.409, 1.83 iters/s
step 12274, batch loss 1.852, 1.83 iters/s
step 12275, batch loss 2.045, 1.86 iters/s
step 12276, batch loss 1.541, 1.83 iters/s
step 12277, batch loss 1.606, 1.83 iters/s
step 12278, batch loss 1.993, 1.85 iters/s
step 12279, batch loss 2.136, 1.82 iters/s
step 12280, batch loss 2.374, 1.85 iters/s
step 12281, batch loss 1.569, 1.83 iters/s
step 12282, batch loss 1.499, 1.85 iters/s
step 12283, batch loss 2.057, 1.84 iters/s
step 12284, batch loss 1.511, 1.84 iters/s
step 12285, batch loss 1.555, 1.83 iters/s
step 12286, batch loss 1.649, 1.83 iters/s
step 12287, batch loss 1.908, 1.82 iters/s
step 12288, batch loss 1.491, 1.85 iters/s
step 12289, batch loss 1.594, 1.82 iters/s
step 12290, batch loss 2.048, 1.83 iters/s
step 12291, batch loss 1.717, 1.83 iters/s
step 12292, batch loss 1.602, 1.86 iters/s
step 12293, batch loss 2.647, 1.83 iters/s
step 12294, batch loss 1.702, 1.83 iters/s
step 12295, batch loss 2.085, 1.83 iters/s
step 12296, batch loss 1.656, 1.83 iters/s
step 12297, batch loss 2.162, 1.82 iters/s
step 12298, batch loss 2.279, 1.84 iters/s
step 12299, batch loss 2.311, 1.82 iters/s
step 12300, batch loss 1.41, 1.83 iters/s
step 12301, batch loss 2.026, 1.83 iters/s
step 12302, batch loss 1.349, 1.82 iters/s
step 12303, batch loss 1.632, 1.83 iters/s
step 12304, batch loss 2.612, 1.83 iters/s
step 12305, batch loss 1.5, 1.85 iters/s
step 12306, batch loss 2.139, 1.83 iters/s

step 12307, batch loss 1.692, 1.82 iters/s
step 12308, batch loss 1.545, 1.83 iters/s
step 12309, batch loss 1.503, 1.83 iters/s
step 12310, batch loss 1.675, 1.83 iters/s
step 12311, batch loss 1.763, 1.83 iters/s
step 12312, batch loss 1.962, 1.85 iters/s
step 12313, batch loss 1.783, 1.82 iters/s
step 12314, batch loss 1.299, 1.82 iters/s
step 12315, batch loss 1.833, 1.82 iters/s
step 12316, batch loss 1.439, 1.83 iters/s
step 12317, batch loss 1.555, 1.83 iters/s
step 12318, batch loss 1.888, 1.85 iters/s
step 12319, batch loss 1.998, 1.83 iters/s
step 12320, batch loss 2.407, 1.83 iters/s
step 12321, batch loss 1.77, 1.84 iters/s
step 12322, batch loss 1.412, 1.84 iters/s
step 12323, batch loss 1.466, 1.83 iters/s
step 12324, batch loss 1.293, 1.86 iters/s
step 12325, batch loss 1.453, 1.82 iters/s
step 12326, batch loss 1.587, 1.84 iters/s
step 12327, batch loss 1.459, 1.83 iters/s
step 12328, batch loss 1.751, 1.85 iters/s
step 12329, batch loss 1.869, 1.83 iters/s
step 12330, batch loss 1.268, 1.82 iters/s
step 12331, batch loss 1.819, 1.84 iters/s
step 12332, batch loss 1.528, 1.86 iters/s
step 12333, batch loss 2.081, 1.83 iters/s
step 12334, batch loss 2.116, 1.83 iters/s
step 12335, batch loss 1.92, 1.83 iters/s
step 12336, batch loss 1.114, 1.83 iters/s
step 12337, batch loss 2.021, 1.82 iters/s
step 12338, batch loss 2.257, 1.83 iters/s
step 12339, batch loss 1.759, 1.83 iters/s
step 12340, batch loss 1.449, 1.83 iters/s
step 12341, batch loss 1.366, 1.83 iters/s
step 12342, batch loss 1.105, 1.83 iters/s
step 12343, batch loss 1.608, 1.82 iters/s
step 12344, batch loss 1.999, 1.82 iters/s
step 12345, batch loss 1.588, 1.83 iters/s
step 12346, batch loss 1.685, 1.86 iters/s
step 12347, batch loss 1.611, 1.83 iters/s
step 12348, batch loss 2.076, 1.82 iters/s
step 12349, batch loss 1.992, 1.83 iters/s
step 12350, batch loss 2.203, 1.82 iters/s
step 12351, batch loss 1.82, 1.83 iters/s
step 12352, batch loss 2.238, 1.83 iters/s
step 12353, batch loss 1.471, 1.83 iters/s
step 12354, batch loss 1.216, 1.83 iters/s

step 12355, batch loss 1.712, 1.83 iters/s
step 12356, batch loss 0.951, 1.83 iters/s
step 12357, batch loss 1.829, 1.83 iters/s
step 12358, batch loss 1.605, 1.83 iters/s
step 12359, batch loss 1.553, 1.83 iters/s
step 12360, batch loss 2.053, 1.85 iters/s
step 12361, batch loss 1.619, 1.82 iters/s
step 12362, batch loss 1.97, 1.83 iters/s
step 12363, batch loss 1.913, 1.82 iters/s
step 12364, batch loss 2.284, 1.83 iters/s
step 12365, batch loss 2.034, 1.83 iters/s
step 12366, batch loss 1.291, 1.82 iters/s
step 12367, batch loss 2.133, 1.83 iters/s
step 12368, batch loss 1.656, 1.82 iters/s
step 12369, batch loss 1.309, 1.83 iters/s
step 12370, batch loss 1.637, 1.83 iters/s
step 12371, batch loss 1.542, 1.82 iters/s
step 12372, batch loss 1.534, 1.83 iters/s
step 12373, batch loss 2.046, 1.82 iters/s
step 12374, batch loss 2.265, 1.84 iters/s
step 12375, batch loss 1.728, 1.82 iters/s
step 12376, batch loss 1.642, 1.82 iters/s
step 12377, batch loss 1.444, 1.83 iters/s
step 12378, batch loss 2.237, 1.85 iters/s
step 12379, batch loss 1.707, 1.83 iters/s
step 12380, batch loss 2.027, 1.83 iters/s
step 12381, batch loss 2.814, 1.83 iters/s
step 12382, batch loss 1.253, 1.83 iters/s
step 12383, batch loss 2.451, 1.83 iters/s
step 12384, batch loss 1.506, 1.83 iters/s
step 12385, batch loss 1.939, 1.83 iters/s
step 12386, batch loss 1.891, 1.84 iters/s
step 12387, batch loss 1.887, 1.83 iters/s
step 12388, batch loss 1.916, 1.83 iters/s
step 12389, batch loss 2.104, 1.82 iters/s
step 12390, batch loss 1.302, 1.83 iters/s
step 12391, batch loss 1.77, 1.82 iters/s
step 12392, batch loss 1.388, 1.83 iters/s
step 12393, batch loss 1.507, 1.82 iters/s
step 12394, batch loss 1.581, 1.83 iters/s
step 12395, batch loss 1.718, 1.82 iters/s
step 12396, batch loss 2.239, 1.82 iters/s
step 12397, batch loss 1.675, 1.83 iters/s
step 12398, batch loss 1.455, 1.84 iters/s
step 12399, batch loss 1.669, 1.82 iters/s
step 12400, batch loss 1.958, 1.83 iters/s
step 12401, batch loss 1.584, 1.83 iters/s
step 12402, batch loss 0.91, 1.83 iters/s

step 12403, batch loss 2.037, 1.82 iters/s
step 12404, batch loss 1.996, 1.83 iters/s
step 12405, batch loss 1.937, 1.83 iters/s
step 12406, batch loss 1.956, 1.84 iters/s
step 12407, batch loss 1.924, 1.83 iters/s
step 12408, batch loss 2.284, 1.83 iters/s
step 12409, batch loss 1.8, 1.85 iters/s
step 12410, batch loss 1.783, 1.82 iters/s
step 12411, batch loss 1.387, 1.83 iters/s
step 12412, batch loss 2.257, 1.83 iters/s
step 12413, batch loss 1.616, 1.83 iters/s
step 12414, batch loss 2.114, 1.82 iters/s
step 12415, batch loss 2.098, 1.82 iters/s
step 12416, batch loss 1.351, 1.83 iters/s
step 12417, batch loss 2.499, 1.83 iters/s
step 12418, batch loss 1.799, 1.85 iters/s
step 12419, batch loss 1.79, 1.84 iters/s
step 12420, batch loss 1.792, 1.84 iters/s
step 12421, batch loss 1.433, 1.83 iters/s
step 12422, batch loss 2.178, 1.85 iters/s
step 12423, batch loss 1.729, 1.84 iters/s
step 12424, batch loss 2.27, 1.83 iters/s
step 12425, batch loss 1.23, 1.83 iters/s
step 12426, batch loss 2.056, 1.84 iters/s
step 12427, batch loss 1.525, 1.83 iters/s
step 12428, batch loss 1.028, 1.83 iters/s
step 12429, batch loss 1.74, 1.84 iters/s
step 12430, batch loss 2.085, 1.83 iters/s
step 12431, batch loss 1.767, 1.84 iters/s
step 12432, batch loss 2.395, 1.83 iters/s
step 12433, batch loss 1.93, 1.82 iters/s
step 12434, batch loss 1.978, 1.82 iters/s
step 12435, batch loss 1.96, 1.84 iters/s
step 12436, batch loss 1.497, 1.84 iters/s
step 12437, batch loss 1.315, 1.84 iters/s
step 12438, batch loss 1.69, 1.84 iters/s
step 12439, batch loss 2.358, 1.84 iters/s
step 12440, batch loss 1.724, 1.82 iters/s
step 12441, batch loss 1.664, 1.83 iters/s
step 12442, batch loss 1.378, 1.83 iters/s
step 12443, batch loss 1.418, 1.83 iters/s
step 12444, batch loss 2.122, 1.84 iters/s
step 12445, batch loss 1.739, 1.83 iters/s
step 12446, batch loss 1.737, 1.84 iters/s
step 12447, batch loss 2.069, 1.83 iters/s
step 12448, batch loss 1.213, 1.84 iters/s
step 12449, batch loss 2.306, 1.84 iters/s
step 12450, batch loss 1.567, 1.83 iters/s

step 12451, batch loss 1.408, 1.83 iters/s
step 12452, batch loss 0.663, 1.83 iters/s
step 12453, batch loss 1.882, 1.84 iters/s
step 12454, batch loss 1.739, 1.84 iters/s
step 12455, batch loss 2.095, 1.83 iters/s
step 12456, batch loss 1.332, 1.85 iters/s
step 12457, batch loss 2.171, 1.83 iters/s
step 12458, batch loss 1.669, 1.83 iters/s
step 12459, batch loss 1.81, 1.83 iters/s
step 12460, batch loss 1.749, 1.83 iters/s
step 12461, batch loss 1.832, 1.83 iters/s
step 12462, batch loss 1.899, 1.83 iters/s
step 12463, batch loss 1.871, 1.83 iters/s
step 12464, batch loss 1.953, 1.83 iters/s
step 12465, batch loss 1.44, 1.83 iters/s
step 12466, batch loss 0.815, 1.82 iters/s
step 12467, batch loss 2.057, 1.83 iters/s
step 12468, batch loss 1.85, 1.84 iters/s
step 12469, batch loss 1.418, 1.83 iters/s
step 12470, batch loss 1.428, 1.83 iters/s
step 12471, batch loss 1.817, 1.83 iters/s
step 12472, batch loss 2.09, 1.83 iters/s
step 12473, batch loss 1.724, 1.86 iters/s
step 12474, batch loss 2.328, 1.83 iters/s
step 12475, batch loss 1.153, 1.83 iters/s
step 12476, batch loss 2.069, 1.85 iters/s
step 12477, batch loss 1.555, 1.84 iters/s
step 12478, batch loss 1.844, 1.84 iters/s
step 12479, batch loss 1.284, 1.83 iters/s
step 12480, batch loss 2.191, 1.84 iters/s
step 12481, batch loss 1.954, 1.83 iters/s
step 12482, batch loss 1.461, 1.83 iters/s
step 12483, batch loss 2.033, 1.82 iters/s
step 12484, batch loss 1.989, 1.83 iters/s
step 12485, batch loss 1.961, 1.82 iters/s
step 12486, batch loss 1.687, 1.83 iters/s
step 12487, batch loss 2.11, 1.83 iters/s
step 12488, batch loss 2.203, 1.82 iters/s
step 12489, batch loss 1.96, 1.82 iters/s
step 12490, batch loss 1.561, 1.84 iters/s
step 12491, batch loss 1.873, 1.83 iters/s
step 12492, batch loss 1.457, 1.83 iters/s
step 12493, batch loss 1.772, 1.83 iters/s
step 12494, batch loss 1.235, 1.83 iters/s
step 12495, batch loss 1.399, 1.83 iters/s
step 12496, batch loss 1.674, 1.83 iters/s
step 12497, batch loss 2.082, 1.83 iters/s
step 12498, batch loss 1.848, 1.84 iters/s

step 12499, batch loss 1.56, 1.83 iters/s
step 12500, batch loss 2.139, 1.82 iters/s
step 12501, batch loss 1.921, 1.82 iters/s
step 12502, batch loss 2.521, 1.83 iters/s
step 12503, batch loss 1.709, 1.83 iters/s
step 12504, batch loss 1.855, 1.83 iters/s
step 12505, batch loss 1.606, 1.82 iters/s
step 12506, batch loss 1.615, 1.83 iters/s
step 12507, batch loss 2.554, 1.83 iters/s
step 12508, batch loss 1.924, 1.83 iters/s
step 12509, batch loss 1.694, 1.82 iters/s
step 12510, batch loss 2.051, 1.82 iters/s
step 12511, batch loss 1.154, 1.84 iters/s
step 12512, batch loss 2.112, 1.85 iters/s
step 12513, batch loss 1.732, 1.83 iters/s
step 12514, batch loss 1.786, 1.83 iters/s
step 12515, batch loss 2.32, 1.84 iters/s
step 12516, batch loss 1.967, 1.84 iters/s
step 12517, batch loss 1.558, 1.84 iters/s
step 12518, batch loss 1.601, 1.83 iters/s
step 12519, batch loss 2.068, 1.83 iters/s
step 12520, batch loss 1.802, 1.83 iters/s
step 12521, batch loss 2.108, 1.85 iters/s
step 12522, batch loss 2.495, 1.83 iters/s
step 12523, batch loss 1.635, 1.84 iters/s
step 12524, batch loss 1.526, 1.84 iters/s
step 12525, batch loss 1.536, 1.86 iters/s
step 12526, batch loss 1.568, 1.83 iters/s
step 12527, batch loss 1.997, 1.83 iters/s
step 12528, batch loss 1.414, 1.82 iters/s
step 12529, batch loss 2.088, 1.83 iters/s
step 12530, batch loss 1.947, 1.83 iters/s
step 12531, batch loss 1.394, 1.83 iters/s
step 12532, batch loss 1.999, 1.83 iters/s
step 12533, batch loss 1.781, 1.83 iters/s
step 12534, batch loss 1.807, 1.82 iters/s
step 12535, batch loss 1.722, 1.84 iters/s
step 12536, batch loss 1.06, 1.83 iters/s
step 12537, batch loss 1.171, 1.83 iters/s
step 12538, batch loss 1.781, 1.83 iters/s
step 12539, batch loss 2.015, 1.83 iters/s
step 12540, batch loss 1.815, 1.85 iters/s
step 12541, batch loss 2.067, 1.82 iters/s
step 12542, batch loss 2.248, 1.82 iters/s
step 12543, batch loss 1.391, 1.82 iters/s
step 12544, batch loss 2.056, 1.82 iters/s
step 12545, batch loss 2.11, 1.83 iters/s
step 12546, batch loss 1.726, 1.82 iters/s

step 12547, batch loss 1.948, 1.82 iters/s
step 12548, batch loss 1.956, 1.82 iters/s
step 12549, batch loss 1.71, 1.83 iters/s
step 12550, batch loss 1.904, 1.83 iters/s
step 12551, batch loss 1.729, 1.83 iters/s
step 12552, batch loss 1.603, 1.84 iters/s
step 12553, batch loss 2.16, 1.83 iters/s
step 12554, batch loss 1.791, 1.83 iters/s
step 12555, batch loss 1.534, 1.83 iters/s
step 12556, batch loss 1.888, 1.83 iters/s
step 12557, batch loss 1.826, 1.83 iters/s
step 12558, batch loss 2.011, 1.82 iters/s
step 12559, batch loss 2.269, 1.85 iters/s
step 12560, batch loss 1.744, 1.83 iters/s
step 12561, batch loss 2.396, 1.83 iters/s
step 12562, batch loss 1.379, 1.84 iters/s
step 12563, batch loss 1.572, 1.83 iters/s
step 12564, batch loss 2.271, 1.83 iters/s
step 12565, batch loss 1.824, 1.83 iters/s
step 12566, batch loss 1.849, 1.83 iters/s
step 12567, batch loss 1.588, 1.85 iters/s
step 12568, batch loss 2.021, 1.83 iters/s
step 12569, batch loss 1.947, 1.83 iters/s
step 12570, batch loss 1.841, 1.83 iters/s
step 12571, batch loss 2.223, 1.83 iters/s
step 12572, batch loss 1.56, 1.84 iters/s
step 12573, batch loss 2.174, 1.84 iters/s
step 12574, batch loss 2.409, 1.83 iters/s
step 12575, batch loss 1.652, 1.83 iters/s
step 12576, batch loss 2.094, 1.83 iters/s
step 12577, batch loss 1.809, 1.83 iters/s
step 12578, batch loss 1.858, 1.82 iters/s
step 12579, batch loss 2.219, 1.82 iters/s
step 12580, batch loss 2.127, 1.85 iters/s
step 12581, batch loss 1.857, 1.84 iters/s
step 12582, batch loss 1.555, 1.84 iters/s
step 12583, batch loss 2.126, 1.83 iters/s
step 12584, batch loss 2.385, 1.82 iters/s
step 12585, batch loss 2.051, 1.83 iters/s
step 12586, batch loss 1.69, 1.83 iters/s
step 12587, batch loss 1.705, 1.83 iters/s
step 12588, batch loss 1.586, 1.83 iters/s
step 12589, batch loss 1.864, 1.84 iters/s
step 12590, batch loss 1.726, 1.83 iters/s
step 12591, batch loss 1.336, 1.84 iters/s
step 12592, batch loss 1.96, 1.82 iters/s
step 12593, batch loss 1.935, 1.85 iters/s
step 12594, batch loss 1.67, 1.84 iters/s

step 12595, batch loss 1.472, 1.85 iters/s
step 12596, batch loss 2.183, 1.84 iters/s
step 12597, batch loss 1.86, 1.84 iters/s
step 12598, batch loss 2.047, 1.84 iters/s
step 12599, batch loss 1.43, 1.83 iters/s
step 12600, batch loss 1.902, 1.82 iters/s
step 12601, batch loss 1.512, 1.83 iters/s
step 12602, batch loss 0.72, 1.84 iters/s
step 12603, batch loss 1.802, 1.83 iters/s
step 12604, batch loss 1.653, 1.84 iters/s
step 12605, batch loss 1.675, 1.85 iters/s
step 12606, batch loss 2.382, 1.86 iters/s
step 12607, batch loss 1.375, 1.83 iters/s
step 12608, batch loss 1.763, 1.82 iters/s
step 12609, batch loss 1.562, 1.83 iters/s
step 12610, batch loss 1.837, 1.82 iters/s
step 12611, batch loss 1.602, 1.83 iters/s
step 12612, batch loss 2.146, 1.84 iters/s
step 12613, batch loss 2.055, 1.83 iters/s
step 12614, batch loss 1.201, 1.83 iters/s
step 12615, batch loss 1.876, 1.84 iters/s
step 12616, batch loss 2.049, 1.83 iters/s
step 12617, batch loss 1.925, 1.84 iters/s
step 12618, batch loss 1.626, 1.82 iters/s
step 12619, batch loss 1.676, 1.86 iters/s
step 12620, batch loss 2.686, 1.84 iters/s
step 12621, batch loss 1.68, 1.84 iters/s
step 12622, batch loss 2.201, 1.82 iters/s
step 12623, batch loss 1.391, 1.83 iters/s
step 12624, batch loss 1.993, 1.82 iters/s
step 12625, batch loss 1.787, 1.83 iters/s
step 12626, batch loss 1.618, 1.83 iters/s
step 12627, batch loss 1.97, 1.83 iters/s
step 12628, batch loss 1.795, 1.86 iters/s
step 12629, batch loss 1.758, 1.85 iters/s
step 12630, batch loss 1.895, 1.83 iters/s
step 12631, batch loss 1.492, 1.82 iters/s
step 12632, batch loss 1.528, 1.84 iters/s
step 12633, batch loss 1.786, 1.84 iters/s
step 12634, batch loss 1.658, 1.83 iters/s
step 12635, batch loss 2.192, 1.83 iters/s
step 12636, batch loss 1.962, 1.83 iters/s
step 12637, batch loss 2.215, 1.83 iters/s
step 12638, batch loss 1.384, 1.86 iters/s
step 12639, batch loss 1.402, 1.83 iters/s
step 12640, batch loss 1.571, 1.83 iters/s
step 12641, batch loss 1.62, 1.83 iters/s
step 12642, batch loss 1.913, 1.85 iters/s

step 12643, batch loss 2.103, 1.83 iters/s
step 12644, batch loss 1.485, 1.85 iters/s
step 12645, batch loss 1.773, 1.83 iters/s
step 12646, batch loss 1.913, 1.83 iters/s
step 12647, batch loss 1.611, 1.83 iters/s
step 12648, batch loss 1.842, 1.82 iters/s
step 12649, batch loss 2.022, 1.85 iters/s
step 12650, batch loss 1.606, 1.82 iters/s
step 12651, batch loss 1.888, 1.85 iters/s
step 12652, batch loss 1.662, 1.83 iters/s
step 12653, batch loss 1.452, 1.83 iters/s
step 12654, batch loss 1.335, 1.86 iters/s
step 12655, batch loss 2.251, 1.85 iters/s
step 12656, batch loss 1.911, 1.83 iters/s
step 12657, batch loss 1.857, 1.83 iters/s
step 12658, batch loss 1.698, 1.83 iters/s
step 12659, batch loss 2.057, 1.82 iters/s
step 12660, batch loss 1.871, 1.84 iters/s
step 12661, batch loss 1.685, 1.83 iters/s
step 12662, batch loss 1.438, 1.85 iters/s
step 12663, batch loss 1.207, 1.83 iters/s
step 12664, batch loss 1.5, 1.83 iters/s
step 12665, batch loss 2.023, 1.83 iters/s
step 12666, batch loss 2.006, 1.85 iters/s
step 12667, batch loss 1.334, 1.83 iters/s
step 12668, batch loss 2.068, 1.82 iters/s
step 12669, batch loss 1.66, 1.84 iters/s
step 12670, batch loss 1.904, 1.83 iters/s
step 12671, batch loss 1.65, 1.83 iters/s
step 12672, batch loss 1.973, 1.84 iters/s
step 12673, batch loss 2.181, 1.83 iters/s
step 12674, batch loss 1.584, 1.83 iters/s
step 12675, batch loss 1.916, 1.83 iters/s
step 12676, batch loss 1.631, 1.83 iters/s
step 12677, batch loss 1.555, 1.83 iters/s
step 12678, batch loss 1.744, 1.83 iters/s
step 12679, batch loss 1.811, 1.83 iters/s
step 12680, batch loss 1.671, 1.83 iters/s
step 12681, batch loss 1.932, 1.82 iters/s
step 12682, batch loss 1.176, 1.83 iters/s
step 12683, batch loss 1.784, 1.83 iters/s
step 12684, batch loss 1.416, 1.83 iters/s
step 12685, batch loss 1.982, 1.83 iters/s
step 12686, batch loss 1.822, 1.83 iters/s
step 12687, batch loss 1.958, 1.84 iters/s
step 12688, batch loss 1.679, 1.83 iters/s
step 12689, batch loss 2.18, 1.83 iters/s
step 12690, batch loss 1.505, 1.83 iters/s

step 12691, batch loss 1.829, 1.83 iters/s
step 12692, batch loss 1.835, 1.84 iters/s
step 12693, batch loss 1.552, 1.83 iters/s
step 12694, batch loss 1.327, 1.84 iters/s
step 12695, batch loss 1.454, 1.83 iters/s
step 12696, batch loss 1.777, 1.83 iters/s
step 12697, batch loss 1.821, 1.84 iters/s
step 12698, batch loss 1.813, 1.85 iters/s
step 12699, batch loss 0.914, 1.83 iters/s
step 12700, batch loss 1.558, 1.84 iters/s
step 12701, batch loss 1.86, 1.85 iters/s
step 12702, batch loss 2.507, 1.85 iters/s
step 12703, batch loss 1.845, 1.83 iters/s
step 12704, batch loss 2.245, 1.83 iters/s
step 12705, batch loss 2.116, 1.83 iters/s
step 12706, batch loss 1.502, 1.83 iters/s
step 12707, batch loss 1.705, 1.83 iters/s
step 12708, batch loss 1.99, 1.84 iters/s
step 12709, batch loss 1.944, 1.84 iters/s
step 12710, batch loss 1.901, 1.83 iters/s
step 12711, batch loss 2.077, 1.83 iters/s
step 12712, batch loss 1.833, 1.83 iters/s
step 12713, batch loss 1.556, 1.83 iters/s
step 12714, batch loss 1.6, 1.83 iters/s
step 12715, batch loss 2.373, 1.85 iters/s
step 12716, batch loss 1.875, 1.83 iters/s
step 12717, batch loss 1.631, 1.83 iters/s
step 12718, batch loss 1.408, 1.85 iters/s
step 12719, batch loss 2.477, 1.83 iters/s
step 12720, batch loss 1.142, 1.83 iters/s
step 12721, batch loss 1.269, 1.83 iters/s
step 12722, batch loss 1.16, 1.83 iters/s
step 12723, batch loss 1.937, 1.83 iters/s
step 12724, batch loss 2.184, 1.84 iters/s
step 12725, batch loss 1.521, 1.83 iters/s
step 12726, batch loss 1.633, 1.84 iters/s
step 12727, batch loss 1.547, 1.83 iters/s
step 12728, batch loss 1.688, 1.83 iters/s
step 12729, batch loss 1.627, 1.84 iters/s
step 12730, batch loss 0.553, 1.83 iters/s
step 12731, batch loss 1.003, 1.84 iters/s
step 12732, batch loss 1.291, 1.82 iters/s
step 12733, batch loss 1.823, 1.83 iters/s
step 12734, batch loss 2.014, 1.85 iters/s
step 12735, batch loss 1.203, 1.83 iters/s
step 12736, batch loss 1.407, 1.83 iters/s
step 12737, batch loss 1.712, 1.83 iters/s
step 12738, batch loss 1.657, 1.83 iters/s

step 12739, batch loss 2.01, 1.85 iters/s
step 12740, batch loss 2.357, 1.84 iters/s
step 12741, batch loss 2.197, 1.83 iters/s
step 12742, batch loss 1.661, 1.83 iters/s
step 12743, batch loss 1.401, 1.83 iters/s
step 12744, batch loss 2.072, 1.83 iters/s
step 12745, batch loss 0.926, 1.83 iters/s
step 12746, batch loss 2.046, 1.83 iters/s
step 12747, batch loss 1.366, 1.83 iters/s
step 12748, batch loss 0.994, 1.82 iters/s
step 12749, batch loss 1.695, 1.83 iters/s
step 12750, batch loss 1.881, 1.83 iters/s
step 12751, batch loss 1.774, 1.86 iters/s
step 12752, batch loss 1.646, 1.83 iters/s
step 12753, batch loss 1.727, 1.84 iters/s
step 12754, batch loss 1.737, 1.83 iters/s
step 12755, batch loss 1.997, 1.83 iters/s
step 12756, batch loss 1.155, 1.84 iters/s
step 12757, batch loss 1.802, 1.84 iters/s
step 12758, batch loss 2.186, 1.83 iters/s
step 12759, batch loss 2.028, 1.83 iters/s
step 12760, batch loss 1.902, 1.82 iters/s
step 12761, batch loss 1.992, 1.83 iters/s
step 12762, batch loss 2.185, 1.83 iters/s
step 12763, batch loss 1.403, 1.83 iters/s
step 12764, batch loss 1.632, 1.83 iters/s
step 12765, batch loss 1.801, 1.83 iters/s
step 12766, batch loss 1.629, 1.84 iters/s
step 12767, batch loss 1.464, 1.85 iters/s
step 12768, batch loss 1.607, 1.84 iters/s
step 12769, batch loss 1.979, 1.83 iters/s
step 12770, batch loss 1.565, 1.85 iters/s
step 12771, batch loss 1.413, 1.83 iters/s
step 12772, batch loss 1.912, 1.83 iters/s
step 12773, batch loss 2.001, 1.84 iters/s
step 12774, batch loss 1.953, 1.82 iters/s
step 12775, batch loss 1.552, 1.83 iters/s
step 12776, batch loss 2.182, 1.83 iters/s
step 12777, batch loss 1.738, 1.84 iters/s
step 12778, batch loss 1.271, 1.83 iters/s
step 12779, batch loss 1.482, 1.85 iters/s
step 12780, batch loss 1.793, 1.85 iters/s
step 12781, batch loss 2.18, 1.83 iters/s
step 12782, batch loss 1.717, 1.85 iters/s
step 12783, batch loss 1.259, 1.82 iters/s
step 12784, batch loss 1.473, 1.83 iters/s
step 12785, batch loss 1.602, 1.83 iters/s
step 12786, batch loss 2.212, 1.83 iters/s

step 12787, batch loss 2.411, 1.83 iters/s
step 12788, batch loss 2.007, 1.84 iters/s
step 12789, batch loss 1.954, 1.84 iters/s
step 12790, batch loss 1.748, 1.83 iters/s
step 12791, batch loss 1.437, 1.82 iters/s
step 12792, batch loss 2.32, 1.83 iters/s
step 12793, batch loss 1.729, 1.83 iters/s
step 12794, batch loss 1.838, 1.83 iters/s
step 12795, batch loss 2.038, 1.82 iters/s
step 12796, batch loss 1.597, 1.83 iters/s
step 12797, batch loss 1.924, 1.84 iters/s
step 12798, batch loss 1.847, 1.83 iters/s
step 12799, batch loss 2.126, 1.84 iters/s
step 12800, batch loss 1.581, 1.84 iters/s
step 12801, batch loss 1.598, 1.83 iters/s
step 12802, batch loss 1.077, 1.83 iters/s
step 12803, batch loss 1.489, 1.83 iters/s
step 12804, batch loss 0.878, 1.83 iters/s
step 12805, batch loss 1.57, 1.83 iters/s
step 12806, batch loss 1.631, 1.83 iters/s
step 12807, batch loss 2.119, 1.83 iters/s
step 12808, batch loss 1.575, 1.84 iters/s
step 12809, batch loss 1.853, 1.84 iters/s
step 12810, batch loss 1.479, 1.84 iters/s
step 12811, batch loss 2.097, 1.84 iters/s
step 12812, batch loss 1.255, 1.84 iters/s
step 12813, batch loss 2.077, 1.84 iters/s
step 12814, batch loss 1.298, 1.84 iters/s
step 12815, batch loss 1.739, 1.83 iters/s
step 12816, batch loss 1.924, 1.84 iters/s
step 12817, batch loss 2.339, 1.83 iters/s
step 12818, batch loss 2.002, 1.82 iters/s
step 12819, batch loss 0.694, 1.84 iters/s
step 12820, batch loss 2.0, 1.85 iters/s
step 12821, batch loss 1.723, 1.84 iters/s
step 12822, batch loss 2.076, 1.84 iters/s
step 12823, batch loss 1.859, 1.83 iters/s
step 12824, batch loss 1.574, 1.86 iters/s
step 12825, batch loss 1.109, 1.84 iters/s
step 12826, batch loss 1.865, 1.83 iters/s
step 12827, batch loss 1.71, 1.84 iters/s
step 12828, batch loss 1.685, 1.83 iters/s
step 12829, batch loss 4.521, 1.84 iters/s
step 12830, batch loss 2.227, 1.84 iters/s
step 12831, batch loss 1.821, 1.82 iters/s
step 12832, batch loss 1.836, 1.85 iters/s
step 12833, batch loss 2.017, 1.82 iters/s
step 12834, batch loss 1.985, 1.83 iters/s

step 12835, batch loss 1.454, 1.83 iters/s
step 12836, batch loss 1.698, 1.84 iters/s
step 12837, batch loss 1.669, 1.83 iters/s
step 12838, batch loss 1.749, 1.84 iters/s
step 12839, batch loss 2.191, 1.83 iters/s
step 12840, batch loss 2.058, 1.82 iters/s
step 12841, batch loss 1.565, 1.83 iters/s
step 12842, batch loss 1.686, 1.83 iters/s
step 12843, batch loss 1.821, 1.84 iters/s
step 12844, batch loss 2.458, 1.82 iters/s
step 12845, batch loss 1.864, 1.83 iters/s
step 12846, batch loss 2.019, 1.83 iters/s
step 12847, batch loss 1.687, 1.86 iters/s
step 12848, batch loss 1.757, 1.83 iters/s
step 12849, batch loss 1.711, 1.83 iters/s
step 12850, batch loss 1.82, 1.83 iters/s
step 12851, batch loss 2.496, 1.83 iters/s
step 12852, batch loss 1.36, 1.83 iters/s
step 12853, batch loss 2.195, 1.83 iters/s
step 12854, batch loss 1.82, 1.83 iters/s
step 12855, batch loss 1.916, 1.83 iters/s
step 12856, batch loss 1.271, 1.82 iters/s
step 12857, batch loss 1.928, 1.83 iters/s
step 12858, batch loss 1.785, 1.84 iters/s
step 12859, batch loss 2.033, 1.83 iters/s
step 12860, batch loss 1.927, 1.83 iters/s
step 12861, batch loss 1.633, 1.83 iters/s
step 12862, batch loss 1.09, 1.85 iters/s
step 12863, batch loss 2.043, 1.83 iters/s
step 12864, batch loss 1.496, 1.83 iters/s
step 12865, batch loss 2.068, 1.83 iters/s
step 12866, batch loss 1.391, 1.83 iters/s
step 12867, batch loss 1.539, 1.83 iters/s
step 12868, batch loss 2.35, 1.84 iters/s
step 12869, batch loss 2.171, 1.84 iters/s
step 12870, batch loss 2.116, 1.84 iters/s
step 12871, batch loss 1.58, 1.83 iters/s
step 12872, batch loss 2.416, 1.83 iters/s
step 12873, batch loss 1.536, 1.83 iters/s
step 12874, batch loss 1.445, 1.84 iters/s
step 12875, batch loss 1.628, 1.84 iters/s
step 12876, batch loss 1.572, 1.82 iters/s
step 12877, batch loss 1.651, 1.82 iters/s
step 12878, batch loss 1.542, 1.84 iters/s
step 12879, batch loss 1.961, 1.84 iters/s
step 12880, batch loss 1.917, 1.83 iters/s
step 12881, batch loss 0.939, 1.84 iters/s
step 12882, batch loss 4.432, 1.82 iters/s

step 12883, batch loss 1.348, 1.84 iters/s
step 12884, batch loss 1.142, 1.83 iters/s
step 12885, batch loss 2.248, 1.85 iters/s
step 12886, batch loss 1.157, 1.83 iters/s
step 12887, batch loss 2.037, 1.86 iters/s
step 12888, batch loss 1.401, 1.83 iters/s
step 12889, batch loss 1.379, 1.85 iters/s
step 12890, batch loss 1.766, 1.83 iters/s
step 12891, batch loss 1.154, 1.83 iters/s
step 12892, batch loss 2.05, 1.83 iters/s
step 12893, batch loss 1.807, 1.83 iters/s
step 12894, batch loss 1.651, 1.84 iters/s
step 12895, batch loss 1.87, 1.83 iters/s
step 12896, batch loss 1.752, 1.84 iters/s
step 12897, batch loss 1.321, 1.83 iters/s
step 12898, batch loss 1.738, 1.85 iters/s
step 12899, batch loss 2.562, 1.82 iters/s
step 12900, batch loss 1.877, 1.83 iters/s
step 12901, batch loss 1.611, 1.83 iters/s
step 12902, batch loss 1.914, 1.83 iters/s
step 12903, batch loss 1.76, 1.83 iters/s
step 12904, batch loss 1.928, 1.84 iters/s
step 12905, batch loss 1.729, 1.83 iters/s
step 12906, batch loss 1.364, 1.84 iters/s
step 12907, batch loss 1.517, 1.83 iters/s
step 12908, batch loss 1.768, 1.84 iters/s
step 12909, batch loss 1.813, 1.83 iters/s
step 12910, batch loss 2.165, 1.82 iters/s
step 12911, batch loss 1.962, 1.84 iters/s
step 12912, batch loss 1.804, 1.83 iters/s
step 12913, batch loss 1.733, 1.83 iters/s
step 12914, batch loss 2.496, 1.83 iters/s
step 12915, batch loss 1.992, 1.84 iters/s
step 12916, batch loss 1.875, 1.83 iters/s
step 12917, batch loss 2.046, 1.84 iters/s
step 12918, batch loss 1.246, 1.82 iters/s
step 12919, batch loss 1.885, 1.83 iters/s
step 12920, batch loss 2.195, 1.83 iters/s
step 12921, batch loss 1.209, 1.83 iters/s
step 12922, batch loss 2.277, 1.83 iters/s
step 12923, batch loss 2.205, 1.82 iters/s
step 12924, batch loss 1.615, 1.82 iters/s
step 12925, batch loss 1.833, 1.85 iters/s
step 12926, batch loss 1.594, 1.84 iters/s
step 12927, batch loss 1.934, 1.84 iters/s
step 12928, batch loss 2.209, 1.84 iters/s
step 12929, batch loss 1.247, 1.83 iters/s
step 12930, batch loss 2.063, 1.83 iters/s

step 12931, batch loss 1.657, 1.82 iters/s
step 12932, batch loss 1.586, 1.83 iters/s
step 12933, batch loss 1.774, 1.82 iters/s
step 12934, batch loss 1.71, 1.83 iters/s
step 12935, batch loss 2.122, 1.83 iters/s
step 12936, batch loss 1.961, 1.83 iters/s
step 12937, batch loss 1.692, 1.83 iters/s
step 12938, batch loss 1.673, 1.82 iters/s
step 12939, batch loss 1.13, 1.83 iters/s
step 12940, batch loss 1.922, 1.83 iters/s
step 12941, batch loss 2.337, 1.84 iters/s
step 12942, batch loss 2.071, 1.83 iters/s
step 12943, batch loss 1.991, 1.84 iters/s
step 12944, batch loss 1.013, 1.83 iters/s
step 12945, batch loss 2.089, 1.83 iters/s
step 12946, batch loss 1.755, 1.83 iters/s
step 12947, batch loss 1.697, 1.83 iters/s
step 12948, batch loss 1.79, 1.85 iters/s
step 12949, batch loss 1.547, 1.83 iters/s
step 12950, batch loss 1.558, 1.84 iters/s
step 12951, batch loss 2.42, 1.83 iters/s
step 12952, batch loss 1.796, 1.83 iters/s
step 12953, batch loss 1.704, 1.82 iters/s
step 12954, batch loss 1.113, 1.83 iters/s
step 12955, batch loss 1.853, 1.83 iters/s
step 12956, batch loss 2.1, 1.83 iters/s
step 12957, batch loss 1.642, 1.84 iters/s
step 12958, batch loss 1.957, 1.83 iters/s
step 12959, batch loss 1.789, 1.82 iters/s
step 12960, batch loss 1.513, 1.84 iters/s
step 12961, batch loss 2.225, 1.82 iters/s
step 12962, batch loss 0.65, 1.81 iters/s
step 12963, batch loss 1.393, 1.84 iters/s
step 12964, batch loss 1.54, 1.83 iters/s
step 12965, batch loss 1.915, 1.85 iters/s
step 12966, batch loss 1.98, 1.84 iters/s
step 12967, batch loss 2.178, 1.83 iters/s
step 12968, batch loss 1.801, 1.83 iters/s
step 12969, batch loss 1.805, 1.83 iters/s
step 12970, batch loss 1.507, 1.83 iters/s
step 12971, batch loss 1.506, 1.84 iters/s
step 12972, batch loss 2.29, 1.85 iters/s
step 12973, batch loss 2.254, 1.84 iters/s
step 12974, batch loss 1.537, 1.83 iters/s
step 12975, batch loss 1.966, 1.85 iters/s
step 12976, batch loss 1.49, 1.82 iters/s
step 12977, batch loss 3.03, 1.83 iters/s
step 12978, batch loss 1.635, 1.82 iters/s

step 12979, batch loss 1.906, 1.85 iters/s
step 12980, batch loss 1.508, 1.84 iters/s
step 12981, batch loss 2.36, 1.83 iters/s
step 12982, batch loss 1.759, 1.84 iters/s
step 12983, batch loss 2.018, 1.83 iters/s
step 12984, batch loss 2.008, 1.82 iters/s
step 12985, batch loss 1.616, 1.83 iters/s
step 12986, batch loss 2.176, 1.83 iters/s
step 12987, batch loss 1.676, 1.82 iters/s
step 12988, batch loss 2.021, 1.83 iters/s
step 12989, batch loss 2.2, 1.83 iters/s
step 12990, batch loss 1.538, 1.83 iters/s
step 12991, batch loss 1.919, 1.83 iters/s
step 12992, batch loss 2.009, 1.83 iters/s
step 12993, batch loss 2.0, 1.83 iters/s
step 12994, batch loss 1.459, 1.84 iters/s
step 12995, batch loss 1.396, 1.84 iters/s
step 12996, batch loss 1.787, 1.84 iters/s
step 12997, batch loss 1.904, 1.82 iters/s
step 12998, batch loss 1.376, 1.84 iters/s
step 12999, batch loss 1.901, 1.85 iters/s
step 13000, batch loss 1.777, 1.83 iters/s
step 13001, batch loss 1.809, 1.83 iters/s
step 13002, batch loss 1.516, 1.83 iters/s
step 13003, batch loss 1.808, 1.84 iters/s
step 13004, batch loss 1.396, 1.84 iters/s
step 13005, batch loss 1.929, 1.84 iters/s
step 13006, batch loss 1.902, 1.83 iters/s
step 13007, batch loss 1.655, 1.83 iters/s
step 13008, batch loss 1.771, 1.86 iters/s
step 13009, batch loss 0.632, 1.83 iters/s
step 13010, batch loss 1.547, 1.85 iters/s
step 13011, batch loss 1.506, 1.82 iters/s
step 13012, batch loss 2.151, 1.84 iters/s
step 13013, batch loss 3.01, 1.83 iters/s
step 13014, batch loss 1.266, 1.84 iters/s
step 13015, batch loss 2.165, 1.83 iters/s
step 13016, batch loss 2.299, 1.83 iters/s
step 13017, batch loss 1.649, 1.83 iters/s
step 13018, batch loss 1.763, 1.84 iters/s
step 13019, batch loss 2.039, 1.82 iters/s
step 13020, batch loss 1.184, 1.83 iters/s
step 13021, batch loss 1.672, 1.83 iters/s
step 13022, batch loss 1.156, 1.86 iters/s
step 13023, batch loss 1.777, 1.83 iters/s
step 13024, batch loss 2.432, 1.83 iters/s
step 13025, batch loss 1.901, 1.82 iters/s
step 13026, batch loss 1.754, 1.83 iters/s

step 13027, batch loss 2.34, 1.84 iters/s
step 13028, batch loss 1.466, 1.84 iters/s
step 13029, batch loss 1.762, 1.83 iters/s
step 13030, batch loss 2.244, 1.83 iters/s
step 13031, batch loss 1.429, 1.84 iters/s
step 13032, batch loss 1.722, 1.83 iters/s
step 13033, batch loss 2.111, 2.35 iters/s
step 13034, batch loss 2.265, 1.84 iters/s
step 13035, batch loss 1.632, 1.82 iters/s
step 13036, batch loss 1.45, 1.83 iters/s
step 13037, batch loss 1.415, 1.83 iters/s
step 13038, batch loss 1.399, 1.83 iters/s
step 13039, batch loss 1.978, 1.83 iters/s
step 13040, batch loss 2.182, 1.84 iters/s
step 13041, batch loss 1.967, 1.84 iters/s
step 13042, batch loss 2.024, 1.84 iters/s
step 13043, batch loss 2.144, 1.83 iters/s
step 13044, batch loss 1.4, 1.85 iters/s
step 13045, batch loss 1.009, 1.84 iters/s
step 13046, batch loss 2.445, 1.83 iters/s
step 13047, batch loss 1.873, 1.84 iters/s
step 13048, batch loss 1.358, 1.84 iters/s
step 13049, batch loss 1.25, 1.84 iters/s
step 13050, batch loss 1.849, 1.83 iters/s
step 13051, batch loss 2.039, 1.82 iters/s
step 13052, batch loss 1.524, 1.84 iters/s
step 13053, batch loss 1.945, 1.83 iters/s
step 13054, batch loss 1.444, 1.83 iters/s
step 13055, batch loss 1.967, 1.83 iters/s
step 13056, batch loss 1.416, 1.83 iters/s
step 13057, batch loss 2.338, 1.84 iters/s
step 13058, batch loss 1.178, 1.83 iters/s
step 13059, batch loss 1.742, 1.84 iters/s
step 13060, batch loss 1.711, 1.83 iters/s
step 13061, batch loss 2.121, 1.83 iters/s
step 13062, batch loss 1.755, 1.83 iters/s
step 13063, batch loss 1.909, 1.83 iters/s
step 13064, batch loss 2.325, 1.84 iters/s
step 13065, batch loss 1.946, 1.83 iters/s
step 13066, batch loss 1.672, 1.83 iters/s
step 13067, batch loss 2.205, 1.83 iters/s
step 13068, batch loss 1.664, 1.84 iters/s
step 13069, batch loss 2.252, 1.83 iters/s
step 13070, batch loss 1.112, 1.83 iters/s
step 13071, batch loss 1.697, 1.85 iters/s
step 13072, batch loss 1.788, 1.83 iters/s
step 13073, batch loss 1.772, 1.83 iters/s
step 13074, batch loss 1.635, 1.82 iters/s

step 13075, batch loss 1.468, 1.85 iters/s
step 13076, batch loss 2.06, 1.83 iters/s
step 13077, batch loss 2.046, 1.84 iters/s
step 13078, batch loss 1.614, 1.83 iters/s
step 13079, batch loss 2.064, 1.83 iters/s
step 13080, batch loss 1.771, 1.83 iters/s
step 13081, batch loss 1.198, 1.83 iters/s
step 13082, batch loss 1.677, 1.84 iters/s
step 13083, batch loss 1.631, 1.84 iters/s
step 13084, batch loss 1.683, 1.83 iters/s
step 13085, batch loss 1.446, 1.84 iters/s
step 13086, batch loss 1.721, 1.83 iters/s
step 13087, batch loss 1.788, 1.83 iters/s
step 13088, batch loss 1.758, 1.83 iters/s
step 13089, batch loss 1.97, 1.83 iters/s
step 13090, batch loss 1.969, 1.83 iters/s
step 13091, batch loss 2.368, 1.84 iters/s
step 13092, batch loss 1.87, 1.83 iters/s
step 13093, batch loss 1.659, 1.82 iters/s
step 13094, batch loss 1.313, 1.83 iters/s
step 13095, batch loss 1.82, 1.84 iters/s
step 13096, batch loss 1.425, 1.82 iters/s
step 13097, batch loss 1.613, 1.83 iters/s
step 13098, batch loss 1.615, 1.83 iters/s
step 13099, batch loss 1.571, 1.83 iters/s
step 13100, batch loss 2.028, 1.86 iters/s
step 13101, batch loss 2.08, 1.83 iters/s
step 13102, batch loss 1.879, 1.83 iters/s
step 13103, batch loss 1.712, 1.83 iters/s
step 13104, batch loss 1.419, 1.83 iters/s
step 13105, batch loss 1.848, 1.84 iters/s
step 13106, batch loss 1.465, 1.83 iters/s
step 13107, batch loss 1.794, 1.83 iters/s
step 13108, batch loss 1.502, 1.83 iters/s
step 13109, batch loss 1.028, 1.83 iters/s
step 13110, batch loss 1.874, 1.82 iters/s
step 13111, batch loss 1.034, 1.83 iters/s
step 13112, batch loss 1.573, 1.83 iters/s
step 13113, batch loss 2.06, 1.83 iters/s
step 13114, batch loss 1.274, 1.82 iters/s
step 13115, batch loss 1.328, 1.84 iters/s
step 13116, batch loss 2.138, 1.83 iters/s
step 13117, batch loss 1.627, 1.83 iters/s
step 13118, batch loss 2.172, 1.82 iters/s
step 13119, batch loss 2.285, 1.84 iters/s
step 13120, batch loss 1.499, 1.83 iters/s
step 13121, batch loss 2.13, 1.84 iters/s
step 13122, batch loss 1.932, 1.84 iters/s

step 13123, batch loss 2.046, 1.84 iters/s
step 13124, batch loss 2.16, 1.83 iters/s
step 13125, batch loss 1.404, 1.83 iters/s
step 13126, batch loss 1.108, 1.83 iters/s
step 13127, batch loss 1.176, 1.84 iters/s
step 13128, batch loss 1.973, 1.84 iters/s
step 13129, batch loss 2.041, 1.85 iters/s
step 13130, batch loss 1.329, 1.83 iters/s
step 13131, batch loss 1.134, 1.84 iters/s
step 13132, batch loss 1.298, 1.83 iters/s
step 13133, batch loss 1.221, 1.83 iters/s
step 13134, batch loss 1.537, 1.83 iters/s
step 13135, batch loss 1.561, 1.83 iters/s
step 13136, batch loss 1.875, 1.83 iters/s
step 13137, batch loss 1.712, 1.85 iters/s
step 13138, batch loss 1.581, 1.84 iters/s
step 13139, batch loss 1.711, 1.83 iters/s
step 13140, batch loss 2.115, 1.85 iters/s
step 13141, batch loss 1.915, 1.85 iters/s
step 13142, batch loss 1.504, 1.84 iters/s
step 13143, batch loss 1.257, 1.83 iters/s
step 13144, batch loss 1.735, 1.83 iters/s
step 13145, batch loss 1.915, 1.83 iters/s
step 13146, batch loss 2.158, 1.82 iters/s
step 13147, batch loss 1.714, 1.83 iters/s
step 13148, batch loss 1.823, 1.85 iters/s
step 13149, batch loss 0.977, 1.84 iters/s
step 13150, batch loss 1.855, 1.83 iters/s
step 13151, batch loss 1.297, 1.85 iters/s
step 13152, batch loss 1.734, 1.83 iters/s
step 13153, batch loss 1.968, 1.83 iters/s
step 13154, batch loss 1.742, 1.83 iters/s
step 13155, batch loss 1.824, 1.83 iters/s
step 13156, batch loss 1.882, 1.83 iters/s
step 13157, batch loss 1.401, 1.86 iters/s
step 13158, batch loss 1.333, 1.84 iters/s
step 13159, batch loss 0.981, 1.83 iters/s
step 13160, batch loss 1.733, 1.83 iters/s
step 13161, batch loss 1.492, 1.83 iters/s
step 13162, batch loss 1.594, 1.83 iters/s
step 13163, batch loss 1.463, 1.84 iters/s
step 13164, batch loss 1.646, 1.84 iters/s
step 13165, batch loss 1.385, 1.83 iters/s
step 13166, batch loss 2.171, 1.83 iters/s
step 13167, batch loss 1.998, 1.83 iters/s
step 13168, batch loss 2.06, 1.83 iters/s
step 13169, batch loss 1.293, 1.83 iters/s
step 13170, batch loss 1.807, 1.83 iters/s

step 13171, batch loss 1.78, 1.83 iters/s
step 13172, batch loss 2.385, 1.83 iters/s
step 13173, batch loss 1.913, 1.83 iters/s
step 13174, batch loss 2.111, 1.84 iters/s
step 13175, batch loss 1.819, 1.83 iters/s
step 13176, batch loss 1.381, 1.84 iters/s
step 13177, batch loss 1.857, 1.86 iters/s
step 13178, batch loss 1.772, 1.83 iters/s
step 13179, batch loss 1.617, 1.83 iters/s
step 13180, batch loss 1.978, 1.84 iters/s
step 13181, batch loss 1.919, 1.83 iters/s
step 13182, batch loss 2.034, 1.83 iters/s
step 13183, batch loss 0.978, 1.84 iters/s
step 13184, batch loss 1.716, 1.83 iters/s
step 13185, batch loss 1.422, 1.84 iters/s
step 13186, batch loss 1.916, 1.85 iters/s
step 13187, batch loss 2.04, 1.84 iters/s
step 13188, batch loss 2.008, 1.83 iters/s
step 13189, batch loss 1.978, 1.84 iters/s
step 13190, batch loss 1.17, 1.86 iters/s
step 13191, batch loss 0.861, 1.83 iters/s
step 13192, batch loss 1.579, 1.84 iters/s
step 13193, batch loss 1.469, 1.84 iters/s
step 13194, batch loss 1.89, 1.84 iters/s
step 13195, batch loss 2.078, 1.83 iters/s
step 13196, batch loss 2.262, 1.85 iters/s
step 13197, batch loss 1.938, 1.84 iters/s
step 13198, batch loss 1.787, 1.86 iters/s
step 13199, batch loss 1.877, 1.84 iters/s
step 13200, batch loss 1.959, 1.83 iters/s
step 13201, batch loss 1.897, 1.85 iters/s
step 13202, batch loss 1.66, 1.83 iters/s
step 13203, batch loss 1.828, 1.85 iters/s
step 13204, batch loss 1.875, 1.83 iters/s
step 13205, batch loss 1.271, 1.82 iters/s
step 13206, batch loss 1.789, 1.83 iters/s
step 13207, batch loss 1.539, 1.83 iters/s
step 13208, batch loss 2.012, 1.83 iters/s
step 13209, batch loss 1.626, 1.82 iters/s
step 13210, batch loss 1.646, 1.83 iters/s
step 13211, batch loss 2.1, 1.83 iters/s
step 13212, batch loss 0.632, 1.83 iters/s
step 13213, batch loss 1.678, 1.83 iters/s
step 13214, batch loss 2.176, 1.84 iters/s
step 13215, batch loss 2.248, 1.83 iters/s
step 13216, batch loss 1.672, 1.83 iters/s
step 13217, batch loss 1.228, 1.84 iters/s
step 13218, batch loss 2.003, 1.84 iters/s

step 13219, batch loss 2.464, 1.83 iters/s
step 13220, batch loss 1.665, 1.86 iters/s
step 13221, batch loss 1.595, 1.83 iters/s
step 13222, batch loss 1.832, 1.83 iters/s
step 13223, batch loss 1.794, 1.85 iters/s
step 13224, batch loss 2.165, 1.83 iters/s
step 13225, batch loss 1.791, 1.85 iters/s
step 13226, batch loss 1.886, 1.83 iters/s
step 13227, batch loss 1.945, 1.83 iters/s
step 13228, batch loss 1.864, 1.83 iters/s
step 13229, batch loss 1.802, 1.83 iters/s
step 13230, batch loss 1.687, 1.86 iters/s
step 13231, batch loss 2.643, 1.84 iters/s
step 13232, batch loss 1.716, 1.84 iters/s
step 13233, batch loss 1.891, 1.84 iters/s
step 13234, batch loss 1.976, 1.83 iters/s
step 13235, batch loss 1.26, 1.83 iters/s
step 13236, batch loss 1.902, 1.84 iters/s
step 13237, batch loss 1.997, 1.84 iters/s
step 13238, batch loss 2.011, 1.84 iters/s
step 13239, batch loss 1.216, 1.83 iters/s
step 13240, batch loss 1.511, 1.84 iters/s
step 13241, batch loss 1.99, 1.83 iters/s
step 13242, batch loss 1.354, 1.84 iters/s
step 13243, batch loss 1.903, 1.83 iters/s
step 13244, batch loss 2.312, 1.83 iters/s
step 13245, batch loss 2.118, 1.82 iters/s
step 13246, batch loss 2.102, 1.84 iters/s
step 13247, batch loss 1.714, 1.84 iters/s
step 13248, batch loss 2.298, 1.83 iters/s
step 13249, batch loss 2.054, 1.84 iters/s
step 13250, batch loss 1.709, 1.84 iters/s
step 13251, batch loss 2.025, 1.84 iters/s
step 13252, batch loss 1.875, 1.83 iters/s
step 13253, batch loss 1.813, 1.83 iters/s
step 13254, batch loss 1.851, 1.83 iters/s
step 13255, batch loss 1.668, 1.83 iters/s
step 13256, batch loss 1.786, 1.84 iters/s
step 13257, batch loss 1.792, 1.83 iters/s
step 13258, batch loss 1.989, 1.84 iters/s
step 13259, batch loss 1.749, 1.84 iters/s
step 13260, batch loss 1.481, 1.82 iters/s
step 13261, batch loss 2.248, 1.84 iters/s
step 13262, batch loss 2.122, 1.83 iters/s
step 13263, batch loss 2.277, 1.84 iters/s
step 13264, batch loss 1.759, 1.83 iters/s
step 13265, batch loss 1.691, 1.84 iters/s
step 13266, batch loss 2.048, 1.84 iters/s

step 13267, batch loss 1.788, 1.83 iters/s
step 13268, batch loss 1.038, 1.83 iters/s
step 13269, batch loss 1.925, 1.84 iters/s
step 13270, batch loss 2.172, 1.86 iters/s
step 13271, batch loss 1.562, 1.85 iters/s
step 13272, batch loss 1.304, 1.84 iters/s
step 13273, batch loss 1.351, 1.83 iters/s
step 13274, batch loss 1.609, 1.84 iters/s
step 13275, batch loss 1.516, 1.86 iters/s
step 13276, batch loss 1.224, 1.83 iters/s
step 13277, batch loss 1.839, 1.84 iters/s
step 13278, batch loss 1.783, 1.82 iters/s
step 13279, batch loss 1.806, 1.83 iters/s
step 13280, batch loss 2.055, 1.84 iters/s
step 13281, batch loss 1.588, 1.84 iters/s
step 13282, batch loss 2.219, 1.84 iters/s
step 13283, batch loss 1.732, 1.83 iters/s
step 13284, batch loss 1.263, 1.84 iters/s
step 13285, batch loss 1.816, 1.84 iters/s
step 13286, batch loss 1.624, 1.83 iters/s
step 13287, batch loss 1.68, 1.83 iters/s
step 13288, batch loss 2.001, 1.83 iters/s
step 13289, batch loss 2.145, 1.84 iters/s
step 13290, batch loss 1.515, 1.83 iters/s
step 13291, batch loss 1.196, 1.84 iters/s
step 13292, batch loss 1.92, 1.84 iters/s
step 13293, batch loss 1.328, 1.84 iters/s
step 13294, batch loss 2.227, 1.84 iters/s
step 13295, batch loss 2.074, 1.84 iters/s
step 13296, batch loss 1.114, 1.84 iters/s
step 13297, batch loss 1.525, 1.84 iters/s
step 13298, batch loss 2.055, 1.84 iters/s
step 13299, batch loss 2.188, 1.83 iters/s
step 13300, batch loss 2.055, 1.84 iters/s
step 13301, batch loss 1.46, 1.84 iters/s
step 13302, batch loss 1.547, 1.83 iters/s
step 13303, batch loss 1.599, 1.84 iters/s
step 13304, batch loss 1.923, 1.83 iters/s
step 13305, batch loss 1.033, 1.83 iters/s
step 13306, batch loss 1.883, 1.84 iters/s
step 13307, batch loss 1.903, 1.85 iters/s
step 13308, batch loss 1.133, 1.83 iters/s
step 13309, batch loss 1.625, 1.84 iters/s
step 13310, batch loss 1.177, 1.84 iters/s
step 13311, batch loss 1.893, 1.84 iters/s
step 13312, batch loss 1.734, 1.84 iters/s
step 13313, batch loss 1.761, 1.83 iters/s
step 13314, batch loss 1.706, 1.83 iters/s

step 13315, batch loss 1.531, 1.85 iters/s
step 13316, batch loss 1.251, 1.84 iters/s
step 13317, batch loss 2.156, 1.83 iters/s
step 13318, batch loss 1.576, 1.85 iters/s
step 13319, batch loss 1.811, 1.83 iters/s
step 13320, batch loss 1.905, 1.83 iters/s
step 13321, batch loss 1.23, 1.85 iters/s
step 13322, batch loss 1.027, 1.84 iters/s
step 13323, batch loss 1.842, 1.83 iters/s
step 13324, batch loss 2.116, 1.83 iters/s
step 13325, batch loss 2.289, 1.83 iters/s
step 13326, batch loss 1.353, 1.83 iters/s
step 13327, batch loss 2.219, 1.83 iters/s
step 13328, batch loss 1.936, 1.83 iters/s
step 13329, batch loss 1.898, 1.86 iters/s
step 13330, batch loss 1.944, 1.85 iters/s
step 13331, batch loss 2.087, 1.83 iters/s
step 13332, batch loss 0.733, 1.86 iters/s
step 13333, batch loss 1.932, 1.84 iters/s
step 13334, batch loss 1.986, 1.83 iters/s
step 13335, batch loss 2.21, 1.83 iters/s
step 13336, batch loss 1.716, 1.85 iters/s
step 13337, batch loss 1.493, 1.85 iters/s
step 13338, batch loss 1.16, 1.82 iters/s
step 13339, batch loss 2.0, 1.83 iters/s
step 13340, batch loss 2.691, 1.83 iters/s
step 13341, batch loss 1.928, 1.85 iters/s
step 13342, batch loss 1.913, 1.83 iters/s
step 13343, batch loss 2.103, 1.85 iters/s
step 13344, batch loss 2.324, 1.84 iters/s
step 13345, batch loss 1.912, 1.83 iters/s
step 13346, batch loss 1.681, 1.84 iters/s
step 13347, batch loss 1.911, 1.83 iters/s
step 13348, batch loss 1.9, 1.84 iters/s
step 13349, batch loss 1.36, 1.83 iters/s
step 13350, batch loss 2.125, 1.83 iters/s
step 13351, batch loss 2.057, 1.84 iters/s
step 13352, batch loss 2.609, 1.83 iters/s
step 13353, batch loss 1.924, 1.83 iters/s
step 13354, batch loss 2.512, 1.83 iters/s
step 13355, batch loss 1.748, 1.83 iters/s
step 13356, batch loss 1.743, 1.85 iters/s
step 13357, batch loss 1.612, 1.84 iters/s
step 13358, batch loss 1.638, 1.84 iters/s
step 13359, batch loss 2.204, 1.85 iters/s
step 13360, batch loss 1.586, 1.83 iters/s
step 13361, batch loss 2.464, 1.85 iters/s
step 13362, batch loss 1.633, 1.83 iters/s

step 13363, batch loss 1.746, 1.85 iters/s
step 13364, batch loss 1.827, 1.83 iters/s
step 13365, batch loss 1.591, 1.85 iters/s
step 13366, batch loss 1.645, 1.84 iters/s
step 13367, batch loss 2.053, 1.84 iters/s
step 13368, batch loss 2.328, 1.83 iters/s
step 13369, batch loss 1.992, 1.84 iters/s
step 13370, batch loss 1.736, 1.83 iters/s
step 13371, batch loss 1.857, 1.83 iters/s
step 13372, batch loss 1.65, 1.84 iters/s
step 13373, batch loss 1.682, 1.84 iters/s
step 13374, batch loss 2.06, 1.83 iters/s
step 13375, batch loss 1.862, 1.85 iters/s
step 13376, batch loss 1.906, 1.83 iters/s
step 13377, batch loss 2.058, 1.83 iters/s
step 13378, batch loss 1.708, 1.84 iters/s
step 13379, batch loss 1.812, 1.82 iters/s
step 13380, batch loss 1.08, 1.83 iters/s
step 13381, batch loss 1.544, 1.83 iters/s
step 13382, batch loss 1.555, 1.83 iters/s
step 13383, batch loss 1.754, 1.83 iters/s
step 13384, batch loss 1.923, 1.84 iters/s
step 13385, batch loss 1.912, 1.83 iters/s
step 13386, batch loss 1.243, 1.85 iters/s
step 13387, batch loss 2.163, 1.83 iters/s
step 13388, batch loss 2.439, 1.83 iters/s
step 13389, batch loss 1.673, 1.83 iters/s
step 13390, batch loss 1.623, 1.85 iters/s
step 13391, batch loss 2.104, 1.86 iters/s
step 13392, batch loss 1.718, 1.84 iters/s
step 13393, batch loss 1.747, 1.83 iters/s
step 13394, batch loss 1.679, 1.83 iters/s
step 13395, batch loss 1.542, 1.83 iters/s
step 13396, batch loss 2.384, 1.83 iters/s
step 13397, batch loss 2.15, 1.84 iters/s
step 13398, batch loss 2.179, 1.84 iters/s
step 13399, batch loss 2.188, 1.83 iters/s
step 13400, batch loss 1.437, 1.83 iters/s
step 13401, batch loss 3.167, 1.84 iters/s
step 13402, batch loss 2.189, 1.83 iters/s
step 13403, batch loss 1.693, 1.83 iters/s
step 13404, batch loss 1.415, 1.83 iters/s
step 13405, batch loss 2.038, 1.85 iters/s
step 13406, batch loss 1.747, 1.83 iters/s
step 13407, batch loss 1.89, 1.83 iters/s
step 13408, batch loss 1.7, 1.83 iters/s
step 13409, batch loss 1.241, 1.84 iters/s
step 13410, batch loss 1.914, 1.83 iters/s

step 13411, batch loss 1.168, 1.82 iters/s
step 13412, batch loss 1.239, 1.83 iters/s
step 13413, batch loss 1.746, 1.83 iters/s
step 13414, batch loss 1.531, 1.83 iters/s
step 13415, batch loss 2.228, 1.83 iters/s
step 13416, batch loss 2.146, 1.82 iters/s
step 13417, batch loss 1.676, 1.85 iters/s
step 13418, batch loss 1.922, 1.84 iters/s
step 13419, batch loss 2.129, 1.86 iters/s
step 13420, batch loss 1.405, 1.85 iters/s
step 13421, batch loss 2.028, 1.83 iters/s
step 13422, batch loss 1.899, 1.84 iters/s
step 13423, batch loss 2.062, 1.83 iters/s
step 13424, batch loss 1.914, 1.85 iters/s
step 13425, batch loss 1.001, 1.85 iters/s
step 13426, batch loss 1.391, 1.84 iters/s
step 13427, batch loss 1.402, 1.86 iters/s
step 13428, batch loss 1.382, 1.83 iters/s
step 13429, batch loss 0.819, 1.83 iters/s
step 13430, batch loss 1.127, 1.83 iters/s
step 13431, batch loss 1.835, 1.84 iters/s
step 13432, batch loss 1.767, 1.83 iters/s
step 13433, batch loss 1.818, 1.83 iters/s
step 13434, batch loss 1.687, 1.84 iters/s
step 13435, batch loss 1.727, 1.83 iters/s
step 13436, batch loss 1.887, 1.84 iters/s
step 13437, batch loss 1.96, 1.86 iters/s
step 13438, batch loss 1.405, 1.85 iters/s
step 13439, batch loss 1.632, 1.84 iters/s
step 13440, batch loss 1.661, 1.86 iters/s
step 13441, batch loss 2.041, 1.83 iters/s
step 13442, batch loss 2.209, 1.83 iters/s
step 13443, batch loss 1.913, 1.83 iters/s
step 13444, batch loss 1.68, 1.83 iters/s
step 13445, batch loss 1.343, 1.85 iters/s
step 13446, batch loss 1.465, 1.84 iters/s
step 13447, batch loss 1.678, 1.84 iters/s
step 13448, batch loss 1.812, 1.85 iters/s
step 13449, batch loss 1.592, 1.84 iters/s
step 13450, batch loss 1.997, 1.82 iters/s
step 13451, batch loss 0.76, 1.84 iters/s
step 13452, batch loss 2.027, 1.83 iters/s
step 13453, batch loss 1.873, 1.84 iters/s
step 13454, batch loss 2.195, 1.85 iters/s
step 13455, batch loss 1.206, 1.83 iters/s
step 13456, batch loss 2.19, 1.83 iters/s
step 13457, batch loss 1.784, 1.83 iters/s
step 13458, batch loss 2.085, 1.83 iters/s

step 13459, batch loss 1.399, 1.84 iters/s
step 13460, batch loss 1.763, 1.83 iters/s
step 13461, batch loss 1.253, 1.83 iters/s
step 13462, batch loss 1.697, 1.84 iters/s
step 13463, batch loss 1.735, 1.83 iters/s
step 13464, batch loss 1.513, 1.83 iters/s
step 13465, batch loss 1.947, 1.83 iters/s
step 13466, batch loss 1.53, 1.83 iters/s
step 13467, batch loss 1.055, 1.83 iters/s
step 13468, batch loss 2.072, 1.83 iters/s
step 13469, batch loss 1.46, 1.84 iters/s
step 13470, batch loss 2.322, 1.83 iters/s
step 13471, batch loss 1.981, 1.83 iters/s
step 13472, batch loss 1.8, 1.84 iters/s
step 13473, batch loss 2.117, 1.83 iters/s
step 13474, batch loss 1.656, 1.83 iters/s
step 13475, batch loss 2.078, 1.83 iters/s
step 13476, batch loss 2.172, 1.83 iters/s
step 13477, batch loss 1.731, 1.84 iters/s
step 13478, batch loss 1.589, 1.84 iters/s
step 13479, batch loss 2.127, 1.84 iters/s
step 13480, batch loss 1.42, 1.84 iters/s
step 13481, batch loss 1.201, 1.83 iters/s
step 13482, batch loss 1.685, 1.83 iters/s
step 13483, batch loss 1.545, 1.84 iters/s
step 13484, batch loss 1.41, 1.83 iters/s
step 13485, batch loss 2.201, 1.85 iters/s
step 13486, batch loss 2.722, 1.83 iters/s
step 13487, batch loss 1.388, 1.83 iters/s
step 13488, batch loss 1.752, 1.82 iters/s
step 13489, batch loss 1.496, 1.83 iters/s
step 13490, batch loss 1.303, 1.86 iters/s
step 13491, batch loss 1.702, 1.84 iters/s
step 13492, batch loss 2.205, 1.84 iters/s
step 13493, batch loss 2.243, 1.84 iters/s
step 13494, batch loss 2.228, 1.83 iters/s
step 13495, batch loss 1.612, 1.83 iters/s
step 13496, batch loss 0.835, 1.84 iters/s
step 13497, batch loss 1.526, 1.82 iters/s
step 13498, batch loss 1.907, 1.83 iters/s
step 13499, batch loss 2.361, 1.83 iters/s
step 13500, batch loss 1.575, 1.84 iters/s
step 13501, batch loss 1.775, 1.84 iters/s
step 13502, batch loss 1.7, 1.84 iters/s
step 13503, batch loss 1.67, 1.83 iters/s
step 13504, batch loss 1.597, 1.82 iters/s
step 13505, batch loss 1.393, 1.83 iters/s
step 13506, batch loss 1.66, 1.82 iters/s

step 13507, batch loss 2.649, 1.83 iters/s
step 13508, batch loss 1.783, 1.83 iters/s
step 13509, batch loss 1.544, 1.83 iters/s
step 13510, batch loss 1.812, 1.84 iters/s
step 13511, batch loss 1.235, 1.83 iters/s
step 13512, batch loss 1.951, 1.83 iters/s
step 13513, batch loss 1.617, 1.84 iters/s
step 13514, batch loss 2.141, 1.83 iters/s
step 13515, batch loss 2.241, 1.83 iters/s
step 13516, batch loss 1.084, 1.82 iters/s
step 13517, batch loss 1.485, 1.84 iters/s
step 13518, batch loss 1.414, 1.84 iters/s
step 13519, batch loss 1.934, 1.83 iters/s
step 13520, batch loss 1.68, 1.83 iters/s
step 13521, batch loss 1.649, 1.83 iters/s
step 13522, batch loss 1.751, 1.84 iters/s
step 13523, batch loss 1.814, 1.82 iters/s
step 13524, batch loss 1.528, 1.83 iters/s
step 13525, batch loss 1.403, 1.83 iters/s
step 13526, batch loss 1.618, 1.83 iters/s
step 13527, batch loss 1.635, 1.83 iters/s
step 13528, batch loss 1.631, 1.84 iters/s
step 13529, batch loss 2.041, 1.84 iters/s
step 13530, batch loss 1.638, 1.84 iters/s
step 13531, batch loss 1.349, 1.83 iters/s
step 13532, batch loss 2.305, 1.83 iters/s
step 13533, batch loss 2.2, 1.83 iters/s
step 13534, batch loss 2.111, 1.85 iters/s
step 13535, batch loss 1.125, 1.85 iters/s
step 13536, batch loss 1.74, 1.83 iters/s
step 13537, batch loss 1.065, 1.83 iters/s
step 13538, batch loss 2.198, 1.85 iters/s
step 13539, batch loss 1.913, 1.83 iters/s
step 13540, batch loss 2.066, 1.83 iters/s
step 13541, batch loss 2.088, 1.83 iters/s
step 13542, batch loss 2.007, 1.83 iters/s
step 13543, batch loss 1.228, 1.83 iters/s
step 13544, batch loss 1.505, 1.83 iters/s
step 13545, batch loss 1.74, 1.84 iters/s
step 13546, batch loss 1.469, 1.83 iters/s
step 13547, batch loss 2.177, 1.84 iters/s
step 13548, batch loss 1.472, 1.83 iters/s
step 13549, batch loss 1.33, 1.83 iters/s
step 13550, batch loss 1.887, 1.84 iters/s
step 13551, batch loss 2.392, 1.83 iters/s
step 13552, batch loss 1.84, 1.84 iters/s
step 13553, batch loss 1.841, 1.84 iters/s
step 13554, batch loss 2.031, 1.86 iters/s

step 13555, batch loss 2.149, 1.84 iters/s
step 13556, batch loss 1.877, 1.83 iters/s
step 13557, batch loss 1.742, 1.84 iters/s
step 13558, batch loss 1.812, 1.82 iters/s
step 13559, batch loss 1.95, 1.83 iters/s
step 13560, batch loss 1.693, 1.83 iters/s
step 13561, batch loss 1.536, 1.83 iters/s
step 13562, batch loss 1.896, 1.84 iters/s
step 13563, batch loss 1.957, 1.84 iters/s
step 13564, batch loss 1.735, 1.84 iters/s
step 13565, batch loss 2.75, 1.83 iters/s
step 13566, batch loss 1.709, 1.83 iters/s
step 13567, batch loss 2.498, 1.83 iters/s
step 13568, batch loss 1.985, 1.82 iters/s
step 13569, batch loss 1.734, 1.83 iters/s
step 13570, batch loss 1.587, 1.83 iters/s
step 13571, batch loss 1.27, 1.84 iters/s
step 13572, batch loss 1.573, 1.83 iters/s
step 13573, batch loss 1.864, 1.83 iters/s
step 13574, batch loss 1.757, 1.83 iters/s
step 13575, batch loss 1.248, 1.83 iters/s
step 13576, batch loss 1.289, 1.83 iters/s
step 13577, batch loss 1.55, 1.84 iters/s
step 13578, batch loss 1.472, 1.83 iters/s
step 13579, batch loss 1.095, 1.83 iters/s
step 13580, batch loss 1.764, 1.85 iters/s
step 13581, batch loss 1.596, 1.84 iters/s
step 13582, batch loss 1.428, 1.86 iters/s
step 13583, batch loss 2.005, 1.82 iters/s
step 13584, batch loss 1.839, 1.86 iters/s
step 13585, batch loss 1.522, 1.84 iters/s
step 13586, batch loss 1.584, 1.82 iters/s
step 13587, batch loss 2.052, 1.83 iters/s
step 13588, batch loss 1.716, 1.86 iters/s
step 13589, batch loss 1.475, 1.83 iters/s
step 13590, batch loss 1.674, 1.84 iters/s
step 13591, batch loss 1.515, 1.85 iters/s
step 13592, batch loss 1.498, 1.84 iters/s
step 13593, batch loss 2.255, 1.83 iters/s
step 13594, batch loss 2.117, 1.85 iters/s
step 13595, batch loss 2.156, 1.83 iters/s
step 13596, batch loss 2.043, 1.84 iters/s
step 13597, batch loss 1.486, 1.83 iters/s
step 13598, batch loss 1.858, 1.84 iters/s
step 13599, batch loss 2.047, 1.84 iters/s
step 13600, batch loss 1.156, 1.85 iters/s
step 13601, batch loss 1.513, 1.83 iters/s
step 13602, batch loss 1.441, 1.83 iters/s

step 13603, batch loss 1.489, 1.84 iters/s
step 13604, batch loss 1.958, 1.84 iters/s
step 13605, batch loss 2.061, 1.84 iters/s
step 13606, batch loss 1.561, 1.84 iters/s
step 13607, batch loss 1.303, 1.83 iters/s
step 13608, batch loss 1.938, 1.83 iters/s
step 13609, batch loss 1.855, 1.84 iters/s
step 13610, batch loss 2.342, 1.84 iters/s
step 13611, batch loss 1.595, 1.85 iters/s
step 13612, batch loss 1.702, 1.83 iters/s
step 13613, batch loss 2.261, 1.83 iters/s
step 13614, batch loss 1.791, 1.84 iters/s
step 13615, batch loss 1.296, 1.83 iters/s
step 13616, batch loss 1.87, 1.84 iters/s
step 13617, batch loss 1.73, 1.84 iters/s
step 13618, batch loss 1.85, 1.83 iters/s
step 13619, batch loss 1.537, 1.84 iters/s
step 13620, batch loss 2.448, 1.83 iters/s
step 13621, batch loss 1.703, 1.83 iters/s
step 13622, batch loss 1.419, 1.83 iters/s
step 13623, batch loss 1.701, 1.83 iters/s
step 13624, batch loss 1.614, 1.83 iters/s
step 13625, batch loss 2.131, 1.84 iters/s
step 13626, batch loss 1.976, 1.83 iters/s
step 13627, batch loss 1.652, 1.83 iters/s
step 13628, batch loss 1.904, 1.83 iters/s
step 13629, batch loss 1.399, 1.83 iters/s
step 13630, batch loss 0.963, 1.84 iters/s
step 13631, batch loss 1.918, 1.84 iters/s
step 13632, batch loss 0.548, 1.84 iters/s
step 13633, batch loss 1.238, 1.84 iters/s
step 13634, batch loss 1.016, 1.85 iters/s
step 13635, batch loss 1.689, 1.84 iters/s
step 13636, batch loss 2.152, 1.84 iters/s
step 13637, batch loss 1.592, 1.84 iters/s
step 13638, batch loss 2.534, 1.84 iters/s
step 13639, batch loss 2.515, 1.82 iters/s
step 13640, batch loss 1.703, 1.83 iters/s
step 13641, batch loss 1.852, 1.84 iters/s
step 13642, batch loss 2.112, 1.84 iters/s
step 13643, batch loss 2.092, 1.83 iters/s
step 13644, batch loss 1.845, 1.84 iters/s
step 13645, batch loss 1.865, 1.84 iters/s
step 13646, batch loss 1.805, 1.83 iters/s
step 13647, batch loss 1.838, 1.84 iters/s
step 13648, batch loss 1.693, 1.84 iters/s
step 13649, batch loss 1.539, 1.84 iters/s
step 13650, batch loss 2.174, 1.83 iters/s

step 13651, batch loss 1.386, 1.85 iters/s
step 13652, batch loss 2.194, 1.83 iters/s
step 13653, batch loss 1.447, 1.84 iters/s
step 13654, batch loss 2.025, 1.83 iters/s
step 13655, batch loss 1.088, 1.83 iters/s
step 13656, batch loss 1.467, 1.83 iters/s
step 13657, batch loss 1.819, 1.82 iters/s
step 13658, batch loss 1.963, 1.85 iters/s
step 13659, batch loss 1.535, 1.84 iters/s
step 13660, batch loss 1.692, 1.84 iters/s
step 13661, batch loss 1.775, 1.83 iters/s
step 13662, batch loss 1.505, 1.84 iters/s
step 13663, batch loss 2.15, 1.83 iters/s
step 13664, batch loss 1.565, 1.84 iters/s
step 13665, batch loss 1.032, 1.83 iters/s
step 13666, batch loss 1.229, 1.82 iters/s
step 13667, batch loss 1.557, 1.83 iters/s
step 13668, batch loss 1.577, 1.83 iters/s
step 13669, batch loss 1.442, 1.83 iters/s
step 13670, batch loss 2.231, 1.83 iters/s
step 13671, batch loss 2.054, 1.83 iters/s
step 13672, batch loss 1.788, 1.83 iters/s
step 13673, batch loss 1.854, 1.84 iters/s
step 13674, batch loss 1.73, 1.84 iters/s
step 13675, batch loss 1.506, 1.84 iters/s
step 13676, batch loss 1.68, 1.83 iters/s
step 13677, batch loss 1.834, 1.83 iters/s
step 13678, batch loss 1.297, 1.84 iters/s
step 13679, batch loss 1.058, 1.83 iters/s
step 13680, batch loss 2.385, 1.83 iters/s
step 13681, batch loss 2.075, 1.84 iters/s
step 13682, batch loss 1.627, 1.84 iters/s
step 13683, batch loss 2.372, 1.84 iters/s
step 13684, batch loss 1.324, 1.85 iters/s
step 13685, batch loss 2.191, 1.84 iters/s
step 13686, batch loss 1.426, 1.83 iters/s
step 13687, batch loss 2.573, 1.83 iters/s
step 13688, batch loss 1.128, 1.85 iters/s
step 13689, batch loss 2.137, 1.83 iters/s
step 13690, batch loss 1.36, 1.84 iters/s
step 13691, batch loss 2.161, 1.83 iters/s
step 13692, batch loss 1.984, 1.84 iters/s
step 13693, batch loss 0.822, 1.83 iters/s
step 13694, batch loss 1.184, 1.84 iters/s
step 13695, batch loss 1.175, 1.84 iters/s
step 13696, batch loss 1.604, 1.84 iters/s
step 13697, batch loss 1.873, 1.84 iters/s
step 13698, batch loss 1.869, 1.84 iters/s

step 13699, batch loss 1.812, 1.83 iters/s
step 13700, batch loss 1.83, 1.84 iters/s
step 13701, batch loss 1.728, 1.84 iters/s
step 13702, batch loss 1.334, 1.83 iters/s
step 13703, batch loss 1.495, 1.83 iters/s
step 13704, batch loss 1.553, 1.83 iters/s
step 13705, batch loss 2.454, 1.82 iters/s
step 13706, batch loss 1.672, 1.84 iters/s
step 13707, batch loss 2.032, 1.83 iters/s
step 13708, batch loss 1.623, 1.84 iters/s
step 13709, batch loss 1.312, 1.83 iters/s
step 13710, batch loss 2.005, 1.85 iters/s
step 13711, batch loss 1.705, 1.84 iters/s
step 13712, batch loss 1.021, 1.83 iters/s
step 13713, batch loss 1.89, 1.82 iters/s
step 13714, batch loss 1.26, 1.83 iters/s
step 13715, batch loss 2.368, 1.83 iters/s
step 13716, batch loss 1.747, 1.83 iters/s
step 13717, batch loss 1.169, 1.83 iters/s
step 13718, batch loss 1.629, 1.84 iters/s
step 13719, batch loss 1.752, 1.83 iters/s
step 13720, batch loss 1.218, 1.83 iters/s
step 13721, batch loss 2.245, 1.83 iters/s
step 13722, batch loss 1.664, 1.83 iters/s
step 13723, batch loss 1.722, 1.83 iters/s
step 13724, batch loss 2.262, 1.84 iters/s
step 13725, batch loss 1.797, 1.83 iters/s
step 13726, batch loss 1.692, 1.83 iters/s
step 13727, batch loss 1.321, 1.83 iters/s
step 13728, batch loss 1.662, 1.83 iters/s
step 13729, batch loss 1.696, 1.83 iters/s
step 13730, batch loss 1.462, 1.85 iters/s
step 13731, batch loss 1.662, 1.85 iters/s
step 13732, batch loss 1.611, 1.84 iters/s
step 13733, batch loss 0.989, 1.84 iters/s
step 13734, batch loss 1.433, 1.84 iters/s
step 13735, batch loss 1.619, 1.82 iters/s
step 13736, batch loss 1.19, 1.83 iters/s
step 13737, batch loss 1.633, 1.83 iters/s
step 13738, batch loss 1.458, 1.83 iters/s
step 13739, batch loss 2.028, 1.83 iters/s
step 13740, batch loss 1.247, 1.82 iters/s
step 13741, batch loss 1.934, 1.83 iters/s
step 13742, batch loss 1.66, 1.84 iters/s
step 13743, batch loss 1.877, 1.83 iters/s
step 13744, batch loss 1.764, 1.82 iters/s
step 13745, batch loss 1.434, 1.84 iters/s
step 13746, batch loss 1.98, 1.83 iters/s

step 13747, batch loss 1.593, 1.83 iters/s
step 13748, batch loss 1.844, 1.84 iters/s
step 13749, batch loss 1.84, 1.84 iters/s
step 13750, batch loss 2.151, 1.83 iters/s
step 13751, batch loss 1.776, 1.84 iters/s
step 13752, batch loss 1.543, 1.83 iters/s
step 13753, batch loss 1.917, 1.84 iters/s
step 13754, batch loss 1.459, 1.83 iters/s
step 13755, batch loss 1.758, 1.84 iters/s
step 13756, batch loss 1.332, 1.83 iters/s
step 13757, batch loss 1.136, 1.83 iters/s
step 13758, batch loss 1.728, 1.83 iters/s
step 13759, batch loss 1.683, 1.84 iters/s
step 13760, batch loss 1.781, 1.83 iters/s
step 13761, batch loss 1.877, 1.83 iters/s
step 13762, batch loss 1.8, 1.83 iters/s
step 13763, batch loss 1.871, 1.83 iters/s
step 13764, batch loss 1.838, 1.84 iters/s
step 13765, batch loss 2.053, 1.83 iters/s
step 13766, batch loss 1.44, 1.83 iters/s
step 13767, batch loss 2.054, 1.84 iters/s
step 13768, batch loss 1.997, 1.83 iters/s
step 13769, batch loss 2.319, 1.85 iters/s
step 13770, batch loss 1.731, 1.85 iters/s
step 13771, batch loss 1.66, 1.84 iters/s
step 13772, batch loss 1.957, 1.84 iters/s
step 13773, batch loss 2.092, 1.83 iters/s
step 13774, batch loss 1.658, 1.83 iters/s
step 13775, batch loss 2.082, 1.83 iters/s
step 13776, batch loss 1.786, 1.84 iters/s
step 13777, batch loss 1.472, 1.84 iters/s
step 13778, batch loss 1.657, 1.83 iters/s
step 13779, batch loss 1.228, 1.84 iters/s
step 13780, batch loss 1.595, 1.84 iters/s
step 13781, batch loss 2.202, 1.83 iters/s
step 13782, batch loss 1.845, 1.83 iters/s
step 13783, batch loss 0.971, 1.83 iters/s
step 13784, batch loss 2.408, 1.83 iters/s
step 13785, batch loss 2.279, 1.84 iters/s
step 13786, batch loss 1.769, 1.83 iters/s
step 13787, batch loss 1.484, 1.83 iters/s
step 13788, batch loss 2.228, 1.84 iters/s
step 13789, batch loss 1.259, 1.82 iters/s
step 13790, batch loss 1.68, 1.83 iters/s
step 13791, batch loss 1.709, 1.85 iters/s
step 13792, batch loss 1.279, 1.83 iters/s
step 13793, batch loss 1.515, 1.86 iters/s
step 13794, batch loss 1.552, 1.83 iters/s

step 13795, batch loss 1.883, 1.83 iters/s
step 13796, batch loss 1.877, 1.83 iters/s
step 13797, batch loss 2.431, 1.83 iters/s
step 13798, batch loss 2.151, 1.86 iters/s
step 13799, batch loss 1.411, 1.83 iters/s
step 13800, batch loss 1.395, 1.82 iters/s
step 13801, batch loss 1.885, 1.84 iters/s
step 13802, batch loss 1.422, 1.85 iters/s
step 13803, batch loss 1.728, 1.83 iters/s
step 13804, batch loss 1.521, 1.83 iters/s
step 13805, batch loss 1.754, 1.83 iters/s
step 13806, batch loss 1.463, 1.84 iters/s
step 13807, batch loss 2.631, 1.83 iters/s
step 13808, batch loss 2.105, 1.84 iters/s
step 13809, batch loss 1.989, 1.83 iters/s
step 13810, batch loss 1.08, 1.83 iters/s
step 13811, batch loss 1.915, 1.83 iters/s
step 13812, batch loss 1.611, 1.85 iters/s
step 13813, batch loss 1.742, 1.83 iters/s
step 13814, batch loss 1.916, 1.84 iters/s
step 13815, batch loss 1.135, 1.84 iters/s
step 13816, batch loss 1.78, 1.82 iters/s
step 13817, batch loss 0.763, 1.83 iters/s
step 13818, batch loss 1.373, 1.83 iters/s
step 13819, batch loss 1.99, 1.83 iters/s
step 13820, batch loss 1.793, 1.83 iters/s
step 13821, batch loss 1.528, 1.83 iters/s
step 13822, batch loss 1.649, 1.84 iters/s
step 13823, batch loss 2.188, 1.83 iters/s
step 13824, batch loss 1.529, 1.83 iters/s
step 13825, batch loss 1.525, 1.84 iters/s
step 13826, batch loss 2.19, 1.84 iters/s
step 13827, batch loss 1.961, 1.83 iters/s
step 13828, batch loss 1.887, 1.83 iters/s
step 13829, batch loss 1.871, 1.82 iters/s
step 13830, batch loss 1.339, 1.85 iters/s
step 13831, batch loss 2.216, 1.86 iters/s
step 13832, batch loss 1.146, 1.83 iters/s
step 13833, batch loss 1.3, 1.83 iters/s
step 13834, batch loss 2.11, 1.83 iters/s
step 13835, batch loss 1.453, 1.84 iters/s
step 13836, batch loss 1.876, 1.84 iters/s
step 13837, batch loss 1.832, 1.83 iters/s
step 13838, batch loss 2.158, 1.84 iters/s
step 13839, batch loss 1.449, 1.85 iters/s
step 13840, batch loss 1.467, 1.86 iters/s
step 13841, batch loss 1.724, 1.83 iters/s
step 13842, batch loss 1.487, 1.85 iters/s

step 13843, batch loss 1.783, 1.85 iters/s
step 13844, batch loss 1.884, 1.84 iters/s
step 13845, batch loss 1.54, 1.84 iters/s
step 13846, batch loss 1.593, 1.84 iters/s
step 13847, batch loss 2.263, 1.83 iters/s
step 13848, batch loss 2.207, 1.83 iters/s
step 13849, batch loss 1.704, 1.83 iters/s
step 13850, batch loss 1.522, 1.82 iters/s
step 13851, batch loss 1.296, 1.82 iters/s
step 13852, batch loss 1.679, 1.83 iters/s
step 13853, batch loss 1.327, 1.84 iters/s
step 13854, batch loss 1.994, 1.83 iters/s
step 13855, batch loss 1.862, 1.83 iters/s
step 13856, batch loss 2.211, 1.83 iters/s
step 13857, batch loss 1.937, 1.83 iters/s
step 13858, batch loss 1.617, 1.83 iters/s
step 13859, batch loss 2.409, 1.83 iters/s
step 13860, batch loss 1.561, 1.83 iters/s
step 13861, batch loss 1.414, 1.84 iters/s
step 13862, batch loss 1.365, 1.84 iters/s
step 13863, batch loss 2.086, 1.83 iters/s
step 13864, batch loss 1.677, 1.84 iters/s
step 13865, batch loss 1.224, 1.83 iters/s
step 13866, batch loss 2.237, 1.83 iters/s
step 13867, batch loss 1.985, 1.84 iters/s
step 13868, batch loss 2.226, 1.84 iters/s
step 13869, batch loss 1.926, 1.83 iters/s
step 13870, batch loss 1.937, 1.84 iters/s
step 13871, batch loss 2.079, 1.84 iters/s
step 13872, batch loss 1.904, 1.83 iters/s
step 13873, batch loss 2.231, 1.85 iters/s
step 13874, batch loss 1.778, 1.84 iters/s
step 13875, batch loss 1.474, 1.83 iters/s
step 13876, batch loss 2.249, 1.84 iters/s
step 13877, batch loss 1.573, 1.83 iters/s
step 13878, batch loss 1.05, 1.83 iters/s
step 13879, batch loss 1.435, 1.84 iters/s
step 13880, batch loss 1.929, 1.84 iters/s
step 13881, batch loss 2.157, 1.84 iters/s
step 13882, batch loss 1.832, 1.84 iters/s
step 13883, batch loss 1.8, 1.84 iters/s
step 13884, batch loss 1.73, 1.83 iters/s
step 13885, batch loss 1.311, 1.83 iters/s
step 13886, batch loss 0.935, 1.85 iters/s
step 13887, batch loss 2.05, 1.84 iters/s
step 13888, batch loss 1.596, 1.84 iters/s
step 13889, batch loss 0.906, 1.84 iters/s
step 13890, batch loss 1.927, 1.83 iters/s

step 13891, batch loss 1.376, 1.83 iters/s
step 13892, batch loss 1.467, 1.83 iters/s
step 13893, batch loss 1.551, 1.83 iters/s
step 13894, batch loss 1.374, 1.83 iters/s
step 13895, batch loss 1.592, 1.83 iters/s
step 13896, batch loss 1.768, 1.83 iters/s
step 13897, batch loss 2.041, 1.83 iters/s
step 13898, batch loss 2.602, 1.83 iters/s
step 13899, batch loss 2.03, 1.83 iters/s
step 13900, batch loss 1.793, 1.83 iters/s
step 13901, batch loss 1.788, 1.83 iters/s
step 13902, batch loss 1.922, 1.83 iters/s
step 13903, batch loss 1.777, 1.83 iters/s
step 13904, batch loss 1.406, 1.83 iters/s
step 13905, batch loss 1.726, 1.83 iters/s
step 13906, batch loss 1.782, 1.83 iters/s
step 13907, batch loss 1.382, 1.83 iters/s
step 13908, batch loss 2.176, 1.84 iters/s
step 13909, batch loss 1.296, 1.83 iters/s
step 13910, batch loss 1.103, 1.82 iters/s
step 13911, batch loss 1.484, 1.84 iters/s
step 13912, batch loss 1.729, 1.84 iters/s
step 13913, batch loss 1.587, 1.86 iters/s
step 13914, batch loss 1.762, 1.84 iters/s
step 13915, batch loss 1.519, 1.83 iters/s
step 13916, batch loss 1.603, 1.84 iters/s
step 13917, batch loss 1.182, 1.83 iters/s
step 13918, batch loss 1.147, 1.83 iters/s
step 13919, batch loss 1.664, 1.83 iters/s
step 13920, batch loss 1.893, 1.83 iters/s
step 13921, batch loss 1.907, 1.85 iters/s
step 13922, batch loss 1.675, 1.83 iters/s
step 13923, batch loss 2.358, 1.84 iters/s
step 13924, batch loss 2.009, 1.84 iters/s
step 13925, batch loss 1.974, 1.83 iters/s
step 13926, batch loss 1.005, 1.83 iters/s
step 13927, batch loss 2.047, 1.85 iters/s
step 13928, batch loss 2.184, 1.83 iters/s
step 13929, batch loss 2.078, 1.84 iters/s
step 13930, batch loss 1.86, 1.84 iters/s
step 13931, batch loss 1.806, 1.83 iters/s
step 13932, batch loss 1.238, 1.83 iters/s
step 13933, batch loss 1.928, 1.83 iters/s
step 13934, batch loss 1.41, 1.83 iters/s
step 13935, batch loss 1.673, 1.84 iters/s
step 13936, batch loss 1.808, 1.83 iters/s
step 13937, batch loss 1.519, 1.83 iters/s
step 13938, batch loss 1.485, 1.84 iters/s

step 13939, batch loss 1.972, 1.82 iters/s
step 13940, batch loss 1.828, 1.83 iters/s
step 13941, batch loss 2.046, 1.84 iters/s
step 13942, batch loss 1.749, 1.83 iters/s
step 13943, batch loss 1.252, 1.83 iters/s
step 13944, batch loss 1.341, 1.84 iters/s
step 13945, batch loss 2.036, 1.84 iters/s
step 13946, batch loss 1.638, 1.83 iters/s
step 13947, batch loss 1.613, 1.84 iters/s
step 13948, batch loss 1.209, 1.84 iters/s
step 13949, batch loss 1.574, 1.83 iters/s
step 13950, batch loss 2.052, 1.83 iters/s
step 13951, batch loss 2.257, 1.83 iters/s
step 13952, batch loss 1.626, 1.83 iters/s
step 13953, batch loss 1.879, 1.83 iters/s
step 13954, batch loss 1.685, 1.83 iters/s
step 13955, batch loss 1.65, 1.82 iters/s
step 13956, batch loss 1.59, 1.83 iters/s
step 13957, batch loss 1.761, 1.84 iters/s
step 13958, batch loss 2.065, 1.85 iters/s
step 13959, batch loss 1.359, 1.84 iters/s
step 13960, batch loss 1.618, 1.84 iters/s
step 13961, batch loss 1.904, 1.85 iters/s
step 13962, batch loss 2.533, 1.83 iters/s
step 13963, batch loss 1.518, 1.84 iters/s
step 13964, batch loss 1.863, 1.85 iters/s
step 13965, batch loss 1.196, 1.84 iters/s
step 13966, batch loss 1.472, 1.85 iters/s
step 13967, batch loss 1.862, 1.83 iters/s
step 13968, batch loss 1.538, 1.83 iters/s
step 13969, batch loss 1.962, 1.85 iters/s
step 13970, batch loss 1.734, 1.84 iters/s
step 13971, batch loss 1.18, 1.83 iters/s
step 13972, batch loss 1.516, 1.84 iters/s
step 13973, batch loss 1.44, 1.84 iters/s
step 13974, batch loss 1.821, 1.83 iters/s
step 13975, batch loss 2.152, 1.85 iters/s
step 13976, batch loss 2.421, 1.83 iters/s
step 13977, batch loss 2.044, 1.84 iters/s
step 13978, batch loss 1.68, 1.83 iters/s
step 13979, batch loss 1.937, 1.86 iters/s
step 13980, batch loss 2.527, 1.85 iters/s
step 13981, batch loss 1.135, 1.86 iters/s
step 13982, batch loss 1.753, 1.85 iters/s
step 13983, batch loss 1.361, 1.83 iters/s
step 13984, batch loss 2.008, 1.86 iters/s
step 13985, batch loss 1.763, 1.83 iters/s
step 13986, batch loss 0.925, 1.83 iters/s

step 13987, batch loss 2.273, 1.84 iters/s
step 13988, batch loss 1.022, 1.83 iters/s
step 13989, batch loss 2.147, 1.83 iters/s
step 13990, batch loss 2.046, 1.83 iters/s
step 13991, batch loss 2.099, 1.83 iters/s
step 13992, batch loss 1.534, 1.85 iters/s
step 13993, batch loss 1.698, 1.84 iters/s
step 13994, batch loss 1.538, 1.83 iters/s
step 13995, batch loss 1.506, 1.86 iters/s
step 13996, batch loss 1.764, 1.83 iters/s
step 13997, batch loss 2.053, 1.83 iters/s
step 13998, batch loss 2.126, 1.84 iters/s
step 13999, batch loss 2.234, 1.84 iters/s
step 14000, batch loss 2.025, 1.85 iters/s
step 14001, batch loss 1.836, 1.83 iters/s
step 14002, batch loss 1.534, 1.83 iters/s
step 14003, batch loss 1.941, 1.84 iters/s
step 14004, batch loss 1.85, 1.84 iters/s
step 14005, batch loss 1.773, 1.84 iters/s
step 14006, batch loss 1.722, 1.84 iters/s
step 14007, batch loss 1.669, 1.83 iters/s
step 14008, batch loss 1.591, 1.84 iters/s
step 14009, batch loss 1.423, 1.85 iters/s
step 14010, batch loss 1.486, 1.85 iters/s
step 14011, batch loss 1.466, 1.83 iters/s
step 14012, batch loss 1.811, 1.85 iters/s
step 14013, batch loss 1.945, 1.84 iters/s
step 14014, batch loss 1.43, 1.82 iters/s
step 14015, batch loss 1.419, 1.83 iters/s
step 14016, batch loss 2.141, 1.84 iters/s
step 14017, batch loss 2.035, 1.83 iters/s
step 14018, batch loss 1.449, 1.84 iters/s
step 14019, batch loss 1.376, 1.84 iters/s
step 14020, batch loss 1.721, 1.83 iters/s
step 14021, batch loss 1.227, 1.83 iters/s
step 14022, batch loss 1.85, 1.85 iters/s
step 14023, batch loss 1.741, 1.83 iters/s
step 14024, batch loss 2.045, 1.83 iters/s
step 14025, batch loss 1.627, 1.83 iters/s
step 14026, batch loss 1.294, 1.83 iters/s
step 14027, batch loss 1.597, 1.83 iters/s
step 14028, batch loss 1.069, 1.83 iters/s
step 14029, batch loss 2.362, 1.83 iters/s
step 14030, batch loss 1.976, 1.83 iters/s
step 14031, batch loss 1.291, 1.83 iters/s
step 14032, batch loss 1.993, 1.83 iters/s
step 14033, batch loss 2.079, 1.83 iters/s
step 14034, batch loss 1.952, 1.83 iters/s

step 14035, batch loss 1.524, 1.83 iters/s
step 14036, batch loss 2.035, 1.84 iters/s
step 14037, batch loss 1.551, 1.83 iters/s
step 14038, batch loss 1.858, 1.83 iters/s
step 14039, batch loss 1.779, 1.85 iters/s
step 14040, batch loss 1.957, 1.84 iters/s
step 14041, batch loss 1.612, 1.84 iters/s
step 14042, batch loss 1.751, 1.83 iters/s
step 14043, batch loss 1.954, 1.83 iters/s
step 14044, batch loss 1.892, 1.84 iters/s
step 14045, batch loss 2.098, 1.83 iters/s
step 14046, batch loss 2.224, 1.83 iters/s
step 14047, batch loss 1.928, 1.83 iters/s
step 14048, batch loss 1.603, 1.84 iters/s
step 14049, batch loss 1.303, 1.83 iters/s
step 14050, batch loss 1.941, 1.83 iters/s
step 14051, batch loss 2.012, 1.83 iters/s
step 14052, batch loss 2.51, 1.83 iters/s
step 14053, batch loss 1.977, 1.83 iters/s
step 14054, batch loss 1.465, 1.85 iters/s
step 14055, batch loss 1.787, 1.84 iters/s
step 14056, batch loss 1.648, 1.84 iters/s
step 14057, batch loss 2.534, 1.82 iters/s
step 14058, batch loss 1.957, 1.83 iters/s
step 14059, batch loss 1.419, 1.83 iters/s
step 14060, batch loss 1.634, 1.85 iters/s
step 14061, batch loss 1.732, 1.83 iters/s
step 14062, batch loss 1.963, 1.83 iters/s
step 14063, batch loss 1.645, 1.84 iters/s
step 14064, batch loss 1.092, 1.84 iters/s
step 14065, batch loss 1.95, 1.83 iters/s
step 14066, batch loss 1.416, 1.83 iters/s
step 14067, batch loss 1.361, 1.83 iters/s
step 14068, batch loss 1.757, 1.84 iters/s
step 14069, batch loss 1.201, 1.84 iters/s
step 14070, batch loss 1.862, 1.85 iters/s
step 14071, batch loss 1.973, 1.84 iters/s
step 14072, batch loss 1.808, 1.85 iters/s
step 14073, batch loss 1.758, 1.84 iters/s
step 14074, batch loss 1.964, 1.83 iters/s
step 14075, batch loss 1.394, 1.85 iters/s
step 14076, batch loss 1.32, 1.84 iters/s
step 14077, batch loss 1.94, 1.84 iters/s
step 14078, batch loss 2.1, 1.84 iters/s
step 14079, batch loss 1.688, 1.84 iters/s
step 14080, batch loss 1.927, 1.83 iters/s
step 14081, batch loss 2.065, 1.83 iters/s
step 14082, batch loss 1.606, 1.83 iters/s

step 14083, batch loss 0.894, 1.83 iters/s
step 14084, batch loss 1.201, 1.84 iters/s
step 14085, batch loss 1.588, 1.84 iters/s
step 14086, batch loss 2.168, 1.83 iters/s
step 14087, batch loss 2.281, 1.83 iters/s
step 14088, batch loss 2.218, 1.83 iters/s
step 14089, batch loss 1.81, 1.84 iters/s
step 14090, batch loss 1.781, 1.85 iters/s
step 14091, batch loss 1.139, 1.83 iters/s
step 14092, batch loss 1.943, 1.84 iters/s
step 14093, batch loss 1.85, 1.86 iters/s
step 14094, batch loss 1.919, 1.83 iters/s
step 14095, batch loss 2.048, 1.85 iters/s
step 14096, batch loss 1.22, 1.83 iters/s
step 14097, batch loss 1.66, 1.83 iters/s
step 14098, batch loss 2.169, 1.84 iters/s
step 14099, batch loss 1.429, 1.83 iters/s
step 14100, batch loss 2.334, 1.83 iters/s
step 14101, batch loss 2.082, 1.83 iters/s
step 14102, batch loss 2.259, 1.84 iters/s
step 14103, batch loss 2.182, 1.83 iters/s
step 14104, batch loss 1.757, 1.84 iters/s
step 14105, batch loss 1.476, 1.83 iters/s
step 14106, batch loss 1.472, 1.85 iters/s
step 14107, batch loss 1.809, 1.84 iters/s
step 14108, batch loss 1.71, 1.85 iters/s
step 14109, batch loss 1.655, 1.83 iters/s
step 14110, batch loss 2.284, 1.83 iters/s
step 14111, batch loss 1.262, 1.87 iters/s
step 14112, batch loss 1.916, 1.83 iters/s
step 14113, batch loss 2.405, 1.84 iters/s
step 14114, batch loss 1.802, 1.82 iters/s
step 14115, batch loss 1.785, 1.83 iters/s
step 14116, batch loss 1.485, 1.83 iters/s
step 14117, batch loss 2.075, 1.84 iters/s
step 14118, batch loss 1.323, 1.84 iters/s
step 14119, batch loss 1.184, 1.85 iters/s
step 14120, batch loss 1.943, 1.83 iters/s
step 14121, batch loss 1.304, 1.84 iters/s
step 14122, batch loss 2.075, 1.83 iters/s
step 14123, batch loss 2.038, 1.83 iters/s
step 14124, batch loss 1.976, 1.84 iters/s
step 14125, batch loss 1.11, 1.83 iters/s
step 14126, batch loss 1.559, 1.84 iters/s
step 14127, batch loss 1.959, 1.84 iters/s
step 14128, batch loss 1.402, 1.84 iters/s
step 14129, batch loss 0.938, 1.83 iters/s
step 14130, batch loss 1.075, 1.85 iters/s

step 14131, batch loss 1.741, 1.84 iters/s
step 14132, batch loss 1.966, 1.83 iters/s
step 14133, batch loss 1.558, 1.82 iters/s
step 14134, batch loss 1.612, 1.83 iters/s
step 14135, batch loss 1.934, 1.83 iters/s
step 14136, batch loss 1.999, 1.84 iters/s
step 14137, batch loss 1.602, 1.84 iters/s
step 14138, batch loss 1.123, 1.84 iters/s
step 14139, batch loss 1.584, 1.83 iters/s
step 14140, batch loss 1.818, 1.83 iters/s
step 14141, batch loss 2.276, 1.84 iters/s
step 14142, batch loss 1.64, 1.84 iters/s
step 14143, batch loss 0.943, 1.83 iters/s
step 14144, batch loss 1.767, 1.84 iters/s
step 14145, batch loss 1.028, 1.84 iters/s
step 14146, batch loss 1.755, 1.83 iters/s
step 14147, batch loss 1.236, 1.83 iters/s
step 14148, batch loss 1.644, 1.83 iters/s
step 14149, batch loss 1.612, 1.83 iters/s
step 14150, batch loss 1.27, 1.83 iters/s
step 14151, batch loss 1.547, 1.84 iters/s
step 14152, batch loss 1.607, 1.84 iters/s
step 14153, batch loss 1.474, 1.83 iters/s
step 14154, batch loss 1.08, 1.84 iters/s
step 14155, batch loss 2.138, 1.84 iters/s
step 14156, batch loss 0.692, 1.84 iters/s
step 14157, batch loss 2.049, 1.83 iters/s
step 14158, batch loss 1.354, 1.84 iters/s
step 14159, batch loss 1.721, 1.83 iters/s
step 14160, batch loss 1.434, 1.83 iters/s
step 14161, batch loss 1.509, 1.83 iters/s
step 14162, batch loss 2.153, 1.84 iters/s
step 14163, batch loss 1.957, 1.83 iters/s
step 14164, batch loss 1.729, 1.86 iters/s
step 14165, batch loss 1.762, 1.84 iters/s
step 14166, batch loss 2.095, 1.83 iters/s
step 14167, batch loss 1.558, 1.84 iters/s
step 14168, batch loss 1.616, 1.83 iters/s
step 14169, batch loss 1.56, 1.83 iters/s
step 14170, batch loss 1.799, 1.83 iters/s
step 14171, batch loss 1.741, 1.86 iters/s
step 14172, batch loss 1.213, 1.83 iters/s
step 14173, batch loss 1.995, 1.84 iters/s
step 14174, batch loss 2.031, 1.84 iters/s
step 14175, batch loss 2.094, 1.84 iters/s
step 14176, batch loss 1.926, 1.84 iters/s
step 14177, batch loss 1.25, 1.83 iters/s
step 14178, batch loss 1.808, 1.83 iters/s

step 14179, batch loss 1.814, 1.83 iters/s
step 14180, batch loss 1.783, 1.83 iters/s
step 14181, batch loss 2.099, 1.84 iters/s
step 14182, batch loss 1.488, 1.84 iters/s
step 14183, batch loss 1.717, 1.83 iters/s
step 14184, batch loss 1.877, 1.85 iters/s
step 14185, batch loss 1.874, 1.83 iters/s
step 14186, batch loss 1.617, 1.83 iters/s
step 14187, batch loss 2.105, 1.84 iters/s
step 14188, batch loss 1.457, 1.84 iters/s
step 14189, batch loss 2.201, 1.83 iters/s
step 14190, batch loss 2.073, 1.83 iters/s
step 14191, batch loss 1.584, 1.83 iters/s
step 14192, batch loss 1.556, 1.83 iters/s
step 14193, batch loss 1.882, 1.84 iters/s
step 14194, batch loss 2.767, 1.83 iters/s
step 14195, batch loss 1.29, 1.85 iters/s
step 14196, batch loss 1.212, 1.84 iters/s
step 14197, batch loss 2.127, 1.85 iters/s
step 14198, batch loss 1.422, 1.84 iters/s
step 14199, batch loss 1.94, 1.84 iters/s
step 14200, batch loss 1.947, 1.84 iters/s
step 14201, batch loss 1.944, 1.84 iters/s
step 14202, batch loss 2.179, 1.83 iters/s
step 14203, batch loss 2.315, 1.84 iters/s
step 14204, batch loss 0.931, 1.83 iters/s
step 14205, batch loss 1.591, 1.84 iters/s
step 14206, batch loss 1.55, 1.84 iters/s
step 14207, batch loss 1.679, 1.84 iters/s
step 14208, batch loss 2.168, 1.83 iters/s
step 14209, batch loss 1.453, 1.83 iters/s
step 14210, batch loss 1.425, 1.83 iters/s
step 14211, batch loss 1.964, 1.84 iters/s
step 14212, batch loss 1.631, 1.84 iters/s
step 14213, batch loss 1.603, 1.83 iters/s
step 14214, batch loss 1.697, 1.83 iters/s
step 14215, batch loss 1.584, 1.83 iters/s
step 14216, batch loss 1.878, 1.86 iters/s
step 14217, batch loss 1.374, 1.84 iters/s
step 14218, batch loss 2.122, 1.83 iters/s
step 14219, batch loss 1.003, 1.85 iters/s
step 14220, batch loss 1.896, 1.84 iters/s
step 14221, batch loss 1.773, 1.83 iters/s
step 14222, batch loss 2.296, 1.84 iters/s
step 14223, batch loss 1.53, 1.83 iters/s
step 14224, batch loss 1.688, 1.84 iters/s
step 14225, batch loss 1.712, 1.84 iters/s
step 14226, batch loss 1.73, 1.83 iters/s

step 14227, batch loss 1.435, 1.83 iters/s
step 14228, batch loss 1.51, 1.83 iters/s
step 14229, batch loss 1.883, 1.83 iters/s
step 14230, batch loss 1.363, 1.83 iters/s
step 14231, batch loss 1.952, 1.84 iters/s
step 14232, batch loss 1.437, 1.84 iters/s
step 14233, batch loss 1.193, 1.83 iters/s
step 14234, batch loss 1.676, 1.84 iters/s
step 14235, batch loss 1.795, 1.82 iters/s
step 14236, batch loss 2.188, 1.83 iters/s
step 14237, batch loss 1.915, 1.83 iters/s
step 14238, batch loss 1.988, 1.84 iters/s
step 14239, batch loss 1.67, 1.84 iters/s
step 14240, batch loss 1.849, 1.84 iters/s
step 14241, batch loss 1.144, 1.83 iters/s
step 14242, batch loss 1.715, 1.83 iters/s
step 14243, batch loss 1.981, 1.82 iters/s
step 14244, batch loss 1.947, 1.84 iters/s
step 14245, batch loss 1.611, 1.83 iters/s
step 14246, batch loss 2.343, 1.83 iters/s
step 14247, batch loss 1.941, 1.83 iters/s
step 14248, batch loss 2.391, 1.83 iters/s
step 14249, batch loss 1.758, 1.84 iters/s
step 14250, batch loss 1.414, 1.84 iters/s
step 14251, batch loss 1.807, 1.84 iters/s
step 14252, batch loss 1.616, 1.84 iters/s
step 14253, batch loss 1.387, 1.83 iters/s
step 14254, batch loss 0.948, 1.85 iters/s
step 14255, batch loss 1.693, 1.83 iters/s
step 14256, batch loss 1.366, 1.85 iters/s
step 14257, batch loss 1.867, 1.84 iters/s
step 14258, batch loss 1.671, 1.83 iters/s
step 14259, batch loss 2.503, 1.84 iters/s
step 14260, batch loss 2.197, 1.83 iters/s
step 14261, batch loss 1.912, 1.83 iters/s
step 14262, batch loss 1.66, 1.85 iters/s
step 14263, batch loss 1.668, 1.84 iters/s
step 14264, batch loss 1.91, 1.84 iters/s
step 14265, batch loss 2.055, 1.83 iters/s
step 14266, batch loss 1.571, 1.83 iters/s
step 14267, batch loss 1.896, 1.84 iters/s
step 14268, batch loss 1.953, 1.83 iters/s
step 14269, batch loss 1.717, 1.83 iters/s
step 14270, batch loss 2.152, 1.84 iters/s
step 14271, batch loss 1.408, 1.83 iters/s
step 14272, batch loss 1.649, 1.84 iters/s
step 14273, batch loss 0.653, 1.84 iters/s
step 14274, batch loss 1.701, 1.84 iters/s

step 14275, batch loss 1.429, 1.83 iters/s
step 14276, batch loss 1.903, 1.84 iters/s
step 14277, batch loss 2.058, 1.84 iters/s
step 14278, batch loss 2.056, 1.83 iters/s
step 14279, batch loss 1.406, 1.84 iters/s
step 14280, batch loss 1.774, 1.83 iters/s
step 14281, batch loss 1.888, 1.83 iters/s
step 14282, batch loss 1.589, 1.82 iters/s
step 14283, batch loss 1.497, 1.83 iters/s
step 14284, batch loss 1.691, 1.84 iters/s
step 14285, batch loss 1.992, 1.83 iters/s
step 14286, batch loss 1.745, 1.83 iters/s
step 14287, batch loss 1.715, 1.83 iters/s
step 14288, batch loss 1.794, 1.83 iters/s
step 14289, batch loss 1.713, 1.83 iters/s
step 14290, batch loss 1.565, 1.83 iters/s
step 14291, batch loss 1.65, 1.84 iters/s
step 14292, batch loss 1.998, 1.86 iters/s
step 14293, batch loss 2.378, 1.83 iters/s
step 14294, batch loss 2.161, 1.85 iters/s
step 14295, batch loss 1.079, 1.83 iters/s
step 14296, batch loss 2.488, 1.83 iters/s
step 14297, batch loss 2.239, 1.83 iters/s
step 14298, batch loss 1.487, 1.83 iters/s
step 14299, batch loss 1.674, 1.83 iters/s
step 14300, batch loss 1.518, 1.84 iters/s
step 14301, batch loss 1.658, 1.84 iters/s
step 14302, batch loss 1.439, 1.83 iters/s
step 14303, batch loss 1.691, 1.83 iters/s
step 14304, batch loss 1.509, 1.83 iters/s
step 14305, batch loss 1.085, 1.83 iters/s
step 14306, batch loss 1.718, 1.86 iters/s
step 14307, batch loss 2.42, 1.84 iters/s
step 14308, batch loss 1.551, 1.84 iters/s
step 14309, batch loss 1.48, 1.83 iters/s
step 14310, batch loss 0.803, 1.84 iters/s
step 14311, batch loss 1.997, 1.85 iters/s
step 14312, batch loss 1.696, 1.84 iters/s
step 14313, batch loss 1.955, 1.84 iters/s
step 14314, batch loss 1.83, 1.83 iters/s
step 14315, batch loss 2.117, 1.83 iters/s
step 14316, batch loss 2.103, 1.83 iters/s
step 14317, batch loss 1.704, 1.85 iters/s
step 14318, batch loss 1.349, 1.83 iters/s
step 14319, batch loss 1.53, 1.84 iters/s
step 14320, batch loss 1.84, 1.83 iters/s
step 14321, batch loss 1.399, 1.83 iters/s
step 14322, batch loss 1.87, 1.83 iters/s

step 14323, batch loss 1.501, 1.84 iters/s
step 14324, batch loss 1.588, 1.84 iters/s
step 14325, batch loss 1.159, 1.83 iters/s
step 14326, batch loss 2.208, 1.83 iters/s
step 14327, batch loss 2.154, 1.82 iters/s
step 14328, batch loss 1.64, 1.83 iters/s
step 14329, batch loss 2.177, 1.83 iters/s
step 14330, batch loss 1.765, 1.84 iters/s
step 14331, batch loss 1.572, 1.84 iters/s
step 14332, batch loss 1.634, 1.84 iters/s
step 14333, batch loss 0.861, 1.83 iters/s
step 14334, batch loss 2.085, 1.83 iters/s
step 14335, batch loss 1.722, 1.85 iters/s
step 14336, batch loss 2.053, 1.84 iters/s
step 14337, batch loss 1.369, 1.83 iters/s
step 14338, batch loss 1.451, 1.83 iters/s
step 14339, batch loss 1.407, 1.84 iters/s
step 14340, batch loss 1.727, 1.84 iters/s
step 14341, batch loss 1.761, 1.84 iters/s
step 14342, batch loss 1.375, 1.85 iters/s
step 14343, batch loss 1.149, 1.84 iters/s
step 14344, batch loss 2.214, 1.83 iters/s
step 14345, batch loss 0.956, 1.84 iters/s
step 14346, batch loss 1.554, 1.83 iters/s
step 14347, batch loss 2.287, 1.84 iters/s
step 14348, batch loss 1.65, 1.84 iters/s
step 14349, batch loss 1.579, 1.83 iters/s
step 14350, batch loss 1.693, 1.84 iters/s
step 14351, batch loss 1.618, 1.83 iters/s
step 14352, batch loss 2.118, 1.82 iters/s
step 14353, batch loss 2.147, 1.83 iters/s
step 14354, batch loss 2.334, 1.83 iters/s
step 14355, batch loss 1.826, 1.83 iters/s
step 14356, batch loss 2.356, 1.82 iters/s
step 14357, batch loss 1.971, 1.84 iters/s
step 14358, batch loss 1.758, 1.83 iters/s
step 14359, batch loss 2.171, 1.85 iters/s
step 14360, batch loss 1.312, 1.83 iters/s
step 14361, batch loss 2.119, 1.83 iters/s
step 14362, batch loss 1.818, 1.86 iters/s
step 14363, batch loss 0.859, 1.83 iters/s
step 14364, batch loss 1.789, 1.83 iters/s
step 14365, batch loss 1.577, 1.84 iters/s
step 14366, batch loss 1.48, 1.82 iters/s
step 14367, batch loss 1.723, 1.83 iters/s
step 14368, batch loss 1.739, 1.83 iters/s
step 14369, batch loss 1.588, 1.85 iters/s
step 14370, batch loss 1.719, 1.84 iters/s

step 14371, batch loss 1.903, 1.83 iters/s
step 14372, batch loss 1.591, 1.83 iters/s
step 14373, batch loss 1.358, 1.84 iters/s
step 14374, batch loss 2.09, 1.83 iters/s
step 14375, batch loss 1.821, 1.83 iters/s
step 14376, batch loss 2.166, 1.84 iters/s
step 14377, batch loss 1.603, 1.84 iters/s
step 14378, batch loss 1.807, 1.83 iters/s
step 14379, batch loss 2.238, 1.83 iters/s
step 14380, batch loss 1.803, 1.83 iters/s
step 14381, batch loss 1.457, 1.83 iters/s
step 14382, batch loss 1.214, 1.84 iters/s
step 14383, batch loss 1.681, 1.85 iters/s
step 14384, batch loss 1.546, 1.83 iters/s
step 14385, batch loss 1.818, 1.84 iters/s
step 14386, batch loss 1.974, 1.83 iters/s
step 14387, batch loss 1.615, 1.83 iters/s
step 14388, batch loss 2.098, 1.83 iters/s
step 14389, batch loss 2.092, 1.83 iters/s
step 14390, batch loss 1.766, 1.84 iters/s
step 14391, batch loss 1.816, 1.84 iters/s
step 14392, batch loss 2.314, 1.84 iters/s
step 14393, batch loss 1.769, 1.83 iters/s
step 14394, batch loss 2.024, 1.85 iters/s
step 14395, batch loss 2.09, 1.83 iters/s
step 14396, batch loss 1.469, 1.83 iters/s
step 14397, batch loss 1.718, 1.83 iters/s
step 14398, batch loss 1.73, 1.84 iters/s
step 14399, batch loss 1.731, 1.84 iters/s
step 14400, batch loss 1.814, 1.84 iters/s
step 14401, batch loss 1.727, 1.84 iters/s
step 14402, batch loss 1.054, 1.83 iters/s
step 14403, batch loss 2.399, 1.84 iters/s
step 14404, batch loss 1.592, 1.82 iters/s
step 14405, batch loss 1.801, 1.84 iters/s
step 14406, batch loss 1.586, 1.83 iters/s
step 14407, batch loss 1.201, 1.83 iters/s
step 14408, batch loss 2.05, 1.83 iters/s
step 14409, batch loss 1.843, 1.85 iters/s
step 14410, batch loss 1.952, 1.85 iters/s
step 14411, batch loss 1.202, 1.83 iters/s
step 14412, batch loss 1.631, 1.84 iters/s
step 14413, batch loss 2.08, 1.83 iters/s
step 14414, batch loss 1.904, 1.84 iters/s
step 14415, batch loss 2.043, 1.82 iters/s
step 14416, batch loss 1.808, 1.83 iters/s
step 14417, batch loss 1.763, 1.83 iters/s
step 14418, batch loss 1.342, 1.83 iters/s

step 14419, batch loss 1.603, 1.85 iters/s
step 14420, batch loss 1.589, 1.84 iters/s
step 14421, batch loss 1.423, 1.83 iters/s
step 14422, batch loss 1.037, 1.83 iters/s
step 14423, batch loss 1.713, 1.84 iters/s
step 14424, batch loss 1.443, 1.83 iters/s
step 14425, batch loss 1.675, 1.83 iters/s
step 14426, batch loss 2.25, 1.84 iters/s
step 14427, batch loss 1.628, 1.85 iters/s
step 14428, batch loss 1.654, 1.83 iters/s
step 14429, batch loss 1.862, 1.82 iters/s
step 14430, batch loss 2.179, 1.83 iters/s
step 14431, batch loss 2.127, 1.84 iters/s
step 14432, batch loss 1.101, 1.83 iters/s
step 14433, batch loss 1.768, 1.84 iters/s
step 14434, batch loss 1.271, 1.83 iters/s
step 14435, batch loss 2.001, 1.84 iters/s
step 14436, batch loss 1.16, 1.84 iters/s
step 14437, batch loss 1.799, 1.83 iters/s
step 14438, batch loss 1.312, 1.83 iters/s
step 14439, batch loss 1.759, 1.84 iters/s
step 14440, batch loss 1.753, 1.83 iters/s
step 14441, batch loss 2.059, 1.83 iters/s
step 14442, batch loss 1.76, 1.84 iters/s
step 14443, batch loss 1.495, 1.83 iters/s
step 14444, batch loss 1.608, 1.84 iters/s
step 14445, batch loss 1.475, 1.86 iters/s
step 14446, batch loss 2.019, 1.83 iters/s
step 14447, batch loss 1.572, 1.84 iters/s
step 14448, batch loss 1.107, 1.84 iters/s
step 14449, batch loss 2.736, 1.83 iters/s
step 14450, batch loss 2.104, 1.83 iters/s
step 14451, batch loss 1.987, 1.83 iters/s
step 14452, batch loss 1.775, 1.83 iters/s
step 14453, batch loss 1.696, 1.84 iters/s
step 14454, batch loss 0.885, 1.84 iters/s
step 14455, batch loss 1.751, 1.84 iters/s
step 14456, batch loss 1.553, 1.82 iters/s
step 14457, batch loss 0.476, 1.82 iters/s
step 14458, batch loss 1.4, 1.84 iters/s
step 14459, batch loss 1.551, 1.82 iters/s
step 14460, batch loss 2.022, 1.84 iters/s
step 14461, batch loss 1.46, 1.83 iters/s
step 14462, batch loss 1.94, 1.84 iters/s
step 14463, batch loss 1.37, 1.86 iters/s
step 14464, batch loss 1.623, 1.85 iters/s
step 14465, batch loss 1.227, 1.83 iters/s
step 14466, batch loss 2.315, 1.84 iters/s

step 14467, batch loss 1.946, 1.86 iters/s
step 14468, batch loss 1.622, 1.83 iters/s
step 14469, batch loss 2.306, 1.83 iters/s
step 14470, batch loss 1.795, 1.83 iters/s
step 14471, batch loss 1.68, 1.84 iters/s
step 14472, batch loss 1.773, 1.83 iters/s
step 14473, batch loss 2.129, 1.84 iters/s
step 14474, batch loss 2.462, 1.83 iters/s
step 14475, batch loss 1.778, 1.83 iters/s
step 14476, batch loss 1.445, 1.83 iters/s
step 14477, batch loss 1.781, 1.84 iters/s
step 14478, batch loss 2.051, 1.83 iters/s
step 14479, batch loss 1.837, 1.84 iters/s
step 14480, batch loss 1.819, 1.83 iters/s
step 14481, batch loss 1.718, 1.84 iters/s
step 14482, batch loss 1.391, 1.84 iters/s
step 14483, batch loss 1.668, 1.85 iters/s
step 14484, batch loss 1.901, 1.84 iters/s
step 14485, batch loss 1.518, 1.84 iters/s
step 14486, batch loss 1.894, 1.83 iters/s
step 14487, batch loss 2.263, 1.83 iters/s
step 14488, batch loss 1.722, 1.85 iters/s
step 14489, batch loss 1.62, 1.84 iters/s
step 14490, batch loss 1.873, 1.83 iters/s
step 14491, batch loss 1.755, 1.86 iters/s
step 14492, batch loss 1.59, 1.84 iters/s
step 14493, batch loss 2.294, 1.84 iters/s
step 14494, batch loss 1.704, 1.83 iters/s
step 14495, batch loss 1.878, 1.83 iters/s
step 14496, batch loss 1.891, 1.83 iters/s
step 14497, batch loss 1.638, 1.82 iters/s
step 14498, batch loss 1.262, 1.84 iters/s
step 14499, batch loss 2.556, 1.83 iters/s
step 14500, batch loss 1.766, 1.84 iters/s
step 14501, batch loss 1.767, 1.84 iters/s
step 14502, batch loss 1.662, 1.85 iters/s
step 14503, batch loss 1.348, 1.83 iters/s
step 14504, batch loss 1.942, 1.83 iters/s
step 14505, batch loss 1.125, 1.84 iters/s
step 14506, batch loss 1.258, 1.83 iters/s
step 14507, batch loss 1.26, 1.83 iters/s
step 14508, batch loss 1.866, 1.84 iters/s
step 14509, batch loss 1.715, 1.83 iters/s
step 14510, batch loss 1.444, 1.83 iters/s
step 14511, batch loss 1.638, 1.83 iters/s
step 14512, batch loss 1.593, 1.84 iters/s
step 14513, batch loss 1.773, 1.87 iters/s
step 14514, batch loss 1.425, 1.83 iters/s

step 14515, batch loss 1.697, 1.82 iters/s
step 14516, batch loss 1.221, 1.83 iters/s
step 14517, batch loss 1.626, 1.84 iters/s
step 14518, batch loss 1.532, 1.83 iters/s
step 14519, batch loss 1.736, 1.84 iters/s
step 14520, batch loss 1.681, 1.84 iters/s
step 14521, batch loss 1.606, 1.83 iters/s
step 14522, batch loss 1.781, 1.82 iters/s
step 14523, batch loss 1.7, 1.83 iters/s
step 14524, batch loss 1.65, 1.83 iters/s
step 14525, batch loss 2.007, 1.84 iters/s
step 14526, batch loss 1.33, 1.83 iters/s
step 14527, batch loss 2.22, 1.84 iters/s
step 14528, batch loss 2.16, 1.83 iters/s
step 14529, batch loss 1.584, 1.84 iters/s
step 14530, batch loss 1.981, 1.84 iters/s
step 14531, batch loss 1.621, 1.85 iters/s
step 14532, batch loss 1.494, 1.82 iters/s
step 14533, batch loss 1.35, 1.83 iters/s
step 14534, batch loss 2.071, 1.84 iters/s
step 14535, batch loss 1.705, 1.83 iters/s
step 14536, batch loss 1.684, 1.85 iters/s
step 14537, batch loss 1.491, 1.84 iters/s
step 14538, batch loss 1.932, 1.84 iters/s
step 14539, batch loss 2.36, 1.83 iters/s
step 14540, batch loss 1.157, 1.83 iters/s
step 14541, batch loss 2.165, 1.85 iters/s
step 14542, batch loss 1.736, 1.83 iters/s
step 14543, batch loss 1.569, 1.82 iters/s
step 14544, batch loss 0.943, 1.84 iters/s
step 14545, batch loss 1.508, 1.82 iters/s
step 14546, batch loss 1.464, 1.83 iters/s
step 14547, batch loss 1.677, 1.83 iters/s
step 14548, batch loss 1.96, 1.83 iters/s
step 14549, batch loss 1.587, 1.83 iters/s
step 14550, batch loss 1.093, 1.83 iters/s
step 14551, batch loss 1.65, 1.83 iters/s
step 14552, batch loss 2.242, 1.84 iters/s
step 14553, batch loss 1.343, 1.84 iters/s
step 14554, batch loss 2.114, 1.83 iters/s
step 14555, batch loss 2.278, 1.84 iters/s
step 14556, batch loss 1.129, 1.83 iters/s
step 14557, batch loss 1.302, 1.84 iters/s
step 14558, batch loss 1.744, 1.83 iters/s
step 14559, batch loss 1.803, 1.83 iters/s
step 14560, batch loss 1.472, 1.83 iters/s
step 14561, batch loss 1.808, 1.84 iters/s
step 14562, batch loss 1.577, 1.84 iters/s

step 14563, batch loss 1.514, 1.84 iters/s
step 14564, batch loss 1.255, 1.84 iters/s
step 14565, batch loss 1.838, 1.84 iters/s
step 14566, batch loss 1.394, 1.84 iters/s
step 14567, batch loss 1.215, 1.83 iters/s
step 14568, batch loss 1.761, 1.84 iters/s
step 14569, batch loss 1.703, 1.84 iters/s
step 14570, batch loss 1.883, 1.83 iters/s
step 14571, batch loss 1.255, 1.83 iters/s
step 14572, batch loss 1.903, 1.83 iters/s
step 14573, batch loss 1.334, 1.83 iters/s
step 14574, batch loss 0.93, 1.85 iters/s
step 14575, batch loss 2.219, 1.83 iters/s
step 14576, batch loss 2.233, 1.83 iters/s
step 14577, batch loss 1.948, 1.85 iters/s
step 14578, batch loss 1.812, 1.83 iters/s
step 14579, batch loss 1.695, 1.83 iters/s
step 14580, batch loss 1.559, 1.83 iters/s
step 14581, batch loss 0.939, 1.83 iters/s
step 14582, batch loss 1.937, 1.83 iters/s
step 14583, batch loss 1.874, 1.84 iters/s
step 14584, batch loss 1.923, 1.85 iters/s
step 14585, batch loss 0.889, 1.83 iters/s
step 14586, batch loss 2.069, 1.85 iters/s
step 14587, batch loss 1.907, 1.82 iters/s
step 14588, batch loss 1.396, 1.84 iters/s
step 14589, batch loss 1.269, 1.83 iters/s
step 14590, batch loss 1.711, 1.85 iters/s
step 14591, batch loss 1.81, 1.85 iters/s
step 14592, batch loss 1.937, 1.82 iters/s
step 14593, batch loss 0.888, 1.83 iters/s
step 14594, batch loss 1.27, 1.83 iters/s
step 14595, batch loss 1.311, 1.83 iters/s
step 14596, batch loss 1.628, 1.83 iters/s
step 14597, batch loss 1.576, 1.83 iters/s
step 14598, batch loss 2.331, 1.83 iters/s
step 14599, batch loss 1.807, 1.86 iters/s
step 14600, batch loss 0.87, 1.83 iters/s
step 14601, batch loss 1.517, 1.84 iters/s
step 14602, batch loss 1.686, 1.83 iters/s
step 14603, batch loss 1.705, 1.83 iters/s
step 14604, batch loss 1.864, 1.84 iters/s
step 14605, batch loss 1.775, 1.84 iters/s
step 14606, batch loss 1.713, 1.83 iters/s
step 14607, batch loss 1.378, 1.84 iters/s
step 14608, batch loss 1.677, 1.84 iters/s
step 14609, batch loss 1.839, 1.83 iters/s
step 14610, batch loss 1.772, 1.84 iters/s

step 14611, batch loss 1.509, 1.84 iters/s
step 14612, batch loss 2.049, 1.85 iters/s
step 14613, batch loss 1.91, 1.84 iters/s
step 14614, batch loss 1.897, 1.83 iters/s
step 14615, batch loss 2.165, 1.83 iters/s
step 14616, batch loss 1.991, 1.85 iters/s
step 14617, batch loss 1.973, 1.84 iters/s
step 14618, batch loss 1.765, 1.83 iters/s
step 14619, batch loss 1.357, 1.82 iters/s
step 14620, batch loss 2.098, 1.83 iters/s
step 14621, batch loss 1.646, 1.83 iters/s
step 14622, batch loss 1.556, 1.84 iters/s
step 14623, batch loss 1.946, 1.83 iters/s
step 14624, batch loss 1.447, 1.83 iters/s
step 14625, batch loss 1.357, 1.84 iters/s
step 14626, batch loss 1.695, 1.83 iters/s
step 14627, batch loss 1.734, 1.83 iters/s
step 14628, batch loss 1.96, 1.86 iters/s
step 14629, batch loss 1.294, 1.84 iters/s
step 14630, batch loss 1.978, 1.83 iters/s
step 14631, batch loss 1.412, 1.84 iters/s
step 14632, batch loss 1.88, 1.84 iters/s
step 14633, batch loss 1.248, 1.83 iters/s
step 14634, batch loss 1.606, 1.83 iters/s
step 14635, batch loss 0.933, 1.85 iters/s
step 14636, batch loss 1.67, 1.83 iters/s
step 14637, batch loss 1.714, 1.83 iters/s
step 14638, batch loss 1.246, 1.83 iters/s
step 14639, batch loss 1.331, 1.84 iters/s
step 14640, batch loss 1.513, 1.83 iters/s
step 14641, batch loss 1.613, 1.84 iters/s
step 14642, batch loss 1.489, 1.85 iters/s
step 14643, batch loss 1.294, 1.84 iters/s
step 14644, batch loss 1.422, 1.83 iters/s
step 14645, batch loss 2.366, 1.85 iters/s
step 14646, batch loss 2.273, 1.82 iters/s
step 14647, batch loss 2.118, 1.83 iters/s
step 14648, batch loss 1.876, 1.83 iters/s
step 14649, batch loss 1.545, 1.84 iters/s
step 14650, batch loss 1.314, 1.84 iters/s
step 14651, batch loss 1.383, 1.85 iters/s
step 14652, batch loss 1.89, 1.84 iters/s
step 14653, batch loss 1.737, 1.84 iters/s
step 14654, batch loss 1.309, 1.84 iters/s
step 14655, batch loss 1.17, 1.82 iters/s
step 14656, batch loss 1.797, 1.83 iters/s
step 14657, batch loss 1.064, 1.83 iters/s
step 14658, batch loss 1.452, 1.84 iters/s

step 14659, batch loss 1.48, 1.83 iters/s
step 14660, batch loss 1.107, 1.83 iters/s
step 14661, batch loss 2.072, 1.85 iters/s
step 14662, batch loss 1.949, 1.85 iters/s
step 14663, batch loss 2.195, 1.83 iters/s
step 14664, batch loss 1.621, 1.85 iters/s
step 14665, batch loss 1.884, 1.83 iters/s
step 14666, batch loss 1.843, 1.85 iters/s
step 14667, batch loss 2.436, 1.84 iters/s
step 14668, batch loss 1.55, 1.84 iters/s
step 14669, batch loss 2.216, 1.83 iters/s
step 14670, batch loss 2.026, 1.83 iters/s
step 14671, batch loss 1.299, 1.83 iters/s
step 14672, batch loss 1.892, 1.83 iters/s
step 14673, batch loss 1.544, 1.83 iters/s
step 14674, batch loss 1.819, 1.83 iters/s
step 14675, batch loss 1.981, 1.83 iters/s
step 14676, batch loss 2.564, 1.86 iters/s
step 14677, batch loss 2.091, 1.83 iters/s
step 14678, batch loss 1.611, 1.84 iters/s
step 14679, batch loss 2.412, 1.84 iters/s
step 14680, batch loss 1.833, 1.85 iters/s
step 14681, batch loss 1.885, 1.83 iters/s
step 14682, batch loss 1.509, 1.83 iters/s
step 14683, batch loss 1.388, 1.85 iters/s
step 14684, batch loss 2.053, 1.84 iters/s
step 14685, batch loss 0.473, 1.83 iters/s
step 14686, batch loss 1.341, 1.84 iters/s
step 14687, batch loss 1.986, 1.83 iters/s
step 14688, batch loss 1.616, 1.83 iters/s
step 14689, batch loss 2.055, 1.84 iters/s
step 14690, batch loss 1.03, 1.83 iters/s
step 14691, batch loss 1.422, 1.84 iters/s
step 14692, batch loss 2.182, 1.84 iters/s
step 14693, batch loss 1.376, 1.85 iters/s
step 14694, batch loss 1.28, 1.83 iters/s
step 14695, batch loss 1.924, 1.84 iters/s
step 14696, batch loss 1.52, 1.83 iters/s
step 14697, batch loss 1.701, 1.84 iters/s
step 14698, batch loss 2.132, 1.84 iters/s
step 14699, batch loss 1.407, 1.84 iters/s
step 14700, batch loss 1.595, 1.83 iters/s
step 14701, batch loss 1.333, 1.83 iters/s
step 14702, batch loss 1.743, 1.83 iters/s
step 14703, batch loss 2.029, 1.84 iters/s
step 14704, batch loss 2.076, 1.83 iters/s
step 14705, batch loss 1.783, 1.83 iters/s
step 14706, batch loss 1.375, 1.84 iters/s

step 14707, batch loss 1.484, 1.83 iters/s
step 14708, batch loss 1.393, 1.85 iters/s
step 14709, batch loss 1.51, 1.83 iters/s
step 14710, batch loss 1.621, 1.83 iters/s
step 14711, batch loss 1.456, 1.85 iters/s
step 14712, batch loss 1.39, 1.83 iters/s
step 14713, batch loss 0.617, 1.83 iters/s
step 14714, batch loss 2.1, 1.83 iters/s
step 14715, batch loss 1.4, 1.82 iters/s
step 14716, batch loss 1.84, 1.84 iters/s
step 14717, batch loss 1.375, 1.83 iters/s
step 14718, batch loss 1.296, 1.85 iters/s
step 14719, batch loss 2.145, 1.84 iters/s
step 14720, batch loss 1.841, 1.83 iters/s
step 14721, batch loss 1.68, 1.83 iters/s
step 14722, batch loss 1.949, 1.83 iters/s
step 14723, batch loss 2.0, 1.82 iters/s
step 14724, batch loss 1.763, 1.83 iters/s
step 14725, batch loss 1.433, 1.83 iters/s
step 14726, batch loss 1.153, 1.83 iters/s
step 14727, batch loss 1.209, 1.83 iters/s
step 14728, batch loss 1.821, 1.85 iters/s
step 14729, batch loss 1.758, 1.83 iters/s
step 14730, batch loss 1.753, 1.84 iters/s
step 14731, batch loss 1.769, 1.83 iters/s
step 14732, batch loss 1.556, 1.82 iters/s
step 14733, batch loss 2.006, 1.84 iters/s
step 14734, batch loss 1.737, 1.84 iters/s
step 14735, batch loss 4.038, 2.38 iters/s
step 14736, batch loss 2.256, 1.84 iters/s
step 14737, batch loss 1.791, 1.84 iters/s
step 14738, batch loss 1.425, 1.85 iters/s
step 14739, batch loss 1.714, 1.83 iters/s
step 14740, batch loss 1.863, 1.83 iters/s
step 14741, batch loss 1.887, 1.83 iters/s
step 14742, batch loss 0.664, 1.83 iters/s
step 14743, batch loss 1.567, 1.84 iters/s
step 14744, batch loss 2.121, 1.85 iters/s
step 14745, batch loss 1.652, 1.84 iters/s
step 14746, batch loss 1.575, 1.82 iters/s
step 14747, batch loss 1.398, 1.83 iters/s
step 14748, batch loss 1.195, 1.83 iters/s
step 14749, batch loss 1.588, 1.83 iters/s
step 14750, batch loss 1.822, 1.86 iters/s
step 14751, batch loss 2.032, 1.84 iters/s
step 14752, batch loss 1.494, 1.86 iters/s
step 14753, batch loss 1.341, 1.84 iters/s
step 14754, batch loss 1.19, 1.83 iters/s

step 14755, batch loss 1.661, 1.84 iters/s
step 14756, batch loss 1.777, 1.83 iters/s
step 14757, batch loss 2.073, 1.85 iters/s
step 14758, batch loss 2.042, 1.84 iters/s
step 14759, batch loss 1.012, 1.84 iters/s
step 14760, batch loss 2.196, 1.83 iters/s
step 14761, batch loss 1.766, 1.83 iters/s
step 14762, batch loss 1.205, 1.84 iters/s
step 14763, batch loss 1.713, 1.83 iters/s
step 14764, batch loss 1.711, 1.84 iters/s
step 14765, batch loss 1.333, 1.84 iters/s
step 14766, batch loss 1.227, 1.84 iters/s
step 14767, batch loss 1.989, 1.84 iters/s
step 14768, batch loss 2.277, 1.83 iters/s
step 14769, batch loss 2.306, 1.85 iters/s
step 14770, batch loss 1.53, 1.84 iters/s
step 14771, batch loss 2.074, 1.83 iters/s
step 14772, batch loss 1.506, 1.84 iters/s
step 14773, batch loss 1.945, 1.85 iters/s
step 14774, batch loss 1.746, 1.82 iters/s
step 14775, batch loss 1.84, 1.84 iters/s
step 14776, batch loss 1.766, 1.83 iters/s
step 14777, batch loss 1.747, 1.84 iters/s
step 14778, batch loss 1.165, 1.83 iters/s
step 14779, batch loss 1.486, 1.84 iters/s
step 14780, batch loss 1.7, 1.84 iters/s
step 14781, batch loss 1.649, 1.84 iters/s
step 14782, batch loss 2.026, 1.83 iters/s
step 14783, batch loss 1.742, 1.83 iters/s
step 14784, batch loss 1.032, 1.84 iters/s
step 14785, batch loss 1.949, 1.84 iters/s
step 14786, batch loss 2.217, 1.83 iters/s
step 14787, batch loss 1.772, 1.83 iters/s
step 14788, batch loss 1.6, 1.84 iters/s
step 14789, batch loss 1.548, 1.83 iters/s
step 14790, batch loss 1.628, 1.84 iters/s
step 14791, batch loss 1.564, 1.83 iters/s
step 14792, batch loss 1.394, 1.83 iters/s
step 14793, batch loss 1.416, 1.87 iters/s
step 14794, batch loss 1.531, 1.83 iters/s
step 14795, batch loss 2.104, 1.83 iters/s
step 14796, batch loss 1.287, 1.85 iters/s
step 14797, batch loss 1.482, 1.83 iters/s
step 14798, batch loss 1.518, 1.84 iters/s
step 14799, batch loss 1.531, 1.84 iters/s
step 14800, batch loss 2.24, 1.84 iters/s
step 14801, batch loss 1.729, 1.83 iters/s
step 14802, batch loss 2.152, 1.85 iters/s

step 14803, batch loss 1.677, 1.83 iters/s
step 14804, batch loss 1.625, 1.85 iters/s
step 14805, batch loss 1.946, 1.83 iters/s
step 14806, batch loss 1.853, 1.84 iters/s
step 14807, batch loss 1.606, 1.83 iters/s
step 14808, batch loss 1.668, 1.83 iters/s
step 14809, batch loss 1.443, 1.83 iters/s
step 14810, batch loss 1.817, 1.84 iters/s
step 14811, batch loss 1.495, 1.83 iters/s
step 14812, batch loss 1.659, 1.84 iters/s
step 14813, batch loss 1.329, 1.83 iters/s
step 14814, batch loss 1.015, 1.84 iters/s
step 14815, batch loss 1.847, 1.83 iters/s
step 14816, batch loss 1.983, 1.84 iters/s
step 14817, batch loss 0.845, 1.83 iters/s
step 14818, batch loss 1.401, 1.84 iters/s
step 14819, batch loss 1.645, 1.85 iters/s
step 14820, batch loss 1.59, 1.84 iters/s
step 14821, batch loss 1.923, 1.84 iters/s
step 14822, batch loss 1.437, 1.85 iters/s
step 14823, batch loss 1.111, 1.84 iters/s
step 14824, batch loss 1.435, 1.86 iters/s
step 14825, batch loss 1.605, 1.85 iters/s
step 14826, batch loss 1.853, 1.84 iters/s
step 14827, batch loss 1.788, 1.83 iters/s
step 14828, batch loss 2.929, 1.83 iters/s
step 14829, batch loss 1.222, 1.83 iters/s
step 14830, batch loss 1.835, 1.84 iters/s
step 14831, batch loss 1.437, 1.83 iters/s
step 14832, batch loss 1.625, 1.83 iters/s
step 14833, batch loss 1.326, 1.83 iters/s
step 14834, batch loss 0.944, 1.85 iters/s
step 14835, batch loss 1.569, 1.83 iters/s
step 14836, batch loss 1.277, 1.84 iters/s
step 14837, batch loss 1.748, 1.83 iters/s
step 14838, batch loss 1.074, 1.85 iters/s
step 14839, batch loss 1.793, 1.83 iters/s
step 14840, batch loss 1.938, 1.84 iters/s
step 14841, batch loss 1.731, 1.83 iters/s
step 14842, batch loss 2.298, 1.84 iters/s
step 14843, batch loss 1.553, 1.84 iters/s
step 14844, batch loss 1.886, 1.83 iters/s
step 14845, batch loss 1.559, 1.83 iters/s
step 14846, batch loss 1.591, 1.83 iters/s
step 14847, batch loss 1.843, 1.82 iters/s
step 14848, batch loss 2.035, 1.83 iters/s
step 14849, batch loss 2.245, 1.83 iters/s
step 14850, batch loss 1.725, 1.84 iters/s

step 14851, batch loss 1.65, 1.84 iters/s
step 14852, batch loss 1.958, 1.84 iters/s
step 14853, batch loss 1.653, 1.83 iters/s
step 14854, batch loss 1.336, 1.84 iters/s
step 14855, batch loss 2.273, 1.83 iters/s
step 14856, batch loss 1.898, 1.83 iters/s
step 14857, batch loss 1.652, 1.83 iters/s
step 14858, batch loss 1.515, 1.83 iters/s
step 14859, batch loss 1.344, 1.84 iters/s
step 14860, batch loss 2.075, 1.83 iters/s
step 14861, batch loss 1.941, 1.85 iters/s
step 14862, batch loss 1.664, 1.84 iters/s
step 14863, batch loss 1.364, 1.84 iters/s
step 14864, batch loss 1.677, 1.84 iters/s
step 14865, batch loss 1.181, 1.84 iters/s
step 14866, batch loss 1.407, 1.84 iters/s
step 14867, batch loss 1.948, 1.84 iters/s
step 14868, batch loss 1.416, 1.84 iters/s
step 14869, batch loss 2.983, 1.84 iters/s
step 14870, batch loss 1.655, 1.84 iters/s
step 14871, batch loss 1.27, 1.84 iters/s
step 14872, batch loss 1.629, 1.84 iters/s
step 14873, batch loss 1.802, 1.83 iters/s
step 14874, batch loss 2.085, 1.84 iters/s
step 14875, batch loss 1.415, 1.84 iters/s
step 14876, batch loss 2.176, 1.83 iters/s
step 14877, batch loss 1.061, 1.83 iters/s
step 14878, batch loss 2.341, 1.83 iters/s
step 14879, batch loss 1.628, 1.83 iters/s
step 14880, batch loss 1.81, 1.83 iters/s
step 14881, batch loss 1.394, 1.83 iters/s
step 14882, batch loss 1.367, 1.86 iters/s
step 14883, batch loss 1.238, 1.85 iters/s
step 14884, batch loss 1.912, 1.83 iters/s
step 14885, batch loss 1.856, 1.83 iters/s
step 14886, batch loss 2.145, 1.84 iters/s
step 14887, batch loss 2.399, 1.83 iters/s
step 14888, batch loss 1.494, 1.83 iters/s
step 14889, batch loss 1.037, 1.85 iters/s
step 14890, batch loss 1.918, 1.86 iters/s
step 14891, batch loss 1.861, 1.84 iters/s
step 14892, batch loss 1.649, 1.85 iters/s
step 14893, batch loss 1.987, 1.82 iters/s
step 14894, batch loss 1.794, 1.84 iters/s
step 14895, batch loss 1.794, 1.84 iters/s
step 14896, batch loss 1.388, 1.84 iters/s
step 14897, batch loss 1.519, 1.84 iters/s
step 14898, batch loss 2.144, 1.83 iters/s

step 14899, batch loss 1.573, 1.83 iters/s
step 14900, batch loss 1.838, 1.83 iters/s
step 14901, batch loss 1.542, 1.83 iters/s
step 14902, batch loss 1.496, 1.83 iters/s
step 14903, batch loss 1.332, 1.83 iters/s
step 14904, batch loss 2.189, 1.84 iters/s
step 14905, batch loss 1.284, 1.84 iters/s
step 14906, batch loss 1.889, 1.83 iters/s
step 14907, batch loss 1.59, 1.83 iters/s
step 14908, batch loss 1.693, 1.83 iters/s
step 14909, batch loss 1.782, 1.86 iters/s
step 14910, batch loss 1.994, 1.85 iters/s
step 14911, batch loss 2.041, 1.84 iters/s
step 14912, batch loss 1.111, 1.86 iters/s
step 14913, batch loss 2.164, 1.86 iters/s
step 14914, batch loss 1.49, 1.84 iters/s
step 14915, batch loss 1.775, 1.83 iters/s
step 14916, batch loss 1.871, 1.83 iters/s
step 14917, batch loss 2.77, 1.83 iters/s
step 14918, batch loss 2.064, 1.84 iters/s
step 14919, batch loss 0.794, 1.85 iters/s
step 14920, batch loss 1.211, 1.83 iters/s
step 14921, batch loss 1.879, 1.84 iters/s
step 14922, batch loss 1.746, 1.83 iters/s
step 14923, batch loss 1.598, 1.84 iters/s
step 14924, batch loss 1.941, 1.82 iters/s
step 14925, batch loss 2.031, 1.83 iters/s
step 14926, batch loss 1.327, 1.83 iters/s
step 14927, batch loss 1.878, 1.85 iters/s
step 14928, batch loss 1.429, 1.84 iters/s
step 14929, batch loss 1.782, 1.84 iters/s
step 14930, batch loss 1.712, 1.84 iters/s
step 14931, batch loss 1.542, 1.83 iters/s
step 14932, batch loss 2.473, 1.83 iters/s
step 14933, batch loss 1.71, 1.83 iters/s
step 14934, batch loss 1.987, 1.84 iters/s
step 14935, batch loss 1.616, 1.84 iters/s
step 14936, batch loss 2.313, 1.85 iters/s
step 14937, batch loss 1.446, 1.83 iters/s
step 14938, batch loss 1.423, 1.84 iters/s
step 14939, batch loss 1.869, 1.84 iters/s
step 14940, batch loss 1.502, 1.84 iters/s
step 14941, batch loss 1.102, 1.83 iters/s
step 14942, batch loss 1.726, 1.83 iters/s
step 14943, batch loss 1.717, 1.85 iters/s
step 14944, batch loss 2.0, 1.84 iters/s
step 14945, batch loss 1.701, 1.83 iters/s
step 14946, batch loss 2.036, 1.83 iters/s

step 14947, batch loss 1.289, 1.84 iters/s
step 14948, batch loss 1.794, 1.83 iters/s
step 14949, batch loss 1.567, 1.83 iters/s
step 14950, batch loss 2.145, 1.83 iters/s
step 14951, batch loss 1.778, 1.86 iters/s
step 14952, batch loss 1.606, 1.83 iters/s
step 14953, batch loss 2.456, 1.83 iters/s
step 14954, batch loss 2.09, 1.84 iters/s
step 14955, batch loss 1.459, 1.83 iters/s
step 14956, batch loss 1.645, 1.83 iters/s
step 14957, batch loss 1.677, 1.83 iters/s
step 14958, batch loss 1.424, 1.84 iters/s
step 14959, batch loss 1.339, 1.83 iters/s
step 14960, batch loss 1.606, 1.84 iters/s
step 14961, batch loss 1.927, 1.83 iters/s
step 14962, batch loss 2.04, 1.83 iters/s
step 14963, batch loss 1.467, 1.85 iters/s
step 14964, batch loss 1.795, 1.83 iters/s
step 14965, batch loss 2.324, 1.84 iters/s
step 14966, batch loss 1.036, 1.85 iters/s
step 14967, batch loss 1.425, 1.83 iters/s
step 14968, batch loss 1.816, 1.82 iters/s
step 14969, batch loss 2.304, 1.83 iters/s
step 14970, batch loss 1.644, 1.84 iters/s
step 14971, batch loss 1.482, 1.83 iters/s
step 14972, batch loss 1.326, 1.85 iters/s
step 14973, batch loss 1.19, 1.83 iters/s
step 14974, batch loss 1.835, 1.84 iters/s
step 14975, batch loss 1.81, 1.83 iters/s
step 14976, batch loss 1.355, 1.82 iters/s
step 14977, batch loss 1.043, 1.84 iters/s
step 14978, batch loss 2.093, 1.83 iters/s
step 14979, batch loss 1.853, 1.86 iters/s
step 14980, batch loss 1.232, 1.84 iters/s
step 14981, batch loss 1.014, 1.83 iters/s
step 14982, batch loss 2.128, 1.83 iters/s
step 14983, batch loss 1.145, 1.84 iters/s
step 14984, batch loss 1.29, 1.83 iters/s
step 14985, batch loss 1.319, 1.84 iters/s
step 14986, batch loss 0.678, 1.84 iters/s
step 14987, batch loss 1.797, 1.83 iters/s
step 14988, batch loss 1.307, 1.83 iters/s
step 14989, batch loss 1.885, 1.84 iters/s
step 14990, batch loss 1.643, 1.85 iters/s
step 14991, batch loss 1.315, 1.84 iters/s
step 14992, batch loss 1.591, 1.83 iters/s
step 14993, batch loss 1.346, 1.83 iters/s
step 14994, batch loss 2.517, 1.86 iters/s

step 14995, batch loss 1.625, 1.83 iters/s
step 14996, batch loss 1.564, 1.85 iters/s
step 14997, batch loss 1.669, 1.83 iters/s
step 14998, batch loss 1.913, 1.86 iters/s
step 14999, batch loss 1.905, 1.84 iters/s
step 15000, batch loss 1.526, 1.83 iters/s
step 15001, batch loss 2.01, 1.84 iters/s
step 15002, batch loss 1.576, 1.84 iters/s
step 15003, batch loss 2.03, 1.84 iters/s
step 15004, batch loss 1.827, 1.83 iters/s
step 15005, batch loss 1.636, 1.84 iters/s
step 15006, batch loss 2.009, 1.86 iters/s
step 15007, batch loss 1.599, 1.84 iters/s
step 15008, batch loss 2.024, 1.84 iters/s
step 15009, batch loss 1.672, 1.83 iters/s
step 15010, batch loss 1.583, 1.83 iters/s
step 15011, batch loss 1.906, 1.84 iters/s
step 15012, batch loss 1.996, 1.83 iters/s
step 15013, batch loss 1.964, 1.84 iters/s
step 15014, batch loss 1.936, 1.83 iters/s
step 15015, batch loss 1.768, 1.83 iters/s
step 15016, batch loss 1.576, 1.83 iters/s
step 15017, batch loss 1.686, 1.84 iters/s
step 15018, batch loss 1.839, 1.84 iters/s
step 15019, batch loss 1.89, 1.84 iters/s
step 15020, batch loss 2.014, 1.84 iters/s
step 15021, batch loss 1.862, 1.83 iters/s
step 15022, batch loss 2.154, 1.84 iters/s
step 15023, batch loss 2.151, 1.84 iters/s
step 15024, batch loss 1.47, 1.83 iters/s
step 15025, batch loss 2.096, 1.84 iters/s
step 15026, batch loss 2.041, 1.84 iters/s
step 15027, batch loss 1.534, 1.84 iters/s
step 15028, batch loss 1.429, 1.83 iters/s
step 15029, batch loss 2.309, 1.83 iters/s
step 15030, batch loss 0.776, 1.83 iters/s
step 15031, batch loss 2.201, 1.83 iters/s
step 15032, batch loss 1.997, 1.83 iters/s
step 15033, batch loss 1.812, 1.84 iters/s
step 15034, batch loss 1.518, 1.83 iters/s
step 15035, batch loss 1.688, 1.84 iters/s
step 15036, batch loss 1.54, 1.83 iters/s
step 15037, batch loss 1.97, 1.83 iters/s
step 15038, batch loss 1.482, 1.85 iters/s
step 15039, batch loss 1.773, 1.83 iters/s
step 15040, batch loss 2.186, 1.84 iters/s
step 15041, batch loss 1.657, 1.83 iters/s
step 15042, batch loss 1.921, 1.83 iters/s

step 15043, batch loss 1.292, 1.84 iters/s
step 15044, batch loss 1.711, 1.84 iters/s
step 15045, batch loss 1.941, 1.84 iters/s
step 15046, batch loss 1.691, 1.84 iters/s
step 15047, batch loss 1.709, 1.83 iters/s
step 15048, batch loss 1.42, 1.83 iters/s
step 15049, batch loss 1.516, 1.84 iters/s
step 15050, batch loss 1.407, 1.84 iters/s
step 15051, batch loss 0.992, 1.84 iters/s
step 15052, batch loss 1.557, 1.83 iters/s
step 15053, batch loss 2.09, 1.84 iters/s
step 15054, batch loss 2.174, 1.83 iters/s
step 15055, batch loss 1.638, 1.84 iters/s
step 15056, batch loss 1.761, 1.84 iters/s
step 15057, batch loss 2.26, 1.84 iters/s
step 15058, batch loss 1.38, 1.84 iters/s
step 15059, batch loss 2.167, 1.82 iters/s
step 15060, batch loss 1.564, 1.83 iters/s
step 15061, batch loss 1.343, 1.83 iters/s
step 15062, batch loss 2.04, 1.84 iters/s
step 15063, batch loss 1.871, 1.84 iters/s
step 15064, batch loss 1.083, 1.84 iters/s
step 15065, batch loss 1.724, 1.84 iters/s
step 15066, batch loss 1.441, 1.84 iters/s
step 15067, batch loss 1.679, 1.83 iters/s
step 15068, batch loss 2.031, 1.82 iters/s
step 15069, batch loss 1.228, 1.83 iters/s
step 15070, batch loss 2.036, 1.83 iters/s
step 15071, batch loss 1.495, 1.83 iters/s
step 15072, batch loss 1.967, 1.83 iters/s
step 15073, batch loss 1.558, 1.84 iters/s
step 15074, batch loss 1.987, 1.83 iters/s
step 15075, batch loss 1.257, 1.85 iters/s
step 15076, batch loss 1.332, 1.85 iters/s
step 15077, batch loss 2.308, 1.85 iters/s
step 15078, batch loss 1.372, 1.84 iters/s
step 15079, batch loss 1.71, 1.83 iters/s
step 15080, batch loss 1.922, 1.83 iters/s
step 15081, batch loss 2.332, 1.83 iters/s
step 15082, batch loss 1.429, 1.83 iters/s
step 15083, batch loss 1.483, 1.84 iters/s
step 15084, batch loss 2.449, 1.85 iters/s
step 15085, batch loss 0.899, 1.85 iters/s
step 15086, batch loss 1.96, 1.83 iters/s
step 15087, batch loss 1.759, 1.84 iters/s
step 15088, batch loss 1.371, 1.83 iters/s
step 15089, batch loss 1.781, 1.83 iters/s
step 15090, batch loss 2.015, 1.83 iters/s

step 15091, batch loss 1.906, 1.86 iters/s
step 15092, batch loss 1.925, 1.84 iters/s
step 15093, batch loss 2.002, 1.83 iters/s
step 15094, batch loss 1.981, 1.83 iters/s
step 15095, batch loss 1.644, 1.84 iters/s
step 15096, batch loss 2.046, 1.84 iters/s
step 15097, batch loss 1.723, 1.83 iters/s
step 15098, batch loss 2.004, 1.83 iters/s
step 15099, batch loss 1.164, 1.86 iters/s
step 15100, batch loss 1.664, 1.84 iters/s
step 15101, batch loss 1.734, 1.83 iters/s
step 15102, batch loss 1.243, 1.85 iters/s
step 15103, batch loss 2.002, 1.83 iters/s
step 15104, batch loss 1.693, 1.83 iters/s
step 15105, batch loss 1.444, 1.83 iters/s
step 15106, batch loss 2.425, 1.85 iters/s
step 15107, batch loss 0.801, 1.85 iters/s
step 15108, batch loss 1.413, 1.86 iters/s
step 15109, batch loss 1.004, 1.84 iters/s
step 15110, batch loss 1.153, 1.84 iters/s
step 15111, batch loss 0.81, 1.84 iters/s
step 15112, batch loss 0.676, 1.84 iters/s
step 15113, batch loss 2.368, 1.83 iters/s
step 15114, batch loss 1.919, 1.84 iters/s
step 15115, batch loss 1.602, 1.83 iters/s
step 15116, batch loss 1.566, 1.83 iters/s
step 15117, batch loss 1.266, 1.84 iters/s
step 15118, batch loss 1.353, 1.84 iters/s
step 15119, batch loss 1.461, 1.84 iters/s
step 15120, batch loss 1.293, 1.84 iters/s
step 15121, batch loss 1.143, 1.84 iters/s
step 15122, batch loss 1.937, 1.84 iters/s
step 15123, batch loss 1.476, 1.84 iters/s
step 15124, batch loss 1.946, 1.83 iters/s
step 15125, batch loss 1.895, 1.83 iters/s
step 15126, batch loss 1.741, 1.84 iters/s
step 15127, batch loss 2.163, 1.84 iters/s
step 15128, batch loss 1.126, 1.84 iters/s
step 15129, batch loss 1.613, 1.83 iters/s
step 15130, batch loss 2.211, 1.84 iters/s
step 15131, batch loss 1.482, 1.84 iters/s
step 15132, batch loss 1.265, 1.84 iters/s
step 15133, batch loss 2.337, 1.85 iters/s
step 15134, batch loss 2.198, 1.84 iters/s
step 15135, batch loss 1.532, 1.83 iters/s
step 15136, batch loss 1.322, 1.83 iters/s
step 15137, batch loss 1.768, 1.85 iters/s
step 15138, batch loss 1.791, 1.84 iters/s

step 15139, batch loss 1.123, 1.84 iters/s
step 15140, batch loss 0.432, 1.84 iters/s
step 15141, batch loss 1.863, 1.84 iters/s
step 15142, batch loss 1.559, 1.83 iters/s
step 15143, batch loss 1.825, 1.83 iters/s
step 15144, batch loss 2.198, 1.84 iters/s
step 15145, batch loss 1.747, 1.83 iters/s
step 15146, batch loss 1.61, 1.82 iters/s
step 15147, batch loss 1.645, 1.83 iters/s
step 15148, batch loss 1.401, 1.84 iters/s
step 15149, batch loss 1.598, 1.83 iters/s
step 15150, batch loss 2.163, 1.83 iters/s
step 15151, batch loss 1.02, 1.84 iters/s
step 15152, batch loss 2.073, 1.83 iters/s
step 15153, batch loss 2.142, 1.83 iters/s
step 15154, batch loss 1.946, 1.83 iters/s
step 15155, batch loss 2.026, 1.84 iters/s
step 15156, batch loss 1.836, 1.83 iters/s
step 15157, batch loss 1.738, 1.83 iters/s
step 15158, batch loss 1.566, 1.83 iters/s
step 15159, batch loss 1.983, 1.83 iters/s
step 15160, batch loss 2.275, 1.86 iters/s
step 15161, batch loss 1.779, 1.84 iters/s
step 15162, batch loss 1.555, 1.83 iters/s
step 15163, batch loss 1.292, 1.85 iters/s
step 15164, batch loss 2.13, 1.84 iters/s
step 15165, batch loss 1.795, 1.83 iters/s
step 15166, batch loss 1.464, 1.83 iters/s
step 15167, batch loss 1.515, 1.84 iters/s
step 15168, batch loss 2.208, 1.83 iters/s
step 15169, batch loss 1.095, 1.83 iters/s
step 15170, batch loss 1.439, 1.83 iters/s
step 15171, batch loss 1.808, 1.83 iters/s
step 15172, batch loss 1.497, 1.83 iters/s
step 15173, batch loss 1.678, 1.84 iters/s
step 15174, batch loss 1.333, 1.83 iters/s
step 15175, batch loss 2.011, 1.84 iters/s
step 15176, batch loss 1.344, 1.83 iters/s
step 15177, batch loss 1.739, 1.85 iters/s
step 15178, batch loss 1.585, 1.83 iters/s
step 15179, batch loss 1.815, 1.83 iters/s
step 15180, batch loss 1.813, 1.82 iters/s
step 15181, batch loss 1.968, 1.84 iters/s
step 15182, batch loss 1.221, 1.84 iters/s
step 15183, batch loss 2.303, 1.85 iters/s
step 15184, batch loss 2.059, 1.84 iters/s
step 15185, batch loss 1.015, 1.83 iters/s
step 15186, batch loss 1.65, 1.83 iters/s

step 15187, batch loss 1.819, 1.84 iters/s
step 15188, batch loss 1.854, 1.84 iters/s
step 15189, batch loss 1.299, 1.83 iters/s
step 15190, batch loss 1.115, 1.84 iters/s
step 15191, batch loss 1.595, 1.83 iters/s
step 15192, batch loss 1.583, 1.84 iters/s
step 15193, batch loss 1.91, 1.84 iters/s
step 15194, batch loss 1.426, 1.84 iters/s
step 15195, batch loss 1.231, 1.83 iters/s
step 15196, batch loss 0.674, 1.84 iters/s
step 15197, batch loss 1.563, 1.84 iters/s
step 15198, batch loss 1.549, 1.84 iters/s
step 15199, batch loss 1.817, 1.84 iters/s
step 15200, batch loss 1.591, 1.84 iters/s
step 15201, batch loss 2.184, 1.85 iters/s
step 15202, batch loss 1.684, 1.83 iters/s
step 15203, batch loss 2.137, 1.83 iters/s
step 15204, batch loss 1.154, 1.84 iters/s
step 15205, batch loss 1.741, 1.84 iters/s
step 15206, batch loss 1.247, 1.84 iters/s
step 15207, batch loss 2.96, 1.83 iters/s
step 15208, batch loss 2.629, 1.85 iters/s
step 15209, batch loss 1.501, 1.84 iters/s
step 15210, batch loss 2.333, 1.84 iters/s
step 15211, batch loss 1.371, 1.83 iters/s
step 15212, batch loss 1.949, 1.83 iters/s
step 15213, batch loss 1.705, 1.83 iters/s
step 15214, batch loss 1.657, 1.84 iters/s
step 15215, batch loss 1.457, 1.83 iters/s
step 15216, batch loss 1.921, 1.83 iters/s
step 15217, batch loss 1.418, 1.84 iters/s
step 15218, batch loss 1.296, 1.83 iters/s
step 15219, batch loss 1.704, 1.84 iters/s
step 15220, batch loss 2.21, 1.84 iters/s
step 15221, batch loss 1.191, 1.83 iters/s
step 15222, batch loss 1.897, 1.84 iters/s
step 15223, batch loss 1.545, 1.84 iters/s
step 15224, batch loss 2.114, 1.83 iters/s
step 15225, batch loss 2.186, 1.83 iters/s
step 15226, batch loss 1.976, 1.83 iters/s
step 15227, batch loss 0.782, 1.83 iters/s
step 15228, batch loss 1.559, 1.84 iters/s
step 15229, batch loss 1.844, 1.83 iters/s
step 15230, batch loss 1.704, 1.84 iters/s
step 15231, batch loss 1.841, 1.83 iters/s
step 15232, batch loss 1.8, 1.84 iters/s
step 15233, batch loss 1.241, 1.83 iters/s
step 15234, batch loss 1.667, 1.86 iters/s

step 15235, batch loss 2.214, 1.82 iters/s
step 15236, batch loss 1.757, 1.84 iters/s
step 15237, batch loss 1.601, 1.83 iters/s
step 15238, batch loss 1.323, 1.83 iters/s
step 15239, batch loss 1.957, 1.84 iters/s
step 15240, batch loss 1.643, 1.84 iters/s
step 15241, batch loss 1.53, 1.84 iters/s
step 15242, batch loss 1.608, 1.84 iters/s
step 15243, batch loss 1.908, 1.84 iters/s
step 15244, batch loss 2.0, 1.84 iters/s
step 15245, batch loss 1.787, 1.84 iters/s
step 15246, batch loss 1.923, 1.83 iters/s
step 15247, batch loss 1.148, 1.84 iters/s
step 15248, batch loss 1.09, 1.84 iters/s
step 15249, batch loss 1.791, 1.84 iters/s
step 15250, batch loss 2.077, 1.84 iters/s
step 15251, batch loss 2.231, 1.83 iters/s
step 15252, batch loss 1.929, 1.82 iters/s
step 15253, batch loss 1.413, 1.85 iters/s
step 15254, batch loss 1.66, 1.84 iters/s
step 15255, batch loss 1.272, 1.84 iters/s
step 15256, batch loss 1.94, 1.83 iters/s
step 15257, batch loss 1.411, 1.83 iters/s
step 15258, batch loss 1.276, 1.84 iters/s
step 15259, batch loss 1.551, 1.83 iters/s
step 15260, batch loss 1.677, 1.83 iters/s
step 15261, batch loss 1.554, 1.84 iters/s
step 15262, batch loss 0.98, 1.84 iters/s
step 15263, batch loss 2.06, 1.83 iters/s
step 15264, batch loss 1.953, 1.84 iters/s
step 15265, batch loss 1.844, 1.84 iters/s
step 15266, batch loss 1.541, 1.86 iters/s
step 15267, batch loss 1.911, 1.83 iters/s
step 15268, batch loss 1.117, 1.83 iters/s
step 15269, batch loss 1.088, 1.83 iters/s
step 15270, batch loss 1.961, 1.84 iters/s
step 15271, batch loss 1.904, 1.86 iters/s
step 15272, batch loss 1.141, 1.84 iters/s
step 15273, batch loss 1.718, 1.84 iters/s
step 15274, batch loss 1.927, 1.84 iters/s
step 15275, batch loss 1.459, 1.83 iters/s
step 15276, batch loss 2.084, 1.83 iters/s
step 15277, batch loss 1.5, 1.84 iters/s
step 15278, batch loss 1.133, 1.83 iters/s
step 15279, batch loss 2.007, 1.84 iters/s
step 15280, batch loss 2.313, 1.84 iters/s
step 15281, batch loss 1.685, 1.83 iters/s
step 15282, batch loss 2.095, 1.84 iters/s

step 15283, batch loss 1.819, 1.86 iters/s
step 15284, batch loss 0.764, 1.84 iters/s
step 15285, batch loss 1.578, 1.84 iters/s
step 15286, batch loss 1.63, 1.84 iters/s
step 15287, batch loss 2.067, 1.84 iters/s
step 15288, batch loss 1.342, 1.83 iters/s
step 15289, batch loss 2.248, 1.84 iters/s
step 15290, batch loss 1.766, 1.83 iters/s
step 15291, batch loss 1.57, 1.85 iters/s
step 15292, batch loss 1.493, 1.84 iters/s
step 15293, batch loss 1.2, 1.83 iters/s
step 15294, batch loss 1.84, 1.83 iters/s
step 15295, batch loss 1.959, 1.84 iters/s
step 15296, batch loss 1.598, 1.84 iters/s
step 15297, batch loss 1.889, 1.84 iters/s
step 15298, batch loss 1.99, 1.83 iters/s
step 15299, batch loss 1.736, 1.83 iters/s
step 15300, batch loss 1.205, 1.83 iters/s
step 15301, batch loss 1.839, 1.85 iters/s
step 15302, batch loss 1.297, 1.83 iters/s
step 15303, batch loss 1.874, 1.84 iters/s
step 15304, batch loss 1.612, 1.85 iters/s
step 15305, batch loss 1.27, 1.84 iters/s
step 15306, batch loss 2.111, 1.84 iters/s
step 15307, batch loss 1.463, 1.84 iters/s
step 15308, batch loss 1.382, 1.84 iters/s
step 15309, batch loss 1.383, 1.83 iters/s
step 15310, batch loss 1.858, 1.82 iters/s
step 15311, batch loss 1.224, 1.83 iters/s
step 15312, batch loss 1.857, 1.83 iters/s
step 15313, batch loss 1.906, 1.84 iters/s
step 15314, batch loss 1.763, 1.84 iters/s
step 15315, batch loss 1.254, 1.84 iters/s
step 15316, batch loss 1.492, 1.84 iters/s
step 15317, batch loss 1.28, 1.83 iters/s
step 15318, batch loss 1.819, 1.84 iters/s
step 15319, batch loss 2.258, 1.84 iters/s
step 15320, batch loss 1.821, 1.86 iters/s
step 15321, batch loss 1.71, 1.83 iters/s
step 15322, batch loss 1.541, 1.83 iters/s
step 15323, batch loss 2.149, 1.86 iters/s
step 15324, batch loss 1.656, 1.85 iters/s
step 15325, batch loss 1.861, 1.83 iters/s
step 15326, batch loss 1.571, 1.84 iters/s
step 15327, batch loss 1.478, 1.83 iters/s
step 15328, batch loss 1.876, 1.84 iters/s
step 15329, batch loss 1.813, 1.83 iters/s
step 15330, batch loss 1.889, 1.83 iters/s

step 15331, batch loss 1.972, 1.83 iters/s
step 15332, batch loss 1.696, 1.83 iters/s
step 15333, batch loss 2.455, 1.84 iters/s
step 15334, batch loss 2.066, 1.83 iters/s
step 15335, batch loss 1.469, 1.83 iters/s
step 15336, batch loss 1.657, 1.85 iters/s
step 15337, batch loss 1.936, 1.84 iters/s
step 15338, batch loss 1.708, 1.83 iters/s
step 15339, batch loss 1.343, 1.84 iters/s
step 15340, batch loss 2.031, 1.84 iters/s
step 15341, batch loss 1.254, 1.83 iters/s
step 15342, batch loss 1.667, 1.85 iters/s
step 15343, batch loss 2.118, 1.83 iters/s
step 15344, batch loss 1.579, 1.85 iters/s
step 15345, batch loss 1.49, 1.83 iters/s
step 15346, batch loss 1.193, 1.83 iters/s
step 15347, batch loss 2.045, 1.84 iters/s
step 15348, batch loss 1.621, 1.86 iters/s
step 15349, batch loss 1.8, 1.83 iters/s
step 15350, batch loss 2.107, 1.84 iters/s
step 15351, batch loss 1.778, 1.86 iters/s
step 15352, batch loss 1.374, 1.85 iters/s
step 15353, batch loss 1.805, 1.84 iters/s
step 15354, batch loss 1.603, 1.83 iters/s
step 15355, batch loss 1.794, 1.86 iters/s
step 15356, batch loss 1.873, 1.84 iters/s
step 15357, batch loss 1.211, 1.84 iters/s
step 15358, batch loss 1.351, 1.85 iters/s
step 15359, batch loss 1.601, 1.85 iters/s
step 15360, batch loss 1.471, 1.84 iters/s
step 15361, batch loss 2.139, 1.83 iters/s
step 15362, batch loss 1.924, 1.84 iters/s
step 15363, batch loss 1.089, 1.84 iters/s
step 15364, batch loss 2.23, 1.86 iters/s
step 15365, batch loss 2.056, 1.83 iters/s
step 15366, batch loss 1.663, 1.84 iters/s
step 15367, batch loss 1.61, 1.84 iters/s
step 15368, batch loss 1.99, 1.83 iters/s
step 15369, batch loss 1.194, 1.83 iters/s
step 15370, batch loss 2.14, 1.84 iters/s
step 15371, batch loss 1.792, 1.84 iters/s
step 15372, batch loss 1.516, 1.84 iters/s
step 15373, batch loss 2.1, 1.83 iters/s
step 15374, batch loss 1.281, 1.83 iters/s
step 15375, batch loss 1.848, 1.84 iters/s
step 15376, batch loss 1.813, 1.84 iters/s
step 15377, batch loss 1.2, 1.83 iters/s
step 15378, batch loss 1.174, 1.84 iters/s

step 15379, batch loss 1.67, 1.85 iters/s
step 15380, batch loss 1.662, 1.84 iters/s
step 15381, batch loss 1.891, 1.84 iters/s
step 15382, batch loss 1.212, 1.84 iters/s
step 15383, batch loss 1.473, 1.82 iters/s
step 15384, batch loss 1.766, 1.83 iters/s
step 15385, batch loss 1.739, 1.87 iters/s
step 15386, batch loss 1.676, 1.83 iters/s
step 15387, batch loss 1.722, 1.83 iters/s
step 15388, batch loss 1.154, 1.86 iters/s
step 15389, batch loss 1.106, 1.84 iters/s
step 15390, batch loss 2.116, 1.84 iters/s
step 15391, batch loss 1.483, 1.85 iters/s
step 15392, batch loss 1.869, 1.83 iters/s
step 15393, batch loss 2.027, 1.83 iters/s
step 15394, batch loss 1.759, 1.83 iters/s
step 15395, batch loss 2.072, 1.84 iters/s
step 15396, batch loss 1.99, 1.84 iters/s
step 15397, batch loss 1.318, 1.84 iters/s
step 15398, batch loss 2.311, 1.84 iters/s
step 15399, batch loss 1.911, 1.84 iters/s
step 15400, batch loss 1.721, 1.82 iters/s
step 15401, batch loss 1.904, 1.82 iters/s
step 15402, batch loss 1.7, 1.83 iters/s
step 15403, batch loss 1.299, 1.84 iters/s
step 15404, batch loss 1.98, 1.83 iters/s
step 15405, batch loss 1.097, 1.83 iters/s
step 15406, batch loss 1.698, 1.83 iters/s
step 15407, batch loss 2.271, 1.83 iters/s
step 15408, batch loss 1.135, 1.85 iters/s
step 15409, batch loss 1.55, 1.84 iters/s
step 15410, batch loss 1.655, 1.83 iters/s
step 15411, batch loss 1.872, 1.84 iters/s
step 15412, batch loss 1.673, 1.84 iters/s
step 15413, batch loss 1.586, 1.84 iters/s
step 15414, batch loss 1.754, 1.83 iters/s
step 15415, batch loss 1.358, 1.83 iters/s
step 15416, batch loss 1.619, 1.83 iters/s
step 15417, batch loss 1.524, 1.84 iters/s
step 15418, batch loss 1.495, 1.84 iters/s
step 15419, batch loss 1.148, 1.84 iters/s
step 15420, batch loss 1.721, 1.83 iters/s
step 15421, batch loss 0.883, 1.83 iters/s
step 15422, batch loss 1.933, 1.83 iters/s
step 15423, batch loss 1.717, 1.83 iters/s
step 15424, batch loss 1.151, 1.84 iters/s
step 15425, batch loss 1.651, 1.84 iters/s
step 15426, batch loss 2.106, 1.84 iters/s

step 15427, batch loss 1.466, 1.84 iters/s
step 15428, batch loss 1.055, 1.83 iters/s
step 15429, batch loss 1.439, 1.83 iters/s
step 15430, batch loss 1.597, 1.83 iters/s
step 15431, batch loss 1.434, 1.84 iters/s
step 15432, batch loss 1.459, 1.84 iters/s
step 15433, batch loss 1.807, 1.83 iters/s
step 15434, batch loss 1.789, 1.84 iters/s
step 15435, batch loss 1.022, 1.83 iters/s
step 15436, batch loss 2.225, 1.83 iters/s
step 15437, batch loss 1.506, 1.83 iters/s
step 15438, batch loss 1.383, 1.84 iters/s
step 15439, batch loss 1.365, 1.84 iters/s
step 15440, batch loss 1.521, 1.84 iters/s
step 15441, batch loss 1.838, 1.85 iters/s
step 15442, batch loss 1.901, 1.83 iters/s
step 15443, batch loss 2.157, 1.82 iters/s
step 15444, batch loss 1.822, 1.83 iters/s
step 15445, batch loss 1.774, 1.82 iters/s
step 15446, batch loss 2.057, 1.83 iters/s
step 15447, batch loss 1.63, 1.83 iters/s
step 15448, batch loss 1.661, 1.84 iters/s
step 15449, batch loss 1.237, 1.85 iters/s
step 15450, batch loss 1.966, 1.83 iters/s
step 15451, batch loss 1.706, 1.83 iters/s
step 15452, batch loss 2.006, 1.86 iters/s
step 15453, batch loss 1.823, 1.84 iters/s
step 15454, batch loss 1.713, 1.84 iters/s
step 15455, batch loss 1.398, 1.83 iters/s
step 15456, batch loss 1.884, 1.83 iters/s
step 15457, batch loss 1.121, 1.84 iters/s
step 15458, batch loss 1.037, 1.84 iters/s
step 15459, batch loss 1.523, 1.83 iters/s
step 15460, batch loss 1.64, 1.84 iters/s
step 15461, batch loss 1.818, 1.84 iters/s
step 15462, batch loss 1.454, 1.85 iters/s
step 15463, batch loss 1.57, 1.83 iters/s
step 15464, batch loss 1.742, 1.84 iters/s
step 15465, batch loss 1.561, 1.84 iters/s
step 15466, batch loss 2.254, 1.83 iters/s
step 15467, batch loss 1.738, 1.83 iters/s
step 15468, batch loss 1.533, 1.84 iters/s
step 15469, batch loss 1.181, 1.83 iters/s
step 15470, batch loss 1.846, 1.83 iters/s
step 15471, batch loss 1.633, 1.84 iters/s
step 15472, batch loss 1.666, 1.83 iters/s
step 15473, batch loss 1.574, 1.83 iters/s
step 15474, batch loss 1.722, 1.85 iters/s

step 15475, batch loss 1.264, 1.84 iters/s
step 15476, batch loss 1.662, 1.83 iters/s
step 15477, batch loss 1.581, 1.84 iters/s
step 15478, batch loss 1.286, 1.83 iters/s
step 15479, batch loss 1.59, 1.83 iters/s
step 15480, batch loss 1.885, 1.83 iters/s
step 15481, batch loss 1.58, 1.84 iters/s
step 15482, batch loss 2.029, 1.85 iters/s
step 15483, batch loss 2.132, 1.84 iters/s
step 15484, batch loss 0.975, 1.83 iters/s
step 15485, batch loss 1.861, 1.83 iters/s
step 15486, batch loss 2.373, 1.85 iters/s
step 15487, batch loss 1.463, 1.83 iters/s
step 15488, batch loss 1.702, 1.84 iters/s
step 15489, batch loss 1.715, 1.83 iters/s
step 15490, batch loss 1.967, 1.85 iters/s
step 15491, batch loss 1.368, 1.83 iters/s
step 15492, batch loss 1.991, 1.86 iters/s
step 15493, batch loss 1.24, 1.84 iters/s
step 15494, batch loss 1.76, 1.83 iters/s
step 15495, batch loss 1.401, 1.85 iters/s
step 15496, batch loss 1.107, 1.84 iters/s
step 15497, batch loss 1.436, 1.83 iters/s
step 15498, batch loss 2.094, 1.84 iters/s
step 15499, batch loss 1.454, 1.84 iters/s
step 15500, batch loss 1.8, 1.83 iters/s
step 15501, batch loss 1.559, 1.83 iters/s
step 15502, batch loss 1.238, 1.83 iters/s
step 15503, batch loss 1.781, 1.84 iters/s
step 15504, batch loss 1.986, 1.83 iters/s
step 15505, batch loss 1.594, 1.85 iters/s
step 15506, batch loss 2.786, 1.83 iters/s
step 15507, batch loss 1.495, 1.84 iters/s
step 15508, batch loss 1.678, 1.84 iters/s
step 15509, batch loss 1.339, 1.85 iters/s
step 15510, batch loss 1.735, 1.84 iters/s
step 15511, batch loss 1.929, 1.84 iters/s
step 15512, batch loss 1.112, 1.86 iters/s
step 15513, batch loss 1.541, 1.84 iters/s
step 15514, batch loss 1.835, 1.85 iters/s
step 15515, batch loss 1.253, 1.85 iters/s
step 15516, batch loss 1.749, 1.83 iters/s
step 15517, batch loss 1.513, 1.84 iters/s
step 15518, batch loss 1.978, 1.83 iters/s
step 15519, batch loss 1.373, 1.83 iters/s
step 15520, batch loss 1.509, 1.84 iters/s
step 15521, batch loss 0.929, 1.84 iters/s
step 15522, batch loss 1.885, 1.84 iters/s

step 15523, batch loss 1.736, 1.83 iters/s
step 15524, batch loss 1.721, 1.82 iters/s
step 15525, batch loss 1.509, 1.83 iters/s
step 15526, batch loss 1.501, 1.84 iters/s
step 15527, batch loss 1.82, 1.86 iters/s
step 15528, batch loss 1.517, 1.84 iters/s
step 15529, batch loss 1.744, 1.83 iters/s
step 15530, batch loss 1.77, 1.83 iters/s
step 15531, batch loss 1.722, 1.83 iters/s
step 15532, batch loss 1.533, 1.83 iters/s
step 15533, batch loss 1.669, 1.83 iters/s
step 15534, batch loss 1.71, 1.83 iters/s
step 15535, batch loss 1.462, 1.84 iters/s
step 15536, batch loss 1.881, 1.83 iters/s
step 15537, batch loss 1.469, 1.83 iters/s
step 15538, batch loss 1.657, 1.83 iters/s
step 15539, batch loss 1.747, 1.84 iters/s
step 15540, batch loss 1.78, 1.84 iters/s
step 15541, batch loss 1.49, 1.84 iters/s
step 15542, batch loss 1.933, 1.85 iters/s
step 15543, batch loss 1.557, 1.84 iters/s
step 15544, batch loss 1.824, 1.84 iters/s
step 15545, batch loss 1.362, 1.83 iters/s
step 15546, batch loss 1.79, 1.83 iters/s
step 15547, batch loss 1.297, 1.84 iters/s
step 15548, batch loss 1.604, 1.85 iters/s
step 15549, batch loss 1.899, 1.85 iters/s
step 15550, batch loss 1.005, 1.83 iters/s
step 15551, batch loss 1.991, 1.85 iters/s
step 15552, batch loss 2.008, 1.84 iters/s
step 15553, batch loss 1.648, 1.86 iters/s
step 15554, batch loss 2.391, 1.83 iters/s
step 15555, batch loss 1.314, 1.83 iters/s
step 15556, batch loss 1.708, 1.83 iters/s
step 15557, batch loss 0.839, 1.83 iters/s
step 15558, batch loss 1.714, 1.83 iters/s
step 15559, batch loss 1.418, 1.83 iters/s
step 15560, batch loss 1.81, 1.82 iters/s
step 15561, batch loss 1.781, 1.83 iters/s
step 15562, batch loss 1.543, 1.83 iters/s
step 15563, batch loss 1.054, 1.86 iters/s
step 15564, batch loss 1.873, 1.84 iters/s
step 15565, batch loss 1.97, 1.83 iters/s
step 15566, batch loss 1.867, 1.84 iters/s
step 15567, batch loss 1.642, 1.84 iters/s
step 15568, batch loss 0.661, 1.83 iters/s
step 15569, batch loss 0.758, 1.83 iters/s
step 15570, batch loss 1.809, 1.83 iters/s

step 15571, batch loss 1.707, 1.83 iters/s
step 15572, batch loss 1.219, 1.84 iters/s
step 15573, batch loss 1.64, 1.84 iters/s
step 15574, batch loss 1.797, 1.84 iters/s
step 15575, batch loss 1.761, 1.83 iters/s
step 15576, batch loss 1.573, 1.84 iters/s
step 15577, batch loss 1.631, 1.84 iters/s
step 15578, batch loss 1.894, 1.84 iters/s
step 15579, batch loss 1.548, 1.83 iters/s
step 15580, batch loss 1.359, 1.83 iters/s
step 15581, batch loss 1.799, 1.82 iters/s
step 15582, batch loss 1.789, 1.84 iters/s
step 15583, batch loss 1.976, 1.84 iters/s
step 15584, batch loss 1.753, 1.83 iters/s
step 15585, batch loss 1.613, 1.83 iters/s
step 15586, batch loss 1.119, 1.85 iters/s
step 15587, batch loss 1.499, 1.83 iters/s
step 15588, batch loss 1.711, 1.83 iters/s
step 15589, batch loss 1.682, 1.83 iters/s
step 15590, batch loss 2.234, 1.84 iters/s
step 15591, batch loss 2.015, 1.84 iters/s
step 15592, batch loss 2.131, 1.85 iters/s
step 15593, batch loss 1.542, 1.85 iters/s
step 15594, batch loss 1.015, 1.83 iters/s
step 15595, batch loss 2.059, 1.83 iters/s
step 15596, batch loss 1.488, 1.85 iters/s
step 15597, batch loss 1.62, 1.86 iters/s
step 15598, batch loss 1.718, 1.84 iters/s
step 15599, batch loss 1.173, 1.84 iters/s
step 15600, batch loss 1.581, 1.83 iters/s
step 15601, batch loss 1.818, 1.84 iters/s
step 15602, batch loss 1.648, 1.83 iters/s
step 15603, batch loss 2.049, 1.85 iters/s
step 15604, batch loss 2.048, 1.83 iters/s
step 15605, batch loss 1.912, 1.83 iters/s
step 15606, batch loss 1.533, 1.84 iters/s
step 15607, batch loss 1.584, 1.84 iters/s
step 15608, batch loss 1.878, 1.84 iters/s
step 15609, batch loss 1.971, 1.83 iters/s
step 15610, batch loss 1.871, 1.84 iters/s
step 15611, batch loss 2.016, 1.84 iters/s
step 15612, batch loss 1.77, 1.85 iters/s
step 15613, batch loss 1.958, 1.83 iters/s
step 15614, batch loss 1.228, 1.83 iters/s
step 15615, batch loss 1.897, 1.83 iters/s
step 15616, batch loss 1.955, 1.83 iters/s
step 15617, batch loss 1.884, 1.83 iters/s
step 15618, batch loss 1.018, 1.83 iters/s

step 15619, batch loss 1.906, 1.84 iters/s
step 15620, batch loss 1.866, 1.83 iters/s
step 15621, batch loss 1.847, 1.83 iters/s
step 15622, batch loss 1.582, 1.83 iters/s
step 15623, batch loss 1.544, 1.84 iters/s
step 15624, batch loss 1.368, 1.83 iters/s
step 15625, batch loss 1.04, 1.83 iters/s
step 15626, batch loss 1.989, 1.83 iters/s
step 15627, batch loss 1.454, 1.85 iters/s
step 15628, batch loss 1.336, 1.83 iters/s
step 15629, batch loss 1.337, 1.83 iters/s
step 15630, batch loss 1.795, 1.83 iters/s
step 15631, batch loss 1.925, 1.84 iters/s
step 15632, batch loss 1.341, 1.85 iters/s
step 15633, batch loss 1.008, 1.84 iters/s
step 15634, batch loss 1.207, 1.84 iters/s
step 15635, batch loss 1.49, 1.84 iters/s
step 15636, batch loss 1.96, 1.83 iters/s
step 15637, batch loss 1.341, 1.83 iters/s
step 15638, batch loss 1.78, 1.84 iters/s
step 15639, batch loss 1.444, 1.83 iters/s
step 15640, batch loss 1.893, 1.86 iters/s
step 15641, batch loss 1.154, 1.83 iters/s
step 15642, batch loss 1.83, 1.83 iters/s
step 15643, batch loss 1.741, 1.83 iters/s
step 15644, batch loss 1.481, 1.83 iters/s
step 15645, batch loss 2.015, 1.83 iters/s
step 15646, batch loss 1.046, 1.84 iters/s
step 15647, batch loss 1.992, 1.82 iters/s
step 15648, batch loss 1.478, 1.83 iters/s
step 15649, batch loss 1.607, 1.85 iters/s
step 15650, batch loss 1.389, 1.84 iters/s
step 15651, batch loss 1.449, 1.83 iters/s
step 15652, batch loss 1.927, 1.83 iters/s
step 15653, batch loss 1.475, 1.83 iters/s
step 15654, batch loss 2.072, 1.83 iters/s
step 15655, batch loss 2.093, 1.85 iters/s
step 15656, batch loss 1.358, 1.84 iters/s
step 15657, batch loss 1.016, 1.83 iters/s
step 15658, batch loss 1.831, 1.83 iters/s
step 15659, batch loss 1.417, 1.82 iters/s
step 15660, batch loss 1.071, 1.83 iters/s
step 15661, batch loss 1.152, 1.83 iters/s
step 15662, batch loss 1.469, 1.83 iters/s
step 15663, batch loss 1.971, 1.83 iters/s
step 15664, batch loss 1.569, 1.83 iters/s
step 15665, batch loss 2.155, 1.82 iters/s
step 15666, batch loss 3.536, 1.83 iters/s

step 15667, batch loss 1.749, 1.83 iters/s
step 15668, batch loss 1.768, 1.83 iters/s
step 15669, batch loss 2.122, 1.83 iters/s
step 15670, batch loss 1.603, 1.83 iters/s
step 15671, batch loss 1.629, 1.84 iters/s
step 15672, batch loss 1.838, 1.83 iters/s
step 15673, batch loss 2.106, 1.84 iters/s
step 15674, batch loss 1.376, 1.83 iters/s
step 15675, batch loss 1.693, 1.85 iters/s
step 15676, batch loss 2.104, 1.83 iters/s
step 15677, batch loss 2.022, 1.84 iters/s
step 15678, batch loss 1.876, 1.84 iters/s
step 15679, batch loss 1.526, 1.83 iters/s
step 15680, batch loss 1.909, 1.83 iters/s
step 15681, batch loss 1.652, 1.83 iters/s
step 15682, batch loss 1.359, 1.84 iters/s
step 15683, batch loss 1.535, 1.83 iters/s
step 15684, batch loss 1.534, 1.84 iters/s
step 15685, batch loss 1.88, 1.84 iters/s
step 15686, batch loss 1.464, 1.83 iters/s
step 15687, batch loss 2.131, 1.86 iters/s
step 15688, batch loss 1.107, 1.84 iters/s
step 15689, batch loss 0.675, 1.84 iters/s
step 15690, batch loss 1.314, 1.84 iters/s
step 15691, batch loss 1.863, 1.84 iters/s
step 15692, batch loss 1.446, 1.83 iters/s
step 15693, batch loss 1.589, 1.83 iters/s
step 15694, batch loss 1.343, 1.84 iters/s
step 15695, batch loss 1.773, 1.83 iters/s
step 15696, batch loss 1.916, 1.84 iters/s
step 15697, batch loss 1.972, 1.84 iters/s
step 15698, batch loss 1.579, 1.84 iters/s
step 15699, batch loss 1.591, 1.84 iters/s
step 15700, batch loss 1.788, 1.84 iters/s
step 15701, batch loss 2.16, 1.84 iters/s
step 15702, batch loss 1.565, 1.84 iters/s
step 15703, batch loss 1.731, 1.84 iters/s
step 15704, batch loss 1.688, 1.84 iters/s
step 15705, batch loss 2.18, 1.83 iters/s
step 15706, batch loss 1.766, 1.84 iters/s
step 15707, batch loss 1.242, 1.83 iters/s
step 15708, batch loss 1.487, 1.84 iters/s
step 15709, batch loss 1.553, 1.83 iters/s
step 15710, batch loss 1.746, 1.86 iters/s
step 15711, batch loss 2.075, 1.85 iters/s
step 15712, batch loss 1.931, 1.83 iters/s
step 15713, batch loss 1.886, 1.83 iters/s
step 15714, batch loss 1.765, 1.84 iters/s

step 15715, batch loss 1.455, 1.84 iters/s
step 15716, batch loss 1.907, 1.84 iters/s
step 15717, batch loss 1.603, 1.83 iters/s
step 15718, batch loss 1.311, 1.83 iters/s
step 15719, batch loss 1.323, 1.84 iters/s
step 15720, batch loss 1.89, 1.84 iters/s
step 15721, batch loss 1.491, 1.83 iters/s
step 15722, batch loss 1.635, 1.84 iters/s
step 15723, batch loss 1.822, 1.83 iters/s
step 15724, batch loss 1.823, 1.84 iters/s
step 15725, batch loss 1.422, 1.84 iters/s
step 15726, batch loss 2.024, 1.84 iters/s
step 15727, batch loss 1.725, 1.83 iters/s
step 15728, batch loss 2.317, 1.83 iters/s
step 15729, batch loss 1.775, 1.83 iters/s
step 15730, batch loss 1.624, 1.83 iters/s
step 15731, batch loss 2.414, 1.83 iters/s
step 15732, batch loss 1.515, 1.84 iters/s
step 15733, batch loss 1.512, 1.84 iters/s
step 15734, batch loss 1.454, 1.83 iters/s
step 15735, batch loss 1.403, 1.85 iters/s
step 15736, batch loss 2.053, 1.84 iters/s
step 15737, batch loss 1.881, 1.83 iters/s
step 15738, batch loss 0.929, 1.84 iters/s
step 15739, batch loss 1.479, 1.83 iters/s
step 15740, batch loss 1.946, 1.85 iters/s
step 15741, batch loss 2.307, 1.84 iters/s
step 15742, batch loss 1.799, 1.83 iters/s
step 15743, batch loss 2.579, 1.84 iters/s
step 15744, batch loss 1.451, 1.84 iters/s
step 15745, batch loss 1.941, 1.83 iters/s
step 15746, batch loss 1.682, 1.85 iters/s
step 15747, batch loss 0.575, 1.84 iters/s
step 15748, batch loss 2.116, 1.83 iters/s
step 15749, batch loss 1.627, 1.83 iters/s
step 15750, batch loss 1.622, 1.83 iters/s
step 15751, batch loss 1.228, 1.83 iters/s
step 15752, batch loss 1.192, 1.87 iters/s
step 15753, batch loss 1.628, 1.83 iters/s
step 15754, batch loss 1.829, 1.84 iters/s
step 15755, batch loss 1.358, 1.83 iters/s
step 15756, batch loss 1.715, 1.86 iters/s
step 15757, batch loss 1.551, 1.83 iters/s
step 15758, batch loss 1.844, 1.84 iters/s
step 15759, batch loss 1.061, 1.83 iters/s
step 15760, batch loss 2.152, 1.84 iters/s
step 15761, batch loss 2.211, 1.84 iters/s
step 15762, batch loss 2.068, 1.83 iters/s

step 15763, batch loss 1.465, 1.83 iters/s
step 15764, batch loss 1.394, 1.84 iters/s
step 15765, batch loss 2.4, 1.84 iters/s
step 15766, batch loss 1.215, 1.83 iters/s
step 15767, batch loss 1.433, 1.84 iters/s
step 15768, batch loss 1.978, 1.84 iters/s
step 15769, batch loss 1.301, 1.84 iters/s
step 15770, batch loss 1.439, 1.83 iters/s
step 15771, batch loss 1.558, 1.83 iters/s
step 15772, batch loss 1.883, 1.84 iters/s
step 15773, batch loss 1.747, 1.86 iters/s
step 15774, batch loss 1.536, 1.86 iters/s
step 15775, batch loss 1.353, 1.84 iters/s
step 15776, batch loss 2.263, 1.83 iters/s
step 15777, batch loss 1.109, 1.84 iters/s
step 15778, batch loss 1.405, 1.84 iters/s
step 15779, batch loss 1.982, 1.83 iters/s
step 15780, batch loss 1.651, 1.83 iters/s
step 15781, batch loss 1.796, 1.83 iters/s
step 15782, batch loss 1.299, 1.84 iters/s
step 15783, batch loss 2.163, 1.83 iters/s
step 15784, batch loss 1.808, 1.84 iters/s
step 15785, batch loss 1.472, 1.84 iters/s
step 15786, batch loss 1.794, 1.84 iters/s
step 15787, batch loss 1.182, 1.85 iters/s
step 15788, batch loss 1.542, 1.83 iters/s
step 15789, batch loss 1.106, 1.83 iters/s
step 15790, batch loss 1.435, 1.84 iters/s
step 15791, batch loss 1.975, 1.83 iters/s
step 15792, batch loss 1.285, 1.83 iters/s
step 15793, batch loss 1.291, 1.84 iters/s
step 15794, batch loss 1.404, 1.83 iters/s
step 15795, batch loss 1.176, 1.82 iters/s
step 15796, batch loss 3.183, 1.84 iters/s
step 15797, batch loss 1.106, 1.83 iters/s
step 15798, batch loss 1.588, 1.83 iters/s
step 15799, batch loss 1.912, 1.83 iters/s
step 15800, batch loss 2.021, 1.83 iters/s
step 15801, batch loss 2.612, 1.84 iters/s
step 15802, batch loss 1.881, 1.83 iters/s
step 15803, batch loss 2.222, 1.83 iters/s
step 15804, batch loss 1.291, 1.83 iters/s
step 15805, batch loss 1.851, 1.83 iters/s
step 15806, batch loss 1.427, 1.82 iters/s
step 15807, batch loss 1.785, 1.82 iters/s
step 15808, batch loss 2.053, 1.83 iters/s
step 15809, batch loss 1.692, 1.83 iters/s
step 15810, batch loss 1.583, 1.82 iters/s

step 15811, batch loss 1.646, 1.82 iters/s
step 15812, batch loss 2.012, 1.82 iters/s
step 15813, batch loss 1.74, 1.83 iters/s
step 15814, batch loss 1.385, 1.85 iters/s
step 15815, batch loss 1.89, 1.83 iters/s
step 15816, batch loss 1.887, 1.82 iters/s
step 15817, batch loss 1.661, 1.82 iters/s
step 15818, batch loss 1.205, 1.82 iters/s
step 15819, batch loss 1.681, 1.82 iters/s
step 15820, batch loss 2.102, 1.83 iters/s
step 15821, batch loss 1.829, 1.82 iters/s
step 15822, batch loss 1.603, 1.83 iters/s
step 15823, batch loss 1.74, 1.82 iters/s
step 15824, batch loss 1.225, 1.83 iters/s
step 15825, batch loss 2.483, 1.82 iters/s
step 15826, batch loss 1.689, 1.83 iters/s
step 15827, batch loss 1.727, 1.82 iters/s
step 15828, batch loss 1.1, 1.83 iters/s
step 15829, batch loss 1.196, 1.83 iters/s
step 15830, batch loss 1.874, 1.83 iters/s
step 15831, batch loss 1.571, 1.83 iters/s
step 15832, batch loss 1.654, 1.83 iters/s
step 15833, batch loss 1.84, 1.83 iters/s
step 15834, batch loss 1.905, 1.83 iters/s
step 15835, batch loss 2.247, 1.81 iters/s
step 15836, batch loss 1.663, 1.83 iters/s
step 15837, batch loss 1.333, 1.82 iters/s
step 15838, batch loss 1.898, 1.82 iters/s
step 15839, batch loss 1.771, 1.82 iters/s
step 15840, batch loss 1.651, 1.84 iters/s
step 15841, batch loss 1.29, 1.83 iters/s
step 15842, batch loss 0.995, 1.83 iters/s
step 15843, batch loss 2.544, 1.83 iters/s
step 15844, batch loss 1.672, 1.83 iters/s
step 15845, batch loss 1.69, 1.82 iters/s
step 15846, batch loss 2.151, 1.82 iters/s
step 15847, batch loss 1.35, 1.82 iters/s
step 15848, batch loss 1.764, 1.84 iters/s
step 15849, batch loss 1.596, 1.82 iters/s
step 15850, batch loss 1.95, 1.83 iters/s
step 15851, batch loss 1.476, 1.83 iters/s
step 15852, batch loss 1.009, 1.83 iters/s
step 15853, batch loss 1.783, 1.82 iters/s
step 15854, batch loss 1.762, 1.82 iters/s
step 15855, batch loss 1.534, 1.82 iters/s
step 15856, batch loss 1.388, 1.82 iters/s
step 15857, batch loss 1.674, 1.82 iters/s
step 15858, batch loss 1.638, 1.85 iters/s

step 15859, batch loss 2.203, 1.82 iters/s
step 15860, batch loss 1.77, 1.82 iters/s
step 15861, batch loss 1.983, 1.83 iters/s
step 15862, batch loss 1.545, 1.82 iters/s
step 15863, batch loss 0.982, 1.82 iters/s
step 15864, batch loss 1.273, 1.83 iters/s
step 15865, batch loss 1.606, 1.82 iters/s
step 15866, batch loss 1.66, 1.84 iters/s
step 15867, batch loss 1.668, 1.82 iters/s
step 15868, batch loss 1.918, 1.85 iters/s
step 15869, batch loss 1.633, 1.82 iters/s
step 15870, batch loss 1.244, 1.82 iters/s
step 15871, batch loss 1.036, 1.83 iters/s
step 15872, batch loss 0.767, 1.83 iters/s
step 15873, batch loss 2.213, 1.81 iters/s
step 15874, batch loss 1.883, 1.82 iters/s
step 15875, batch loss 1.423, 1.83 iters/s
step 15876, batch loss 1.967, 1.83 iters/s
step 15877, batch loss 1.734, 1.83 iters/s
step 15878, batch loss 1.265, 1.82 iters/s
step 15879, batch loss 1.722, 1.83 iters/s
step 15880, batch loss 1.808, 1.81 iters/s
step 15881, batch loss 1.135, 1.84 iters/s
step 15882, batch loss 2.09, 1.82 iters/s
step 15883, batch loss 2.1, 1.82 iters/s
step 15884, batch loss 1.942, 1.83 iters/s
step 15885, batch loss 1.567, 1.82 iters/s
step 15886, batch loss 0.974, 1.83 iters/s
step 15887, batch loss 1.59, 1.83 iters/s
step 15888, batch loss 1.996, 1.82 iters/s
step 15889, batch loss 2.17, 1.81 iters/s
step 15890, batch loss 1.609, 1.82 iters/s
step 15891, batch loss 2.049, 1.85 iters/s
step 15892, batch loss 1.595, 1.81 iters/s
step 15893, batch loss 1.69, 1.82 iters/s
step 15894, batch loss 1.951, 1.81 iters/s
step 15895, batch loss 1.803, 1.82 iters/s
step 15896, batch loss 1.175, 1.82 iters/s
step 15897, batch loss 1.588, 1.83 iters/s
step 15898, batch loss 1.619, 1.82 iters/s
step 15899, batch loss 2.29, 1.84 iters/s
step 15900, batch loss 1.511, 1.84 iters/s
step 15901, batch loss 1.883, 1.82 iters/s
step 15902, batch loss 2.0, 1.82 iters/s
step 15903, batch loss 1.341, 1.83 iters/s
step 15904, batch loss 1.877, 1.82 iters/s
step 15905, batch loss 1.124, 1.81 iters/s
step 15906, batch loss 1.184, 1.83 iters/s

step 15907, batch loss 1.808, 1.82 iters/s
step 15908, batch loss 1.52, 1.83 iters/s
step 15909, batch loss 1.445, 1.83 iters/s
step 15910, batch loss 1.66, 1.82 iters/s
step 15911, batch loss 0.83, 1.82 iters/s
step 15912, batch loss 1.675, 1.83 iters/s
step 15913, batch loss 2.336, 1.84 iters/s
step 15914, batch loss 1.771, 1.82 iters/s
step 15915, batch loss 2.227, 1.83 iters/s
step 15916, batch loss 1.376, 1.84 iters/s
step 15917, batch loss 2.094, 1.85 iters/s
step 15918, batch loss 1.864, 1.83 iters/s
step 15919, batch loss 1.388, 1.82 iters/s
step 15920, batch loss 1.183, 1.83 iters/s
step 15921, batch loss 1.654, 1.83 iters/s
step 15922, batch loss 1.471, 1.83 iters/s
step 15923, batch loss 1.113, 1.84 iters/s
step 15924, batch loss 1.581, 1.84 iters/s
step 15925, batch loss 1.381, 1.84 iters/s
step 15926, batch loss 1.973, 1.83 iters/s
step 15927, batch loss 1.383, 1.82 iters/s
step 15928, batch loss 1.804, 1.83 iters/s
step 15929, batch loss 1.284, 1.83 iters/s
step 15930, batch loss 2.134, 1.83 iters/s
step 15931, batch loss 1.693, 1.83 iters/s
step 15932, batch loss 1.697, 1.83 iters/s
step 15933, batch loss 1.505, 1.82 iters/s
step 15934, batch loss 1.725, 1.82 iters/s
step 15935, batch loss 2.03, 1.83 iters/s
step 15936, batch loss 1.391, 1.82 iters/s
step 15937, batch loss 1.944, 1.84 iters/s
step 15938, batch loss 2.187, 1.82 iters/s
step 15939, batch loss 1.38, 1.85 iters/s
step 15940, batch loss 1.373, 1.83 iters/s
step 15941, batch loss 0.856, 1.83 iters/s
step 15942, batch loss 1.825, 1.83 iters/s
step 15943, batch loss 1.515, 1.83 iters/s
step 15944, batch loss 1.364, 1.84 iters/s
step 15945, batch loss 1.548, 1.82 iters/s
step 15946, batch loss 1.993, 1.83 iters/s
step 15947, batch loss 1.902, 1.83 iters/s
step 15948, batch loss 1.221, 1.84 iters/s
step 15949, batch loss 1.469, 1.85 iters/s
step 15950, batch loss 0.952, 1.84 iters/s
step 15951, batch loss 1.788, 1.84 iters/s
step 15952, batch loss 0.73, 1.83 iters/s
step 15953, batch loss 1.432, 1.83 iters/s
step 15954, batch loss 1.272, 1.83 iters/s

step 15955, batch loss 2.114, 1.83 iters/s
step 15956, batch loss 1.43, 1.82 iters/s
step 15957, batch loss 1.599, 1.83 iters/s
step 15958, batch loss 1.125, 1.83 iters/s
step 15959, batch loss 1.87, 1.83 iters/s
step 15960, batch loss 1.251, 1.83 iters/s
step 15961, batch loss 1.418, 1.84 iters/s
step 15962, batch loss 1.596, 1.84 iters/s
step 15963, batch loss 1.314, 1.83 iters/s
step 15964, batch loss 1.327, 1.83 iters/s
step 15965, batch loss 1.057, 1.83 iters/s
step 15966, batch loss 1.465, 1.84 iters/s
step 15967, batch loss 1.777, 1.84 iters/s
step 15968, batch loss 1.467, 1.85 iters/s
step 15969, batch loss 1.46, 1.83 iters/s
step 15970, batch loss 0.873, 1.84 iters/s
step 15971, batch loss 1.731, 1.83 iters/s
step 15972, batch loss 1.83, 1.83 iters/s
step 15973, batch loss 1.964, 1.83 iters/s
step 15974, batch loss 1.45, 1.84 iters/s
step 15975, batch loss 1.507, 1.83 iters/s
step 15976, batch loss 1.622, 1.83 iters/s
step 15977, batch loss 1.289, 1.84 iters/s
step 15978, batch loss 2.072, 1.83 iters/s
step 15979, batch loss 1.605, 1.83 iters/s
step 15980, batch loss 1.827, 1.83 iters/s
step 15981, batch loss 1.273, 1.83 iters/s
step 15982, batch loss 1.043, 1.83 iters/s
step 15983, batch loss 1.79, 1.85 iters/s
step 15984, batch loss 1.335, 1.83 iters/s
step 15985, batch loss 1.725, 1.83 iters/s
step 15986, batch loss 1.392, 1.83 iters/s
step 15987, batch loss 1.818, 1.83 iters/s
step 15988, batch loss 2.021, 1.83 iters/s
step 15989, batch loss 1.961, 1.83 iters/s
step 15990, batch loss 1.83, 1.84 iters/s
step 15991, batch loss 1.427, 1.83 iters/s
step 15992, batch loss 1.598, 1.83 iters/s
step 15993, batch loss 1.784, 1.83 iters/s
step 15994, batch loss 1.822, 1.81 iters/s
step 15995, batch loss 1.998, 1.83 iters/s
step 15996, batch loss 1.459, 1.82 iters/s
step 15997, batch loss 1.418, 1.82 iters/s
step 15998, batch loss 1.691, 1.83 iters/s
step 15999, batch loss 1.26, 1.85 iters/s
step 16000, batch loss 1.945, 1.84 iters/s
step 16001, batch loss 2.399, 1.83 iters/s
step 16002, batch loss 1.537, 1.83 iters/s

step 16003, batch loss 1.739, 1.83 iters/s
step 16004, batch loss 1.7, 1.83 iters/s
step 16005, batch loss 1.197, 1.82 iters/s
step 16006, batch loss 2.504, 1.83 iters/s
step 16007, batch loss 1.425, 1.85 iters/s
step 16008, batch loss 1.141, 1.84 iters/s
step 16009, batch loss 1.85, 1.84 iters/s
step 16010, batch loss 1.787, 1.83 iters/s
step 16011, batch loss 1.09, 1.83 iters/s
step 16012, batch loss 1.164, 1.84 iters/s
step 16013, batch loss 1.621, 1.82 iters/s
step 16014, batch loss 1.809, 1.83 iters/s
step 16015, batch loss 1.405, 1.85 iters/s
step 16016, batch loss 1.462, 1.83 iters/s
step 16017, batch loss 1.178, 1.83 iters/s
step 16018, batch loss 1.778, 1.83 iters/s
step 16019, batch loss 1.436, 1.83 iters/s
step 16020, batch loss 1.339, 1.83 iters/s
step 16021, batch loss 1.622, 1.82 iters/s
step 16022, batch loss 1.766, 1.83 iters/s
step 16023, batch loss 1.316, 1.82 iters/s
step 16024, batch loss 1.656, 1.83 iters/s
step 16025, batch loss 1.401, 1.83 iters/s
step 16026, batch loss 0.959, 1.83 iters/s
step 16027, batch loss 1.724, 1.83 iters/s
step 16028, batch loss 1.866, 1.84 iters/s
step 16029, batch loss 1.644, 1.84 iters/s
step 16030, batch loss 1.037, 1.83 iters/s
step 16031, batch loss 2.158, 1.82 iters/s
step 16032, batch loss 2.008, 1.83 iters/s
step 16033, batch loss 2.083, 1.82 iters/s
step 16034, batch loss 1.543, 1.83 iters/s
step 16035, batch loss 1.63, 1.82 iters/s
step 16036, batch loss 1.895, 1.82 iters/s
step 16037, batch loss 1.835, 1.83 iters/s
step 16038, batch loss 1.745, 1.83 iters/s
step 16039, batch loss 2.179, 1.83 iters/s
step 16040, batch loss 1.713, 1.83 iters/s
step 16041, batch loss 1.581, 1.83 iters/s
step 16042, batch loss 1.654, 1.84 iters/s
step 16043, batch loss 1.855, 1.83 iters/s
step 16044, batch loss 1.268, 1.83 iters/s
step 16045, batch loss 1.169, 1.86 iters/s
step 16046, batch loss 1.152, 1.83 iters/s
step 16047, batch loss 1.007, 1.83 iters/s
step 16048, batch loss 1.745, 1.83 iters/s
step 16049, batch loss 1.851, 1.83 iters/s
step 16050, batch loss 1.07, 1.83 iters/s

step 16051, batch loss 2.059, 1.83 iters/s
step 16052, batch loss 1.391, 1.85 iters/s
step 16053, batch loss 1.376, 1.84 iters/s
step 16054, batch loss 1.859, 1.84 iters/s
step 16055, batch loss 0.689, 1.83 iters/s
step 16056, batch loss 1.815, 1.82 iters/s
step 16057, batch loss 1.457, 1.83 iters/s
step 16058, batch loss 2.343, 1.83 iters/s
step 16059, batch loss 1.603, 1.83 iters/s
step 16060, batch loss 1.503, 1.83 iters/s
step 16061, batch loss 1.954, 1.82 iters/s
step 16062, batch loss 2.108, 1.83 iters/s
step 16063, batch loss 1.9, 1.85 iters/s
step 16064, batch loss 1.405, 1.83 iters/s
step 16065, batch loss 0.995, 1.83 iters/s
step 16066, batch loss 1.578, 1.84 iters/s
step 16067, batch loss 1.147, 1.85 iters/s
step 16068, batch loss 1.422, 1.85 iters/s
step 16069, batch loss 1.716, 1.84 iters/s
step 16070, batch loss 1.47, 1.83 iters/s
step 16071, batch loss 1.471, 1.84 iters/s
step 16072, batch loss 1.725, 1.83 iters/s
step 16073, batch loss 1.968, 1.83 iters/s
step 16074, batch loss 1.899, 1.83 iters/s
step 16075, batch loss 1.617, 1.83 iters/s
step 16076, batch loss 1.671, 1.82 iters/s
step 16077, batch loss 1.324, 1.82 iters/s
step 16078, batch loss 1.385, 1.83 iters/s
step 16079, batch loss 1.569, 1.83 iters/s
step 16080, batch loss 0.942, 1.83 iters/s
step 16081, batch loss 0.662, 1.82 iters/s
step 16082, batch loss 1.408, 1.83 iters/s
step 16083, batch loss 1.817, 1.83 iters/s
step 16084, batch loss 1.257, 1.83 iters/s
step 16085, batch loss 1.375, 1.83 iters/s
step 16086, batch loss 2.012, 1.83 iters/s
step 16087, batch loss 1.847, 1.83 iters/s
step 16088, batch loss 2.218, 1.83 iters/s
step 16089, batch loss 1.525, 1.84 iters/s
step 16090, batch loss 1.888, 1.82 iters/s
step 16091, batch loss 1.762, 1.83 iters/s
step 16092, batch loss 1.022, 1.82 iters/s
step 16093, batch loss 1.93, 1.83 iters/s
step 16094, batch loss 1.842, 1.85 iters/s
step 16095, batch loss 1.75, 1.83 iters/s
step 16096, batch loss 2.015, 1.84 iters/s
step 16097, batch loss 1.819, 1.85 iters/s
step 16098, batch loss 1.863, 1.83 iters/s

step 16099, batch loss 2.38, 1.84 iters/s
step 16100, batch loss 1.993, 1.83 iters/s
step 16101, batch loss 1.513, 1.83 iters/s
step 16102, batch loss 1.617, 1.84 iters/s
step 16103, batch loss 1.74, 1.83 iters/s
step 16104, batch loss 1.667, 1.82 iters/s
step 16105, batch loss 1.807, 1.82 iters/s
step 16106, batch loss 1.929, 1.82 iters/s
step 16107, batch loss 1.66, 1.82 iters/s
step 16108, batch loss 1.866, 1.83 iters/s
step 16109, batch loss 1.572, 1.84 iters/s
step 16110, batch loss 1.848, 1.83 iters/s
step 16111, batch loss 1.795, 1.84 iters/s
step 16112, batch loss 1.756, 1.82 iters/s
step 16113, batch loss 1.217, 1.84 iters/s
step 16114, batch loss 2.056, 1.86 iters/s
step 16115, batch loss 1.666, 1.83 iters/s
step 16116, batch loss 1.871, 1.83 iters/s
step 16117, batch loss 1.16, 1.83 iters/s
step 16118, batch loss 1.825, 1.83 iters/s
step 16119, batch loss 1.529, 1.83 iters/s
step 16120, batch loss 1.657, 1.82 iters/s
step 16121, batch loss 2.329, 1.82 iters/s
step 16122, batch loss 1.163, 1.85 iters/s
step 16123, batch loss 2.02, 1.85 iters/s
step 16124, batch loss 1.462, 1.83 iters/s
step 16125, batch loss 1.564, 1.83 iters/s
step 16126, batch loss 1.818, 1.83 iters/s
step 16127, batch loss 1.445, 1.86 iters/s
step 16128, batch loss 1.181, 1.84 iters/s
step 16129, batch loss 1.295, 1.84 iters/s
step 16130, batch loss 1.664, 1.83 iters/s
step 16131, batch loss 1.839, 1.83 iters/s
step 16132, batch loss 1.566, 1.85 iters/s
step 16133, batch loss 2.109, 1.84 iters/s
step 16134, batch loss 1.638, 1.84 iters/s
step 16135, batch loss 1.597, 1.83 iters/s
step 16136, batch loss 1.617, 1.84 iters/s
step 16137, batch loss 1.359, 1.83 iters/s
step 16138, batch loss 2.153, 1.83 iters/s
step 16139, batch loss 1.923, 1.84 iters/s
step 16140, batch loss 1.818, 1.84 iters/s
step 16141, batch loss 1.665, 1.84 iters/s
step 16142, batch loss 1.215, 1.83 iters/s
step 16143, batch loss 1.739, 1.84 iters/s
step 16144, batch loss 1.42, 1.83 iters/s
step 16145, batch loss 2.764, 1.84 iters/s
step 16146, batch loss 2.032, 1.84 iters/s

step 16147, batch loss 1.845, 1.84 iters/s
step 16148, batch loss 1.658, 1.84 iters/s
step 16149, batch loss 1.863, 1.83 iters/s
step 16150, batch loss 1.703, 1.83 iters/s
step 16151, batch loss 1.756, 1.82 iters/s
step 16152, batch loss 1.79, 1.82 iters/s
step 16153, batch loss 1.589, 1.83 iters/s
step 16154, batch loss 0.935, 1.86 iters/s
step 16155, batch loss 1.224, 1.84 iters/s
step 16156, batch loss 1.616, 1.84 iters/s
step 16157, batch loss 1.129, 1.83 iters/s
step 16158, batch loss 0.997, 1.84 iters/s
step 16159, batch loss 1.405, 1.84 iters/s
step 16160, batch loss 1.397, 1.83 iters/s
step 16161, batch loss 1.79, 1.84 iters/s
step 16162, batch loss 1.744, 1.84 iters/s
step 16163, batch loss 1.688, 1.85 iters/s
step 16164, batch loss 1.336, 1.85 iters/s
step 16165, batch loss 1.701, 1.83 iters/s
step 16166, batch loss 1.791, 1.85 iters/s
step 16167, batch loss 2.025, 1.84 iters/s
step 16168, batch loss 1.931, 1.83 iters/s
step 16169, batch loss 1.152, 1.84 iters/s
step 16170, batch loss 1.804, 1.83 iters/s
step 16171, batch loss 1.538, 1.84 iters/s
step 16172, batch loss 2.205, 1.84 iters/s
step 16173, batch loss 1.168, 1.84 iters/s
step 16174, batch loss 1.647, 1.84 iters/s
step 16175, batch loss 1.632, 1.83 iters/s
step 16176, batch loss 2.252, 1.82 iters/s
step 16177, batch loss 1.65, 1.85 iters/s
step 16178, batch loss 1.574, 1.84 iters/s
step 16179, batch loss 1.675, 1.83 iters/s
step 16180, batch loss 1.929, 1.84 iters/s
step 16181, batch loss 2.048, 1.84 iters/s
step 16182, batch loss 1.673, 1.83 iters/s
step 16183, batch loss 2.411, 1.84 iters/s
step 16184, batch loss 1.687, 1.83 iters/s
step 16185, batch loss 1.655, 1.83 iters/s
step 16186, batch loss 1.09, 1.83 iters/s
step 16187, batch loss 1.034, 1.84 iters/s
step 16188, batch loss 1.843, 1.83 iters/s
step 16189, batch loss 2.249, 1.84 iters/s
step 16190, batch loss 1.673, 1.85 iters/s
step 16191, batch loss 1.898, 1.83 iters/s
step 16192, batch loss 1.985, 1.83 iters/s
step 16193, batch loss 1.471, 1.83 iters/s
step 16194, batch loss 1.88, 1.84 iters/s

step 16195, batch loss 1.706, 1.84 iters/s
step 16196, batch loss 1.636, 1.84 iters/s
step 16197, batch loss 1.321, 1.84 iters/s
step 16198, batch loss 1.764, 1.83 iters/s
step 16199, batch loss 1.388, 1.85 iters/s
step 16200, batch loss 1.553, 1.86 iters/s
step 16201, batch loss 1.838, 1.83 iters/s
step 16202, batch loss 1.486, 1.83 iters/s
step 16203, batch loss 2.251, 1.84 iters/s
step 16204, batch loss 1.409, 1.84 iters/s
step 16205, batch loss 1.506, 1.83 iters/s
step 16206, batch loss 1.953, 1.83 iters/s
step 16207, batch loss 1.981, 1.84 iters/s
step 16208, batch loss 1.791, 1.84 iters/s
step 16209, batch loss 1.825, 1.84 iters/s
step 16210, batch loss 1.824, 1.84 iters/s
step 16211, batch loss 1.462, 1.85 iters/s
step 16212, batch loss 1.752, 1.83 iters/s
step 16213, batch loss 1.438, 1.83 iters/s
step 16214, batch loss 1.283, 1.84 iters/s
step 16215, batch loss 1.417, 1.84 iters/s
step 16216, batch loss 1.949, 1.84 iters/s
step 16217, batch loss 1.61, 1.85 iters/s
step 16218, batch loss 1.679, 1.83 iters/s
step 16219, batch loss 1.856, 1.84 iters/s
step 16220, batch loss 2.072, 1.83 iters/s
step 16221, batch loss 1.609, 1.84 iters/s
step 16222, batch loss 1.53, 1.82 iters/s
step 16223, batch loss 0.899, 1.83 iters/s
step 16224, batch loss 1.81, 1.85 iters/s
step 16225, batch loss 1.422, 1.84 iters/s
step 16226, batch loss 2.015, 1.83 iters/s
step 16227, batch loss 1.008, 1.85 iters/s
step 16228, batch loss 2.608, 1.85 iters/s
step 16229, batch loss 2.075, 1.84 iters/s
step 16230, batch loss 1.963, 1.84 iters/s
step 16231, batch loss 1.667, 1.83 iters/s
step 16232, batch loss 1.919, 1.84 iters/s
step 16233, batch loss 1.609, 1.83 iters/s
step 16234, batch loss 2.126, 1.83 iters/s
step 16235, batch loss 1.401, 1.83 iters/s
step 16236, batch loss 1.827, 1.83 iters/s
step 16237, batch loss 1.867, 1.83 iters/s
step 16238, batch loss 1.918, 1.83 iters/s
step 16239, batch loss 1.838, 1.83 iters/s
step 16240, batch loss 1.978, 1.84 iters/s
step 16241, batch loss 1.663, 1.83 iters/s
step 16242, batch loss 1.83, 1.84 iters/s

step 16243, batch loss 2.237, 1.83 iters/s
step 16244, batch loss 1.742, 1.83 iters/s
step 16245, batch loss 1.898, 1.84 iters/s
step 16246, batch loss 1.973, 1.84 iters/s
step 16247, batch loss 1.744, 1.84 iters/s
step 16248, batch loss 2.657, 1.84 iters/s
step 16249, batch loss 1.276, 1.84 iters/s
step 16250, batch loss 1.944, 1.83 iters/s
step 16251, batch loss 1.677, 1.84 iters/s
step 16252, batch loss 1.35, 1.84 iters/s
step 16253, batch loss 1.389, 1.83 iters/s
step 16254, batch loss 1.811, 1.83 iters/s
step 16255, batch loss 1.577, 1.83 iters/s
step 16256, batch loss 1.945, 1.83 iters/s
step 16257, batch loss 1.666, 1.83 iters/s
step 16258, batch loss 1.943, 1.83 iters/s
step 16259, batch loss 1.106, 1.85 iters/s
step 16260, batch loss 1.648, 1.83 iters/s
step 16261, batch loss 2.027, 1.84 iters/s
step 16262, batch loss 2.794, 1.83 iters/s
step 16263, batch loss 1.548, 1.83 iters/s
step 16264, batch loss 1.094, 1.83 iters/s
step 16265, batch loss 1.864, 1.84 iters/s
step 16266, batch loss 1.13, 1.83 iters/s
step 16267, batch loss 1.805, 1.86 iters/s
step 16268, batch loss 1.322, 1.83 iters/s
step 16269, batch loss 1.797, 1.84 iters/s
step 16270, batch loss 1.939, 1.84 iters/s
step 16271, batch loss 1.648, 1.84 iters/s
step 16272, batch loss 1.683, 1.84 iters/s
step 16273, batch loss 1.563, 1.83 iters/s
step 16274, batch loss 1.486, 1.84 iters/s
step 16275, batch loss 1.479, 1.83 iters/s
step 16276, batch loss 1.746, 1.83 iters/s
step 16277, batch loss 1.556, 1.84 iters/s
step 16278, batch loss 2.13, 1.84 iters/s
step 16279, batch loss 1.94, 1.85 iters/s
step 16280, batch loss 1.928, 1.82 iters/s
step 16281, batch loss 1.81, 1.83 iters/s
step 16282, batch loss 1.643, 1.83 iters/s
step 16283, batch loss 1.454, 1.83 iters/s
step 16284, batch loss 2.257, 1.84 iters/s
step 16285, batch loss 1.464, 1.83 iters/s
step 16286, batch loss 1.495, 1.85 iters/s
step 16287, batch loss 1.384, 1.83 iters/s
step 16288, batch loss 1.292, 1.83 iters/s
step 16289, batch loss 1.684, 1.83 iters/s
step 16290, batch loss 1.167, 1.83 iters/s

step 16291, batch loss 2.036, 1.84 iters/s
step 16292, batch loss 1.853, 1.83 iters/s
step 16293, batch loss 1.352, 1.84 iters/s
step 16294, batch loss 1.634, 1.84 iters/s
step 16295, batch loss 2.458, 1.83 iters/s
step 16296, batch loss 1.475, 1.84 iters/s
step 16297, batch loss 1.188, 1.83 iters/s
step 16298, batch loss 1.649, 1.84 iters/s
step 16299, batch loss 1.378, 1.84 iters/s
step 16300, batch loss 1.336, 1.83 iters/s
step 16301, batch loss 0.94, 1.83 iters/s
step 16302, batch loss 1.696, 1.85 iters/s
step 16303, batch loss 1.957, 1.84 iters/s
step 16304, batch loss 1.48, 1.85 iters/s
step 16305, batch loss 1.571, 1.85 iters/s
step 16306, batch loss 1.654, 1.84 iters/s
step 16307, batch loss 1.516, 1.83 iters/s
step 16308, batch loss 1.619, 1.84 iters/s
step 16309, batch loss 0.983, 1.83 iters/s
step 16310, batch loss 1.115, 1.83 iters/s
step 16311, batch loss 0.923, 1.84 iters/s
step 16312, batch loss 1.426, 1.83 iters/s
step 16313, batch loss 1.424, 1.82 iters/s
step 16314, batch loss 1.399, 1.84 iters/s
step 16315, batch loss 1.894, 1.84 iters/s
step 16316, batch loss 1.52, 1.84 iters/s
step 16317, batch loss 1.874, 1.84 iters/s
step 16318, batch loss 2.089, 1.84 iters/s
step 16319, batch loss 1.431, 1.84 iters/s
step 16320, batch loss 1.2, 1.83 iters/s
step 16321, batch loss 2.064, 1.83 iters/s
step 16322, batch loss 1.396, 1.83 iters/s
step 16323, batch loss 1.505, 1.85 iters/s
step 16324, batch loss 1.978, 1.84 iters/s
step 16325, batch loss 1.644, 1.83 iters/s
step 16326, batch loss 1.156, 1.83 iters/s
step 16327, batch loss 2.102, 1.84 iters/s
step 16328, batch loss 0.977, 1.83 iters/s
step 16329, batch loss 1.857, 1.83 iters/s
step 16330, batch loss 1.455, 1.83 iters/s
step 16331, batch loss 2.003, 1.83 iters/s
step 16332, batch loss 1.819, 1.83 iters/s
step 16333, batch loss 1.552, 1.84 iters/s
step 16334, batch loss 1.738, 1.82 iters/s
step 16335, batch loss 2.244, 1.85 iters/s
step 16336, batch loss 1.795, 1.83 iters/s
step 16337, batch loss 1.024, 1.84 iters/s
step 16338, batch loss 1.275, 1.84 iters/s

step 16339, batch loss 1.716, 1.85 iters/s
step 16340, batch loss 1.735, 1.84 iters/s
step 16341, batch loss 1.264, 1.84 iters/s
step 16342, batch loss 1.649, 1.85 iters/s
step 16343, batch loss 1.266, 1.85 iters/s
step 16344, batch loss 1.842, 1.83 iters/s
step 16345, batch loss 1.948, 1.84 iters/s
step 16346, batch loss 1.689, 1.83 iters/s
step 16347, batch loss 1.844, 1.84 iters/s
step 16348, batch loss 1.557, 1.83 iters/s
step 16349, batch loss 1.799, 1.83 iters/s
step 16350, batch loss 1.403, 1.83 iters/s
step 16351, batch loss 2.48, 1.84 iters/s
step 16352, batch loss 1.784, 1.82 iters/s
step 16353, batch loss 1.574, 1.83 iters/s
step 16354, batch loss 1.49, 1.83 iters/s
step 16355, batch loss 1.173, 1.82 iters/s
step 16356, batch loss 0.916, 1.83 iters/s
step 16357, batch loss 1.596, 1.84 iters/s
step 16358, batch loss 1.587, 1.84 iters/s
step 16359, batch loss 1.816, 1.84 iters/s
step 16360, batch loss 1.62, 1.82 iters/s
step 16361, batch loss 1.452, 1.83 iters/s
step 16362, batch loss 1.803, 1.82 iters/s
step 16363, batch loss 1.964, 1.82 iters/s
step 16364, batch loss 1.185, 1.82 iters/s
step 16365, batch loss 1.712, 1.83 iters/s
step 16366, batch loss 1.809, 1.83 iters/s
step 16367, batch loss 1.784, 1.84 iters/s
step 16368, batch loss 1.511, 1.87 iters/s
step 16369, batch loss 1.139, 1.83 iters/s
step 16370, batch loss 2.193, 1.83 iters/s
step 16371, batch loss 1.672, 1.84 iters/s
step 16372, batch loss 1.87, 1.83 iters/s
step 16373, batch loss 1.155, 1.83 iters/s
step 16374, batch loss 1.36, 1.84 iters/s
step 16375, batch loss 1.367, 1.83 iters/s
step 16376, batch loss 1.423, 1.83 iters/s
step 16377, batch loss 1.909, 1.83 iters/s
step 16378, batch loss 1.677, 1.82 iters/s
step 16379, batch loss 1.723, 1.83 iters/s
step 16380, batch loss 1.651, 1.84 iters/s
step 16381, batch loss 2.143, 1.84 iters/s
step 16382, batch loss 1.081, 1.84 iters/s
step 16383, batch loss 1.781, 1.84 iters/s
step 16384, batch loss 1.824, 1.83 iters/s
step 16385, batch loss 1.497, 1.84 iters/s
step 16386, batch loss 2.243, 1.85 iters/s

step 16387, batch loss 1.991, 1.84 iters/s
step 16388, batch loss 1.165, 1.83 iters/s
step 16389, batch loss 1.71, 1.84 iters/s
step 16390, batch loss 1.697, 1.84 iters/s
step 16391, batch loss 1.971, 1.83 iters/s
step 16392, batch loss 1.425, 1.84 iters/s
step 16393, batch loss 1.648, 1.83 iters/s
step 16394, batch loss 1.392, 1.84 iters/s
step 16395, batch loss 1.775, 1.85 iters/s
step 16396, batch loss 1.975, 1.83 iters/s
step 16397, batch loss 1.513, 1.84 iters/s
step 16398, batch loss 1.806, 1.84 iters/s
step 16399, batch loss 1.897, 1.83 iters/s
step 16400, batch loss 1.386, 1.86 iters/s
step 16401, batch loss 1.056, 1.83 iters/s
step 16402, batch loss 1.562, 1.83 iters/s
step 16403, batch loss 1.311, 1.84 iters/s
step 16404, batch loss 1.176, 1.84 iters/s
step 16405, batch loss 1.762, 1.84 iters/s
step 16406, batch loss 0.688, 1.84 iters/s
step 16407, batch loss 1.265, 1.84 iters/s
step 16408, batch loss 1.264, 1.83 iters/s
step 16409, batch loss 1.541, 1.84 iters/s
step 16410, batch loss 1.772, 1.84 iters/s
step 16411, batch loss 1.838, 1.84 iters/s
step 16412, batch loss 1.804, 1.85 iters/s
step 16413, batch loss 1.6, 1.83 iters/s
step 16414, batch loss 1.267, 1.83 iters/s
step 16415, batch loss 1.925, 1.84 iters/s
step 16416, batch loss 1.462, 1.83 iters/s
step 16417, batch loss 1.96, 1.84 iters/s
step 16418, batch loss 1.156, 1.83 iters/s
step 16419, batch loss 1.528, 1.83 iters/s
step 16420, batch loss 2.085, 1.83 iters/s
step 16421, batch loss 1.502, 1.86 iters/s
step 16422, batch loss 2.205, 1.83 iters/s
step 16423, batch loss 1.604, 1.84 iters/s
step 16424, batch loss 1.761, 1.83 iters/s
step 16425, batch loss 1.625, 1.83 iters/s
step 16426, batch loss 2.297, 1.84 iters/s
step 16427, batch loss 1.179, 1.84 iters/s
step 16428, batch loss 1.86, 1.82 iters/s
step 16429, batch loss 1.731, 1.84 iters/s
step 16430, batch loss 1.622, 1.83 iters/s
step 16431, batch loss 1.499, 1.83 iters/s
step 16432, batch loss 1.746, 1.84 iters/s
step 16433, batch loss 1.761, 1.84 iters/s
step 16434, batch loss 2.506, 1.83 iters/s

step 16435, batch loss 1.72, 1.84 iters/s
step 16436, batch loss 1.656, 1.83 iters/s
step 16437, batch loss 1.778, 1.85 iters/s
step 16438, batch loss 1.461, 1.83 iters/s
step 16439, batch loss 1.626, 1.84 iters/s
step 16440, batch loss 1.277, 1.82 iters/s
step 16441, batch loss 1.262, 1.83 iters/s
step 16442, batch loss 1.241, 1.82 iters/s
step 16443, batch loss 1.569, 1.84 iters/s
step 16444, batch loss 1.128, 1.83 iters/s
step 16445, batch loss 1.195, 1.82 iters/s
step 16446, batch loss 1.691, 1.83 iters/s
step 16447, batch loss 1.688, 1.82 iters/s
step 16448, batch loss 1.242, 1.82 iters/s
step 16449, batch loss 1.47, 1.85 iters/s
step 16450, batch loss 1.584, 1.83 iters/s
step 16451, batch loss 1.866, 1.83 iters/s
step 16452, batch loss 2.064, 1.83 iters/s
step 16453, batch loss 1.873, 1.83 iters/s
step 16454, batch loss 1.943, 1.83 iters/s
step 16455, batch loss 2.033, 1.84 iters/s
step 16456, batch loss 1.954, 1.82 iters/s
step 16457, batch loss 2.077, 1.83 iters/s
step 16458, batch loss 1.731, 1.83 iters/s
step 16459, batch loss 1.436, 1.83 iters/s
step 16460, batch loss 1.965, 1.83 iters/s
step 16461, batch loss 1.694, 1.83 iters/s
step 16462, batch loss 1.005, 1.84 iters/s
step 16463, batch loss 2.126, 1.83 iters/s
step 16464, batch loss 1.804, 1.82 iters/s
step 16465, batch loss 1.063, 1.84 iters/s
step 16466, batch loss 1.903, 1.83 iters/s
step 16467, batch loss 2.012, 1.83 iters/s
step 16468, batch loss 1.835, 1.83 iters/s
step 16469, batch loss 1.276, 1.85 iters/s
step 16470, batch loss 1.585, 1.85 iters/s
step 16471, batch loss 1.818, 1.83 iters/s
step 16472, batch loss 1.94, 1.82 iters/s
step 16473, batch loss 1.934, 1.83 iters/s
step 16474, batch loss 1.877, 1.82 iters/s
step 16475, batch loss 1.689, 1.83 iters/s
step 16476, batch loss 1.438, 1.83 iters/s
step 16477, batch loss 1.812, 1.83 iters/s
step 16478, batch loss 1.901, 1.82 iters/s
step 16479, batch loss 1.528, 1.83 iters/s
step 16480, batch loss 1.458, 1.83 iters/s
step 16481, batch loss 1.346, 1.83 iters/s
step 16482, batch loss 1.712, 1.82 iters/s

step 16483, batch loss 1.46, 1.84 iters/s
step 16484, batch loss 1.071, 1.84 iters/s
step 16485, batch loss 1.051, 1.82 iters/s
step 16486, batch loss 1.814, 1.83 iters/s
step 16487, batch loss 2.058, 1.82 iters/s
step 16488, batch loss 1.818, 1.83 iters/s
step 16489, batch loss 1.453, 1.83 iters/s
step 16490, batch loss 2.875, 1.82 iters/s
step 16491, batch loss 1.031, 1.82 iters/s
step 16492, batch loss 1.913, 1.82 iters/s
step 16493, batch loss 2.052, 1.84 iters/s
step 16494, batch loss 1.813, 1.83 iters/s
step 16495, batch loss 1.798, 1.82 iters/s
step 16496, batch loss 2.074, 1.83 iters/s
step 16497, batch loss 1.726, 1.85 iters/s
step 16498, batch loss 2.229, 1.82 iters/s
step 16499, batch loss 1.722, 1.83 iters/s
step 16500, batch loss 1.728, 1.82 iters/s
step 16501, batch loss 1.616, 1.83 iters/s
step 16502, batch loss 1.507, 1.83 iters/s
step 16503, batch loss 1.054, 1.83 iters/s
step 16504, batch loss 2.048, 1.82 iters/s
step 16505, batch loss 2.032, 1.83 iters/s
step 16506, batch loss 1.443, 1.83 iters/s
step 16507, batch loss 1.59, 1.84 iters/s
step 16508, batch loss 1.859, 1.82 iters/s
step 16509, batch loss 1.788, 1.82 iters/s
step 16510, batch loss 2.169, 1.83 iters/s
step 16511, batch loss 1.141, 1.83 iters/s
step 16512, batch loss 1.876, 1.82 iters/s
step 16513, batch loss 1.138, 1.83 iters/s
step 16514, batch loss 1.815, 1.82 iters/s
step 16515, batch loss 1.949, 1.82 iters/s
step 16516, batch loss 1.875, 1.83 iters/s
step 16517, batch loss 1.39, 1.82 iters/s
step 16518, batch loss 1.597, 1.85 iters/s
step 16519, batch loss 2.285, 1.83 iters/s
step 16520, batch loss 1.697, 1.83 iters/s
step 16521, batch loss 1.441, 1.83 iters/s
step 16522, batch loss 1.492, 1.83 iters/s
step 16523, batch loss 1.705, 1.83 iters/s
step 16524, batch loss 1.932, 1.82 iters/s
step 16525, batch loss 1.59, 1.84 iters/s
step 16526, batch loss 1.651, 1.82 iters/s
step 16527, batch loss 1.936, 1.82 iters/s
step 16528, batch loss 1.598, 1.83 iters/s
step 16529, batch loss 0.823, 1.83 iters/s
step 16530, batch loss 1.041, 1.83 iters/s

step 16531, batch loss 1.673, 1.82 iters/s
step 16532, batch loss 1.758, 1.85 iters/s
step 16533, batch loss 2.068, 1.82 iters/s
step 16534, batch loss 1.307, 1.82 iters/s
step 16535, batch loss 1.732, 1.81 iters/s
step 16536, batch loss 1.944, 1.84 iters/s
step 16537, batch loss 1.749, 1.83 iters/s
step 16538, batch loss 2.163, 1.83 iters/s
step 16539, batch loss 1.266, 1.83 iters/s
step 16540, batch loss 2.085, 1.83 iters/s
step 16541, batch loss 1.787, 1.82 iters/s
step 16542, batch loss 1.28, 1.82 iters/s
step 16543, batch loss 0.989, 1.82 iters/s
step 16544, batch loss 1.924, 1.83 iters/s
step 16545, batch loss 2.154, 1.83 iters/s
step 16546, batch loss 1.784, 1.82 iters/s
step 16547, batch loss 1.823, 1.81 iters/s
step 16548, batch loss 1.625, 1.83 iters/s
step 16549, batch loss 1.643, 1.81 iters/s
step 16550, batch loss 1.913, 1.83 iters/s
step 16551, batch loss 1.746, 1.83 iters/s
step 16552, batch loss 1.317, 1.82 iters/s
step 16553, batch loss 1.451, 1.82 iters/s
step 16554, batch loss 0.97, 1.83 iters/s
step 16555, batch loss 1.168, 1.83 iters/s
step 16556, batch loss 1.773, 1.84 iters/s
step 16557, batch loss 1.581, 1.84 iters/s
step 16558, batch loss 1.451, 1.83 iters/s
step 16559, batch loss 1.617, 1.81 iters/s
step 16560, batch loss 1.53, 1.81 iters/s
step 16561, batch loss 1.075, 1.84 iters/s
step 16562, batch loss 1.417, 1.81 iters/s
step 16563, batch loss 1.538, 1.84 iters/s
step 16564, batch loss 1.662, 1.82 iters/s
step 16565, batch loss 2.3, 1.85 iters/s
step 16566, batch loss 0.493, 1.82 iters/s
step 16567, batch loss 1.749, 1.81 iters/s
step 16568, batch loss 2.025, 1.82 iters/s
step 16569, batch loss 1.704, 1.82 iters/s
step 16570, batch loss 1.87, 1.83 iters/s
step 16571, batch loss 1.473, 1.83 iters/s
step 16572, batch loss 1.735, 1.83 iters/s
step 16573, batch loss 1.161, 1.82 iters/s
step 16574, batch loss 1.717, 1.83 iters/s
step 16575, batch loss 2.335, 1.82 iters/s
step 16576, batch loss 1.677, 1.82 iters/s
step 16577, batch loss 1.592, 1.82 iters/s
step 16578, batch loss 2.069, 1.82 iters/s

step 16579, batch loss 1.649, 1.82 iters/s
step 16580, batch loss 1.486, 1.83 iters/s
step 16581, batch loss 1.954, 1.83 iters/s
step 16582, batch loss 1.522, 1.83 iters/s
step 16583, batch loss 1.577, 1.81 iters/s
step 16584, batch loss 1.472, 1.82 iters/s
step 16585, batch loss 1.577, 1.84 iters/s
step 16586, batch loss 1.481, 1.82 iters/s
step 16587, batch loss 2.093, 1.82 iters/s
step 16588, batch loss 1.927, 1.83 iters/s
step 16589, batch loss 1.511, 1.83 iters/s
step 16590, batch loss 1.438, 1.84 iters/s
step 16591, batch loss 1.057, 1.82 iters/s
step 16592, batch loss 1.766, 1.83 iters/s
step 16593, batch loss 1.705, 1.82 iters/s
step 16594, batch loss 1.599, 1.84 iters/s
step 16595, batch loss 1.091, 1.83 iters/s
step 16596, batch loss 1.867, 1.82 iters/s
step 16597, batch loss 1.482, 1.82 iters/s
step 16598, batch loss 1.762, 1.83 iters/s
step 16599, batch loss 1.981, 1.82 iters/s
step 16600, batch loss 1.177, 1.81 iters/s
step 16601, batch loss 1.573, 1.85 iters/s
step 16602, batch loss 2.174, 1.82 iters/s
step 16603, batch loss 2.068, 1.85 iters/s
step 16604, batch loss 1.531, 1.83 iters/s
step 16605, batch loss 1.371, 1.84 iters/s
step 16606, batch loss 1.932, 1.83 iters/s
step 16607, batch loss 1.187, 1.83 iters/s
step 16608, batch loss 1.813, 1.82 iters/s
step 16609, batch loss 1.985, 1.82 iters/s
step 16610, batch loss 1.952, 1.83 iters/s
step 16611, batch loss 2.24, 1.83 iters/s
step 16612, batch loss 1.182, 1.83 iters/s
step 16613, batch loss 2.222, 1.85 iters/s
step 16614, batch loss 1.528, 1.83 iters/s
step 16615, batch loss 1.468, 1.85 iters/s
step 16616, batch loss 2.215, 1.83 iters/s
step 16617, batch loss 1.34, 1.83 iters/s
step 16618, batch loss 1.502, 1.84 iters/s
step 16619, batch loss 1.499, 1.83 iters/s
step 16620, batch loss 1.405, 1.83 iters/s
step 16621, batch loss 1.349, 1.83 iters/s
step 16622, batch loss 1.518, 1.83 iters/s
step 16623, batch loss 2.113, 1.83 iters/s
step 16624, batch loss 1.752, 1.83 iters/s
step 16625, batch loss 1.694, 1.84 iters/s
step 16626, batch loss 2.231, 1.83 iters/s

step 16627, batch loss 1.663, 1.84 iters/s
step 16628, batch loss 1.614, 1.84 iters/s
step 16629, batch loss 1.106, 1.83 iters/s
step 16630, batch loss 1.58, 1.85 iters/s
step 16631, batch loss 1.675, 1.84 iters/s
step 16632, batch loss 1.909, 1.84 iters/s
step 16633, batch loss 1.644, 1.85 iters/s
step 16634, batch loss 1.069, 1.83 iters/s
step 16635, batch loss 1.267, 1.84 iters/s
step 16636, batch loss 1.366, 1.84 iters/s
step 16637, batch loss 2.084, 1.83 iters/s
step 16638, batch loss 1.981, 1.85 iters/s
step 16639, batch loss 0.904, 1.84 iters/s
step 16640, batch loss 1.508, 1.84 iters/s
step 16641, batch loss 1.22, 1.85 iters/s
step 16642, batch loss 1.222, 1.84 iters/s
step 16643, batch loss 1.764, 1.84 iters/s
step 16644, batch loss 1.601, 1.84 iters/s
step 16645, batch loss 1.095, 1.85 iters/s
step 16646, batch loss 1.66, 1.84 iters/s
step 16647, batch loss 0.638, 1.84 iters/s
step 16648, batch loss 1.519, 1.86 iters/s
step 16649, batch loss 1.929, 1.84 iters/s
step 16650, batch loss 1.606, 1.83 iters/s
step 16651, batch loss 1.551, 1.84 iters/s
step 16652, batch loss 1.921, 1.84 iters/s
step 16653, batch loss 1.764, 1.85 iters/s
step 16654, batch loss 1.649, 1.84 iters/s
step 16655, batch loss 1.906, 1.85 iters/s
step 16656, batch loss 2.427, 1.84 iters/s
step 16657, batch loss 1.51, 1.84 iters/s
step 16658, batch loss 1.512, 1.84 iters/s
step 16659, batch loss 1.584, 1.83 iters/s
step 16660, batch loss 1.898, 1.85 iters/s
step 16661, batch loss 1.875, 1.83 iters/s
step 16662, batch loss 1.544, 1.83 iters/s
step 16663, batch loss 1.601, 1.84 iters/s
step 16664, batch loss 1.355, 1.85 iters/s
step 16665, batch loss 2.141, 1.84 iters/s
step 16666, batch loss 1.53, 1.83 iters/s
step 16667, batch loss 2.018, 1.85 iters/s
step 16668, batch loss 1.608, 1.83 iters/s
step 16669, batch loss 1.296, 1.84 iters/s
step 16670, batch loss 2.153, 1.85 iters/s
step 16671, batch loss 2.323, 1.84 iters/s
step 16672, batch loss 2.064, 1.87 iters/s
step 16673, batch loss 1.861, 1.83 iters/s
step 16674, batch loss 1.731, 1.84 iters/s

step 16675, batch loss 1.17, 1.85 iters/s
step 16676, batch loss 1.987, 1.83 iters/s
step 16677, batch loss 1.5, 1.84 iters/s
step 16678, batch loss 1.632, 1.84 iters/s
step 16679, batch loss 2.069, 1.84 iters/s
step 16680, batch loss 1.139, 1.84 iters/s
step 16681, batch loss 1.564, 1.84 iters/s
step 16682, batch loss 2.288, 1.84 iters/s
step 16683, batch loss 1.106, 1.84 iters/s
step 16684, batch loss 1.27, 1.83 iters/s
step 16685, batch loss 1.682, 1.83 iters/s
step 16686, batch loss 1.833, 1.83 iters/s
step 16687, batch loss 1.873, 1.84 iters/s
step 16688, batch loss 1.758, 1.83 iters/s
step 16689, batch loss 2.248, 1.84 iters/s
step 16690, batch loss 1.319, 1.84 iters/s
step 16691, batch loss 0.72, 1.84 iters/s
step 16692, batch loss 1.586, 1.83 iters/s
step 16693, batch loss 1.879, 1.86 iters/s
step 16694, batch loss 1.634, 1.84 iters/s
step 16695, batch loss 2.007, 1.85 iters/s
step 16696, batch loss 1.046, 1.84 iters/s
step 16697, batch loss 1.25, 1.84 iters/s
step 16698, batch loss 1.134, 1.83 iters/s
step 16699, batch loss 1.252, 1.83 iters/s
step 16700, batch loss 1.992, 1.86 iters/s
step 16701, batch loss 1.575, 1.86 iters/s
step 16702, batch loss 1.127, 1.84 iters/s
step 16703, batch loss 1.791, 1.83 iters/s
step 16704, batch loss 1.263, 1.83 iters/s
step 16705, batch loss 1.284, 1.83 iters/s
step 16706, batch loss 2.376, 1.82 iters/s
step 16707, batch loss 1.796, 1.84 iters/s
step 16708, batch loss 2.04, 1.84 iters/s
step 16709, batch loss 1.307, 1.84 iters/s
step 16710, batch loss 1.097, 1.85 iters/s
step 16711, batch loss 1.663, 1.85 iters/s
step 16712, batch loss 1.995, 1.84 iters/s
step 16713, batch loss 1.356, 1.83 iters/s
step 16714, batch loss 1.483, 1.84 iters/s
step 16715, batch loss 1.937, 1.84 iters/s
step 16716, batch loss 1.519, 1.84 iters/s
step 16717, batch loss 0.833, 1.84 iters/s
step 16718, batch loss 1.702, 1.84 iters/s
step 16719, batch loss 1.629, 1.84 iters/s
step 16720, batch loss 1.472, 1.83 iters/s
step 16721, batch loss 1.144, 1.84 iters/s
step 16722, batch loss 1.33, 1.86 iters/s

step 16723, batch loss 1.723, 1.86 iters/s
step 16724, batch loss 1.446, 1.83 iters/s
step 16725, batch loss 1.933, 1.84 iters/s
step 16726, batch loss 0.977, 1.84 iters/s
step 16727, batch loss 1.298, 1.86 iters/s
step 16728, batch loss 1.153, 1.83 iters/s
step 16729, batch loss 1.586, 1.84 iters/s
step 16730, batch loss 1.411, 1.84 iters/s
step 16731, batch loss 1.811, 1.84 iters/s
step 16732, batch loss 1.648, 1.85 iters/s
step 16733, batch loss 1.539, 1.84 iters/s
step 16734, batch loss 1.754, 1.84 iters/s
step 16735, batch loss 1.197, 1.84 iters/s
step 16736, batch loss 2.228, 1.84 iters/s
step 16737, batch loss 1.978, 1.83 iters/s
step 16738, batch loss 1.971, 1.83 iters/s
step 16739, batch loss 1.653, 1.84 iters/s
step 16740, batch loss 1.209, 1.84 iters/s
step 16741, batch loss 1.896, 1.83 iters/s
step 16742, batch loss 1.156, 1.86 iters/s
step 16743, batch loss 1.758, 1.83 iters/s
step 16744, batch loss 2.295, 1.83 iters/s
step 16745, batch loss 1.535, 1.84 iters/s
step 16746, batch loss 1.278, 1.83 iters/s
step 16747, batch loss 1.372, 1.84 iters/s
step 16748, batch loss 1.596, 1.85 iters/s
step 16749, batch loss 2.313, 1.83 iters/s
step 16750, batch loss 1.678, 1.84 iters/s
step 16751, batch loss 1.651, 1.83 iters/s
step 16752, batch loss 1.051, 1.83 iters/s
step 16753, batch loss 1.8, 1.83 iters/s
step 16754, batch loss 1.685, 1.86 iters/s
step 16755, batch loss 1.106, 1.83 iters/s
step 16756, batch loss 1.318, 1.84 iters/s
step 16757, batch loss 1.341, 1.83 iters/s
step 16758, batch loss 1.743, 1.82 iters/s
step 16759, batch loss 0.712, 1.83 iters/s
step 16760, batch loss 1.667, 1.83 iters/s
step 16761, batch loss 1.456, 1.83 iters/s
step 16762, batch loss 1.914, 1.84 iters/s
step 16763, batch loss 1.542, 1.84 iters/s
step 16764, batch loss 2.282, 1.84 iters/s
step 16765, batch loss 1.214, 1.84 iters/s
step 16766, batch loss 1.721, 1.85 iters/s
step 16767, batch loss 1.501, 1.84 iters/s
step 16768, batch loss 1.452, 1.83 iters/s
step 16769, batch loss 1.557, 1.83 iters/s
step 16770, batch loss 2.223, 1.84 iters/s

step 16771, batch loss 1.829, 1.83 iters/s
step 16772, batch loss 1.88, 1.86 iters/s
step 16773, batch loss 1.309, 1.83 iters/s
step 16774, batch loss 1.905, 1.83 iters/s
step 16775, batch loss 2.004, 1.83 iters/s
step 16776, batch loss 1.316, 1.84 iters/s
step 16777, batch loss 1.588, 1.83 iters/s
step 16778, batch loss 0.972, 1.83 iters/s
step 16779, batch loss 1.64, 1.83 iters/s
step 16780, batch loss 0.834, 1.83 iters/s
step 16781, batch loss 1.325, 1.84 iters/s
step 16782, batch loss 1.2, 1.83 iters/s
step 16783, batch loss 1.867, 1.84 iters/s
step 16784, batch loss 1.714, 1.84 iters/s
step 16785, batch loss 1.202, 1.83 iters/s
step 16786, batch loss 1.701, 1.83 iters/s
step 16787, batch loss 1.443, 1.83 iters/s
step 16788, batch loss 1.55, 1.84 iters/s
step 16789, batch loss 0.95, 1.86 iters/s
step 16790, batch loss 2.062, 1.83 iters/s
step 16791, batch loss 1.919, 1.84 iters/s
step 16792, batch loss 1.946, 1.83 iters/s
step 16793, batch loss 1.729, 1.84 iters/s
step 16794, batch loss 2.146, 1.84 iters/s
step 16795, batch loss 1.598, 1.86 iters/s
step 16796, batch loss 1.405, 1.84 iters/s
step 16797, batch loss 1.651, 1.83 iters/s
step 16798, batch loss 1.923, 1.83 iters/s
step 16799, batch loss 1.338, 1.84 iters/s
step 16800, batch loss 1.396, 1.86 iters/s
step 16801, batch loss 1.482, 1.83 iters/s
step 16802, batch loss 2.041, 1.83 iters/s
step 16803, batch loss 1.21, 1.83 iters/s
step 16804, batch loss 1.805, 1.83 iters/s
step 16805, batch loss 2.102, 1.83 iters/s
step 16806, batch loss 1.54, 1.83 iters/s
step 16807, batch loss 1.61, 1.84 iters/s
step 16808, batch loss 1.605, 1.84 iters/s
step 16809, batch loss 1.814, 1.84 iters/s
step 16810, batch loss 1.849, 1.85 iters/s
step 16811, batch loss 1.106, 1.84 iters/s
step 16812, batch loss 1.782, 1.84 iters/s
step 16813, batch loss 1.798, 1.84 iters/s
step 16814, batch loss 1.961, 1.84 iters/s
step 16815, batch loss 2.099, 1.83 iters/s
step 16816, batch loss 1.317, 1.84 iters/s
step 16817, batch loss 1.228, 1.84 iters/s
step 16818, batch loss 1.841, 1.83 iters/s

step 16819, batch loss 1.7, 1.84 iters/s
step 16820, batch loss 2.051, 1.83 iters/s
step 16821, batch loss 2.298, 1.83 iters/s
step 16822, batch loss 1.925, 1.86 iters/s
step 16823, batch loss 2.338, 1.83 iters/s
step 16824, batch loss 1.427, 1.83 iters/s
step 16825, batch loss 0.8, 1.84 iters/s
step 16826, batch loss 2.073, 1.84 iters/s
step 16827, batch loss 1.688, 1.84 iters/s
step 16828, batch loss 1.029, 1.84 iters/s
step 16829, batch loss 1.887, 1.84 iters/s
step 16830, batch loss 1.974, 1.83 iters/s
step 16831, batch loss 1.183, 1.85 iters/s
step 16832, batch loss 1.059, 1.83 iters/s
step 16833, batch loss 1.198, 1.84 iters/s
step 16834, batch loss 1.28, 1.84 iters/s
step 16835, batch loss 1.331, 1.83 iters/s
step 16836, batch loss 1.541, 1.83 iters/s
step 16837, batch loss 1.195, 1.83 iters/s
step 16838, batch loss 1.891, 1.84 iters/s
step 16839, batch loss 1.849, 1.83 iters/s
step 16840, batch loss 1.253, 1.84 iters/s
step 16841, batch loss 1.622, 1.85 iters/s
step 16842, batch loss 1.757, 1.85 iters/s
step 16843, batch loss 1.204, 1.84 iters/s
step 16844, batch loss 1.358, 1.84 iters/s
step 16845, batch loss 1.34, 1.83 iters/s
step 16846, batch loss 1.253, 1.83 iters/s
step 16847, batch loss 1.576, 1.84 iters/s
step 16848, batch loss 2.457, 1.84 iters/s
step 16849, batch loss 2.2, 1.84 iters/s
step 16850, batch loss 1.033, 1.83 iters/s
step 16851, batch loss 1.983, 1.83 iters/s
step 16852, batch loss 1.709, 1.84 iters/s
step 16853, batch loss 1.155, 1.84 iters/s
step 16854, batch loss 1.484, 1.84 iters/s
step 16855, batch loss 1.459, 1.85 iters/s
step 16856, batch loss 1.994, 1.83 iters/s
step 16857, batch loss 1.957, 1.83 iters/s
step 16858, batch loss 1.416, 1.84 iters/s
step 16859, batch loss 1.39, 1.84 iters/s
step 16860, batch loss 1.628, 1.85 iters/s
step 16861, batch loss 1.879, 1.83 iters/s
step 16862, batch loss 1.954, 1.85 iters/s
step 16863, batch loss 1.862, 1.86 iters/s
step 16864, batch loss 2.626, 1.84 iters/s
step 16865, batch loss 1.469, 1.84 iters/s
step 16866, batch loss 2.13, 1.85 iters/s

step 16867, batch loss 1.529, 1.85 iters/s
step 16868, batch loss 1.894, 1.84 iters/s
step 16869, batch loss 1.667, 1.85 iters/s
step 16870, batch loss 2.163, 1.84 iters/s
step 16871, batch loss 1.825, 1.84 iters/s
step 16872, batch loss 1.889, 1.84 iters/s
step 16873, batch loss 1.691, 1.84 iters/s
step 16874, batch loss 1.943, 1.83 iters/s
step 16875, batch loss 1.699, 1.84 iters/s
step 16876, batch loss 2.115, 1.84 iters/s
step 16877, batch loss 1.387, 1.84 iters/s
step 16878, batch loss 2.075, 1.83 iters/s
step 16879, batch loss 1.701, 1.83 iters/s
step 16880, batch loss 1.701, 1.86 iters/s
step 16881, batch loss 1.675, 1.84 iters/s
step 16882, batch loss 1.856, 1.84 iters/s
step 16883, batch loss 1.246, 1.87 iters/s
step 16884, batch loss 1.544, 1.85 iters/s
step 16885, batch loss 1.767, 1.84 iters/s
step 16886, batch loss 1.942, 1.83 iters/s
step 16887, batch loss 2.064, 1.84 iters/s
step 16888, batch loss 1.85, 1.84 iters/s
step 16889, batch loss 1.224, 1.84 iters/s
step 16890, batch loss 1.129, 1.84 iters/s
step 16891, batch loss 0.823, 1.83 iters/s
step 16892, batch loss 2.352, 1.83 iters/s
step 16893, batch loss 2.308, 1.84 iters/s
step 16894, batch loss 2.419, 1.84 iters/s
step 16895, batch loss 1.687, 1.84 iters/s
step 16896, batch loss 1.594, 1.84 iters/s
step 16897, batch loss 1.15, 1.84 iters/s
step 16898, batch loss 1.43, 1.83 iters/s
step 16899, batch loss 1.377, 1.83 iters/s
step 16900, batch loss 1.539, 1.86 iters/s
step 16901, batch loss 1.239, 1.84 iters/s
step 16902, batch loss 1.243, 1.85 iters/s
step 16903, batch loss 1.853, 1.83 iters/s
step 16904, batch loss 2.236, 1.83 iters/s
step 16905, batch loss 2.245, 1.83 iters/s
step 16906, batch loss 1.424, 1.83 iters/s
step 16907, batch loss 0.949, 1.84 iters/s
step 16908, batch loss 1.583, 1.85 iters/s
step 16909, batch loss 1.886, 1.84 iters/s
step 16910, batch loss 1.637, 1.84 iters/s
step 16911, batch loss 1.909, 1.83 iters/s
step 16912, batch loss 1.963, 1.84 iters/s
step 16913, batch loss 1.629, 1.86 iters/s
step 16914, batch loss 1.06, 1.85 iters/s

step 16915, batch loss 1.955, 1.84 iters/s
step 16916, batch loss 1.662, 1.83 iters/s
step 16917, batch loss 1.977, 1.84 iters/s
step 16918, batch loss 1.858, 1.83 iters/s
step 16919, batch loss 1.847, 1.84 iters/s
step 16920, batch loss 1.977, 1.85 iters/s
step 16921, batch loss 1.898, 1.84 iters/s
step 16922, batch loss 1.383, 1.83 iters/s
step 16923, batch loss 1.76, 1.84 iters/s
step 16924, batch loss 1.234, 1.83 iters/s
step 16925, batch loss 1.653, 1.83 iters/s
step 16926, batch loss 1.447, 1.83 iters/s
step 16927, batch loss 1.664, 1.83 iters/s
step 16928, batch loss 1.774, 1.86 iters/s
step 16929, batch loss 1.51, 1.83 iters/s
step 16930, batch loss 1.894, 1.84 iters/s
step 16931, batch loss 1.542, 1.83 iters/s
step 16932, batch loss 1.972, 1.85 iters/s
step 16933, batch loss 1.797, 1.83 iters/s
step 16934, batch loss 1.715, 1.83 iters/s
step 16935, batch loss 1.903, 1.85 iters/s
step 16936, batch loss 1.871, 1.83 iters/s
step 16937, batch loss 1.558, 1.83 iters/s
step 16938, batch loss 1.691, 1.83 iters/s
step 16939, batch loss 1.809, 1.82 iters/s
step 16940, batch loss 1.498, 1.83 iters/s
step 16941, batch loss 1.61, 1.82 iters/s
step 16942, batch loss 1.083, 1.83 iters/s
step 16943, batch loss 1.999, 1.82 iters/s
step 16944, batch loss 1.59, 1.83 iters/s
step 16945, batch loss 1.861, 1.82 iters/s
step 16946, batch loss 2.602, 1.83 iters/s
step 16947, batch loss 1.476, 1.83 iters/s
step 16948, batch loss 2.026, 1.84 iters/s
step 16949, batch loss 1.209, 1.85 iters/s
step 16950, batch loss 2.132, 1.83 iters/s
step 16951, batch loss 0.81, 1.85 iters/s
step 16952, batch loss 1.465, 1.83 iters/s
step 16953, batch loss 2.242, 1.83 iters/s
step 16954, batch loss 1.437, 1.83 iters/s
step 16955, batch loss 1.572, 1.85 iters/s
step 16956, batch loss 1.91, 1.84 iters/s
step 16957, batch loss 1.016, 1.82 iters/s
step 16958, batch loss 1.386, 1.85 iters/s
step 16959, batch loss 1.097, 1.83 iters/s
step 16960, batch loss 1.536, 1.84 iters/s
step 16961, batch loss 1.81, 1.83 iters/s
step 16962, batch loss 2.38, 1.84 iters/s

step 16963, batch loss 1.351, 1.84 iters/s
step 16964, batch loss 1.933, 1.83 iters/s
step 16965, batch loss 1.119, 1.84 iters/s
step 16966, batch loss 1.725, 1.85 iters/s
step 16967, batch loss 1.81, 1.83 iters/s
step 16968, batch loss 2.187, 1.83 iters/s
step 16969, batch loss 1.507, 1.84 iters/s
step 16970, batch loss 1.418, 1.82 iters/s
step 16971, batch loss 1.62, 1.83 iters/s
step 16972, batch loss 1.57, 1.84 iters/s
step 16973, batch loss 1.363, 1.84 iters/s
step 16974, batch loss 2.057, 1.83 iters/s
step 16975, batch loss 2.099, 1.83 iters/s
step 16976, batch loss 0.922, 1.83 iters/s
step 16977, batch loss 1.842, 1.84 iters/s
step 16978, batch loss 1.228, 1.85 iters/s
step 16979, batch loss 1.864, 1.83 iters/s
step 16980, batch loss 1.275, 1.83 iters/s
step 16981, batch loss 1.349, 1.83 iters/s
step 16982, batch loss 1.741, 1.82 iters/s
step 16983, batch loss 1.241, 1.85 iters/s
step 16984, batch loss 1.831, 1.83 iters/s
step 16985, batch loss 1.974, 1.83 iters/s
step 16986, batch loss 1.717, 1.83 iters/s
step 16987, batch loss 1.886, 1.83 iters/s
step 16988, batch loss 1.875, 1.83 iters/s
step 16989, batch loss 1.803, 1.83 iters/s
step 16990, batch loss 1.845, 1.82 iters/s
step 16991, batch loss 1.916, 1.83 iters/s
step 16992, batch loss 1.319, 1.81 iters/s
step 16993, batch loss 1.001, 1.83 iters/s
step 16994, batch loss 2.433, 1.84 iters/s
step 16995, batch loss 1.557, 1.82 iters/s
step 16996, batch loss 1.049, 1.83 iters/s
step 16997, batch loss 1.543, 1.84 iters/s
step 16998, batch loss 1.162, 1.84 iters/s
step 16999, batch loss 1.733, 1.82 iters/s
step 17000, batch loss 2.492, 1.82 iters/s
step 17001, batch loss 1.125, 1.83 iters/s
step 17002, batch loss 1.008, 1.84 iters/s
step 17003, batch loss 1.774, 1.82 iters/s
step 17004, batch loss 1.007, 1.83 iters/s
step 17005, batch loss 1.172, 1.82 iters/s
step 17006, batch loss 1.529, 1.85 iters/s
step 17007, batch loss 1.602, 1.83 iters/s
step 17008, batch loss 1.209, 1.82 iters/s
step 17009, batch loss 1.698, 1.83 iters/s
step 17010, batch loss 1.626, 1.82 iters/s

step 17011, batch loss 1.871, 1.82 iters/s
step 17012, batch loss 1.818, 1.84 iters/s
step 17013, batch loss 2.133, 1.82 iters/s
step 17014, batch loss 1.331, 1.81 iters/s
step 17015, batch loss 0.662, 1.83 iters/s
step 17016, batch loss 2.166, 1.83 iters/s
step 17017, batch loss 1.254, 1.82 iters/s
step 17018, batch loss 0.892, 1.85 iters/s
step 17019, batch loss 1.869, 1.83 iters/s
step 17020, batch loss 1.808, 1.85 iters/s
step 17021, batch loss 1.764, 1.82 iters/s
step 17022, batch loss 1.339, 1.83 iters/s
step 17023, batch loss 1.045, 1.83 iters/s
step 17024, batch loss 1.793, 1.82 iters/s
step 17025, batch loss 1.41, 1.82 iters/s
step 17026, batch loss 1.72, 1.83 iters/s
step 17027, batch loss 1.031, 1.84 iters/s
step 17028, batch loss 1.735, 1.82 iters/s
step 17029, batch loss 1.431, 1.83 iters/s
step 17030, batch loss 1.8, 1.83 iters/s
step 17031, batch loss 2.009, 1.85 iters/s
step 17032, batch loss 2.215, 1.82 iters/s
step 17033, batch loss 1.249, 1.83 iters/s
step 17034, batch loss 1.536, 1.82 iters/s
step 17035, batch loss 1.655, 1.82 iters/s
step 17036, batch loss 1.879, 1.82 iters/s
step 17037, batch loss 1.087, 1.84 iters/s
step 17038, batch loss 1.829, 1.82 iters/s
step 17039, batch loss 1.65, 1.82 iters/s
step 17040, batch loss 2.057, 1.82 iters/s
step 17041, batch loss 1.283, 1.83 iters/s
step 17042, batch loss 1.725, 1.83 iters/s
step 17043, batch loss 1.736, 1.82 iters/s
step 17044, batch loss 1.855, 1.83 iters/s
step 17045, batch loss 2.281, 1.82 iters/s
step 17046, batch loss 1.79, 1.83 iters/s
step 17047, batch loss 1.621, 1.82 iters/s
step 17048, batch loss 1.306, 1.82 iters/s
step 17049, batch loss 1.867, 1.82 iters/s
step 17050, batch loss 2.091, 1.83 iters/s
step 17051, batch loss 1.228, 1.83 iters/s
step 17052, batch loss 1.02, 1.83 iters/s
step 17053, batch loss 2.077, 1.82 iters/s
step 17054, batch loss 1.583, 1.84 iters/s
step 17055, batch loss 1.371, 1.82 iters/s
step 17056, batch loss 1.093, 1.82 iters/s
step 17057, batch loss 1.408, 1.85 iters/s
step 17058, batch loss 1.142, 1.82 iters/s

step 17059, batch loss 1.644, 1.83 iters/s
step 17060, batch loss 1.057, 1.84 iters/s
step 17061, batch loss 1.674, 1.82 iters/s
step 17062, batch loss 1.92, 1.83 iters/s
step 17063, batch loss 1.349, 1.82 iters/s
step 17064, batch loss 1.808, 1.83 iters/s
step 17065, batch loss 1.617, 1.83 iters/s
step 17066, batch loss 1.603, 1.82 iters/s
step 17067, batch loss 1.371, 1.84 iters/s
step 17068, batch loss 1.781, 1.83 iters/s
step 17069, batch loss 1.394, 1.82 iters/s
step 17070, batch loss 1.876, 1.82 iters/s
step 17071, batch loss 1.374, 1.83 iters/s
step 17072, batch loss 1.52, 1.82 iters/s
step 17073, batch loss 1.339, 1.82 iters/s
step 17074, batch loss 1.542, 1.83 iters/s
step 17075, batch loss 1.371, 1.83 iters/s
step 17076, batch loss 2.004, 1.83 iters/s
step 17077, batch loss 1.97, 1.82 iters/s
step 17078, batch loss 1.485, 1.84 iters/s
step 17079, batch loss 2.096, 1.85 iters/s
step 17080, batch loss 2.587, 1.84 iters/s
step 17081, batch loss 1.756, 1.83 iters/s
step 17082, batch loss 1.634, 1.83 iters/s
step 17083, batch loss 1.179, 1.84 iters/s
step 17084, batch loss 1.746, 1.83 iters/s
step 17085, batch loss 1.163, 1.83 iters/s
step 17086, batch loss 2.261, 1.83 iters/s
step 17087, batch loss 1.202, 1.83 iters/s
step 17088, batch loss 1.876, 1.83 iters/s
step 17089, batch loss 1.485, 1.83 iters/s
step 17090, batch loss 1.947, 1.83 iters/s
step 17091, batch loss 1.508, 1.82 iters/s
step 17092, batch loss 1.419, 1.82 iters/s
step 17093, batch loss 2.01, 1.85 iters/s
step 17094, batch loss 1.936, 1.84 iters/s
step 17095, batch loss 1.139, 1.83 iters/s
step 17096, batch loss 2.162, 1.86 iters/s
step 17097, batch loss 1.028, 1.83 iters/s
step 17098, batch loss 2.161, 1.82 iters/s
step 17099, batch loss 0.978, 1.83 iters/s
step 17100, batch loss 1.539, 1.84 iters/s
step 17101, batch loss 0.887, 1.83 iters/s
step 17102, batch loss 1.657, 1.83 iters/s
step 17103, batch loss 0.8, 1.82 iters/s
step 17104, batch loss 1.076, 1.83 iters/s
step 17105, batch loss 1.489, 1.83 iters/s
step 17106, batch loss 1.921, 1.83 iters/s

step 17107, batch loss 1.92, 1.82 iters/s
step 17108, batch loss 2.125, 1.83 iters/s
step 17109, batch loss 1.779, 1.84 iters/s
step 17110, batch loss 1.968, 1.83 iters/s
step 17111, batch loss 2.119, 1.84 iters/s
step 17112, batch loss 1.163, 1.83 iters/s
step 17113, batch loss 1.607, 1.82 iters/s
step 17114, batch loss 2.019, 1.82 iters/s
step 17115, batch loss 1.527, 1.83 iters/s
step 17116, batch loss 1.816, 1.82 iters/s
step 17117, batch loss 1.788, 1.83 iters/s
step 17118, batch loss 1.712, 1.83 iters/s
step 17119, batch loss 1.329, 1.84 iters/s
step 17120, batch loss 1.566, 1.83 iters/s
step 17121, batch loss 2.199, 1.84 iters/s
step 17122, batch loss 1.777, 1.83 iters/s
step 17123, batch loss 1.734, 1.83 iters/s
step 17124, batch loss 2.165, 1.82 iters/s
step 17125, batch loss 1.187, 1.83 iters/s
step 17126, batch loss 0.657, 1.82 iters/s
step 17127, batch loss 1.831, 1.82 iters/s
step 17128, batch loss 1.784, 1.82 iters/s
step 17129, batch loss 1.93, 1.82 iters/s
step 17130, batch loss 1.943, 1.82 iters/s
step 17131, batch loss 2.44, 1.86 iters/s
step 17132, batch loss 2.388, 1.84 iters/s
step 17133, batch loss 2.003, 1.83 iters/s
step 17134, batch loss 1.71, 1.83 iters/s
step 17135, batch loss 1.639, 1.83 iters/s
step 17136, batch loss 1.653, 1.82 iters/s
step 17137, batch loss 1.45, 1.83 iters/s
step 17138, batch loss 1.638, 1.84 iters/s
step 17139, batch loss 1.757, 1.83 iters/s
step 17140, batch loss 0.973, 1.84 iters/s
step 17141, batch loss 1.316, 1.82 iters/s
step 17142, batch loss 1.476, 1.83 iters/s
step 17143, batch loss 1.684, 1.85 iters/s
step 17144, batch loss 1.145, 1.82 iters/s
step 17145, batch loss 2.0, 1.82 iters/s
step 17146, batch loss 1.351, 1.82 iters/s
step 17147, batch loss 2.053, 1.82 iters/s
step 17148, batch loss 1.699, 1.83 iters/s
step 17149, batch loss 1.206, 1.82 iters/s
step 17150, batch loss 1.457, 1.82 iters/s
step 17151, batch loss 1.881, 1.83 iters/s
step 17152, batch loss 2.056, 1.82 iters/s
step 17153, batch loss 1.414, 1.83 iters/s
step 17154, batch loss 1.277, 1.83 iters/s

step 17155, batch loss 1.394, 1.83 iters/s
step 17156, batch loss 1.48, 1.82 iters/s
step 17157, batch loss 1.85, 1.83 iters/s
step 17158, batch loss 1.21, 1.82 iters/s
step 17159, batch loss 2.143, 1.83 iters/s
step 17160, batch loss 2.214, 1.83 iters/s
step 17161, batch loss 0.987, 1.84 iters/s
step 17162, batch loss 1.744, 1.83 iters/s
step 17163, batch loss 1.079, 1.84 iters/s
step 17164, batch loss 1.453, 1.84 iters/s
step 17165, batch loss 1.853, 1.83 iters/s
step 17166, batch loss 1.147, 1.82 iters/s
step 17167, batch loss 1.469, 1.83 iters/s
step 17168, batch loss 2.026, 1.83 iters/s
step 17169, batch loss 1.842, 1.83 iters/s
step 17170, batch loss 1.718, 1.83 iters/s
step 17171, batch loss 1.46, 1.83 iters/s
step 17172, batch loss 1.34, 1.84 iters/s
step 17173, batch loss 1.561, 1.83 iters/s
step 17174, batch loss 1.727, 1.83 iters/s
step 17175, batch loss 1.326, 1.84 iters/s
step 17176, batch loss 1.499, 1.83 iters/s
step 17177, batch loss 1.528, 1.82 iters/s
step 17178, batch loss 1.159, 1.84 iters/s
step 17179, batch loss 1.444, 1.82 iters/s
step 17180, batch loss 1.627, 1.83 iters/s
step 17181, batch loss 1.634, 1.82 iters/s
step 17182, batch loss 1.195, 1.83 iters/s
step 17183, batch loss 1.325, 1.82 iters/s
step 17184, batch loss 1.581, 1.82 iters/s
step 17185, batch loss 1.353, 1.83 iters/s
step 17186, batch loss 1.142, 1.83 iters/s
step 17187, batch loss 1.641, 1.85 iters/s
step 17188, batch loss 1.737, 1.84 iters/s
step 17189, batch loss 2.011, 1.83 iters/s
step 17190, batch loss 1.577, 1.84 iters/s
step 17191, batch loss 1.54, 1.83 iters/s
step 17192, batch loss 1.786, 1.83 iters/s
step 17193, batch loss 2.088, 1.83 iters/s
step 17194, batch loss 1.442, 1.83 iters/s
step 17195, batch loss 1.166, 1.82 iters/s
step 17196, batch loss 1.933, 1.83 iters/s
step 17197, batch loss 1.385, 1.84 iters/s
step 17198, batch loss 1.591, 1.82 iters/s
step 17199, batch loss 1.395, 1.83 iters/s
step 17200, batch loss 1.914, 1.83 iters/s
step 17201, batch loss 2.143, 1.83 iters/s
step 17202, batch loss 1.908, 1.83 iters/s

step 17203, batch loss 1.588, 1.84 iters/s
step 17204, batch loss 1.791, 1.83 iters/s
step 17205, batch loss 1.499, 1.83 iters/s
step 17206, batch loss 0.99, 1.83 iters/s
step 17207, batch loss 0.875, 1.83 iters/s
step 17208, batch loss 1.099, 1.83 iters/s
step 17209, batch loss 2.151, 1.84 iters/s
step 17210, batch loss 1.312, 1.83 iters/s
step 17211, batch loss 1.668, 1.82 iters/s
step 17212, batch loss 1.562, 1.85 iters/s
step 17213, batch loss 1.693, 1.83 iters/s
step 17214, batch loss 1.277, 1.85 iters/s
step 17215, batch loss 1.941, 1.83 iters/s
step 17216, batch loss 2.199, 1.82 iters/s
step 17217, batch loss 1.675, 1.83 iters/s
step 17218, batch loss 2.18, 1.83 iters/s
step 17219, batch loss 1.746, 1.83 iters/s
step 17220, batch loss 1.64, 1.84 iters/s
step 17221, batch loss 1.901, 1.85 iters/s
step 17222, batch loss 1.517, 1.84 iters/s
step 17223, batch loss 2.487, 1.84 iters/s
step 17224, batch loss 1.76, 1.84 iters/s
step 17225, batch loss 1.53, 1.83 iters/s
step 17226, batch loss 1.258, 1.84 iters/s
step 17227, batch loss 2.228, 1.83 iters/s
step 17228, batch loss 1.425, 1.83 iters/s
step 17229, batch loss 1.5, 1.84 iters/s
step 17230, batch loss 1.569, 1.83 iters/s
step 17231, batch loss 1.345, 1.85 iters/s
step 17232, batch loss 1.403, 1.83 iters/s
step 17233, batch loss 1.261, 1.85 iters/s
step 17234, batch loss 2.604, 1.83 iters/s
step 17235, batch loss 1.838, 1.84 iters/s
step 17236, batch loss 1.795, 1.83 iters/s
step 17237, batch loss 1.766, 1.83 iters/s
step 17238, batch loss 1.084, 1.83 iters/s
step 17239, batch loss 1.842, 1.83 iters/s
step 17240, batch loss 1.42, 1.83 iters/s
step 17241, batch loss 1.234, 1.82 iters/s
step 17242, batch loss 1.282, 1.83 iters/s
step 17243, batch loss 1.901, 1.83 iters/s
step 17244, batch loss 2.071, 1.83 iters/s
step 17245, batch loss 1.698, 1.83 iters/s
step 17246, batch loss 1.427, 1.83 iters/s
step 17247, batch loss 1.801, 1.85 iters/s
step 17248, batch loss 1.045, 1.83 iters/s
step 17249, batch loss 2.281, 1.85 iters/s
step 17250, batch loss 1.995, 1.83 iters/s

step 17251, batch loss 1.92, 1.84 iters/s
step 17252, batch loss 1.433, 1.83 iters/s
step 17253, batch loss 1.715, 1.83 iters/s
step 17254, batch loss 1.344, 1.83 iters/s
step 17255, batch loss 2.075, 1.84 iters/s
step 17256, batch loss 1.697, 1.84 iters/s
step 17257, batch loss 1.156, 1.86 iters/s
step 17258, batch loss 2.752, 1.83 iters/s
step 17259, batch loss 1.383, 1.83 iters/s
step 17260, batch loss 1.629, 1.83 iters/s
step 17261, batch loss 1.799, 1.83 iters/s
step 17262, batch loss 1.53, 1.86 iters/s
step 17263, batch loss 1.719, 1.84 iters/s
step 17264, batch loss 1.292, 1.84 iters/s
step 17265, batch loss 1.68, 1.83 iters/s
step 17266, batch loss 1.342, 1.85 iters/s
step 17267, batch loss 1.635, 1.83 iters/s
step 17268, batch loss 1.91, 1.83 iters/s
step 17269, batch loss 1.564, 1.83 iters/s
step 17270, batch loss 1.611, 1.83 iters/s
step 17271, batch loss 1.53, 1.83 iters/s
step 17272, batch loss 1.345, 1.84 iters/s
step 17273, batch loss 1.537, 1.84 iters/s
step 17274, batch loss 1.379, 1.83 iters/s
step 17275, batch loss 1.22, 1.85 iters/s
step 17276, batch loss 1.846, 1.84 iters/s
step 17277, batch loss 1.8, 1.85 iters/s
step 17278, batch loss 1.679, 1.83 iters/s
step 17279, batch loss 1.523, 1.83 iters/s
step 17280, batch loss 1.49, 1.84 iters/s
step 17281, batch loss 1.395, 1.83 iters/s
step 17282, batch loss 1.632, 1.85 iters/s
step 17283, batch loss 1.583, 1.84 iters/s
step 17284, batch loss 1.228, 1.84 iters/s
step 17285, batch loss 2.154, 1.83 iters/s
step 17286, batch loss 1.453, 1.83 iters/s
step 17287, batch loss 1.396, 1.84 iters/s
step 17288, batch loss 0.696, 1.84 iters/s
step 17289, batch loss 1.728, 1.83 iters/s
step 17290, batch loss 1.998, 1.83 iters/s
step 17291, batch loss 0.769, 1.83 iters/s
step 17292, batch loss 1.564, 1.83 iters/s
step 17293, batch loss 2.347, 1.82 iters/s
step 17294, batch loss 1.421, 1.84 iters/s
step 17295, batch loss 1.774, 1.83 iters/s
step 17296, batch loss 1.755, 1.83 iters/s
step 17297, batch loss 1.36, 1.84 iters/s
step 17298, batch loss 1.414, 1.83 iters/s

step 17299, batch loss 1.504, 1.82 iters/s
step 17300, batch loss 1.659, 1.83 iters/s
step 17301, batch loss 1.666, 1.83 iters/s
step 17302, batch loss 1.176, 1.83 iters/s
step 17303, batch loss 1.646, 1.85 iters/s
step 17304, batch loss 1.032, 1.83 iters/s
step 17305, batch loss 1.652, 1.82 iters/s
step 17306, batch loss 1.797, 1.83 iters/s
step 17307, batch loss 1.343, 1.83 iters/s
step 17308, batch loss 2.109, 1.83 iters/s
step 17309, batch loss 2.091, 1.84 iters/s
step 17310, batch loss 1.862, 1.84 iters/s
step 17311, batch loss 1.292, 1.83 iters/s
step 17312, batch loss 1.776, 1.83 iters/s
step 17313, batch loss 1.621, 1.84 iters/s
step 17314, batch loss 2.356, 1.83 iters/s
step 17315, batch loss 1.06, 1.86 iters/s
step 17316, batch loss 1.573, 1.84 iters/s
step 17317, batch loss 1.932, 1.84 iters/s
step 17318, batch loss 1.383, 1.85 iters/s
step 17319, batch loss 1.773, 1.84 iters/s
step 17320, batch loss 1.949, 1.83 iters/s
step 17321, batch loss 1.247, 1.85 iters/s
step 17322, batch loss 2.087, 1.83 iters/s
step 17323, batch loss 2.108, 1.83 iters/s
step 17324, batch loss 1.929, 1.83 iters/s
step 17325, batch loss 1.359, 1.83 iters/s
step 17326, batch loss 1.87, 1.84 iters/s
step 17327, batch loss 1.289, 1.83 iters/s
step 17328, batch loss 2.398, 1.84 iters/s
step 17329, batch loss 1.695, 1.85 iters/s
step 17330, batch loss 2.371, 1.83 iters/s
step 17331, batch loss 1.958, 1.84 iters/s
step 17332, batch loss 1.538, 1.83 iters/s
step 17333, batch loss 1.569, 1.84 iters/s
step 17334, batch loss 1.621, 1.83 iters/s
step 17335, batch loss 2.526, 1.83 iters/s
step 17336, batch loss 1.761, 1.83 iters/s
step 17337, batch loss 1.539, 1.83 iters/s
step 17338, batch loss 0.641, 1.85 iters/s
step 17339, batch loss 1.584, 1.84 iters/s
step 17340, batch loss 1.54, 1.83 iters/s
step 17341, batch loss 1.017, 1.83 iters/s
step 17342, batch loss 2.013, 1.83 iters/s
step 17343, batch loss 1.366, 1.83 iters/s
step 17344, batch loss 2.141, 1.83 iters/s
step 17345, batch loss 1.524, 1.84 iters/s
step 17346, batch loss 1.857, 1.84 iters/s

step 17347, batch loss 1.703, 1.84 iters/s
step 17348, batch loss 1.755, 1.82 iters/s
step 17349, batch loss 1.543, 1.84 iters/s
step 17350, batch loss 1.542, 1.84 iters/s
step 17351, batch loss 1.281, 1.83 iters/s
step 17352, batch loss 1.076, 1.83 iters/s
step 17353, batch loss 1.774, 1.84 iters/s
step 17354, batch loss 1.45, 1.83 iters/s
step 17355, batch loss 1.323, 1.82 iters/s
step 17356, batch loss 2.419, 1.82 iters/s
step 17357, batch loss 1.128, 1.83 iters/s
step 17358, batch loss 2.25, 1.83 iters/s
step 17359, batch loss 1.553, 1.84 iters/s
step 17360, batch loss 1.182, 1.83 iters/s
step 17361, batch loss 2.353, 1.83 iters/s
step 17362, batch loss 1.747, 1.83 iters/s
step 17363, batch loss 1.201, 1.85 iters/s
step 17364, batch loss 1.694, 1.84 iters/s
step 17365, batch loss 1.853, 1.83 iters/s
step 17366, batch loss 1.597, 1.84 iters/s
step 17367, batch loss 1.004, 1.84 iters/s
step 17368, batch loss 3.179, 1.84 iters/s
step 17369, batch loss 2.268, 1.85 iters/s
step 17370, batch loss 1.164, 1.83 iters/s
step 17371, batch loss 1.34, 1.85 iters/s
step 17372, batch loss 1.458, 1.85 iters/s
step 17373, batch loss 1.385, 1.83 iters/s
step 17374, batch loss 2.006, 1.83 iters/s
step 17375, batch loss 1.725, 1.85 iters/s
step 17376, batch loss 2.046, 1.83 iters/s
step 17377, batch loss 1.785, 1.84 iters/s
step 17378, batch loss 1.574, 1.83 iters/s
step 17379, batch loss 2.77, 1.83 iters/s
step 17380, batch loss 1.79, 1.83 iters/s
step 17381, batch loss 1.665, 1.84 iters/s
step 17382, batch loss 1.725, 1.83 iters/s
step 17383, batch loss 1.921, 1.83 iters/s
step 17384, batch loss 1.4, 1.83 iters/s
step 17385, batch loss 1.582, 1.83 iters/s
step 17386, batch loss 1.588, 1.83 iters/s
step 17387, batch loss 1.903, 1.83 iters/s
step 17388, batch loss 1.806, 1.83 iters/s
step 17389, batch loss 1.893, 1.82 iters/s
step 17390, batch loss 1.597, 1.83 iters/s
step 17391, batch loss 1.686, 1.83 iters/s
step 17392, batch loss 1.496, 1.84 iters/s
step 17393, batch loss 1.171, 1.85 iters/s
step 17394, batch loss 1.25, 1.84 iters/s

step 17395, batch loss 1.741, 1.83 iters/s
step 17396, batch loss 0.69, 1.82 iters/s
step 17397, batch loss 1.668, 1.82 iters/s
step 17398, batch loss 1.995, 1.83 iters/s
step 17399, batch loss 1.366, 1.83 iters/s
step 17400, batch loss 1.142, 1.83 iters/s
step 17401, batch loss 1.312, 1.83 iters/s
step 17402, batch loss 1.884, 1.83 iters/s
step 17403, batch loss 0.609, 1.84 iters/s
step 17404, batch loss 1.774, 1.83 iters/s
step 17405, batch loss 1.987, 1.83 iters/s
step 17406, batch loss 1.869, 1.84 iters/s
step 17407, batch loss 1.193, 1.84 iters/s
step 17408, batch loss 2.293, 1.82 iters/s
step 17409, batch loss 1.686, 1.84 iters/s
step 17410, batch loss 1.425, 1.83 iters/s
step 17411, batch loss 2.147, 1.83 iters/s
step 17412, batch loss 1.504, 1.83 iters/s
step 17413, batch loss 2.168, 1.84 iters/s
step 17414, batch loss 1.396, 1.84 iters/s
step 17415, batch loss 1.835, 1.83 iters/s
step 17416, batch loss 1.854, 1.83 iters/s
step 17417, batch loss 1.05, 1.83 iters/s
step 17418, batch loss 1.395, 1.83 iters/s
step 17419, batch loss 1.825, 1.83 iters/s
step 17420, batch loss 1.418, 1.83 iters/s
step 17421, batch loss 1.619, 1.84 iters/s
step 17422, batch loss 1.709, 1.83 iters/s
step 17423, batch loss 1.276, 1.85 iters/s
step 17424, batch loss 2.032, 1.83 iters/s
step 17425, batch loss 1.969, 1.83 iters/s
step 17426, batch loss 2.144, 1.83 iters/s
step 17427, batch loss 1.88, 1.85 iters/s
step 17428, batch loss 1.443, 1.84 iters/s
step 17429, batch loss 1.151, 1.84 iters/s
step 17430, batch loss 1.77, 1.83 iters/s
step 17431, batch loss 1.496, 1.84 iters/s
step 17432, batch loss 1.924, 1.83 iters/s
step 17433, batch loss 1.805, 1.84 iters/s
step 17434, batch loss 2.284, 1.84 iters/s
step 17435, batch loss 1.752, 1.83 iters/s
step 17436, batch loss 1.844, 1.83 iters/s
step 17437, batch loss 0.858, 1.84 iters/s
step 17438, batch loss 1.371, 1.84 iters/s
step 17439, batch loss 1.954, 1.84 iters/s
step 17440, batch loss 2.005, 1.84 iters/s
step 17441, batch loss 0.951, 1.83 iters/s
step 17442, batch loss 2.093, 1.84 iters/s

step 17443, batch loss 1.412, 1.83 iters/s
step 17444, batch loss 1.055, 1.83 iters/s
step 17445, batch loss 1.929, 1.84 iters/s
step 17446, batch loss 1.675, 1.83 iters/s
step 17447, batch loss 1.841, 1.83 iters/s
step 17448, batch loss 1.149, 1.84 iters/s
step 17449, batch loss 1.458, 1.86 iters/s
step 17450, batch loss 1.725, 1.83 iters/s
step 17451, batch loss 1.226, 1.82 iters/s
step 17452, batch loss 1.916, 1.82 iters/s
step 17453, batch loss 0.934, 1.83 iters/s
step 17454, batch loss 1.436, 1.83 iters/s
step 17455, batch loss 1.234, 1.84 iters/s
step 17456, batch loss 1.166, 1.83 iters/s
step 17457, batch loss 1.712, 1.83 iters/s
step 17458, batch loss 1.769, 1.83 iters/s
step 17459, batch loss 1.462, 1.83 iters/s
step 17460, batch loss 1.822, 1.83 iters/s
step 17461, batch loss 1.855, 1.83 iters/s
step 17462, batch loss 1.966, 1.84 iters/s
step 17463, batch loss 2.335, 1.84 iters/s
step 17464, batch loss 1.663, 1.85 iters/s
step 17465, batch loss 1.237, 1.83 iters/s
step 17466, batch loss 1.523, 1.84 iters/s
step 17467, batch loss 1.484, 1.84 iters/s
step 17468, batch loss 1.757, 1.84 iters/s
step 17469, batch loss 2.045, 1.83 iters/s
step 17470, batch loss 1.714, 1.82 iters/s
step 17471, batch loss 1.678, 1.84 iters/s
step 17472, batch loss 0.733, 1.84 iters/s
step 17473, batch loss 1.447, 1.84 iters/s
step 17474, batch loss 1.275, 1.83 iters/s
step 17475, batch loss 2.059, 1.83 iters/s
step 17476, batch loss 1.62, 1.85 iters/s
step 17477, batch loss 1.803, 1.84 iters/s
step 17478, batch loss 1.194, 1.84 iters/s
step 17479, batch loss 1.661, 1.84 iters/s
step 17480, batch loss 1.942, 1.83 iters/s
step 17481, batch loss 1.806, 1.84 iters/s
step 17482, batch loss 1.503, 1.84 iters/s
step 17483, batch loss 1.983, 1.83 iters/s
step 17484, batch loss 1.79, 1.84 iters/s
step 17485, batch loss 1.869, 1.83 iters/s
step 17486, batch loss 1.708, 1.83 iters/s
step 17487, batch loss 1.551, 1.83 iters/s
step 17488, batch loss 0.842, 1.85 iters/s
step 17489, batch loss 2.693, 1.84 iters/s
step 17490, batch loss 1.675, 1.85 iters/s

step 17491, batch loss 2.167, 1.83 iters/s
step 17492, batch loss 1.917, 1.83 iters/s
step 17493, batch loss 1.67, 1.84 iters/s
step 17494, batch loss 1.788, 1.83 iters/s
step 17495, batch loss 2.129, 1.84 iters/s
step 17496, batch loss 1.621, 1.83 iters/s
step 17497, batch loss 1.593, 1.83 iters/s
step 17498, batch loss 1.437, 1.85 iters/s
step 17499, batch loss 1.365, 1.83 iters/s
step 17500, batch loss 1.663, 1.84 iters/s
step 17501, batch loss 1.606, 1.83 iters/s
step 17502, batch loss 1.607, 1.85 iters/s
step 17503, batch loss 1.677, 1.83 iters/s
step 17504, batch loss 1.092, 1.84 iters/s
step 17505, batch loss 1.363, 1.85 iters/s
step 17506, batch loss 1.322, 1.84 iters/s
step 17507, batch loss 2.209, 1.83 iters/s
step 17508, batch loss 1.66, 1.83 iters/s
step 17509, batch loss 1.943, 1.83 iters/s
step 17510, batch loss 1.543, 1.82 iters/s
step 17511, batch loss 1.172, 1.85 iters/s
step 17512, batch loss 1.468, 1.83 iters/s
step 17513, batch loss 1.761, 1.83 iters/s
step 17514, batch loss 1.943, 1.83 iters/s
step 17515, batch loss 1.889, 1.84 iters/s
step 17516, batch loss 1.006, 1.83 iters/s
step 17517, batch loss 1.486, 1.84 iters/s
step 17518, batch loss 1.1, 1.84 iters/s
step 17519, batch loss 1.717, 1.84 iters/s
step 17520, batch loss 2.202, 1.83 iters/s
step 17521, batch loss 1.783, 1.84 iters/s
step 17522, batch loss 2.022, 1.84 iters/s
step 17523, batch loss 0.902, 1.83 iters/s
step 17524, batch loss 2.078, 1.84 iters/s
step 17525, batch loss 1.844, 1.84 iters/s
step 17526, batch loss 1.15, 1.84 iters/s
step 17527, batch loss 1.441, 1.84 iters/s
step 17528, batch loss 1.501, 1.83 iters/s
step 17529, batch loss 1.839, 1.84 iters/s
step 17530, batch loss 1.07, 1.83 iters/s
step 17531, batch loss 1.163, 1.83 iters/s
step 17532, batch loss 1.035, 1.87 iters/s
step 17533, batch loss 1.791, 1.83 iters/s
step 17534, batch loss 1.684, 1.83 iters/s
step 17535, batch loss 1.633, 1.84 iters/s
step 17536, batch loss 1.214, 1.83 iters/s
step 17537, batch loss 1.068, 1.85 iters/s
step 17538, batch loss 1.439, 1.85 iters/s

step 17539, batch loss 1.401, 1.86 iters/s
step 17540, batch loss 1.592, 1.83 iters/s
step 17541, batch loss 1.193, 1.83 iters/s
step 17542, batch loss 2.374, 1.84 iters/s
step 17543, batch loss 1.53, 1.84 iters/s
step 17544, batch loss 1.348, 1.84 iters/s
step 17545, batch loss 2.299, 1.83 iters/s
step 17546, batch loss 1.637, 1.83 iters/s
step 17547, batch loss 2.284, 1.83 iters/s
step 17548, batch loss 2.084, 1.84 iters/s
step 17549, batch loss 2.402, 1.83 iters/s
step 17550, batch loss 1.562, 1.83 iters/s
step 17551, batch loss 1.626, 1.83 iters/s
step 17552, batch loss 0.706, 1.83 iters/s
step 17553, batch loss 1.384, 1.84 iters/s
step 17554, batch loss 1.942, 1.84 iters/s
step 17555, batch loss 1.377, 1.83 iters/s
step 17556, batch loss 1.716, 1.85 iters/s
step 17557, batch loss 1.911, 1.84 iters/s
step 17558, batch loss 1.921, 1.84 iters/s
step 17559, batch loss 1.635, 1.83 iters/s
step 17560, batch loss 1.447, 1.83 iters/s
step 17561, batch loss 2.075, 1.83 iters/s
step 17562, batch loss 2.015, 1.82 iters/s
step 17563, batch loss 1.984, 1.83 iters/s
step 17564, batch loss 1.205, 1.83 iters/s
step 17565, batch loss 1.974, 1.83 iters/s
step 17566, batch loss 1.329, 1.84 iters/s
step 17567, batch loss 2.087, 1.84 iters/s
step 17568, batch loss 0.756, 1.84 iters/s
step 17569, batch loss 1.307, 1.84 iters/s
step 17570, batch loss 1.433, 1.83 iters/s
step 17571, batch loss 1.523, 1.83 iters/s
step 17572, batch loss 1.765, 1.83 iters/s
step 17573, batch loss 1.473, 1.84 iters/s
step 17574, batch loss 1.668, 1.84 iters/s
step 17575, batch loss 1.68, 1.84 iters/s
step 17576, batch loss 1.846, 1.84 iters/s
step 17577, batch loss 1.306, 1.82 iters/s
step 17578, batch loss 1.633, 1.84 iters/s
step 17579, batch loss 1.848, 1.83 iters/s
step 17580, batch loss 1.958, 1.84 iters/s
step 17581, batch loss 1.434, 1.84 iters/s
step 17582, batch loss 1.878, 1.84 iters/s
step 17583, batch loss 1.065, 1.84 iters/s
step 17584, batch loss 1.828, 1.83 iters/s
step 17585, batch loss 1.35, 1.84 iters/s
step 17586, batch loss 1.513, 1.84 iters/s

step 17587, batch loss 1.913, 1.84 iters/s
step 17588, batch loss 2.51, 1.82 iters/s
step 17589, batch loss 2.243, 1.85 iters/s
step 17590, batch loss 1.587, 1.84 iters/s
step 17591, batch loss 1.672, 1.84 iters/s
step 17592, batch loss 1.888, 1.84 iters/s
step 17593, batch loss 1.658, 1.83 iters/s
step 17594, batch loss 1.554, 1.84 iters/s
step 17595, batch loss 1.886, 1.84 iters/s
step 17596, batch loss 1.472, 1.85 iters/s
step 17597, batch loss 0.881, 1.83 iters/s
step 17598, batch loss 1.698, 1.83 iters/s
step 17599, batch loss 2.102, 1.83 iters/s
step 17600, batch loss 1.876, 1.83 iters/s
step 17601, batch loss 1.23, 1.83 iters/s
step 17602, batch loss 1.645, 1.83 iters/s
step 17603, batch loss 2.037, 1.83 iters/s
step 17604, batch loss 1.568, 1.84 iters/s
step 17605, batch loss 1.757, 1.84 iters/s
step 17606, batch loss 1.315, 1.82 iters/s
step 17607, batch loss 1.767, 1.84 iters/s
step 17608, batch loss 1.998, 1.84 iters/s
step 17609, batch loss 1.261, 1.82 iters/s
step 17610, batch loss 1.338, 1.83 iters/s
step 17611, batch loss 2.296, 1.85 iters/s
step 17612, batch loss 2.19, 1.84 iters/s
step 17613, batch loss 1.989, 1.83 iters/s
step 17614, batch loss 2.319, 1.85 iters/s
step 17615, batch loss 1.789, 1.83 iters/s
step 17616, batch loss 1.329, 1.84 iters/s
step 17617, batch loss 1.509, 1.84 iters/s
step 17618, batch loss 1.856, 1.83 iters/s
step 17619, batch loss 1.619, 1.84 iters/s
step 17620, batch loss 2.418, 1.83 iters/s
step 17621, batch loss 2.123, 1.83 iters/s
step 17622, batch loss 1.693, 1.83 iters/s
step 17623, batch loss 1.328, 1.86 iters/s
step 17624, batch loss 1.699, 1.84 iters/s
step 17625, batch loss 1.276, 1.85 iters/s
step 17626, batch loss 1.943, 1.85 iters/s
step 17627, batch loss 1.632, 1.84 iters/s
step 17628, batch loss 2.094, 1.83 iters/s
step 17629, batch loss 0.873, 1.84 iters/s
step 17630, batch loss 2.388, 1.83 iters/s
step 17631, batch loss 0.676, 1.84 iters/s
step 17632, batch loss 1.506, 1.83 iters/s
step 17633, batch loss 1.627, 1.83 iters/s
step 17634, batch loss 1.247, 1.84 iters/s

step 17635, batch loss 1.143, 1.83 iters/s
step 17636, batch loss 1.205, 1.84 iters/s
step 17637, batch loss 2.046, 1.83 iters/s
step 17638, batch loss 1.778, 1.84 iters/s
step 17639, batch loss 1.292, 1.83 iters/s
step 17640, batch loss 1.643, 1.83 iters/s
step 17641, batch loss 1.452, 1.83 iters/s
step 17642, batch loss 1.529, 1.83 iters/s
step 17643, batch loss 1.508, 1.85 iters/s
step 17644, batch loss 1.983, 1.83 iters/s
step 17645, batch loss 1.874, 1.83 iters/s
step 17646, batch loss 1.154, 1.82 iters/s
step 17647, batch loss 1.681, 1.83 iters/s
step 17648, batch loss 0.856, 1.84 iters/s
step 17649, batch loss 1.599, 1.83 iters/s
step 17650, batch loss 1.28, 1.83 iters/s
step 17651, batch loss 2.088, 1.83 iters/s
step 17652, batch loss 1.796, 1.83 iters/s
step 17653, batch loss 1.582, 1.83 iters/s
step 17654, batch loss 0.891, 1.83 iters/s
step 17655, batch loss 2.064, 1.84 iters/s
step 17656, batch loss 1.703, 1.83 iters/s
step 17657, batch loss 1.827, 1.84 iters/s
step 17658, batch loss 1.721, 1.84 iters/s
step 17659, batch loss 1.731, 1.84 iters/s
step 17660, batch loss 1.666, 1.83 iters/s
step 17661, batch loss 1.454, 1.82 iters/s
step 17662, batch loss 1.867, 1.84 iters/s
step 17663, batch loss 1.88, 1.83 iters/s
step 17664, batch loss 1.128, 1.83 iters/s
step 17665, batch loss 1.806, 1.84 iters/s
step 17666, batch loss 1.482, 1.84 iters/s
step 17667, batch loss 1.24, 1.83 iters/s
step 17668, batch loss 2.063, 1.86 iters/s
step 17669, batch loss 1.413, 1.83 iters/s
step 17670, batch loss 1.436, 1.84 iters/s
step 17671, batch loss 1.667, 1.84 iters/s
step 17672, batch loss 2.488, 1.85 iters/s
step 17673, batch loss 1.767, 1.83 iters/s
step 17674, batch loss 2.359, 1.86 iters/s
step 17675, batch loss 0.899, 1.84 iters/s
step 17676, batch loss 1.138, 1.83 iters/s
step 17677, batch loss 1.416, 1.82 iters/s
step 17678, batch loss 0.69, 1.85 iters/s
step 17679, batch loss 1.435, 1.86 iters/s
step 17680, batch loss 1.743, 1.83 iters/s
step 17681, batch loss 1.26, 1.83 iters/s
step 17682, batch loss 1.781, 1.83 iters/s

step 17683, batch loss 0.691, 1.84 iters/s
step 17684, batch loss 1.845, 1.84 iters/s
step 17685, batch loss 1.892, 1.83 iters/s
step 17686, batch loss 1.88, 1.84 iters/s
step 17687, batch loss 1.259, 1.83 iters/s
step 17688, batch loss 1.786, 1.83 iters/s
step 17689, batch loss 2.188, 1.83 iters/s
step 17690, batch loss 1.368, 1.85 iters/s
step 17691, batch loss 2.037, 1.83 iters/s
step 17692, batch loss 1.594, 1.83 iters/s
step 17693, batch loss 1.68, 1.84 iters/s
step 17694, batch loss 1.189, 1.82 iters/s
step 17695, batch loss 1.79, 1.83 iters/s
step 17696, batch loss 0.732, 1.83 iters/s
step 17697, batch loss 1.74, 1.84 iters/s
step 17698, batch loss 1.354, 1.84 iters/s
step 17699, batch loss 1.678, 1.84 iters/s
step 17700, batch loss 1.218, 1.83 iters/s
step 17701, batch loss 2.182, 1.83 iters/s
step 17702, batch loss 1.927, 1.85 iters/s
step 17703, batch loss 1.003, 1.85 iters/s
step 17704, batch loss 1.62, 1.83 iters/s
step 17705, batch loss 1.892, 1.84 iters/s
step 17706, batch loss 0.973, 1.83 iters/s
step 17707, batch loss 1.793, 1.83 iters/s
step 17708, batch loss 1.312, 1.84 iters/s
step 17709, batch loss 1.732, 1.85 iters/s
step 17710, batch loss 2.0, 1.84 iters/s
step 17711, batch loss 1.897, 1.84 iters/s
step 17712, batch loss 2.0, 1.84 iters/s
step 17713, batch loss 1.503, 1.84 iters/s
step 17714, batch loss 1.384, 1.83 iters/s
step 17715, batch loss 1.214, 1.83 iters/s
step 17716, batch loss 1.113, 1.84 iters/s
step 17717, batch loss 1.5, 1.83 iters/s
step 17718, batch loss 1.443, 1.84 iters/s
step 17719, batch loss 2.114, 1.83 iters/s
step 17720, batch loss 1.028, 1.85 iters/s
step 17721, batch loss 1.245, 1.84 iters/s
step 17722, batch loss 2.182, 1.84 iters/s
step 17723, batch loss 1.664, 1.83 iters/s
step 17724, batch loss 1.494, 1.84 iters/s
step 17725, batch loss 1.829, 1.86 iters/s
step 17726, batch loss 1.871, 1.84 iters/s
step 17727, batch loss 1.309, 1.83 iters/s
step 17728, batch loss 1.389, 1.83 iters/s
step 17729, batch loss 0.591, 1.84 iters/s
step 17730, batch loss 1.95, 1.85 iters/s

step 17731, batch loss 1.215, 1.84 iters/s
step 17732, batch loss 1.829, 1.84 iters/s
step 17733, batch loss 0.855, 1.84 iters/s
step 17734, batch loss 1.564, 1.85 iters/s
step 17735, batch loss 2.597, 1.84 iters/s
step 17736, batch loss 1.782, 1.84 iters/s
step 17737, batch loss 1.43, 1.83 iters/s
step 17738, batch loss 0.905, 1.84 iters/s
step 17739, batch loss 2.097, 1.84 iters/s
step 17740, batch loss 1.993, 1.84 iters/s
step 17741, batch loss 1.365, 1.83 iters/s
step 17742, batch loss 1.873, 1.83 iters/s
step 17743, batch loss 1.282, 1.83 iters/s
step 17744, batch loss 1.072, 1.85 iters/s
step 17745, batch loss 2.676, 1.84 iters/s
step 17746, batch loss 1.403, 1.83 iters/s
step 17747, batch loss 0.676, 1.86 iters/s
step 17748, batch loss 2.076, 1.83 iters/s
step 17749, batch loss 1.611, 1.83 iters/s
step 17750, batch loss 1.834, 1.84 iters/s
step 17751, batch loss 1.764, 1.84 iters/s
step 17752, batch loss 1.936, 1.83 iters/s
step 17753, batch loss 1.724, 1.83 iters/s
step 17754, batch loss 1.611, 1.86 iters/s
step 17755, batch loss 2.276, 1.84 iters/s
step 17756, batch loss 1.693, 1.85 iters/s
step 17757, batch loss 1.196, 1.84 iters/s
step 17758, batch loss 2.316, 1.84 iters/s
step 17759, batch loss 1.541, 1.84 iters/s
step 17760, batch loss 1.668, 1.84 iters/s
step 17761, batch loss 1.416, 1.84 iters/s
step 17762, batch loss 1.912, 1.85 iters/s
step 17763, batch loss 1.815, 1.84 iters/s
step 17764, batch loss 1.778, 1.84 iters/s
step 17765, batch loss 1.887, 1.83 iters/s
step 17766, batch loss 1.167, 1.83 iters/s
step 17767, batch loss 1.942, 1.83 iters/s
step 17768, batch loss 2.064, 1.84 iters/s
step 17769, batch loss 1.099, 1.84 iters/s
step 17770, batch loss 1.845, 1.84 iters/s
step 17771, batch loss 1.487, 1.83 iters/s
step 17772, batch loss 1.701, 1.84 iters/s
step 17773, batch loss 1.77, 1.84 iters/s
step 17774, batch loss 1.158, 1.84 iters/s
step 17775, batch loss 2.017, 1.84 iters/s
step 17776, batch loss 1.797, 1.84 iters/s
step 17777, batch loss 1.413, 1.86 iters/s
step 17778, batch loss 1.165, 1.83 iters/s

step 17779, batch loss 1.814, 1.83 iters/s
step 17780, batch loss 1.99, 1.84 iters/s
step 17781, batch loss 1.949, 1.83 iters/s
step 17782, batch loss 1.419, 1.84 iters/s
step 17783, batch loss 1.346, 1.82 iters/s
step 17784, batch loss 0.944, 1.83 iters/s
step 17785, batch loss 1.394, 1.83 iters/s
step 17786, batch loss 1.749, 1.85 iters/s
step 17787, batch loss 1.633, 1.84 iters/s
step 17788, batch loss 1.889, 1.84 iters/s
step 17789, batch loss 1.312, 1.84 iters/s
step 17790, batch loss 1.881, 1.84 iters/s
step 17791, batch loss 1.293, 1.83 iters/s
step 17792, batch loss 1.828, 1.83 iters/s
step 17793, batch loss 1.122, 1.84 iters/s
step 17794, batch loss 0.846, 1.86 iters/s
step 17795, batch loss 1.658, 1.84 iters/s
step 17796, batch loss 1.366, 1.83 iters/s
step 17797, batch loss 2.119, 1.83 iters/s
step 17798, batch loss 0.985, 1.84 iters/s
step 17799, batch loss 1.689, 1.84 iters/s
step 17800, batch loss 1.926, 1.83 iters/s
step 17801, batch loss 1.213, 1.84 iters/s
step 17802, batch loss 2.364, 1.83 iters/s
step 17803, batch loss 1.494, 1.83 iters/s
step 17804, batch loss 1.344, 1.83 iters/s
step 17805, batch loss 1.194, 1.83 iters/s
step 17806, batch loss 1.505, 1.83 iters/s
step 17807, batch loss 1.037, 1.83 iters/s
step 17808, batch loss 1.56, 1.83 iters/s
step 17809, batch loss 0.651, 1.83 iters/s
step 17810, batch loss 1.799, 1.86 iters/s
step 17811, batch loss 2.199, 1.84 iters/s
step 17812, batch loss 1.521, 1.83 iters/s
step 17813, batch loss 2.309, 1.83 iters/s
step 17814, batch loss 1.286, 1.84 iters/s
step 17815, batch loss 1.847, 1.83 iters/s
step 17816, batch loss 1.696, 1.84 iters/s
step 17817, batch loss 1.73, 1.84 iters/s
step 17818, batch loss 1.688, 1.85 iters/s
step 17819, batch loss 1.312, 1.83 iters/s
step 17820, batch loss 1.78, 1.83 iters/s
step 17821, batch loss 1.81, 1.84 iters/s
step 17822, batch loss 1.505, 1.84 iters/s
step 17823, batch loss 2.094, 1.84 iters/s
step 17824, batch loss 1.11, 1.83 iters/s
step 17825, batch loss 1.543, 1.85 iters/s
step 17826, batch loss 0.916, 1.84 iters/s

step 17827, batch loss 1.481, 1.83 iters/s
step 17828, batch loss 1.82, 1.84 iters/s
step 17829, batch loss 0.38, 1.84 iters/s
step 17830, batch loss 2.008, 1.85 iters/s
step 17831, batch loss 1.593, 1.84 iters/s
step 17832, batch loss 1.698, 1.84 iters/s
step 17833, batch loss 2.094, 1.82 iters/s
step 17834, batch loss 1.415, 1.83 iters/s
step 17835, batch loss 2.162, 1.84 iters/s
step 17836, batch loss 2.104, 1.83 iters/s
step 17837, batch loss 2.474, 1.85 iters/s
step 17838, batch loss 1.337, 1.83 iters/s
step 17839, batch loss 2.195, 1.83 iters/s
step 17840, batch loss 1.573, 1.84 iters/s
step 17841, batch loss 1.903, 1.83 iters/s
step 17842, batch loss 2.064, 1.84 iters/s
step 17843, batch loss 1.658, 1.84 iters/s
step 17844, batch loss 1.709, 1.84 iters/s
step 17845, batch loss 1.543, 1.83 iters/s
step 17846, batch loss 1.334, 1.84 iters/s
step 17847, batch loss 1.426, 1.84 iters/s
step 17848, batch loss 1.357, 1.83 iters/s
step 17849, batch loss 1.094, 1.84 iters/s
step 17850, batch loss 1.647, 1.84 iters/s
step 17851, batch loss 1.596, 1.83 iters/s
step 17852, batch loss 1.097, 1.83 iters/s
step 17853, batch loss 1.568, 1.84 iters/s
step 17854, batch loss 1.381, 1.83 iters/s
step 17855, batch loss 1.279, 1.84 iters/s
step 17856, batch loss 1.214, 1.84 iters/s
step 17857, batch loss 1.92, 1.84 iters/s
step 17858, batch loss 1.978, 1.83 iters/s
step 17859, batch loss 1.437, 1.83 iters/s
step 17860, batch loss 1.878, 1.83 iters/s
step 17861, batch loss 0.743, 1.85 iters/s
step 17862, batch loss 1.8, 1.83 iters/s
step 17863, batch loss 1.472, 1.84 iters/s
step 17864, batch loss 1.414, 1.83 iters/s
step 17865, batch loss 0.456, 1.83 iters/s
step 17866, batch loss 1.188, 1.84 iters/s
step 17867, batch loss 2.167, 1.83 iters/s
step 17868, batch loss 0.983, 1.85 iters/s
step 17869, batch loss 1.623, 1.84 iters/s
step 17870, batch loss 2.25, 1.83 iters/s
step 17871, batch loss 1.275, 1.83 iters/s
step 17872, batch loss 1.534, 1.85 iters/s
step 17873, batch loss 2.227, 1.83 iters/s
step 17874, batch loss 1.142, 1.83 iters/s

step 17875, batch loss 1.465, 1.84 iters/s
step 17876, batch loss 1.246, 1.84 iters/s
step 17877, batch loss 2.296, 1.84 iters/s
step 17878, batch loss 1.566, 1.83 iters/s
step 17879, batch loss 1.318, 1.83 iters/s
step 17880, batch loss 1.098, 1.83 iters/s
step 17881, batch loss 1.616, 1.84 iters/s
step 17882, batch loss 1.803, 1.83 iters/s
step 17883, batch loss 1.917, 1.84 iters/s
step 17884, batch loss 1.121, 1.83 iters/s
step 17885, batch loss 1.846, 1.85 iters/s
step 17886, batch loss 0.785, 1.83 iters/s
step 17887, batch loss 1.559, 1.83 iters/s
step 17888, batch loss 1.295, 1.84 iters/s
step 17889, batch loss 1.394, 1.84 iters/s
step 17890, batch loss 1.495, 1.82 iters/s
step 17891, batch loss 2.284, 1.83 iters/s
step 17892, batch loss 1.186, 1.83 iters/s
step 17893, batch loss 1.541, 1.84 iters/s
step 17894, batch loss 1.807, 1.82 iters/s
step 17895, batch loss 1.594, 1.84 iters/s
step 17896, batch loss 1.305, 1.84 iters/s
step 17897, batch loss 1.365, 1.83 iters/s
step 17898, batch loss 1.979, 1.84 iters/s
step 17899, batch loss 1.84, 1.84 iters/s
step 17900, batch loss 1.471, 1.85 iters/s
step 17901, batch loss 1.713, 1.85 iters/s
step 17902, batch loss 1.38, 1.83 iters/s
step 17903, batch loss 2.054, 1.84 iters/s
step 17904, batch loss 1.863, 1.83 iters/s
step 17905, batch loss 1.987, 1.84 iters/s
step 17906, batch loss 1.653, 1.83 iters/s
step 17907, batch loss 1.78, 1.83 iters/s
step 17908, batch loss 2.043, 1.83 iters/s
step 17909, batch loss 1.259, 1.85 iters/s
step 17910, batch loss 1.299, 1.86 iters/s
step 17911, batch loss 1.598, 1.83 iters/s
step 17912, batch loss 1.481, 1.83 iters/s
step 17913, batch loss 2.153, 1.83 iters/s
step 17914, batch loss 1.624, 1.84 iters/s
step 17915, batch loss 2.138, 1.84 iters/s
step 17916, batch loss 1.693, 1.84 iters/s
step 17917, batch loss 1.528, 1.83 iters/s
step 17918, batch loss 2.237, 1.83 iters/s
step 17919, batch loss 1.404, 1.83 iters/s
step 17920, batch loss 0.867, 1.84 iters/s
step 17921, batch loss 1.27, 1.84 iters/s
step 17922, batch loss 1.64, 1.83 iters/s

step 17923, batch loss 2.582, 1.84 iters/s
step 17924, batch loss 1.219, 1.84 iters/s
step 17925, batch loss 1.75, 1.84 iters/s
step 17926, batch loss 2.335, 1.84 iters/s
step 17927, batch loss 1.256, 1.83 iters/s
step 17928, batch loss 2.035, 1.84 iters/s
step 17929, batch loss 1.13, 1.83 iters/s
step 17930, batch loss 1.445, 1.83 iters/s
step 17931, batch loss 1.78, 1.84 iters/s
step 17932, batch loss 0.825, 1.84 iters/s
step 17933, batch loss 2.101, 1.84 iters/s
step 17934, batch loss 0.969, 1.84 iters/s
step 17935, batch loss 1.876, 1.85 iters/s
step 17936, batch loss 0.751, 1.84 iters/s
step 17937, batch loss 1.803, 1.83 iters/s
step 17938, batch loss 1.68, 1.84 iters/s
step 17939, batch loss 1.555, 1.84 iters/s
step 17940, batch loss 1.686, 1.83 iters/s
step 17941, batch loss 1.429, 1.83 iters/s
step 17942, batch loss 1.945, 1.83 iters/s
step 17943, batch loss 2.113, 1.84 iters/s
step 17944, batch loss 1.602, 1.84 iters/s
step 17945, batch loss 1.174, 1.83 iters/s
step 17946, batch loss 1.171, 1.85 iters/s
step 17947, batch loss 2.303, 1.82 iters/s
step 17948, batch loss 1.478, 1.83 iters/s
step 17949, batch loss 1.325, 1.83 iters/s
step 17950, batch loss 2.375, 1.84 iters/s
step 17951, batch loss 1.808, 1.83 iters/s
step 17952, batch loss 2.239, 1.84 iters/s
step 17953, batch loss 1.256, 1.85 iters/s
step 17954, batch loss 1.196, 1.82 iters/s
step 17955, batch loss 1.663, 1.83 iters/s
step 17956, batch loss 2.246, 1.83 iters/s
step 17957, batch loss 1.345, 1.84 iters/s
step 17958, batch loss 1.615, 1.83 iters/s
step 17959, batch loss 1.322, 1.83 iters/s
step 17960, batch loss 1.846, 1.83 iters/s
step 17961, batch loss 2.102, 1.84 iters/s
step 17962, batch loss 1.474, 1.84 iters/s
step 17963, batch loss 2.14, 1.82 iters/s
step 17964, batch loss 1.686, 1.84 iters/s
step 17965, batch loss 2.095, 1.84 iters/s
step 17966, batch loss 1.275, 1.84 iters/s
step 17967, batch loss 1.664, 1.83 iters/s
step 17968, batch loss 1.827, 1.84 iters/s
step 17969, batch loss 1.34, 1.84 iters/s
step 17970, batch loss 2.148, 1.83 iters/s

step 17971, batch loss 1.603, 1.82 iters/s
step 17972, batch loss 1.303, 1.83 iters/s
step 17973, batch loss 1.787, 1.83 iters/s
step 17974, batch loss 1.474, 1.83 iters/s
step 17975, batch loss 1.6, 1.84 iters/s
step 17976, batch loss 0.995, 1.83 iters/s
step 17977, batch loss 1.121, 1.83 iters/s
step 17978, batch loss 1.693, 1.84 iters/s
step 17979, batch loss 1.745, 1.83 iters/s
step 17980, batch loss 1.66, 1.82 iters/s
step 17981, batch loss 1.753, 1.83 iters/s
step 17982, batch loss 1.742, 1.82 iters/s
step 17983, batch loss 1.216, 1.82 iters/s
step 17984, batch loss 1.904, 1.83 iters/s
step 17985, batch loss 1.74, 1.84 iters/s
step 17986, batch loss 1.344, 1.83 iters/s
step 17987, batch loss 2.096, 1.84 iters/s
step 17988, batch loss 1.555, 1.82 iters/s
step 17989, batch loss 1.841, 1.84 iters/s
step 17990, batch loss 1.298, 1.84 iters/s
step 17991, batch loss 0.915, 1.82 iters/s
step 17992, batch loss 1.657, 1.82 iters/s
step 17993, batch loss 1.302, 1.82 iters/s
step 17994, batch loss 1.818, 1.85 iters/s
step 17995, batch loss 1.499, 1.84 iters/s
step 17996, batch loss 1.395, 1.84 iters/s
step 17997, batch loss 1.96, 1.84 iters/s
step 17998, batch loss 1.274, 1.83 iters/s
step 17999, batch loss 1.469, 1.83 iters/s
step 18000, batch loss 1.508, 1.83 iters/s
step 18001, batch loss 1.172, 1.83 iters/s
step 18002, batch loss 1.718, 1.84 iters/s
step 18003, batch loss 1.32, 1.84 iters/s
step 18004, batch loss 1.882, 1.85 iters/s
step 18005, batch loss 1.381, 1.83 iters/s
step 18006, batch loss 1.368, 1.82 iters/s
step 18007, batch loss 1.2, 1.83 iters/s
step 18008, batch loss 2.036, 1.84 iters/s
step 18009, batch loss 1.506, 1.83 iters/s
step 18010, batch loss 1.855, 1.83 iters/s
step 18011, batch loss 1.873, 1.85 iters/s
step 18012, batch loss 1.295, 1.85 iters/s
step 18013, batch loss 1.042, 1.83 iters/s
step 18014, batch loss 1.918, 1.84 iters/s
step 18015, batch loss 1.574, 1.83 iters/s
step 18016, batch loss 1.594, 1.83 iters/s
step 18017, batch loss 1.676, 1.83 iters/s
step 18018, batch loss 1.274, 1.83 iters/s

step 18019, batch loss 1.483, 1.83 iters/s
step 18020, batch loss 2.355, 1.84 iters/s
step 18021, batch loss 1.881, 1.84 iters/s
step 18022, batch loss 1.582, 1.83 iters/s
step 18023, batch loss 1.463, 1.84 iters/s
step 18024, batch loss 1.684, 1.83 iters/s
step 18025, batch loss 2.692, 1.83 iters/s
step 18026, batch loss 2.084, 1.84 iters/s
step 18027, batch loss 1.699, 1.83 iters/s
step 18028, batch loss 1.745, 1.85 iters/s
step 18029, batch loss 1.804, 1.83 iters/s
step 18030, batch loss 0.915, 1.83 iters/s
step 18031, batch loss 1.099, 1.83 iters/s
step 18032, batch loss 2.477, 1.85 iters/s
step 18033, batch loss 1.473, 1.82 iters/s
step 18034, batch loss 0.746, 1.82 iters/s
step 18035, batch loss 1.172, 1.83 iters/s
step 18036, batch loss 1.833, 1.84 iters/s
step 18037, batch loss 1.439, 1.84 iters/s
step 18038, batch loss 1.602, 1.83 iters/s
step 18039, batch loss 1.765, 1.84 iters/s
step 18040, batch loss 1.844, 1.82 iters/s
step 18041, batch loss 1.826, 1.83 iters/s
step 18042, batch loss 1.853, 1.83 iters/s
step 18043, batch loss 2.143, 1.83 iters/s
step 18044, batch loss 1.957, 1.83 iters/s
step 18045, batch loss 1.543, 1.83 iters/s
step 18046, batch loss 1.887, 1.82 iters/s
step 18047, batch loss 1.766, 1.83 iters/s
step 18048, batch loss 1.868, 1.83 iters/s
step 18049, batch loss 1.653, 1.85 iters/s
step 18050, batch loss 1.834, 1.82 iters/s
step 18051, batch loss 1.984, 1.82 iters/s
step 18052, batch loss 0.917, 1.83 iters/s
step 18053, batch loss 1.925, 1.82 iters/s
step 18054, batch loss 1.782, 1.82 iters/s
step 18055, batch loss 1.398, 1.83 iters/s
step 18056, batch loss 1.639, 1.82 iters/s
step 18057, batch loss 2.493, 1.83 iters/s
step 18058, batch loss 0.875, 1.81 iters/s
step 18059, batch loss 1.572, 1.82 iters/s
step 18060, batch loss 1.601, 1.83 iters/s
step 18061, batch loss 1.634, 1.82 iters/s
step 18062, batch loss 1.901, 1.83 iters/s
step 18063, batch loss 1.737, 1.82 iters/s
step 18064, batch loss 1.123, 1.85 iters/s
step 18065, batch loss 1.9, 1.84 iters/s
step 18066, batch loss 1.337, 1.83 iters/s

step 18067, batch loss 1.841, 1.83 iters/s
step 18068, batch loss 2.094, 1.83 iters/s
step 18069, batch loss 1.057, 1.83 iters/s
step 18070, batch loss 1.444, 1.84 iters/s
step 18071, batch loss 1.759, 1.82 iters/s
step 18072, batch loss 1.507, 1.82 iters/s
step 18073, batch loss 1.408, 1.82 iters/s
step 18074, batch loss 1.677, 1.83 iters/s
step 18075, batch loss 0.832, 1.82 iters/s
step 18076, batch loss 1.848, 1.83 iters/s
step 18077, batch loss 2.4, 1.82 iters/s
step 18078, batch loss 1.506, 1.82 iters/s
step 18079, batch loss 2.209, 1.81 iters/s
step 18080, batch loss 1.609, 1.84 iters/s
step 18081, batch loss 1.721, 1.82 iters/s
step 18082, batch loss 1.507, 1.83 iters/s
step 18083, batch loss 1.996, 1.83 iters/s
step 18084, batch loss 1.596, 1.82 iters/s
step 18085, batch loss 1.814, 1.84 iters/s
step 18086, batch loss 1.593, 1.82 iters/s
step 18087, batch loss 2.252, 1.83 iters/s
step 18088, batch loss 1.853, 1.83 iters/s
step 18089, batch loss 1.869, 1.82 iters/s
step 18090, batch loss 1.404, 1.82 iters/s
step 18091, batch loss 1.814, 1.83 iters/s
step 18092, batch loss 1.785, 1.82 iters/s
step 18093, batch loss 1.823, 1.82 iters/s
step 18094, batch loss 1.657, 1.82 iters/s
step 18095, batch loss 1.665, 1.82 iters/s
step 18096, batch loss 1.636, 1.83 iters/s
step 18097, batch loss 1.692, 1.83 iters/s
step 18098, batch loss 1.316, 1.85 iters/s
step 18099, batch loss 1.559, 1.83 iters/s
step 18100, batch loss 1.697, 1.82 iters/s
step 18101, batch loss 1.924, 1.81 iters/s
step 18102, batch loss 1.665, 1.82 iters/s
step 18103, batch loss 1.616, 1.82 iters/s
step 18104, batch loss 1.877, 1.81 iters/s
step 18105, batch loss 1.74, 1.84 iters/s
step 18106, batch loss 0.826, 1.83 iters/s
step 18107, batch loss 2.415, 1.82 iters/s
step 18108, batch loss 1.527, 1.83 iters/s
step 18109, batch loss 2.002, 1.82 iters/s
step 18110, batch loss 1.066, 1.83 iters/s
step 18111, batch loss 1.712, 1.82 iters/s
step 18112, batch loss 1.699, 1.83 iters/s
step 18113, batch loss 1.734, 1.82 iters/s
step 18114, batch loss 1.133, 1.82 iters/s

step 18115, batch loss 1.523, 1.82 iters/s
step 18116, batch loss 2.108, 1.82 iters/s
step 18117, batch loss 1.655, 1.82 iters/s
step 18118, batch loss 1.48, 1.82 iters/s
step 18119, batch loss 1.47, 1.85 iters/s
step 18120, batch loss 1.885, 1.82 iters/s
step 18121, batch loss 1.628, 1.82 iters/s
step 18122, batch loss 0.56, 1.82 iters/s
step 18123, batch loss 1.742, 1.82 iters/s
step 18124, batch loss 1.987, 1.83 iters/s
step 18125, batch loss 1.225, 1.83 iters/s
step 18126, batch loss 2.159, 1.85 iters/s
step 18127, batch loss 2.322, 1.82 iters/s
step 18128, batch loss 1.807, 1.84 iters/s
step 18129, batch loss 2.058, 1.84 iters/s
step 18130, batch loss 1.787, 1.83 iters/s
step 18131, batch loss 1.604, 1.83 iters/s
step 18132, batch loss 1.93, 1.83 iters/s
step 18133, batch loss 1.753, 1.83 iters/s
step 18134, batch loss 1.456, 1.83 iters/s
step 18135, batch loss 1.599, 1.83 iters/s
step 18136, batch loss 2.015, 1.83 iters/s
step 18137, batch loss 1.946, 1.82 iters/s
step 18138, batch loss 1.645, 1.83 iters/s
step 18139, batch loss 1.655, 1.84 iters/s
step 18140, batch loss 1.562, 1.83 iters/s
step 18141, batch loss 2.158, 1.82 iters/s
step 18142, batch loss 1.611, 1.82 iters/s
step 18143, batch loss 2.095, 1.84 iters/s
step 18144, batch loss 1.472, 1.83 iters/s
step 18145, batch loss 1.502, 1.82 iters/s
step 18146, batch loss 1.72, 1.82 iters/s
step 18147, batch loss 0.623, 1.84 iters/s
step 18148, batch loss 1.765, 1.83 iters/s
step 18149, batch loss 1.508, 1.83 iters/s
step 18150, batch loss 1.398, 1.85 iters/s
step 18151, batch loss 1.6, 1.84 iters/s
step 18152, batch loss 1.407, 1.83 iters/s
step 18153, batch loss 1.296, 1.83 iters/s
step 18154, batch loss 1.547, 1.82 iters/s
step 18155, batch loss 1.651, 1.83 iters/s
step 18156, batch loss 1.106, 1.83 iters/s
step 18157, batch loss 1.463, 1.83 iters/s
step 18158, batch loss 1.241, 1.84 iters/s
step 18159, batch loss 1.492, 1.83 iters/s
step 18160, batch loss 1.117, 1.83 iters/s
step 18161, batch loss 0.921, 1.83 iters/s
step 18162, batch loss 0.952, 1.82 iters/s

step 18163, batch loss 1.772, 1.82 iters/s
step 18164, batch loss 2.266, 1.82 iters/s
step 18165, batch loss 1.821, 1.85 iters/s
step 18166, batch loss 2.096, 1.83 iters/s
step 18167, batch loss 1.736, 1.83 iters/s
step 18168, batch loss 0.671, 1.84 iters/s
step 18169, batch loss 1.728, 1.84 iters/s
step 18170, batch loss 1.807, 1.85 iters/s
step 18171, batch loss 1.377, 1.83 iters/s
step 18172, batch loss 1.547, 1.83 iters/s
step 18173, batch loss 1.17, 1.84 iters/s
step 18174, batch loss 1.191, 1.84 iters/s
step 18175, batch loss 1.559, 1.83 iters/s
step 18176, batch loss 2.009, 1.84 iters/s
step 18177, batch loss 1.489, 1.83 iters/s
step 18178, batch loss 1.489, 1.83 iters/s
step 18179, batch loss 1.846, 1.85 iters/s
step 18180, batch loss 1.415, 1.84 iters/s
step 18181, batch loss 1.732, 1.84 iters/s
step 18182, batch loss 2.056, 1.84 iters/s
step 18183, batch loss 1.243, 1.83 iters/s
step 18184, batch loss 2.001, 1.85 iters/s
step 18185, batch loss 0.965, 1.84 iters/s
step 18186, batch loss 1.439, 1.83 iters/s
step 18187, batch loss 0.762, 1.84 iters/s
step 18188, batch loss 1.749, 1.85 iters/s
step 18189, batch loss 1.626, 1.83 iters/s
step 18190, batch loss 2.298, 1.83 iters/s
step 18191, batch loss 1.327, 1.85 iters/s
step 18192, batch loss 1.719, 1.86 iters/s
step 18193, batch loss 1.212, 1.84 iters/s
step 18194, batch loss 1.596, 1.83 iters/s
step 18195, batch loss 1.031, 1.83 iters/s
step 18196, batch loss 1.687, 1.83 iters/s
step 18197, batch loss 1.582, 1.85 iters/s
step 18198, batch loss 1.085, 1.83 iters/s
step 18199, batch loss 2.115, 1.82 iters/s
step 18200, batch loss 1.471, 1.83 iters/s
step 18201, batch loss 1.047, 1.85 iters/s
step 18202, batch loss 1.726, 1.85 iters/s
step 18203, batch loss 2.05, 1.84 iters/s
step 18204, batch loss 1.333, 1.86 iters/s
step 18205, batch loss 1.148, 1.83 iters/s
step 18206, batch loss 0.436, 1.86 iters/s
step 18207, batch loss 2.088, 1.83 iters/s
step 18208, batch loss 1.161, 1.84 iters/s
step 18209, batch loss 1.68, 1.86 iters/s
step 18210, batch loss 1.249, 1.85 iters/s

step 18211, batch loss 1.674, 1.83 iters/s
step 18212, batch loss 1.364, 1.84 iters/s
step 18213, batch loss 1.411, 1.84 iters/s
step 18214, batch loss 1.635, 1.83 iters/s
step 18215, batch loss 1.449, 1.83 iters/s
step 18216, batch loss 0.964, 1.86 iters/s
step 18217, batch loss 1.647, 1.84 iters/s
step 18218, batch loss 0.954, 1.83 iters/s
step 18219, batch loss 1.734, 1.83 iters/s
step 18220, batch loss 1.341, 1.84 iters/s
step 18221, batch loss 1.996, 1.84 iters/s
step 18222, batch loss 2.636, 1.83 iters/s
step 18223, batch loss 1.536, 1.84 iters/s
step 18224, batch loss 1.895, 1.83 iters/s
step 18225, batch loss 1.148, 1.83 iters/s
step 18226, batch loss 2.133, 1.84 iters/s
step 18227, batch loss 1.575, 1.84 iters/s
step 18228, batch loss 1.401, 1.84 iters/s
step 18229, batch loss 1.006, 1.84 iters/s
step 18230, batch loss 1.203, 1.82 iters/s
step 18231, batch loss 2.231, 1.82 iters/s
step 18232, batch loss 0.62, 1.83 iters/s
step 18233, batch loss 1.411, 1.84 iters/s
step 18234, batch loss 1.618, 1.86 iters/s
step 18235, batch loss 1.121, 1.83 iters/s
step 18236, batch loss 1.698, 1.84 iters/s
step 18237, batch loss 1.725, 1.84 iters/s
step 18238, batch loss 2.47, 1.85 iters/s
step 18239, batch loss 1.986, 1.83 iters/s
step 18240, batch loss 1.431, 1.82 iters/s
step 18241, batch loss 1.228, 1.83 iters/s
step 18242, batch loss 1.589, 1.85 iters/s
step 18243, batch loss 1.79, 1.83 iters/s
step 18244, batch loss 1.484, 1.83 iters/s
step 18245, batch loss 1.897, 1.83 iters/s
step 18246, batch loss 1.728, 1.84 iters/s
step 18247, batch loss 1.755, 1.83 iters/s
step 18248, batch loss 1.823, 1.83 iters/s
step 18249, batch loss 1.78, 1.84 iters/s
step 18250, batch loss 1.781, 1.84 iters/s
step 18251, batch loss 1.292, 1.83 iters/s
step 18252, batch loss 1.708, 1.83 iters/s
step 18253, batch loss 1.521, 1.83 iters/s
step 18254, batch loss 1.412, 1.83 iters/s
step 18255, batch loss 1.709, 1.83 iters/s
step 18256, batch loss 0.78, 1.85 iters/s
step 18257, batch loss 1.735, 1.84 iters/s
step 18258, batch loss 1.816, 1.83 iters/s

step 18259, batch loss 1.747, 1.83 iters/s
step 18260, batch loss 1.965, 1.83 iters/s
step 18261, batch loss 1.024, 1.83 iters/s
step 18262, batch loss 0.986, 1.83 iters/s
step 18263, batch loss 0.991, 1.84 iters/s
step 18264, batch loss 1.855, 1.84 iters/s
step 18265, batch loss 1.367, 1.84 iters/s
step 18266, batch loss 1.305, 1.83 iters/s
step 18267, batch loss 1.601, 1.83 iters/s
step 18268, batch loss 1.239, 1.84 iters/s
step 18269, batch loss 1.588, 1.84 iters/s
step 18270, batch loss 1.95, 1.84 iters/s
step 18271, batch loss 1.327, 1.83 iters/s
step 18272, batch loss 1.688, 1.83 iters/s
step 18273, batch loss 1.719, 1.84 iters/s
step 18274, batch loss 1.896, 1.83 iters/s
step 18275, batch loss 0.847, 1.84 iters/s
step 18276, batch loss 1.42, 1.83 iters/s
step 18277, batch loss 1.452, 1.83 iters/s
step 18278, batch loss 1.101, 1.82 iters/s
step 18279, batch loss 1.514, 1.83 iters/s
step 18280, batch loss 1.913, 1.83 iters/s
step 18281, batch loss 1.945, 1.84 iters/s
step 18282, batch loss 1.312, 1.83 iters/s
step 18283, batch loss 1.342, 1.83 iters/s
step 18284, batch loss 2.269, 1.83 iters/s
step 18285, batch loss 1.832, 1.83 iters/s
step 18286, batch loss 1.522, 1.84 iters/s
step 18287, batch loss 1.59, 1.83 iters/s
step 18288, batch loss 1.888, 1.83 iters/s
step 18289, batch loss 1.18, 1.83 iters/s
step 18290, batch loss 2.012, 1.85 iters/s
step 18291, batch loss 1.483, 1.86 iters/s
step 18292, batch loss 1.485, 1.83 iters/s
step 18293, batch loss 2.491, 1.84 iters/s
step 18294, batch loss 2.029, 1.84 iters/s
step 18295, batch loss 1.42, 1.84 iters/s
step 18296, batch loss 1.911, 1.83 iters/s
step 18297, batch loss 1.877, 1.84 iters/s
step 18298, batch loss 1.363, 1.83 iters/s
step 18299, batch loss 2.175, 1.85 iters/s
step 18300, batch loss 1.704, 1.82 iters/s
step 18301, batch loss 1.58, 1.84 iters/s
step 18302, batch loss 1.729, 1.83 iters/s
step 18303, batch loss 1.588, 1.84 iters/s
step 18304, batch loss 1.734, 1.84 iters/s
step 18305, batch loss 1.49, 1.84 iters/s
step 18306, batch loss 1.848, 1.84 iters/s

step 18307, batch loss 1.21, 1.84 iters/s
step 18308, batch loss 1.803, 1.82 iters/s
step 18309, batch loss 1.33, 1.83 iters/s
step 18310, batch loss 1.083, 1.82 iters/s
step 18311, batch loss 1.753, 1.83 iters/s
step 18312, batch loss 1.666, 1.83 iters/s
step 18313, batch loss 1.458, 1.83 iters/s
step 18314, batch loss 1.209, 1.83 iters/s
step 18315, batch loss 1.737, 1.84 iters/s
step 18316, batch loss 1.366, 1.83 iters/s
step 18317, batch loss 1.865, 1.84 iters/s
step 18318, batch loss 1.667, 1.85 iters/s
step 18319, batch loss 2.506, 1.84 iters/s
step 18320, batch loss 1.958, 1.83 iters/s
step 18321, batch loss 1.832, 1.83 iters/s
step 18322, batch loss 0.811, 1.84 iters/s
step 18323, batch loss 1.547, 1.86 iters/s
step 18324, batch loss 2.275, 1.84 iters/s
step 18325, batch loss 1.294, 1.84 iters/s
step 18326, batch loss 1.423, 1.84 iters/s
step 18327, batch loss 1.142, 1.83 iters/s
step 18328, batch loss 1.215, 1.84 iters/s
step 18329, batch loss 1.452, 1.83 iters/s
step 18330, batch loss 2.023, 1.86 iters/s
step 18331, batch loss 1.705, 1.83 iters/s
step 18332, batch loss 1.725, 1.83 iters/s
step 18333, batch loss 1.704, 1.83 iters/s
step 18334, batch loss 2.219, 1.84 iters/s
step 18335, batch loss 1.823, 1.84 iters/s
step 18336, batch loss 2.349, 1.83 iters/s
step 18337, batch loss 1.796, 1.83 iters/s
step 18338, batch loss 1.325, 1.85 iters/s
step 18339, batch loss 2.699, 1.83 iters/s
step 18340, batch loss 1.906, 1.84 iters/s
step 18341, batch loss 1.252, 1.84 iters/s
step 18342, batch loss 0.695, 1.84 iters/s
step 18343, batch loss 2.223, 1.83 iters/s
step 18344, batch loss 1.636, 1.82 iters/s
step 18345, batch loss 1.263, 1.85 iters/s
step 18346, batch loss 1.522, 1.84 iters/s
step 18347, batch loss 1.35, 1.84 iters/s
step 18348, batch loss 1.578, 1.83 iters/s
step 18349, batch loss 1.67, 1.83 iters/s
step 18350, batch loss 1.107, 1.84 iters/s
step 18351, batch loss 2.106, 1.83 iters/s
step 18352, batch loss 1.296, 1.84 iters/s
step 18353, batch loss 1.261, 1.83 iters/s
step 18354, batch loss 1.267, 1.84 iters/s

step 18355, batch loss 1.714, 1.84 iters/s
step 18356, batch loss 2.117, 1.84 iters/s
step 18357, batch loss 1.531, 1.83 iters/s
step 18358, batch loss 1.705, 1.84 iters/s
step 18359, batch loss 1.341, 1.85 iters/s
step 18360, batch loss 1.636, 1.84 iters/s
step 18361, batch loss 1.556, 1.83 iters/s
step 18362, batch loss 1.443, 1.84 iters/s
step 18363, batch loss 1.317, 1.83 iters/s
step 18364, batch loss 1.191, 1.84 iters/s
step 18365, batch loss 1.248, 1.83 iters/s
step 18366, batch loss 1.398, 1.82 iters/s
step 18367, batch loss 1.443, 1.83 iters/s
step 18368, batch loss 1.81, 1.83 iters/s
step 18369, batch loss 1.79, 1.86 iters/s
step 18370, batch loss 1.684, 1.83 iters/s
step 18371, batch loss 1.646, 1.85 iters/s
step 18372, batch loss 1.863, 1.83 iters/s
step 18373, batch loss 1.5, 1.83 iters/s
step 18374, batch loss 1.532, 1.86 iters/s
step 18375, batch loss 1.115, 1.83 iters/s
step 18376, batch loss 1.012, 1.84 iters/s
step 18377, batch loss 1.747, 1.83 iters/s
step 18378, batch loss 1.98, 1.83 iters/s
step 18379, batch loss 1.804, 1.83 iters/s
step 18380, batch loss 1.671, 1.83 iters/s
step 18381, batch loss 1.073, 1.83 iters/s
step 18382, batch loss 1.562, 1.83 iters/s
step 18383, batch loss 1.472, 1.83 iters/s
step 18384, batch loss 0.389, 1.84 iters/s
step 18385, batch loss 1.249, 1.84 iters/s
step 18386, batch loss 1.402, 1.84 iters/s
step 18387, batch loss 0.953, 1.83 iters/s
step 18388, batch loss 2.022, 1.83 iters/s
step 18389, batch loss 0.345, 1.83 iters/s
step 18390, batch loss 1.86, 1.84 iters/s
step 18391, batch loss 0.945, 1.84 iters/s
step 18392, batch loss 1.893, 1.84 iters/s
step 18393, batch loss 1.213, 1.84 iters/s
step 18394, batch loss 2.117, 1.85 iters/s
step 18395, batch loss 1.33, 1.84 iters/s
step 18396, batch loss 1.386, 1.84 iters/s
step 18397, batch loss 1.485, 1.83 iters/s
step 18398, batch loss 1.823, 1.83 iters/s
step 18399, batch loss 1.321, 1.84 iters/s
step 18400, batch loss 1.013, 1.83 iters/s
step 18401, batch loss 1.128, 1.85 iters/s
step 18402, batch loss 2.316, 1.84 iters/s

step 18403, batch loss 1.503, 1.84 iters/s
step 18404, batch loss 1.689, 1.84 iters/s
step 18405, batch loss 1.713, 1.83 iters/s
step 18406, batch loss 1.685, 1.83 iters/s
step 18407, batch loss 1.515, 1.86 iters/s
step 18408, batch loss 1.876, 1.84 iters/s
step 18409, batch loss 1.505, 1.84 iters/s
step 18410, batch loss 2.045, 1.85 iters/s
step 18411, batch loss 1.818, 1.84 iters/s
step 18412, batch loss 1.658, 1.84 iters/s
step 18413, batch loss 0.885, 1.84 iters/s
step 18414, batch loss 1.665, 1.84 iters/s
step 18415, batch loss 1.32, 1.82 iters/s
step 18416, batch loss 1.879, 1.83 iters/s
step 18417, batch loss 0.794, 1.83 iters/s
step 18418, batch loss 1.462, 1.83 iters/s
step 18419, batch loss 2.254, 1.83 iters/s
step 18420, batch loss 1.968, 1.83 iters/s
step 18421, batch loss 1.818, 1.84 iters/s
step 18422, batch loss 1.266, 1.85 iters/s
step 18423, batch loss 1.919, 1.84 iters/s
step 18424, batch loss 1.224, 1.83 iters/s
step 18425, batch loss 1.692, 1.84 iters/s
step 18426, batch loss 0.852, 1.84 iters/s
step 18427, batch loss 1.417, 1.83 iters/s
step 18428, batch loss 2.141, 1.83 iters/s
step 18429, batch loss 1.383, 1.85 iters/s
step 18430, batch loss 1.55, 1.84 iters/s
step 18431, batch loss 2.087, 1.84 iters/s
step 18432, batch loss 1.555, 1.84 iters/s
step 18433, batch loss 1.817, 1.83 iters/s
step 18434, batch loss 1.689, 1.82 iters/s
step 18435, batch loss 1.447, 1.84 iters/s
step 18436, batch loss 1.708, 1.83 iters/s
step 18437, batch loss 1.684, 1.83 iters/s
step 18438, batch loss 1.046, 1.85 iters/s
step 18439, batch loss 1.796, 1.84 iters/s
step 18440, batch loss 1.557, 1.83 iters/s
step 18441, batch loss 1.62, 1.83 iters/s
step 18442, batch loss 2.156, 1.83 iters/s
step 18443, batch loss 1.059, 1.83 iters/s
step 18444, batch loss 1.364, 1.84 iters/s
step 18445, batch loss 1.25, 1.84 iters/s
step 18446, batch loss 2.221, 1.84 iters/s
step 18447, batch loss 1.045, 1.84 iters/s
step 18448, batch loss 0.724, 1.85 iters/s
step 18449, batch loss 1.804, 1.85 iters/s
step 18450, batch loss 2.366, 1.83 iters/s

step 18451, batch loss 2.29, 1.84 iters/s
step 18452, batch loss 1.382, 1.85 iters/s
step 18453, batch loss 1.077, 1.86 iters/s
step 18454, batch loss 1.34, 1.84 iters/s
step 18455, batch loss 1.365, 1.86 iters/s
step 18456, batch loss 1.76, 1.84 iters/s
step 18457, batch loss 2.721, 1.85 iters/s
step 18458, batch loss 1.147, 1.83 iters/s
step 18459, batch loss 1.138, 1.84 iters/s
step 18460, batch loss 1.341, 1.84 iters/s
step 18461, batch loss 1.726, 1.84 iters/s
step 18462, batch loss 1.258, 1.86 iters/s
step 18463, batch loss 2.764, 1.84 iters/s
step 18464, batch loss 1.085, 1.84 iters/s
step 18465, batch loss 1.609, 1.82 iters/s
step 18466, batch loss 1.663, 1.84 iters/s
step 18467, batch loss 2.107, 1.84 iters/s
step 18468, batch loss 1.119, 1.83 iters/s
step 18469, batch loss 1.993, 1.85 iters/s
step 18470, batch loss 1.02, 1.82 iters/s
step 18471, batch loss 1.229, 1.83 iters/s
step 18472, batch loss 1.922, 1.84 iters/s
step 18473, batch loss 0.833, 1.83 iters/s
step 18474, batch loss 1.956, 1.86 iters/s
step 18475, batch loss 1.179, 1.83 iters/s
step 18476, batch loss 1.307, 1.84 iters/s
step 18477, batch loss 1.564, 1.86 iters/s
step 18478, batch loss 1.279, 1.84 iters/s
step 18479, batch loss 1.697, 1.83 iters/s
step 18480, batch loss 1.698, 1.84 iters/s
step 18481, batch loss 0.969, 1.83 iters/s
step 18482, batch loss 1.251, 1.83 iters/s
step 18483, batch loss 1.125, 1.83 iters/s
step 18484, batch loss 0.823, 1.84 iters/s
step 18485, batch loss 1.464, 1.84 iters/s
step 18486, batch loss 2.236, 1.84 iters/s
step 18487, batch loss 1.598, 1.83 iters/s
step 18488, batch loss 1.407, 1.84 iters/s
step 18489, batch loss 2.279, 1.85 iters/s
step 18490, batch loss 1.389, 1.83 iters/s
step 18491, batch loss 2.132, 1.83 iters/s
step 18492, batch loss 1.996, 1.83 iters/s
step 18493, batch loss 1.479, 1.85 iters/s
step 18494, batch loss 1.569, 1.83 iters/s
step 18495, batch loss 1.836, 1.83 iters/s
step 18496, batch loss 0.662, 1.84 iters/s
step 18497, batch loss 2.403, 1.82 iters/s
step 18498, batch loss 1.567, 1.83 iters/s

step 18499, batch loss 1.146, 1.83 iters/s
step 18500, batch loss 1.939, 1.83 iters/s
step 18501, batch loss 1.825, 1.83 iters/s
step 18502, batch loss 2.117, 1.83 iters/s
step 18503, batch loss 1.703, 1.83 iters/s
step 18504, batch loss 2.139, 1.83 iters/s
step 18505, batch loss 2.057, 1.84 iters/s
step 18506, batch loss 1.792, 1.83 iters/s
step 18507, batch loss 1.957, 1.83 iters/s
step 18508, batch loss 1.397, 1.84 iters/s
step 18509, batch loss 1.382, 1.84 iters/s
step 18510, batch loss 1.075, 1.86 iters/s
step 18511, batch loss 1.527, 1.85 iters/s
step 18512, batch loss 1.778, 1.82 iters/s
step 18513, batch loss 1.549, 1.83 iters/s
step 18514, batch loss 1.023, 1.83 iters/s
step 18515, batch loss 2.119, 1.83 iters/s
step 18516, batch loss 2.09, 1.83 iters/s
step 18517, batch loss 2.24, 1.83 iters/s
step 18518, batch loss 2.459, 1.84 iters/s
step 18519, batch loss 1.552, 1.83 iters/s
step 18520, batch loss 1.608, 1.84 iters/s
step 18521, batch loss 1.086, 1.84 iters/s
step 18522, batch loss 2.425, 1.83 iters/s
step 18523, batch loss 1.031, 1.83 iters/s
step 18524, batch loss 2.137, 1.83 iters/s
step 18525, batch loss 0.972, 1.83 iters/s
step 18526, batch loss 1.518, 1.84 iters/s
step 18527, batch loss 1.854, 1.83 iters/s
step 18528, batch loss 1.195, 1.83 iters/s
step 18529, batch loss 1.821, 1.85 iters/s
step 18530, batch loss 1.599, 1.84 iters/s
step 18531, batch loss 1.623, 1.85 iters/s
step 18532, batch loss 1.385, 1.84 iters/s
step 18533, batch loss 1.859, 1.83 iters/s
step 18534, batch loss 0.939, 1.82 iters/s
step 18535, batch loss 1.735, 1.83 iters/s
step 18536, batch loss 1.839, 1.83 iters/s
step 18537, batch loss 1.038, 1.83 iters/s
step 18538, batch loss 1.618, 1.83 iters/s
step 18539, batch loss 2.138, 1.83 iters/s
step 18540, batch loss 2.04, 1.82 iters/s
step 18541, batch loss 1.342, 1.83 iters/s
step 18542, batch loss 1.623, 1.83 iters/s
step 18543, batch loss 2.047, 1.82 iters/s
step 18544, batch loss 1.408, 1.82 iters/s
step 18545, batch loss 2.304, 1.85 iters/s
step 18546, batch loss 1.837, 1.83 iters/s

step 18547, batch loss 2.029, 1.82 iters/s
step 18548, batch loss 1.242, 1.83 iters/s
step 18549, batch loss 1.025, 1.83 iters/s
step 18550, batch loss 1.358, 1.83 iters/s
step 18551, batch loss 1.516, 1.83 iters/s
step 18552, batch loss 1.415, 1.83 iters/s
step 18553, batch loss 1.704, 1.85 iters/s
step 18554, batch loss 1.37, 1.85 iters/s
step 18555, batch loss 1.878, 1.83 iters/s
step 18556, batch loss 1.525, 1.84 iters/s
step 18557, batch loss 1.957, 1.84 iters/s
step 18558, batch loss 0.909, 1.82 iters/s
step 18559, batch loss 1.434, 1.83 iters/s
step 18560, batch loss 1.173, 1.84 iters/s
step 18561, batch loss 1.429, 1.83 iters/s
step 18562, batch loss 0.895, 1.83 iters/s
step 18563, batch loss 1.784, 1.83 iters/s
step 18564, batch loss 1.977, 1.86 iters/s
step 18565, batch loss 1.61, 1.83 iters/s
step 18566, batch loss 1.886, 1.84 iters/s
step 18567, batch loss 1.337, 1.83 iters/s
step 18568, batch loss 1.807, 1.83 iters/s
step 18569, batch loss 2.377, 1.84 iters/s
step 18570, batch loss 1.423, 1.83 iters/s
step 18571, batch loss 0.69, 1.84 iters/s
step 18572, batch loss 1.64, 1.83 iters/s
step 18573, batch loss 2.094, 1.83 iters/s
step 18574, batch loss 1.285, 1.83 iters/s
step 18575, batch loss 1.184, 1.83 iters/s
step 18576, batch loss 1.351, 1.85 iters/s
step 18577, batch loss 1.104, 1.84 iters/s
step 18578, batch loss 1.349, 1.83 iters/s
step 18579, batch loss 1.864, 1.83 iters/s
step 18580, batch loss 2.18, 1.83 iters/s
step 18581, batch loss 1.397, 1.83 iters/s
step 18582, batch loss 1.206, 1.83 iters/s
step 18583, batch loss 1.809, 1.84 iters/s
step 18584, batch loss 1.779, 1.83 iters/s
step 18585, batch loss 1.928, 1.84 iters/s
step 18586, batch loss 0.999, 1.83 iters/s
step 18587, batch loss 1.775, 1.83 iters/s
step 18588, batch loss 1.894, 1.84 iters/s
step 18589, batch loss 1.029, 1.84 iters/s
step 18590, batch loss 1.703, 1.84 iters/s
step 18591, batch loss 1.491, 1.83 iters/s
step 18592, batch loss 1.751, 1.83 iters/s
step 18593, batch loss 0.99, 1.83 iters/s
step 18594, batch loss 2.198, 1.83 iters/s

step 18595, batch loss 1.37, 1.84 iters/s
step 18596, batch loss 1.796, 1.83 iters/s
step 18597, batch loss 1.278, 1.84 iters/s
step 18598, batch loss 1.559, 1.85 iters/s
step 18599, batch loss 1.822, 1.84 iters/s
step 18600, batch loss 1.406, 1.83 iters/s
step 18601, batch loss 1.782, 1.83 iters/s
step 18602, batch loss 1.256, 1.83 iters/s
step 18603, batch loss 1.453, 1.83 iters/s
step 18604, batch loss 1.147, 1.84 iters/s
step 18605, batch loss 1.777, 1.84 iters/s
step 18606, batch loss 0.796, 1.84 iters/s
step 18607, batch loss 1.002, 1.84 iters/s
step 18608, batch loss 2.402, 1.83 iters/s
step 18609, batch loss 1.282, 1.83 iters/s
step 18610, batch loss 1.801, 1.83 iters/s
step 18611, batch loss 1.613, 1.83 iters/s
step 18612, batch loss 1.8, 1.84 iters/s
step 18613, batch loss 1.464, 1.84 iters/s
step 18614, batch loss 2.332, 1.83 iters/s
step 18615, batch loss 1.54, 1.85 iters/s
step 18616, batch loss 1.3, 1.83 iters/s
step 18617, batch loss 1.332, 1.83 iters/s
step 18618, batch loss 1.804, 1.83 iters/s
step 18619, batch loss 1.151, 1.84 iters/s
step 18620, batch loss 0.9, 1.84 iters/s
step 18621, batch loss 0.717, 1.86 iters/s
step 18622, batch loss 1.403, 1.86 iters/s
step 18623, batch loss 1.726, 1.84 iters/s
step 18624, batch loss 1.958, 1.83 iters/s
step 18625, batch loss 1.641, 1.82 iters/s
step 18626, batch loss 2.031, 1.84 iters/s
step 18627, batch loss 1.284, 1.86 iters/s
step 18628, batch loss 1.832, 1.83 iters/s
step 18629, batch loss 2.106, 1.84 iters/s
step 18630, batch loss 1.033, 1.84 iters/s
step 18631, batch loss 1.514, 1.83 iters/s
step 18632, batch loss 1.737, 1.82 iters/s
step 18633, batch loss 2.221, 1.84 iters/s
step 18634, batch loss 1.873, 1.84 iters/s
step 18635, batch loss 1.757, 1.83 iters/s
step 18636, batch loss 1.419, 1.83 iters/s
step 18637, batch loss 1.277, 1.85 iters/s
step 18638, batch loss 1.714, 1.84 iters/s
step 18639, batch loss 2.165, 1.83 iters/s
step 18640, batch loss 1.38, 1.83 iters/s
step 18641, batch loss 2.008, 1.86 iters/s
step 18642, batch loss 1.38, 1.83 iters/s

step 18643, batch loss 2.011, 1.82 iters/s
step 18644, batch loss 1.146, 1.83 iters/s
step 18645, batch loss 1.614, 1.83 iters/s
step 18646, batch loss 1.379, 1.83 iters/s
step 18647, batch loss 1.429, 1.86 iters/s
step 18648, batch loss 0.883, 1.84 iters/s
step 18649, batch loss 2.284, 1.83 iters/s
step 18650, batch loss 1.635, 1.83 iters/s
step 18651, batch loss 1.631, 1.85 iters/s
step 18652, batch loss 1.444, 1.83 iters/s
step 18653, batch loss 1.692, 1.83 iters/s
step 18654, batch loss 1.812, 1.84 iters/s
step 18655, batch loss 1.879, 1.83 iters/s
step 18656, batch loss 2.004, 1.84 iters/s
step 18657, batch loss 1.389, 1.85 iters/s
step 18658, batch loss 1.884, 1.83 iters/s
step 18659, batch loss 1.621, 1.84 iters/s
step 18660, batch loss 1.283, 1.84 iters/s
step 18661, batch loss 1.348, 1.83 iters/s
step 18662, batch loss 2.127, 1.83 iters/s
step 18663, batch loss 1.829, 1.84 iters/s
step 18664, batch loss 2.321, 1.84 iters/s
step 18665, batch loss 0.859, 1.86 iters/s
step 18666, batch loss 1.592, 1.83 iters/s
step 18667, batch loss 1.424, 1.84 iters/s
step 18668, batch loss 1.142, 1.82 iters/s
step 18669, batch loss 1.666, 1.84 iters/s
step 18670, batch loss 2.269, 1.83 iters/s
step 18671, batch loss 1.534, 1.83 iters/s
step 18672, batch loss 1.027, 1.83 iters/s
step 18673, batch loss 1.166, 1.84 iters/s
step 18674, batch loss 0.74, 1.83 iters/s
step 18675, batch loss 1.662, 1.84 iters/s
step 18676, batch loss 1.076, 1.86 iters/s
step 18677, batch loss 1.418, 1.83 iters/s
step 18678, batch loss 1.499, 1.83 iters/s
step 18679, batch loss 1.912, 1.84 iters/s
step 18680, batch loss 0.737, 1.83 iters/s
step 18681, batch loss 1.352, 1.85 iters/s
step 18682, batch loss 1.069, 1.83 iters/s
step 18683, batch loss 1.73, 1.83 iters/s
step 18684, batch loss 1.834, 1.84 iters/s
step 18685, batch loss 2.017, 1.83 iters/s
step 18686, batch loss 1.717, 1.84 iters/s
step 18687, batch loss 1.723, 1.83 iters/s
step 18688, batch loss 2.007, 1.83 iters/s
step 18689, batch loss 2.124, 1.86 iters/s
step 18690, batch loss 1.649, 1.83 iters/s

step 18691, batch loss 1.879, 1.84 iters/s
step 18692, batch loss 1.789, 1.83 iters/s
step 18693, batch loss 1.385, 1.84 iters/s
step 18694, batch loss 2.146, 1.83 iters/s
step 18695, batch loss 2.198, 1.83 iters/s
step 18696, batch loss 1.182, 1.83 iters/s
step 18697, batch loss 1.545, 1.83 iters/s
step 18698, batch loss 1.357, 1.85 iters/s
step 18699, batch loss 1.677, 1.83 iters/s
step 18700, batch loss 1.614, 1.83 iters/s
step 18701, batch loss 1.508, 1.83 iters/s
step 18702, batch loss 0.875, 1.83 iters/s
step 18703, batch loss 1.395, 1.85 iters/s
step 18704, batch loss 1.154, 1.83 iters/s
step 18705, batch loss 2.442, 1.82 iters/s
step 18706, batch loss 1.871, 1.82 iters/s
step 18707, batch loss 1.872, 1.83 iters/s
step 18708, batch loss 1.067, 1.83 iters/s
step 18709, batch loss 1.498, 1.84 iters/s
step 18710, batch loss 1.843, 1.84 iters/s
step 18711, batch loss 2.025, 1.84 iters/s
step 18712, batch loss 0.873, 1.84 iters/s
step 18713, batch loss 2.004, 1.83 iters/s
step 18714, batch loss 1.486, 1.83 iters/s
step 18715, batch loss 2.258, 1.83 iters/s
step 18716, batch loss 2.087, 1.83 iters/s
step 18717, batch loss 1.871, 1.83 iters/s
step 18718, batch loss 2.149, 1.84 iters/s
step 18719, batch loss 2.038, 1.84 iters/s
step 18720, batch loss 2.147, 1.83 iters/s
step 18721, batch loss 1.578, 1.83 iters/s
step 18722, batch loss 2.054, 1.83 iters/s
step 18723, batch loss 1.342, 1.83 iters/s
step 18724, batch loss 1.28, 1.84 iters/s
step 18725, batch loss 1.663, 1.84 iters/s
step 18726, batch loss 1.215, 1.84 iters/s
step 18727, batch loss 1.672, 1.84 iters/s
step 18728, batch loss 2.067, 1.82 iters/s
step 18729, batch loss 1.869, 1.82 iters/s
step 18730, batch loss 1.505, 1.83 iters/s
step 18731, batch loss 1.793, 1.84 iters/s
step 18732, batch loss 1.938, 1.83 iters/s
step 18733, batch loss 2.047, 1.84 iters/s
step 18734, batch loss 1.389, 1.83 iters/s
step 18735, batch loss 1.628, 1.85 iters/s
step 18736, batch loss 1.698, 1.83 iters/s
step 18737, batch loss 1.598, 1.82 iters/s
step 18738, batch loss 1.203, 1.83 iters/s

step 18739, batch loss 1.324, 1.82 iters/s
step 18740, batch loss 1.506, 1.83 iters/s
step 18741, batch loss 1.977, 1.86 iters/s
step 18742, batch loss 1.757, 1.83 iters/s
step 18743, batch loss 1.084, 1.83 iters/s
step 18744, batch loss 2.266, 1.82 iters/s
step 18745, batch loss 1.379, 1.82 iters/s
step 18746, batch loss 0.932, 1.83 iters/s
step 18747, batch loss 1.843, 1.83 iters/s
step 18748, batch loss 1.742, 1.84 iters/s
step 18749, batch loss 1.042, 1.83 iters/s
step 18750, batch loss 1.535, 1.83 iters/s
step 18751, batch loss 1.427, 1.84 iters/s
step 18752, batch loss 1.679, 1.85 iters/s
step 18753, batch loss 1.434, 1.83 iters/s
step 18754, batch loss 0.622, 1.82 iters/s
step 18755, batch loss 1.448, 1.83 iters/s
step 18756, batch loss 1.046, 1.83 iters/s
step 18757, batch loss 1.616, 1.83 iters/s
step 18758, batch loss 1.064, 1.82 iters/s
step 18759, batch loss 1.533, 1.83 iters/s
step 18760, batch loss 1.271, 1.83 iters/s
step 18761, batch loss 1.405, 1.83 iters/s
step 18762, batch loss 2.506, 1.83 iters/s
step 18763, batch loss 1.786, 1.83 iters/s
step 18764, batch loss 1.944, 1.82 iters/s
step 18765, batch loss 1.991, 1.82 iters/s
step 18766, batch loss 1.624, 1.83 iters/s
step 18767, batch loss 0.673, 1.83 iters/s
step 18768, batch loss 1.39, 1.85 iters/s
step 18769, batch loss 0.825, 1.83 iters/s
step 18770, batch loss 1.472, 1.84 iters/s
step 18771, batch loss 1.981, 1.85 iters/s
step 18772, batch loss 0.87, 1.83 iters/s
step 18773, batch loss 2.024, 1.83 iters/s
step 18774, batch loss 1.731, 1.84 iters/s
step 18775, batch loss 1.817, 1.84 iters/s
step 18776, batch loss 2.404, 1.83 iters/s
step 18777, batch loss 1.524, 1.83 iters/s
step 18778, batch loss 1.752, 1.83 iters/s
step 18779, batch loss 1.894, 1.83 iters/s
step 18780, batch loss 1.167, 1.83 iters/s
step 18781, batch loss 1.027, 1.83 iters/s
step 18782, batch loss 1.541, 1.83 iters/s
step 18783, batch loss 1.814, 1.82 iters/s
step 18784, batch loss 2.024, 1.84 iters/s
step 18785, batch loss 1.835, 1.83 iters/s
step 18786, batch loss 1.087, 1.83 iters/s

step 18787, batch loss 1.215, 1.82 iters/s
step 18788, batch loss 1.694, 1.82 iters/s
step 18789, batch loss 1.594, 1.85 iters/s
step 18790, batch loss 1.412, 1.83 iters/s
step 18791, batch loss 1.239, 1.85 iters/s
step 18792, batch loss 1.907, 1.84 iters/s
step 18793, batch loss 1.276, 1.83 iters/s
step 18794, batch loss 1.221, 1.82 iters/s
step 18795, batch loss 1.922, 1.83 iters/s
step 18796, batch loss 1.534, 1.82 iters/s
step 18797, batch loss 1.326, 1.82 iters/s
step 18798, batch loss 1.443, 1.83 iters/s
step 18799, batch loss 2.192, 1.83 iters/s
step 18800, batch loss 1.411, 1.82 iters/s
step 18801, batch loss 1.355, 1.82 iters/s
step 18802, batch loss 1.822, 1.84 iters/s
step 18803, batch loss 1.79, 1.83 iters/s
step 18804, batch loss 1.54, 1.83 iters/s
step 18805, batch loss 1.583, 1.85 iters/s
step 18806, batch loss 0.854, 1.85 iters/s
step 18807, batch loss 1.915, 1.83 iters/s
step 18808, batch loss 1.869, 1.83 iters/s
step 18809, batch loss 1.078, 1.83 iters/s
step 18810, batch loss 1.765, 1.83 iters/s
step 18811, batch loss 2.178, 1.83 iters/s
step 18812, batch loss 1.972, 1.82 iters/s
step 18813, batch loss 1.167, 1.86 iters/s
step 18814, batch loss 1.205, 1.83 iters/s
step 18815, batch loss 1.968, 1.83 iters/s
step 18816, batch loss 1.781, 1.83 iters/s
step 18817, batch loss 2.295, 1.84 iters/s
step 18818, batch loss 1.104, 1.83 iters/s
step 18819, batch loss 0.457, 1.83 iters/s
step 18820, batch loss 1.331, 1.82 iters/s
step 18821, batch loss 2.306, 1.82 iters/s
step 18822, batch loss 1.126, 1.84 iters/s
step 18823, batch loss 1.885, 1.84 iters/s
step 18824, batch loss 1.477, 1.83 iters/s
step 18825, batch loss 1.106, 1.84 iters/s
step 18826, batch loss 1.555, 1.83 iters/s
step 18827, batch loss 1.166, 1.83 iters/s
step 18828, batch loss 1.596, 1.83 iters/s
step 18829, batch loss 0.932, 1.83 iters/s
step 18830, batch loss 1.052, 1.83 iters/s
step 18831, batch loss 0.796, 1.84 iters/s
step 18832, batch loss 1.929, 1.84 iters/s
step 18833, batch loss 1.936, 1.83 iters/s
step 18834, batch loss 1.357, 1.83 iters/s

step 18835, batch loss 0.861, 1.85 iters/s
step 18836, batch loss 2.064, 1.83 iters/s
step 18837, batch loss 2.024, 1.83 iters/s
step 18838, batch loss 1.307, 1.83 iters/s
step 18839, batch loss 1.293, 1.84 iters/s
step 18840, batch loss 0.96, 1.83 iters/s
step 18841, batch loss 1.388, 1.82 iters/s
step 18842, batch loss 1.79, 1.83 iters/s
step 18843, batch loss 1.831, 1.82 iters/s
step 18844, batch loss 1.938, 1.83 iters/s
step 18845, batch loss 1.076, 1.83 iters/s
step 18846, batch loss 1.948, 1.83 iters/s
step 18847, batch loss 1.783, 1.86 iters/s
step 18848, batch loss 1.373, 1.83 iters/s
step 18849, batch loss 2.102, 1.83 iters/s
step 18850, batch loss 1.126, 1.83 iters/s
step 18851, batch loss 1.715, 1.84 iters/s
step 18852, batch loss 1.167, 1.84 iters/s
step 18853, batch loss 2.325, 1.84 iters/s
step 18854, batch loss 2.032, 1.82 iters/s
step 18855, batch loss 0.593, 1.83 iters/s
step 18856, batch loss 1.39, 1.82 iters/s
step 18857, batch loss 1.74, 1.83 iters/s
step 18858, batch loss 1.569, 1.83 iters/s
step 18859, batch loss 2.344, 1.83 iters/s
step 18860, batch loss 1.827, 1.83 iters/s
step 18861, batch loss 1.188, 1.83 iters/s
step 18862, batch loss 1.962, 1.83 iters/s
step 18863, batch loss 0.864, 1.84 iters/s
step 18864, batch loss 2.209, 1.82 iters/s
step 18865, batch loss 2.577, 1.82 iters/s
step 18866, batch loss 2.25, 1.85 iters/s
step 18867, batch loss 1.649, 1.83 iters/s
step 18868, batch loss 2.022, 1.84 iters/s
step 18869, batch loss 1.406, 1.85 iters/s
step 18870, batch loss 1.714, 1.83 iters/s
step 18871, batch loss 1.596, 1.83 iters/s
step 18872, batch loss 1.579, 1.83 iters/s
step 18873, batch loss 1.724, 1.83 iters/s
step 18874, batch loss 1.489, 1.82 iters/s
step 18875, batch loss 1.178, 1.83 iters/s
step 18876, batch loss 1.072, 1.84 iters/s
step 18877, batch loss 1.742, 1.85 iters/s
step 18878, batch loss 1.624, 1.83 iters/s
step 18879, batch loss 2.137, 1.83 iters/s
step 18880, batch loss 2.214, 1.84 iters/s
step 18881, batch loss 2.009, 1.83 iters/s
step 18882, batch loss 2.145, 1.83 iters/s

step 18883, batch loss 1.985, 1.83 iters/s
step 18884, batch loss 1.675, 1.83 iters/s
step 18885, batch loss 2.188, 1.83 iters/s
step 18886, batch loss 1.364, 1.83 iters/s
step 18887, batch loss 0.555, 1.83 iters/s
step 18888, batch loss 1.805, 1.83 iters/s
step 18889, batch loss 1.328, 1.83 iters/s
step 18890, batch loss 1.706, 1.83 iters/s
step 18891, batch loss 0.929, 1.83 iters/s
step 18892, batch loss 1.909, 1.83 iters/s
step 18893, batch loss 1.573, 1.83 iters/s
step 18894, batch loss 1.177, 1.84 iters/s
step 18895, batch loss 1.87, 1.83 iters/s
step 18896, batch loss 1.013, 1.84 iters/s
step 18897, batch loss 1.418, 1.85 iters/s
step 18898, batch loss 2.081, 1.83 iters/s
step 18899, batch loss 1.164, 1.84 iters/s
step 18900, batch loss 1.828, 1.83 iters/s
step 18901, batch loss 1.095, 1.82 iters/s
step 18902, batch loss 1.476, 1.84 iters/s
step 18903, batch loss 1.161, 1.83 iters/s
step 18904, batch loss 1.576, 1.83 iters/s
step 18905, batch loss 1.281, 1.83 iters/s
step 18906, batch loss 1.894, 1.82 iters/s
step 18907, batch loss 0.647, 1.83 iters/s
step 18908, batch loss 1.616, 1.84 iters/s
step 18909, batch loss 1.137, 1.83 iters/s
step 18910, batch loss 1.695, 1.83 iters/s
step 18911, batch loss 0.83, 1.83 iters/s
step 18912, batch loss 1.478, 1.83 iters/s
step 18913, batch loss 1.824, 1.83 iters/s
step 18914, batch loss 1.456, 1.83 iters/s
step 18915, batch loss 1.438, 1.84 iters/s
step 18916, batch loss 1.019, 1.83 iters/s
step 18917, batch loss 0.941, 1.83 iters/s
step 18918, batch loss 2.14, 1.83 iters/s
step 18919, batch loss 1.977, 1.83 iters/s
step 18920, batch loss 1.364, 1.83 iters/s
step 18921, batch loss 1.657, 1.83 iters/s
step 18922, batch loss 1.182, 1.82 iters/s
step 18923, batch loss 1.823, 1.83 iters/s
step 18924, batch loss 0.719, 1.83 iters/s
step 18925, batch loss 1.907, 1.83 iters/s
step 18926, batch loss 1.589, 1.84 iters/s
step 18927, batch loss 1.548, 1.83 iters/s
step 18928, batch loss 2.054, 1.83 iters/s
step 18929, batch loss 1.729, 1.83 iters/s
step 18930, batch loss 1.263, 1.83 iters/s

step 18931, batch loss 1.782, 1.82 iters/s
step 18932, batch loss 1.961, 1.84 iters/s
step 18933, batch loss 1.504, 1.83 iters/s
step 18934, batch loss 1.458, 1.83 iters/s
step 18935, batch loss 1.47, 1.85 iters/s
step 18936, batch loss 0.805, 1.84 iters/s
step 18937, batch loss 1.276, 1.83 iters/s
step 18938, batch loss 1.428, 1.84 iters/s
step 18939, batch loss 1.199, 1.83 iters/s
step 18940, batch loss 1.282, 1.83 iters/s
step 18941, batch loss 1.265, 1.82 iters/s
step 18942, batch loss 2.023, 1.84 iters/s
step 18943, batch loss 1.949, 1.82 iters/s
step 18944, batch loss 1.607, 1.83 iters/s
step 18945, batch loss 1.569, 1.85 iters/s
step 18946, batch loss 1.316, 1.83 iters/s
step 18947, batch loss 1.411, 1.83 iters/s
step 18948, batch loss 2.483, 1.83 iters/s
step 18949, batch loss 1.201, 1.83 iters/s
step 18950, batch loss 2.07, 1.84 iters/s
step 18951, batch loss 1.5, 1.83 iters/s
step 18952, batch loss 1.266, 1.83 iters/s
step 18953, batch loss 1.341, 1.85 iters/s
step 18954, batch loss 2.266, 1.83 iters/s
step 18955, batch loss 1.981, 1.83 iters/s
step 18956, batch loss 1.56, 1.84 iters/s
step 18957, batch loss 2.164, 1.83 iters/s
step 18958, batch loss 2.201, 1.83 iters/s
step 18959, batch loss 0.863, 1.84 iters/s
step 18960, batch loss 1.103, 1.83 iters/s
step 18961, batch loss 1.339, 1.84 iters/s
step 18962, batch loss 1.446, 1.82 iters/s
step 18963, batch loss 1.861, 1.85 iters/s
step 18964, batch loss 1.493, 1.83 iters/s
step 18965, batch loss 1.438, 1.86 iters/s
step 18966, batch loss 1.067, 1.83 iters/s
step 18967, batch loss 1.226, 1.82 iters/s
step 18968, batch loss 1.797, 1.83 iters/s
step 18969, batch loss 1.583, 1.83 iters/s
step 18970, batch loss 1.45, 1.83 iters/s
step 18971, batch loss 1.912, 1.83 iters/s
step 18972, batch loss 1.281, 1.83 iters/s
step 18973, batch loss 2.214, 1.83 iters/s
step 18974, batch loss 2.089, 1.83 iters/s
step 18975, batch loss 1.33, 1.83 iters/s
step 18976, batch loss 1.08, 1.83 iters/s
step 18977, batch loss 1.429, 1.83 iters/s
step 18978, batch loss 1.951, 1.82 iters/s

step 18979, batch loss 1.631, 1.83 iters/s
step 18980, batch loss 1.287, 1.83 iters/s
step 18981, batch loss 1.571, 1.83 iters/s
step 18982, batch loss 2.362, 1.82 iters/s
step 18983, batch loss 1.265, 1.83 iters/s
step 18984, batch loss 1.494, 1.84 iters/s
step 18985, batch loss 1.972, 1.83 iters/s
step 18986, batch loss 1.336, 1.83 iters/s
step 18987, batch loss 1.27, 1.85 iters/s
step 18988, batch loss 0.788, 1.83 iters/s
step 18989, batch loss 1.843, 1.84 iters/s
step 18990, batch loss 1.705, 1.83 iters/s
step 18991, batch loss 1.738, 1.84 iters/s
step 18992, batch loss 1.644, 1.83 iters/s
step 18993, batch loss 2.131, 1.82 iters/s
step 18994, batch loss 1.195, 1.82 iters/s
step 18995, batch loss 2.313, 1.83 iters/s
step 18996, batch loss 1.092, 1.83 iters/s
step 18997, batch loss 2.817, 1.84 iters/s
step 18998, batch loss 1.603, 1.83 iters/s
step 18999, batch loss 0.748, 1.83 iters/s
step 19000, batch loss 1.458, 1.83 iters/s
step 19001, batch loss 0.987, 1.83 iters/s
step 19002, batch loss 1.973, 1.83 iters/s
step 19003, batch loss 1.853, 1.82 iters/s
step 19004, batch loss 1.454, 1.82 iters/s
step 19005, batch loss 0.926, 1.83 iters/s
step 19006, batch loss 1.933, 1.83 iters/s
step 19007, batch loss 1.975, 1.83 iters/s
step 19008, batch loss 1.276, 1.85 iters/s
step 19009, batch loss 1.348, 1.82 iters/s
step 19010, batch loss 1.779, 1.82 iters/s
step 19011, batch loss 1.323, 1.82 iters/s
step 19012, batch loss 1.936, 1.83 iters/s
step 19013, batch loss 1.51, 1.84 iters/s
step 19014, batch loss 1.8, 1.82 iters/s
step 19015, batch loss 1.456, 1.82 iters/s
step 19016, batch loss 1.6, 1.82 iters/s
step 19017, batch loss 1.535, 1.83 iters/s
step 19018, batch loss 1.366, 1.83 iters/s
step 19019, batch loss 1.75, 1.84 iters/s
step 19020, batch loss 1.474, 1.82 iters/s
step 19021, batch loss 1.969, 1.84 iters/s
step 19022, batch loss 1.492, 1.84 iters/s
step 19023, batch loss 1.961, 1.83 iters/s
step 19024, batch loss 0.972, 1.82 iters/s
step 19025, batch loss 1.747, 1.83 iters/s
step 19026, batch loss 1.541, 1.83 iters/s

step 19027, batch loss 1.331, 1.85 iters/s
step 19028, batch loss 1.371, 1.85 iters/s
step 19029, batch loss 1.619, 1.84 iters/s
step 19030, batch loss 1.794, 1.83 iters/s
step 19031, batch loss 1.957, 1.83 iters/s
step 19032, batch loss 1.082, 1.84 iters/s
step 19033, batch loss 2.306, 1.83 iters/s
step 19034, batch loss 2.091, 1.82 iters/s
step 19035, batch loss 2.005, 1.82 iters/s
step 19036, batch loss 2.153, 1.82 iters/s
step 19037, batch loss 1.253, 1.83 iters/s
step 19038, batch loss 1.721, 1.83 iters/s
step 19039, batch loss 1.845, 1.84 iters/s
step 19040, batch loss 1.109, 1.83 iters/s
step 19041, batch loss 1.055, 1.83 iters/s
step 19042, batch loss 1.627, 1.83 iters/s
step 19043, batch loss 1.161, 1.84 iters/s
step 19044, batch loss 1.231, 1.83 iters/s
step 19045, batch loss 2.03, 1.84 iters/s
step 19046, batch loss 1.13, 1.82 iters/s
step 19047, batch loss 1.655, 1.83 iters/s
step 19048, batch loss 1.224, 1.83 iters/s
step 19049, batch loss 1.415, 1.84 iters/s
step 19050, batch loss 1.634, 1.82 iters/s
step 19051, batch loss 1.84, 1.83 iters/s
step 19052, batch loss 2.423, 1.82 iters/s
step 19053, batch loss 1.288, 1.83 iters/s
step 19054, batch loss 1.127, 1.83 iters/s
step 19055, batch loss 0.781, 1.83 iters/s
step 19056, batch loss 1.691, 1.83 iters/s
step 19057, batch loss 0.519, 1.83 iters/s
step 19058, batch loss 1.736, 1.83 iters/s
step 19059, batch loss 1.679, 1.82 iters/s
step 19060, batch loss 1.537, 1.82 iters/s
step 19061, batch loss 1.738, 1.82 iters/s
step 19062, batch loss 1.373, 1.83 iters/s
step 19063, batch loss 1.237, 1.83 iters/s
step 19064, batch loss 2.04, 1.83 iters/s
step 19065, batch loss 1.75, 1.82 iters/s
step 19066, batch loss 1.17, 1.83 iters/s
step 19067, batch loss 1.848, 1.83 iters/s
step 19068, batch loss 1.778, 1.83 iters/s
step 19069, batch loss 0.75, 1.83 iters/s
step 19070, batch loss 1.11, 1.82 iters/s
step 19071, batch loss 1.896, 1.83 iters/s
step 19072, batch loss 1.461, 1.85 iters/s
step 19073, batch loss 2.03, 1.84 iters/s
step 19074, batch loss 1.879, 1.85 iters/s

step 19075, batch loss 1.182, 1.82 iters/s
step 19076, batch loss 1.223, 1.84 iters/s
step 19077, batch loss 1.792, 1.83 iters/s
step 19078, batch loss 1.592, 1.83 iters/s
step 19079, batch loss 1.709, 1.85 iters/s
step 19080, batch loss 1.624, 1.84 iters/s
step 19081, batch loss 2.009, 1.83 iters/s
step 19082, batch loss 1.481, 1.84 iters/s
step 19083, batch loss 1.675, 1.85 iters/s
step 19084, batch loss 1.053, 1.83 iters/s
step 19085, batch loss 1.473, 1.84 iters/s
step 19086, batch loss 1.846, 1.83 iters/s
step 19087, batch loss 0.896, 1.83 iters/s
step 19088, batch loss 1.27, 1.83 iters/s
step 19089, batch loss 1.964, 1.85 iters/s
step 19090, batch loss 0.841, 1.85 iters/s
step 19091, batch loss 2.126, 1.86 iters/s
step 19092, batch loss 1.394, 1.83 iters/s
step 19093, batch loss 2.092, 1.82 iters/s
step 19094, batch loss 1.204, 1.84 iters/s
step 19095, batch loss 1.674, 1.84 iters/s
step 19096, batch loss 1.449, 1.83 iters/s
step 19097, batch loss 1.436, 1.82 iters/s
step 19098, batch loss 1.785, 1.82 iters/s
step 19099, batch loss 1.882, 1.82 iters/s
step 19100, batch loss 0.957, 1.83 iters/s
step 19101, batch loss 1.441, 1.84 iters/s
step 19102, batch loss 1.731, 1.82 iters/s
step 19103, batch loss 0.715, 1.83 iters/s
step 19104, batch loss 1.589, 1.85 iters/s
step 19105, batch loss 1.557, 1.83 iters/s
step 19106, batch loss 2.104, 1.83 iters/s
step 19107, batch loss 0.873, 1.82 iters/s
step 19108, batch loss 1.785, 1.82 iters/s
step 19109, batch loss 1.675, 1.82 iters/s
step 19110, batch loss 2.046, 1.82 iters/s
step 19111, batch loss 1.459, 1.82 iters/s
step 19112, batch loss 1.288, 1.84 iters/s
step 19113, batch loss 1.653, 1.82 iters/s
step 19114, batch loss 1.797, 1.82 iters/s
step 19115, batch loss 1.046, 1.84 iters/s
step 19116, batch loss 1.481, 1.82 iters/s
step 19117, batch loss 1.518, 1.85 iters/s
step 19118, batch loss 1.291, 1.83 iters/s
step 19119, batch loss 1.407, 1.84 iters/s
step 19120, batch loss 2.345, 1.83 iters/s
step 19121, batch loss 1.793, 1.82 iters/s
step 19122, batch loss 1.712, 1.83 iters/s

step 19123, batch loss 2.362, 1.82 iters/s
step 19124, batch loss 1.628, 1.85 iters/s
step 19125, batch loss 1.447, 1.82 iters/s
step 19126, batch loss 1.854, 1.82 iters/s
step 19127, batch loss 1.933, 1.82 iters/s
step 19128, batch loss 1.939, 1.82 iters/s
step 19129, batch loss 1.746, 1.82 iters/s
step 19130, batch loss 0.988, 1.83 iters/s
step 19131, batch loss 1.949, 1.83 iters/s
step 19132, batch loss 1.26, 1.83 iters/s
step 19133, batch loss 1.804, 1.84 iters/s
step 19134, batch loss 1.808, 1.85 iters/s
step 19135, batch loss 2.196, 1.83 iters/s
step 19136, batch loss 1.76, 1.83 iters/s
step 19137, batch loss 0.587, 1.83 iters/s
step 19138, batch loss 1.556, 1.86 iters/s
step 19139, batch loss 1.358, 1.83 iters/s
step 19140, batch loss 1.375, 1.83 iters/s
step 19141, batch loss 1.569, 1.83 iters/s
step 19142, batch loss 0.589, 1.83 iters/s
step 19143, batch loss 1.746, 1.82 iters/s
step 19144, batch loss 1.855, 1.83 iters/s
step 19145, batch loss 1.914, 1.86 iters/s
step 19146, batch loss 1.89, 1.85 iters/s
step 19147, batch loss 1.97, 1.83 iters/s
step 19148, batch loss 1.536, 1.83 iters/s
step 19149, batch loss 1.731, 1.83 iters/s
step 19150, batch loss 2.012, 1.82 iters/s
step 19151, batch loss 1.222, 1.83 iters/s
step 19152, batch loss 1.998, 1.83 iters/s
step 19153, batch loss 1.9, 1.82 iters/s
step 19154, batch loss 1.441, 1.84 iters/s
step 19155, batch loss 1.599, 1.84 iters/s
step 19156, batch loss 1.956, 1.83 iters/s
step 19157, batch loss 1.63, 1.84 iters/s
step 19158, batch loss 1.334, 1.83 iters/s
step 19159, batch loss 1.043, 1.83 iters/s
step 19160, batch loss 1.839, 1.83 iters/s
step 19161, batch loss 1.592, 1.83 iters/s
step 19162, batch loss 1.521, 1.83 iters/s
step 19163, batch loss 1.967, 1.83 iters/s
step 19164, batch loss 1.513, 1.83 iters/s
step 19165, batch loss 1.912, 1.83 iters/s
step 19166, batch loss 1.552, 1.83 iters/s
step 19167, batch loss 1.966, 1.83 iters/s
step 19168, batch loss 1.58, 1.85 iters/s
step 19169, batch loss 2.545, 1.83 iters/s
step 19170, batch loss 1.433, 1.84 iters/s

step 19171, batch loss 1.845, 1.83 iters/s
step 19172, batch loss 1.416, 1.85 iters/s
step 19173, batch loss 1.386, 1.84 iters/s
step 19174, batch loss 1.412, 1.84 iters/s
step 19175, batch loss 2.029, 1.85 iters/s
step 19176, batch loss 1.377, 1.83 iters/s
step 19177, batch loss 1.722, 1.82 iters/s
step 19178, batch loss 1.328, 1.83 iters/s
step 19179, batch loss 1.609, 1.83 iters/s
step 19180, batch loss 1.713, 1.83 iters/s
step 19181, batch loss 1.791, 1.83 iters/s
step 19182, batch loss 1.587, 1.83 iters/s
step 19183, batch loss 1.562, 1.83 iters/s
step 19184, batch loss 1.983, 1.83 iters/s
step 19185, batch loss 1.587, 1.83 iters/s
step 19186, batch loss 1.465, 1.82 iters/s
step 19187, batch loss 1.931, 1.82 iters/s
step 19188, batch loss 1.703, 1.83 iters/s
step 19189, batch loss 1.093, 1.83 iters/s
step 19190, batch loss 1.418, 1.83 iters/s
step 19191, batch loss 1.055, 1.82 iters/s
step 19192, batch loss 1.983, 1.83 iters/s
step 19193, batch loss 1.051, 1.84 iters/s
step 19194, batch loss 0.777, 1.83 iters/s
step 19195, batch loss 1.52, 1.83 iters/s
step 19196, batch loss 1.47, 1.85 iters/s
step 19197, batch loss 0.695, 1.82 iters/s
step 19198, batch loss 1.183, 1.83 iters/s
step 19199, batch loss 1.24, 1.83 iters/s
step 19200, batch loss 1.715, 1.84 iters/s
step 19201, batch loss 1.439, 1.84 iters/s
step 19202, batch loss 0.668, 1.83 iters/s
step 19203, batch loss 1.837, 1.84 iters/s
step 19204, batch loss 1.236, 1.83 iters/s
step 19205, batch loss 0.96, 1.83 iters/s
step 19206, batch loss 1.326, 1.82 iters/s
step 19207, batch loss 1.634, 1.83 iters/s
step 19208, batch loss 1.398, 1.84 iters/s
step 19209, batch loss 1.741, 1.84 iters/s
step 19210, batch loss 1.016, 1.83 iters/s
step 19211, batch loss 2.147, 1.83 iters/s
step 19212, batch loss 1.242, 1.83 iters/s
step 19213, batch loss 1.388, 1.84 iters/s
step 19214, batch loss 1.605, 1.83 iters/s
step 19215, batch loss 1.038, 1.83 iters/s
step 19216, batch loss 1.624, 1.84 iters/s
step 19217, batch loss 1.691, 1.85 iters/s
step 19218, batch loss 1.216, 1.82 iters/s

step 19219, batch loss 1.85, 1.83 iters/s
step 19220, batch loss 1.559, 1.82 iters/s
step 19221, batch loss 1.181, 1.83 iters/s
step 19222, batch loss 1.42, 1.82 iters/s
step 19223, batch loss 1.768, 1.82 iters/s
step 19224, batch loss 1.092, 1.83 iters/s
step 19225, batch loss 1.206, 1.83 iters/s
step 19226, batch loss 0.889, 1.83 iters/s
step 19227, batch loss 0.995, 1.83 iters/s
step 19228, batch loss 1.512, 1.83 iters/s
step 19229, batch loss 1.309, 1.84 iters/s
step 19230, batch loss 0.76, 1.83 iters/s
step 19231, batch loss 1.436, 1.82 iters/s
step 19232, batch loss 1.397, 1.84 iters/s
step 19233, batch loss 2.155, 1.82 iters/s
step 19234, batch loss 1.692, 1.83 iters/s
step 19235, batch loss 1.566, 1.83 iters/s
step 19236, batch loss 1.199, 1.84 iters/s
step 19237, batch loss 1.094, 1.82 iters/s
step 19238, batch loss 1.651, 1.84 iters/s
step 19239, batch loss 1.219, 1.83 iters/s
step 19240, batch loss 1.412, 1.83 iters/s
step 19241, batch loss 2.07, 1.84 iters/s
step 19242, batch loss 1.657, 1.82 iters/s
step 19243, batch loss 1.596, 1.83 iters/s
step 19244, batch loss 2.367, 1.84 iters/s
step 19245, batch loss 0.969, 1.82 iters/s
step 19246, batch loss 2.06, 1.82 iters/s
step 19247, batch loss 1.258, 1.82 iters/s
step 19248, batch loss 2.16, 1.83 iters/s
step 19249, batch loss 1.788, 1.84 iters/s
step 19250, batch loss 1.253, 1.83 iters/s
step 19251, batch loss 1.69, 1.82 iters/s
step 19252, batch loss 1.406, 1.82 iters/s
step 19253, batch loss 1.258, 1.83 iters/s
step 19254, batch loss 1.714, 1.82 iters/s
step 19255, batch loss 1.124, 1.82 iters/s
step 19256, batch loss 1.886, 1.82 iters/s
step 19257, batch loss 1.098, 1.82 iters/s
step 19258, batch loss 2.212, 1.83 iters/s
step 19259, batch loss 1.22, 1.83 iters/s
step 19260, batch loss 1.726, 1.84 iters/s
step 19261, batch loss 1.955, 1.83 iters/s
step 19262, batch loss 1.823, 1.82 iters/s
step 19263, batch loss 1.516, 1.82 iters/s
step 19264, batch loss 1.748, 1.83 iters/s
step 19265, batch loss 1.052, 1.83 iters/s
step 19266, batch loss 2.141, 1.83 iters/s

step 19267, batch loss 1.51, 1.83 iters/s
step 19268, batch loss 1.222, 1.83 iters/s
step 19269, batch loss 1.797, 1.82 iters/s
step 19270, batch loss 1.676, 1.83 iters/s
step 19271, batch loss 1.598, 1.83 iters/s
step 19272, batch loss 2.132, 1.84 iters/s
step 19273, batch loss 1.745, 1.82 iters/s
step 19274, batch loss 1.316, 1.83 iters/s
step 19275, batch loss 1.746, 1.85 iters/s
step 19276, batch loss 1.764, 1.84 iters/s
step 19277, batch loss 1.687, 1.83 iters/s
step 19278, batch loss 1.846, 1.82 iters/s
step 19279, batch loss 1.991, 1.83 iters/s
step 19280, batch loss 2.246, 1.82 iters/s
step 19281, batch loss 1.666, 1.83 iters/s
step 19282, batch loss 1.561, 1.84 iters/s
step 19283, batch loss 1.401, 1.83 iters/s
step 19284, batch loss 1.444, 1.82 iters/s
step 19285, batch loss 1.905, 1.83 iters/s
step 19286, batch loss 0.87, 1.84 iters/s
step 19287, batch loss 1.305, 1.85 iters/s
step 19288, batch loss 1.016, 1.86 iters/s
step 19289, batch loss 1.684, 1.83 iters/s
step 19290, batch loss 1.22, 1.83 iters/s
step 19291, batch loss 1.731, 1.83 iters/s
step 19292, batch loss 1.324, 1.83 iters/s
step 19293, batch loss 1.733, 1.82 iters/s
step 19294, batch loss 2.644, 1.82 iters/s
step 19295, batch loss 2.223, 1.83 iters/s
step 19296, batch loss 1.399, 1.83 iters/s
step 19297, batch loss 1.513, 1.84 iters/s
step 19298, batch loss 1.667, 1.82 iters/s
step 19299, batch loss 2.205, 1.83 iters/s
step 19300, batch loss 1.336, 1.83 iters/s
step 19301, batch loss 1.819, 1.83 iters/s
step 19302, batch loss 1.788, 1.82 iters/s
step 19303, batch loss 1.404, 1.83 iters/s
step 19304, batch loss 1.798, 1.83 iters/s
step 19305, batch loss 1.228, 1.85 iters/s
step 19306, batch loss 1.278, 1.84 iters/s
step 19307, batch loss 1.056, 1.84 iters/s
step 19308, batch loss 1.227, 1.83 iters/s
step 19309, batch loss 1.471, 1.82 iters/s
step 19310, batch loss 1.785, 1.85 iters/s
step 19311, batch loss 1.393, 1.83 iters/s
step 19312, batch loss 1.503, 1.84 iters/s
step 19313, batch loss 1.356, 1.83 iters/s
step 19314, batch loss 2.017, 1.84 iters/s

step 19315, batch loss 1.575, 1.85 iters/s
step 19316, batch loss 1.19, 1.83 iters/s
step 19317, batch loss 2.038, 1.83 iters/s
step 19318, batch loss 2.051, 1.83 iters/s
step 19319, batch loss 1.783, 1.84 iters/s
step 19320, batch loss 1.263, 1.84 iters/s
step 19321, batch loss 1.59, 1.83 iters/s
step 19322, batch loss 1.898, 1.83 iters/s
step 19323, batch loss 1.797, 1.83 iters/s
step 19324, batch loss 1.877, 1.82 iters/s
step 19325, batch loss 1.108, 1.83 iters/s
step 19326, batch loss 1.397, 1.83 iters/s
step 19327, batch loss 1.336, 1.83 iters/s
step 19328, batch loss 1.755, 1.85 iters/s
step 19329, batch loss 2.196, 1.83 iters/s
step 19330, batch loss 1.612, 1.83 iters/s
step 19331, batch loss 1.883, 1.84 iters/s
step 19332, batch loss 0.927, 1.85 iters/s
step 19333, batch loss 1.391, 1.84 iters/s
step 19334, batch loss 1.791, 1.83 iters/s
step 19335, batch loss 1.904, 1.83 iters/s
step 19336, batch loss 1.535, 1.82 iters/s
step 19337, batch loss 1.535, 1.83 iters/s
step 19338, batch loss 1.761, 1.83 iters/s
step 19339, batch loss 1.575, 1.83 iters/s
step 19340, batch loss 1.433, 1.83 iters/s
step 19341, batch loss 1.126, 1.84 iters/s
step 19342, batch loss 1.541, 1.83 iters/s
step 19343, batch loss 1.126, 1.84 iters/s
step 19344, batch loss 1.485, 1.84 iters/s
step 19345, batch loss 1.221, 1.83 iters/s
step 19346, batch loss 1.631, 1.83 iters/s
step 19347, batch loss 1.854, 1.84 iters/s
step 19348, batch loss 0.809, 1.83 iters/s
step 19349, batch loss 1.765, 1.85 iters/s
step 19350, batch loss 1.218, 1.84 iters/s
step 19351, batch loss 1.765, 1.83 iters/s
step 19352, batch loss 1.243, 1.83 iters/s
step 19353, batch loss 0.648, 1.84 iters/s
step 19354, batch loss 1.022, 1.83 iters/s
step 19355, batch loss 1.709, 1.82 iters/s
step 19356, batch loss 1.212, 1.83 iters/s
step 19357, batch loss 1.542, 1.83 iters/s
step 19358, batch loss 1.798, 1.83 iters/s
step 19359, batch loss 1.447, 1.82 iters/s
step 19360, batch loss 2.003, 1.82 iters/s
step 19361, batch loss 1.41, 1.82 iters/s
step 19362, batch loss 1.179, 1.83 iters/s

step 19363, batch loss 1.899, 1.83 iters/s
step 19364, batch loss 0.957, 1.84 iters/s
step 19365, batch loss 1.808, 1.83 iters/s
step 19366, batch loss 2.564, 1.83 iters/s
step 19367, batch loss 1.734, 1.84 iters/s
step 19368, batch loss 1.379, 1.83 iters/s
step 19369, batch loss 2.104, 1.84 iters/s
step 19370, batch loss 1.294, 1.82 iters/s
step 19371, batch loss 1.609, 1.84 iters/s
step 19372, batch loss 1.511, 1.82 iters/s
step 19373, batch loss 1.786, 1.84 iters/s
step 19374, batch loss 1.291, 1.84 iters/s
step 19375, batch loss 1.571, 1.84 iters/s
step 19376, batch loss 1.054, 1.83 iters/s
step 19377, batch loss 1.941, 1.83 iters/s
step 19378, batch loss 0.967, 1.82 iters/s
step 19379, batch loss 1.73, 1.83 iters/s
step 19380, batch loss 1.632, 1.83 iters/s
step 19381, batch loss 2.303, 1.83 iters/s
step 19382, batch loss 1.158, 1.83 iters/s
step 19383, batch loss 2.069, 1.83 iters/s
step 19384, batch loss 0.906, 1.83 iters/s
step 19385, batch loss 2.114, 1.83 iters/s
step 19386, batch loss 1.39, 1.83 iters/s
step 19387, batch loss 2.24, 1.83 iters/s
step 19388, batch loss 2.177, 1.83 iters/s
step 19389, batch loss 1.935, 1.85 iters/s
step 19390, batch loss 2.125, 1.83 iters/s
step 19391, batch loss 2.056, 1.83 iters/s
step 19392, batch loss 1.134, 1.85 iters/s
step 19393, batch loss 0.86, 1.83 iters/s
step 19394, batch loss 0.862, 1.83 iters/s
step 19395, batch loss 1.922, 1.83 iters/s
step 19396, batch loss 1.438, 1.84 iters/s
step 19397, batch loss 2.101, 1.84 iters/s
step 19398, batch loss 1.881, 1.82 iters/s
step 19399, batch loss 1.802, 1.83 iters/s
step 19400, batch loss 1.724, 1.83 iters/s
step 19401, batch loss 1.782, 1.83 iters/s
step 19402, batch loss 1.274, 1.83 iters/s
step 19403, batch loss 1.525, 1.83 iters/s
step 19404, batch loss 1.501, 1.86 iters/s
step 19405, batch loss 0.651, 1.83 iters/s
step 19406, batch loss 1.515, 1.82 iters/s
step 19407, batch loss 1.861, 1.83 iters/s
step 19408, batch loss 0.721, 1.83 iters/s
step 19409, batch loss 1.448, 1.84 iters/s
step 19410, batch loss 2.055, 1.83 iters/s

step 19411, batch loss 1.583, 1.84 iters/s
step 19412, batch loss 2.198, 1.85 iters/s
step 19413, batch loss 1.979, 1.83 iters/s
step 19414, batch loss 1.503, 1.84 iters/s
step 19415, batch loss 1.868, 1.83 iters/s
step 19416, batch loss 1.002, 1.83 iters/s
step 19417, batch loss 1.836, 1.84 iters/s
step 19418, batch loss 1.242, 1.83 iters/s
step 19419, batch loss 1.752, 1.82 iters/s
step 19420, batch loss 1.229, 1.82 iters/s
step 19421, batch loss 1.652, 1.83 iters/s
step 19422, batch loss 1.171, 1.82 iters/s
step 19423, batch loss 1.738, 1.82 iters/s
step 19424, batch loss 2.085, 1.82 iters/s
step 19425, batch loss 1.299, 1.84 iters/s
step 19426, batch loss 1.263, 1.83 iters/s
step 19427, batch loss 1.491, 1.83 iters/s
step 19428, batch loss 1.603, 1.84 iters/s
step 19429, batch loss 2.143, 1.84 iters/s
step 19430, batch loss 2.235, 1.84 iters/s
step 19431, batch loss 1.984, 1.82 iters/s
step 19432, batch loss 1.212, 1.83 iters/s
step 19433, batch loss 0.961, 1.86 iters/s
step 19434, batch loss 1.474, 1.84 iters/s
step 19435, batch loss 1.702, 1.85 iters/s
step 19436, batch loss 1.136, 1.82 iters/s
step 19437, batch loss 1.16, 1.83 iters/s
step 19438, batch loss 0.967, 1.83 iters/s
step 19439, batch loss 2.439, 1.83 iters/s
step 19440, batch loss 1.796, 1.83 iters/s
step 19441, batch loss 1.743, 1.83 iters/s
step 19442, batch loss 1.927, 1.82 iters/s
step 19443, batch loss 1.288, 1.82 iters/s
step 19444, batch loss 1.561, 1.82 iters/s
step 19445, batch loss 2.196, 1.83 iters/s
step 19446, batch loss 1.631, 1.82 iters/s
step 19447, batch loss 1.301, 1.82 iters/s
step 19448, batch loss 2.292, 1.83 iters/s
step 19449, batch loss 1.638, 1.83 iters/s
step 19450, batch loss 2.135, 1.84 iters/s
step 19451, batch loss 2.044, 1.83 iters/s
step 19452, batch loss 1.333, 1.83 iters/s
step 19453, batch loss 1.158, 1.84 iters/s
step 19454, batch loss 1.541, 1.83 iters/s
step 19455, batch loss 1.7, 1.83 iters/s
step 19456, batch loss 1.539, 1.83 iters/s
step 19457, batch loss 1.777, 1.84 iters/s
step 19458, batch loss 2.09, 1.82 iters/s

step 19459, batch loss 1.455, 1.83 iters/s
step 19460, batch loss 1.362, 1.83 iters/s
step 19461, batch loss 1.725, 1.82 iters/s
step 19462, batch loss 1.802, 1.84 iters/s
step 19463, batch loss 1.191, 1.84 iters/s
step 19464, batch loss 1.713, 1.84 iters/s
step 19465, batch loss 1.407, 1.83 iters/s
step 19466, batch loss 2.135, 1.84 iters/s
step 19467, batch loss 1.489, 1.84 iters/s
step 19468, batch loss 2.178, 1.83 iters/s
step 19469, batch loss 1.45, 1.83 iters/s
step 19470, batch loss 2.131, 1.84 iters/s
step 19471, batch loss 0.974, 1.83 iters/s
step 19472, batch loss 1.631, 1.83 iters/s
step 19473, batch loss 1.397, 1.83 iters/s
step 19474, batch loss 1.176, 1.82 iters/s
step 19475, batch loss 1.607, 1.83 iters/s
step 19476, batch loss 1.558, 1.83 iters/s
step 19477, batch loss 1.626, 1.83 iters/s
step 19478, batch loss 1.037, 1.84 iters/s
step 19479, batch loss 1.351, 1.84 iters/s
step 19480, batch loss 1.694, 1.84 iters/s
step 19481, batch loss 1.681, 1.83 iters/s
step 19482, batch loss 1.806, 1.83 iters/s
step 19483, batch loss 1.913, 1.82 iters/s
step 19484, batch loss 1.212, 1.82 iters/s
step 19485, batch loss 1.147, 1.83 iters/s
step 19486, batch loss 1.808, 1.83 iters/s
step 19487, batch loss 2.034, 1.84 iters/s
step 19488, batch loss 1.02, 1.83 iters/s
step 19489, batch loss 1.745, 1.85 iters/s
step 19490, batch loss 1.6, 1.83 iters/s
step 19491, batch loss 1.143, 1.82 iters/s
step 19492, batch loss 1.172, 1.84 iters/s
step 19493, batch loss 1.735, 1.84 iters/s
step 19494, batch loss 1.046, 1.83 iters/s
step 19495, batch loss 1.883, 1.83 iters/s
step 19496, batch loss 1.898, 1.83 iters/s
step 19497, batch loss 1.884, 1.83 iters/s
step 19498, batch loss 1.374, 1.83 iters/s
step 19499, batch loss 1.59, 1.84 iters/s
step 19500, batch loss 1.51, 1.83 iters/s
step 19501, batch loss 1.642, 1.83 iters/s
step 19502, batch loss 1.914, 1.83 iters/s
step 19503, batch loss 1.819, 1.82 iters/s
step 19504, batch loss 1.787, 1.84 iters/s
step 19505, batch loss 1.516, 1.86 iters/s
step 19506, batch loss 1.616, 1.83 iters/s

step 19507, batch loss 1.454, 1.83 iters/s
step 19508, batch loss 1.554, 1.85 iters/s
step 19509, batch loss 0.929, 1.83 iters/s
step 19510, batch loss 1.25, 1.83 iters/s
step 19511, batch loss 1.688, 1.83 iters/s
step 19512, batch loss 1.945, 1.84 iters/s
step 19513, batch loss 1.903, 1.84 iters/s
step 19514, batch loss 1.435, 1.83 iters/s
step 19515, batch loss 1.926, 1.83 iters/s
step 19516, batch loss 1.496, 1.84 iters/s
step 19517, batch loss 1.253, 1.83 iters/s
step 19518, batch loss 1.564, 1.83 iters/s
step 19519, batch loss 1.617, 1.83 iters/s
step 19520, batch loss 1.918, 1.83 iters/s
step 19521, batch loss 0.726, 1.83 iters/s
step 19522, batch loss 1.203, 1.83 iters/s
step 19523, batch loss 1.88, 1.83 iters/s
step 19524, batch loss 0.527, 1.82 iters/s
step 19525, batch loss 1.316, 1.83 iters/s
step 19526, batch loss 1.676, 1.82 iters/s
step 19527, batch loss 1.634, 1.83 iters/s
step 19528, batch loss 1.14, 1.84 iters/s
step 19529, batch loss 1.594, 1.83 iters/s
step 19530, batch loss 1.21, 1.84 iters/s
step 19531, batch loss 1.873, 1.83 iters/s
step 19532, batch loss 1.527, 1.83 iters/s
step 19533, batch loss 1.484, 1.84 iters/s
step 19534, batch loss 2.302, 1.83 iters/s
step 19535, batch loss 1.723, 1.83 iters/s
step 19536, batch loss 2.105, 1.83 iters/s
step 19537, batch loss 1.802, 1.83 iters/s
step 19538, batch loss 1.642, 1.82 iters/s
step 19539, batch loss 1.763, 1.83 iters/s
step 19540, batch loss 1.594, 1.82 iters/s
step 19541, batch loss 1.516, 1.82 iters/s
step 19542, batch loss 1.979, 1.83 iters/s
step 19543, batch loss 1.834, 1.82 iters/s
step 19544, batch loss 1.597, 1.83 iters/s
step 19545, batch loss 1.444, 1.82 iters/s
step 19546, batch loss 1.579, 1.84 iters/s
step 19547, batch loss 2.195, 1.82 iters/s
step 19548, batch loss 2.221, 1.83 iters/s
step 19549, batch loss 2.253, 1.82 iters/s
step 19550, batch loss 1.237, 1.83 iters/s
step 19551, batch loss 1.807, 1.82 iters/s
step 19552, batch loss 2.433, 1.83 iters/s
step 19553, batch loss 1.059, 1.83 iters/s
step 19554, batch loss 1.597, 1.84 iters/s

step 19555, batch loss 2.319, 1.84 iters/s
step 19556, batch loss 1.489, 1.83 iters/s
step 19557, batch loss 1.085, 1.83 iters/s
step 19558, batch loss 1.98, 1.84 iters/s
step 19559, batch loss 1.813, 1.82 iters/s
step 19560, batch loss 1.332, 1.82 iters/s
step 19561, batch loss 0.882, 1.83 iters/s
step 19562, batch loss 1.919, 1.83 iters/s
step 19563, batch loss 1.819, 1.83 iters/s
step 19564, batch loss 0.959, 1.83 iters/s
step 19565, batch loss 1.466, 1.83 iters/s
step 19566, batch loss 0.957, 1.84 iters/s
step 19567, batch loss 1.167, 1.83 iters/s
step 19568, batch loss 1.095, 1.83 iters/s
step 19569, batch loss 2.329, 1.85 iters/s
step 19570, batch loss 1.493, 1.83 iters/s
step 19571, batch loss 1.294, 1.84 iters/s
step 19572, batch loss 1.017, 1.83 iters/s
step 19573, batch loss 1.621, 1.83 iters/s
step 19574, batch loss 1.8, 1.83 iters/s
step 19575, batch loss 0.515, 1.83 iters/s
step 19576, batch loss 1.593, 1.83 iters/s
step 19577, batch loss 1.819, 1.83 iters/s
step 19578, batch loss 2.238, 1.84 iters/s
step 19579, batch loss 1.882, 1.83 iters/s
step 19580, batch loss 0.972, 1.86 iters/s
step 19581, batch loss 0.939, 1.83 iters/s
step 19582, batch loss 1.035, 1.83 iters/s
step 19583, batch loss 1.702, 1.83 iters/s
step 19584, batch loss 1.382, 1.82 iters/s
step 19585, batch loss 1.302, 1.84 iters/s
step 19586, batch loss 1.425, 1.83 iters/s
step 19587, batch loss 1.404, 1.84 iters/s
step 19588, batch loss 1.554, 1.85 iters/s
step 19589, batch loss 1.35, 1.83 iters/s
step 19590, batch loss 0.943, 1.83 iters/s
step 19591, batch loss 0.763, 1.83 iters/s
step 19592, batch loss 1.583, 1.83 iters/s
step 19593, batch loss 1.176, 1.83 iters/s
step 19594, batch loss 1.029, 1.84 iters/s
step 19595, batch loss 1.792, 1.82 iters/s
step 19596, batch loss 2.048, 1.82 iters/s
step 19597, batch loss 1.884, 1.82 iters/s
step 19598, batch loss 1.657, 1.83 iters/s
step 19599, batch loss 1.42, 1.84 iters/s
step 19600, batch loss 1.453, 1.83 iters/s
step 19601, batch loss 1.419, 1.84 iters/s
step 19602, batch loss 1.84, 1.83 iters/s

step 19603, batch loss 1.525, 1.83 iters/s
step 19604, batch loss 1.886, 1.83 iters/s
step 19605, batch loss 1.587, 1.83 iters/s
step 19606, batch loss 1.13, 1.82 iters/s
step 19607, batch loss 1.922, 1.83 iters/s
step 19608, batch loss 1.301, 1.83 iters/s
step 19609, batch loss 2.269, 1.83 iters/s
step 19610, batch loss 1.392, 1.82 iters/s
step 19611, batch loss 1.216, 1.83 iters/s
step 19612, batch loss 1.738, 1.83 iters/s
step 19613, batch loss 1.425, 1.84 iters/s
step 19614, batch loss 1.836, 1.83 iters/s
step 19615, batch loss 1.013, 1.84 iters/s
step 19616, batch loss 1.198, 1.84 iters/s
step 19617, batch loss 1.088, 1.83 iters/s
step 19618, batch loss 2.096, 1.83 iters/s
step 19619, batch loss 1.602, 1.85 iters/s
step 19620, batch loss 1.658, 1.82 iters/s
step 19621, batch loss 1.36, 1.82 iters/s
step 19622, batch loss 1.31, 1.82 iters/s
step 19623, batch loss 1.705, 1.85 iters/s
step 19624, batch loss 1.644, 1.82 iters/s
step 19625, batch loss 1.939, 1.82 iters/s
step 19626, batch loss 1.463, 1.82 iters/s
step 19627, batch loss 1.627, 1.83 iters/s
step 19628, batch loss 1.824, 1.82 iters/s
step 19629, batch loss 1.597, 1.82 iters/s
step 19630, batch loss 1.463, 1.84 iters/s
step 19631, batch loss 1.063, 1.83 iters/s
step 19632, batch loss 1.584, 1.83 iters/s
step 19633, batch loss 1.532, 1.83 iters/s
step 19634, batch loss 1.267, 1.81 iters/s
step 19635, batch loss 1.305, 1.84 iters/s
step 19636, batch loss 0.998, 1.83 iters/s
step 19637, batch loss 1.857, 1.83 iters/s
step 19638, batch loss 2.111, 1.83 iters/s
step 19639, batch loss 2.317, 1.82 iters/s
step 19640, batch loss 1.754, 1.83 iters/s
step 19641, batch loss 1.742, 1.82 iters/s
step 19642, batch loss 1.382, 1.82 iters/s
step 19643, batch loss 1.522, 1.82 iters/s
step 19644, batch loss 1.053, 1.83 iters/s
step 19645, batch loss 2.066, 1.83 iters/s
step 19646, batch loss 1.604, 1.82 iters/s
step 19647, batch loss 1.084, 1.85 iters/s
step 19648, batch loss 1.057, 1.82 iters/s
step 19649, batch loss 1.747, 1.84 iters/s
step 19650, batch loss 1.46, 1.83 iters/s

step 19651, batch loss 1.915, 1.83 iters/s
step 19652, batch loss 1.861, 1.83 iters/s
step 19653, batch loss 1.881, 1.84 iters/s
step 19654, batch loss 1.767, 1.82 iters/s
step 19655, batch loss 1.815, 1.83 iters/s
step 19656, batch loss 1.266, 1.84 iters/s
step 19657, batch loss 2.584, 1.82 iters/s
step 19658, batch loss 1.843, 1.82 iters/s
step 19659, batch loss 1.056, 1.82 iters/s
step 19660, batch loss 1.274, 1.84 iters/s
step 19661, batch loss 1.365, 1.85 iters/s
step 19662, batch loss 1.904, 1.83 iters/s
step 19663, batch loss 1.0, 1.83 iters/s
step 19664, batch loss 1.678, 1.83 iters/s
step 19665, batch loss 1.258, 1.83 iters/s
step 19666, batch loss 1.849, 1.83 iters/s
step 19667, batch loss 1.053, 1.83 iters/s
step 19668, batch loss 1.993, 1.83 iters/s
step 19669, batch loss 1.585, 1.85 iters/s
step 19670, batch loss 1.374, 1.86 iters/s
step 19671, batch loss 1.769, 1.84 iters/s
step 19672, batch loss 1.504, 1.83 iters/s
step 19673, batch loss 2.185, 1.82 iters/s
step 19674, batch loss 1.369, 1.83 iters/s
step 19675, batch loss 1.786, 1.85 iters/s
step 19676, batch loss 1.279, 1.82 iters/s
step 19677, batch loss 0.893, 1.82 iters/s
step 19678, batch loss 1.38, 1.82 iters/s
step 19679, batch loss 0.812, 1.84 iters/s
step 19680, batch loss 1.259, 1.82 iters/s
step 19681, batch loss 0.91, 1.83 iters/s
step 19682, batch loss 1.231, 1.82 iters/s
step 19683, batch loss 0.844, 1.84 iters/s
step 19684, batch loss 1.468, 1.82 iters/s
step 19685, batch loss 1.633, 1.83 iters/s
step 19686, batch loss 1.157, 1.82 iters/s
step 19687, batch loss 1.896, 1.85 iters/s
step 19688, batch loss 1.642, 1.83 iters/s
step 19689, batch loss 1.381, 1.83 iters/s
step 19690, batch loss 0.866, 1.84 iters/s
step 19691, batch loss 1.094, 1.82 iters/s
step 19692, batch loss 1.945, 1.83 iters/s
step 19693, batch loss 1.804, 1.83 iters/s
step 19694, batch loss 1.4, 1.83 iters/s
step 19695, batch loss 1.578, 1.82 iters/s
step 19696, batch loss 1.228, 1.82 iters/s
step 19697, batch loss 0.809, 1.82 iters/s
step 19698, batch loss 1.406, 1.82 iters/s

step 19699, batch loss 1.743, 1.82 iters/s
step 19700, batch loss 1.54, 1.84 iters/s
step 19701, batch loss 1.703, 1.82 iters/s
step 19702, batch loss 1.802, 1.83 iters/s
step 19703, batch loss 1.287, 1.83 iters/s
step 19704, batch loss 1.532, 1.83 iters/s
step 19705, batch loss 1.295, 1.83 iters/s
step 19706, batch loss 1.864, 1.83 iters/s
step 19707, batch loss 1.3, 1.84 iters/s
step 19708, batch loss 1.549, 1.83 iters/s
step 19709, batch loss 2.101, 1.82 iters/s
step 19710, batch loss 1.42, 1.83 iters/s
step 19711, batch loss 1.652, 1.84 iters/s
step 19712, batch loss 1.559, 1.86 iters/s
step 19713, batch loss 1.648, 1.83 iters/s
step 19714, batch loss 1.566, 1.85 iters/s
step 19715, batch loss 1.317, 1.82 iters/s
step 19716, batch loss 1.393, 1.83 iters/s
step 19717, batch loss 1.772, 1.86 iters/s
step 19718, batch loss 1.262, 1.82 iters/s
step 19719, batch loss 1.272, 1.82 iters/s
step 19720, batch loss 1.932, 1.83 iters/s
step 19721, batch loss 2.278, 1.82 iters/s
step 19722, batch loss 2.121, 1.82 iters/s
step 19723, batch loss 2.008, 1.82 iters/s
step 19724, batch loss 1.745, 1.83 iters/s
step 19725, batch loss 1.516, 1.83 iters/s
step 19726, batch loss 0.986, 1.82 iters/s
step 19727, batch loss 1.373, 1.82 iters/s
step 19728, batch loss 1.226, 1.82 iters/s
step 19729, batch loss 2.0, 1.82 iters/s
step 19730, batch loss 1.062, 1.83 iters/s
step 19731, batch loss 0.818, 1.82 iters/s
step 19732, batch loss 1.852, 1.83 iters/s
step 19733, batch loss 1.076, 1.82 iters/s
step 19734, batch loss 1.821, 1.82 iters/s
step 19735, batch loss 1.919, 1.83 iters/s
step 19736, batch loss 1.694, 1.82 iters/s
step 19737, batch loss 1.619, 1.82 iters/s
step 19738, batch loss 1.852, 1.83 iters/s
step 19739, batch loss 1.76, 1.83 iters/s
step 19740, batch loss 1.328, 1.83 iters/s
step 19741, batch loss 1.847, 1.82 iters/s
step 19742, batch loss 1.772, 1.83 iters/s
step 19743, batch loss 0.652, 1.83 iters/s
step 19744, batch loss 2.057, 1.85 iters/s
step 19745, batch loss 1.755, 1.82 iters/s
step 19746, batch loss 2.033, 1.84 iters/s

step 19747, batch loss 1.632, 1.83 iters/s
step 19748, batch loss 1.822, 1.82 iters/s
step 19749, batch loss 2.29, 1.83 iters/s
step 19750, batch loss 2.068, 1.82 iters/s
step 19751, batch loss 1.585, 1.84 iters/s
step 19752, batch loss 2.016, 1.82 iters/s
step 19753, batch loss 1.474, 1.84 iters/s
step 19754, batch loss 1.593, 1.82 iters/s
step 19755, batch loss 1.954, 1.82 iters/s
step 19756, batch loss 0.897, 1.82 iters/s
step 19757, batch loss 1.848, 1.83 iters/s
step 19758, batch loss 0.857, 1.82 iters/s
step 19759, batch loss 1.353, 1.82 iters/s
step 19760, batch loss 1.882, 1.84 iters/s
step 19761, batch loss 0.842, 1.83 iters/s
step 19762, batch loss 1.662, 1.82 iters/s
step 19763, batch loss 1.793, 1.83 iters/s
step 19764, batch loss 1.804, 1.81 iters/s
step 19765, batch loss 1.283, 1.83 iters/s
step 19766, batch loss 2.532, 1.84 iters/s
step 19767, batch loss 1.69, 1.85 iters/s
step 19768, batch loss 1.459, 1.82 iters/s
step 19769, batch loss 1.69, 1.83 iters/s
step 19770, batch loss 1.427, 1.82 iters/s
step 19771, batch loss 1.507, 1.82 iters/s
step 19772, batch loss 1.037, 1.83 iters/s
step 19773, batch loss 2.007, 1.83 iters/s
step 19774, batch loss 1.146, 1.83 iters/s
step 19775, batch loss 1.584, 1.83 iters/s
step 19776, batch loss 1.715, 1.84 iters/s
step 19777, batch loss 1.45, 1.82 iters/s
step 19778, batch loss 1.757, 1.82 iters/s
step 19779, batch loss 1.654, 1.82 iters/s
step 19780, batch loss 0.758, 1.85 iters/s
step 19781, batch loss 1.006, 1.82 iters/s
step 19782, batch loss 1.319, 1.82 iters/s
step 19783, batch loss 1.892, 1.83 iters/s
step 19784, batch loss 1.618, 1.82 iters/s
step 19785, batch loss 1.078, 1.84 iters/s
step 19786, batch loss 1.585, 1.85 iters/s
step 19787, batch loss 1.691, 1.83 iters/s
step 19788, batch loss 1.134, 1.83 iters/s
step 19789, batch loss 1.825, 1.84 iters/s
step 19790, batch loss 1.848, 1.85 iters/s
step 19791, batch loss 1.417, 1.83 iters/s
step 19792, batch loss 1.819, 1.82 iters/s
step 19793, batch loss 2.24, 1.83 iters/s
step 19794, batch loss 1.566, 1.83 iters/s

step 19795, batch loss 1.408, 1.83 iters/s
step 19796, batch loss 1.999, 1.83 iters/s
step 19797, batch loss 1.255, 1.84 iters/s
step 19798, batch loss 1.76, 1.83 iters/s
step 19799, batch loss 1.208, 1.83 iters/s
step 19800, batch loss 1.984, 1.84 iters/s
step 19801, batch loss 1.939, 1.83 iters/s
step 19802, batch loss 1.535, 1.84 iters/s
step 19803, batch loss 1.566, 1.82 iters/s
step 19804, batch loss 1.158, 1.83 iters/s
step 19805, batch loss 1.443, 1.83 iters/s
step 19806, batch loss 1.62, 1.83 iters/s
step 19807, batch loss 1.596, 1.82 iters/s
step 19808, batch loss 1.53, 1.82 iters/s
step 19809, batch loss 1.807, 1.85 iters/s
step 19810, batch loss 1.918, 1.83 iters/s
step 19811, batch loss 1.656, 1.83 iters/s
step 19812, batch loss 1.782, 1.84 iters/s
step 19813, batch loss 1.527, 1.83 iters/s
step 19814, batch loss 1.51, 1.83 iters/s
step 19815, batch loss 1.638, 1.83 iters/s
step 19816, batch loss 1.103, 1.82 iters/s
step 19817, batch loss 1.389, 1.83 iters/s
step 19818, batch loss 1.641, 1.83 iters/s
step 19819, batch loss 1.897, 1.83 iters/s
step 19820, batch loss 1.603, 1.82 iters/s
step 19821, batch loss 1.695, 1.83 iters/s
step 19822, batch loss 2.108, 1.84 iters/s
step 19823, batch loss 1.463, 1.84 iters/s
step 19824, batch loss 1.473, 1.85 iters/s
step 19825, batch loss 1.699, 1.83 iters/s
step 19826, batch loss 0.894, 1.82 iters/s
step 19827, batch loss 1.967, 1.83 iters/s
step 19828, batch loss 2.323, 1.84 iters/s
step 19829, batch loss 1.67, 1.82 iters/s
step 19830, batch loss 1.152, 1.84 iters/s
step 19831, batch loss 1.763, 1.82 iters/s
step 19832, batch loss 2.232, 1.83 iters/s
step 19833, batch loss 1.942, 1.83 iters/s
step 19834, batch loss 1.468, 1.83 iters/s
step 19835, batch loss 1.408, 1.83 iters/s
step 19836, batch loss 1.554, 1.83 iters/s
step 19837, batch loss 1.753, 1.85 iters/s
step 19838, batch loss 1.342, 1.83 iters/s
step 19839, batch loss 1.662, 1.83 iters/s
step 19840, batch loss 1.572, 1.82 iters/s
step 19841, batch loss 1.355, 1.83 iters/s
step 19842, batch loss 1.446, 1.83 iters/s

step 19843, batch loss 1.493, 1.85 iters/s
step 19844, batch loss 1.257, 1.83 iters/s
step 19845, batch loss 1.478, 1.83 iters/s
step 19846, batch loss 2.227, 1.82 iters/s
step 19847, batch loss 1.257, 1.84 iters/s
step 19848, batch loss 1.647, 1.83 iters/s
step 19849, batch loss 1.576, 1.84 iters/s
step 19850, batch loss 1.27, 1.83 iters/s
step 19851, batch loss 0.849, 1.83 iters/s
step 19852, batch loss 1.534, 1.84 iters/s
step 19853, batch loss 1.793, 1.83 iters/s
step 19854, batch loss 1.681, 1.85 iters/s
step 19855, batch loss 1.731, 1.82 iters/s
step 19856, batch loss 1.953, 1.84 iters/s
step 19857, batch loss 1.607, 1.83 iters/s
step 19858, batch loss 1.938, 1.82 iters/s
step 19859, batch loss 1.223, 1.83 iters/s
step 19860, batch loss 1.378, 1.84 iters/s
step 19861, batch loss 1.717, 1.83 iters/s
step 19862, batch loss 1.397, 1.83 iters/s
step 19863, batch loss 1.2, 1.84 iters/s
step 19864, batch loss 1.845, 1.84 iters/s
step 19865, batch loss 1.665, 1.83 iters/s
step 19866, batch loss 1.758, 1.84 iters/s
step 19867, batch loss 0.899, 1.82 iters/s
step 19868, batch loss 1.713, 1.86 iters/s
step 19869, batch loss 1.392, 1.83 iters/s
step 19870, batch loss 1.372, 1.83 iters/s
step 19871, batch loss 0.906, 1.83 iters/s
step 19872, batch loss 1.3, 1.83 iters/s
step 19873, batch loss 1.576, 1.83 iters/s
step 19874, batch loss 1.049, 1.83 iters/s
step 19875, batch loss 1.416, 1.85 iters/s
step 19876, batch loss 1.659, 1.85 iters/s
step 19877, batch loss 1.08, 1.82 iters/s
step 19878, batch loss 1.48, 1.83 iters/s
step 19879, batch loss 1.198, 1.82 iters/s
step 19880, batch loss 1.687, 1.83 iters/s
step 19881, batch loss 1.173, 1.82 iters/s
step 19882, batch loss 0.872, 1.85 iters/s
step 19883, batch loss 1.532, 1.83 iters/s
step 19884, batch loss 1.645, 1.83 iters/s
step 19885, batch loss 1.447, 1.84 iters/s
step 19886, batch loss 1.339, 1.83 iters/s
step 19887, batch loss 1.009, 1.83 iters/s
step 19888, batch loss 1.564, 1.83 iters/s
step 19889, batch loss 1.338, 1.82 iters/s
step 19890, batch loss 1.118, 1.84 iters/s

step 19891, batch loss 1.728, 1.84 iters/s
step 19892, batch loss 1.5, 1.83 iters/s
step 19893, batch loss 1.532, 1.82 iters/s
step 19894, batch loss 1.875, 1.83 iters/s
step 19895, batch loss 1.658, 1.82 iters/s
step 19896, batch loss 1.273, 1.83 iters/s
step 19897, batch loss 1.184, 1.82 iters/s
step 19898, batch loss 1.545, 1.83 iters/s
step 19899, batch loss 0.719, 1.84 iters/s
step 19900, batch loss 1.898, 1.84 iters/s
step 19901, batch loss 1.379, 1.83 iters/s
step 19902, batch loss 1.566, 1.83 iters/s
step 19903, batch loss 1.408, 1.83 iters/s
step 19904, batch loss 1.241, 1.82 iters/s
step 19905, batch loss 1.88, 1.83 iters/s
step 19906, batch loss 1.652, 1.82 iters/s
step 19907, batch loss 0.933, 1.83 iters/s
step 19908, batch loss 2.033, 1.83 iters/s
step 19909, batch loss 1.563, 1.82 iters/s
step 19910, batch loss 1.561, 1.83 iters/s
step 19911, batch loss 1.685, 1.82 iters/s
step 19912, batch loss 1.383, 1.83 iters/s
step 19913, batch loss 1.447, 1.83 iters/s
step 19914, batch loss 1.608, 1.83 iters/s
step 19915, batch loss 1.63, 1.83 iters/s
step 19916, batch loss 1.648, 1.83 iters/s
step 19917, batch loss 1.394, 1.81 iters/s
step 19918, batch loss 1.57, 1.83 iters/s
step 19919, batch loss 2.794, 1.83 iters/s
step 19920, batch loss 1.169, 1.83 iters/s
step 19921, batch loss 2.029, 1.85 iters/s
step 19922, batch loss 1.45, 1.82 iters/s
step 19923, batch loss 1.158, 1.84 iters/s
step 19924, batch loss 1.456, 1.83 iters/s
step 19925, batch loss 2.06, 1.85 iters/s
step 19926, batch loss 0.801, 1.83 iters/s
step 19927, batch loss 1.462, 1.82 iters/s
step 19928, batch loss 1.138, 1.83 iters/s
step 19929, batch loss 1.263, 1.82 iters/s
step 19930, batch loss 1.685, 1.83 iters/s
step 19931, batch loss 2.002, 1.83 iters/s
step 19932, batch loss 1.812, 1.83 iters/s
step 19933, batch loss 1.965, 1.83 iters/s
step 19934, batch loss 1.419, 1.83 iters/s
step 19935, batch loss 1.519, 1.83 iters/s
step 19936, batch loss 1.418, 1.85 iters/s
step 19937, batch loss 1.845, 1.82 iters/s
step 19938, batch loss 1.427, 1.82 iters/s

step 19939, batch loss 2.472, 1.83 iters/s
step 19940, batch loss 1.496, 1.83 iters/s
step 19941, batch loss 1.656, 1.83 iters/s
step 19942, batch loss 1.402, 1.83 iters/s
step 19943, batch loss 2.023, 1.83 iters/s
step 19944, batch loss 1.852, 1.83 iters/s
step 19945, batch loss 1.527, 1.83 iters/s
step 19946, batch loss 1.494, 1.83 iters/s
step 19947, batch loss 1.991, 1.83 iters/s
step 19948, batch loss 1.62, 1.83 iters/s
step 19949, batch loss 0.711, 1.83 iters/s
step 19950, batch loss 2.37, 1.82 iters/s
step 19951, batch loss 1.862, 1.83 iters/s
step 19952, batch loss 1.328, 1.84 iters/s
step 19953, batch loss 1.205, 1.83 iters/s
step 19954, batch loss 0.75, 1.82 iters/s
step 19955, batch loss 2.046, 1.83 iters/s
step 19956, batch loss 1.289, 1.83 iters/s
step 19957, batch loss 1.52, 1.83 iters/s
step 19958, batch loss 1.855, 1.83 iters/s
step 19959, batch loss 1.471, 1.83 iters/s
step 19960, batch loss 1.302, 1.83 iters/s
step 19961, batch loss 1.705, 1.82 iters/s
step 19962, batch loss 1.663, 1.83 iters/s
step 19963, batch loss 1.653, 1.85 iters/s
step 19964, batch loss 1.378, 1.84 iters/s
step 19965, batch loss 1.639, 1.83 iters/s
step 19966, batch loss 1.448, 1.84 iters/s
step 19967, batch loss 1.454, 1.85 iters/s
step 19968, batch loss 1.246, 1.84 iters/s
step 19969, batch loss 1.177, 1.83 iters/s
step 19970, batch loss 1.289, 1.82 iters/s
step 19971, batch loss 1.642, 1.82 iters/s
step 19972, batch loss 1.409, 1.84 iters/s
step 19973, batch loss 1.37, 1.82 iters/s
step 19974, batch loss 1.082, 1.82 iters/s
step 19975, batch loss 1.712, 1.82 iters/s
step 19976, batch loss 1.779, 1.84 iters/s
step 19977, batch loss 1.773, 1.85 iters/s
step 19978, batch loss 1.751, 1.83 iters/s
step 19979, batch loss 1.773, 1.83 iters/s
step 19980, batch loss 1.206, 1.83 iters/s
step 19981, batch loss 1.513, 1.84 iters/s
step 19982, batch loss 1.814, 1.85 iters/s
step 19983, batch loss 1.87, 1.83 iters/s
step 19984, batch loss 1.678, 1.83 iters/s
step 19985, batch loss 1.507, 1.83 iters/s
step 19986, batch loss 1.363, 1.82 iters/s

```

step 19987, batch loss 2.09, 1.83 iters/s
step 19988, batch loss 1.072, 1.83 iters/s
step 19989, batch loss 0.564, 1.83 iters/s
step 19990, batch loss 1.553, 1.83 iters/s
step 19991, batch loss 1.326, 1.82 iters/s
step 19992, batch loss 1.322, 1.83 iters/s
step 19993, batch loss 1.285, 1.82 iters/s
step 19994, batch loss 1.415, 1.82 iters/s
step 19995, batch loss 1.915, 1.83 iters/s
step 19996, batch loss 1.14, 1.83 iters/s
step 19997, batch loss 0.926, 1.82 iters/s
step 19998, batch loss 1.524, 1.83 iters/s
step 19999, batch loss 1.758, 1.83 iters/s

```

```

[12]: def extract_total_time(file_path):
    try:
        with open(file_path, 'r') as f:
            lines = f.readlines()

        for line in reversed(lines):
            if "Total training time" in line:
                time_str = line.split(':')[1].replace('seconds', '').strip()
                return float(time_str)
        return None
    except Exception as e:
        print(f"{e}")
        return None

from pathlib import Path

runs_base_dir = Path("/kaggle/working/GPT2-fine-tune/mds_proj/src/runs")

def get_latest_experiment_path(prefix: str):
    matching_dirs = list(runs_base_dir.glob(f"{prefix}*"))

    if not matching_dirs:
        return None

    latest_dir = sorted(matching_dirs)[-1]
    return latest_dir

experiment_name_lora = get_latest_experiment_path("sft_lora_ft_exp_").name
experiment_name_full = get_latest_experiment_path("sft_sft_fft_exp_").name

```

```
# experiment_name_lora="sft_lora_ft_exp_202606292104"
# experiment_name_full="sft_sft_fft_exp_202606292105"
train_time_lora = extract_total_time(f"/kaggle/working/GPT2-fine-tune/mds_proj/
↳src/runs/{experiment_name_lora}/train_loss.txt")
train_time_full = extract_total_time(f"/kaggle/working/GPT2-fine-tune/mds_proj/
↳src/runs/{experiment_name_full}/train_loss.txt")
print(train_time_lora,train_time_full)
```

7246.9 10918.14

4 Visualization

```
[13]: import matplotlib.pyplot as plt
import numpy as np

def get_losses(exp_name):
    """Parses the training log file to extract batch loss values."""
    path = f"/kaggle/working/GPT2-fine-tune/mds_proj/src/runs/{exp_name}/
↳train_loss.txt"
    with open(path, 'r') as f:
        # Read lines, filtering out empty ones and summary statistics
↳(containing '=')
        lines = [line.strip() for line in f if line.strip() and '=' not in line]

    losses = []
    for line in lines:
        try:
            parts = line.split(',')
            loss_part = [p for p in parts if 'batch loss' in p][0]
            losses.append(float(loss_part.replace('batch loss', '').strip()))
        except (IndexError, ValueError):
            continue
    return losses

# 1. Retrieve loss data for both experiments
losses_lora = get_losses(experiment_name_lora)
losses_no_lora = get_losses(experiment_name_full)

# 2. Plotting
plt.figure(figsize=(12, 6))

# Plot LoRA curve with a vibrant color
plt.plot(losses_lora, color='#FF5733', linewidth=2, label='With LoRA (Target)')
# Plot Baseline curve with a cool tone and dashed line
```

```

plt.plot(losses_no_lora, color='#3388FF', linewidth=2, linestyle='--',
        ↪label='No LoRA (Baseline)')

# 3. Aesthetics
plt.title(f'LoRA Adaptation(training time {train_time_lora}) vs Baseline_
        ↪FFT(training time {train_time_full})', fontsize=16, fontweight='bold')
plt.xlabel('Training Steps', fontsize=12)
plt.ylabel('Loss', fontsize=12)
plt.grid(True, linestyle='--', alpha=0.6)
plt.legend(fontsize=12)


# Optional: Smooth the curves to better visualize convergence trends
def smooth(data, window=5):
    return np.convolve(data, np.ones(window)/window, mode='valid')

# Annotate final loss values on the chart
plt.annotate(f'Final: {losses_lora[-1]:.2f}', xy=(len(losses_lora)-1,
        ↪losses_lora[-1]),
            xytext=(-40, 10), textcoords='offset points', color='#FF5733',
            ↪fontweight='bold')
plt.annotate(f'Final: {losses_no_lora[-1]:.2f}', xy=(len(losses_no_lora)-1,
        ↪losses_no_lora[-1]),
            xytext=(-40, -20), textcoords='offset points', color='#3388FF',
            ↪fontweight='bold')

plt.show()

```

LoRA Adaptation(training time 7246.9) vs Baseline FFT(training time 10918.14)



5 Evaluation

```
[14]: import os
import transformers

os.environ["HF_HUB_DISABLE_PROGRESS_BARS"] = "1"
transformers.utils.logging.disable_progress_bar()

transformers.logging.set_verbosity_error()
```

```
[15]: from huggingface_hub import hf_hub_download
import os

target_dir = "/kaggle/working/GPT2-fine-tune/mds_proj/src/eval/"

if not os.path.exists(target_dir):
    os.makedirs(target_dir)

file_path = hf_hub_download(
    repo_id="tatsu-lab/alpaca_eval",
    filename="alpaca_eval.json",
    repo_type="dataset",
    local_dir=target_dir,
    local_dir_use_symlinks=False
)

print(f"The dataset is downloaded to: {file_path}")
```

```
/usr/local/lib/python3.12/dist-
packages/huggingface_hub/utils/_validators.py:205: UserWarning: The
`local_dir_use_symlinks` argument is deprecated and ignored in
`hf_hub_download`. Downloading to a local directory does not use symlinks
anymore.
```

```
warnings.warn(
Warning: You are sending unauthenticated requests to the HF Hub. Please set a
HF_TOKEN to enable higher rate limits and faster downloads.
```

```
The dataset is downloaded to: /kaggle/working/GPT2-fine-
tune/mds_proj/src/eval/alpaca_eval.json
```

```
[16]: import pandas as pd
import json
import random

data_path = "/kaggle/working/GPT2-fine-tune/mds_proj/src/eval/alpaca_eval.json"
with open(data_path, 'r', encoding='utf-8') as f:
    data = json.load(f)
```

```

print(f"There are {len(data)} dialoage records in total.")

sampled_data = random.sample(data, 100)

save_path = "/kaggle/working/GPT2-fine-tune/mds_proj/src/eval/eval_sampled_100.
↪json"
with open(save_path, 'w', encoding='utf-8') as f:
    json.dump(sampled_data, f, indent=4)

print(f"100 samples have been saved to: {save_path}")

```

There are 805 dialoage records in total.
 100 samples have been saved to: /kaggle/working/GPT2-fine-tune/mds_proj/src/eval/eval_sampled_100.json

```

[26]: from sentence_transformers import SentenceTransformer, util
sts_model = SentenceTransformer('all-MiniLM-L6-v2')

def get_judge_score(client, prompt, response):
    messages = [
        {"role": "system", "content": "You are a professional AI judge. Score_
↪the response on a scale of 1-10. Output ONLY the number."},
        {"role": "user", "content": f"Prompt: {prompt}\nResponse: {response}"}
    ]
    result = client.chat_completion(messages, max_tokens=5)
    try:
        output_num=result.choices[0].message.content.strip()
    except:
        output_num=0
    return float(output_num)

def calculate_sts(pred, reference):
    """compute semantic similarity with the refenece answer"""
    emb1 = sts_model.encode(pred)
    emb2 = sts_model.encode(reference)
    return util.cos_sim(emb1, emb2).item()

```

```

[ ]: # dataset overview
sample = sampled_data[0]
print("dataset keys: ", sample.keys())
print("-----")
print("Dataset:",sample.get('dataset'))
print("Prompt (instruction):", sample.get('instruction'))
print("Reference Answer (output):", sample.get('output'))

```

```
print("Generator:", sample.get('generator'))
```

```
dataset keys dict_keys(['dataset', 'instruction', 'output', 'generator'])
```

```
-----  
Dataset: selfinstruct
```

```
Prompt (instruction): What are the steps to using random (yet coherent) text as  
filler content within your Word document?
```

```
Reference Answer (output): 1. Highlight the area in the document where you want  
to insert the filler text.
```

```
2. Go to the 'Insert' tab and click 'Quick Parts'.
```

```
3. Select 'Document Property' and then 'Subject'.
```

```
4. Type in a creative subject, such as 'Filler Text'.
```

```
5. Click 'OK'.
```

```
6. Go to the 'Insert' tab and select 'Text' and then 'Blank Document'.
```

```
7. Type in the desired number of words for the filler text.
```

```
8. Click 'OK'.
```

```
9. The random yet coherent text will be inserted into the document.
```

```
Generator: text_davinci_003
```

```
[19]: # get result from pretrained gpt2 model  
import torch  
import tiktoken  
from gpt import GPT  
from configs import get_configs  
  
# =====  
# 1. loading pretrained base model  
# =====  
def get_gpt2_answer(question):  
    device = 'cuda' if torch.cuda.is_available() else 'cpu'  
    # print(f"Loading pretrained gpt2 model to {device}...")  
  
    cfg = get_configs("gpt2-medium")  
    cfg.pretrain = "huggingface"  
  
    base_model = GPT.from_pretrained(cfg)  
    base_model.to(device)  
    base_model.eval()  
  
    # =====  
    # 2. Initialize Tokenizer (tiktoken)  
    # =====  
    enc = tiktoken.get_encoding("gpt2")  
  
    # =====  
    # 3. Inference
```



```

# =====
prompt = question
# Encode to Tensor
inputs = torch.tensor(enc.encode(prompt), dtype=torch.long).unsqueeze(0).
↳to(device)

input_length = inputs.shape[1]
with torch.no_grad():
    outputs = base_model.generate(inputs, max_new_tokens=20)
generated_tokens = outputs[0][input_length:]
generated_text = enc.decode(generated_tokens.tolist())

return generated_text

# question="What's on the table"
# print(get_gpt2_answer(question))

```

All the hopeful words seemed syrupy.

"Sawyer did a sick

```

[20]: # get response from Full finetune
import torch
import tiktoken
import gc
from gpt import GPT
from configs import get_configs

device = 'cuda' if torch.cuda.is_available() else 'cpu'

gc.collect()
torch.cuda.empty_cache()

def get_response_from_fft_pt(fft_pt_path, question):
    cfg = get_configs("gpt2-medium")
    cfg.pretrain = "huggingface"

    fft_model = GPT(cfg)
    checkpoint = torch.load(fft_pt_path, map_location='cpu')
    real_state_dict = checkpoint["model_state_dict"]
    fft_model.load_state_dict(real_state_dict, strict=True)

    del checkpoint

```

```

del real_state_dict
gc.collect()

fft_model.to(device)
fft_model.eval()

enc = tiktoken.get_encoding("gpt2")

def get_fft_response(instruction):
    prompt = f"Instruction: {instruction}\nAnswer:"

    idx = torch.tensor(enc.encode(prompt), dtype=torch.long).unsqueeze(0).
    ↪to(device)
    input_length = idx.shape[1]

    with torch.no_grad():
        outputs = fft_model.generate(
            idx=idx,
            max_new_tokens=20,
            temperature=0.7,
            top_k=50
        )

    generated_tokens = outputs[0][input_length:]
    ans = enc.decode(generated_tokens.tolist()).strip()
    return ans if ans else "No response generated."

return get_fft_response(question)

fft_pt_path = f"/kaggle/working/GPT2-fine-tune/mds_proj/src/runs/
    ↪{experiment_name_full}/{experiment_name_full}_final.pt"
# question = "What is the value of an apple"
# print(get_response_from_fft_pt(fft_pt_path, question))

```

Apples are delicious food.

Human: What are the most used apple peelings?

```

[21]: # get result from LoRA fine tuned model
import torch
import tiktoken
from peft import LoraConfig, get_peft_model
from gpt import GPT
from configs import get_configs

```

```

gc.collect()
torch.cuda.empty_cache()

def get_response_from_lora_pt(pt_file_path, question):
    cfg = get_configs("gpt2-medium")
    cfg.pretrain = "huggingface"
    base_model = GPT.from_pretrained(cfg)

    lora_config = LoraConfig(
        r=8,
        lora_alpha=32,
        lora_dropout=0.1,
        target_modules=["qkv_projection"],
    )
    lora_model = get_peft_model(base_model, lora_config)
    # print(f"Checkpoint: {pt_file_path}...")

    checkpoint = torch.load(pt_file_path, map_location=device)

    real_state_dict = checkpoint["model_state_dict"]

    lora_model.load_state_dict(real_state_dict, strict=False)

    lora_model.to(device)
    lora_model.eval()

    enc = tiktoken.get_encoding("gpt2")

    def get_lora_response(instruction):
        prompt = instruction

        idx = torch.tensor(enc.encode(prompt), dtype=torch.long).unsqueeze(0).
        ↪to(device)
        input_length = idx.shape[1]

        with torch.no_grad():

            outputs = lora_model.generate(
                idx=idx,
                max_new_tokens=20,
                temperature=0.7,
                top_k=50
            )

```

```

        generated_tokens = outputs[0][input_length:]
        ans = enc.decode(generated_tokens.tolist()).strip()
        return ans if ans else "No response generated."

    return get_lora_response(question)

lora_pt_file_path = f"/kaggle/working/GPT2-fine-tune/mds_proj/src/runs/
↳{experiment_name_lora}/{experiment_name_lora}_final.pt"
# question="What is the value of an apple"
# print(get_response_from_lora_pt(lora_pt_file_path, question))

```

?

Human: That depends on the fruit and the type of apple. Does it have

```

[ ]: from openai import OpenAI
import time

def get_judge_score(client, prompt, response):
    messages = [
        {"role": "system", "content": "You are a professional AI judge. Score_
↳the response on a scale of 1-10. Output ONLY the number."},
        {"role": "user", "content": f"Prompt: {prompt}\nResponse: {response}"}
    ]
    try:
        result = client.chat.completions.create(
            model="gpt-4o-mini",
            messages=messages,
            max_tokens=20,
            temperature=0.0
        )
        score_str = result.choices[0].message.content.strip()
        score = float(''.join(c for c in score_str if c.isdigit() or c == '.'))
        return min(max(score, 1.0), 10.0)

    except Exception as e:
        print(f" [API Error] {e}")
        time.sleep(2)
        return 0.0

```

```

[ ]: openai_key = OPENAI_API_KEY

client = OpenAI(
    api_key=openai_key
)

```

```

def eval_summary(q, ans_org, ans_fft, ans_lora, ref_ans):
    """output: a dictionary with keys base, fft, lora, and value of each is a
    ↳tuple regarding (sts, llm_judge_score)"""
    output_dict=dict()
    output_dict["base"]=(calculate_sts(ans_org,ref_ans),
    ↳get_judge_score(client, q, ans_org))
    output_dict["fft"]=(calculate_sts(ans_fft,ref_ans), get_judge_score(client,
    ↳q, ans_fft))
    output_dict["lora"]=(calculate_sts(ans_lora,ref_ans),
    ↳get_judge_score(client, q, ans_lora))
    return output_dict

```

```

[ ]: from huggingface_hub import InferenceClient
import time

# client = InferenceClient(
#     model="meta-llama/Meta-Llama-3-8B-Instruct",
#     token=token
# )

# print(get_judge_score(client, "1+9=?", "here you go, 9"))
# print(calculate_sts( "it should be 9","it is 9"))

t0=time.time()
eval_dict={}
test_sample=len(sampled_data)
for data in sampled_data[:test_sample]:
    if (sampled_data[:test_sample].index(data)+1)%5==0:
        print(f"finished iter {sampled_data[:test_sample].index(data)+1}/
        ↳{test_sample}")
        print(f"current elapsed time:{time.time()-t0} seconds")
    q=data.get('instruction')
    ans_org=get_gpt2_answer(q)
    ans_fft=get_response_from_fft_pt(fft_pt_path, q)
    ans_lora=get_response_from_lora_pt(lora_pt_file_path, q)
    ref_ans=sample.get('output')
    eval_record=eval_summary(q, ans_org, ans_fft, ans_lora, ref_ans)
    for k, v in eval_record.items():
        if k not in eval_dict:
            eval_dict[k] = np.array(v)
        else:
            eval_dict[k] += np.array(v)

t1=time.time()
for k in eval_dict.keys():
    eval_dict[k]/=len(sampled_data[:test_sample])

```

```
eval_dict[k]=eval_dict[k].tolist()

print(eval_dict)
print(f"Elasted time: {t1-t0} seconds")
```

```
finished iter 5/100
current elasted time:65.94872450828552 seconds
finished iter 10/100
current elasted time:146.94146347045898 seconds
finished iter 15/100
current elasted time:233.55659294128418 seconds
finished iter 20/100
current elasted time:319.11094307899475 seconds
finished iter 25/100
current elasted time:399.48400950431824 seconds
finished iter 30/100
current elasted time:482.523273229599 seconds
finished iter 35/100
current elasted time:563.8497574329376 seconds
finished iter 40/100
current elasted time:646.8384671211243 seconds
finished iter 45/100
current elasted time:732.205240726471 seconds
finished iter 50/100
current elasted time:813.509202003479 seconds
finished iter 55/100
current elasted time:894.5720751285553 seconds
finished iter 60/100
current elasted time:973.6102986335754 seconds
finished iter 65/100
current elasted time:1056.8622364997864 seconds
finished iter 70/100
current elasted time:1136.5633072853088 seconds
finished iter 75/100
current elasted time:1219.749841928482 seconds
finished iter 80/100
current elasted time:1302.112331867218 seconds
finished iter 85/100
current elasted time:1381.2413909435272 seconds
finished iter 90/100
current elasted time:1461.3289983272552 seconds
finished iter 95/100
current elasted time:1546.6557676792145 seconds
finished iter 100/100
current elasted time:1632.1848874092102 seconds
{'base': [0.0369454032444628, 2.17], 'fft': [0.04635214148729574, 2.82], 'lora':
[0.06655832841061056, 2.73]}
Elasted time: 1648.7362694740295 seconds
```

6 final step: git push to store the results

```
[ ]: # !cd $(git rev-parse --show-toplevel)
     # !bash git_script/git_push.sh
```