

Turmeric for Arthritis: Evidence, Dosage and How to Use I

Evidence-based guide to using turmeric for arthritis in the UK. Learn about curcumin benefits, correct dosage, best supplements and safety considerations.

By **Living With Arthritis Editorial Team** · Pending clinical review ·
2026-02-21 · livingwitharthritis.org.uk



*Golden turmeric latte in a ceramic mug with fresh turmeric root and powder, anti-inflammatory drink for arthritis
Openly licensed image via Openverse*

Turmeric has become one of the most talked-about natural remedies for arthritis in the UK. Health food shops, pharmacies and supermarkets across Britain now stock a bewildering array of turmeric supplements, golden latte mixes and curcumin capsules, all promising relief from joint pain and inflammation. But does the science support the hype? This comprehensive, evidence-based guide examines what turmeric can — and cannot — do for arthritis, how to use it effectively, and what UK patients need to know before adding it to their routine.

What Is Turmeric and Why Does It Matter for Arthritis?

Turmeric (*Curcuma longa*) is a flowering plant in the ginger family, native to the Indian subcontinent and Southeast Asia. The bright yellow spice derived from its root has been used in traditional Ayurvedic and Chinese medicine for thousands of years. The key active compound in turmeric is **curcumin**, which typically makes up about 3% of turmeric powder by weight. Curcumin is a polyphenol with potent anti-inflammatory and antioxidant properties that have attracted significant scientific interest.

How Curcumin Works Against Inflammation

Curcumin targets multiple inflammatory pathways in the body, making it a particularly interesting compound for arthritis management:

- **NF-κB pathway** — Curcumin inhibits nuclear factor kappa-B, a master regulator of inflammation that controls the expression of genes involved in the inflammatory response. This pathway is overactive in both osteoarthritis and rheumatoid arthritis
- **COX-2 enzyme** — Like NSAIDs (ibuprofen, naproxen), curcumin inhibits cyclooxygenase-2, the enzyme responsible for producing prostaglandins that cause pain and inflammation. However, unlike NSAIDs, curcumin doesn't appear to inhibit COX-1, which protects the stomach lining
- **Pro-inflammatory cytokines** — Curcumin reduces levels of TNF-α, IL-1β and IL-6 — inflammatory signalling molecules that play key roles in arthritis-related joint destruction
- **Antioxidant activity** — Curcumin neutralises free radicals and boosts the body's own antioxidant enzymes, helping to protect joint tissues from oxidative damage

- MMP enzymes — Curcumin may inhibit matrix metalloproteinases, enzymes that break down cartilage in arthritic joints
-

What Does the Research Say?



Openly licensed image via Openverse

Systematic Reviews and Meta-Analyses

The highest level of evidence comes from systematic reviews that pool results from multiple clinical trials:

- A 2016 systematic review and meta-analysis published in the Journal of Medicinal Food, examining eight randomised controlled trials, concluded that approximately 1,000 mg/day of curcumin extract for 8–12 weeks produced significant improvements in arthritis symptoms including pain and physical function

- A 2021 meta-analysis in *Nutrients* covering 11 RCTs found that curcumin supplementation significantly reduced pain scores and improved physical function in knee osteoarthritis patients, with effects comparable to NSAIDs in some studies
- A 2022 Cochrane-style review noted that while results are promising, many studies had small sample sizes and short durations, calling for larger, longer trials

Head-to-Head Comparisons with NSAIDs

Several studies have directly compared curcumin supplements with common anti-inflammatory medications:

- A trial published in *Clinical Interventions in Aging* compared curcumin (1,500 mg/day) with ibuprofen (1,200 mg/day) in 367 patients with knee osteoarthritis over 4 weeks. Pain relief was similar in both groups, but the curcumin group reported fewer gastrointestinal side effects
- Another study in the *Indian Journal of Clinical Biochemistry* found similar pain reduction between curcumin and diclofenac sodium, with curcumin showing a better safety profile

These comparisons are encouraging but should be interpreted cautiously. Most lasted only 4–8 weeks, and long-term comparative data is lacking.

How to Take Turmeric for Arthritis

Supplement Form (Most Effective)

Because turmeric powder contains only about 3% curcumin, and curcumin itself has very poor bioavailability (it's poorly absorbed and rapidly metabolised), dietary turmeric alone is unlikely to provide therapeutic doses. Concentrated curcumin supplements are the most practical way to achieve clinically relevant levels:

- Recommended dose — 500–1,000 mg of curcumin extract per day, taken in divided doses with meals
- Enhanced absorption formulations — Look for supplements that include piperine (black pepper extract, often listed as BioPerine®), which increases curcumin absorption by up to 2,000%. Other enhanced formulations include phytosomal curcumin (Meriva®), nano-curcumin, and water-soluble formulations

- **Duration** — Most clinical trials showing benefits used curcumin for 8–12 weeks. Allow at least 4–6 weeks before judging effectiveness
- **Quality** — Choose supplements from reputable UK brands with GMP certification. Look for products that specify curcuminoid content rather than just 'turmeric extract'

Dietary Turmeric

While unlikely to match supplement doses, incorporating turmeric into your cooking contributes to an overall anti-inflammatory dietary pattern. Tips for maximising absorption from food:

- Always combine turmeric with black pepper — even a pinch significantly boosts absorption
- Use turmeric with healthy fats (olive oil, coconut oil) as curcumin is fat-soluble
- Heat activates some beneficial compounds in turmeric
- Try golden milk (turmeric latte), curries, soups, scrambled eggs with turmeric, or turmeric smoothies

Golden Milk Recipe

Ingredients: 250ml milk (dairy or plant-based), 1 tsp turmeric powder, ½ tsp cinnamon, ¼ tsp ground ginger, pinch of black pepper, 1 tsp honey or maple syrup (optional), ½ tsp coconut oil.

Method: Heat milk in a saucepan over medium heat. Whisk in turmeric, cinnamon, ginger, black pepper and coconut oil. Simmer for 3–5 minutes without boiling. Strain if desired, add sweetener to taste. Drink warm.

Safety and Side Effects



Openly licensed image via Openverse

Turmeric and curcumin supplements are generally well-tolerated, but important safety considerations apply:

Common Side Effects

- Mild gastrointestinal symptoms (nausea, diarrhoea, stomach discomfort) — usually dose-related and resolve with dose reduction
- Yellow staining of teeth, clothing or surfaces — turmeric is a powerful dye

Important Interactions and Contraindications

- Blood thinners — Curcumin has mild antiplatelet effects and may increase bleeding risk when taken with warfarin, heparin, aspirin or other anticoagulants. If you take blood thinners, consult your GP before using curcumin supplements

- Diabetes medication — Curcumin may lower blood sugar, potentially enhancing the effects of diabetes drugs
 - Gallbladder disease — Turmeric stimulates bile production and should be avoided by people with gallstones or bile duct obstruction
 - Surgery — Stop curcumin supplements at least 2 weeks before planned surgery due to potential bleeding effects
 - Pregnancy and breastfeeding — Culinary amounts are safe, but therapeutic doses of curcumin supplements are not recommended due to insufficient safety data
 - Iron absorption — High doses of turmeric may reduce iron absorption. If you have iron deficiency, take supplements at different times
-

Where to Buy in the UK

Curcumin supplements are widely available in the UK from:

- High-street pharmacies (Boots, Superdrug, Lloyds)
- Health food shops (Holland & Barrett, GNC)
- Supermarkets (larger Tesco, Sainsbury's, Waitrose stores)
- Online retailers (Amazon UK, iHerb, specialist supplement websites)

Prices range from approximately £8 for basic turmeric capsules to £25–£40 for premium curcumin formulations with enhanced absorption. Generic curcumin with piperine offers good value for money.

The Bottom Line

The evidence for curcumin as a complementary treatment for arthritis — particularly knee osteoarthritis — is promising and growing. While it's not a replacement for medical treatment, many UK arthritis patients find it a useful addition to their management plan. The key points to remember:

- Use a concentrated curcumin supplement with piperine for best absorption
- Take 500–1,000 mg daily for at least 8 weeks before judging effectiveness
- Always tell your GP about any supplements you take

- Curcumin is a complement to, not a replacement for, exercise, weight management and prescribed medication
- Quality matters — choose reputable UK brands with clear labelling

Have questions about supplements for your arthritis? Our virtual assistant can provide personalised guidance based on your condition and current medications.

This article is for general information only and does not replace medical advice. Always consult your GP or pharmacist before starting any new supplement, particularly if you take other medications.

Q&A

Question: What Is Turmeric and Why Does It Matter for Arthritis?

Short answer: Turmeric (*Curcuma longa*) is a flowering plant in the ginger family, native to the Indian subcontinent and Southeast Asia. The bright yellow spice derived from its root has been used in traditional Ayurvedic and Chinese medicine for thousands of years. The key active compound in turmeric is curcumin , which typically makes up about 3% of turmeric powder by weight. Curcumin is a polyphenol with potent anti-inflammatory and antioxidant properties

Question: When should I seek professional advice?

Short answer: If symptoms persist or worsen, pain is severe and unresponsive to usual relief, or you develop new symptoms, contact your GP, physiotherapist or rheumatology team promptly.

Question: Where can I get free arthritis support in the UK?

Short answer: Arthritis UK: 0800 5200 520. NRAS: 0800 298 7650. Free tools and guides at livingwitharthritis.org.uk.

General information only — not medical advice. Consult your GP or specialist before changing medication or starting a new programme. Emergency: 999. NHS advice: 111. Living With Arthritis · livingwitharthritis.org.uk