

TP : LANGUAGE de REQUETE Relationnel // MongoDB :

⇒ *On travaille sur une collection nommée people*

```
{
  _id: ObjectId("509a8fb2f3f4948bd2f983a0"),
  user_id: "abc123",
  age: 55,
  status: 'A'
}
```

TRADUIRE LA REQUETE SQL en REQUETE MongoDB

-- 1

```
SELECT user_id, age, status
FROM people
WHERE age >= 40
ORDER BY status DESC;
```

-- 2

```
SELECT _id, user_id, age
FROM people
WHERE status IN ('A', 'B')
ORDER BY age ASC
LIMIT 5;
```

-- 3

```
SELECT DISTINCT user_id
FROM people
WHERE status = 'A'
AND age BETWEEN 30 AND 60;
```

-- 4

```
SELECT _id, user_id, age
FROM people
WHERE status = 'A'
AND age > 50
ORDER BY age DESC;
```

-- 5

```
SELECT user_id, status, age
FROM people
WHERE status = 'A'
AND user_id LIKE 'a%'
AND age < 60;
```

-- 6

```
SELECT user_id, age, status
FROM people
WHERE status NOT IN ('A')
AND age >= 18
ORDER BY user_id;
```

-- 7

```
SELECT user_id, age
FROM people
WHERE status = 'A'
AND age BETWEEN 50 AND 70
ORDER BY age ASC
```

MongoDB

LIMIT 10;

-- 8

```
SELECT user_id, status, age
FROM people
WHERE status = 'A'
OR (age >= 45 AND age <= 60)
ORDER BY status, age;
```

-- 9

```
SELECT *
FROM people
WHERE age > 25
AND status IN ('A', 'C')
ORDER BY age DESC;
```

-- 10

```
SELECT user_id, age
FROM people
WHERE age < 25
AND user_id LIKE '%3';
```

-- 11

```
SELECT _id, user_id, age
FROM people
WHERE age BETWEEN 26 AND 50
AND status <> 'X'
ORDER BY user_id DESC;
```

-- 12

```
SELECT user_id, age
FROM people
WHERE user_id LIKE 'a%'
AND age >= 30;
```

-- 13

```
SELECT user_id, age, status
FROM people
WHERE status = 'A'
AND age > 40
ORDER BY age ASC, user_id ASC;
```

-- 14

```
SELECT user_id, age
FROM people
WHERE status = 'A'
AND age <= 60
ORDER BY age DESC, _id DESC;
```

-- 15

```
SELECT COUNT(*) AS total_active
FROM people
WHERE status = 'A';
```

MongoDB

-- 16

```
SELECT COUNT(DISTINCT user_id) AS unique_users  
FROM people  
WHERE age > 30;
```

-- 17

```
SELECT status, COUNT(*) AS count_by_status  
FROM people  
WHERE age >= 30  
GROUP BY status;
```

-- 18

```
SELECT DISTINCT status, age  
FROM people  
WHERE age > 40;
```