UNIVERSIDAD SAN CARLOS DE GUATEMALA CENTRO UNIVERSITARIO DE OCCIDENTE DIVISIÓN CIENCIAS DE LA INGENIERÍA INGENIERÍA CIENCIAS Y SISTEMAS



LABORATORIO ANÁLISIS Y DISEÑO DE SISTEMAS 2

ING: JOSÉ MOISÉS GRANADOS GUEVARA

ESTUDIANTES:

201730919 - Bryan René Gómez Gómez

201731766 - Luis Estuardo Bolaños Gonzalez

201730457- Helmuth Alexander Luther Montejo

TEMA: "Análisis del dominio e Historias de Usuario, Sistema de Paquetería - InterPackage Guatemala"

FECHA: 2 marzo de 2,022

Sistema de Paquetería - InterPackage Guatemal

Descripción General:

La empresa de desarrollo de software "Code 'n Bugs" se especializa en desarrollos de software a la medida. Uno de sus clientes actuales es una empresa de envío de paquetes a ciudades de diferentes países por lo que se definen diferentes rutas por las cuales deben pasar los paquetes y cada ruta tiene ciertos puntos de control para que el cliente pueda consultar la locación de su paquete.

Debido a que actualmente no se tiene un sistema que permita llevar el registro de esos paquetes, no es posible detectar, entre otras cosas, la cantidad de tiempo y dinero que la empresa gasta en el manejo de los paquetes por lo que el cálculo de la ganancia es impreciso.

Hay que tomar en cuenta que cada punto de control tiene un espacio limitado para almacenar paquetes por lo que se controla por medio de una cola el ingreso de los paquetes a cada punto de control.

Análisis de dominio

Ambiente operacional:

- Servidor Backend y Frontend Ejecución en la nube.
- Servidor de Base de Datos Relacional en la nube.

Despliegue:

• Aplicación Web Responsive.

Sistemas de hardware:

- Red Local
- Servidor
- Salida a Internet
- Soporte de Electricidad
- Equipos de Computo

Sistemas de software:

• Sistema Operativo: Windows 10, 11 y Linux/Manjaro 21.2.2

- Navegador: Google Chrome, Chromium y Opera GX.
- Bases de datos: PostgreSQL 12.2 / MySQL 8.0.28
- Servidor:
 - o Desarrollo Node JS y Payara
 - o Despliegue Heroku
- Lenguaje de programación: Java EE 9 y TypeScript
- Framework: Angular 12 y Spring
- **IDE:** Visual Studio Code y Netbeans 12.6
- Control de Versiones: Git
- **ORM:** Hibernate o javax-persistence
- Librerías: Bootstrap 5.0.2, Mockup, Mockito y Unit Test

Interfaces Hombre-Máquina:

• Cualquier dispositivo con acceso a un navegador.

Conexiones Externas:

- Servidor SMTP de Gmail
- Heroku
- GitHub

Funciones Operacionales:

Funcionales

- CRUD de clientes.
- CRUD de rutas.
- CRUD de usuarios.
- CRUD de puntos de control.
- CRUD de locación
- Ingreso y entrega de paquetes
- Ingreso y modificación de tarifa de operación global.

- Ingreso y modificación de precio por libra.
- Ingreso y modificación de precio de priorización.
- Ingreso y modificación de cuota de destino.
- Ingreso y modificación de partidas y destinos.
- Registro del tiempo de un paquete en un punto de control.
- Registro de retiro de paquete.
- Generación de facturas.
- Asignación de operarios a puntos de control.
- Priorización de paquetes.
- Consulta de localización de paquetes.
- Reporte de rutas.
- Reporte de ganancias.
- Reporte de rutas populares.
- Reporte de clientes.
- Manejo de permiso de roles.
- Exportación de reportes.

No funcional

- Manejo de cola de bodega.
- Ingreso automático de paquetes.
- Manejo de permisos.
- Encriptación de contraseñas.
- Notificaciones vía e-mail.

Glosario

Angular: Es un framework para aplicaciones web desarrollado en TypeScript, de código abierto, mantenido por Google, que se utiliza para crear y mantener aplicaciones web de una sola página. Su objetivo es aumentar las aplicaciones basadas en navegador con capacidad de Modelo Vista Controlador (MVC), en un esfuerzo para hacer que el desarrollo y las pruebas sean más fáciles.

La biblioteca lee el HTML que contiene atributos de las etiquetas personalizadas adicionales, entonces obedece a las directivas de los atributos personalizados, y une las piezas de entrada o salida de la página a un modelo representado por las variables estándar de JavaScript.

Angular se basa en clases tipo "Componentes", cuyas propiedades son las usadas para hacer el binding de los datos. En dichas clases tenemos propiedades (variables) y métodos (funciones a llamar).

Angular es la evolución de AngularJS aunque incompatible con su predecesor.

API: es un conjunto de subrutinas, funciones y procedimientos que ofrece cierta biblioteca para ser utilizada por otro software como una capa de abstracción.

Backend: El backend es la parte del desarrollo web que se encarga de que toda la lógica de una página web funcione. Se trata del conjunto de acciones que pasan en una web pero que no vemos como, por ejemplo, la comunicación con el servidor.

Monolito: En ingeniería de software, una aplicación monolítica hace referencia a una aplicación software en la que la capa de interfaz de usuario, lógica de negocios y la capa de acceso a datos están combinadas en un mismo programa y sobre una misma plataforma.

Una aplicación monolítica es autónoma, e independiente de otras aplicaciones. La filosofía de diseño es que la aplicación es responsable no sólo de una única tarea, si no que es capaz de realizar todos los pasos o tareas necesarias para completar una determinada función CRUD: En informática, CRUD es el acrónimo de "Crear, Leer, Actualizar y Borrar" (del original en inglés: Create, Read, Update and Delete), que se usa para referirse a las funciones básicas en bases de datos o la capa de persistencia en un software.

Despliegue: El Despliegue de software son todas las actividades que hacen que un sistema de software esté disponible para su uso.

El proceso de implementación general consiste en varias actividades interrelacionadas con posibles transiciones entre ellas. Estas actividades pueden ocurrir en el lado del desarrollador de software o en el lado del consumidor o en ambos. Debido a que cada sistema de software es único, los procesos o procedimientos precisos dentro de cada actividad difícilmente pueden definirse. Por lo tanto, la "implementación" debe interpretarse como un proceso general que debe personalizarse de acuerdo con los requisitos o características específicas.

Framework: Un Framework es una estructura previa que se puede aprovechar para desarrollar un proyecto.

El Framework es una especie de plantilla, un esquema conceptual, que simplifica la elaboración de una tarea, ya que solo es necesario complementarlo de acuerdo a lo que se quiere realizar.

A pesar de que su uso más común es en la informática, este concepto es también utilizado en el marketing.

En ambas áreas facilita mucho el trabajo, ya sea del desarrollo de un software o de una estrategia de mercadotecnia.

Frontend: El frontend es la parte del desarrollo web que se dedica a la parte frontal de un sitio web, en pocas palabras del diseño de un sitio web, desde la estructura del sitio hasta los estilos como colores, fondos, tamaños hasta llegar a las animaciones y efectos.

Es esa parte de la página con la que interactúan los usuarios de la misma, es todo el código que se ejecuta en el navegador de un usuario, al que se le denomina una aplicación cliente, es decir, todo lo que el visitante ve y experimenta de forma directa.

Un front-end, es la persona que se dedica básicamente al diseño web, pero esto no significa que no toque código, tanto el front-end como el back-end están en contacto con código todo el tiempo.

IDE: Un entorno de desarrollo integrado (IDE) es un sistema de software para el diseño de aplicaciones que combina herramientas comunes para desarrolladores en una sola interfaz de usuario gráfica (GUI).

Java EE: Oracle Platform, Enterprise Edition o Java EE, es una plataforma de programación para desarrollar y ejecutar software de aplicaciones en el lenguaje de programación Java. Permite utilizar arquitecturas de N capas distribuidas y se apoya ampliamente en componentes de software modulares ejecutándose sobre un servidor de aplicaciones. La plataforma Java EE está definida por una especificación. Similar a otras especificaciones del Java Community Process (JCP), Java EE es también considerado informalmente como un estándar debido a que los proveedores deben de cumplir ciertos requisitos de conformidad para declarar que sus productos son conformes a Java EE; estandarizado por JCP.

Microservicios: Los microservicios son un enfoque arquitectónico y organizativo para el desarrollo de software donde el software está compuesto por pequeños servicios independientes que se comunican a través de API bien definidas. Los propietarios de estos servicios son equipos pequeños independientes.

Las arquitecturas de microservicios hacen que las aplicaciones sean más fáciles de escalar y más rápidas de desarrollar. Esto permite la innovación y acelera el tiempo de comercialización de las nuevas características.

Mockup: Un mockup, traducido del inglés como bosquejo, es un fotomontaje a través del cual los diseñadores gráficos pueden presentar sus propuestas a los clientes.

Los mockups cuentan con muchos usos. No sólo sirven para presentar las propuestas del diseño de logos. Se utilizan también con mucha frecuencia en el diseño web y el diseño de apps. Por ejemplo, podemos encontrar mockups para lucir diseños de camisetas o incluso calcetines en tiendas online o e-commerce que aún no han llegado a fabricar este producto.

Monolito: En ingeniería de software, una aplicación monolítica hace referencia a una aplicación software en la que la capa de interfaz de usuario, lógica de negocios y la capa de acceso a datos están combinadas en un mismo programa y sobre una misma plataforma.

Una aplicación monolítica es autónoma, e independiente de otras aplicaciones. La filosofía de diseño es que la aplicación es responsable no sólo de una única tarea, si no que es capaz de realizar todos los pasos o tareas necesarias para completar una determinada función.

ORM: Es un modelo de programación que permite mapear las estructuras de una base de datos relacional (SQL Server, Oracle, MySQL, etc.), en adelante RDBMS (Relational

Database Management System), sobre una estructura lógica de entidades con el objeto de simplificar y acelerar el desarrollo de nuestras aplicaciones.

Las estructuras de la base de datos relacional quedan vinculadas con las entidades lógicas o base de datos virtual definida en el ORM, de tal modo que las acciones CRUD (Create, Read, Update, Delete) a ejecutar sobre la base de datos física se realizan de forma indirecta por medio del ORM.

PostgreSQL: Es un sistema de gestión de bases de datos relacional orientado a objetos y de código abierto, publicado bajo la licencia PostgreSQL, similar a la BSD o la MIT.

Como muchos otros proyectos de código abierto, el desarrollo de PostgreSQL no es manejado por una empresa o persona, sino que es dirigido por una comunidad de desarrolladores que trabajan de forma desinteresada, altruista, libre o apoyados por organizaciones comerciales. Dicha comunidad es denominada el PGDG (PostgreSQL Global Development Group).

PostgreSQL no tiene un gestor de errores (bugs), haciendo muy difícil conocer el estado de corrección de los mismos.

Responsive: Una Web Responsive es aquella que es capaz de adaptarse a cualquier dispositivo donde se visualice. Las estadísticas muestran el creciente tráfico web que se genera desde dispositivos móviles, pero además Google penaliza ya en su buscador a aquellas webs que no son responsables. Si tu sitio web está obsoleto, es el momento de ponerte en manos de nuestro equipo para diseñar una web responsive con las mejores garantías.

Servidor SMTP de Gmail: Con el servidor SMTP de Gmail, se puede enviar correos electrónicos desde tu cuenta de Gmail utilizando otros clientes de correo electrónico, como Outlook o Thunderbird. Pero lo más importante es que también se puede usar el servidor SMTP de Gmail para enviar correos electrónicos desde tu sitio de WordPress.

Spring: Spring es un framework para el desarrollo de aplicaciones y contenedor de inversión de control, de código abierto para la plataforma Java. Su finalidad es estandarizar, agilizar, manejar y resolver los problemas que puedan ir surgiendo en el trayecto de la programación.

Spring, ofrece como elemento clave el soporte de infraestructura a nivel de aplicación, brindando un completo modelo tanto para la configuración como para la programación de

aplicaciones empresariales desarrolladas bajo Java, sin discriminación en cuanto al despliegue de la plataforma.

Historias de Usuario

General

- 1. Iniciar sesión
- 2 Cerrar sesión
- 3. Resetear contraseña

Administrador

- 4. Registrar Empleado
- 5. Modificar Empleado
- 6. Desactivar Empleado
- 7. Crear ruta(nombre, destino, puntos de control)
- 8. Modificar ruta
- 9. Eliminar ruta
- 10. Desactivar ruta
- 11. Activar ruta
- 12. Crear punto de control(nombre, tarifa de operación, usuario encargado)
- 13. Modificar punto de control
- 14. Eliminar punto de control
- 15. Crear destino(cuota, información)
- 16 Editar destino
- 17. Eliminar destino
- 18. Modificar capacidad de cola de un punto de control
- 19. Establecer tarifa de operación global
- 20. Modificar tarifa de operación global
- 21. Modificar tarifa de operación de punto de control
- 22. Establecer precio por libra
- 23. Modificar precio por libra
- 24. Establecer tarifa de priorización
- 25. Modificar tarifa de priorización
- 26. Actualizar asignación de operador en punto de control

- 27. Ver reporte de rutas indicando la cantidad de paquetes que están actualmente en ruta e indicando la cantidad de paquetes que ya han salido de la ruta
- 28. Ver reporte de ganancias en un intervalo de tiempo
- 29. Ver reporte de clientes
- 30. Ver reporte de las 3 rutas más populares en un intervalo de tiempo
- 31. Exportar reporte
- 32. Ver la imagen de una ruta seleccionada

Operador

33. Procesar paquete(registrar horas)

Recepcionista

- 34. Registrar cliente(nombre, nit, ciudad)
- 35. Modificar cliente
- 36. Ingresar paquete(peso, cuota de destino)
- 37. Eliminar paquete
- 38. Entregar paquete
- 39. Buscar cliente por NIT
- 40. Ver listado de paquetes en destino sin retirar
- 41. Consultar localización de paquete(punto de control, tiempo en ruta)

1. Historias de Usuario Generales

| User Story No.1 | | |
|-----------------|----------|----------|
| Title | Priority | Estimate |
| Log In | Must | 3 |

User Story

As an administrator, receptionist or operator

I want to be able to login

So that I can access the system.

Acceptance Criteria

Scenario A user logs in to the system

Given that i am on the login page

When i enter a username and password correctly

And click login

Then i will be redirected to the home page

Scenario A user tries to logs in to the system and he did not complete the fields

Given that i am on the login page

When i don't enter a username

Or i don't enter a password

And click login

Then i will be indicated that the required field is empty

Scenario A user logs in to the system with wrong information

Given that i am on the login page

When i enter an invalid username or password

And click login

Then i will be indicated that the user information is incorrect

Scenario A user tries to logs in to the system but he doesn't have an account

Given that i am on the login page

When i am not registered

And click sign up

Then i will be indicated to contact an administrator

| User Story No.2 | | |
|-----------------|----------|----------|
| Title | Priority | Estimate |
| Log Out | Must | 1 |

As an administrator, receptionist or operator

I want to be able to logout

so that I can close my session and leave the system.

Acceptance Criteria

Scenario User logouts of the system

Given that i am logged in

And that i am logged in

When i click the logout button

Then i will be redirected to the login page

| User Story No.3 | | |
|-----------------|----------|----------|
| Title | Priority | Estimate |
| Reset Password | Should | 8 |

User Story

As an administrator, receptionist or operator,

I want to be able to reset my password when I forget it

so that I can access the system again.

Acceptance Criteria

Scenario Employee forgets him/his password

Given that i am logged in

And that i am the login page

When i click the button to recover password

Then i receive an email with the recovery information for account

2. Historias de Usuario Administrador

| User Story No.4 | | |
|-------------------|----------|----------|
| Title | Priority | Estimate |
| Register Employee | Must | 5 |

User Story

As an administrator

I want to register employees

So that they can log in to the system.

Acceptance Criteria

Scenario Admin creates a new user entering the employee's information.

Given I'm logged in

And I'm on the register page

When I enter a username that's not repeated, a valid password, a role and personal information

And click submit button

Then the user is registered on the system.

Scenario Admin creates a new user with an existing username.

Given I am logged in

And I am on the register page

When I enter an existing username

And click submit button

Then i will be indicated that the username is taken

Scenario Admin enters the form to create a new user and clicks cancel

Given that i am logged in

And that i am on the register page

When i enter the employee's information

And click cancel

Then i will be redirected to the home page

| User Story No.5 | | |
|-----------------|----------|----------|
| Title | Priority | Estimate |
| Update Employee | Should | 5 |

As an administrator

I want to update employee's information

So that the system can stay up to date with the user's data

Acceptance Criteria

Scenario Admin updates a user's information

Given that i am logged in

And that i am select a user from the active employees list

And click update

When i enter change the user's information

And click submit

Then i will be indicated that the user's information is updated

Scenario Admin updates a user's information with a repeated username

Given that i am logged in

And that i am select a user from the active employees list

And click update

When i enter a repeated username

And click submit

Then i will be indicated that the username is taken

Scenario Admin updates a user's information with invalid fields

Given that i am logged in

And that i am select a user from the active employees list

And click update

When i enter invalid fields

And click submit

Then i will be redirected to the fields are invalid

Scenario Admin updates a user's information but clicks cancel

Given that i am logged in

And that i am select a user from the active employees list

And click update

When i enter change the user's information

And click cancel

Then i will be redirected to the active employees list page

| User Story No.6 | | |
|---------------------|----------|----------|
| Title | Priority | Estimate |
| Deactivate Employee | Must | 3 |

As an administrator

I want to deactivate users

So that they can't log in to the system anymore

Acceptance Criteria

Scenario Admin deletes an existing user selecting the employee's username.

Given that i am logged in

And that i am on the active employees list page

When i select an active user

And click delete

Then the user will be eliminated

Scenario Admin deletes an existing user but clicks cancel

Given that i am logged in

And that i am on the active employees list page

When i select an active user

And click cancel

Then i will be redirected to the active employees list page

| User Story No.7 | | |
|-----------------|----------|----------|
| Title | Priority | Estimate |
| Create Route | Must | 8 |

User Story

As an administrator

I want to create a route

So that I can have different routes to send packages.

Acceptance Criteria

Scenario Admin create a new route into the system

Given that I am logged in

And that I am on the routes list page

When I enter a valid route

And click submit button

Then the route is registered on the system

Scenario Admin enters the form to create a new route and clicks cancel

Given that i am logged in

And that i am on the routes list pages

When i enter a valid route

And click cancel

Then i will be redirected to the home page

| User Story No.8 | | |
|-----------------|----------|----------|
| Title | Priority | Estimate |
| Update Route | Should | 8 |

User Story

As an administrator

I want to update a route

So that I can have up to date information about it.

Acceptance Criteria

Scenario Admin update a route information

Given that I am logged in

And I am on the routes list page

When I select a route and click the button edit route

And edit the route information

And click update

Then the route has been updated

Scenario Administrator updates a route information but clicks cancel

Given that i am logged in

And that i am on route edit page

When click cancel

Then i will be redirected to the routes list pages

Scenario Administrator updates a route information without filling in fields

Given that i am logged in

And that i am on the route edit page

When i leave the queue capacity field empty

Then i will be notified that the fields are empty

| User Story No.9 | | |
|-----------------|----------|----------|
| Title | Priority | Estimate |
| Delete Route | Should | 3 |

User Story

As an administrator

I want to delete a route

So that I can remove the route of the system.

Acceptance Criteria

Scenario Admin deletes an existing router selecting the route id.

Given that I am logged in

And that I am on the routes list page

When I select a route

And click delete

Then the route will be eliminated

Scenario Admin deletes an existing route but clicks cancel

Given that I am logged in

And that I am on the active routes list page

When I select a route

And click cancel

Then i will be redirected to the router list page

| User Story No.10 | | |
|------------------|----------|----------|
| Title | Priority | Estimate |
| Activate Route | Must | 3 |
| User Story | | |
| | | |

As an administrator

I want to activate a route

So that I can restore service on it.

Acceptance Criteria

Scenario Admin activate an existing route select the route id

Given that I am logged in

And that I am on the routes list page

When I select the route

And click the button activate route

Then the route will be activated

| User Story No.11 | | |
|------------------|----------|----------|
| Title | Priority | Estimate |
| Deactivate Route | Must | 3 |
| User Story | | |

As an administrator

I want to deactivate a route

So that I can maintain or fix any problem with the route.

Acceptance Criteria

Scenario Admin deactivate an existing route select the route id

Given that I am logged in

And that I am on the routes list page

When I select the route

And click the button deactivate route

Then the route will be deactivated

Scenario Administrator deactivate an existing route but clicks cancel

Given that i am logged in

And that i am on route edit page

When click cancel

Then i will be redirected to the routes list pages

| User Story No.12 | | |
|-------------------|----------|----------|
| Title | Priority | Estimate |
| Create Checkpoint | Must | 8 |

User Story

As an administrator

I want to create a checkpoint

So that I can trace packages sent on different routes.

Acceptance Criteria

Scenario Admin create a new checkpoint into the system

Given that I am logged in

And that I am on the checkpoint list of a route page

When I enter a valid checkpoint

And click submit button

Then the checkpoint is registered on the system

Scenario Admin enters the form to create a new checkpoint and clicks cancel

Given that i am logged in

And that i am on the checkpoint list of a route page

When i enter a valid checkpoint

And click cancel

Then i will be redirected to the home page

| User Story No.13 | | |
|-------------------|----------|----------|
| Title | Priority | Estimate |
| Update Checkpoint | Must | 8 |

As an administrator

I want to update a checkpoint

So that I can have up to date information about it.

Acceptance Criteria

Scenario Admin update a checkpoint information

Given that I am logged in

And I am on the checkpoint list of a route page

When I select a checkpoint and click the button edit

And edit the checkpoint information

And click update

Then the checkpoint has been updated

Scenario Administrator updates a checkpoint information but clicks cancel

Given that i am logged in

And that i am on the checkpoint edit page

When click cancel

Then i will be redirected to the checkpoint list pages

Scenario Administrator updates a checkpoint information without filling in fields

Given that i am logged in

And that i am on the checkpoint edit page

When i leave the queue capacity field empty

Then i will be notified that the fields are empty

| User Story No.14 | | |
|-------------------|----------|----------|
| Title | Priority | Estimate |
| Delete Checkpoint | Could | 3 |
| | | |

User Story

As an administrator

I want to delete a checkpoint

So that I can remove it from the system.

Acceptance Criteria

Scenario Admin deletes an existing checkpoint selecting into the checkpoint list of a route.

Given that I am logged in

And that I am on the checkpoint list of a route page

When I select the checkpoint

And click delete

Then the checkpoint will be eliminated

Scenario Administrator deletes a checkpoint but clicks cancel

Given that i am logged in

And that i am on the checkpoint edit page

When click cancel

Then i will be redirected to the checkpoint list pages

| User Story No.15 | | |
|--------------------|----------|----------|
| Title | Priority | Estimate |
| Create Destination | Must | 3 |

User Story

As an administrator

I want to create a destination

So that I can have more places to send packages.

Acceptance Criteria

Scenario Admin create a new destination into the system

Given that I am logged in

And that I am on the destination list page

When I enter a valid destination

And click submit button

Then the destination is registered on the system

Scenario Admin enters the form to create a new destination and clicks cancel

Given that i am logged in

And that i am on the destination list page

When i enter a valid destination

And click cancel

Then i will be redirected to the home page

Scenario Admin creates a destination without filling in fields

Given that i am logged in

And that i am on the destination list page **When** i leave required empty fields

Then i will be notified that the fields are empty

| User Story No.16 | | |
|--------------------|----------|----------|
| Title | Priority | Estimate |
| Update Destination | Must | 3 |

As an administrator

I want to update a destination

So that I can have up to date information about it.

Acceptance Criteria

Scenario Admin update a destination information

Given that I am logged in

And I am on the destination list page

When I select a destination and click the button edit

And edit the destination information

And click update

Then the destination has been updated

Scenario Admin enters the form to edit destination and clicks cancel

Given that i am logged in

And that i am on the destination list page

When i enter a valid destination

And click cancel

Then i will be redirected to the home page

Scenario Admin edit a destination without filling in fields

Given that i am logged in

And that i am on the destination list page **When** i leave required empty fields

Then i will be notified that the fields are empty

| User Story No.17 | | |
|--------------------|----------|----------|
| Title | Priority | Estimate |
| Delete Destination | Could | 3 |

User Story

As an administrator

I want to delete a destination

So that I can remove it from the system.

Acceptance Criteria

Scenario Admin deletes an existing checkpoint selecting into the checkpoint list of a route.

Given that I am logged in

And that I am on the checkpoint list of a route page

When I select the checkpoint

And click delete

Then the checkpoint will be eliminated

| User Story No.18 | | |
|-----------------------|----------|----------|
| Title | Priority | Estimate |
| Update Queue Capacity | Must | 3 |

User Story

As an administrator

I want to update queue capacity of checkpoint

So that I can have a limit of packages in the queue of the checkpoint.

Acceptance Criteria

Scenario Administrator updates queue capacity at a checkpoint

Given that i am logged in

And that i am on the information page of a checkpoint

When i correctly enter the queue capacity

And click update

Then i will be notified that the queue capacity has been successfully updated

Scenario Administrator updates queue capacity at a checkpoint but has packets queued

Given that i am logged in

And that i am on the information page of a checkpoint

When the checkpoint has packets queued

Then i will be notified that the checkpoint cannot be modified

Scenario Administrator updates queue capacity at a checkpoint but clicks cancel

Given that i am logged in

And that i am on information the page of a checkpoint

When click cancel

Then i will be redirected to the list of checkpoints

Scenario Administrator updates queue capacity at a checkpoint without filling in fields

Given that i am logged in

And that i am on the information page of a checkpoint

When i leave the queue capacity field empty

Then i will be notified that the queue capacity field is empty

Scenario Administrator updates queue capacity at a checkpoint with invalid information

Given that i am logged in

And that i am on the information page of a checkpoint

When i enter an invalid queue capacity

Then i will be notified that the queue capacity field is invalid

| User Story No.19 | | |
|--------------------------|----------|----------|
| Title | Priority | Estimate |
| Set global operation fee | Must | 1 |

As an administrator

I want to set a global operation fee

So that I can have a standard fee on each checkpoint.

Acceptance Criteria

Scenario Administrator sets a global operation fee

Given that I am logged in

And that I am on the page of operations fee

When I enter the global operation fee

And click submit

Then I will be notified that the global operation fee was place correctly

Scenario Administrator sets a global operation fee but clicks cancel

Given that I am logged in

And that I am on the page of operations fee

When click cancel

Then i will be redirected to the home page

Scenario Administrator sets a global operation fee without completing the fields

Given that I am logged in

And that I am on the page of operations fee

When i leave the global operation fee field empty

Then i will be notified that the global operation fee is empty

Scenario Administrator sets a global operation fee with invalid information

Given that I am logged in

And that I am on the page of operations fee

When i enter an invalid global operation fee

Then i will be notified that the global operation fee is invalid

| User Story No.20 | | |
|-----------------------------|----------|----------|
| Title | Priority | Estimate |
| Update global operation fee | Must | 3 |

As an administrator

I want to be able to update the global operation fee

So that I can modify the global operation fee anytime if costs are growing.

Acceptance Criteria

Scenario Administrator updates a global operation fee

Given that I am logged in

And that I am on the page of operations fee

When I enter the global operation fee

And click update

Then I will be notified that the global operation fee has been successfully updated

Scenario Administrator updates a global operation fee but clicks cancel

Given that I am logged in

And that I am on the page of operations fee

When click cancel

Then I will be redirected to the home page

Scenario Administrator updates a global operation fee without completing the fields

Given that I am logged in

And that I am on the page of operations fee

When I leave the global operation fee field empty

Then I will be notified that the global operation fee is empty

Scenario Administrator updates a global operation fee with invalid information

Given that I am logged in

And that I am on the page of operations fee

When I enter an invalid global operation fee

Then I will be notified that the global operation fee is invalid

| User Story No.21 | | |
|------------------------------|----------|----------|
| Title | Priority | Estimate |
| Set checkpoint operation fee | Must | 3 |

User Story

As an administrator

I want to set a checkpoint operation fee

So that I can adapt to the costs of a specific region.

Acceptance Criteria

Scenario Administrator sets a checkpoint operation fee

Given that I am logged in

And that I am on the on information page of a checkpoint

When I enter the operation fee

And click submit

Then I will be notified that the operation fee was place correctly

Scenario Administrator sets a checkpoint operation fee but has packets queued

Given that i am logged in

And that I am on the on information page of a checkpoint

When the checkpoint has packets queued

Then i will be notified that the checkpoint cannot be modified

Scenario Administrator sets a checkpoint operation fee but clicks cancel

Given that I am logged in

And that I am on the on information page of a checkpoint

When click cancel

Then i will be redirected to the list of checkpoints

Scenario Administrator sets a checkpoint operation fee without completing the fields

Given that I am logged in

And that I am on the on information page of a checkpoint

When i leave the operation fee field empty

Then i will be notified that the operation fee is empty

Scenario Administrator sets a checkpoint operation fee with invalid information

Given that I am logged in

And that I am on the on information page of a checkpoint

When i enter an invalid operation fee

Then i will be notified that the operation fee is invalid

| User Story No.22 | | |
|---------------------|----------|----------|
| Title | Priority | Estimate |
| Set Price Per Pound | Must | 3 |

User Story

As an administrator

I want to set the price per pound

So that I can charge the customer based on the weight of their package.

Acceptance Criteria

Scenario Administrator sets a price per pound

Given that I am logged in

And that I am on the page of operations fee

When I enter the price per pound

And click submit

Then I will be notified that the price per pound was place correctly

Scenario Administrator sets a price per pound but clicks cancel

Given that I am logged in

And that I am on the page of operations fee

When click cancel

Then i will be redirected to the home page

Scenario Administrator sets a price per pound without completing the fields

Given that I am logged in

And that I am on the page of operations fee **When** i leave the price per pound field empty

Then i will be notified that the price per pound is empty

Scenario Administrator sets a price per pound with invalid information

Given that I am logged in

And that I am on the page of operations fee **When** i enter an invalid price per pound

Then i will be notified that the price per pound is invalid

| User Story No.23 | | |
|------------------------|----------|----------|
| Title | Priority | Estimate |
| Update Price Per Pound | Must | 3 |

User Story

As an administrator

I want to be able to update price per pound

So that I can modify it anytime if costs are growing.

Acceptance Criteria

Scenario Administrator updates a price per pound

Given that I am logged in

And that I am on the page of operations fee

When I enter the price per pound

And click update

Then I will be notified that the price per pound has been successfully updated

Scenario Administrator updates a price per pound but clicks cancel

Given that I am logged in

And that I am on the page of operations fee

When click cancel

Then i will be redirected to the home page

Scenario Administrator updates a price per pound whiteout completing the fields

Given that I am logged in

And that I am on the page of operations fee

When i leave the price per pound field empty

Then i will be notified that the price per pound is empty

Scenario Administrator updates a price per pound with invalid information

Given that I am logged in

And that I am on the page of operations fee

When i enter an invalid price per pound

Then i will be notified that the price per pound is invalid

| User Story No.24 | | |
|------------------------|----------|----------|
| Title | Priority | Estimate |
| Set Prioritization Fee | Must | 3 |

User Story

As an administrator

I want to set a prioritization fee

So that I can offer to customer prioritization of their packages.

Acceptance Criteria

Scenario Administrator sets a prioritization fee

Given that I am logged in

And that I am on the page of operations fee

When I enter the prioritization fee

And click submit

Then I will be notified that the prioritization fee was place correctly

Scenario Administrator sets a prioritization fee but clicks cancel

Given that I am logged in

And that I am on the page of operations fee

When click cancel

Then i will be redirected to the home page

Scenario Administrator sets a prioritization fee whiteout completing the fields

Given that I am logged in

And that I am on the page of operations fee

When i leave the prioritization fee field empty

Then i will be notified that the prioritization fee is empty

Scenario Administrator sets a prioritization fee with invalid information

Given that I am logged in

And that I am on the page of operations fee

When i enter an invalid prioritization fee

Then i will be notified that the prioritization fee is invalid

| User Story No.25 | | |
|---------------------------|----------|----------|
| Title | Priority | Estimate |
| Update Prioritization Fee | Must | 3 |

As an administrator

I want to be able to update prioritization fee

So that I can modify it anytime if costs are growing.

Acceptance Criteria

Scenario Administrator updates a prioritization fee

Given that I am logged in

And that I am on the page of operations fee

When I enter the prioritization fee

And click update

Then I will be notified that the prioritization fee has been successfully updated

Scenario Administrator updates a prioritization fee but clicks cancel

Given that I am logged in

And that I am on the page of operations fee

When click cancel

Then i will be redirected to the home page

Scenario Administrator updates a prioritization fee whiteout completing the fields

Given that I am logged in

And that I am on the page of operations fee

When i leave the prioritization fee field empty

Then i will be notified that the prioritization fee is empty

Scenario Administrator updates a prioritization fee with invalid information

Given that I am logged in

And that I am on the page of operations fee

When i enter an invalid prioritization fee

Then i will be notified that the prioritization fee is invalid

| User Story No.26 | | |
|--|----------|----------|
| Title | Priority | Estimate |
| Update assignment of an Operator to a Checkpoint | Must | 5 |

User Story

As an administrator

I want to be able to update the assignment of an operator to a checkpoint So that I can change operators anytime.

Acceptance Criteria

Scenario Administrator updates the assignment of an operator to a checkpoint

Given that I am logged in

And that I am selecting a checkpoint from the list of checkpoints

When I selected a new operator

And click update

Then I will be notified that the operator has been successfully updated

Scenario Administrator updates the assignment of an operator to a checkpoint but has packets queued

Given that i am logged in

And that I am selecting a checkpoint from the list of checkpoints

When the checkpoint has packets queued

Then i will be notified that the checkpoint cannot be modified

Scenario Administrator updates the assignment of an operator to a checkpoint but click cancel

Given that I am logged in

And that I am selecting a checkpoint from the list of checkpoints

When click cancel

Then i will be redirected to the list of checkpoints

| User Story No.27 | | |
|------------------|----------|----------|
| Title | Priority | Estimate |
| Report 1 | Must | 5 |

User Story

As an administrator

I want to view a route report indicating the number of packages that are currently in route and indicating the number of packages that have already left the route.

So that I can have information about routes and the amount of packages.

Acceptance Criteria

Scenario Admin sees the report of a route where it indicates the number of current packages and packages that have already been removed

Given that I am logged in

And I am on the route list

When I select a route from the list

Then I will be able to see the report of the selected route with the number of current packages and packages already removed

| User Story No.28 | | |
|------------------|----------|----------|
| Title | Priority | Estimate |
| Report 2 | Must | 5 |

As an administrator

I want to view an earnings report in a time interval.

So that I can make financial decisions.

Acceptance Criteria

Scenario Admin view earnings report in a time interval

Given that I am logged in

And I select the earnings report

When i enter a start date and an end date

And click submit

Then: I will be able to see the earnings report in the entered interval

Scenario Admin view earnings report in a time interval with a start date

Given that I am logged in

And I select the earnings report

When i enter a start date

And click submit

Then I will be able to see earnings report from start date to the present day

Scenario Admin view earnings report in a time interval with an end date

Given that I am logged in

And I select the earnings report

When i enter an end date

And click submit

Then I will be able to see earnings report from the first date of existing data to the end date

Scenario Admin view earnings report in a time interval without entering dates

Given that I am logged in

And I select the earnings report

When I click submit

Then I will be able to see earnings report from the first date of existing to the present day

| User Story No.29 | | |
|------------------|----------|----------|
| Title | Priority | Estimate |
| Report 3 | Must | 5 |
| User Story | | |

As an administrator

I want to view a customer's report.

So that I can know how often customers send packages.

Acceptance Criteria

Scenario Administrator views customers report

Given admin is logged in on system

And requests a customers report

When admin clicks on Customers Report button

Then the system shows the requested report.

Scenario Administrator search information by customer on customers report

Given admin is logged in on system

And is currently viewing customers report

When admin enters a customer

And clicks on search button

Then the system shows a report with only found information about entered customers.

| User Story No.30 | | |
|------------------|----------|----------|
| Title | Priority | Estimate |
| Report 4 | Must | 5 |

User Story

As an administrator

I want to view a report of 3 most popular routes in a time interval.

So that I can know which routes are more used.

Acceptance Criteria

Scenario Administrator views report in a time interval

Given admin is logged in on system

And requests a 3 most popular routes report

When enters a start date and an end date

And clicks report button

Then the system shows the requested report on the indicated date interval.

Scenario Administrator views report in a time interval with only a start date

Given admin is logged in on system

And requests a 3 most popular routes report

When enters only a start date

And clicks report button

Then the system shows the requested report sinces the indicated date until now.

Scenario Administrator views report in a time interval with only an end date

Given admin is logged in on system

And requests a 3 most popular routes report

When enters only an end date

And clicks report button

Then the system shows the requested report sinces start of time until the indicated date.

Scenario Administrator views earnings report in a time interval without entering dates

Given admin is logged in on system

And requests a 3 most popular routes report

When enters only an end date

And clicks report button

Then the system shows the requested report sinces start of time until now.

| User Story No.31 | | |
|------------------|----------|----------|
| Title | Priority | Estimate |
| Export Report | Must | 8 |

User Story

As an administrator

I want to export a report.

So that I can save it to my computer.

Acceptance Criteria

Scenario Administrator exports a report

Given Administrator is logged in on system

And is currently on any report

When clicks on Export button

Then the system allows the administrator to save the report.

| User Story No.32 | | |
|------------------|----------|----------|
| Title | Priority | Estimate |
| View Route Image | Could | 13 |
| Usan Stanz | | |

User Story

As an administrator

I want to view the image of a selected route.

So that I can view a graphical description of it.

Acceptance Criteria

Scenario Administrator views route image

Given Administrator is logged in on system

And is currently on any route

When clicks on Image button

3. Historias de Usuario Operador

| User Story No.33 | | |
|------------------|----------|----------|
| Title | Priority | Estimate |
| Process package | Must | 3 |

User Story

As an operator

I want to process a package

So that I can register the time taken of the package at a checkpoint.

Acceptance Criteria

Scenario All data entered by operator is correct

Given Operator is logged in on system

And selects a package to process

When operator entres all required data

And clicks Process button

Then the package is processed by the system and continues with its route.

Scenario Some data entered by operator is incorrect

Given Operator is logged in on system

And selects a package to process

When operator entres all required data but some data has an invalid format or is incorrect

And clicks Process button

Then the system shows a warning indicating all errors generated.

4. Historias de Usuario Recepcionista

| User Story No.34 | | |
|-------------------|----------|----------|
| Title | Priority | Estimate |
| Register Customer | Must | 5 |

User Story

As a receptionist, I want to register a new client so that I can use his information in a transaction

Acceptance Criteria

Scenario Receptionist registers a new client

Given that i am logged in

And that i am on the new client form

When i enter the client's information correctly

And click register

Then i will be notified that the client was registered correctly

Scenario Receptionist registers a new client but clicks cancel

Given that i am logged in

And that i am on the new client form

When click cancel

Then i will be redirected to the home page

Scenario Receptionist registers a client that is already registered

Given that i am logged in

And that i am on the new client form

When i enter an already registered NIT

And click register

Then i will be notified that the client has already been registered

Scenario Receptionist registers a new client without filling in required fields

Given that i am logged in

And that i am on the new client form

When i leave empty required fields

And click register

Then i will be notified that the required field is empty

Scenario Receptionist registers a new client with invalid information

Given that i am logged in

And that i am on the new client form

When i enter invalid information

And click register

Then i will be notified that the information is invalid

| User Story No.35 | | |
|------------------|----------|----------|
| Title | Priority | Estimate |
| Update Customer | Should | 5 |

User Story

As a receptionist

I want to be able to update a customer

So that I can modify his/her information anytime.

Acceptance Criteria

Scenario Receptionist updates a client

Given receptionist is logged in on system

And is currently on update client form

When enters client's information correctly

And clicks update button

Then the system updates customer information and shows a message indicating a successful update done.

Scenario Receptionist tries to update a client and provide an already registered NIT

Given receptionist is logged in on system

And is currently on update client form

When enters client's information

And provided NIT is owned by other customer

And clicks update button

Then the system shows a message indicating the error.

Scenario Receptionist tries to update a client without filling all required fields

Given receptionist is logged in on system

And is currently on update client form

When enters client's information

And doesn't fill all required fields

And clicks update button

Then the system shows a message indicating the error.

Scenario Receptionist tries to update a client with invalid information

Given receptionist is logged in on system

And is currently on update client form

When enters client's information

And provides invalid data

And clicks update button

Then the system shows a message indicating the error.

| User Story No.36 | | |
|------------------|----------|----------|
| Title | Priority | Estimate |
| Enter a Package | Must | 5 |

User Story

As a receptionist

I want to enter a package

So that I can register the package on the system and put it in the queue.

Acceptance Criteria

Scenario All data provided is correct

Given Receptionist is logged in on system

And is currently on enter package form

When enters package data

And all data is correct

Then the system enters the package, sends it to the queue and proceeds with facturacion.

Scenario Some data provided is incorrect

Given Receptionist is logged in on system

And is currently on enter package form

When enters package data

And some data is incorrect

Then the system shows a message indicating the error.

Scenario Some required fields are not filled.

Given Receptionist is logged in on system

And is currently on enter package form

When enters package data

And some required fields does not have any data

Then the system shows a message indicating the error.

| User Story No.37 | | |
|------------------|----------|----------|
| Title | Priority | Estimate |
| Delete Package | Won't | 5 |

User Story

As a receptionist

I want to delete a package

So that I can remove it from the system if something went wrong entering the package or some other strange situation.

Acceptance Criteria

Scenario Receptionist delete a package

Given Receptionist is logged in on system

And search a package

When package have been entered now and is still on queue and not assigned to a route

When clicks on delete button

Then the system removes the package from the queue and removes all data about it.

| User Story No.38 | | |
|------------------|----------|----------|
| Title | Priority | Estimate |
| Deliver Package | Must | 5 |

User Story

As a receptionist

I want to be able to mark as delivered a package

So that I can give it to customers.

Acceptance Criteria

Scenario Recepcionits mark as delivered a package

Given Receptionist is logged in on system

And searches a package that is on destination

When clicks button Deliver

Then the package is marked as delivered on the system and the receptionist can deliver it to the customer.

Scenario Recepcionits tries to mark as delivered a package that is not on destination.

Given Receptionist is logged in on system

And searches a package

And the package is not on destination

When clicks button Deliver

Then the system shows a message indicating the error.

| User Story No.39 | | | |
|----------------------------------|----------|----------|--|
| Title | Priority | Estimate | |
| Search client information by NIT | Must | 3 | |
| | | | |

User Story

As a receptionist I want to search for a client's information by NIT so that I can use his/her information on a transaction.

Acceptance Criteria

Scenario Receptionist searches a customer's data

Given that i am logged in

And that i am on the sales page

When i search for a customer by their NIT

And i select it correctly

And click submit

Then the customer information will be associated with the current transaction

Scenario Receptionist searches a new customer's data then register him

Given that i am logged in

And that i am on the sales page

When i search for a customer by their NIT

And not registered

Then i create the new client

And the customer information will be associated with the current transaction

Scenario Receptionist searches a customer's data but clicks cancel

Given that i am logged in

And that i am on the sales page

When i search for a customer by their NIT

And i select it correctly

And click cancel

Then i can enter another NIT to associate with another client

| User Story No.40 | | |
|-----------------------|----------|----------|
| Title | Priority | Estimate |
| View List of Packages | Must | 3 |

As a receptionist

I want to view a list of packages on destination

So that I can know which packages haven't been picked up.

Acceptance Criteria

Scenario Receptionist log in

Given Receptionist tries to log in on system

And clicks button Log In

When enters to home page

Then the system automatically shows a list of all packages on the destination.

Scenario Receptionist go to home page

Given Receptionist is logged in on system

When clicks button Home

Then the system automatically shows a list of all packages on the destination.

| User Story No.41 | | |
|------------------|----------|----------|
| Title | Priority | Estimate |
| Trace a Package | Must | 3 |

User Story

As a receptionist

I want to trace a package

So that I can give the customer information about where her/his package is anytime.

Acceptance Criteria

Scenario Trace of not delivered package

Given Receptionist is logged in on system

And tries to trace a package

When enters package id

And clicks Trace button

Then the system shows information and current location of the package.

Scenario Trace of delivered package

Given Receptionist is logged in on system

And tries to trace a package

When enters package id

And clicks Trace button

And package has been delivered before

Then the system shows a message indicating the package is no longer on the system.