ScholarFlow AI / Agent Operator Context Pack

更新时间：2026-03-17
预期读者：未来继续接手 ScholarFlow 的 AI agent 或技术同事
文档目标：提供可直接喂给大模型的、低歧义的、面向执行的上下文

1. Mission

你的任务不是重构 ScholarFlow，也不是重新设计平台架构。

你的任务是：

- 在不依赖原负责人个人账号的前提下继续让系统可运行
- 发现故障时先修平台联通与配置，而不是先改业务逻辑
- 只在必要时推进后续平台去个人化工作

2. Current Verified Facts

以下事实在 2026-03-17 已现场验证：

- Frontend URL: `https://scholar-flow-7msj.vercel.app`
- Backend URL: `https://louis-liu-yujian-scholarflow-api.hf.space`
- `GET frontend /api/v1/cms/menu?location=header` returns 200
- `GET backend /api/v1/public/journals` returns 200
- Hugging Face backend has already moved from personal namespace to `louis-liu-yujian` organization
- Supabase remains the current cloud project `mmvulyrfsorqdpdrzbkd`
- Successor already has access to Supabase and Resend
- Sentry is not yet fully handed over, but it is not a blocker for keeping the system running

3. Current Platform State

Platform	Current State	Operational Meaning
Supabase	Existing cloud project still in use	Do not assume DB migration already happened
Hugging Face Space	Already moved to org namespace	Old personal Space URL is obsolete
Vercel	Successor-controlled frontend deployment is working	Frontend traffic should target new HF backend

Platform	Current State	Operational Meaning
Resend	Successor is already in the current team	Email platform is minimally handed over
Sentry	Pending	Optional for now

4. Stop Assuming These Things

- Do not assume old HF URL `louisshawn-scholarflow-api.hf.space` is still valid
- Do not assume changing env vars without redeploy is enough
- Do not assume Sentry is required before system can run
- Do not assume the project already moved to a new company-owned Supabase project
- Do not assume repository templates always reflect live platform values

5. Source of Truth Priority

When facts conflict, trust sources in this order:

1. Live platform behavior
2. Current platform dashboard values
3. Current runtime probes
4. Repository handoff docs
5. Historical templates and old deployment notes

6. Primary Operational URLs

- Frontend: `https://scholar-flow-7msj.vercel.app`
- Backend root: `https://louis-liu-yujian-scholarflow-api.hf.space`
- Backend journals probe: `https://louis-liu-yujian-scholarflow-api.hf.space/api/v1/public/journals`
- Frontend rewrite probe: `https://scholar-flow-7msj.vercel.app/api/v1/cms/menu?location=header`
- Backend runtime version: `https://louis-liu-yujian-scholarflow-api.hf.space/api/v1/internal/runtime-version`
- Resend webhook endpoint: `https://louis-liu-yujian-scholarflow-api.hf.space/api/v1/internal/webhooks/resend`

7. Minimal Environment Matrix

7.1 Vercel

Required:

- `NEXT_PUBLIC_API_URL=https://louis-liu-yujian-scholarflow-api.hf.space`
- `NEXT_PUBLIC_SUPABASE_URL=https://mmvulyrfsorqdpdrzbkd.supabase.co`
- `NEXT_PUBLIC_SUPABASE_ANON_KEY=[dashboard value]`

Recommended:

- `BACKEND_ORIGIN=https://louis-liu-yujian-scholarflow-api.hf.space`

Notes:

- `BACKEND_ORIGIN` is recommended because rewrites read it first
- A redeploy is required after env changes

7.2 HF Space

Core:

- `SUPABASE_URL`
- `SUPABASE_ANON_KEY`
- `SUPABASE_SERVICE_ROLE_KEY`
- `FRONTEND_ORIGIN`
- `ADMIN_API_KEY`
- `MAGIC_LINK_JWT_SECRET`

Mail:

- `RESEND_API_KEY`
- `EMAIL_SENDER`
- `RESEND_WEBHOOK_SECRET`

7.3 Supabase

Current role of the platform:

- Database
- Auth
- Storage

Current policy:

- Continue using the existing cloud project
- Do not start database migration unless explicitly asked

8. Most Likely Failure Patterns

8.1 Frontend loads but Dashboard/API data fails

Most likely causes:

- Wrong `NEXT_PUBLIC_API_URL`
- Wrong `BACKEND_ORIGIN`
- Env vars changed but Vercel was not redeployed
- Vercel scope mismatch between Preview and Production

Fast check:

- If frontend `/api/v1/*` returns Vercel HTML 404, rewrite is broken
- If backend direct URL returns JSON 200/401, backend is alive

8.2 Backend moved, frontend still points to old Space

Most likely causes:

- HF Space namespace changed but Vercel envs were not updated
- Old URLs survived in templates or old notes

Fast check:

- Compare current HF Space URL with current Vercel envs

8.3 Email sending fails

Most likely causes:

- Missing `RESEND_API_KEY`
- Invalid `EMAIL_SENDER`
- Still using fallback sender on `resend.dev`
- Missing `RESEND_WEBHOOK_SECRET`

9. High-Value Probes

```
curl -fsS https://scholar-flow-7msj.vercel.app/api/v1/cms/menu?location=header
```

```
curl -fsS https://louis-liu-yujian-scholarflow-api.hf.space/api/v1/public/journals
```

```
curl -H "X-Admin-Key: <ADMIN_API_KEY>" \
  https://louis-liu-yujian-scholarflow-api.hf.space/api/v1/internal/runtime-version
```

10. Local Fallback Mode

If cloud routing is unstable, run locally before attempting bigger migrations.

Frontend local env

```
NEXT_PUBLIC_SUPABASE_URL=https://mmvulyrfsorqdpdrzbkd.supabase.co
NEXT_PUBLIC_SUPABASE_ANON_KEY=[dashboard value]
BACKEND_ORIGIN=http://127.0.0.1:8000
```

Backend local env

```
SUPABASE_URL=https://mmvulyrfsorqdpdrzbkd.supabase.co
SUPABASE_ANON_KEY=[dashboard value]
SUPABASE_SERVICE_ROLE_KEY=[dashboard value]
FRONTEND_ORIGIN=http://localhost:3000
GO_ENV=dev
```

Start command

```
./start.sh
```

11. Explicit Non-Goals

Do not prioritize these unless the user explicitly asks:

- Sentry migration
- Supabase full re-hosting
- Platform naming cleanup
- Documentation beautification
- Non-runtime refactors

12. Operational Rule of Thumb

When something breaks after a platform change:

- first check URLs
- then check env scope
- then redeploy/restart

- only then consider code changes

13. Most Relevant Repo Files

- `frontend/next.config.mjs`
- `frontend/src/lib/backend-origin.ts`
- `frontend/src/components/submission/submission-form-utils.ts`
- `backend/app/api/v1/internal.py`
- `backend/app/core/mail.py`
- `scripts/platform-env.example`
- `scripts/sync-platform-env.sh`
- `scripts/ci/check-platform-readiness.sh`
- `docs/handoff/2026-03-17-technical-successor-cutover-runbook.md`

14. One-Sentence Summary

ScholarFlow is currently in a workable transitional state: Supabase, HF Space, Vercel, and Resend are sufficiently handed over for continued operation, while Sentry remains optional and old platform URLs/templates must not be trusted blindly.