popquiz kine 1D-2

This is a preview of the published version of the quiz

Started: Apr 29 at 7:51pm

Quiz Instructions

1 attempt

Question 1 20 pts

Starting from rest, a particle confined to move along a straight line is accelerated at a rate of 2 m/s2

- The speed of the particle increases by 2 m/s during each second.
- The particle travels 2 m during each second
- The particle travels 2 m only during the first second.
- The acceleration of the particle increases by 2 m/s2 during each second

Question 2 20 pts

Consider the following motion:



What is the acceleration?

- -3.3 m/s/s
- 3.3 m/s/s

-1.11 m/s/s

1.11 m/s/s

0.83 m/s/s

Question 3 20 pts



A ball bounces of a ball as shown. The interaction lasts for 0.1s

What is the acceleration of the ball? (use the definition of acceleration and integers)

acceleration is a vector (its tricky. Use the equation. a = Vf - Vi / t. velocity has a direction

-200m/s/s

0

100m/s/s

-100m/s/s

200m/s/s

Question 4 20 pts

Oliver is speeding up to catch the bus. at t=0 his speed was 1m/s (V0). His acceleration is 2m/s/s. He runs for 10s.

X=0 at t= 0 . So when you start the stop watch, x=0 and Vo=1m/s

His displacement is

- ◯ 110m
- ◯ 100m
- ◯ 10m
- ◯ 0

Question 5 20 pts

Consider the situation:



What is true

- ◯ the car is moving @ right and slowing down
- ◯ the car is moving @right and speeding up

○ the cat is moving @ left and slowing down

○ the car is moving@ left and speeding up

Question 6 3 pts

What si the slope



○ -0.5

○ 0.5

○ 3

○ -2

Not saved Submit Quiz