

popquiz vector, monkey circular motion

⚠ This is a preview of the published version of the quiz

Started: Apr 29 at 7:55pm

Quiz Instructions



Question 1 25 pts

A hunter wants to kill a monkey. At the very instant the hunter pulls the trigger, the monkey gets startled by the sound, lets go of the branch, and falls from the tree. Neglecting air resistance, the hunter should aim



at the monkey



below the monkey




above the monkey



I missed the class



Question 2 25 pts



3. In the third quadrant, what is the sign of both the x-component and y-component of a vector?

A) Both negative

B) Both positive

C) X-component negative, y-component positive

D) X-component positive, y-component negative

☐

Both negative

☐

x-component is negative, y-component positive

☐

Both positive

☐

x-component is positive, y-component negative



Question 3 25 pts

Question 3: A vector in the third quadrant has an x-component of -5 and a y-component of -12.

What is the polar notation for the vector (angle is CCW relative to the +xaxis)

hint: plot the point (-5, -12) in a (X,Y) coordinate system. Connect the origin (0,0) to the point (-5,-12) or head.

Find the angle from +xaxis to vector.

☐

13 u @ 247 from +x-axis

☐

11 u @ 67 from +x-axis

☐

11u @ 247 from +x-axis

☐

13 u @ 203 from + x-axis



Question 4 25 pts



An old 33 rpm vinyl disk has a radius of 15cm (0.15m). rpm means revolutions per minute.

what is the speed in m/s of a point located at the out edge of the disk?

hint: 1 revolution is once around = $2\pi R$ = distance around

☐

0.015m/s

☐

0.8m/s

☐

0.52m/s

☐

31m/s

Not saved

Submit Quiz