

COMP 8003

Lab 5

User Guide

Louise Li
A01377263
Feb 9th, 2026

Purpose

The lab demonstrates the weaponization phase of the cyber kill chain by designing and executing a benign activity that interacts with internal data using regular user-level system behavior.

Installing

Obtaining

```
git clone https://github.com/LouiseYLi/COMP8003-lab5.git
```

Building

N/A

Running

```
./weaponized_action.sh
```

Environment Variables

The following environment variables alter the behaviour of main:

Variable	Purpose
\$HOME	Specifies the user's home directory, which is used to resolve ~ when creating the hidden directory.

Configuration

The following configuration values can be set in <file>:

Variable	Purpose
N/A	

Command Line Arguments


The following configuration values can be set in <file>:

Variable	Purpose
N/A	

Examples


Normal Execution

1. Monitor /etc/passwd with inotifywait.

A screenshot of a terminal window with a dark background. The window title is 'osboxes@osboxes: ~'. The terminal shows the command 'inotifywait -m /etc/passwd >> /mnt/hgfs/shared/inotify.log' being executed. Below the command, the output 'Setting up watches.' and 'Watches established.' is visible. A cursor is positioned on the line following the output.


```
osboxes@osboxes:~$ inotifywait -m /etc/passwd >> /mnt/hgfs/shared/inotify.log
Setting up watches.
Watches established.
```

2. Make sure weaponized_action.sh is executable.

A terminal window with a dark background and light green text. The window title is "osboxes@osboxes: ~". The terminal shows two lines of text: "osboxes@osboxes:~\$ chmod +x weaponized_action.sh" and "osboxes@osboxes:~\$ " followed by a cursor. The window has a standard macOS-style title bar with a search icon, a menu icon, and window control buttons. There are five tabs open, all labeled "osboxes@o...".

```
osboxes@osboxes:~$ chmod +x weaponized_action.sh
osboxes@osboxes:~$
```


3. Run `./weaponized_action.sh`.



A terminal window titled "osboxes@osboxes: ~" with three tabs. The first tab is active and shows the command `./weaponized_action.sh` being executed. The prompt `osboxes@osboxes:~$` is visible on the first line, and the command `./weaponized_action.sh` is on the second line. The prompt `osboxes@osboxes:~$` is visible on the third line. A cursor is positioned on the third line. The terminal background is dark purple.

```
osboxes@osboxes:~$ ./weaponized_action.sh
osboxes@osboxes:~$
```


4. Terminate inotifywait



```
osboxes@osboxes: ~  
osboxes@osboxes: ~ x osboxes@osboxes: ~ x osboxes@osboxes: ~ x  
osboxes@osboxes:~$ inotifywait -m /etc/passwd >> /mnt/hgfs/shared/inotify.log  
Setting up watches.  
Watches established.  
^C  
osboxes@osboxes:~$
```

The image shows a terminal window with a dark background. The title bar at the top reads "osboxes@osboxes: ~". Below the title bar, there are three tabs, each labeled "osboxes@osboxes: ~". The terminal content shows the execution of the command "inotifywait -m /etc/passwd >> /mnt/hgfs/shared/inotify.log". The output of the command is "Setting up watches." followed by "Watches established." on the next line. The user then presses the Ctrl-C key, indicated by "^C" on the line. The prompt "osboxes@osboxes:~\$" appears again, with a white cursor character (a vertical bar) at the end.

5. Access and read the log file.



A terminal window titled "osboxes@osboxes: ~" with three tabs. The active tab shows the command `osboxes@osboxes:~$ nano /mnt/hgfs/shared/inotify.log` entered at the prompt. The cursor is positioned at the end of the command line. The terminal background is dark purple, and the text is in a monospaced font.

```
osboxes@osboxes: ~  
GNU nano 8.3 /mnt/hgfs/shared/inotify.log  
/etc/passwd OPEN  
/etc/passwd ACCESS  
/etc/passwd CLOSE_NOWRITE,CLOSE  
/etc/passwd OPEN  
/etc/passwd ACCESS  
/etc/passwd CLOSE_NOWRITE,CLOSE  
  
[ Read 6 lines ]  
^G Help      ^O Write Out  ^F Where Is   ^K Cut        ^T Execute    ^C Location  
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify    ^_ Go To Line
```