Mini-LISP

The language that your project's interpreter will process is a subset of LISP, which we call it Mini-LISP for convenience. This handout first offers a general description, then goes into details such as lexical structure and grammar of the subset.

Overview

LISP is an ancient programming language based on S-expressions and lambda calculus. All operations in Mini-LISP are written in parenthesized prefix notation. For example, a simple mathematical formula "(1 + 2) * 3" written in Mini-LISP is:

```
(* (+ 1 2) 3)
```

As a simplified language, Mini-LISP has only three types (**Boolean**, **number** and **function**) and a few operations.

Type Definition

- Boolean: Boolean type includes two values, `#t` for true and `#f` for false.
- Number: **Signed integer from $-(2^{31})$ to $2^{31}-1$**, behavior out of this range is not defined.
- Function: See Function.

Casting: Not allowed, but type checking is a bonus feature.

Operation Overview

Numerical Operators		
Name	**Symbol**	**Example**
Plus	`+`	`(+ 1 2) => 3`
Minus	`-`	`(- 1 2) => -1`
Multiply	`*`	`(* 2 3) => 6`
Divide	`/`	`(/ 6 3) => 2`
Modulus	`mod`	`(mod 8 3) => 2`
Greater	`>`	`(> 1 2) => #f`
Smaller	`<`	`(< 1 2) => #t`
Equal	`=`	`(= 1 2) => #f`

Logical Operators		
Name	**Symbol**	**Example**
And	`and`	`(and #t #f) => #f`
Or	`or`	`(or #t #f) => #t`
Not	`not`	`(not #t) => #f`

Other Operators: `define`, `fun`, `cond`

Note that all operators are **reserved words**, you cannot use any of these words as ID.

Lexical Details

Preliminary Definitions:

separator ::= '\t'(tab) | '\n' | '\r' | ' '(space)

letter ::= [a-z]

digit ::= [0-9]

Token Definitions:

number ::= 0 | [1-9]digit* | -[1-9]digit*

Examples: 0, 1, -23, 123456

ID ::= letter (letter | digit | '-')*

Examples: x, y, john, cat-food

bool-val ::= #t | #f

Grammar Overview

```
PROGRAM        ::= STMT+

STMT           ::= EXP | DEF-STMT | PRINT-STMT

PRINT-STMT     ::= print-num EXP | print-bool EXP

EXP            ::= bool-val | number | VARIABLE | NUM-OP | LOGICAL-OP
                  | FUN-EXP | FUN-CALL | COND-EXP

NUM-OP         ::= PLUS | MINUS | MULTIPLY | DIVIDE | MODULUS | GREATER
                  | SMALLER | EQUAL

        PLUS           ::= (+ EXP EXP+)

        MINUS          ::= (- EXP EXP)

        MULTIPLY       ::= (* EXP EXP+)

        DIVIDE         ::= (/ EXP EXP)

        MODULUS        ::= (mod EXP EXP)

        GREATER        ::= (> EXP EXP)

        SMALLER        ::= (< EXP EXP)

        EQUAL          ::= (= EXP EXP+)

LOGICAL-OP     ::= AND-OP | OR-OP | NOT-OP

        AND-OP         ::= (and EXP EXP+)

        OR-OP          ::= (or EXP EXP+)

        NOT-OP         ::= (not EXP)

DEF-STMT       ::= (define VARIABLE EXP)

        VARIABLE       ::= id

FUN-EXP::= (fun FUN_IDs FUN-BODY)

        FUN-IDs::= (id*)

        FUN-BODY       ::= EXP

        FUN-CALL       ::= (FUN-EXP PARAM*) | (FUN-NAME PARAM*)

        PARAM          ::= EXP

        LAST-EXP       ::= EXP

        FUN-NAME       ::= id

IF-EXP         ::= (if TEST-EXP THAN-EXP ELSE-EXP)

        TEST-EXP       ::= EXP

        THEN-EXP       ::= EXP

        ELSE-EXP       ::= EXP
```

Grammar and Behavior Definition

1. Program
   PROGRAM :: = STMT^{+}
   STMT ::= EXP | DEF-STMT | PRINT-STMT

2. Print
   PRINT-STMT ::= (print-num EXP)
   Behavior: Print exp in decimal.

   | (print-bool EXP)
   Behavior: Print #t if EXP is true. Print #f, otherwise.

3. Expression (EXP)
   EXP ::= bool-val | number | VARIABLE
   | NUM-OP | LOGICAL-OP | FUN-EXP | FUN-CALL | IF-EXP

4. Numerical Operations (NUM-OP)
   NUM-OP ::= PLUS | MINUS | MULTIPLY | DIVIDE | MODULUS |
   | GREATER | SMALLER | EQUAL

   PLUS ::= (**+** EXP EXP^{+})
   Behavior: return sum of all EXP inside.
   Example: (+ 1 2 3 4) → 10

   MINUS ::= (**-** EXP EXP)
   Behavior: return the result that the 1st EXP minus the 2nd EXP.
   Example: (- 2 1) → 1

   MULTIPLY ::= (***** EXP EXP^{+})
   Behavior: return the product of all EXP inside.
   Example: (* 1 2 3 4) → 24

   DIVIDE ::= (**/** EXP EXP)
   Behavior: return the result that 1st EXP divided by 2nd EXP.
   Example: (/ 10 5) → 2
   (/ 3 2) → 1 (just like C++)

   MODULUS ::= (**mod** EXP EXP)
   Behavior: return the modulus that 1st EXP divided by 2nd EXP.

Example: (mod 8 5) → 3

GREATER ::= (> EXP EXP)
Behavior: return #t if 1st EXP greater than 2nd EXP. #f otherwise.
Example: (> 1 2) → #f

SMALLER ::= (< EXP EXP)
Behavior: return #t if 1st EXP smaller than 2nd EXP. #f otherwise.
Example: (< 1 2) → #t

EQUAL ::= (= EXP EXP+)
Behavior: return #t if all EXPs are equal. #f otherwise.
Example: (= (+ 1 1) 2 (/6 3)) → #t

5. Logical Operations (LOGICAL-OP)
   LOGICAL-OP ::= AND-OP | OR-OP | NOT-OP

   AND-OP ::= (**and** EXP EXP+)
   Behavior: return #t if all EXPs are true. #f otherwise.
   Example: (and #t (> 2 1)) → #t

   OR-OP ::= (**or** EXP EXP+)
   Behavior: return #t if at least one EXP is true. #f otherwise.
   Example: (or (> 1 2) #f) → #f

   NOT-OP ::= (**not** EXP)
   Behavior: return #t if EXP is false. #f otherwise.
   Example: (not (> 1 2)) → #t

6. `define` Statement (DEF-STMT)
   DEF-STMT ::= (**define** id EXP)
   VARIABLE ::= id
   Behavior: Define a variable named id whose value is EXP.
   Example:
   (define x 5)
   (+ x 1) → 6

   Note: Redefining is not allowed.

7. Function
   FUN-EXP ::= (**fun** FUN-IDs FUN-BODY)
   FUN-IDs ::= (id*)

FUN-BODY ::= EXP
FUN-CALL ::= (FUN-EXP PARAM*)
| (FUN-NAME PARAM*)
PARAM ::= EXP
LAST-EXP ::= EXP
FUN-NAME ::= id

Behavior:
FUN-EXP **defines a function. When a function is called, bind** FUN-IDs **to** PARAMs**, just like the** `define` **statement. If an** id **has been defined outside this function, prefer the definition inside the** FUN-EXP**. The variable definitions inside a function should not affect the outer scope. A** FUN-CALL **returns the evaluated result of** FUN-BODY **Note that variables used in** FUN-BODY **should be bound to** PARAMs

Examples:
`((fun (x) (+ x 1)) 2)` → 3
↑fun-exp ↑fun-call

```
(define foo (fun () 0))
(foo) → 0

(define x 1)
(define bar (fun (x y) (+ x y)))
(bar 2 3) → 5
x → 1
```

8. `if` Expression
IF-EXP ::= (**`if`** TEST-EXP THEN-EXP ELSE-EXP)
TEST-EXP ::= EXP
THEN-EXP ::= EXP
ELSE-EXP ::= EXP

Behavior: When TEST-EXP **is true, returns** THEN-EXP**. Otherwise, returns** ELSE-EXP**.**
Example:
```
(if (= 1 0) 1 2) → 2
(if #t 1 2) → 1
```