



Quick Monte Carlo sweep: Explanation reliance (η)
Feature-contribution family · K=2 · 50 random draws per point

Feature attribution Counterfactual example


Counterfactual success rate




Target-confidence gain




Boundary-distance improvement




Plausibility



Actionability rate



Normalized edit distance (L1)




Quick Monte Carlo sweep: Global relevance reliance (α)


Feature-contribution family · K=2 · 50 random draws per point

—●— No XAI —■— Feature attribution —▲— Counterfactual example


Counterfactual success rate




Target-confidence gain




Boundary-distance improvement




Plausibility



Actionability rate



Normalized edit distance (L1)




Quick Monte Carlo sweep: Signed change margin (ρ)


Feature-contribution family · K=2 · 50 random draws per point

—●— No XAI —■— Feature attribution —▲— Counterfactual example


Counterfactual success rate




Target-confidence gain




Boundary-distance improvement




Plausibility



Actionability rate



Normalized edit distance (L1)




Quick Monte Carlo sweep: Age actionable


Feature-contribution family · K=2 · 50 random draws per point

—●— No XAI —■— Feature attribution —▲— Counterfactual example


Counterfactual success rate




Target-confidence gain




Boundary-distance improvement



Plausibility



Actionability rate



Normalized edit distance (L1)

