RELATÓRIO EXECUTIVO

Azure Migration

Analyzer

Análise técnica de viabilidade para movimentação de recursos Azure entre assinaturas e resource groups

Data de Emissão
15 de March de 2026

Total de Recursos
5000

Cliente
EMPRESA TECHCOMPANY

Taxa de Migração
76.8% migrável

RELATÓRIO DE MIGRAÇÃO AZURE

15/03/2026

RESUMO EXECUTIVO

Esta análise técnica avaliou **5000 recursos Azure** quanto à viabilidade de migração entre assinaturas e/ou resource groups. A taxa de sucesso esperada é de **76.8%**.

VIABILIDADE GERAL: **MÉDIA**

RECOMENDAÇÕES E INSIGHTS

VIABILIDADE MODERADA Cerca de 77.9% dos recursos podem ser migrados. Avalie alternativas para os recursos não migráveis.

RECURSOS NÃO MIGRÁVEIS IDENTIFICADOS Os seguintes tipos de recursos precisarão ser recriados na nova assinatura: Microsoft.ManagedIdentity/userAssignedIdentities, Microsoft.Authorization/roleAssignments, Microsoft.Databricks/workspaces, Microsoft.ContainerService/managedClusters, Microsoft.Blockchain/blockchainMembers e mais 9 tipos.

ATENÇÃO ÀS RESTRIÇÕES 57 recursos podem ser migrados mas possuem restrições. Revise as observações de cada recurso.

RECURSOS NÃO MIGRÁVEIS (BLOQUEANTES)

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
1	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
2	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
3	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
4	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
5	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
6	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
7	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
8	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
9	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
10	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
11	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
12	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
13	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
14	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
15	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
16	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
17	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
18	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
19	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
20	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
21	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
22	N/A	Microsoft.DataMigration/services	Não suportado para migração
23	N/A	Microsoft.DataMigration/services	Não suportado para migração
24	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
25	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
26	N/A	Microsoft.DataMigration/services	Não suportado para migração
27	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
28	N/A	Microsoft.DataMigration/services	Não suportado para migração
29	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
30	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
31	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
32	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
33	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
34	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
35	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
36	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
37	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
38	N/A	Microsoft.DataMigration/services	Não suportado para migração
39	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
40	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
41	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
42	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
43	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
44	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
45	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
46	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
47	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
48	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
49	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
50	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
51	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
52	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
53	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
54	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
55	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
56	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
57	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
58	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
59	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
60	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
61	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
62	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
63	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
64	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
65	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
66	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
67	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
68	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
69	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
70	N/A	Microsoft.DataMigration/services	Não suportado para migração
71	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
72	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
73	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
74	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
75	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
76	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
77	N/A	Microsoft.DataMigration/services	Não suportado para migração
78	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
79	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
80	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
81	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
82	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
83	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
84	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
85	N/A	Microsoft.DataMigration/services	Não suportado para migração
86	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
87	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
88	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
89	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
90	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
91	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
92	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
93	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
94	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
95	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
96	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
97	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
98	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
99	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
100	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
101	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
102	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
103	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
104	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
105	N/A	Microsoft.DataMigration/services	Não suportado para migração
106	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
107	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
108	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
109	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
110	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
111	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
112	N/A	Microsoft.DataMigration/services	Não suportado para migração
113	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
114	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
115	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
116	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
117	N/A	Microsoft.DataMigration/services	Não suportado para migração
118	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
119	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
120	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
121	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
122	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
123	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
124	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
125	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
126	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
127	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
128	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
129	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
130	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
131	N/A	Microsoft.DataMigration/services	Não suportado para migração
132	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
133	N/A	Microsoft.DataMigration/services	Não suportado para migração
134	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
135	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
136	N/A	Microsoft.DataMigration/services	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
137	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
138	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
139	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
140	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
141	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
142	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
143	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
144	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
145	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
146	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
147	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
148	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
149	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
150	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
151	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
152	N/A	Microsoft.DataMigration/services	Não suportado para migração
153	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
154	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
155	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
156	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
157	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
158	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
159	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
160	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
161	N/A	Microsoft.DataMigration/services	Não suportado para migração
162	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
163	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
164	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
165	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
166	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
167	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
168	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
169	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
170	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
171	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
172	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
173	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
174	N/A	Microsoft.DataMigration/services	Não suportado para migração
175	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
176	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
177	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
178	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
179	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
180	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
181	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
182	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
183	N/A	Microsoft.DataMigration/services	Não suportado para migração
184	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
185	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
186	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
187	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
188	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
189	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
190	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
191	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
192	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
193	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
194	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
195	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
196	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
197	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
198	N/A	Microsoft.DataMigration/services	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
199	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
200	N/A	Microsoft.DataMigration/services	Não suportado para migração
201	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
202	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
203	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
204	N/A	Microsoft.DataMigration/services	Não suportado para migração
205	N/A	Microsoft.DataMigration/services	Não suportado para migração
206	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
207	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
208	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
209	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
210	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
211	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
212	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
213	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
214	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
215	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
216	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
217	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
218	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
219	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
220	N/A	Microsoft.DataMigration/services	Não suportado para migração
221	N/A	Microsoft.DataMigration/services	Não suportado para migração
222	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
223	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
224	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
225	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
226	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
227	N/A	Microsoft.DataMigration/services	Não suportado para migração
228	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
229	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
230	N/A	Microsoft.DataMigration/services	Não suportado para migração
231	N/A	Microsoft.Synapse/workspaces	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
232	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
233	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
234	N/A	Microsoft.DataMigration/services	Não suportado para migração
235	N/A	Microsoft.DataMigration/services	Não suportado para migração
236	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
237	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
238	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
239	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
240	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
241	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
242	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
243	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
244	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
245	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
246	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
247	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
248	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
249	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
250	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
251	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
252	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
253	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
254	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
255	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
256	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
257	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
258	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
259	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
260	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
261	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
262	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
263	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
264	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
265	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
266	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
267	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
268	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
269	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
270	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
271	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
272	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
273	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
274	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
275	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
276	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
277	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
278	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
279	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
280	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
281	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
282	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
283	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
284	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
285	N/A	Microsoft.DataMigration/services	Não suportado para migração
286	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
287	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
288	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
289	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
290	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
291	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
292	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
293	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
294	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
295	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
296	N/A	Microsoft.Network/applicationGateways	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
297	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
298	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
299	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
300	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
301	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
302	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
303	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
304	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
305	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
306	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
307	N/A	Microsoft.DataMigration/services	Não suportado para migração
308	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
309	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
310	N/A	Microsoft.DataMigration/services	Não suportado para migração
311	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
312	N/A	Microsoft.DataMigration/services	Não suportado para migração
313	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
314	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
315	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
316	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
317	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
318	N/A	Microsoft.DataMigration/services	Não suportado para migração
319	N/A	Microsoft.DataMigration/services	Não suportado para migração
320	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
321	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
322	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
323	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
324	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
325	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
326	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
327	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
328	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
329	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
330	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
331	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
332	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
333	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
334	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
335	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
336	N/A	Microsoft.DataMigration/services	Não suportado para migração
337	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
338	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
339	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
340	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
341	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
342	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
343	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
344	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
345	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
346	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
347	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
348	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
349	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
350	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
351	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
352	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
353	N/A	Microsoft.DataMigration/services	Não suportado para migração
354	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
355	N/A	Microsoft.DataMigration/services	Não suportado para migração
356	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
357	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
358	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
359	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
360	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
361	N/A	Microsoft.DataMigration/services	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
362	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
363	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
364	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
365	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
366	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
367	N/A	Microsoft.DataMigration/services	Não suportado para migração
368	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
369	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
370	N/A	Microsoft.DataMigration/services	Não suportado para migração
371	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
372	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
373	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
374	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
375	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
376	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
377	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
378	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
379	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
380	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
381	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
382	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
383	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
384	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
385	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
386	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
387	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
388	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
389	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
390	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
391	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
392	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
393	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
394	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
395	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
396	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
397	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
398	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
399	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
400	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
401	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
402	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
403	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
404	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
405	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
406	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
407	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
408	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
409	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
410	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
411	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
412	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
413	N/A	Microsoft.DataMigration/services	Não suportado para migração
414	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
415	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
416	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
417	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
418	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
419	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
420	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
421	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
422	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
423	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
424	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
425	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
426	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
427	N/A	Microsoft.DataMigration/services	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
428	N/A	Microsoft.DataMigration/services	Não suportado para migração
429	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
430	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
431	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
432	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
433	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
434	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
435	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
436	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
437	N/A	Microsoft.DataMigration/services	Não suportado para migração
438	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
439	N/A	Microsoft.DataMigration/services	Não suportado para migração
440	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
441	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
442	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
443	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
444	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
445	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
446	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
447	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
448	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
449	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
450	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
451	N/A	Microsoft.DataMigration/services	Não suportado para migração
452	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
453	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
454	N/A	Microsoft.DataMigration/services	Não suportado para migração
455	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
456	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
457	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
458	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
459	N/A	Microsoft.DataMigration/services	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
460	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
461	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
462	N/A	Microsoft.DataMigration/services	Não suportado para migração
463	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
464	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
465	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
466	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
467	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
468	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
469	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
470	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
471	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
472	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
473	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
474	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
475	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
476	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
477	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
478	N/A	Microsoft.DataMigration/services	Não suportado para migração
479	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
480	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
481	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
482	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
483	N/A	Microsoft.DataMigration/services	Não suportado para migração
484	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
485	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
486	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
487	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
488	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
489	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
490	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
491	N/A	Microsoft.Network/applicationGateways	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
492	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
493	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
494	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
495	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
496	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
497	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
498	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
499	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
500	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
501	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
502	N/A	Microsoft.DataMigration/services	Não suportado para migração
503	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
504	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
505	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
506	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
507	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
508	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
509	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
510	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
511	N/A	Microsoft.DataMigration/services	Não suportado para migração
512	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
513	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
514	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
515	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
516	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
517	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
518	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
519	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
520	N/A	Microsoft.DataMigration/services	Não suportado para migração
521	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
522	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
523	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
524	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
525	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
526	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
527	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
528	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
529	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
530	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
531	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
532	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
533	N/A	Microsoft.DataMigration/services	Não suportado para migração
534	N/A	Microsoft.DataMigration/services	Não suportado para migração
535	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
536	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
537	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
538	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
539	N/A	Microsoft.DataMigration/services	Não suportado para migração
540	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
541	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
542	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
543	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
544	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
545	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
546	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
547	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
548	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
549	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
550	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
551	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
552	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
553	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
554	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
555	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
556	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
557	N/A	Microsoft.Network/applicationGateways	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
558	N/A	Microsoft.DataMigration/services	Não suportado para migração
559	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
560	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
561	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
562	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
563	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
564	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
565	N/A	Microsoft.DataMigration/services	Não suportado para migração
566	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
567	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
568	N/A	Microsoft.DataMigration/services	Não suportado para migração
569	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
570	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
571	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
572	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
573	N/A	Microsoft.DataMigration/services	Não suportado para migração
574	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
575	N/A	Microsoft.DataMigration/services	Não suportado para migração
576	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
577	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
578	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
579	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
580	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
581	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
582	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
583	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
584	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
585	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
586	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
587	N/A	Microsoft.DataMigration/services	Não suportado para migração
588	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
589	N/A	Microsoft.Network/applicationGateways	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
590	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
591	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
592	N/A	Microsoft.DataMigration/services	Não suportado para migração
593	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
594	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
595	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
596	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
597	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
598	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
599	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
600	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
601	N/A	Microsoft.DataMigration/services	Não suportado para migração
602	N/A	Microsoft.DataMigration/services	Não suportado para migração
603	N/A	Microsoft.DataMigration/services	Não suportado para migração
604	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
605	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
606	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
607	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
608	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
609	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
610	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
611	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
612	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
613	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
614	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
615	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
616	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
617	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
618	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
619	N/A	Microsoft.DataMigration/services	Não suportado para migração
620	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
621	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
622	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
623	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
624	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
625	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
626	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
627	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
628	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
629	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
630	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
631	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
632	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
633	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
634	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
635	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
636	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
637	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
638	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
639	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
640	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
641	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
642	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
643	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
644	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
645	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
646	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
647	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
648	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
649	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
650	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
651	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
652	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
653	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
654	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
655	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
656	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
657	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
658	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
659	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
660	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
661	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
662	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
663	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
664	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
665	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
666	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
667	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
668	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
669	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
670	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
671	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
672	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
673	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
674	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
675	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
676	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
677	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
678	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
679	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
680	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
681	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
682	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
683	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
684	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
685	N/A	Microsoft.Synapse/workspaces	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
686	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
687	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
688	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
689	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
690	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
691	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
692	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
693	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
694	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
695	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
696	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
697	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
698	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
699	N/A	Microsoft.DataMigration/services	Não suportado para migração
700	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
701	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
702	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
703	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
704	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
705	N/A	Microsoft.DataMigration/services	Não suportado para migração
706	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
707	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
708	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
709	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
710	N/A	Microsoft.DataMigration/services	Não suportado para migração
711	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
712	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
713	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
714	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
715	N/A	Microsoft.DataMigration/services	Não suportado para migração
716	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
717	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
718	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
719	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
720	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
721	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
722	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
723	N/A	Microsoft.DataMigration/services	Não suportado para migração
724	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
725	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
726	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
727	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
728	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
729	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
730	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
731	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
732	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
733	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
734	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
735	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
736	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
737	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
738	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
739	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
740	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
741	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
742	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
743	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
744	N/A	Microsoft.DataMigration/services	Não suportado para migração
745	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
746	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
747	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
748	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
749	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
750	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
751	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
752	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
753	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
754	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
755	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
756	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
757	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
758	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
759	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
760	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
761	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
762	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
763	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
764	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
765	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
766	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
767	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
768	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
769	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
770	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
771	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
772	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
773	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
774	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
775	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
776	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
777	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
778	N/A	Microsoft.DataMigration/services	Não suportado para migração
779	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
780	N/A	Microsoft.Network/applicationGateways	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
781	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
782	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
783	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
784	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
785	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
786	N/A	Microsoft.DataMigration/services	Não suportado para migração
787	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
788	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
789	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
790	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
791	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
792	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
793	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
794	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
795	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
796	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
797	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
798	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
799	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
800	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
801	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
802	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
803	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
804	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
805	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
806	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
807	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
808	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
809	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
810	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
811	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
812	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
813	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
814	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
815	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
816	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
817	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
818	N/A	Microsoft.DataMigration/services	Não suportado para migração
819	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
820	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
821	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
822	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
823	N/A	Microsoft.DataMigration/services	Não suportado para migração
824	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
825	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
826	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
827	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
828	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
829	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
830	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
831	N/A	Microsoft.DataMigration/services	Não suportado para migração
832	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
833	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
834	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
835	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
836	N/A	Microsoft.DataMigration/services	Não suportado para migração
837	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
838	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
839	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
840	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
841	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
842	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
843	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
844	N/A	Microsoft.DataMigration/services	Não suportado para migração
845	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
846	N/A	Microsoft.DataMigration/services	Não suportado para migração
847	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
848	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
849	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
850	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
851	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
852	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
853	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
854	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
855	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
856	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
857	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
858	N/A	Microsoft.DataMigration/services	Não suportado para migração
859	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
860	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
861	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
862	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
863	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
864	N/A	Microsoft.DataMigration/services	Não suportado para migração
865	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
866	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
867	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
868	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
869	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
870	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
871	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
872	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
873	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
874	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
875	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
876	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
877	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
878	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
879	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
880	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
881	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
882	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
883	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
884	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
885	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
886	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
887	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
888	N/A	Microsoft.DataMigration/services	Não suportado para migração
889	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
890	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
891	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
892	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
893	N/A	Microsoft.DataMigration/services	Não suportado para migração
894	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
895	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
896	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
897	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
898	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
899	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
900	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
901	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
902	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
903	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
904	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
905	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
906	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
907	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
908	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
909	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
910	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
911	N/A	Microsoft.DataMigration/services	Não suportado para migração
912	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
913	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
914	N/A	Microsoft.DataMigration/services	Não suportado para migração
915	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
916	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
917	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
918	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
919	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
920	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
921	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
922	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
923	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
924	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
925	N/A	Microsoft.DataMigration/services	Não suportado para migração
926	N/A	Microsoft.Synapse/workspaces	Não suportado para migração
927	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
928	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
929	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
930	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
931	N/A	Microsoft.DataMigration/services	Não suportado para migração
932	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
933	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
934	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
935	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
936	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
937	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
938	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
939	N/A	Microsoft.Network/azureFirewalls	Não suportado para migração
940	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
941	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
942	N/A	Microsoft.Synapse/workspaces	Não suportado para migração

#	NOME DO RECURSO	TIPO	MOTIVO / OBSERVAÇÃO
943	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
944	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
945	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
946	N/A	Microsoft.DataMigration/services	Não suportado para migração
947	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
948	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
949	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
950	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
951	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
952	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
953	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
954	N/A	Microsoft.Authorization/roleAssignments	Não suportado para migração
955	N/A	Microsoft.Insights/metricAlerts	Não suportado para migração
956	N/A	Microsoft.DataMigration/services	Não suportado para migração
957	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
958	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
959	N/A	Microsoft.Databricks/workspaces	Não suportado para migração
960	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
961	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
962	N/A	Microsoft.ManagedIdentity/userAssignedIdentities	Não suportado para migração
963	N/A	Microsoft.ContainerInstance/containerGroups	Não suportado para migração
964	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
965	N/A	Microsoft.ContainerService/managedClusters	Não suportado para migração
966	N/A	Microsoft.Network/expressRouteCircuits	Não suportado para migração
967	N/A	Microsoft.MachineLearningServices/workspaces	Não suportado para migração
968	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
969	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
970	N/A	Microsoft.Blockchain/blockchainMembers	Region: The blockchain network can't have nodes in different regions
971	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração
972	N/A	Microsoft.Network/applicationGateways	Não suportado para migração
973	N/A	Microsoft.Network/virtualNetworkGateways	Não suportado para migração

DETALHAMENTO COMPLETO DOS RECURSOS

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/networkInterfaces	rg-aks	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.RecoveryServices/vaults	rg-production	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-production	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.KeyVault/vaults	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-integration	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.OperationalInsights/workspaces	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-backup	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.CognitiveServices/accounts	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-network	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Compute/virtualMachines	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-integration	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.CognitiveServices/accounts	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-database	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.ServiceBus/namespaces	rg-shared	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Insights/actionGroups	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-dev	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/publicIPAddresses	rg-production	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-dr	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Batch/batchAccounts	rg-webapp	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.ContainerService/managedClusters	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-dr	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.ServiceFabric/clusters	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-production	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-security	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Databricks/workspaces	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.ApiManagement/service	rg-shared	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Compute/availabilitySets	rg-infra	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-cache	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-cache	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Web/sites	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-containers	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ApiManagement/service	rg-functions	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.OperationalInsights/workspaces	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-monitoring	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/networkInterfaces	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/networkSecurityGroups	rg-shared	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Cache/redis	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-staging	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-containers	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-backup	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/loadBalancers	rg-production	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-production	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.DBforMySQL/servers	rg-infra	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Devices/IotHubs	rg-dev	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.DataLakeStore/accounts	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-cache	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/frontDoors	rg-database	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Authorization/roleAssignments	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-backup	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	`Microsoft.Network/privateDnsZones`	rg-cache	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Blockchain/blockchainMembers`	rg-staging	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	`Microsoft.CognitiveServices/accounts`	rg-core	✔ MIGRÁVEL	-	-
N/A	`Microsoft.DBforMariaDB/servers`	rg-infra	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	`Microsoft.Insights/metricAlerts`	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Sql/servers`	rg-integration	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Search/searchServices`	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Network/privateEndpoints`	rg-core	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	`Microsoft.ContainerService/managedClusters`	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Network/applicationGateways`	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Insights/components`	rg-containers	✔ MIGRÁVEL	-	-
N/A	`Microsoft.MachineLearningServices/workspaces`	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Insights/metricAlerts`	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.DocumentDB/databaseAccounts`	rg-dr	✔ MIGRÁVEL	-	-
N/A	`Microsoft.ContainerRegistry/registries`	rg-cache	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Network/networkInterfaces`	rg-aks	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	`Microsoft.EventGrid/topics`	rg-dr	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Network/networkSecurityGroups`	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	`Microsoft.Compute/virtualMachineScaleSets`	rg-backup	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Compute/virtualMachineScaleSets`	rg-dr	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Web/serverfarms`	rg-services	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Compute/virtualMachines`	rg-dr	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Compute/snapshots`	rg-network	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	`Microsoft.Web/serverfarms`	rg-database	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Automation/automationAccounts`	rg-aks	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	`Microsoft.Network/privateDnsZones`	rg-services	✔ MIGRÁVEL	-	-
N/A	`Microsoft.ServiceBus/namespaces`	rg-storage	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	`Microsoft.Search/searchServices`	rg-infra	✔ MIGRÁVEL	-	-
N/A	`Microsoft.DocumentDB/databaseAccounts`	rg-staging	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Insights/components	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-dr	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.KeyVault/vaults	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-infra	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.OperationalInsights/workspaces	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-network	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.ServiceBus/namespaces	rg-services	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.DBforMariaDB/servers	rg-core	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.DBforMySQL/servers	rg-security	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.DataLakeStore/accounts	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-integration	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Relay/namespaces	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-services	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-database	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Compute/virtualMachines	rg-infra	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Media/mediaservices	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-shared	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Network/networkSecurityGroups	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Media/mediaservices	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-integration	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.OperationalInsights/workspaces	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-monitoring	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.DataFactory/factories	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-integration	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-shared	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Devices/IotHubs	rg-functions	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Sql/servers/databases	rg-security	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.DataMigration/services	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-cache	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Compute/snapshots	rg-functions	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Search/searchServices	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-cache	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Network/vpnGateways	rg-containers	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.DataMigration/services	rg-production	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DataFactory/factories	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-services	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-core	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-infra	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Automation/automationAccounts	rg-integration	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.KeyVault/vaults	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-services	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.EventHub/namespaces	rg-core	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Devices/IotHubs	rg-cache	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Network/routeTables	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-integration	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.DataMigration/services	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-monitoring	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Relay/namespaces	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-webapp	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-monitoring	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Relay/namespaces	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-dr	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.NotificationHubs/namespaces	rg-functions	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Batch/batchAccounts	rg-containers	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-staging	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Insights/actionGroups	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-containers	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-integration	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.KeyVault/vaults	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-database	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.NotificationHubs/namespaces	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-aks	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.HDInsight/clusters	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-monitoring	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Devices/IotHubs	rg-webapp	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Logic/workflows	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-security	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Media/mediaservices	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-webapp	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/virtualNetworks	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-security	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Insights/metricAlerts	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-containers	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Network/bastionHosts	rg-storage	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-infra	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.EventHub/namespaces	rg-webapp	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/applicationGateways	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-production	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-containers	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Relay/namespaces	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-aks	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/loadBalancers	rg-backup	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Compute/virtualMachines	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-integration	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-security	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Storage/storageAccounts	rg-aks	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-staging	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.OperationalInsights/workspaces	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-integration	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Storage/storageAccounts	rg-core	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/publicIPAddresses	rg-webapp	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Storage/storageAccounts	rg-containers	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.NotificationHubs/namespaces	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-aks	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.DataMigration/services	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-database	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Network/frontDoors	rg-shared	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/routeTables	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-storage	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Insights/actionGroups	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-dev	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/networkInterfaces	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/privateEndpoints	rg-aks	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/expressRouteCircuits	rg-staging	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DocumentDB/databaseAccounts	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-storage	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Network/publicIPAddresses	rg-shared	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.OperationalInsights/workspaces	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-production	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Network/virtualNetworks	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-dev	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Compute/snapshots	rg-dr	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Network/routeTables	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-webapp	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Automation/automationAccounts	rg-staging	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-integration	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-aks	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Storage/storageAccounts	rg-backup	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Insights/actionGroups	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-functions	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/loadBalancers	rg-dev	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.CognitiveServices/accounts	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-storage	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Authorization/roleAssignments	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-network	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Relay/namespaces	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-cache	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.HealthcareApis/services	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-production	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/expressRouteCircuits	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-dev	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Insights/metricAlerts	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-shared	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/applicationGateways	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-dr	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-integration	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-monitoring	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.ContainerRegistry/registries	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-production	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/privateDnsZones	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-database	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-staging	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.ContainerService/managedClusters	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-webapp	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.ServiceBus/namespaces	rg-containers	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Network/dnsZones	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-storage	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DataFactory/factories	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-infra	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-integration	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Network/bastionHosts	rg-shared	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Sql/servers/databases	rg-cache	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-core	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Storage/storageAccounts	rg-security	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.ContainerService/managedClusters	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Batch/batchAccounts	rg-functions	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-webapp	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Authorization/roleAssignments	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-monitoring	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Devices/IotHubs	rg-security	✔ MIGRÁVEL	Region: Learn more	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.OperationalInsights/workspaces	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-network	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-core	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Network/networkSecurityGroups	rg-security	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Devices/IotHubs	rg-monitoring	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Synapse/workspaces	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-storage	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.DBforMariaDB/servers	rg-webapp	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Relay/namespaces	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-functions	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.HDInsight/clusters	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/privateEndpoints	rg-functions	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-services	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.OperationalInsights/workspaces	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-storage	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.DBforMariaDB/servers	rg-infra	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Network/vpnGateways	rg-cache	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.ContainerRegistry/registries	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-dev	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.DataLakeStore/accounts	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-production	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Compute/images	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-production	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.KeyVault/vaults	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-dr	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.NotificationHubs/namespaces	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-production	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DBforMariaDB/servers	rg-staging	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-cache	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Compute/disks	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.DBforMariaDB/servers	rg-dr	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Network/dnsZones	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-dev	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.ServiceBus/namespaces	rg-shared	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.SignalRService/signalR	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-services	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.ApiManagement/service	rg-functions	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-backup	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Sql/servers/databases	rg-backup	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Authorization/roleAssignments	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-dev	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Authorization/roleAssignments	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-security	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Synapse/workspaces	rg-aks	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Batch/batchAccounts	rg-storage	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-core	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-backup	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Network/privateDnsZones	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-security	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Automation/automationAccounts	rg-database	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.EventGrid/topics	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-core	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Network/expressRouteCircuits	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-database	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DBforMySQL/servers	rg-backup	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Authorization/roleAssignments	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-cache	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.ContainerService/managedClusters	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-webapp	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Search/searchServices	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-shared	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-functions	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.ContainerService/managedClusters	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-shared	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.ServiceBus/namespaces	rg-services	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Compute/snapshots	rg-monitoring	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/privateEndpoints	rg-network	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/publicIPAddresses	rg-dr	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.ServiceFabric/clusters	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-cache	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/frontDoors	rg-production	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Databricks/workspaces	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-dev	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Network/expressRouteCircuits	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-infra	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.RecoveryServices/vaults	rg-webapp	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Insights/components	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-aks	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/azureFirewalls	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-production	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-infra	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Logic/workflows	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-backup	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Automation/automationAccounts	rg-shared	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Batch/batchAccounts	rg-functions	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/privateDnsZones	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-core	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.DataLakeStore/accounts	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-dr	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.NotificationHubs/namespaces	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-functions	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.ServiceFabric/clusters	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-cache	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Compute/images	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-network	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.ContainerService/managedClusters	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-webapp	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Compute/snapshots	rg-network	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Network/bastionHosts	rg-monitoring	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.DataMigration/services	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-cache	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.ContainerService/managedClusters	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-functions	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-monitoring	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	`Microsoft.ApiManagement/service`	rg-shared	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	`Microsoft.Network/privateEndpoints`	rg-aks	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	`Microsoft.HealthcareApis/services`	rg-infra	✔ MIGRÁVEL	-	-
N/A	`Microsoft.CognitiveServices/accounts`	rg-webapp	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Network/frontDoors`	rg-webapp	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	`Microsoft.Compute/snapshots`	rg-backup	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	`Microsoft.Network/bastionHosts`	rg-core	⚠ COM RESTRIÇÕES	-	-
N/A	`Microsoft.Devices/IotHubs`	rg-database	✔ MIGRÁVEL	Region: Learn more	-
N/A	`Microsoft.Web/sites`	rg-network	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Network/publicIPAddresses`	rg-dev	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	`Microsoft.Network/routeTables`	rg-webapp	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Automation/automationAccounts`	rg-monitoring	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	`Microsoft.NotificationHubs/namespaces`	rg-network	✔ MIGRÁVEL	-	-
N/A	`Microsoft.ContainerRegistry/registries`	rg-security	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Insights/components`	rg-infra	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Search/searchServices`	rg-core	✔ MIGRÁVEL	-	-
N/A	`Microsoft.DocumentDB/databaseAccounts`	rg-dr	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Network/azureFirewalls`	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Media/mediaservices`	rg-webapp	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Authorization/roleAssignments`	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.DataMigration/services`	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.EventHub/namespaces`	rg-shared	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	`Microsoft.StreamAnalytics/streamingjobs`	rg-storage	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Automation/automationAccounts`	rg-webapp	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	`Microsoft.Compute/disks`	rg-shared	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	`Microsoft.TimeSeriesInsights/environments`	rg-staging	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Network/loadBalancers`	rg-monitoring	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	`Microsoft.Automation/automationAccounts`	rg-webapp	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	`Microsoft.KeyVault/vaults`	rg-containers	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-functions	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/dnsZones	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-storage	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.DBforMariaDB/servers	rg-staging	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Network/privateDnsZones	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-core	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Insights/components	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-cache	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Web/connections	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-services	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.ContainerService/managedClusters	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-network	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.EventGrid/topics	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-production	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Databricks/workspaces	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-services	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Compute/images	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-infra	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Batch/batchAccounts	rg-cache	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.DataFactory/factories	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.ServiceFabric/clusters	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-database	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Network/routeTables	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-database	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.DataFactory/factories	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-database	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Network/networkSecurityGroups	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Insights/components	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-webapp	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Network/privateEndpoints	rg-core	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-aks	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.EventGrid/topics	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-functions	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-staging	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Automation/automationAccounts	rg-shared	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.ServiceFabric/clusters	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-shared	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-webapp	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-functions	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Insights/components	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-backup	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Network/applicationGateways	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-containers	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-security	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Databricks/workspaces	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.SignalRService/signalR	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-core	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.TimeSeriesInsights/environments	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-webapp	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.DataMigration/services	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-security	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Network/publicIPAddresses	rg-monitoring	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Web/sites	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-services	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Storage/storageAccounts	rg-core	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.DBforMariaDB/servers	rg-aks	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Network/azureFirewalls	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-webapp	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Network/virtualNetworks	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-webapp	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Network/privateDnsZones	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-functions	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/privateDnsZones	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-functions	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.DataLakeStore/accounts	rg-database	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/dnsZones	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-production	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Media/mediaservices	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-functions	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-security	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.OperationalInsights/workspaces	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-network	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.DataFactory/factories	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/applicationGateways	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-aks	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/privateDnsZones	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-security	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.ServiceFabric/clusters	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-core	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.ContainerService/managedClusters	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-integration	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Authorization/roleAssignments	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-core	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Network/bastionHosts	rg-monitoring	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/bastionHosts	rg-storage	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Media/mediaservices	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-production	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Network/virtualNetworks	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-integration	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/dnsZones	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-webapp	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Network/networkSecurityGroups	rg-network	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.KeyVault/vaults	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-services	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Blockchain/blockchainMembers	rg-backup	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.SignalRService/signalR	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-monitoring	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/bastionHosts	rg-webapp	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.KeyVault/vaults	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-production	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-cache	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Cdn/profiles	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Network/privateDnsZones	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-integration	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Network/publicIPAddresses	rg-staging	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Compute/availabilitySets	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-database	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Logic/workflows	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-staging	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.DBforMariaDB/servers	rg-webapp	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-backup	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ContainerInstance/containerGroups	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Web/serverfarms	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-dr	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/routeTables	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-network	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Databricks/workspaces	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-aks	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-shared	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Databricks/workspaces	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-staging	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.NotificationHubs/namespaces	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-dr	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Batch/batchAccounts	rg-integration	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Sql/servers	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-shared	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Devices/IotHubs	rg-functions	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-dev	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/networkInterfaces	rg-containers	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-containers	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Insights/metricAlerts	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-functions	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.ApiManagement/service	rg-backup	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Synapse/workspaces	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-staging	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DataMigration/services	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-services	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Devices/IotHubs	rg-services	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-core	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.DBforMariaDB/servers	rg-cache	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.ContainerService/managedClusters	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-dr	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Authorization/roleAssignments	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-backup	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Compute/images	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-integration	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/networkSecurityGroups	rg-aks	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-dr	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.DataLakeStore/accounts	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-core	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/virtualNetworks	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-production	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ContainerInstance/containerGroups	rg-dr	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-infra	✓ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-cache	✓ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-backup	✓ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.CognitiveServices/accounts	rg-security	✓ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-core	✓ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-network	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-cache	✓ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Storage/storageAccounts	rg-core	✓ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Cdn/profiles	rg-storage	✓ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-containers	✓ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-webapp	✓ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-webapp	✓ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-database	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-dr	✓ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-infra	✓ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-production	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-dr	✓ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Cdn/profiles	rg-infra	✓ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-functions	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Network/networkSecurityGroups	rg-containers	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-network	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-storage	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.OperationalInsights/workspaces	rg-storage	✓ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-services	✓ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-infra	✓ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.MachineLearningServices/workspaces	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-services	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-shared	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Batch/batchAccounts	rg-dr	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.ServiceBus/namespaces	rg-services	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Network/bastionHosts	rg-dr	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.DBforMySQL/servers	rg-containers	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Search/searchServices	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-dev	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.ContainerService/managedClusters	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-aks	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Insights/metricAlerts	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/vpnGateways	rg-dev	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-functions	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Web/sites	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-staging	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ContainerRegistry/registries	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-dr	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/applicationGateways	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-dr	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.ContainerService/managedClusters	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-integration	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Devices/IotHubs	rg-dr	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Network/bastionHosts	rg-dr	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-webapp	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-functions	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.OperationalInsights/workspaces	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-security	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Web/serverfarms	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-monitoring	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Web/serverfarms	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-dev	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.DataLakeStore/accounts	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-containers	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.ServiceBus/namespaces	rg-webapp	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Network/azureFirewalls	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-monitoring	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.DBforMySQL/servers	rg-network	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.DataMigration/services	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-functions	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Batch/batchAccounts	rg-integration	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-webapp	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-dev	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.HDInsight/clusters	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-network	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Authorization/roleAssignments	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.DataMigration/services	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-dev	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.ApiManagement/service	rg-network	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.OperationalInsights/workspaces	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-storage	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.KeyVault/vaults	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-shared	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.DBforMySQL/servers	rg-dr	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.ApiManagement/service	rg-backup	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/privateDnsZones	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-core	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ApiManagement/service	rg-dev	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Relay/namespaces	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-dr	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/routeTables	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-monitoring	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Compute/snapshots	rg-production	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Automation/automationAccounts	rg-services	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-shared	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/networkInterfaces	rg-functions	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/privateDnsZones	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-production	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Databricks/workspaces	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-infra	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-shared	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Batch/batchAccounts	rg-backup	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.DBforMariaDB/servers	rg-database	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.EventHub/namespaces	rg-services	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.DBforMariaDB/servers	rg-dr	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.DataLakeStore/accounts	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-monitoring	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Compute/snapshots	rg-infra	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Synapse/workspaces	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-staging	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Compute/images	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-security	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/privateDnsZones	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-storage	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Search/searchServices	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-functions	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Network/dnsZones	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-infra	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.EventHub/namespaces	rg-webapp	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Web/serverfarms	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.HDInsight/clusters	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-database	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Authorization/roleAssignments	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-database	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-integration	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Compute/availabilitySets	rg-backup	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Cdn/profiles	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-webapp	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Insights/metricAlerts	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-production	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.DataLakeStore/accounts	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-containers	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/bastionHosts	rg-services	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-containers	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Insights/components	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-webapp	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DBforMySQL/servers	rg-monitoring	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/privateEndpoints	rg-services	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Cdn/profiles	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-infra	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-dr	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/networkInterfaces	rg-aks	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Media/mediaservices	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-core	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-dr	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/privateDnsZones	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-backup	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/virtualNetworks	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-functions	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Web/serverfarms	rg-services	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	`Microsoft.Sql/servers/databases`	rg-containers	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	`Microsoft.Cache/redis`	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Batch/batchAccounts`	rg-infra	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	`Microsoft.StreamAnalytics/streamingjobs`	rg-production	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Network/azureFirewalls`	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.AppConfiguration/configurationStores`	rg-production	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Network/loadBalancers`	rg-dev	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	`Microsoft.DataMigration/services`	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Insights/components`	rg-cache	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Compute/images`	rg-shared	✔ MIGRÁVEL	-	-
N/A	`Microsoft.DBforMariaDB/servers`	rg-functions	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	`Microsoft.Compute/virtualMachineScaleSets`	rg-storage	✔ MIGRÁVEL	-	-
N/A	`Microsoft.EventGrid/topics`	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Synapse/workspaces`	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Synapse/workspaces`	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Compute/availabilitySets`	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	`Microsoft.ServiceBus/namespaces`	rg-aks	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	`Microsoft.RecoveryServices/vaults`	rg-infra	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	`Microsoft.Logic/workflows`	rg-infra	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Compute/availabilitySets`	rg-storage	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	`Microsoft.ServiceFabric/clusters`	rg-dr	✔ MIGRÁVEL	-	-
N/A	`Microsoft.DataMigration/services`	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Synapse/workspaces`	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.RecoveryServices/vaults`	rg-aks	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Web/serverfarms	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-services	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/privateEndpoints	rg-database	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.KeyVault/vaults	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-integration	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Logic/workflows	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-dr	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Authorization/roleAssignments	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-webapp	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.ApiManagement/service	rg-cache	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/loadBalancers	rg-services	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Web/sites	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/loadBalancers	rg-staging	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.ServiceBus/namespaces	rg-infra	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Cdn/profiles	rg-monitoring	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/frontDoors	rg-containers	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/loadBalancers	rg-security	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Network/frontDoors	rg-staging	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-infra	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.KeyVault/vaults	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-cache	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Network/networkSecurityGroups	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.ServiceFabric/clusters	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-core	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.DataFactory/factories	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-storage	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Compute/snapshots	rg-infra	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Compute/availabilitySets	rg-infra	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Sql/servers/databases	rg-staging	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/loadBalancers	rg-core	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Network/publicIPAddresses	rg-containers	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Network/networkSecurityGroups	rg-database	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Network/applicationGateways	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-network	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.CognitiveServices/accounts	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-functions	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Cdn/profiles	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-shared	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/azureFirewalls	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-network	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.DBforMySQL/servers	rg-services	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Web/serverfarms	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-cache	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Cache/redis	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-services	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Logic/workflows	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-functions	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Media/mediaservices	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-shared	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-cache	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.DBforMySQL/servers	rg-containers	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Compute/images	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-infra	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/expressRouteCircuits	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.NotificationHubs/namespaces	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-core	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Sql/servers/databases	rg-staging	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/networkSecurityGroups	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Network/vpnGateways	rg-dr	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Cache/redis	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-database	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.HealthcareApis/services	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Batch/batchAccounts	rg-core	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/networkInterfaces	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Storage/storageAccounts	rg-core	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.ApiManagement/service	rg-core	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Cdn/profiles	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-services	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/networkInterfaces	rg-infra	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Cache/redis	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-integration	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-core	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.DataFactory/factories	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-network	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-webapp	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/publicIPAddresses	rg-services	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Network/expressRouteCircuits	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-security	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-network	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/azureFirewalls	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-staging	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/expressRouteCircuits	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-aks	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.EventGrid/topics	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-backup	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.EventGrid/topics	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-cache	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Insights/components	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-core	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Network/publicIPAddresses	rg-monitoring	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Network/expressRouteCircuits	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-backup	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ContainerService/managedClusters	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-webapp	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Batch/batchAccounts	rg-aks	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.KeyVault/vaults	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-cache	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.DBforMySQL/servers	rg-dev	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Batch/batchAccounts	rg-backup	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Batch/batchAccounts	rg-aks	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Cdn/profiles	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-network	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-storage	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Web/connections	rg-dr	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-webapp	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/networkInterfaces	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.ServiceFabric/clusters	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-staging	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Synapse/workspaces	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-network	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Insights/metricAlerts	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-functions	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.DBforMariaDB/servers	rg-aks	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Storage/storageAccounts	rg-infra	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.SignalRService/signalR	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-core	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.ServiceFabric/clusters	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-functions	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.RecoveryServices/vaults	rg-core	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.DBforMariaDB/servers	rg-staging	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Network/azureFirewalls	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-infra	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Batch/batchAccounts	rg-integration	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Compute/snapshots	rg-production	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-core	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Automation/automationAccounts	rg-containers	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-infra	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/applicationGateways	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-network	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.SignalRService/signalR	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-functions	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/expressRouteCircuits	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-integration	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/networkSecurityGroups	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Databricks/workspaces	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-staging	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.NotificationHubs/namespaces	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-backup	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Web/sites	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-infra	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/applicationGateways	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-shared	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Batch/batchAccounts	rg-cache	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.DBforMariaDB/servers	rg-cache	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Compute/availabilitySets	rg-security	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Network/loadBalancers	rg-webapp	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Network/loadBalancers	rg-aks	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Network/networkInterfaces	rg-functions	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/frontDoors	rg-staging	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-production	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-staging	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-containers	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/azureFirewalls	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-integration	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.ContainerRegistry/registries	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-dr	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Compute/snapshots	rg-webapp	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-webapp	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.HealthcareApis/services	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-staging	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.HealthcareApis/services	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.ServiceFabric/clusters	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-functions	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Cdn/profiles	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-functions	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-aks	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DataFactory/factories	rg-infra	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-network	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-aks	✓ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/expressRouteCircuits	rg-dr	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-backup	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-infra	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-integration	✓ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-storage	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-infra	✓ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.ContainerRegistry/registries	rg-backup	✓ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-network	✓ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Media/mediaservices	rg-integration	✓ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-storage	✓ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.DBforMySQL/servers	rg-dev	✓ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/vpnGateways	rg-monitoring	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.EventHub/namespaces	rg-backup	✓ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/privateEndpoints	rg-database	✓ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-integration	✓ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-backup	✓ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/networkSecurityGroups	rg-integration	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Compute/images	rg-storage	✓ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-network	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-dev	✓ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-cache	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-aks	✓ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Web/connections	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-services	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Compute/virtualMachines	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-aks	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.ServiceFabric/clusters	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-dev	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Logic/workflows	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-monitoring	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-production	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Batch/batchAccounts	rg-shared	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.DataLakeStore/accounts	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-webapp	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.OperationalInsights/workspaces	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-network	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.HealthcareApis/services	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-monitoring	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Media/mediaservices	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-network	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-dr	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Compute/snapshots	rg-storage	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Storage/storageAccounts	rg-webapp	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/privateEndpoints	rg-security	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Logic/workflows	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-security	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Automation/automationAccounts	rg-core	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Cache/redis	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-cache	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/networkInterfaces	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/applicationGateways	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-core	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Cdn/profiles	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-shared	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Cdn/profiles	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-containers	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.ServiceBus/namespaces	rg-backup	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.NotificationHubs/namespaces	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-dev	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DBforPostgreSQL/servers	rg-cache	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.ServiceFabric/clusters	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-dev	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/routeTables	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-security	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Compute/disks	rg-aks	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Synapse/workspaces	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-shared	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Insights/actionGroups	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-backup	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Relay/namespaces	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-security	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.ContainerService/managedClusters	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-monitoring	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Web/serverfarms	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-security	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Network/expressRouteCircuits	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-services	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Batch/batchAccounts	rg-services	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/routeTables	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-database	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Network/loadBalancers	rg-dr	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Network/vpnGateways	rg-dev	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.ServiceFabric/clusters	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-backup	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Search/searchServices	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-backup	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/publicIPAddresses	rg-aks	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Storage/storageAccounts	rg-core	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/loadBalancers	rg-backup	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Network/azureFirewalls	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-cache	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Network/dnsZones	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-shared	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Insights/actionGroups	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-functions	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.DBforMySQL/servers	rg-functions	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-webapp	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/privateDnsZones	rg-monitoring	✓ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-infra	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Batch/batchAccounts	rg-services	✓ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.ServiceFabric/clusters	rg-aks	✓ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-shared	✓ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-dr	✓ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-network	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-infra	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-webapp	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Network/applicationGateways	rg-security	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-database	✓ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-core	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-webapp	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-cache	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-network	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-backup	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-integration	✓ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-webapp	✓ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-services	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.ServiceBus/namespaces	rg-dev	✓ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Network/expressRouteCircuits	rg-dev	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-monitoring	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-storage	✓ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.NotificationHubs/namespaces	rg-database	✓ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-services	✓ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-backup	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-storage	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Batch/batchAccounts	rg-core	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.ApiManagement/service	rg-core	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.EventHub/namespaces	rg-security	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/publicIPAddresses	rg-integration	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Network/publicIPAddresses	rg-monitoring	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Synapse/workspaces	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-cache	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/loadBalancers	rg-staging	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Network/privateEndpoints	rg-core	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Batch/batchAccounts	rg-core	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.HealthcareApis/services	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-infra	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Compute/snapshots	rg-functions	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.DataFactory/factories	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-services	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Cdn/profiles	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-staging	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/dnsZones	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-infra	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.HDInsight/clusters	rg-monitoring	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DBforPostgreSQL/servers	rg-services	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.HealthcareApis/services	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-infra	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.ServiceBus/namespaces	rg-database	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.HealthcareApis/services	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-production	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/routeTables	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-integration	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.DBforMariaDB/servers	rg-storage	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Compute/availabilitySets	rg-monitoring	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Devices/IotHubs	rg-core	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Network/bastionHosts	rg-backup	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.DataMigration/services	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-aks	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Sql/servers/databases	rg-core	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.DataFactory/factories	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-infra	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-staging	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.ContainerRegistry/registries	rg-storage	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/trafficManagerProfiles	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-network	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-dev	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/privateEndpoints	rg-infra	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/applicationGateways	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-integration	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.DBforMySQL/servers	rg-storage	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/loadBalancers	rg-staging	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.CognitiveServices/accounts	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-webapp	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/privateEndpoints	rg-production	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-webapp	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.CognitiveServices/accounts	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-production	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/frontDoors	rg-network	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/privateDnsZones	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-aks	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/virtualNetworkGateways	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-integration	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-database	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.OperationalInsights/workspaces	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-services	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Network/privateDnsZones	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-integration	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/frontDoors	rg-shared	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/bastionHosts	rg-functions	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/dnsZones	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-storage	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.CognitiveServices/accounts	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-integration	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.HealthcareApis/services	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-webapp	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-shared	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Authorization/roleAssignments	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-integration	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/bastionHosts	rg-production	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-containers	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-aks	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Web/serverfarms	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-containers	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.DBforMariaDB/servers	rg-aks	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.ApiManagement/service	rg-network	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.SignalRService/signalR	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/azureFirewalls	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Compute/disks	rg-containers	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/azureFirewalls	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-services	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.ServiceFabric/clusters	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-core	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/vpnGateways	rg-backup	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Insights/components	rg-integration	✓ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-monitoring	✓ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.CognitiveServices/accounts	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-network	✓ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-webapp	✓ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-monitoring	✓ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-security	✓ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-dr	✓ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-storage	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-storage	✓ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-monitoring	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-production	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-cache	✓ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-staging	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-dr	✓ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-integration	✓ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-webapp	✓ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Web/serverfarms	rg-containers	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-backup	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.HealthcareApis/services	rg-containers	✓ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-integration	✓ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.EventGrid/topics	rg-production	✓ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-webapp	✓ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/virtualNetworks	rg-integration	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-aks	✓ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-containers	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-dr	✓ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-services	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-shared	✓ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-staging	✓ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-dev	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Web/serverfarms	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-containers	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-monitoring	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Web/connections	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-aks	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.EventGrid/topics	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-network	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/expressRouteCircuits	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-core	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/virtualNetworkGateways	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-network	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Sql/servers	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-monitoring	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-network	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Automation/automationAccounts	rg-integration	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Insights/components	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-infra	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.EventGrid/topics	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-integration	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.EventGrid/topics	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-dev	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.KeyVault/vaults	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-staging	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/networkSecurityGroups	rg-infra	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Network/vpnGateways	rg-storage	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/loadBalancers	rg-core	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-shared	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-network	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.SignalRService/signalR	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-storage	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Insights/components	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/expressRouteCircuits	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-core	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.DataMigration/services	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-production	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-security	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DataLakeStore/accounts	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-backup	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Network/privateEndpoints	rg-shared	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Compute/availabilitySets	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Insights/metricAlerts	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-storage	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-integration	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-backup	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Storage/storageAccounts	rg-security	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/applicationGateways	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-functions	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Authorization/roleAssignments	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-integration	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ApiManagement/service	rg-integration	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/publicIPAddresses	rg-webapp	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Web/connections	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-functions	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Insights/components	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-functions	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.EventGrid/topics	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-services	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/networkSecurityGroups	rg-containers	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.ServiceFabric/clusters	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-database	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.KeyVault/vaults	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-cache	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Web/sites	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-core	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/azureFirewalls	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-services	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/privateEndpoints	rg-storage	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Sql/servers/databases	rg-backup	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Devices/IotHubs	rg-backup	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Network/expressRouteCircuits	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-webapp	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Cache/redis	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-database	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.DataLakeStore/accounts	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-services	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/virtualNetworks	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-integration	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Logic/workflows	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-cache	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.DataMigration/services	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-infra	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-core	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.CognitiveServices/accounts	rg-containers	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ContainerInstance/containerGroups	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-shared	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.SignalRService/signalR	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-dr	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-dev	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.DataMigration/services	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-integration	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-webapp	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Search/searchServices	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-network	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Cdn/profiles	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-cache	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DBforMySQL/servers	rg-staging	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/expressRouteCircuits	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-dr	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/routeTables	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-staging	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Network/privateEndpoints	rg-core	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/networkInterfaces	rg-dr	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.ServiceBus/namespaces	rg-dev	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Sql/servers	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-dev	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Authorization/roleAssignments	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/bastionHosts	rg-monitoring	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.ApiManagement/service	rg-network	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.CognitiveServices/accounts	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-functions	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/expressRouteCircuits	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-containers	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.ContainerRegistry/registries	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-cache	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Compute/images	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-network	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Network/dnsZones	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-functions	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Synapse/workspaces	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-webapp	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.KeyVault/vaults	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-dev	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/virtualNetworks	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-cache	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Databricks/workspaces	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-staging	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Compute/virtualMachines	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-security	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Web/connections	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-staging	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Media/mediaservices	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-integration	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Devices/IotHubs	rg-storage	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-services	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-webapp	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-database	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ContainerInstance/containerGroups	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-dev	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Media/mediaservices	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-infra	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/expressRouteCircuits	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-database	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Search/searchServices	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-core	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-dr	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/privateDnsZones	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-functions	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Storage/storageAccounts	rg-core	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Media/mediaservices	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-backup	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.HealthcareApis/services	rg-staging	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/vpnGateways	rg-integration	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.KeyVault/vaults	rg-production	✓ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-integration	✓ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-webapp	✓ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-shared	✓ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-functions	✓ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-cache	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-shared	✓ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-services	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-network	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.RecoveryServices/vaults	rg-shared	✓ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Search/searchServices	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-production	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-dr	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-dev	✓ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Compute/virtualMachines	rg-services	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-network	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-production	✓ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.HDInsight/clusters	rg-database	✓ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-dev	✓ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-services	✓ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-storage	✓ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-security	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-dev	✓ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.HealthcareApis/services	rg-security	✓ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-dev	✓ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-staging	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-monitoring	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-production	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.ContainerService/managedClusters	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-monitoring	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.HealthcareApis/services	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-containers	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Web/serverfarms	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/loadBalancers	rg-services	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Cdn/profiles	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-dr	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.ContainerService/managedClusters	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-infra	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.NotificationHubs/namespaces	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-dr	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/routeTables	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-shared	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/routeTables	rg-infra	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/privateEndpoints	rg-shared	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/dnsZones	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-core	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Batch/batchAccounts	rg-dev	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Web/serverfarms	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-shared	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Batch/batchAccounts	rg-monitoring	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Compute/availabilitySets	rg-infra	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Logic/workflows	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-network	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Web/sites	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-functions	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-core	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Synapse/workspaces	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-security	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Relay/namespaces	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-core	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.DBforMySQL/servers	rg-staging	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Compute/disks	rg-backup	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/networkInterfaces	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/applicationGateways	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-storage	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Network/networkSecurityGroups	rg-monitoring	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-functions	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Automation/automationAccounts	rg-cache	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.DataMigration/services	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-backup	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/routeTables	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-monitoring	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.ContainerRegistry/registries	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-infra	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.RecoveryServices/vaults	rg-production	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.DBforMySQL/servers	rg-services	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Web/sites	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-security	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-core	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/applicationGateways	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-cache	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Network/privateEndpoints	rg-functions	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/privateDnsZones	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-infra	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Search/searchServices	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-monitoring	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Network/frontDoors	rg-integration	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.KeyVault/vaults	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-webapp	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.DataLakeStore/accounts	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-staging	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Insights/actionGroups	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-functions	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Compute/disks	rg-dr	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Compute/availabilitySets	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.DataMigration/services	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-dr	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Batch/batchAccounts	rg-webapp	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/routeTables	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-services	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.DataLakeStore/accounts	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-shared	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Sql/servers/databases	rg-production	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/vpnGateways	rg-containers	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Storage/storageAccounts	rg-functions	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-cache	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Devices/IotHubs	rg-infra	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Search/searchServices	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-aks	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.HDInsight/clusters	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-database	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Insights/actionGroups	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-staging	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Compute/virtualMachines	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-network	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.HDInsight/clusters	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-backup	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-cache	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-dr	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Compute/snapshots	rg-core	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Sql/servers	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-infra	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.DataFactory/factories	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-infra	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-services	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-containers	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Compute/images	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-webapp	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Logic/workflows	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-dr	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.HealthcareApis/services	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-functions	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-dr	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/publicIPAddresses	rg-shared	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.RecoveryServices/vaults	rg-database	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Network/frontDoors	rg-core	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Insights/components	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Sql/servers	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-infra	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.RecoveryServices/vaults	rg-storage	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Search/searchServices	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-dev	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-storage	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.ServiceBus/namespaces	rg-monitoring	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Databricks/workspaces	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-database	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Cache/redis	rg-core	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/bastionHosts	rg-integration	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.HealthcareApis/services	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-containers	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/virtualNetworks	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-backup	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Insights/actionGroups	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Compute/images	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-storage	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Compute/images	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-core	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/networkSecurityGroups	rg-monitoring	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.ContainerService/managedClusters	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-containers	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Compute/virtualMachines	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-core	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-database	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-containers	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Compute/virtualMachines	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-containers	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Compute/disks	rg-monitoring	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Media/mediaservices	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-core	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Web/serverfarms	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-cache	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/dnsZones	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-infra	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.KeyVault/vaults	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-aks	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DBforPostgreSQL/servers	rg-security	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/frontDoors	rg-functions	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/loadBalancers	rg-aks	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Sql/servers/databases	rg-functions	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/privateEndpoints	rg-monitoring	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/vpnGateways	rg-containers	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Storage/storageAccounts	rg-network	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Compute/availabilitySets	rg-aks	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Network/publicIPAddresses	rg-database	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Network/networkSecurityGroups	rg-dr	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-security	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Network/networkInterfaces	rg-infra	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.DataMigration/services	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-containers	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.ContainerRegistry/registries	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-dev	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Automation/automationAccounts	rg-staging	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Network/networkInterfaces	rg-infra	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Sql/servers/databases	rg-security	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.ContainerService/managedClusters	rg-containers	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.SignalRService/signalR	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-shared	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.RecoveryServices/vaults	rg-staging	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Network/routeTables	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-core	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/publicIPAddresses	rg-security	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Compute/images	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-core	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Network/virtualNetworks	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-aks	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.HealthcareApis/services	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-containers	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Insights/components	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-integration	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/frontDoors	rg-containers	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.HealthcareApis/services	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-dr	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Logic/workflows	rg-dev	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ServiceFabric/clusters	rg-infra	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-dr	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-aks	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-functions	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-storage	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-database	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-functions	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-functions	✓ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Cdn/profiles	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-aks	✓ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-core	✓ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Devices/IotHubs	rg-network	✓ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.ContainerService/managedClusters	rg-backup	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-infra	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-security	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-storage	✓ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-core	✓ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-integration	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-shared	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-integration	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-containers	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-webapp	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/privateEndpoints	rg-backup	✓ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Compute/disks	rg-backup	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Storage/storageAccounts	rg-database	✓ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Cdn/profiles	rg-production	✓ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-webapp	✓ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-core	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-backup	✗ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DocumentDB/databaseAccounts	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-services	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Sql/servers/databases	rg-webapp	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Web/connections	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-network	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Network/azureFirewalls	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-network	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-security	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.DataLakeStore/accounts	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-network	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/loadBalancers	rg-backup	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Network/networkSecurityGroups	rg-dr	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Automation/automationAccounts	rg-services	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Web/connections	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-functions	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.ContainerService/managedClusters	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-dev	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.AppConfiguration/configurationStores	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-staging	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Network/privateDnsZones	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.ServiceBus/namespaces	rg-staging	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Search/searchServices	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-backup	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-monitoring	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.ServiceBus/namespaces	rg-storage	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Automation/automationAccounts	rg-storage	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Network/bastionHosts	rg-core	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Web/connections	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-functions	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/expressRouteCircuits	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-backup	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-cache	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/loadBalancers	rg-dr	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.KeyVault/vaults	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-infra	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Insights/metricAlerts	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-cache	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.RecoveryServices/vaults	rg-storage	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Storage/storageAccounts	rg-production	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.EventGrid/topics	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-core	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-staging	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Compute/images	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-database	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	`Microsoft.Compute/disks`	rg-storage	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	`Microsoft.Network/expressRouteCircuits`	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Relay/namespaces`	rg-backup	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Batch/batchAccounts`	rg-database	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	`Microsoft.Network/networkSecurityGroups`	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	`Microsoft.Storage/storageAccounts`	rg-shared	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	`Microsoft.Compute/virtualMachines`	rg-core	✔ MIGRÁVEL	-	-
N/A	`Microsoft.EventHub/namespaces`	rg-infra	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	`Microsoft.Compute/availabilitySets`	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	`Microsoft.Storage/storageAccounts/blobServices`	rg-dr	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	`Microsoft.Compute/disks`	rg-containers	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	`Microsoft.NotificationHubs/namespaces`	rg-network	✔ MIGRÁVEL	-	-
N/A	`Microsoft.MachineLearningServices/workspaces`	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.OperationalInsights/workspaces`	rg-network	✔ MIGRÁVEL	-	-
N/A	`Microsoft.TimeSeriesInsights/environments`	rg-core	✔ MIGRÁVEL	-	-
N/A	`Microsoft.NotificationHubs/namespaces`	rg-containers	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Sql/servers`	rg-storage	✔ MIGRÁVEL	-	-
N/A	`Microsoft.ServiceFabric/clusters`	rg-network	✔ MIGRÁVEL	-	-
N/A	`Microsoft.ServiceBus/namespaces`	rg-dev	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	`Microsoft.DocumentDB/databaseAccounts`	rg-dr	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Web/serverfarms`	rg-security	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Compute/availabilitySets`	rg-cache	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	`Microsoft.Search/searchServices`	rg-services	✔ MIGRÁVEL	-	-
N/A	`Microsoft.EventHub/namespaces`	rg-services	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	`Microsoft.EventHub/namespaces`	rg-containers	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	`Microsoft.Insights/components`	rg-infra	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Network/privateEndpoints`	rg-storage	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	`Microsoft.Network/applicationGateways`	rg-infra	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Databricks/workspaces	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-shared	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-production	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Network/applicationGateways	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Search/searchServices	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-network	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Automation/automationAccounts	rg-dr	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Network/privateDnsZones	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-network	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Automation/automationAccounts	rg-containers	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Network/dnsZones	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-functions	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/virtualNetworks	rg-core	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/expressRouteCircuits	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-security	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-backup	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-dev	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Automation/automationAccounts	rg-integration	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-integration	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Web/connections	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-monitoring	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-containers	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Web/serverfarms	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-staging	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Insights/actionGroups	rg-network	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DBforPostgreSQL/servers	rg-webapp	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Compute/snapshots	rg-staging	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Sql/servers/databases	rg-infra	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-dr	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-webapp	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-aks	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.KeyVault/vaults	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-dr	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-aks	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Batch/batchAccounts	rg-aks	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.RecoveryServices/vaults	rg-security	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-database	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.NotificationHubs/namespaces	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-core	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Network/vpnGateways	rg-services	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Search/searchServices	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-containers	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Automation/automationAccounts	rg-security	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Web/serverfarms	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-shared	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Relay/namespaces	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-monitoring	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.NotificationHubs/namespaces	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-production	✔ MIGRÁVEL	Region: PowerShell script	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/networkSecurityGroups	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Network/applicationGateways	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-infra	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/privateEndpoints	rg-security	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.RecoveryServices/vaults	rg-dr	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Synapse/workspaces	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-webapp	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Network/frontDoors	rg-cache	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-functions	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.KeyVault/vaults	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-backup	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Compute/availabilitySets	rg-functions	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Sql/servers/databases	rg-monitoring	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Storage/storageAccounts	rg-staging	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/privateDnsZones	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-backup	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Network/dnsZones	rg-network	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/networkInterfaces	rg-security	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/dnsZones	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-infra	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-services	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.SignalRService/signalR	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-aks	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Network/azureFirewalls	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-backup	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Authorization/roleAssignments	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.DBforMariaDB/servers	rg-webapp	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Sql/servers	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Relay/namespaces	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-staging	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.ContainerService/managedClusters	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-network	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Search/searchServices	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-security	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/virtualNetworkGateways	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-staging	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/vpnGateways	rg-infra	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Compute/images	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-webapp	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Automation/automationAccounts	rg-backup	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Insights/components	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-containers	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Network/applicationGateways	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-security	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-aks	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.OperationalInsights/workspaces	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-containers	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-services	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/privateEndpoints	rg-containers	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Insights/metricAlerts	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-production	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-shared	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.RecoveryServices/vaults	rg-security	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Insights/actionGroups	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-storage	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Sql/servers	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-containers	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Compute/images	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-backup	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.DataMigration/services	rg-infra	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.RecoveryServices/vaults	rg-containers	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-network	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.CognitiveServices/accounts	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-functions	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/loadBalancers	rg-security	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.DBforMariaDB/servers	rg-security	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Logic/workflows	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-storage	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.EventGrid/topics	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-security	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.KeyVault/vaults	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-shared	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Sql/servers	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-services	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	`Microsoft.Network/networkInterfaces`	rg-backup	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	`Microsoft.StreamAnalytics/streamingjobs`	rg-services	✔ MIGRÁVEL	-	-
N/A	`Microsoft.DataMigration/services`	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Insights/metricAlerts`	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Compute/images`	rg-production	✔ MIGRÁVEL	-	-
N/A	`Microsoft.ServiceFabric/clusters`	rg-services	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Web/serverfarms`	rg-database	✔ MIGRÁVEL	-	-
N/A	`Microsoft.DataLakeStore/accounts`	rg-backup	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Network/privateDnsZones`	rg-cache	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Web/connections`	rg-core	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Synapse/workspaces`	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.ManagedIdentity/userAssignedIdentities`	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Network/routeTables`	rg-aks	✔ MIGRÁVEL	-	-
N/A	`Microsoft.ManagedIdentity/userAssignedIdentities`	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Network/networkInterfaces`	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	`Microsoft.Databricks/workspaces`	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.DBforPostgreSQL/servers`	rg-cache	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	`Microsoft.Network/virtualNetworks`	rg-staging	✔ MIGRÁVEL	-	-
N/A	`Microsoft.DataFactory/factories`	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Logic/workflows`	rg-services	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Sql/servers/databases`	rg-monitoring	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	`Microsoft.DBforMariaDB/servers`	rg-backup	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	`Microsoft.ContainerRegistry/registries`	rg-functions	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Automation/automationAccounts`	rg-infra	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	`Microsoft.Automation/automationAccounts`	rg-cache	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	`Microsoft.Network/frontDoors`	rg-dev	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	`Microsoft.Web/sites`	rg-database	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Databricks/workspaces`	rg-security	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Sql/servers/databases	rg-services	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/routeTables	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-production	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Synapse/workspaces	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-monitoring	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-security	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Authorization/roleAssignments	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-webapp	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Insights/actionGroups	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-core	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/frontDoors	rg-shared	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.ContainerRegistry/registries	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-staging	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-production	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/privateDnsZones	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-storage	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/publicIPAddresses	rg-security	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Network/loadBalancers	rg-production	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Network/dnsZones	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-dr	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-functions	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.ServiceFabric/clusters	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-production	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-core	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Authorization/roleAssignments	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-aks	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.ServiceFabric/clusters	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-staging	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-cache	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Sql/servers/databases	rg-dev	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-integration	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Web/sites	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-production	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.DataMigration/services	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-network	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Network/virtualNetworks	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-security	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.CognitiveServices/accounts	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-integration	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/bastionHosts	rg-monitoring	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Batch/batchAccounts	rg-shared	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/expressRouteCircuits	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-cache	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Relay/namespaces	rg-dr	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-containers	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Compute/snapshots	rg-staging	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-production	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-dev	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.DataMigration/services	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-functions	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/expressRouteCircuits	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-dr	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Insights/metricAlerts	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-database	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Network/virtualNetworks	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-integration	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Cache/redis	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-staging	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.ContainerRegistry/registries	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-network	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/virtualNetworks	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-dev	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Web/connections	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-shared	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Cdn/profiles	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-staging	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.RecoveryServices/vaults	rg-network	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.DataFactory/factories	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-staging	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-containers	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.ServiceFabric/clusters	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-webapp	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/privateEndpoints	rg-database	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-functions	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-integration	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.SignalRService/signalR	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-cache	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.HDInsight/clusters	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-database	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.DataLakeStore/accounts	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-core	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.ServiceFabric/clusters	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-backup	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Network/azureFirewalls	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-webapp	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Databricks/workspaces	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-aks	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-shared	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-security	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.ContainerService/managedClusters	rg-backup	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-monitoring	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Network/virtualNetworks	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-storage	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Media/mediaservices	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-database	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-functions	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.EventGrid/topics	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-security	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Sql/servers	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-integration	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-network	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-aks	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-core	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Compute/virtualMachines	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-core	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Cache/redis	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-webapp	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Cache/redis	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-infra	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Web/sites	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-production	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.DataMigration/services	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.EventHub/namespaces	rg-shared	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.HealthcareApis/services	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-monitoring	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Batch/batchAccounts	rg-infra	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/routeTables	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-integration	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Network/frontDoors	rg-cache	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-core	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.ApiManagement/service	rg-network	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.ApiManagement/service	rg-database	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Authorization/roleAssignments	rg-dr	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-storage	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-aks	✓ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-dev	✓ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-cache	✓ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/expressRouteCircuits	rg-containers	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-security	✓ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-cache	✓ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-webapp	✓ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Network/privateDnsZones	rg-infra	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-storage	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-storage	✓ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Insights/actionGroups	rg-functions	✓ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-cache	✓ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-storage	✓ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-storage	✓ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-production	✗ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Devices/IotHubs	rg-functions	✓ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Search/searchServices	rg-production	✓ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-dev	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-cache	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-dr	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-dr	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-storage	✓ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-storage	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-infra	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Web/sites	rg-backup	✓ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-services	✓ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-network	✓ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-staging	✓ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/loadBalancers	rg-dev	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.DataFactory/factories	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-dr	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Insights/actionGroups	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-integration	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Network/applicationGateways	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.HealthcareApis/services	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-core	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Network/virtualNetworks	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-core	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.DataMigration/services	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-network	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DocumentDB/databaseAccounts	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-webapp	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Insights/components	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-infra	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Insights/components	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-services	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-cache	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Sql/servers/databases	rg-backup	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-services	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.NotificationHubs/namespaces	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-security	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-dev	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.OperationalInsights/workspaces	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DocumentDB/databaseAccounts	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-monitoring	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Compute/availabilitySets	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Network/networkInterfaces	rg-containers	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Databricks/workspaces	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-shared	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-integration	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Compute/disks	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/expressRouteCircuits	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-containers	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Sql/servers/databases	rg-monitoring	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Web/sites	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-core	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.ApiManagement/service	rg-dr	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-shared	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-backup	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Network/privateEndpoints	rg-core	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.HDInsight/clusters	rg-infra	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.AppConfiguration/configurationStores	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-dr	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.DBforMySQL/servers	rg-shared	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/networkSecurityGroups	rg-containers	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.ServiceFabric/clusters	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-dr	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.KeyVault/vaults	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-integration	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Sql/servers	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-cache	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Network/dnsZones	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-production	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Authorization/roleAssignments	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-cache	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Network/publicIPAddresses	rg-integration	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.ServiceBus/namespaces	rg-cache	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-security	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.HDInsight/clusters	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-aks	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.SignalRService/signalR	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-services	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-database	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Search/searchServices	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-staging	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Relay/namespaces	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-production	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-core	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DataFactory/factories	rg-core	✓ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-services	✓ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-database	✓ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-backup	✓ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-dev	✓ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-webapp	✓ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Relay/namespaces	rg-storage	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-aks	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/vpnGateways	rg-security	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Relay/namespaces	rg-integration	✓ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-functions	✓ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-aks	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-core	✓ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-production	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-network	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-database	✓ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Cache/redis	rg-aks	✓ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-containers	✓ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-cache	✓ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Databricks/workspaces	rg-dev	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-dev	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-shared	✓ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.ContainerService/managedClusters	rg-infra	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-integration	✓ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Sql/servers	rg-network	✓ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-webapp	✓ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-staging	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/privateDnsZones	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-network	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Sql/servers/databases	rg-cache	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/azureFirewalls	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/frontDoors	rg-cache	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/vpnGateways	rg-staging	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/networkInterfaces	rg-integration	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Relay/namespaces	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-monitoring	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-dr	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.CognitiveServices/accounts	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-monitoring	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.RecoveryServices/vaults	rg-dev	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.EventGrid/topics	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-cache	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Insights/actionGroups	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-shared	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Databricks/workspaces	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-storage	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Web/serverfarms	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-security	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Compute/virtualMachines	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-aks	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Web/serverfarms	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-storage	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/vpnGateways	rg-storage	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Relay/namespaces	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-staging	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.EventGrid/topics	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-services	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-monitoring	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.ContainerRegistry/registries	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-cache	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.CognitiveServices/accounts	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-functions	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Devices/IotHubs	rg-services	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-network	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Search/searchServices	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-staging	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.MachineLearningServices/workspaces	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-storage	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-security	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Network/networkSecurityGroups	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.CognitiveServices/accounts	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-database	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/publicIPAddresses	rg-shared	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.HealthcareApis/services	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-infra	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.ServiceBus/namespaces	rg-containers	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-services	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Compute/snapshots	rg-webapp	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Web/sites	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-services	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.DataFactory/factories	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-backup	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Compute/snapshots	rg-network	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.RecoveryServices/vaults	rg-containers	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Insights/metricAlerts	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-database	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Network/bastionHosts	rg-backup	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Storage/storageAccounts	rg-cache	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Authorization/roleAssignments	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-dev	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/expressRouteCircuits	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-dev	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-staging	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Batch/batchAccounts	rg-security	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Cdn/profiles	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-security	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/routeTables	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-integration	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Synapse/workspaces	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-infra	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Web/sites	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-functions	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Sql/servers/databases	rg-infra	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/privateEndpoints	rg-webapp	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/publicIPAddresses	rg-network	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Synapse/workspaces	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-services	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.EventHub/namespaces	rg-core	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Media/mediaservices	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-aks	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Web/sites	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-infra	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Network/networkSecurityGroups	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.DataLakeStore/accounts	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-security	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/networkInterfaces	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/dnsZones	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-staging	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Devices/IotHubs	rg-containers	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.EventGrid/topics	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-production	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.EventHub/namespaces	rg-security	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Insights/components	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-functions	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Sql/servers/databases	rg-storage	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.HealthcareApis/services	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-webapp	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.ContainerService/managedClusters	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-integration	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-infra	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Relay/namespaces	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-core	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Network/routeTables	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-functions	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Batch/batchAccounts	rg-backup	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-core	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Compute/availabilitySets	rg-functions	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Web/connections	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-cache	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DBforMariaDB/servers	rg-core	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-backup	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Media/mediaservices	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-storage	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Network/vpnGateways	rg-network	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-monitoring	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.ContainerService/managedClusters	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-network	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-network	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Automation/automationAccounts	rg-storage	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Network/azureFirewalls	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-containers	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Batch/batchAccounts	rg-containers	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Web/connections	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-dev	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-production	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Compute/availabilitySets	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Sql/servers	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-staging	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Network/applicationGateways	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-containers	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/expressRouteCircuits	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-integration	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.RecoveryServices/vaults	rg-cache	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-functions	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-backup	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Storage/storageAccounts	rg-staging	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.DataMigration/services	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-aks	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Insights/actionGroups	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Storage/storageAccounts	rg-shared	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.ContainerService/managedClusters	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-services	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Databricks/workspaces	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-network	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/virtualNetworkGateways	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-security	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.NotificationHubs/namespaces	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-infra	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-aks	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.KeyVault/vaults	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-integration	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.SignalRService/signalR	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-security	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.DataMigration/services	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-dr	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Web/serverfarms	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-shared	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.EventGrid/topics	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-shared	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Insights/actionGroups	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-dev	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-cache	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Automation/automationAccounts	rg-functions	✔ MIGRÁVEL	Region: PowerShell script	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Web/connections	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-cache	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.ContainerService/managedClusters	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-cache	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.KeyVault/vaults	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-backup	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Web/connections	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-production	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Compute/images	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-integration	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Compute/snapshots	rg-monitoring	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-staging	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.SignalRService/signalR	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-production	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.DataMigration/services	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-security	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-functions	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Network/vpnGateways	rg-functions	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Compute/availabilitySets	rg-containers	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Cdn/profiles	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/loadBalancers	rg-network	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Compute/disks	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/applicationGateways	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-security	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/bastionHosts	rg-shared	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-network	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-functions	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/bastionHosts	rg-infra	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Logic/workflows	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-containers	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.CognitiveServices/accounts	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-backup	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/vpnGateways	rg-functions	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/networkSecurityGroups	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Compute/availabilitySets	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Relay/namespaces	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-webapp	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Media/mediaservices	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-webapp	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Relay/namespaces	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-cache	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-aks	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/applicationGateways	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-integration	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.ContainerService/managedClusters	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-backup	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.SignalRService/signalR	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-infra	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/expressRouteCircuits	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Compute/snapshots	rg-security	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-database	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/trafficManagerProfiles	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-dev	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/networkInterfaces	rg-security	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/applicationGateways	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-network	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Insights/components	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-database	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-storage	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Relay/namespaces	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-storage	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.HealthcareApis/services	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-functions	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.RecoveryServices/vaults	rg-dr	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Search/searchServices	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-storage	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-aks	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/loadBalancers	rg-production	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.ApiManagement/service	rg-webapp	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Sql/servers/databases	rg-monitoring	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-integration	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Web/serverfarms	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-staging	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Insights/actionGroups	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-shared	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Cdn/profiles	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-dev	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-monitoring	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-production	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/bastionHosts	rg-shared	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-staging	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.RecoveryServices/vaults	rg-webapp	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.NotificationHubs/namespaces	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-services	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.DataFactory/factories	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-staging	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Databricks/workspaces	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-security	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-shared	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Compute/images	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-database	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Web/serverfarms	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-shared	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.DBforMySQL/servers	rg-integration	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Media/mediaservices	rg-core	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DBforMySQL/servers	rg-backup	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Devices/IotHubs	rg-functions	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Compute/images	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-database	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Storage/storageAccounts	rg-backup	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Compute/availabilitySets	rg-backup	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.DataFactory/factories	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-storage	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-database	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Relay/namespaces	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-aks	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Batch/batchAccounts	rg-database	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.EventHub/namespaces	rg-storage	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Batch/batchAccounts	rg-integration	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.ContainerService/managedClusters	rg-staging	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Compute/virtualMachines	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-functions	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Compute/images	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-production	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.DBforMySQL/servers	rg-core	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Network/vpnGateways	rg-staging	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/loadBalancers	rg-backup	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Synapse/workspaces	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-network	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Insights/metricAlerts	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-functions	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Web/serverfarms	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-shared	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.DataLakeStore/accounts	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-production	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Network/frontDoors	rg-monitoring	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Authorization/roleAssignments	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-security	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.OperationalInsights/workspaces	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-dev	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.DataLakeStore/accounts	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-core	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Insights/actionGroups	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-cache	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Media/mediaservices	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-integration	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.EventGrid/topics	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-shared	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-security	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Synapse/workspaces	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-functions	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.HealthcareApis/services	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-security	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-containers	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Cache/redis	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-network	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.ContainerService/managedClusters	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-infra	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-production	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-infra	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Compute/disks	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/privateDnsZones	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-storage	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/applicationGateways	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-network	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Compute/disks	rg-aks	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DataMigration/services	rg-cache	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-cache	✓ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-integration	✓ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Network/privateDnsZones	rg-cache	✓ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-dev	✓ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-security	✓ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-core	✓ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-database	✓ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-monitoring	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-functions	✓ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-webapp	✓ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-containers	✓ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-shared	✓ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-dev	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-aks	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.EventHub/namespaces	rg-services	✓ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Cdn/profiles	rg-backup	✓ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-storage	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.HDInsight/clusters	rg-monitoring	✓ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-integration	✓ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/networkInterfaces	rg-security	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.NotificationHubs/namespaces	rg-infra	✓ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-core	✓ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/privateEndpoints	rg-core	✓ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/virtualNetworks	rg-cache	✓ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-integration	✓ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-storage	✓ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-network	✓ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-security	✓ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DocumentDB/databaseAccounts	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-services	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.ServiceBus/namespaces	rg-functions	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.DataLakeStore/accounts	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-services	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Cdn/profiles	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-functions	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/privateDnsZones	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-shared	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Search/searchServices	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-shared	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/bastionHosts	rg-database	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Logic/workflows	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-network	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.DBforMySQL/servers	rg-staging	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Insights/actionGroups	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-backup	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/networkSecurityGroups	rg-storage	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Authorization/roleAssignments	rg-functions	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-backup	✓ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-dr	✓ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-backup	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-dr	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/publicIPAddresses	rg-containers	✓ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Network/loadBalancers	rg-services	✓ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Devices/IotHubs	rg-functions	✓ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Compute/virtualMachines	rg-dev	✓ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-production	✓ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Compute/virtualMachines	rg-cache	✓ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-shared	✓ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-database	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/expressRouteCircuits	rg-integration	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-webapp	✓ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-production	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-production	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-staging	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Media/mediaservices	rg-security	✓ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-storage	✓ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-aks	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-staging	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-production	✓ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-functions	✓ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-cache	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-dr	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-staging	✓ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DataLakeStore/accounts	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-dev	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/networkSecurityGroups	rg-services	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Batch/batchAccounts	rg-storage	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/networkSecurityGroups	rg-security	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Databricks/workspaces	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-containers	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Network/azureFirewalls	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-production	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-services	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Sql/servers/databases	rg-network	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.MachineLearningServices/workspaces	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-monitoring	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Devices/IotHubs	rg-production	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Network/networkSecurityGroups	rg-functions	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Media/mediaservices	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-containers	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-containers	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-staging	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.EventHub/namespaces	rg-webapp	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.CognitiveServices/accounts	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-staging	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-integration	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Media/mediaservices	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-services	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Media/mediaservices	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-aks	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.DBforMySQL/servers	rg-containers	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-database	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.DataFactory/factories	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-monitoring	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Media/mediaservices	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-database	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Automation/automationAccounts	rg-aks	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Batch/batchAccounts	rg-webapp	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.EventGrid/topics	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-core	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.KeyVault/vaults	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-staging	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Relay/namespaces	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-cache	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.OperationalInsights/workspaces	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-integration	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Network/azureFirewalls	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-database	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Relay/namespaces	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-infra	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Cdn/profiles	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-functions	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/privateEndpoints	rg-integration	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/expressRouteCircuits	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-staging	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Sql/servers	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-services	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-production	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-network	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Cache/redis	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-integration	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/networkSecurityGroups	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.SignalRService/signalR	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-webapp	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-staging	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.DataMigration/services	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-monitoring	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/applicationGateways	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-backup	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/dnsZones	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-dev	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ServiceBus/namespaces	rg-security	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Web/serverfarms	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-network	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/networkSecurityGroups	rg-security	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.DataLakeStore/accounts	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-core	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Network/privateEndpoints	rg-dev	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Databricks/workspaces	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-network	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.DataLakeStore/accounts	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-webapp	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.ServiceBus/namespaces	rg-cache	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Synapse/workspaces	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-shared	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.DataLakeStore/accounts	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-storage	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-staging	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Insights/metricAlerts	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-dr	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/azureFirewalls	rg-core	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-shared	✓ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/networkInterfaces	rg-database	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.DataMigration/services	rg-monitoring	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-services	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.DataLakeStore/accounts	rg-storage	✓ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-services	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-functions	✓ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Network/frontDoors	rg-dr	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.OperationalInsights/workspaces	rg-cache	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-webapp	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-staging	✓ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-security	✓ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Databricks/workspaces	rg-infra	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-dev	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Network/privateDnsZones	rg-functions	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-production	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-monitoring	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-database	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-network	✓ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-core	✓ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-database	✓ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-dev	✓ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-storage	✓ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Databricks/workspaces	rg-aks	✗ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-database	✓ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-integration	✓ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-core	✓ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-dev	✓ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Databricks/workspaces	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-storage	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.HealthcareApis/services	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-webapp	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.ContainerService/managedClusters	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-staging	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Insights/components	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-storage	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Cache/redis	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/dnsZones	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-integration	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-aks	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.SignalRService/signalR	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-security	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.OperationalInsights/workspaces	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-integration	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Compute/disks	rg-monitoring	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Sql/servers	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-cache	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Insights/components	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-services	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-backup	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Compute/disks	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/networkInterfaces	rg-functions	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/azureFirewalls	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-production	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Compute/virtualMachines	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-webapp	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.HDInsight/clusters	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-aks	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/publicIPAddresses	rg-integration	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-security	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Search/searchServices	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-dr	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-monitoring	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.RecoveryServices/vaults	rg-dr	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Compute/images	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-production	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.ApiManagement/service	rg-dev	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-backup	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Insights/components	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-webapp	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Compute/disks	rg-infra	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.CognitiveServices/accounts	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-production	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Insights/actionGroups	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-containers	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-dr	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Insights/components	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-infra	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.ContainerService/managedClusters	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-production	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Synapse/workspaces	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-services	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-backup	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Web/sites	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-integration	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.DataLakeStore/accounts	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-cache	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-dev	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Compute/virtualMachines	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-core	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-dr	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.NotificationHubs/namespaces	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-storage	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Compute/availabilitySets	rg-database	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-backup	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Compute/virtualMachines	rg-shared	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-integration	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.ServiceFabric/clusters	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-staging	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Web/sites	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-security	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/dnsZones	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-aks	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/loadBalancers	rg-production	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.EventHub/namespaces	rg-storage	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.CognitiveServices/accounts	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-production	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Insights/metricAlerts	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-core	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Sql/servers/databases	rg-webapp	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/publicIPAddresses	rg-storage	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Network/dnsZones	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-security	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/applicationGateways	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-storage	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.ContainerService/managedClusters	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-shared	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.ApiManagement/service	rg-aks	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-production	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Network/expressRouteCircuits	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-dev	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Compute/availabilitySets	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Relay/namespaces	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-infra	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-webapp	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.RecoveryServices/vaults	rg-functions	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Batch/batchAccounts	rg-cache	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/publicIPAddresses	rg-core	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.OperationalInsights/workspaces	rg-staging	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/publicIPAddresses	rg-monitoring	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Insights/components	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-dr	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-storage	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.KeyVault/vaults	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-integration	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Compute/virtualMachines	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-shared	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.ApiManagement/service	rg-monitoring	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.EventHub/namespaces	rg-functions	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.DataFactory/factories	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-monitoring	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.ApiManagement/service	rg-staging	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Synapse/workspaces	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-staging	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-production	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-network	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.ContainerRegistry/registries	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-webapp	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-services	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.DataMigration/services	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-webapp	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.HDInsight/clusters	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-functions	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.HDInsight/clusters	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-staging	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Automation/automationAccounts	rg-database	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-monitoring	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	`Microsoft.ApiManagement/service`	rg-storage	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	`Microsoft.AppConfiguration/configurationStores`	rg-core	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Sql/servers`	rg-shared	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Sql/servers`	rg-database	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Network/routeTables`	rg-storage	✔ MIGRÁVEL	-	-
N/A	`Microsoft.DataLakeStore/accounts`	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	`Microsoft.HDInsight/clusters`	rg-dev	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Compute/virtualMachineScaleSets`	rg-storage	✔ MIGRÁVEL	-	-
N/A	`Microsoft.DBforMariaDB/servers`	rg-production	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	`Microsoft.EventGrid/topics`	rg-webapp	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Network/privateDnsZones`	rg-integration	✔ MIGRÁVEL	-	-
N/A	`Microsoft.EventHub/namespaces`	rg-functions	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	`Microsoft.Batch/batchAccounts`	rg-storage	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	`Microsoft.Network/frontDoors`	rg-staging	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	`Microsoft.Network/routeTables`	rg-shared	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Insights/actionGroups`	rg-containers	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Web/serverfarms`	rg-dr	✔ MIGRÁVEL	-	-
N/A	`Microsoft.ApiManagement/service`	rg-functions	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	`Microsoft.Network/virtualNetworkGateways`	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Storage/storageAccounts/blobServices`	rg-services	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	`Microsoft.Devices/IotHubs`	rg-core	✔ MIGRÁVEL	Region: Learn more	-
N/A	`Microsoft.DataMigration/services`	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Network/publicIPAddresses`	rg-functions	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	`Microsoft.Network/networkSecurityGroups`	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	`Microsoft.Network/publicIPAddresses`	rg-dev	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	`Microsoft.EventHub/namespaces`	rg-shared	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.RecoveryServices/vaults	rg-staging	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-dr	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Insights/components	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-integration	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/privateEndpoints	rg-webapp	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Compute/virtualMachines	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-aks	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Web/connections	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-dev	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/networkSecurityGroups	rg-dr	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Databricks/workspaces	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-functions	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/dnsZones	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-storage	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Storage/storageAccounts	rg-webapp	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Cache/redis	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-backup	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.OperationalInsights/workspaces	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-staging	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Storage/storageAccounts	rg-network	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/applicationGateways	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-infra	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.ContainerRegistry/registries	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-cache	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.ServiceBus/namespaces	rg-shared	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Search/searchServices	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerService/managedClusters	rg-staging	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-dev	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.RecoveryServices/vaults	rg-dr	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-staging	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ServiceFabric/clusters	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-integration	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-functions	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.DataFactory/factories	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-webapp	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Sql/servers/databases	rg-dr	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-storage	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.DBforMySQL/servers	rg-storage	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-storage	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.ContainerRegistry/registries	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-integration	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Search/searchServices	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-production	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Network/publicIPAddresses	rg-containers	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.RecoveryServices/vaults	rg-security	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.RecoveryServices/vaults	rg-shared	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-staging	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.DataFactory/factories	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-integration	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Search/searchServices	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/serverfarms	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-backup	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.KeyVault/vaults	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-services	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-storage	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.OperationalInsights/workspaces	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-webapp	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/applicationGateways	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/expressRouteCircuits	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-functions	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Insights/actionGroups	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-integration	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/expressRouteCircuits	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-dev	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/routeTables	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-storage	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-production	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.EventGrid/topics	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-backup	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Compute/availabilitySets	rg-monitoring	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Cache/redis	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-core	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/applicationGateways	rg-database	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-integration	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.DataLakeStore/accounts	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-backup	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Storage/storageAccounts	rg-functions	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Insights/actionGroups	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-backup	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Compute/images	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-services	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.Network/expressRouteCircuits	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-database	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.DataLakeStore/accounts	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-monitoring	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Relay/namespaces	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-cache	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Network/privateEndpoints	rg-network	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Compute/disks	rg-storage	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.SignalRService/signalR	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-staging	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Automation/automationAccounts	rg-shared	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Synapse/workspaces	rg-storage	✘ NÃO MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Network/privateEndpoints	rg-containers	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Cdn/profiles	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-storage	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Cache/redis	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/routeTables	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-monitoring	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Relay/namespaces	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-network	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Sql/servers	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-cache	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-containers	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-backup	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.ServiceFabric/clusters	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-webapp	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.RecoveryServices/vaults	rg-services	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.HDInsight/clusters	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/metricAlerts	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Web/connections	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-database	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Web/connections	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Media/mediaservices	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-backup	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.Devices/IotHubs	rg-functions	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Network/privateEndpoints	rg-shared	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Network/loadBalancers	rg-staging	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Devices/IotHubs	rg-services	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.EventGrid/topics	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-backup	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.DataFactory/factories	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-services	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-dr	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Sql/servers/databases	rg-aks	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Authorization/roleAssignments	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers/databases	rg-integration	✔ MIGRÁVEL	Region: Learn more about moving databases across regions. Learn more about using Azure Resource Mover to move Azure SQL databases	-
N/A	Microsoft.Network/networkSecurityGroups	rg-staging	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-
N/A	Microsoft.Web/sites	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/azureFirewalls	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/bastionHosts	rg-containers	⚠ COM RESTRIÇÕES	-	-
N/A	Microsoft.Compute/images	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Automation/automationAccounts	rg-dev	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Network/publicIPAddresses	rg-staging	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.Network/networkInterfaces	rg-production	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Storage/storageAccounts	rg-functions	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.ServiceFabric/clusters	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-cache	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/expressRouteCircuits	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-shared	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-aks	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Network/loadBalancers	rg-production	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Relay/namespaces	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Databricks/workspaces	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Network/azureFirewalls	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-core	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Compute/images	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.HealthcareApis/services	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Logic/workflows	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cdn/profiles	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-storage	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Network/virtualNetworks	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Synapse/workspaces	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-database	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Search/searchServices	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataFactory/factories	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-containers	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.Storage/storageAccounts	rg-functions	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.CognitiveServices/accounts	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-network	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/loadBalancers	rg-production	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ContainerInstance/containerGroups	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMySQL/servers	rg-webapp	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-webapp	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.DBforMySQL/servers	rg-production	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-dev	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-staging	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Sql/servers	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-core	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-aks	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-core	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Insights/actionGroups	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.DBforMariaDB/servers	rg-production	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Network/virtualNetworks	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-database	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-dev	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Automation/automationAccounts	rg-core	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.EventGrid/topics	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-backup	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.Storage/storageAccounts	rg-storage	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Network/applicationGateways	rg-network	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Insights/components	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-core	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.ServiceFabric/clusters	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-security	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.SignalRService/signalR	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-functions	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Logic/workflows	rg-aks	✔ MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/snapshots	rg-database	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Network/privateDnsZones	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Insights/actionGroups	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Cache/redis	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-monitoring	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/routeTables	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-infra	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachines	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataLakeStore/accounts	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-dr	✔ MIGRÁVEL	-	-
N/A	Microsoft.ContainerRegistry/registries	rg-staging	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.ContainerInstance/containerGroups	rg-production	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-monitoring	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.SignalRService/signalR	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Authorization/roleAssignments	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-staging	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Insights/metricAlerts	rg-backup	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.DataMigration/services	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Devices/IotHubs	rg-services	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Network/networkInterfaces	rg-integration	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Compute/images	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/frontDoors	rg-backup	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-core	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Relay/namespaces	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.RecoveryServices/vaults	rg-production	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Compute/virtualMachines	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventHub/namespaces	rg-network	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-dev	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Databricks/workspaces	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-aks	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Cache/redis	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-services	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-functions	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-integration	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.Batch/batchAccounts	rg-storage	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.RecoveryServices/vaults	rg-functions	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Insights/components	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Sql/servers	rg-webapp	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/vpnGateways	rg-cache	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	Microsoft.DBforPostgreSQL/servers	rg-core	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	Microsoft.ManagedIdentity/userAssignedIdentities	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ContainerInstance/containerGroups	rg-webapp	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Network/publicIPAddresses	rg-webapp	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-staging	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/availabilitySets	rg-webapp	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move availability sets	-
N/A	Microsoft.Insights/actionGroups	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Batch/batchAccounts	rg-backup	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	Microsoft.KeyVault/vaults	rg-backup	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/connections	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Storage/storageAccounts	rg-backup	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.Storage/storageAccounts/blobServices	rg-containers	✔ MIGRÁVEL	Region: Relocate an Azure Storage account to another region.	-
N/A	Microsoft.OperationalInsights/workspaces	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/images	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.HDInsight/clusters	rg-functions	✔ MIGRÁVEL	-	-
N/A	Microsoft.DocumentDB/databaseAccounts	rg-dr	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	`Microsoft.ContainerRegistry/registries`	rg-cache	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Compute/disks`	rg-staging	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	`Microsoft.Network/publicIPAddresses`	rg-cache	✔ MIGRÁVEL	Sub: see Networking move guidance; Region: Use Azure Resource Mover to move public IP address configurations (IP addresses are not retained	-
N/A	`Microsoft.Compute/virtualMachines`	rg-shared	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Relay/namespaces`	rg-production	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Web/sites`	rg-staging	✔ MIGRÁVEL	-	-
N/A	`Microsoft.ServiceFabric/clusters`	rg-dr	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Network/frontDoors`	rg-containers	? DESCONHECIDO	Tipo de recurso não encontrado na base de dados. Verifique a documentação oficial da Microsoft.	-
N/A	`Microsoft.ContainerRegistry/registries`	rg-aks	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Network/applicationGateways`	rg-dr	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.ContainerService/managedClusters`	rg-functions	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Network/loadBalancers`	rg-dr	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	`Microsoft.Compute/snapshots`	rg-containers	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	`Microsoft.Compute/snapshots`	rg-webapp	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	`Microsoft.DBforPostgreSQL/servers`	rg-database	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. Learn more.	-
N/A	`Microsoft.Network/expressRouteCircuits`	rg-security	✘ NÃO MIGRÁVEL	-	-
N/A	`Microsoft.Network/routeTables`	rg-backup	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Batch/batchAccounts`	rg-storage	✔ MIGRÁVEL	Region: Azure Batch accounts can't be moved directly from one region to another, but you can use a template to export a template, modify it, and deploy the template to the new region. See moving a Batch account across regions to learn more.	-
N/A	`Microsoft.Network/loadBalancers`	rg-shared	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	`Microsoft.Insights/components`	rg-production	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Network/trafficManagerProfiles`	rg-security	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Cdn/profiles`	rg-security	✔ MIGRÁVEL	-	-
N/A	`Microsoft.Compute/snapshots`	rg-core	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	`Microsoft.TimeSeriesInsights/environments`	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	`Microsoft.KeyVault/vaults`	rg-webapp	✔ MIGRÁVEL	-	-
N/A	`Microsoft.NotificationHubs/namespaces`	rg-integration	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.KeyVault/vaults	rg-cache	✔ MIGRÁVEL	-	-
N/A	Microsoft.MachineLearningServices/workspaces	rg-cache	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.ServiceFabric/clusters	rg-containers	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-cache	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.Devices/IotHubs	rg-cache	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.DBforMariaDB/servers	rg-dev	✔ MIGRÁVEL	Region: You can use a cross-region read replica to move an existing server. See the corresponding move guidance to learn more. If the service is provisioned with geo-redundant backup storage, you can use geo-restore to restore in other regions. Learn more.	-
N/A	Microsoft.Network/privateEndpoints	rg-security	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Compute/snapshots	rg-core	✔ MIGRÁVEL	RG: Full No - Incremental; Sub: Full No - Incremental; Region: Full No - Incremental	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-containers	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.KeyVault/vaults	rg-services	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateDnsZones	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.OperationalInsights/workspaces	rg-storage	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/loadBalancers	rg-infra	✔ MIGRÁVEL	RG: Basic SKU Yes - Standard SKU; Sub: Basic SKU No - Standard SKU; Region: Use Azure Resource Mover to move internal and external load balancers	-
N/A	Microsoft.ServiceBus/namespaces	rg-security	✔ MIGRÁVEL	Region: with template) Move an Azure Service Bus namespace to another region	-
N/A	Microsoft.Automation/automationAccounts	rg-dr	✔ MIGRÁVEL	Region: PowerShell script	-
N/A	Microsoft.Insights/actionGroups	rg-security	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-database	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.Web/serverfarms	rg-shared	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkInterfaces	rg-integration	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move NICs	-
N/A	Microsoft.TimeSeriesInsights/environments	rg-dev	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-webapp	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.EventHub/namespaces	rg-infra	✔ MIGRÁVEL	Region: with template) Relocate Azure Event Hubs to another region	-
N/A	Microsoft.Network/trafficManagerProfiles	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Blockchain/blockchainMembers	rg-cache	✘ NÃO MIGRÁVEL	Region: The blockchain network can't have nodes in different regions	-
N/A	Microsoft.DataFactory/factories	rg-backup	✔ MIGRÁVEL	-	-

NOME DO RECURSO	TIPO	GRUPO DE RECURSOS	STATUS	OBSERVAÇÕES	NOTAS PERSONALIZADAS
N/A	Microsoft.DocumentDB/databaseAccounts	rg-network	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-monitoring	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.AppConfiguration/configurationStores	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Web/sites	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/applicationGateways	rg-containers	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Search/searchServices	rg-core	✔ MIGRÁVEL	-	-
N/A	Microsoft.Compute/virtualMachineScaleSets	rg-integration	✔ MIGRÁVEL	-	-
N/A	Microsoft.StreamAnalytics/streamingjobs	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/privateEndpoints	rg-shared	✔ MIGRÁVEL	RG: for supported private-link resources No - for all other private-link resources; Sub: for supported private-link resources No - for all other private-link resources	-
N/A	Microsoft.Devices/IotHubs	rg-database	✔ MIGRÁVEL	Region: Learn more	-
N/A	Microsoft.Insights/actionGroups	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.ApiManagement/service	rg-staging	✔ MIGRÁVEL	Region: using template) Move API Management across regions	-
N/A	Microsoft.Network/virtualNetworkGateways	rg-storage	✘ NÃO MIGRÁVEL	-	-
N/A	Microsoft.Compute/disks	rg-aks	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move Azure VMs and related disks	-
N/A	Microsoft.RecoveryServices/vaults	rg-core	✔ MIGRÁVEL	Region: Using Azure Backup to move Recovery Services vaults across Azure regions isn't supported. You can use Azure Site Recovery to disable and recreate the vault in the target region for Recovery Services vaults	-
N/A	Microsoft.Web/connections	rg-monitoring	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/virtualNetworks	rg-infra	✔ MIGRÁVEL	-	-
N/A	Microsoft.EventGrid/topics	rg-database	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/dnsZones	rg-production	✔ MIGRÁVEL	-	-
N/A	Microsoft.Network/networkSecurityGroups	rg-staging	✔ MIGRÁVEL	Region: Use Azure Resource Mover to move network security groups	-

LEGENDA:

✔ Migrável — Recurso pode ser movido entre resource groups e assinaturas
⚠ Com Restrições — Recurso pode ser movido, mas com limitações específicas
✘ Não Migrável — Recurso não suporta migração e precisará ser recriado