

CMDLOG2TEX Demo

LoveElysia1314

November 1, 2025

1 Dark Theme with ANSI Colors

Default dark theme showing terminal output with ANSI color preservation:

```
Bash Session (Dark)

1 Script started on 2025-11-01 07:59:24+01:00 [TERM="xterm-256color" TTY="/dev/pts
  /0" COLUMNS="80" LINES="24"]
2 (base) max@qmobile:~/Downloads$ #!/bin/bash
3 (base) max@qmobile:~/Downloads$ # Test script: colorful terminal output
  demonstration
4 (base) max@qmobile:~/Downloads$ # Shows file types, colors, and symlinks with
  tree
5 (base) max@qmobile:~/Downloads$ mkdir -p colorful_demo && cd colorful_demo
6 (base) max@qmobile:~/Downloads/colorful_demo$ touch normal_file.txt image.jpg
  archive.zip
7 (base) max@qmobile:~/Downloads/colorful_demo$ mkdir directory_folder
8 (base) max@qmobile:~/Downloads/colorful_demo$ echo "test" > executable_file &&
  chmod +x executable_file
9 (base) max@qmobile:~/Downloads/colorful_demo$ ln -s normal_file.txt symlink_file
10 (base) max@qmobile:~/Downloads/colorful_demo$ tree
11 .
12 |— archive.zip
13 |— directory_folder
14 |— executable_file
15 |— image.jpg
16 |— normal_file.txt
17 |— symlink_file -> normal_file.txt
18
19 1 directory, 5 files
20 (base) max@qmobile:~/Downloads/colorful_demo$ cd .. && rm -rf colorful_demo
21 (base) max@qmobile:~/Downloads$ 注销
22
23 Script done on 2025-11-01 07:59:24+01:00 [COMMAND_EXIT_CODE="0"]
```

2 Light Theme with ANSI Colors

Same output rendered with light theme:

Bash Session (Light)

```
1 Script started on 2025-11-01 07:59:24+01:00 [TERM="xterm-256color" TTY="/dev/pts
  /0" COLUMNS="80" LINES="24"]
2 (base) max@qmobile:~/Downloads$ #!/bin/bash
3 (base) max@qmobile:~/Downloads$ # Test script: colorful terminal output
  demonstration
4 (base) max@qmobile:~/Downloads$ # Shows file types, colors, and symlinks with
  tree
5 (base) max@qmobile:~/Downloads$ mkdir -p colorful_demo && cd colorful_demo
6 (base) max@qmobile:~/Downloads/colorful_demo$ touch normal_file.txt image.jpg
  archive.zip
7 (base) max@qmobile:~/Downloads/colorful_demo$ mkdir directory_folder
8 (base) max@qmobile:~/Downloads/colorful_demo$ echo "test" > executable_file &&
  chmod +x executable_file
9 (base) max@qmobile:~/Downloads/colorful_demo$ ln -s normal_file.txt symlink_file
10 (base) max@qmobile:~/Downloads/colorful_demo$ tree
11 .
12 |— archive.zip
13 |— directory_folder
14 |— executable_file
15 |— image.jpg
16 |— normal_file.txt
17 |— symlink_file -> normal_file.txt
18
19 1 directory, 5 files
20 (base) max@qmobile:~/Downloads/colorful_demo$ cd .. && rm -rf colorful_demo
21 (base) max@qmobile:~/Downloads$ 注销
22
23 Script done on 2025-11-01 07:59:24+01:00 [COMMAND_EXIT_CODE="0"]
```

3 Plain Text Output

Plain text version without ANSI color codes:

Bash Session (Plain)

```
1 Script started on 2025-11-01 07:59:24+01:00 [TERM="xterm-256color" TTY="/dev/pts
  /0" COLUMNS="80" LINES="24"]
2 (base) max@qmobile:~/Downloads$ #!/bin/bash
3 (base) max@qmobile:~/Downloads$ # Test script: colorful terminal output
  demonstration
4 (base) max@qmobile:~/Downloads$ # Shows file types, colors, and symlinks with
  tree
5 (base) max@qmobile:~/Downloads$ mkdir -p colorful_demo && cd colorful_demo
6 (base) max@qmobile:~/Downloads/colorful_demo$ touch normal_file.txt image.jpg
  archive.zip
7 (base) max@qmobile:~/Downloads/colorful_demo$ mkdir directory_folder
8 (base) max@qmobile:~/Downloads/colorful_demo$ echo "test" > executable_file &&
  chmod +x executable_file
9 (base) max@qmobile:~/Downloads/colorful_demo$ ln -s normal_file.txt symlink_file
10 (base) max@qmobile:~/Downloads/colorful_demo$ tree
11 .
12 |— archive.zip
13 |— directory_folder
14 |— executable_file
15 |— image.jpg
16 |— normal_file.txt
17 |— symlink_file -> normal_file.txt
18
19 1 directory, 5 files
20 (base) max@qmobile:~/Downloads/colorful_demo$ cd .. && rm -rf colorful_demo
21 (base) max@qmobile:~/Downloads$ 注销
22
23 Script done on 2025-11-01 07:59:24+01:00 [COMMAND_EXIT_CODE="0"]
```

4 Theme Switching

To switch themes in your document, use:

```
\terminalcodetheme{dark}    % Dark theme (default)
\terminalcodetheme{light}   % Light theme
```

5 Including Files

To include terminal output files in your document:

```
\terminput[<language>]{<title>}{<file-path>}
```

Parameters:

- **<language>**: Optional language tag (bash, python, text, etc.)
- **<title>**: Display title for the output box
- **<file-path>**: Relative or absolute path to the file