

Table of Contents

S.no	Title	Population Set	TFL Key	Treatment Arm Set	Statistic Set
1	ARS-LB-T04: Summary of Observed and Change from Baseline by Scheduled Visits - Urine Analysis Tests (Safety Population)	Safety Population		Treatment Group 2	Statistics Set 1

ARS-LB-T04**Summary of Observed and Change from Baseline by Scheduled Visits - Urine Analysis Tests**

(ADSL.SAFFL EQ Y)

Safety Population

Parameter (Units) Visit	ADAM / ADSL / TRT01AN (ADSL.TRT01AN EQ 1) Xanomeline Low Dose (N=XX)	ADAM / ADSL / TRT01AN (ADSL.TRT01AN EQ 2) Xanomeline High Dose (N=XX)	ADAM / ADSL / TRT01AN (ADSL.TRT01AN EQ 3) Placebo (N=XX)
ADAM / ADLBURI / PARAM (ADLBURI.PARAM NOT IN ' ')AND(ADLBURI.ANL01FL EQ 'Y')			
Parameter [results terminology]			
ADAM / ADLBURI / AVISIT (ADLBURI.AVISIT EQ 'BASELINE')AND(ADLBURI.AN L01FL EQ 'Y')			
Baseline			
n	XX	XX	XX
Mean (SD)	XX.X (XX.XX)	XX.X (XX.XX)	XX.X (XX.XX)
Median	XX.X	XX.X	XX.X
Min, Max	XX.X, XX.X	XX.X, XX.X	XX.X, XX.X
ADAM / ADLBURI / AVISIT (ADLBURI.AVISIT NOT IN 'BASELINE')AND(ADLBURI.AN L01FL EQ 'Y')			
<Visit n>			
n	XX	XX	XX

Mean (SD)	XX.X (XX.XX)	XX.X (XX.XX)	XX.X (XX.XX)
Median	XX.X	XX.X	XX.X
Min, Max	XX.X, XX.X	XX.X, XX.X	XX.X, XX.X
ADAM / ADLBURI / AVISIT (ADLBURI.AVISIT NOT IN 'BASELINE')AND(ADLBURI.AN L01FL EQ 'Y') <Visit n Change from Baseline>			
n	XX	XX	XX
Mean (SD)	XX.X (XX.XX)	XX.X (XX.XX)	XX.X (XX.XX)
Median	XX.X	XX.X	XX.X
Min, Max	XX.X, XX.X	XX.X, XX.X	XX.X, XX.X

Note: Baseline is defined as the last assessment that is non-missing prior to first dose of investigational product.

Source: adxx; Program name; Program run date/time

Programming Notes: Repeat for all analysis parameters by each analysis visits as per the results terminology provided.