# EXP4: WEB FORM DEVELOPED USING SERVLET PROGRAM

### AIM:

To create a web form that accepts a user's name and age, processes the data using JavaScript, and displays the submitted details with a stylish UI and animations.

#### **ALGORITHM:**

# Step 1: Start

#### **Step 2: Design the Web Form**

• Create an HTML form with two input fields:

 $\circ$  Name (Text Input)  $\circ$ 

Age (Number Input)  $\square$  Add a submit button.

#### **Step 3: Apply CSS Styles**

- Use gradient background, smooth input effects, button hover effects, and animations.
- Style the form, inputs, button, and result display area.

#### **Step 4: Write JavaScript for Form Handling**

- Attach an **event listener** to the form submit event.
- Get user input values (name and age).
- Validate input fields (ensure **name is not empty** and **age is valid**).
- If validation fails, show an alert.
- If valid, display the submitted details dynamically.

#### **Step 5: Show Output Dynamically**

- Use JavaScript to update the UI and display the submitted data in a formatted box.
  - Use **smooth animations** for better user experience.

# Step 6: End

```
PROGRAM:
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>User Form</title>
  <style>
    /* Import Google Font */
     @import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;600&display=swap');
    /* Page Styling */
body {
       font-family: 'Poppins', sans-serif;
       background: linear-gradient(135deg, #ff9a9e, #fad0c4);
display: flex;
                    justify-content: center;
                                                   align-
items: center;
                     height: 100vh;
                                           margin: 0;
       animation: fadeIn 1s ease-in-out;
     }
    /* Form Container */
    .container {
background: white;
padding: 25px;
border-radius: 12px;
       box-shadow: 0px 5px 15px rgba(0, 0, 0, 0.2);
width: 350px;
       text-align: center;
                                transition:
transform 0.3s ease-in-out;
```

```
}
    .container:hover {
transform: scale(1.05);
    }
     h2 {
                 color: #ff4d6d;
                                        font-
weight: 600;
                    margin-bottom: 15px;
text-shadow: 1px 1px 2px rgba(0, 0, 0, 0.2);
    }
    /* Input Fields */
label {
              font-weight:
600;
            color: #444;
display: block;
margin: 10px 0 5px;
     input {
                    width:
100%;
              padding: 10px;
border: 2px solid #ff4d6d;
border-radius: 8px;
                           font-
size: 16px;
                   outline: none;
       transition: all 0.3s ease-in-out;
    }
    input:focus {
border-color: #ff165d;
       box-shadow: 0px 0px 10px rgba(255, 22, 93, 0.4);
    }
```

```
/* Submit Button */
                background:
button {
#ff4d6d;
                color:
white;
              border: none;
padding: 12px;
cursor: pointer;
width: 100%;
                     font-
size: 18px;
                   font-
weight: 600;
                    border-
radius: 8px;
                   margin-
top: 15px;
       transition: background 0.3s ease-in-out, transform 0.2s;
     }
     button:hover {
background: #ff165d;
transform: scale(1.05);
     }
     button:active {
transform: scale(0.95);
                            }
    /* Output Box */
.output {
                display:
             margin-top:
none;
             padding: 15px;
20px;
border-radius: 8px;
background: #e0f7fa;
color: #00796b;
                       font-
```

```
size: 16px;
                  text-
align: left;
       box-shadow: 0px 4px 10px rgba(0, 0, 0, 0.1);
animation: slideIn 0.5s ease-in-out;
    }
    /* Animations */
@keyframes fadeIn {
       from { opacity: 0; transform: translateY(-10px); }
to { opacity: 1; transform: translateY(0); }
     }
     @keyframes slideIn {
       from { opacity: 0; transform: translateY(20px); }
to { opacity: 1; transform: translateY(0); }
  </style>
</head>
<body>
  <div class="container">
     <h2>Enter Your Details</h2>
    <form id="userForm">
       <label for="name">Name:</label>
       <input type="text" id="name" name="name" required placeholder="Enter your</pre>
name...">
       <label for="age">Age:</label>
       <input type="number" id="age" name="age" required placeholder="Enter your</pre>
age...">
       <button type="submit">Submit</button>
```

```
</form>
    <div class="output" id="output"></div>
  </div>
  <script>
    document.getElementById("userForm").addEventListener("submit", function(event) {
event.preventDefault(); // Prevent form submission
       let name = document.getElementById("name").value.trim();
let age = document.getElementById("age").value.trim();
       if (name === "" \parallel age === "" \parallel age <= 0) {
alert(" ⚠ Please enter a valid name and age."); return;
       }
       // Display the submitted data with an animation let
                      document.getElementById("output");
outputBox
outputBox.innerHTML =
         `<h3>♥ Submitted Details</h3>
         <b>Name:</b> ${name}
 < b > Age: </b > {age} ;
outputBox.style.display = "block";
    });
  </script>
</body>
</html>
```

# **OUTPUT:**

<b>Enter Your De</b>	tails
Name:	
Lovisha	
Age:	
19	
Submit	
Submitted Details	
Name: Lovisha	
<b>Age:</b> 19	

**RESULT:** The creation of web form using servlet program was executed successfully.