

API GET:

GET ALL WITH PAGE

Page size is set to 10

SpringMongo / GET / GETALL Save ⌵ ⋮

GET ⌵ http://localhost:8080/?page=0

Params ● Authorization Headers (6) Body Pre-request Script Tests Settings

Query Params

	KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/>	page	0	

Body Cookies Headers (5) Test Results 🌐 200 OK 591 ms 3.42 KB

Pretty Raw Preview Visualize JSON ⌵ ⇌

```
1  {
2    "content": [
3      {
4        "id": "62b52cfed4b60ba5cef43033",
5        "bookName": "Lilies of the Field",
6        "authorName": "Jermaine Hammes",
7        "dateCreated": "2004-12-30",
8        "description": "Facere laboriosam ducimus et aut velit. Sit ullam error quas incidi
9      },
10     {
11       "id": "62b52cfed4b60ba5cef44700",
12       "bookName": "Nine Coaches Waiting",
13       "authorName": "Ambrose Boyer III",
14       "dateCreated": "2004-12-30",
15       "description": "Quaerat ipsa laudantium enim rem eum voluptates perferendis. Ut eur
16     },
```

GET BY ID

SpringMongo / GET / GET BY ID

GET



http://localhost:8080/get/62b42883d20f8e7712b9ec3d

GET BY AUTHORNAME OR BOOKNAME USING FULLTEXT INDEX WITH CASE SENSITIVE

1 usage

```
@Query("{\"$text\": {\"$search\": ?0, \"$caseSensitive\": true}}\")  
List<Book> findByQuery(String search);
```

SpringMongo / GET / GET INDEX

Save ...

GET



http://localhost:8080/getindex?search=bake

Params Authorization Headers (6) Body Pre-request Script Tests Settings

Query Params

	KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/>	search	bake	

Body Cookies Headers (5) Test Results

200 OK 57 ms 304 B

Pretty

Raw

Preview

Visualize

JSON



```
1 {  
2   {  
3     "id": "62b51e7b63373c208ea382b4",  
4     "bookName": "baking",  
5     "authorName": "mongo db",  
6     "dateCreated": "1991-05-19",  
7     "description": "Book about baking"  
8   }  
9 }
```

GET

GET BY DATE BETWEEN WITH PAGE

SpringMongo / GET / GET BY DATE

Save

...

GET

http://localhost:8080/date?start=2005-01-01 &end=1990-01-01&page=0

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Query Params

	KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/>	start	2005-01-01	
<input checked="" type="checkbox"/>	end	1990-01-01	
<input checked="" type="checkbox"/>	page	0	
	Key	Value	Description

Body

Cookies

Headers (5)

Test Results

200 OK

456 ms

1.69 KB

Pretty

Raw

Preview

Visualize

JSON

1

{

2

"content": [

3

{

4

"id": "62b42883d20f8e7712b9ec3d",

5

"bookName": "The Lord of the Rings",

6

"authorName": "J.R.R. Tolkien",

7

"dateCreated": "2001-04-15",

8

"description": "the characters of Middle Earth, a beautiful and very expansive fan

that although it is filled with innocence"

9

},

GET BY AUTHORNAME OR BOOKNAME USING CONTAINS WITH PAGE

SpringMongo / GET / GET BY AUTHOR & BOOK NAME CONTAINS

Save

...

GET

http://localhost:8080/get?bookname=The&authorname=Jones&page=0

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Query Params

	KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/>	bookname	The	
<input checked="" type="checkbox"/>	authorname	Jones	
<input checked="" type="checkbox"/>	page	0	
	Key	Value	Description

Body

Cookies

Headers (5)

Test Results

200 OK

192 ms

3.31 KB

S

Pretty

Raw

Preview

Visualize

JSON

```
1 {
2   "content": [
3     {
4       "id": "62b52cfdd4b60ba5cef40a2a",
5       "bookName": "The Violent Bear It Away",
6       "authorName": "Yessenia Jones DVM",
7       "dateCreated": "1974-02-04",
8       "description": "Culpa earum fugiat molestias minima mollitia qui omnis. Expedita cor
9         deserunt iure. Ullam dolorem maxime ea error excepturi modi. Eum quis et vel ape
10        Occaecati dolor quod autem velit ea."
11     }
12   ],
13   "page": 0
14 }
```

API CREATE NEW BOOK

SpringMongo / CREATE Save

POST ▼ http://localhost:8080/cr

Params Authorization Headers (8) **Body** ● Pre-request Script Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON** ▼

```
1 {
2   ... "bookName": "The Hobbit",
3   ... "authorName": "J.R.R. Tolkien",
4   ... "dateCreated": "1934-04-15",
5   ... "description": "The Hobbit is a must for every Lord of the Rings fan."
6 }
```

API UPDATE A BOOK

SpringMongo / UPDATE Save

PUT ▼ http://localhost:8080/up?id=62b289e100da2e46e38e08fe


Params ● Authorization Headers (8) **Body** ● Pre-request Script Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON** ▼

```
1 {
2   ... "bookName": "introduction to ruby",
3   ... "authorName": "lee",
4   ... "dateCreated": "2016-01-10",
5   ... "description": "sach hay"
6 }
```

API DELETE A BOOK

SpringMongo / DELETE

 Save

▼

DELETE ▼

http://localhost:8080/del?id=62b28cf1c3cc1749f8a36dbc

Params ●

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Query Params

	KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/>	id	62b28cf1c3cc1749f8a36dbc	
	Key	Value	Description