

Select Command Prompt

Trace complete.

C:\Users\Konka>ping 172.18.64.1

Pinging 172.18.64.1 with 32 bytes of data:

Reply from 172.18.64.1: bytes=32 time=6ms TTL=255

Reply from 172.18.64.1: bytes=32 time=10ms TTL=255

Reply from 172.18.64.1: bytes=32 time=5ms TTL=255

Reply from 172.18.64.1: bytes=32 time=6ms TTL=255

Ping statistics for 172.18.64.1:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 5ms, Maximum = 10ms, Average = 6ms

C:\Users\Konka>ifconfig

'ifconfig' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\Konka>netstat

Active Connections

Proto	Local Address	Foreign Address	State
TCP	127.0.0.1:49693	MANASA:49694	ESTABLISHED
TCP	127.0.0.1:49694	MANASA:49693	ESTABLISHED
TCP	127.0.0.1:49695	MANASA:49696	ESTABLISHED
TCP	127.0.0.1:49696	MANASA:49695	ESTABLISHED
TCP	127.0.0.1:49711	MANASA:50637	ESTABLISHED
TCP	127.0.0.1:49711	MANASA:50639	ESTABLISHED
TCP	127.0.0.1:49711	MANASA:50641	ESTABLISHED
TCP	127.0.0.1:49711	MANASA:50642	ESTABLISHED
TCP	127.0.0.1:49711	MANASA:50643	ESTABLISHED
TCP	127.0.0.1:49711	MANASA:50708	ESTABLISHED
TCP	127.0.0.1:49711	MANASA:50709	ESTABLISHED
TCP	127.0.0.1:49711	MANASA:53420	ESTABLISHED
TCP	127.0.0.1:49711	MANASA:53432	ESTABLISHED
TCP	127.0.0.1:49711	MANASA:53447	ESTABLISHED
TCP	127.0.0.1:49711	MANASA:53449	ESTABLISHED
TCP	127.0.0.1:49711	MANASA:53460	ESTABLISHED



Search



ENG
IN



10:44
30-01-2023

Select Command Prompt

TCP	127.0.0.1:49711	MANASA:53460	ESTABLISHED
TCP	127.0.0.1:49712	MANASA:49713	ESTABLISHED
TCP	127.0.0.1:49713	MANASA:49712	ESTABLISHED
TCP	127.0.0.1:49716	MANASA:49717	ESTABLISHED
TCP	127.0.0.1:49717	MANASA:49716	ESTABLISHED
TCP	127.0.0.1:49886	MANASA:49887	ESTABLISHED
TCP	127.0.0.1:49887	MANASA:49886	ESTABLISHED
TCP	127.0.0.1:50170	MANASA:50171	ESTABLISHED
TCP	127.0.0.1:50171	MANASA:50170	ESTABLISHED
TCP	127.0.0.1:50637	MANASA:49711	ESTABLISHED
TCP	127.0.0.1:50639	MANASA:49711	ESTABLISHED
TCP	127.0.0.1:50641	MANASA:49711	ESTABLISHED
TCP	127.0.0.1:50642	MANASA:49711	ESTABLISHED
TCP	127.0.0.1:50643	MANASA:49711	ESTABLISHED
TCP	127.0.0.1:50708	MANASA:49711	ESTABLISHED
TCP	127.0.0.1:50709	MANASA:49711	ESTABLISHED
TCP	127.0.0.1:51051	MANASA:51052	ESTABLISHED
TCP	127.0.0.1:51052	MANASA:51051	ESTABLISHED
TCP	127.0.0.1:53420	MANASA:49711	ESTABLISHED
TCP	127.0.0.1:53432	MANASA:49711	ESTABLISHED
TCP	127.0.0.1:53447	MANASA:49711	ESTABLISHED
TCP	127.0.0.1:53449	MANASA:49711	ESTABLISHED
TCP	127.0.0.1:53460	MANASA:49711	ESTABLISHED
TCP	172.18.58.217:50402	maa05s15-in-f10:https	CLOSE_WAIT
TCP	172.18.58.217:50409	117.18.237.29:http	ESTABLISHED
TCP	172.18.58.217:50410	si-in-f109:465	ESTABLISHED
TCP	172.18.58.217:50412	52.98.123.242:https	CLOSE_WAIT
TCP	172.18.58.217:50891	117.18.232.200:https	ESTABLISHED
TCP	172.18.58.217:50893	a23-205-88-48:https	ESTABLISHED
TCP	172.18.58.217:50899	13.107.21.200:https	ESTABLISHED
TCP	172.18.58.217:50955	maa05s28-in-f10:https	ESTABLISHED
TCP	172.18.58.217:51132	whatsapp-cdn-shv-02-maa2:https	ESTABLISHED
TCP	172.18.58.217:53452	a69-192-1-9:https	ESTABLISHED
TCP	172.18.58.217:53465	52.123.128.254:https	CLOSE_WAIT
TCP	172.18.58.217:53469	13.107.3.254:https	ESTABLISHED
TCP	172.18.58.217:53471	204.79.197.222:https	CLOSE_WAIT
TCP	172.18.58.217:53476	a-0001:https	CLOSE_WAIT
TCP	172.18.58.217:53478	a-0001:https	ESTABLISHED
TCP	172.18.58.217:53501	77.74.181.36:https	ESTABLISHED
TCP	172.18.58.217:53510	sc-in-f188:https	ESTABLISHED
TCP	172.18.58.217:53514	20.42.73.24:https	ESTABLISHED
TCP	172.18.58.217:53519	180.87.4.143:https	ESTABLISHED



Search



ENG
IN

10:44
30-01-2023

Select Command Prompt

Microsoft Windows [Version 10.0.22000.1455]

(c) Microsoft Corporation. All rights reserved.

C:\Users\Konka>tracert saveetha.com

Tracing route to saveetha.com [118.139.175.1]
over a maximum of 30 hops:

1	15 ms	9 ms	4 ms	172.18.48.1
2	4 ms	4 ms	23 ms	172.22.3.1
3	20 ms	28 ms	21 ms	172.22.7.2
4	*	*	*	Request timed out.
5	*	*	54 ms	61.95.248.189
6	56 ms	*	58 ms	182.79.224.183
7	*	*	*	Request timed out.
8	*	*	*	Request timed out.
9	*	*	*	Request timed out.
10	*	*	*	Request timed out.
11	*	*	*	Request timed out.
12	*	*	*	Request timed out.
13	*	*	*	Request timed out.
14	*	*	*	Request timed out.
15	*	*	*	Request timed out.
16	*	*	*	Request timed out.
17	*	*	*	Request timed out.
18	*	*	*	Request timed out.
19	*	*	*	Request timed out.
20	*	*	*	Request timed out.
21	*	*	*	Request timed out.
22	*	*	*	Request timed out.
23	*	*	*	Request timed out.
24	*	*	*	Request timed out.
25	*	*	*	Request timed out.
26	*	*	*	Request timed out.
27	*	*	*	Request timed out.
28	*	*	*	Request timed out.
29	*	*	*	Request timed out.
30	*	*	*	Request timed out.

Trace complete.



Search



ENG
IN



10:43
30-01-2023

Command Prompt

```

2 17 ms 2 ms 2 ms 172.22.3.1
3 26 ms 20 ms 102 ms 172.22.7.2
4 * * * Request timed out.
5 35 ms 60 ms 29 ms 10.119.236.225
6 * 76 ms 315 ms 10.163.251.113
7 137 ms * 49 ms 10.119.73.122
8 31 ms 63 ms 40 ms 115.247.85.129
9 * * * Request timed out.
10 * * * Request timed out.
11 * * * Request timed out.
12 * * * Request timed out.
13 * * * Request timed out.
14 * * * Request timed out.
15 130 ms 129 ms 236 ms akamai-ic327078-snge-b1.ip.twelve99-cust.net [62.115.36.235]
16 80 ms 66 ms * po110.bs-a.sech-sin.netarch.akamai.com [23.57.106.243]
17 * * * Request timed out.
18 * * * Request timed out.
19 * * * Request timed out.
20 * * * Request timed out.
21 * * * Request timed out.
22 * * * Request timed out.
23 * * * Request timed out.
24 * * * Request timed out.
25 * * * Request timed out.
26 * * * Request timed out.
27 * * * Request timed out.
28 * * * Request timed out.
29 * * * Request timed out.
30 * * * Request timed out.

```

Trace complete.

C:\Users\Lenovo>netstat

Active Connections

Proto	Local Address	Foreign Address	State
TCP	172.18.48.213:60565	1drv:https	ESTABLISHED
TCP	172.18.48.213:60610	20.189.173.7:https	ESTABLISHED
TCP	172.18.48.213:60625	maa03s40-in-f19:https	TIME_WAIT
TCP	172.18.48.213:60649	se-in-f188:https	ESTABLISHED
TCP	172.18.48.213:60652	maa03s43-in-f10:https	ESTABLISHED
TCP	172.18.48.213:60653	se-in-f188:https	ESTABLISHED
TCP	172.18.48.213:60657	ge-in-f94:https	ESTABLISHED
TCP	172.18.48.213:60662	DESKTOP-RE3SM3I:ms-do	TIME_WAIT
TCP	172.18.48.213:60664	20.205.248.27:https	ESTABLISHED
TCP	172.18.48.213:60665	maa05s19-in-f3:https	ESTABLISHED
TCP	172.18.48.213:60666	maa05s19-in-f3:https	ESTABLISHED

C:\Users\Lenovo>

Type here to search



29°C Partly sunny 10:26 27-01-2023

Command Prompt

```

24 * * * Request timed out.
25 * * * Request timed out.
26 * * * Request timed out.
27 * * * Request timed out.
28 * * * Request timed out.
29 * * * Request timed out.
30 * * * Request timed out.

```

Trace complete.

C:\Users\Lenovo>netstat

Active Connections

Proto	Local Address	Foreign Address	State
TCP	172.18.48.213:60565	ldrv:https	ESTABLISHED
TCP	172.18.48.213:60610	20.189.173.7:https	ESTABLISHED
TCP	172.18.48.213:60625	maa03s40-in-f19:https	TIME_WAIT
TCP	172.18.48.213:60649	se-in-f188:https	ESTABLISHED
TCP	172.18.48.213:60652	maa03s43-in-f10:https	ESTABLISHED
TCP	172.18.48.213:60653	se-in-f188:https	ESTABLISHED
TCP	172.18.48.213:60657	ge-in-f94:https	ESTABLISHED
TCP	172.18.48.213:60662	DESKTOP-RE3SM3I:ms-do	TIME_WAIT
TCP	172.18.48.213:60664	20.205.248.27:https	ESTABLISHED
TCP	172.18.48.213:60665	maa05s19-in-f3:https	ESTABLISHED
TCP	172.18.48.213:60666	maa05s19-in-f3:https	ESTABLISHED

C:\Users\Lenovo>ping 192.168.1.1

Pinging 192.168.1.1 with 32 bytes of data:

```

Request timed out.
Request timed out.
Request timed out.
Request timed out.

```

Ping statistics for 192.168.1.1:

Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\Users\Lenovo>ping 172.18.64.1

Pinging 172.18.64.1 with 32 bytes of data:

```

Reply from 172.18.64.1: bytes=32 time=29ms TTL=255
Reply from 172.18.64.1: bytes=32 time=32ms TTL=255
Reply from 172.18.64.1: bytes=32 time=16ms TTL=255
Reply from 172.18.64.1: bytes=32 time=23ms TTL=255

```

Ping statistics for 172.18.64.1:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 16ms, Maximum = 32ms, Average = 25ms

C:\Users\Lenovo>

Type here to search



29°C Partly sunny 10:29 27-01-2023 ENG

Microsoft Windows [Version 10.0.19045.2486]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Lenovo>command prompt and tracert command and tracert www.saveetha.com
'command' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\Lenovo>prompt

C:\Users\Lenovo>tracert

Usage: tracert [-d] [-h maximum_hops] [-j host-list] [-w timeout]
[-R] [-S srcaddr] [-4] [-6] target_name

Options:

-d	Do not resolve addresses to hostnames.
-h maximum_hops	Maximum number of hops to search for target.
-j host-list	Loose source route along host-list (IPv4-only).
-w timeout	Wait timeout milliseconds for each reply.
-R	Trace round-trip path (IPv6-only).
-S srcaddr	Source address to use (IPv6-only).
-4	Force using IPv4.
-6	Force using IPv6.

C:\Users\Lenovo>tracert www.saveetha.com

Tracing route to www.saveetha.com [198.49.23.144]
over a maximum of 30 hops:

1	18 ms	18 ms	23 ms	172.18.48.1
2	17 ms	2 ms	2 ms	172.22.3.1
3	26 ms	20 ms	102 ms	172.22.7.2
4	*	*	*	Request timed out.
5	35 ms	60 ms	29 ms	10.119.236.225
6	*	76 ms	315 ms	10.163.251.113
7	137 ms	*	49 ms	10.119.73.122
8	31 ms	63 ms	40 ms	115.247.85.129
9	*	*	*	Request timed out.
10	*	*	*	Request timed out.
11	*	*	*	Request timed out.
12	*	*	*	Request timed out.
13	*	*	*	Request timed out.
14	*	*	*	Request timed out.
15	130 ms	129 ms	236 ms	akamai-ic327078-snge-b1.ip.twelve99-cust.net [62.115.36.235]
16	80 ms	66 ms	*	pol10.bs-a.sech-sin.netarch.akamai.com [23.57.106.243]
17	*	*	*	Request timed out.
18	*	*	*	Request timed out.
19	*	*	*	Request timed out.
20	*	*	*	Request timed out.
21	*	*	*	Request timed out.
22	*	*	*	Request timed out.
23	*	*	*	Request timed out.

```
root@kali: ~
File Actions Edit View Help
Minimize all open windows and show the desktop
(root@kali)-[~]
# ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.0.2.15 netmask 255.255.255.0 broadcast 10.0.2.255
    inet6 fe80::a00:27ff:fece:e8ce prefixlen 64 scopeid 0<20<link>
    ether 08:00:27:cf:e8:ce txqueuelen 1000 (Ethernet)
    RX packets 3045 bytes 1985660 (1.8 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 4527 bytes 471395 (460.3 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0<10<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 180 bytes 12896 (12.5 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 180 bytes 12896 (12.5 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

(root@kali)-[~]
#
```