

Model Curriculum

Cobbler

SECTOR: LEATHER
SUB-SECTOR: Footwear / Goods and Garments
OCCUPATION: Repairing & Footwear Making
REF ID: LSS/Q4101, V1.0
NSQF LEVEL: 4



Certificate

CURRICULUM COMPLIANCE TO QUALIFICATION PACK – NATIONAL OCCUPATIONAL STANDARDS

is hereby issued by the

LEATHER SECTOR SKILL COUNCIL

for

MODEL CURRICULUM

Complying to National Occupational Standards of
Job Role/ Qualification Pack: 'Cobbler' QP No. 'LSS/Q 4101 NSQF Level 4'

Date of Issuance: April 9th, 2016

Valid up to*: April 10th, 2018

*Valid up to the next review date of the Qualification Pack or the
'Valid up to' date mentioned above (whichever is earlier)



Authorised Signatory
(Leather Sector Skill Council)

TABLE OF CONTENTS

1. Curriculum	01
2. Trainer Prerequisites	09
3. Annexure: Assessment Criteria	10

This course encompasses 7 out of 7 Compulsory NOS (National Occupational Standards), 1 out of 1 Optional NOS of “Cobbler” Qualification Pack issued by “Leather Sector Skill Council”.

Sr. No.	Module	Key Learning Outcomes	Equipment Required
1	Overview on Leather industry and Generic Skills Theory Duration (hh:mm) 08:00 Practical Duration (hh:mm) 09:00 Corresponding NOS code Core skills/Generic skills and professional skills collated from all the NOS of the QP	- Explain the importance of leather industry - Describe leather manufacturing process - Explain general hazards or risk that can lead to accidents - Follow basic safety, health and hygiene measures - Wear and use PPE for safety - Carry out communication effectively with co-workers in writing as well as orally - Read and understand manuals, health and safety instructions, memos, reports and job cards	Laptop, White board, Marker, Projector, Stationary, Flip chart display stand, Safety hazard signs Newspaper, PPE set
2	Carry out complex repairs on the footwear and other goods Theory Duration (hh:mm) 09:00 Practical Duration (hh:mm) 40:00 Corresponding NOS Code LSS/N4101	- Describe leather and artificial leather - Explain materials used in making footwear - Describe hand tools for repairing of footwear - Explain stitching and pasting methods - Explain trimming procedures - Identify different types of stitching - Stitch the torn part using appropriate tools and materials - Use hand tools and perform different types of stitching - Perform heel attaching/ heel replacing/ heel trimming as per repair requirements - Fix various types of accessories of the footwear	Lap top, Marker, Projector, White projector screen, Stationary White board, Nylon thread, Dendrite adhesives, Bit pieces of leathers of various colours, Rubber soles of various thickness, Rubber solution, Silver & white pencils, Heel stack, Fillers, Shank, Cork, Heel pad, Nails, PU adhesive, Leather board, Soling, Last, Upper, Toe cap, Cork, Heel pad, Adhesive tape, Card board, Leather dyes, Eyelets, Wrapping paper, Packaging box, Cutting board, Shoe last, Pincers, Lasting plier, Hand sewing needle, Screw driver, Spanners, Lasting Hammers, Mallet, Iron rod, Scrapper tool for roughing, Khurpi/Rampi, Bench grinder, Lacing chisels, Rotary punch, Stitching awl, Stitch marker, Scratch awl, Beading hammer, Gimping scissor, Manual stamping equipment, Manual embossing tool, Glue dispenser, Eyeleting hand press, Sewing machine, Channel opener, Pricking awl, Edge

Sr. No.	Module	Key Learning Outcomes	Equipment Required
			setting iron, Heel iron, Nail puller, Utility knife, Flexible measurement tape, Stainless steel scale/ruler, Compasses, Leather thickness measuring gauge, Brush, Cotton cloth, woollen brush, Stiff bristle brush, Dauber brush, Shoe Polish, Cream, Wax, Liquid silica, Thinner, Nylon brush, Mild soapy water, Scouring pad, Crepe rubber, Soft sponge rubber, Lighter, Fire extinguisher, First aid kit, waste containers, Dust pan & Brush set
3	Carry out footwear making operation using hand tools, equipment and basic machines Theory Duration (hh:mm) 06:00 Practical Duration (hh:mm) 30:00 Corresponding NOS Code LSS/N4102	• Ensure the work area is free from hazard • Select appropriate tools and materials for the work • Set up the equipment • Check the quality and characteristics of the material match the required standards before starting to cut • Perform cutting and ensure cut material is correctly sorted • Perform skiving operation as per the specification • Carryout folding post skiving • Perform hand and machine stitching • Stitch the correct materials in the right sequence as required by the production specification • Perform visual inspection after the stitching is complete • Perform lasting using hand tools • Ensure the lasted upper is free from production and handling damages • Perform sole attaching • Clean the footwear carefully to remove any residues • Carry out stamping/embossing • Polish the footwear with a manual brush • Wrap the footwear with wrapping paper and then place in the box	Lap top, Marker, Projector, White projector screen, Stationary White board, Nylon thread, Dendrite adhesives, Bit pieces of leathers of various colours, Rubber soles of various thickness, Rubber solution, Silver & white pencils, Heel stack, Fillers, Shank, Cork, Heel pad, Nails, PU adhesive, Leather board, Soling, Last, Upper, Toe cap, Cork, Heel pad, Adhesive tape, Card board, Leather dyes, Eyelets, Wrapping paper, Packaging box, Cutting board, Shoe last, Pincers, Lasting plier, Hand sewing needle, Screw driver, Spanners, Lasting Hammers, Mallet, Iron rod, Scrapper tool for roughing, Khurpi/Rampi, Bench grinder, Lacing chisels, Rotary punch, Stitching awl, Stitch marker, Scratch awl, Beading hammer, Gimping scissor, Manual stamping equipment, Manual embossing tool, Glue dispenser, Eyeleting hand press, Sewing machine, Channel opener, Pricking awl, Edge setting iron, Heel iron, Nail puller, Utility knife, Flexible measurement tape, Stainless steel scale/ruler, Compasses, Leather thickness measuring gauge, Brush, Cotton cloth, woollen brush, Stiff bristle brush, Dauber brush, Shoe Polish, Cream, Wax, Liquid silica, Thinner, Nylon brush, Mild soapy water,

Sr. No.	Module	Key Learning Outcomes	Equipment Required
			Scouring pad, Crepe rubber, Soft sponge rubber, Lighter, Fire extinguisher, First aid kit, waste containers, Dust pan & Brush set
4	Contribute to Achieving Product Quality in leather repair works and footwear making Theory Duration (hh:mm) 04:00 Practical Duration (hh:mm) 25:00 Corresponding NOS Code LSS/N4103	- Examine the footwear/leather goods to determine the repair required - Identify faults in finished products and trace their causes - Check the working condition of the tool - Ensure that stitching done appropriately - Ensure loose threads are trimmed after stitching - Identify faults in materials and products - Trim the loose threads if any after the stitching is complete - Clean and polish the footwear/goods after the repair is complete	Lap top, Marker, Projector, White projector screen, Stationary White board, Cutting board, Shoe last, Pincers, Lasting plier, Hand sewing needle, Screw driver, Spanners, Lasting Hammers, Mallet, Iron rod, Scraper tool for roughing, Khurpi/Rampi, Bench grinder, Lacing chisels, Rotary punch, Stitching awl, Stitch marker, Scratch awl, Beading hammer, Gimping scissor, Manual stamping equipment, Manual embossing tool, Glue dispenser, Eyeletting hand press, Sewing machine, Channel opener, Pricking awl, Edge setting iron, Heel iron, Nail puller, Utility knife, Flexible measurement tape, Stainless steel scale/ruler, Compasses, Leather thickness measuring gauge, Brush, Cotton cloth, woollen brush, Stiff bristle brush, Dauber brush, Shoe Polish, Cream, Wax, Liquid silica, Thinner, Nylon brush, Mild soapy water, Scouring pad, Crepe rubber, Soft sponge rubber, Lighter, Fire extinguisher, First aid kit, waste containers, Dust pan & Brush set
5	Coordinate with vendors and footwear manufacturing unit for work orders Theory Duration (hh:mm) 02:00 Practical Duration (hh:mm) 13:00 Corresponding NOS Code LSS/N4104	- Distribute and delegate work with vendors - Follow up with vendors to ensure work is completed before the deadline - Ensure the quality of work done by vendors meet required standards - Receive the work orders from the clients - Ensure work orders are delivered on time - Inspect the quality of the final product before the final delivery to	Lap top, Marker, Projector, White projector screen, Stationary White board, Calculator

Sr. No.	Module	Key Learning Outcomes	Equipment Required
		the client - Look for potential clients to expand the clientele - Check the amount received from the customer/client for the work order - Receive payment via different modes – cash, cheque, online transfers - Maintain record and documentation	
6	Start and manage enterprise for footwear repair and assembling Theory Duration (hh:mm) 02:00 Practical Duration (hh:mm) 10:00 Corresponding NOS Code LSS/N4105	- Check the prices of various materials used for repair of footwear from the market - Identify the material required for repair of the footwear - Maintain record of purchase from the market/dealers - Identify customer requirements for the repair of the footwear - Estimate the cost based on the mending required - Communicate to the customers the charges for the repair of the footwear - Ensure repair of the footwear is completed as per customer requirements - Check the amount received from the customer for repair done - Check the amount received from the customer and return the balance amount - Maintain record of money earned on a daily basis - Calculate the inflow and outflow of cash to determine the profits	Lap top, Marker, Projector, White projector screen, Stationary White board, Calculator
7	Maintain the Work Area, Tools and equipment Theory Duration (hh:mm) 04:00 Practical Duration (hh:mm)	- Ensure housekeeping and safety - Maintain workplace, tools and equipment - Identify the material requirements for cleaning the areas inspected by, considering risk, time, efficiency and type of stain - Ensure that the cleaning equipment is in proper working	Lap top, Marker, Projector, White projector screen, Stationary White board, Gloves, Helmet, Safety shoe, Ear plug, Apron, Goggles, Cleaning cloth, Water bucket, Cleaning materials, Mop, Dust bin, Broom

Sr. No.	Module	Key Learning Outcomes	Equipment Required
	17:00 Corresponding NOS Code LSS/N8801	condition - Plan the sequence for cleaning the area to avoid re-soiling clean areas and surfaces - Display the appropriate signage for the work being conducted	
8	Maintain Health, Safety and Security at Workplace Theory Duration (hh:mm) 04:00 Practical Duration (hh:mm) 11:00 Corresponding NOS Code LSS/N8601	- Identify and correct (if possible) malfunctions in machinery and equipment - Minimize health and safety risks to self and others due to own actions - Monitor the workplace and work processes for potential risks and threats - Carry out periodic walk-through to keep work area free from hazards and obstructions, if assigned - Undertake first aid, fire-fighting and emergency response training, if asked to do so - Take action based on instructions in the event of fire, emergencies or accidents - Follow organisation procedures for shutdown and evacuation when required	Lap top, Marker, Projector, White projector screen, Stationary White board, First aid kit, Fire extinguisher, Gloves, Helmet, Safety shoe, Ear plug, Apron, Goggles
	COMPULSORY NOS: Total Duration Theory Duration 39:00 Practical Duration 155:00	Unique Equipment Required: Lap top, Marker, Projector, White projector screen, Stationery, Flip chart display stand, Safety hazard signs Newspaper, White board, Nylon thread, Dendrite adhesives, Bit pieces of leathers if various colours, Rubber soles of various thickness, Rubber solution, Silver & white pencils, Heel stack, Fillers, Shank, Cork, Heel pad, Nails, PU adhesive, Leather board, Soling, Last, Upper, Toe cap, Cork, Heel pad, Adhesive tape, Card board, Leather dyes, Eyelets, Wrapping paper, Packaging box, Cutting board, Shoe last, Pincers, Lasting plier, Hand sewing needle, Screw driver, Spanners, Lasting Hammers, Mallet, Iron rod, Scrapper tool for roughing, Khurpi/Rampi, Bench grinder, Lacing chisels, Rotary punch, Stitching awl, Stitch marker, Scratch awl, Beading hammer, Gimping scissor, Manual stamping equipment, Manual embossing tool, Glue dispenser, Eyeletting hand press, Sewing machine, Channel opener, Pricking awl, Edge setting iron, Heel iron, Nail puller, Utility knife, Flexible measurement tape, Stainless steel scale/ruler, Compasses, Leather thickness measuring gauge, Brush, Cotton cloth, woollen brush, Stiff bristle brush, Dauber brush, Shoe Polish, Cream, Wax, Liquid silica, Thinner, Nylon brush, Mild soapy water, Scouring pad, Crepe rubber, Soft sponge rubber, Lighter, Fire extinguisher, First aid kit, Calculator, Waste containers, Dust pan & Brush set	

OPTIONS (Optional to choose any or all or none)

OPTION 1: Comply with Industry, Regulatory and Organizational Requirements

Sr. No.	Module	Key Learning Outcomes	Equipment Required
1	Comply with Industry, Regulatory and Organizational Requirements Theory Duration (hh:mm) 01:00 Practical Duration (hh:mm) 05:00 Corresponding NOS Code LSS/N8701	- Carry out work functions in accordance with legislation and regulations, organizational guidelines and procedures - Apply and follow policies and procedures within your work practices - Identify and report any possible deviation to ethical requirements	Lap top, marker, Projector, White projector screen, Stationary, White board, Sample legal documents
	OPTION 1: Total Duration Theory Duration 01:00 Practical Duration 05:00	Unique Equipment Required: Lap top, marker, Projector, White projector screen, Stationary, White board, Sample legal documents	

	GRAND Total Duration Minimum Duration for the QP= 194 hrs Theory: 39 hrs Practical: 155 hrs Maximum Duration for the QP= 200 hrs Theory: 40 hrs Practical: 160 hrs	Unique Equipment Required: Lap top, Marker, Projector, White projector screen, Stationery, Flip chart display stand, Safety hazard signs Newspaper, White board, Nylon thread, Dendrite adhesives, Bit pieces of leathers if various colours, Rubber soles of various thickness, Rubber solution, Silver & white pencils, Heel stack, Fillers, Shank, Cork, Heel pad, Nails, PU adhesive, Leather board, Soling, Last, Upper, Toe cap, Cork, Heel pad, Adhesive tape, Card board, Leather dyes, Eyelets, Wrapping paper, Packaging box, Cutting board, Shoe last, Pincers, Lasting plier, Hand sewing needle, Screw driver, Spanners, Lasting Hammers, Mallet, Iron rod, Scrapper tool for roughing, Khurpi/Rampi, Bench grinder, Lacing chisels, Rotary punch, Stitching awl, Stitch marker, Scratch awl, Beading hammer, Gimping scissor, Manual stamping equipment, Manual embossing tool, Glue dispenser, Eyeletting hand press, Sewing machine, Channel opener, Pricking awl, Edge setting iron, Heel iron, Nail puller, Utility knife, Flexible measurement tape, Stainless steel scale/ruler, Compasses, Leather thickness measuring gauge, Brush, Cotton cloth, woollen brush, Stiff bristle brush, Dauber brush,	
--	---	---	--

		Shoe Polish, Cream, Wax, Liquid silica, Thinner, Nylon brush, Mild soapy water, Scouring pad, Crepe rubber, Soft sponge rubber, Lighter, Fire extinguisher, First aid kit, Calculator, Waste containers, Dust pan & Brush set, Sample legal documents
--	--	---

(This syllabus/ curriculum has been approved by [Leather Sector Skill Council](#))

Trainer Prerequisites for Job role: “Cobbler” mapped to Qualification Pack: “LSS/Q4101, v1.0”

Sr. No.	Area	Details
1	Description	To deliver accredited training service, mapping to the curriculum detailed above, in accordance with the Qualification Pack “LSS/Q4101, Version 1.0”.
2	Personal Attributes	Aptitude for conducting training, and pre/ post work to ensure competent, employable candidates at the end of the training. Strong communication skills, interpersonal skills, ability to work as part of a team; a passion for quality and for developing others; well-organised and focused, eager to learn and keep oneself updated with the latest in the mentioned field.
3	Minimum Educational Qualifications	Diploma or B.Tech, in leather footwear technology
4a	Domain Certification	Certified for Job Role: “Cobbler”, mapped to QP: “LSS/Q4101, Version 1.0”. The minimum accepted score should be as per the decision of the respective SSC guidelines.
4b	Platform Certification	Recommended that the trainer is certified for Job Role: “Trainer”, mapped to QP: “MEP/Q0102”. The minimum accepted score as per SSC guidelines is 80%.
5	Experience	5-6 years of experience in leather footwear manufacturing sector

Annexure: Assessment Criteria

Assessment Criteria	
Job Role	Cobbler
Qualification Pack	LSS/Q4101, v1.0
Sector Skill Council	Leather

Sr. No.	Guidelines for Assessment
1	Criteria for assessment for each qualification pack will be created by the sector skill council. Each performance Criteria (PC) will be assigned marks proportional to its importance in NOS. SSC will also lay down proportion of marks for Theory and Skills Practical for each PC.
2	The assessment for the theory part will be based on knowledge bank of questions created by the SSC.
3	Individual assessment agencies will create unique question papers for theory part for each candidate at each examination/training centre (as per assessment criteria below).
4	Individual assessment agencies will create unique evaluations for skill practical for every student at each examination/training centre based on these criteria.
5	To pass the Qualification Pack, every trainee should score a minimum of 70% aggregate.
6	In case of successfully passing only certain number of NOS's, the trainee is eligible to take subsequent assessment on the balance NOS's to pass the Qualification Pack.

Assessable Outcome	Assessment Criteria	Total Mark (650)	Out Of	Marks Allocation	
				Theory	Skills Practical
1.LSS/N4101: Carry out complex repairs on the footwear and other goods	PC1.Examine the damage to decide on attaching the patch to mend the footwear	100	6	2	4
	PC2.Identify the type of stitching done as per the stitching requirements on the other pair of the footwear		6	2	4
	PC3.Choose appropriate type of patch material as per the texture, colour of the material used in the footwear		6	2	4
	PC4.Choose appropriate type of thread to be used based on the thickness and the colour match of the footwear/ patch being used		6	2	4
	PC5.Apply glue for attaching and holding the patch/ parts together of required		6	2	4
	PC6.Stitch the torn part using appropriate tools and materials as per the requirement of the		6	2	4
	PC7.Perform different types of stitching using hand tools		5	2	3
	PC8.Trim the additional thread if any after the stitching is complete		6	2	4
	PC9.Check if the part is neatly stitched/ attached properly as per the other pair of the footwear		6	2	4
	PC10. Examine the heel to understand the repair requirements- heel attaching/ heel replacing/ Heel trimming		6	2	4
	PC11.Make the heel as per the requirement of the footwear - Measure the heel of the other pair to identify the dimensions of the heel - Choose the appropriate type of material as per its closeness to the original heel - Take measurements and mark appropriately - Cut the heel as per the marking using		7	2	5

Assessable Outcome	Assessment Criteria	Total Mark (650)	Out Of	Marks Allocation	
				Theory	Skills Practical
	PC12. Attach the heel to the bottom of the footwear as per the requirement of the footwear - Roughen the heel and the bottom of the shoe - Apply the glue evenly on the heel and the bottom of the footwear - Attach the heel and the bottom of the footwear appropriately - Press the heel on to the bottom of the - Remove extra nails if any on the heel or any part of the sole - Perform filling of the holes using appropriate materials		10	2	8
	PC13. Identify the type of accessory that is worn out of the footwear		5	2	3
	PC14. Attach the accessories by stitching/ pasting on the footwear		6	2	4
	PC15. Trim the extra thread from the stitches		6	2	4
	PC16. Clean the glue spillage if present on the footwear		6	2	4
	Total		100	32	68
2.LSS/N4102: Carry out footwear making Operations using hand tools,	PC1. Make sure the work area is free from hazards	300	4	2	2
	PC2. Calculate the number of components needed for production		2	0	2
	PC3. Select the tools and materials for the work		4	2	2
	PC4. Set up the equipment		2	0	2
	PC5. Check the quality and characteristics of the material match the required standards before starting to cut		6	2	4
	PC6. Use tools and equipment for hand cutting		6	2	4
	PC7. Make sure that when cutting the material - Avoid damaging self and others - Avoid damage to the knife and other equipment		6	2	4
	PC8. Avoid any imperfections in the material when cutting		4	2	2

Assessable Outcome	Assessment Criteria	Total Mark (650)	Out Of	Marks Allocation	
				Theory	Skills Practical
	PC9.Calculate the components required		4	2	3
	PC10.Cut appropriately to avoid wastage		6	2	4
	PC11.Meet company usage tolerances for efficient pattern interlocking		4	2	2
	PC12.Identify and respond to imperfections, defects and damage due to mishandling		5	2	3
	PC13. Make sure that the cut material is correctly sorted to assist the next stage of production		6	2	4
	PC14.Ensure if the Rampi/Khurpi is clean. If not, clean the Rampi/Khurpi.		5	2	3
	PC15. Ensure if the Rampi/Khurpi is sharp. If not, Sharpen the Rampi/Khurpi using the sharpening stone.		6	2	4
	PC16. Adjust the width and thickness as per the specifications to perform skiving of the material (Marked Leather Sheets)		5	2	3
	PC17.Carryout skiving operation as per the specification		5	2	3
	PC18.Carryout folding post skiving based on the net pattern or base pattern, if required		5	2	3
	PC19.Carry out visual inspection to ensure the accuracy of the skiving		2	0	2
	PC20. Sort out the material and threads as per the specifications of the product		3	0	3
	PC21.Select the right thread, needle and stitching tools as per the specifications of the Product		6	2	4
	PC22. Adjust the tension and stitch length		6	2	4
	PC23.Check the upper components and conduct shade wise pairing		6	2	4
	PC24.Stitch the correct materials in the right sequence as required by the production specification		6	2	4
	PC25.Apply adhesives on the components if Required		6	2	4
	PC26. Fold the components by hand as per the requirement of the design		6	2	4

Assessable Outcome	Assessment Criteria	Total Mark (650)	Out Of	Marks Allocation	
				Theory	Skills Practical
	PC27. Conduct visual inspection after the stitching is complete		4	0	4
	PC28. Ensure the adhesive is prepared appropriately as per the standard procedure		6	2	4
	PC29. Soak the toe cap and counter in the adhesive as per the manufacturers instruction		6	2	4
	PC30. Ensure the toe cap and counter is dry by allowing them to dry as per the specified drying		6	2	4
	PC31. Insert the toe cap and counter inside the upper as per the operating procedure		6	2	4
	PC32. Fix the upper on the last as per the standard operating procedure		6	2	4
	PC33. Ensure the back height of the upper is adjusted as per the mark on the last		6	2	4
	PC34. Apply the glue evenly on the inner edges of the upper and outer edges of the insole as per the operating procedures		5	2	3
	PC35. Attach the upper onto the insole and draft the nail as per the standard procedure		6	2	4
	PC36. Trim the excess edges of the upper to avoid wrinkles as per the standard procedures		5	2	3
	PC37. Dry the upper for the specified amount of time		5	2	3
	PC38. Remove the nails from upper following safety and operating standards		5	2	3
	PC39. Hammer the fore part, side and seat of the upper on to the insole as per the standard procedures		5	2	3
	PC40. Remove the wrinkles by hammering using mallet following the standard safety and operating procedures		6	2	4
	PC41. Ensure the lasted uppers are prepared for the next operation as per the standards specified by the organization		6	2	4
	PC42. Ensure the lasted upper is free from production and handling damages		5	2	3
	PC43. Keep the materials and tools ready for sole attaching		5	2	3
	PC44. Ensure the adhesive is prepared appropriately as per the standard procedure		5	2	3

Assessable Outcome	Assessment Criteria	Total Mark (650)	Out Of	Marks Allocation	
				Theory	Skills Practical
	PC45.Ensure that the sole and the upper are matched as per the end product		6	2	4
	PC46.Check for any damages in the upper and the bottom sole before attaching		5	2	3
	PC47.Apply the adhesive to the upper and the sole evenly		4	0	4
	PC48. Attach the sole and the upper correctly		6	2	4
	PC49. Press the sole and the upper using hand or hammer		6	2	4
	PC50. Leave the footwear for drying before passing it to the next stage of production		5	2	3
	PC51.Clean the footwear if there is any spillage of adhesive or any other waste material on the footwear		3	0	3
	PC52.Clean the footwear carefully to remove any residues		3	0	3
	PC53.Ensure that any extra threads or material on the footwear are trimmed properly		4	0	4
	PC54.Check the stamping/ embossing required as per client specifications		3	0	3
	PC55.Ensure that the stamping or embossing is done properly and as per client specifications		5	2	3
	PC56. Swipe a cotton brush over the surface of the footwear to erase any excess wax or other		5	2	3
	PC57.Application of cream/wax evenly for a smooth finish and appearance of the footwear		5	2	3
	PC58.Polish the footwear with a manual brush or through the brushing wheel to ensure a smooth finish for the footwear		6	2	4
	PC59.Wrap the footwear with wrapping paper		5	2	3
	PC60. Ensure the wrapped footwear is placed in the box		5	2	3
	Total		300	100	200

Assessable Outcome	Assessment Criteria	Total Mark (650)	Out Of	Marks Allocation	
				Theory	Skills Practical
3.LSS/N4103: Contribute to achieving product quality in leather repair works and footwear making	PC1.Analyse the footwear/ leather goods to determine the repair required	50	5	1	4
	PC2.Identify faults in finished products and trace their causes		5	1	4
	PC3.Ensure the optimum condition of the hand tools used in repairs and footwear making		4	1	3
	PC4.Check the performance of the tools for signs of faulty operations and take actions accordingly		4	1	3
	PC5.Identify faults in materials and products		5	1	4
	PC6.Ensure that the stitching done appropriately and neatly		4	1	3
	PC7.Check for any loose threads after the stitching is complete and trim if required		5	1	4
	PC8.Ensure that both the pair of the footwear look similar after the completion of the		5	1	4
	PC9.Ensure that there is no spillage of glue in any part of the footwear after pasting different		5	1	4
	PC10.Ensure that enough pressure is put by hand/ hammer after glue application to avoid		5	1	4
	PC11.Clean and polish the footwear/ goods after the repair is complete		3	0	3
	Total		50	10	40
4.LSS/N4104 Coordinate with vendors and footwear manufacturing unit for work orders	PC1.Distribute and delegate work among vendors in the region	50	4	1	3
	PC2.Ensure the work is distributed based on Parts of shoe to respective vendors		4	1	3
	PC3.Coordinate the workings of different vendors to ensure completion of work before the deadline		4	1	3

Assessable Outcome	Assessment Criteria	Total Mark (650)	Out Of	Marks Allocation	
				Theory	Skills Practical
	PC4.Ensure the quality of their work and the footwear components are as per the standards		4	1	3
	PC5.Receive work orders from the existing clients		4	1	3
	PC6.Understand the client requirements and specifications		4	1	3
	PC7.Discuss work order deadlines and payment schedules		4	1	3
	PC8.Inspect the quality of the final product before the final delivery to the client		4	1	3
	PC9.Ensure work orders are delivered on time		4	1	3
	PC10. Look for potential clients in the nearby locations/ region to expand the clientele		4	1	3
	PC11. Check the amount received from the customer/ client for the work order		4	1	3
	PC12.Receive the payment via different modes- cash, cheque, online transfers, etc.		3	1	2
	PC13. Maintain record and documentation		3	1	2
	Total		50	13	37
5.LSS/N4105: Start and manage enterprise for footwear repair and	PC1.Ascertain the prices of various materials used for repair of footwear from the market	50	7	2	5
	PC2.Identify the material required for repair of the footwear		6	2	4
	PC3.Ensure the availability of all the materials required for repair of footwear at all		4	1	3
	PC4.Maintain record of purchase from the market/ dealers		3	1	2
	PC5.Identify customer requirement for the repair of the footwear		4	1	3
	PC6.Analyse the footwear to understand to determine the amount of mending required		5	2	3
	PC7.Estimate the cost based on the mending required		4	1	3
	PC8.Communicate to the customer the charges for the repair of the footwear		3	1	2

Assessable Outcome	Assessment Criteria	Total Mark (650)	Out Of	Marks Allocation	
				Theory	Skills Practical
	PC9.Negotiate politely with the customers if required		3	1	2
	PC10. Ensure that the customer is satisfied after the repair is complete		3	1	2
	PC11.Check the amount received from the customer for the repair done		1	0	1
	PC12.Return the balance amount to the customer if requirement		1	0	1
	PC13.Maintain record of money earned on a daily basis		3	2	1
	PC14.Calculate the inflow and outflow of cash to determine the profits		3	1	2
	Total		50	16	34
6.LSS/N8801: Maintain work area, tools and equipment	PC1.Handle materials, equipment and tools safely and correctly	50	3	1	2
	PC2.Use correct lifting and handling procedures		3	1	2
	PC3.Use materials judiciously to minimize waste		3	0	3
	PC4.Maintain a clean and hazard free working area		4	1	3
	PC5.Move around the workplace with care		3	0	3
	PC6.Clean oil and dirt from the tools regularly		3	1	2
	PC7.Carry out running maintenance within agreed schedules		4	1	3
	PC8.Store the materials and accessories appropriately		3	1	2
	PC9.Keep the tools and equipment safely in the designated place after use		4	1	3
	PC10.Dispose of waste safely in the designated location		4	1	3
	PC11.Store cleaning equipment safely after use		4	1	3
	PC12.Complete and store accurate records and documentation		4	1	3
	PC13. Maintain proper lighting, ventilation to make sure general comfort is there while working		4	1	3

Assessable Outcome	Assessment Criteria	Total Mark (650)	Out Of	Marks Allocation	
				Theory	Skills Practical
	PC14. Maintain appropriate environment to protect stock from pilfering, theft, damage and deterioration		4	1	3
	Total		50	12	38
7. LSS/N8601 Maintain health, safety and security at workplace	PC1.Comply with health and safety related instructions applicable to the workplace		1	0	1
	PC2.Use and maintain personal protective equipment as per protocol	25	0.5	0	0.5
	PC3.Carry out own activities in line with approved guidelines and procedures		1	0	1
	PC4.Maintain a healthy lifestyle and guard against dependency on intoxicants		2	0	2
	PC5.Follow environment management system related procedures		5.5	5	5.5
	PC6.Identify and correct (if possible)malfunctions in machinery and equipment		0.5	0	0.5
	PC7.Report any service malfunctions that cannot be rectified		1	0	1
	PC8.Store materials and equipment in line with manufacturer's and organizational requirements		1	0	1
	PC9.Safely handle and move waste and debris		1	0	1
	PC10.Minimize health and safety risks to self and others due to own actions		0.5	0	0.5
	PC11.Seek clarifications, from supervisors or other authorized personnel in case of perceived		0.5	0	0.5
	PC12.Monitor the workplace and work processes for potential risks and threats		2	0	2
	PC13.Carry out periodic walk-through to keep work area free from hazards and obstructions, if assigned		0.5	0	0.5
	PC14.Report hazards and potential risks/ threats to supervisors or other authorized personnel		5.5	5	0.5
	PC15.Participate in mock drills/ evacuation procedures organized at the workplace		0.5	0	0.5
	PC16.Undertake first aid, fire-fighting and emergency response training, if asked to do so		1	0	1

Assessable Outcome	Assessment Criteria	Total Mark (650)	Out Of	Marks Allocation	
				Theory	Skills Practical
	PC17.Take action based on instructions in the event of fire, emergencies or accidents		0.5	0	0.5
	PC18.Follow organization procedures for shutdown and evacuation when required		0.5	0	0.5
	Total		25	10	15
8.LSS/N8701 Comply with industry, regulatory and organizationa	PC1.Carry out work functions in accordance with legislation and regulations, organizational guidelines and procedures	25	8	5	3
	PC2.Seek and obtain clarifications on policies and procedures, from the supervisor or other authorized personnel		3	0	3
	PC3.Apply and follow these policies and procedures within the work practices		2	0	2
	PC4.Provide support to the supervisor and team members in enforcing these considerations		9	5	4
	PC5.Identify and report any possible deviation to these requirements		3	0	3
	Total		25	10	15
	Grand Total		650	203	447