Centre No.				Paper Reference			Surname	Initial(s)					
Candidate No.				6	6	8	4	/	0	2		Signature	

Paper Reference(s)

6684

Edexcel GCE

Statistics S2

Advanced/Advanced Subsidiary

Wednesday 23 June 2004 – Afternoon

Time: 1 hour 30 minutes

Materials	required	for	examination

CFX 9970G, Hewlett Packard HP 48G.

Mathematical Formulae (Lilac)

Items included with question papers

Candidates may use any calculator EXCEPT those with the facility for symbolic algebra, differentiation and/or integration. Thus candidates may NOT use calculators such as the Texas Instruments TI 89, TI 92, Casio

٦	r 4	4 •	4			4
ı	Inctri	uction	c to	(and	hrt	O TAG
J	шэш	исион	3 10	Cant	иu	aucs

In the boxes above, write your centre number, candidate number, your surname, initials and signature. You must write your answer for each question in the space following the question.

If you need more space to complete your answer to any question, use additional answer sheets. Values from the Statistical Tables should be quoted in full.

When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

This paper has seven questions. Pages 2 and 16 are blank.

Advice to Candidates

You must ensure that your answers to parts of questions are clearly labelled.


You must show sufficient working to make your methods clear to the Examiner. Answers without working may gain no credit.

This publication may only be reproduced in accordance with London Qualifications Limited copyright policy. ©2004 London Qualifications Limited.

W850/R6684/57570 4/3/4/4/4/







Examiner's use only

Team Leader's use only

Question

Leave

Turn over

Total





		I
1. Explain what you understand by		
(a) a sampling frame,		
	(1)	
(b) a statistic.		
	(2)	

N17023A 3 Turn over

_		
	The continuous random variable X is uniformly distributed over the interval $[-1, 4]$.	
	Find,	
	(a) $P(X < 2.7)$,	(1)
		()
	(b) $E(X)$,	(2)
	(c) $Var(X)$.	
	(c) var(21).	(2)
_		
_		
_		

4

N17023A 5 Turn over

Leave

claimed that the gardening book had underestimated this probability. Tes of significance, Brad's claim. State your hypotheses clearly.	
	(7)

6

continued		

N17023A 7 Turn over

Le	ea	ve
hl	21	ıl

4.	(a) State two conditions under which a random variable can be modelled by a bin distribution.	nomial					
		(2)					
	In the production of a certain electronic component it is found that 10% are defecti	ive.					
	The component is produced in batches of 20.						
	(b) Write down a suitable model for the distribution of defective components in a	batch. (1)					
	Find the probability that a batch contains						
	(c) no defective components,	(2)					
	(d) more than 6 defective components.	(2)					
	(e) Find the mean and the variance of the defective components in a batch.	(2)					
	A supplier buys 100 components. The supplier will receive a refund if there are mor 15 defective components.	e than					
	(f) Using a suitable approximation, find the probability that the supplier will recrefund.	eive a (4)					

N17023A 9 Turn over

Lθ	eav	e
L 1		l٠

5.	(a) Explain what you understand by a critical region of a test statistic.	blai
		(2)
	The number of breakdowns per day in a large fleet of hire cars has a Poisson distribution with mean $\frac{1}{7}$.	
	(b) Find the probability that on a particular day there are fewer than 2 breakdowns.	(3)
	(c) Find the probability that during a 14-day period there are at most 4 breakdowns.	(3)
	The cars are maintained at a garage. The garage introduced a weekly check to tr decrease the number of cars that break down. In a randomly selected 28-day period a the checks are introduced, only 1 hire car broke down.	
	(d) Test, at the 5% level of significance, whether or not the mean number of breakdo has decreased. State your hypotheses clearly.	wns
		(7)
_		
_		
_		
_		
_		
_		
_		

N17023A 11 **Turn over**

Leave	
blank	

6.	Minor defects occur in a particular make of carpet at a mean rate of 0.05 per m ² .				
	(a) Suggest a suitable model for the distribution of the number of defects in this make of carpet. Give a reason for your answer.				
	(3)				
	A carpet fitter has a contract to fit this carpet in a small hotel. The hotel foyer requires 30 m ² of this carpet. Find the probability that the foyer carpet contains				
	(b) exactly 2 defects,				
	(3)				
	(c) more than 5 defects. (3)				
	The carpet fitter orders a total of 355 m ² of the carpet for the whole hotel.				
	(d) Using a suitable approximation, find the probability that this total area of carpet				
	contains 22 or more defects.				
	(6)				
_					
_					
_					

continued		

N17023A 13 Turn over

7. A random variable X has probability density function given by

$$f(x) = \begin{cases} \frac{1}{3}, & 0 \le x < 1, \\ \frac{8x^3}{45}, & 1 \le x \le 2, \\ 0, & \text{otherwise.} \end{cases}$$

(a) Calculate the mean of X.

(5)

(b) Specify fully the cumulative distribution function F(x).

(7)

(c) Find the median of X.

(3)

(d) Comment on the skewness of the distribution of X.

(2)

continued		



117023A 16