
Q1. The diagram shows a summary of the light-independent reaction of photosynthesis.




(a)

(b)

(i)	Complete the boxes to show the number of carbon atoms in the molecules.	(2)
(ii)	In which part of a chloroplast does the light-independent reaction occur?	
		(1)
(iii)	Which process is the source of the ATP used in the conversion of glycerate 3-phosphate (GP) to triose phosphate?	
		(1)
(iv)	What proportion of triose phosphate molecules is converted to ribulose bisphosphate (RuBP)?	
		(1)
dow	ering the temperature has very little effect on the light-dependent reaction, but it slows n the light-independent reaction. Explain why the light-independent reaction slows n at low temperatures.	
	(Total 7 ma	(2) rks)

Q2. Gas exchange in an aquatic plant was investigated by placing shoots in tubes containing bromothymol blue indicator solution. Bromothymol blue indicator is yellow below pH 6, green between pH 6.1 and 7.5, and blue at pH 7.6 and above. Into each of four tubes, A, B, C and D, 10 cm³ of bromothymol blue solution were placed. Each tube was closed with a bung and left for 10 minutes. Similar-sized shoots of an aquatic plant were then placed into each of tubes A, B and C. The tubes were treated as shown in the diagram.

They were then placed at equal distances from a 60 watt lamp and left for one hour.



The table shows the initial and final colours of the indicator in the four tubes.


Tube	Treatment	Initial colour of indicator	Colour of indicator after one hour
Α	Uncovered	Green	Blue
В	Covered with black paper	Green	Yellow
С	Covered with muslin	Green	Green
D	Uncovered	Green	Green

(a)	Expl	ain the results for	
	tube	A;	
	tube	B;	
	tube	C.	
			(4)
(b)	(i)	Explain how the results from tube D help to confirm that the explanations for the other tubes are valid.	
			(1)
	(ii)	Explain why all the tubes were placed the same distance from the lamp.	
		(Total 6 mar	(1) 'ks)

Q3.		(a)	Desc	ribe ho	w NAD	P is redu	iced in the	e light-de	ependent re	eaction of	f photo	synthesis.	
													(2)
	(b)	3-р	hosph	ate (G	P) and i	ibulose		nate (Ru	n, the amo BP) in pho ıs.				
							ose bisph	osphate	dioxide co in photosy			the amounts of s.	f
				_			Fig	jure 1					
				2.5		1.0 % 0	:O ₂	!	0.003 %	6 CO ₂			
				2.5 -								RuBP	
			ative ounts	1.5 -					>	<			
				1.0								GP	
				0.5 -									
				0.0 4				Time			<u></u>		
		(i)		ohosph	ate whe	en the ca	ırbon diox	ide conc	cerate 3-pleentration is	s high.		ulose	
													(1)
		(ii)		centra	tion is re	educed.			phosphate			n dioxide	
													(1)
													(.)


(c) **Figure 2** shows the results of an experiment in which photosynthesising cells were kept in the light and then in darkness.

Figure 2



	lime —	
(i)	In the experiment the cells were supplied with radioactively labelled ¹⁴ CO ₂ . Explain why the carbon dioxide used was radioactively labelled.	
		(1)
(ii)	Explain how lack of light caused the amount of radioactively labelled glycerate 3-phosphate to rise.	
		(2)
(iii)	Explain what caused the amount of radioactively labelled glucose to decrease after the light was switched off.	
	(Total 8 ma	(1) arks)


Q4. (a) The diagram summarises some of the light-dependent reactions of photosynthesis.



(b)

(Total 5 marks)

Q5. The percentage of light absorbed by an aquatic plant was measured when it was exposed to different wavelengths. The rate of photosynthesis was also measured at each wavelength of light. The results are shown in the graph.



(a)	Describe and explain the relationship between light absorption and the rate of photosynthesis for the wavelengths of light between 410 nm and 500 nm.	
		(2)
(b)	Give one dependent variable you could measure in order to determine the rate of photosynthesis in an aquatic plant.	
		(1)
(c)	Use the graph to identify the range of wavelengths of light that would be green in colour.	
	Give a reason for your answer.	
	Wavelengths tonm	
	Reason	

(2)

- (d) A suspension of chloroplasts was isolated from an aquatic plant and a reagent was added. The reagent is blue when oxidised and is colourless when reduced.
 - (i) The suspension of chloroplasts in blue reagent was exposed to sunlight. The blue colour disappeared. Use your knowledge of the light-dependent reactions of photosynthesis to explain why.


.....(2)

(ii) Another suspension of chloroplasts was set up as before. Small quantities of ADP and phosphate ions were added and then the tube was exposed to light. The blue colour disappeared more quickly. Explain why.

 	•••••	

(2) (Total 9 marks)

Q6. The diagram shows the light-dependent reactions of photosynthesis.




(a) In which part of a chloroplast do the light-dependent reactions occur?

(1)

(b)	Nan	ne the substances in boxes A, B and C.	
	A		
	В	+	
	C		(3)
(c)	Use	information in the diagram to explain	
	(i)	the role of chlorophyll in photolysis;	
			(3)
	(ii)	how the energy of light is converted into chemical energy in the light-dependent reactions.	
			(3)

(d) In an investigation, single-celled algae were kept in bright light and were supplied with carbon dioxide containing radioactive carbon atoms. After 300 seconds, the carbon dioxide supply was turned off. The graph shows how the concentrations of carbon dioxide, glycerate 3-phosphate (GP) and ribulose bisphosphate (RuBP) changed.



	(Total 15 m	
		(2)
	radioactive RuBP increased.	
(ii)	Explain why, between 300 seconds and 380 seconds, the concentration of	
		(3)
(i)	Explain why, between 0 seconds and 300 seconds, the concentration of radioactive GP remained constant.	
/i\	Evoluin why between 0 seconds and 300 seconds, the concentration of radioactive	


Q7.	(a)	The table contains statements about three biological processes.
α 1.	(u)	The table contains statements about three biological processes.

Complete the table with a tick if the statement in the first column is true, for each process.

	Photosynthesis	Anaerobic respiration	Aerobic respiration
ATP produced			
Occurs in organelles			
Electron transport chain involved			

	organelles				
	Electron transport chain involved				
(b)	Write a simple equation	on to show how ATP is	synthesised from ADP		(3)
(c)	biological processes.	th the properties of ATF			(1)
	2				(2)
(d)		ore than their body ma synthesise such a larg		xplain why it is	.,
					(2)
				(Total	8 marks)

Q8. Scientists investigated the effects of temperature and light intensity on the rate of photosynthesis in creeping azalea. They investigated the effect of temperature on the net rate of photosynthesis at three different light intensities. They also investigated the effect of temperature on the rate of respiration. The graph shows the results.



(a)	(i)	Name the factors that limited the rate of photosynthesis between X and Y .	
			(1)
	(ii)	Use information from the graph to explain your answer.	
			(2)

(b) Use information from the graph to find the gross rate of photosynthesis at 20°C and medium light intensity.

Answer
Answer


	where this plant grows the mean sumr	s on mountains. Scientists predict that in the mer temperature is likely to rise from 20 °C t er. Describe and explain how these changes zalea.	to 23 °C.
			(Total 7
	he table shows the effect of carbon dio t.	xide concentration on the rate of photosynth	nesis of
1	t. carbon dioxide concentration/parts	Rate of photosynthesis as net uptake	nesis of
1	t.		nesis of
1	t. Carbon dioxide concentration/parts per million	Rate of photosynthesis as net uptake of carbon dioxide per hour/mg dm ⁻³	nesis of
1	t. Earbon dioxide concentration/parts per million 100	Rate of photosynthesis as net uptake of carbon dioxide per hour/mg dm ⁻³	nesis of
1	t. Earbon dioxide concentration/parts per million 100 200	Rate of photosynthesis as net uptake of carbon dioxide per hour/mg dm ⁻³ 18 33	nesis of
a _	t. Earbon dioxide concentration/parts per million 100 200 300	Rate of photosynthesis as net uptake of carbon dioxide per hour/mg dm ⁻³ 18 33 45	nesis of
1	t. Earbon dioxide concentration/parts per million 100 200 300 400	Rate of photosynthesis as net uptake of carbon dioxide per hour/mg dm ⁻³ 18 33 45 53	nesis of
1	t. Earbon dioxide concentration/parts per million 100 200 300 400 500	Rate of photosynthesis as net uptake of carbon dioxide per hour/mg dm ⁻³ 18 33 45 53 60	nesis of

Q9.

(1)

(ii)	Describe and explain the trend shown by the data in the table above a carbon dioxide concentration of 500 parts per million.


(b) Scientists investigated the effect of temperature on the development of wheat plants. They calculated the mean temperature for the period 1951 – 1980 and grew wheat plants over a range of 5°C around this temperature. The results of the investigation are shown in the graph.



(2)

timing of the wheat harvest. Use the information from both the table and the graph to explain how.	
(Total 7 mar	(4
(lotal/mar	KS

Q10. The graph shows the absorption of different wavelengths of light by three photosynthetic pigments in a red seaweed.




		Wavelength / nm	
(a)	(i)	Describe what the graph shows about the properties of chlorophyll a.	
			(1)

		(ii)	Describe the part played by chlorophyll in photosynthesis.	
				(3)
	(b)		red seaweed lives under water at a depth of 2 metres. Suggest an advantage to the seaweed of having other pigments in addition to chlorophyll a.	
				(2)
			(Total 6 ma	ırks)
Q11.	photo	osynth	of the following statements refers to a process that occurs either during nesis or during respiration. A 6C compound refers to a compound whose molecules carbon atoms, 5C refers to a compound with five carbon atoms, and so on.	
			tatement, give as precisely as possible the stage of photosynthesis or respiration and of the compounds.	
	(a)	A 6C	compound is broken down into two 3C compounds.	
		Stage	e	
		6C c	ompound	
		3C c	ompound	(2)
	<i>(</i> 1.)	4.50		(-)
	(b)		compound is combined with a 1C compound.	
		C1		
			e	
		5C c	e	

(c)	3C compounds	are	combined	to	form a	a 6C	compound	d.
-----	--------------	-----	----------	----	--------	------	----------	----

Stage	
3C compound	
6C compound	(2)
	(2) (Total 6 marks)

Q12. The diagram represents some of the light-independent reactions of photosynthesis.




	•••••						
	•••••						
						••••	
Describe photosyr	the role of elec	tron transp	ort chains	in the light-c	lependent rea	 actions of	
		tron transp	ort chains	in the light-c	lependent rea	actions of	
		tron transp	ort chains	in the light-c	lependent rea	 actions of 	
		tron transp	ort chains	in the light-c	lependent rea	actions of	
		tron transp	ort chains	in the light-c	lependent rea	actions of	
photosyr							
photosyr	nthesis.						
photosyr	nthesis.						
photosyr	nthesis.						
photosyr	nthesis.						
photosyr	nthesis.						
photosyr	nthesis.						
photosyr	nthesis.						
photosyr	nthesis.						
photosyr	nthesis.						
photosyr	nthesis.						


Explain why the increase in the dry mass of a plant over twelve months is less than the mass of hexose produced over the same period.
(3)
(Total 15 marks)

(c)

Q13. There is evidence that the first photosynthetic organisms were primitive water-dwelling bacteria. The very first of these lived near the surface of the water in lakes and contained a purple pigment that absorbed light most strongly in the green region of the spectrum. Later, other bacteria evolved that lived on the top of sediment at the bottom of the lakes (Figure 1). Gene mutations had enabled these bacteria to synthesise chlorophyll instead of the purple pigment present in the bacteria living near to the surface. Chlorophyll absorbs light most strongly in the blue and red regions of the spectrum (Figure 2).







(a) Describe how light energy absorbed by chlorophyll molecules is used to synth					

Page 20 of 24

(5)

surface of the water.	
(Total 11	marl
Label the diagram with an X to show where the light-dependent reactions take place and with a Y to show where the light-independent reactions take place.	
The photolysis of water is an important part of the process of photosynthesis. Describe what happens in the photolysis of water.	
	(Total 11) The diagram shows the structure of a chloroplast. Label the diagram with an X to show where the light-dependent reactions take place and

(c)	ATP and reduced NADP are two products of the light-dependent reactions. Describe one function of each of these substances in the light-independent reactions.							
	АТ	P						
	Reduced NADP							
					(Тс	(2) otal 5 marks)		
Q15.		The table contains somplete the table with a tochemical process.			ical processes in a plar s if it is not true for eac			
		Statement	Glycolysis	Krebs cycle	Light-dependent reaction of photosynthesis			
		NAD is reduced				1		
		NADP is reduced						
		ATP is produced]		
		ATP is required				1		
(b)	 An investigation was carried out into the production of ATP by mitochondria. ADP, phosphate, excess substrate and oxygen were added to a suspension of isolated mitochondria. 							
	(i)	Suggest the substrat	e used for this inve	estigation.		(1)		
	(ii)	Explain why the conc investigation.	entration of oxyge	n and amount of A	ADP fell during the	.,		
						(2)		

(iii) A further investigation was carried out into the effect of three inhibitors, **A**, **B** and **C**, on the electron transport chain in these mitochondria. In each of three experiments, a different inhibitor was added. The table shows the state of the electron carriers, **W–Z**, after the addition of inhibitor.

Inhibitor	Electron carrier				
added	W	Х	Y	Z	
Α	oxidised	reduced	reduced	oxidised	
В	oxidised	oxidised	reduced	oxidised	
С	reduced	reduced	reduced	oxidised	

Give the order of the electron carriers in this electron transport chain. Explain your

answer.

Page 23 of 24

(Total 9 marks)