



- minus infinity 6
- mipmapping 275–276
- mirror reflection 95, 95
- Mitchell, D.P. 225
- Mitchell-Netravali filter 225
- Möbius band 294, 294
- modeling
 - explanation of 2
 - implicit modeling 595–622
 - instancing models 491–493
- modified Blinn–Phong model 101
- monitors 72–74, 73
- Monte Carlo estimate 345–346, **346**
- Monte Carlo integration 57–59, 335, 344–346
- Monte Carlo ray tracing 377–379, 377
- motion 364–365
 - structure from 550–551
 - and visual perception 541–542, 543
- motion blur 365
- motion capture 205–206, 430, 448–449, 449
- motion controls 437–439
- motion cues 545, 550–551, 551
- moving averages 210
- moving light displays 565, 565
- multidimensional arrays, tiling 329–332, 330
- multidimensional random variable 342–343
- multiprocessing 463–464
- nanometer 358
- natural cubics 405–406
- Netravali, A.N. 225
- Newton’s law 456, 457, 458
- night tonemapping 591–592, 591, 592
- noise function 285–287, 287, 453
- nonterminal symbols 454
- nonuniform B-splines 422–425
- normal irradiance 100
- normal maps 278–279, 279
- normal vector 36
- not a number (NaN) 6–7
- numerical issues 5–7
- NURBS 425–426
- Nyquist criterion 248
- object group intersection 91, 91
- object-order rendering 177
- object-oriented design 499–500, 499
- object partitioning 309
- object recognition 557–560, 559; *see also* visual perception
- oblique projection 81
- occlusion cues 552
- occlusion culling 200
- occlusion cycle 193, 193
- occlusion problems 657
- oculomotor cues 545–547, 547
- offsets 22
- OpenGL programming 464–465, 468–469
- optic flow 550–551, 551, 563–565, 564, 565
- origin 22
- orthogonal 23
- orthogonal matrix 114, 142–143
- orthographic projection 81
- orthographic projection
 - transformation 160–162, 480–481
- orthographic views 84–85, 85, 160–161, 161
- orthonormal basis 23, 26–30
- painter’s algorithm 193, 321, 322
- parallel projection 81–82, 81, 82
- parallelogram 107–109, 107, 108, 109, 114–115, 115
- parallelogram rule 22
- parameterizations 385–388, 388
- parametric circles 45
- parametric curves 44–46, 384–388, 388; *see also* curves
- parametric lines 44–46, 44
- parametric surfaces 47
- partial derivatives 37, 37
- per-fragment shading 197, 197, 485–492, 485, 493
- per-vertex shading 196–197, 197, 481–485, 484
- percentage closer filtering 282
- Perlin, K. 285, 287
- Perlin noise 285
- perspective 81–83, 81
- perspective distortion 658, 659
- perspective projection 82, 82, 167–171, 169
- perspective transformation 171–172
- perspective views 84, 85–86, 85
- Pharr, M. 357, 381
- Phong, B.-T. 101
- Phong exponent 93, 102; *see also* Blinn–Phong shading
- photography, computational 3
- photon tracer 363–364
- photons 357–358; *see also* light
- photopic scenes 591
- physics-based animation 450–452
- physics-based rendering
 - brute force photon tracer 363–365
 - dielectrics 359–362
 - materials 376–377, 377
 - Monte Carlo ray tracing 377–379, 377
 - photons 357–358
 - radiometry 366–374
 - smooth metals 358
 - transport equation 374–376, 375
- pictorial cues 545, 552–553, 556–557, 557
- piecewise parametric representations 387–389
- pixels
 - array of 63
 - coordinates of 69–70, 70
 - coverage of 75–76
 - density of 67
 - footprint of 270–273, 271, 272, 273, 276

pixels (*continued*)
 graphics pipeline and 178,
 179–181, 180, 181, 184
 images and 69–70
 reconstruction of 273–274
 subpixels 65–66, 65
 value of 63, 70–72
 planar projection 260–261, 260, 261
 png. format 77
 point 22
 point-like light sources 98–100
 point rendering 470
 point source 98
 point source illumination 98–99, 98,
 99
 polar coordinates 19, 19
 polynomial forms 394–395
 polynomial interpolation 398–399,
 399
 polynomial pieces 392–399
 pop operations 307
 position 22
 power 367–368
 power set 335–336
 ppm. format 77
 precise contact modeling (PCM)
 616–618, 616, 617
 primitives 200–201, 470
 printers 66–67, 66, 67
 prisms 533
 probability
 continuous 56–57
 discrete 54–56
 probability density function 33, 341
 procedural curve 384; *see also* curves
 procedural techniques 452–455
 procedural textures 283–284
 programming syntax 14
 projection 24, 24
 projection direction 81–82, 81, 82
 projective transformations 158,
 164–167, 164, 166, 167
 proportionality law 506
 psychophysics 533

push operations 307
 PVS trees 609
 Pythagorean identities 20
 Pythagorean theorem 18–19, 18

 quadratic equations 17, 17
 quadratic surfaces 43
 quality assurance (QA) 615
 quantization artifacts 72
 quasi–Monte Carlo integration 346
 quaternions 440–441, 441

 radiance 369–371, 370; *see also* light
 radians 18
 radiant exitance 369
 radiant power 98
 radiometric quantities 370–371
 radiometry 366–374; *see also* light
 of scattering 371–374
 radius 35
 random lines 352–355
 random points, choosing 347–355,
 349, 353, 354
 random variable 54
 range function 14
 raster devices 63–78
 raster displays 63, 65
 raster images 63–78
 raster input devices 68
 rasterization 178–192, 307
 rasterization operations 192–198
 rasterization pipeline 462–466
 ray definition 46
 ray generation 80, 91
 ray intersection 80, 91
 in software 90–91
 ray-object intersection 86–91, 88
 ray shading 80
 ray-sphere intersection 86–87
 ray tracing 79–80, 307–308, 308, 309
 algorithm for 80–81, 80
 computing views 83–86
 history of 95–96
 ray direction 83

 ray origin 83
 structure of 80–81
 viewing ray 80, 83, 83
 ray-triangle intersection 88–90
 ray viewing 80, 83, 83, 84
 real-time graphics 462, 485
 reconstruction 219, 220, 233–238,
 234, 235, 236, 238,
 249–250, 251
 reflectance 100, 358
 reflection
 mapping 283
 transformations 132–133, 132,
 133
 reflection models 100–104, 100
 reflectivity 359–360
 refraction 360–362
 refresh cycle 466–467
 refresh rates 543
 Reinhard, E. 524
 rejection 350–351
 rendering
 explanation of 2
 image-order rendering 79
 implicit modeling 604–605, 604
 object-order rendering 79, 177
 point rendering 470
 spectral renderer 504
 3D objects 79
 wireframe rendering 157–158,
 158
 rendering equation 375
 reparameterizations 385–387
 resampling 233–238, 234, 235, 236,
 238, 249–250, 251
 resolution 66
 resolution independence 64
 reversing time 365
 RGB color 70–75, 74, 75, 517–518,
 518, 534–537; *see also*
 color
 RGB stripe 283–287
 right-hand rule 26, 26
 rotation 130–132, 131, 132, 142–144



- sampling
 - aliasing and 208–209, 232–237, 232, 233, 246–252, 247, 248, 249
 - artifacts and 208–209
 - continuous probability 340–344
 - integration of 335–340, 344–346
 - random points 347–355
 - stratified sampling 345–346
 - theory of 239–253
- Sbert, M. 340
- scalar product 24
- scale 22
- scaling graphics 604
- Scaling transformations 128–129, 128, 129
- scanners 2, 68–69, 69
- scene graphs 305–307, 306, 307
- Schlick approximation 363
- Schlick, C. 358
- scientific method 10
- scotopic scenes 591
- screen space 159, 178, 193, 267
- seams 267–268
- sensor 363
- separable filters 227–229, 228, 229
- set operations 15–16
- sets 13–16
- shade-ray 95
- shaders 465, 471–474, 478, 501, 501
- shading
 - Blinn-Phong shading 488–492, 493
 - calculating 103–104
 - controlling 277–278, 278, 279
 - debugging 501, 501
 - diffuse shading 93, 93
 - drop shadows 232, 232
 - explanation of 80, 91–95
 - in fragment processor 485–490
 - fragment shader 488–492, 493
 - in game development 621, 621
 - Gouraud shading 197
 - graphics hardware 481–485
 - instancing 491–493
 - meshes 491–492
 - per-fragment shading 197, 197, 485–492, 485, 493
 - per-vertex shading 196–197, 197, 481–485, 484
 - shaders 465, 471–474, 478
 - in software 92–94
 - surface shading 97–105
 - textures and 493–499, 495, 498, 554–555, 555, 556
 - vertex data 481–485
 - vertex shader 486–488
- shading frequency 198
- shading model 91, 97
- shading parameters 277–278
- shadow bias 282
- shadow maps 280–282, 281
- shadows 94–95, 553–554, 554
- shape constancy 562–563, 563
- shearing transformations 129–130, 130
- shifted filters 215, 215
- shifting identities 19
- sigmoid functions 583–588, 584, 585
- signal processing
 - aliasing 206–209
 - artifacts 208–209
 - convolution 209–230
 - digital audio sampling 206–207, 207, 208
 - explanation of 205
 - for images 230–238
 - moving averages 210, 210
- simulation 3
- sinc filter 252
- sine 19–20, 21, 33
- singular value decomposition (SVD) 121–123, 138–140, 141
- singular vectors 122
- size constancy 562–563, 562
- size-distance relationships 560–563, 561, 562
- skeletal primitives 596–604, 603
- slerp 441
- slope 36, 36
- software
 - ray intersection 90–91
 - shading 92–94
- solid angle 21
 - integrals over 32–33
- solid noise 285–287, 287
- space curve 383; *see also* curves
- space partitioning 309, 310, 319–320, 319, 605–611
- SpaceTree system 670, 670
- spatial data structures 309–320
- spatial layouts 657–658; *see also* visualization
- spatial operators 580–582, 581
- spatial vision 544–557; *see also* visual perception
- spectral distribution 533
- spectral energy 366–367; *see also* light
- spectral renderer 504
- spectral tristimulus values 509–510, 509
- spectrum 247–250, 247, 250, 251, 503–504, 504, 533, 537
- specular coefficient 102
- specular component 102
- specular reflection 95, 101–102
- sphere surface 90
- spherical coordinate system 47, 47, 261, 268
- spherical trigonometry 21
- splines 389
- standard deviation 224, 226, 344
- state machine 465, 467–468
- steradians 21
- Stevens's law 532
- stratified sampling 345–346
- structure-from-motion 550–551
- subpixels 65–66, 65
- subsurface scattering 362
- summation blending 596–606
- supersampling 199
- surface 34–48, 90
- surface intersection 90, 91
- surface layout 545

- surface normal vectors 144–145, *144*
- surface removal 178, 193–194
- surface shading 97–105
- symbols 454
- symmetric eigenvalue decomposition 136–138, *136, 137, 138*
- symmetry law 506
- syntax 14

- tangent line 36, *36*
- tangent vector 36
- tangents 36, 42, 47–48
 - law of 20
- target function 14
- template matching 559–560, *560*
- tent filter 217–218, *217, 224, 224, 226, 228*
- terminal symbols 454
- texture coordinate functions
 - bijection of 259
 - continuity of 259
 - cubemaps 262–263, *263, 283, 284*
 - cylindrical coordinates 261–262
 - examples of 258, *260*
 - face model 265, *265*
 - geometrically determined
 - coordinates 260–263
 - icosahedron 264–265, *264*
 - interpolated texture coordinates 263–265, *264, 268*
 - planar projection 260–261, *260, 261*
 - shape distortion 259
 - size distortion 259
 - spherical coordinate system 261, *268*
 - texture transformations 265–266
 - tiling 265–266
 - wrapping modes 265–266, *267*
- texture mapping 255–256
 - applications of 277–283
 - coordinate functions 256–257, *257*
 - explanation of 198, *255*
 - mipmapping and 275–276
 - pixels and 270–273, *271, 272, 273*
 - value of 256–258, *258*
- texture objects 493–499, *495, 498*
- texture values 256–258, *258*
- textures
 - perception of 554–555, *555, 556*
 - 3D 283–287
 - 3D stripe 284–285
- thermal dye transfer process 67, *67*
- 3D arrays 331–332
- 3D curves 43–44
- 3D drawing 193
- 3D implicit surfaces 41
- 3D linear transformations 141–145
- 3D parametric curves 45–46
- 3D parametric line 46
- 3D parametric surfaces 47
- 3D quadric surfaces 43
- 3D rotations 142–144
- 3D scanning 2
- 3D spatial layouts 657–658
- 3D stripe textures 284–285
- 3D textures 283–287
- 3D triangles 53–54
- tiff. format 77
- tiling multidimensional arrays 329–332, *330*
- tiling textures 265–266
- timenoise function 453
- tone reproduction operators 569–572
 - classification for 572–573
 - color and 575–576, *576*
 - density representation 577
 - division 582–583
 - dynamic range 570, *571, 572, 573–575, 574, 588–590, 589, 590*
 - filters 578, *578, 582–583, 583, 586–588, 586, 587, 588, 589*
 - frequency-based operators 577–578
- gradient-domain operators 579–580, *580*
- highlights and 579–580, *579*
- histogram equalization 590
- image formation 577
- logarithmic compression 589–590
- night tonemapping 591–592, *591, 592*
- photopic scenes 591
- scotopic scenes 591
- semi-saturation constant 583–584, *584*
- sigmoid functions 583–588, *584, 585*
- spatial operators 580–582, *581*
- total internal reflection 361
- transformation matrices 127
 - affine 146–150
 - canonical-to-frame 154
 - composition of 133–136, *134, 135*
 - coordinate 151–154, *151, 153*
 - decomposition of 136–141, *140, 141*
 - eigenvalue decomposition 136–138, *136, 137, 138*
 - frame-to-canonical matrix 153–154
 - geometric 127
 - GLM arrays 479–481
 - inverses of 150–151
 - linear 127–141
 - nonuniform scale *136, 137*
 - normal vectors 144–145, *144*
 - reflection 132–133, *132, 133*
 - rotation 130–132, *131, 132, 142–143*
 - scaling 128–129, *128, 129*
 - shearing 129–130, *129, 130*
 - 3D linear 141–145
 - 2D linear 127–141
 - translations 146–150
 - windowing 148–150, *149*



- transformations
 - camera 158, 162–164, *162, 163*
 - coordinate 151–154, *151, 153*
 - explanation of 9
 - eye 158
 - field-of-view 172–173, *173*
 - perspective 171–172
 - projection 158
 - projective 164–167, *164, 166, 167*
 - viewing 157–164, *159*
 - viewport 158–160
 - windowing 148–150, *149, 158*
- transitive law 506
- transparency mask 76
- transport equation 374–376, *375*
- treemaps 675–676, *676*
- triangle, area of 52–53, *53*
- triangle fans 296–297
- triangle laws 20, *20*
- triangle meshes 292–305, *295, 296*
- triangle-neighbor structure 299–301, *299*
- triangle rasterization 182–185
- triangle strips 296–297, *296, 297*
- triangle surface 90
- triangles 49–54, *50*
 - 3D 53–54
 - 2D 50, *50*
- triangular irregular networks (TINs) 291
- trigonometric functions 18–19
- trigonometry, spherical 21
- turbulence 287, *288*
- 2D arrays 329–331, *330*
- 2D drawing 193
- 2D gradient 36–38
- 2D implicit curves 35–36
- 2D implicit lines 38–40, *38*
- 2D linear transformations 127–141
- 2D parametric circles 45
- 2D parametric curve 44
- 2D parametric line 44–45, *44*
- 2D spatial layouts 657–658
- 2D triangles 50, *50*
- unary minus 22
- uniform spatial subdivision 317–318, *318*
- union 15–16
- unit vector 22–23
- user interaction 2
- variance 55, *343–344*
- vector images 64
- vector operations 22–23, *22*
- vectors 9, 21–30, *21, 22, 23*
- vertex array objects 476–478
- vertex attributes 481–485
- vertex buffer objects 474–476
- video games 3; *see also* game development
- view frustum culling 201
- view independent 100
- view vector 101
- viewing transformations 157–164, *159; see also* transformations
- viewport 82
- viewport matrix 160
- viewport transformation 158–160
- virtual machines 604–605
- virtual reality 2
- vision science 526–527
- visual acuity 528, *528, 538–541, 538*
- visual attention 565–566, *565*
- visual channel characteristics 652–655, *653, 654; see also* visualization
- visual cues 545–546, **546**
- visual effects 3
- visual encoding principles 652–660; *see also* visualization
- visual perception 525–526; *see also* light
 - aerial perspective 557
 - aperture problem 541–542, *542*
 - binocular disparity 548–549, *549*
 - blind spot 540
 - brightness and contrast 527–533, *528, 529, 532*
 - of color 533–537
 - declination angle 552–553, *553*
 - disparities 549–550, *550*
 - distance and 560–563, *561, 562*
 - of edges 530–531, *531*
 - event perception 563–566
 - field-of-view 538–541, *538, 540*
 - flicker fusion 542–544
 - focus of expansion 563–564, *564*
 - frame rates 543
 - frames of reference 545–546
 - gray scale image 530–531, *530*
 - horizon ratio 562, *562*
 - illumination cues 552
 - interpupillary distance 548
 - inverse optics 544–545
 - junction cues 556–557, *557*
 - light/dark adaptations 537–538
 - of lightness 529–538, *530*
 - lightness constancy 529, *529*
 - measurement scales 545–546
 - motion and 541–542, *543, 545*
 - motion cues 545, *550–551, 551*
 - moving light displays 565, *565*
 - nature of light and 526, *526*
 - object recognition 557–560, *559*
 - occlusion cues 552
 - oculomotor cues 545–547, *547*
 - optic flow 550–551, *551, 563–565, 564, 565*
 - pictorial cues 545, *552–553, 556–557, 557*
 - picture perception 566–568
 - psychophysics and 533
 - refresh rates 543
 - shadows 553–554, *554*
 - shape constancy 563
 - simultaneous contrast 529–530, *530*
 - size and 560–563, *561, 562*
 - spatial discontinuities 551
 - spatial vision 544–557

- visual perception (*continued*)
 - subjective contours 531, 531
 - surface layout 545
 - template matching 559–560, 560
 - textures 554–555, 555, 556
 - vergence angle 548, 548
 - vision science 526–527
 - visual cues 545–546, **546**
 - visual sensitivity 527–544
- visualization 645–648, 660, 666–668
 - abstraction and 650–651
 - adjacent views 661–666
 - aggregation and 667–668
 - algorithm design 651
 - animation and 661
 - background on 647–648
 - channel characteristics 652–655, 653, 654
 - color and 654–657, 654, 656
 - colormaps and 655–657, 656, 657, 677
 - composite views 661–666
 - data reduction 667–672
 - data transformation 649
 - data types 648–649, 653
 - for debugging 11
 - derived dimensions 649
 - design process 650–652, 650
 - details on demand 660, 666
 - dimensionality reduction 671, 672
 - dimensions 649
 - distortion 668–670
 - examples of 672–679, 673, 674, 675, 676
 - explanation of 2
 - external visualization 645–646, 646
 - filters 660, 668, 671
 - fish-eye lens 669, 674–675, 674
 - focus+context techniques 668–670
 - geographic data 677, 678
 - glyphs 663–664, 664, 665
 - graphs 674–675, 674, 675
 - hierarchical parallel coordinates 673, 673
 - human-centered design process 650–652
 - information visualization 4
 - interaction principles 660–661
 - interactivity costs 660–661
 - item count 649
 - layering technique 663, 663
 - memory and 645
 - multiple views 664–666, 667
 - navigation 667–669, 669
 - perspective distortion 658, 659
 - position and 654, 654
 - projection and 671
 - resource limitations 647–648
 - shading 621
 - single drawing 662, 662
 - slicing 671
 - SpaceTree system 670, 670
 - spatial fields 677
 - spatial layouts 657–658
 - stretch and squish 669, 669
 - superimposing technique 663
 - tabular data 672–673, 673
 - task characterization 650
 - techniques for 651
 - text labels 658–660
 - text lists 645–646, 646
 - treemaps 675–676, 676
 - validation of 650, 651–652
 - visual encoding principles 652–660
 - zooming 660, 668–670
- volume culling 201
- wavelength 358, 363, 365–368
- warping 614–616, 614
- Weber's law 532
- weighted averages 31–32
- winged-edge structure 301–304, 302, 303
- wireframe renderings 157–158, 158
- wrapping textures 265–266, 267
- Z-buffer 5, 194–196, 194, 195
- zero measure sets 336
- zero vectors 22–26