



PROF. MARCOS CALDAS
DESENVOLVIMENTO
DE SISTEMAS

PROF. MARCOS CALDAS
DESENVOLVIMENTO
DE SISTEMAS

FORK COM GITHUB



PROF. MARCOS CALDAS
DESENVOLVIMENTO
DE SISTEMAS

PROF. MARCOS CALDAS
DESENVOLVIMENTO
DE SISTEMAS



GitHub - Contribuindo em um projeto

Fazendo Fork de projetos

- Se você deseja **contribuir** em um projeto **existente** no qual você ainda não tem acesso de **push**, você pode dar um “**fork**” no projeto. Quando você faz “**fork**” de um projeto, o GitHub faz uma cópia do projeto que é inteiramente sua; ele vive no seu namespace e você pode dar **push** nela.



Historicamente, o termo “**fork**” tinha uma conotação negativa, significando que alguém levou um projeto open source para uma direção diferente, às vezes criando um projeto competidor e dividindo os contribuintes.

No GitHub, um “**fork**” é simplesmente o mesmo projeto no seu namespace, permitindo que você faça alterações publicamente em um projeto como uma forma mais aberta de contribuir.

Para fazer fork de um projeto, visite a página do projeto e clique no botão “Fork” na parte superior direita do site.



Obs: O **FORK** deve ser feito no repositório que você deseja copiar.

Para o exemplo trabalhar eu criei uma conta fictícia apenas para conseguir acessar minha própria conta.

← ↻ https://github.com/MarcosProfAds

☰ MarcosProfAds 🔍 Type 17 to search

📖 Overview 📁 Repositories 1 📁 Projects 📦 Packages ☆ Stars



MarcosProfAds

Edit profile

Achievements



Popular repositories

MeuProjeto Public

HTML 1

8 contributions in the last year

Contribution settings

	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May
Mon													
Wed													
Fri													

Learn how we count contributions

Less More

Contribution activity

May 2025

MarcosProfAds has no activity yet for this period.

Show more activity

Seeing something unexpected? Take a look at the [GitHub profile guide](#).

Na minha conta **fictícia** fiz a busca do repositório da minha
conta **original**: **nome do repositório**

The screenshot shows a GitHub repository page for 'Live82CrudComLocalStorageJS' by user 'marcoscaldas'. The repository is public and has 1 watch, 0 forks, and 0 stars. The main content area shows a file list with 6 commits. The files listed are index.html, script.js, and style.css, all of which were altered from orange to another color 7 months ago. The right sidebar contains sections for 'About' (no description), 'Activity' (0 stars, 1 watching, 0 forks), 'Releases' (no releases published), 'Packages' (no packages published), 'Contributors' (2 contributors: marcoscaldas and MarcosProfAds), and 'Languages'.

marcoscaldas / Live82CrudComLocalStorageJS

<> Code Issues Pull requests Actions Projects Security Insights

Live82CrudComLocalStorageJS Public

Watch 1 Fork 0 Star 0

master 1 Branch 0 Tags

Go to file Add file <> Code

About

No description, website, or topics provided.

Activity

0 stars

1 watching

0 forks

Report repository

Releases

No releases published

Packages

No packages published

Contributors 2

marcoscaldas Prof. Marcos Caldas

MarcosProfAds

Languages

marcoscaldas / Live82CrudComLocalStorageJS

Code Issues Pull requests Actions Projects Security Insights

Live82CrudComLocalStorageJS Public

Watch 1 Fork 0 Star 0

master 1 Branch Tags

Go to file Add file

Existing forks

You don't have any forks of this repository.

+ Create a new fork

MarcosProfAds Projeto Finalizado 726bda7 · 18 hours ago 2 Commits

index.html	Primeiro Commit	19 hours ago
script.js	Projeto Finalizado	18 hours ago
style.css	Primeiro Commit	19 hours ago

Releases

No releases published

Packages

No packages published


Languages

Create a new fork

A *fork* is a copy of a repository. Forking a repository allows you to freely experiment with changes without affecting the original project.

Required fields are marked with an asterisk (*).

Owner *



Repository name *

Live82CrudComLocalStora

Live82CrudComLocalStorageJS is available.

By default, forks are named the same as their upstream repository. You can customize the name to distinguish it further.

Description (optional)

☒ Copy the `master` branch only

Contribute back to marcoscaldas/Live82CrudComLocalStorageJS by adding your own branch. [Learn more.](#)

You are creating a fork in your personal account.

Create fork

Vai informar que é
uma cópia do
repositório original

MarcosProfAds / Live82CrudComLocalStorageJS

Q Type to search

+⌵⌚🔗📧🌐

<> Code🔗 Pull requests⌚ Actions📁 Projects📖 Wiki🛡 Security📈 Insights⚙ Settings

Live82CrudComLocalStorageJS

Public

forked from [marcoscaldas/Live82CrudComLocalStorageJS](#)

🔗 master ⌵🔗 1 Branch🔖 Tags

Q Go to filetAdd file ⌵<> Code ⌵

About⚙

This branch is up to date with [marcoscaldas/Live82CrudComLocalStorageJS:master](#).

🔗 Contribute ⌵🔄 Sync fork ⌵

MarcosProfAds

Projeto Finalizado

726bda7 · 18 hours ago⌚ 2 Commits

📄 index.html

Primeiro Commit

19 hours ago

📄 script.js

Projeto Finalizado

18 hours ago

📄 style.css

Primeiro Commit

19 hours ago

📖 README

Add a README

Help people interested in this repository understand your project by adding a README

About

No description, website, or topics provided.

🔔 Activity

☆ 0 stars

👁 0 watching

🔗 0 forks

Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)

Languages



PROF. MARCOS CALDAS
DESENVOLVIMENTO
DE SISTEMAS

PROF. MARCOS CALDAS
DESENVOLVIMENTO
DE SISTEMAS

CONTRIBUINDO COM O DESENVOLVIMENTO




PROF. MARCOS CALDAS
DESENVOLVIMENTO
DE SISTEMAS

PROF. MARCOS CALDAS
DESENVOLVIMENTO
DE SISTEMAS



Clonar para minha máquina, fazer as alterações e depois
subir para o meu repositório.

git clone **nome do repositório**



Visual Studio Code interface showing a project named **FORK** with files `index.html`, `script.js`, and `style.css`.

The **TERMINAL** panel displays the following commands and output:

```
Unpacking objects: 100% (8/8), 1.83 KiB | 69.00 KiB/s, done.

MARCOS@GUY2020 MINGW64 ~/Desktop/fork
$ dir
Live82CrudComLocalStorageJS

MARCOS@GUY2020 MINGW64 ~/Desktop/fork
$ cd Live82CrudComLocalStorageJS

MARCOS@GUY2020 MINGW64 ~/Desktop/fork/Live82CrudComLocalStorageJS (master)
$
```

A large red arrow points to the `cd` command, with the text **ALTERAR O DIRETÓRIO** (Change Directory) overlaid in red.

Fazer alteração da cor da letra no h1

The image shows a development environment with VS Code on the left and a web browser on the right. In VS Code, the `style.css` file is open, showing the following CSS rules:

```
1 body {  
2   background-color: #121212;  
3   color: #e0e0e0;  
4   font-family: Arial, sans-serif;  
5   margin: 0;  
6   padding: 20px;  
7 }  
8  
9 h1 {  
10  color: #ffffff;  
11  text-align: center;  
12 }  
13  
14 input[type="text"] {  
15   padding: 10px;  
16   border: none;  
17   border-radius: 5px;  
18 }
```

The web browser displays a page titled "Lista de Tarefas" (Task List) at the URL `127.0.0.1:5500/Live82CrudComLocalStorageJS`. The page features a dark theme with a text input field labeled "Digite uma tarefa" and a purple "Adicionar" button. Below the input is a purple "Limpar LocalStorage" button. A list of tasks is shown, with the first task being "dsdsds", accompanied by "Editar" and "Excluir" buttons.

The VS Code terminal at the bottom shows the following commands and output:

```
MARCOS@GUY2020 MINGW64 ~/Desktop/fork  
$ cd Live82CrudComLocalStorageJS  
  
MARCOS@GUY2020 MINGW64 ~/Desktop/fork/Live82CrudComLocalStorageJS (master)  
$
```

Visual Studio Code interface showing a web application running on a local server (127.0.0.1:5500).

The Explorer panel on the left shows the project structure:

- EXPLORER
 - FORK
 - Live82CrudComLocal...
 - index.html
 - script.js
 - style.css

The main editor displays the `style.css` file with the following content:

```
# style.css
Live82CrudComLocalStorageJS > # style.css > body
1 body {
2   background-color: #121212;
3   color: #e0e0e0;
4   font-family: Arial, sans-serif;
5   margin: 0;
6   padding: 20px;
7 }
8
9 h1 {
10  color: #e5f236;
11  text-align: center;
12 }
13
14 input[type="text"] {
15   padding: 10px;
16   border: none;
17   border-radius: 5px;
```

A red arrow points to the `h1` selector, highlighting the `color` property.

The bottom panel shows the TERMINAL output:

```
Live82CrudComLocalStorageJS
MARCOS@GUY2020 MINGW64 ~/Desktop/fork
$ cd Live82CrudComLocalStorageJS
MARCOS@GUY2020 MINGW64 ~/Desktop/fork/Live82CrudComLocalStorageJS (master)
$
```

The browser window displays the application running on `127.0.0.1:5500/Live82CrudCo...`. The page title is "CRUD com LocalStorage". The main heading is "Lista de Tarefas". Below the heading is a form with a text input field labeled "Digite uma tarefa" and a purple "Adicionar" button. Below the form is a purple "Limpar LocalStorage" button. At the bottom, there is a list of tasks, currently showing "dsdsds", with "Editar" and "Excluir" buttons next to it.



Fazer o commit

`git status`

`git add .`

`git commit -m "Alterado a cor do H1"`

`git push origin master`

forked from [marcoscaldas/Live82CrudComLocalStorageJS](#)

Q Go to file

<> Code ▾

[Contribute](#)

About

No description, website, or topics provided.

Activity

☆ 0 stars

0 watching

0 forks

Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)

Languages



Filters is:pr is:open

Labels 9 Milestones 0

New pull request

Welcome to pull requests!

Pull requests help you collaborate on code with other people. As pull requests are created, they'll appear here in a searchable and filterable list. To get started, you should [create a pull request](#).

ProTip! Follow long discussions with [comments:>50](#).

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).

base repository: marcoscaldas/Live82CrudComL... base: master head repository: MarcosProfAds/Live82CrudCo... compare: master

✓ Able to merge. These branches can be automatically merged.

Discuss and review the changes in this comparison with others. [Learn about pull requests](#)

Create pull request

1 commit

3 files changed

1 contributor

Commits on Oct 20, 2024

alterado a cor do h1

MarcosProfAds authored 3 minutes ago

Verified



97f33ad



Showing 3 changed files with 145 additions and 145 deletions.

Split

Unified

index.html

```
@@ -1,20 +1,20 @@
1 - <!DOCTYPE html>
2 - <html lang="pt-br">
3 - <head>
```

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#). [Learn more about diff comparisons here](#).



base repository: marcoscaldas/Live82CrudComL...

base: master



head repository: MarcosProfAds/Live82CrudCo...

compare: master

✓ **Able to merge.** These branches can be automatically merged.



Add a title

alterado a cor do h1

Helpful resources

[GitHub Community Guidelines](#)

Add a description

Write

Preview



Add your description here...

Markdown is supported

Paste, drop, or click to add files

☒ Allow edits by maintainers ?

Create pull request

① Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).



alterado a cor do h1 #1

Edit <> Code

🔗 Open MarcosProfAds wants to merge 1 commit into `marcoscaldas:master` from `MarcosProfAds:master` 📄

💬 Conversation 0

🔗 Commits 1

📄 Checks 0

📄 Files changed 3

+145 -145 🟢🟡🔴



MarcosProfAds commented now

...

No description provided.



🔗 alterado a cor do h1

Verified

97f33ad



✓ **This branch has no conflicts with the base branch**
Only those with [write access](#) to this repository can merge pull requests.



Add a comment

Write

Preview

H B I ☰ <> 🔗 ☰ ☰ ☰ 📄 @ 📄 ↩ 📄

Add your comment here...

📄 Markdown is supported

📄 Paste, drop, or click to add files

🚫 Close pull request

Comment

Reviewers

No reviews

Still in progress? [Convert to draft](#)

Assignees

No one assigned

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

Successfully merging this pull request may close these issues.

None yet

Notifications

Customize

Agora na conta do criador irá aparecer assim:

The screenshot shows the GitHub 'Dashboard' for the user 'MarcosProfAds'. The interface includes a top navigation bar with a search bar and user profile icon. The main content area is titled 'Home' and features several sections:

- Top repositories:** A list of repositories on the left sidebar, including 'marcoscaldas/leilao', 'marcoscaldas/ModeloEstudosJenkins', 'marcoscaldas/ModeloApi', 'marcoscaldas/Live73TikTokLocalStorage', 'marcoscaldas/Live66TikTokWhileDoWhileComHtmlCssJavaScript', and 'marcoscaldas/Live65TikTokWhileDoWhileComPromptsync'. A 'New' button is visible.
- Activity feed:**
 - A notification from 'MarcosProfAds' stating 'forked your repository' 37 minutes ago, with a red arrow pointing to it. The repository is 'MarcosProfAds/Live82CrudComLocalStorageJS' (JavaScript).
 - A notification from 'R0bertMC' stating 'started following you' 2 days ago. The user 'R0bertMC' has 1 repository and 1 follower.
- Trending repositories:** A list of popular repositories including 'microsoft/BitNet' (Official inference framework for 1-bit LLMs, C++, 4.9k stars) and 'facebookresearch/lingua' (Meta Lingua: a lean, efficient, and easy-to-hack codebase to research LLMs).
- UNIVERSE'24:** A promotional banner for GitHub Universe 2024, encouraging users to explore AI-powered security and get tickets for Oct. 29-30.
- Latest changes:** A list of recent updates, including 'New PAT rotation policies', 'New Terminology for GitHub Previews', and 'New code security configurations'.

marcoscaldas / Live82CrudComLocalStorageJS

[Code](#)
[Issues](#)
[Pull requests 1](#)
[Actions](#)
[Projects](#)
[Wiki](#)
[Security](#)
[Insights](#)
[Settings](#)

Label issues and pull requests for new contributors
Dismiss

Now, GitHub will help potential first-time contributors [discover issues](#) labeled with [good first issue](#)

Filters

Labels 9
Milestones 0

New pull request

☐

1 Open
☒
0 Closed

Author
Label
Projects
Milestones
Reviews
Assignee
Sort

☐

alterado a cor do h1

#1 opened 3 minutes ago by MarcosProfAds

ProTip! Ears burning? Get @marcoscaldas mentions with [mentions:marcoscaldas](#).



alterado a cor do h1 #1

MarcosProfAds wants to merge 1 commit into `marcoscaldas:master` from `MarcosProfAds:master`



alterado a cor do h1

Verified

97f33ad



Require approval from specific reviewers before merging

[Rulesets](#) ensure specific people approve pull requests before they're merged.

Add rule



This branch has no conflicts with the base branch

Merging can be performed automatically.

Merge pull request

You can also [open this in GitHub Desktop](#) or view [command line instructions](#).



Add a comment

Write

Preview



Obrigado pela contribuição!

Markdown is supported

Paste, drop, or click to add files



Close with comment

Comment

Assignees

No one—[assign yourself](#)

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

Successfully merging this pull request issues.

None yet

Notifications

Unsubscribe

You're receiving notifications because this repository.

1 participant

alterado a cor do h1 Verified 97f33ad



Merge pull request #1 from MarcosProfAds/master

alterado a cor do h1

This commit will be authored by 61627828+marcoscaldas@users.noreply.github.com

Confirm merge Cancel



Add a comment

Write Preview

H B I

Obrigado pela contribuição!

Markdown is supported Paste, drop, or click to add files

Close with comment **Comment**

Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).

ProTip! Add [.patch](#) or [.diff](#) to the end of URLs for Git's plaintext views.

Assignees

No one assigned

Labels

None yet

Projects

None yet

Milestone

No milestone

Developer

Successfully
issues.

None yet

Notification:

You're receiving
this repository

1 participant



Live82CrudComLocalStorageJS Public

Pin Unwatch 1 Fork 1 Star 0

master 1 Branch Tags

Go to file

Add file

<> Code

About

No description, website, or topics provided.

Activity

0 stars

1 watching

1 fork

Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)

Contributors 2

marcoscaldas Prof. Marcos Caldas

MarcosProfAds

marcoscaldas	Merge pull request #1 from MarcosProfAds/master	720afaa · 2 minutes ago	4 Commits
index.html	alterado a cor do h1	11 minutes ago	
script.js	alterado a cor do h1	11 minutes ago	
style.css	alterado a cor do h1	11 minutes ago	

README



Add a README

Help people interested in this repository understand your project by adding a README.

Add a README



Quando você cria um pull request no GitHub, você tem algumas opções para como as alterações serão integradas à branch de destino.

1. Create a Merge Commit

- **O que é:** Essa opção cria um novo commit de merge na branch de destino.
- **Como funciona:** O Git combina as mudanças da branch de origem com a branch de destino e cria um novo commit que une os dois. O histórico de commits das duas branches é preservado.
- **Vantagens:**
 - O histórico completo é mantido, permitindo que você veja quando e como as branches foram mescladas.
 - Útil em projetos onde a rastreabilidade das mudanças é importante.
- **Desvantagens:**
 - O histórico pode se tornar mais complexo, especialmente se houver muitos merges.

2. Squash and Merge

- **O que é:** Essa opção "squashes" (ou combina) todos os commits da branch de origem em um único commit na branch de destino.
- **Como funciona:** O Git pega todos os commits da branch de origem e os combina em um único commit, que é então adicionado à branch de destino.
- **Vantagens:**
 - O histórico é mais limpo, pois reduz a quantidade de commits na branch de destino.
 - Útil para pull requests que têm muitos commits pequenos ou commits de "trabalho em progresso".
- **Desvantagens:**
 - Você perde o histórico detalhado dos commits da branch de origem, o que pode dificultar a compreensão do contexto das mudanças.

3. Rebase and Merge

- **O que é:** Essa opção reaplica os commits da branch de origem na branch de destino, criando um histórico linear.
- **Como funciona:** O Git "move" a base dos commits da branch de origem para a branch de destino, como se os commits tivessem sido criados diretamente na branch de destino.
- **Vantagens:**
 - O histórico se torna linear e mais fácil de seguir, sem commits de merge.
 - Permite uma visualização clara de como as alterações se acumularam ao longo do tempo.
- **Desvantagens:**
 - Pode ser complicado se houver conflitos que precisam ser resolvidos durante o rebase.
 - Altera o histórico da branch de origem, o que pode ser problemático se outros colaboradores estiverem trabalhando nessa branch.