PukSquash Developer Manual

Private Coaching Schedule

Firebase Data Connect edition | Source revision fe3e361 | 4 October 2026

1 Functionality Overview

The coaching schedule shows confirmed private sessions assigned to the authenticated coach. It includes sessions that have not started and sessions still in progress, then removes them when their end time passes.

CoachBookings calls myCoachBookingsUpcoming through the booking service. Laravel resolves the caller’s profile, requires ACTIVE COACH, retrieves confirmed private-coaching reservations for that coach, filters by the session end time and sorts by date, start time and ID. The response contains the student, court, slot and status needed by the coach table.

1 1 Files and Responsibilities

resources/js/pages/CoachBookings.vue — schedule table

resources/js/features/booking/bookingService.js — myCoachBookingsUpcoming

app/Http/Controllers/Api/CoachBookingController.php — upcoming and toResponseArray

app/Repositories/BookingRepository.php — getConfirmedByCoach

dataconnect/example/queries.gql — GetConfirmedBookingsByCoach

1 2 API Contract

GET /api/coach/bookings/upcoming returns an array of id, player, booking_date, time_slot, court and status. The API determines the coach from the Firebase token; there is no caller-supplied coach ID.

Reading this part

Code excerpts are from the stated Firebase revision unless explicitly labelled as a proposed extension. Requirements and maintenance gaps are separated from implemented behaviour. Each part can be read independently; Part 00 covers the shared environment.

2 Filtering current and future sessions

app/Http/Controllers/Api/CoachBookingController.php | source line 40 onward; blank and comment lines omitted

```
$now = CarbonImmutable::now('Africa/Johannesburg');
$bookings = $this->bookings->getConfirmedByCoach($user->id);
$bookings = array_values(array_filter(
    $bookings,
    function (BookingDTO $booking) use ($now): bool {
        $endTime = $booking->timeSlot['endTime'] ?? null;
        if (! $endTime) {
            return false;
        }
        $endsAt = CarbonImmutable::parse(
            $booking->bookingDate.' '.$endTime,
            'Africa/Johannesburg',
        );
        return $endsAt->greaterThan($now);
    },
));
```

Explanation

The schedule deliberately uses the end time. A coaching session remains visible during its full hour even after its start. Cancelled or differently assigned sessions are excluded by the repository query before this time filter is applied.

Physical Code Explanation

1 CarbonImmutable establishes the current time in Africa/Johannesburg.

2 getConfirmedByCoach selects the authenticated coach’s confirmed coaching reservations.

3 The filter reads endTime, combines it with bookingDate, and keeps the row only when endsAt is later than now.

4 A row without an end time is excluded. The array is reindexed so JSON remains a normal list.

The controller then sorts by booking date, start time and ID for deterministic ordering. The page receives only the fields needed for the schedule rather than a raw GraphQL response.

3 Retrieving the coach reservations

app/Repositories/BookingRepository.php | source line 143 onward; blank and comment lines omitted

```
public function getConfirmedByCoach(string $coachId): array
{
    $data = $this->client->execute('GetConfirmedBookingsByCoach', [
        'coachId' => $coachId,
    ]);
    return array_map(
        fn (array $row) => BookingDTO::fromGraphQL($row),
        $data['bookings'] ?? [],
    );
}
```

Explanation

The repository delegates selection to GetConfirmedBookingsByCoach and converts each result to BookingDTO. The controller maps these DTOs into the schedule response. Keeping this conversion in one place prevents GraphQL camelCase fields from leaking inconsistently into the Vue table.

Physical Code Explanation

1 coachId is the application User ID, not the Firebase UID. The middleware and UserRepository lookup establish the relationship.

2 execute sends the named query and its variables to Data Connect.

3 array_map constructs one BookingDTO per result; an empty result becomes an empty list.

Private coaching booking creation is documented in Court Booking Creation. This schedule does not publish coach availability, collect a coaching fee or create an additional reservation.

4 Verification and Maintenance

Verification checklist

1 Book a private session with the test coach and check the student name, court, date and time in the schedule.

2 Confirm the session is present before its start and while in progress, and absent at or after its end.

3 Use a different coach account and verify the session is not returned.

4 Verify USER, inactive COACH and unverified accounts cannot retrieve a coach schedule.

5 Run UpcomingCoachBookingsTest for the controller contract, then verify the actual connector query in a development Firebase project.

Implementation boundaries

A historical coaching endpoint is not implemented by this upcoming method. Add a distinct history contract if Phase 2 requires it rather than reusing an endpoint that filters past sessions out.

Private coaching payments are a specification extension. A confirmed booking in this Firebase baseline does not demonstrate that a fee was collected.

4 1 Source References

PukSquash repository, revision fe3e361; source paths are identified beside each excerpt. Requirements: Functional Specifications PukSquash (3) and Techinical specifications PukSquash (2). Business context: Business_Case and Feasibility_Study for PukSquash. Structure reference: Campus Marketplace Developer Manual (4).