## **Budget Suite**

#### **Execution Environment**

Host name khoan - MSI Local OS Windows 10 64bit

Katalon version 9.2.0.212

Browser Chrome 120.0.0.0

Summary

ID Test Suites/Budget Suite

Description

Total 10

Passed 8 Failed 2
Error 0 Incomplete 0

Skipped 0

Start 02-01-2024 11:56:26 End 02-01-2024 11:59:12

Elapsed 2m - 45.898s

#	ID	Description	Status
1	Test Cases/Budget		PASSED
2	Test Cases/Budget		PASSED
3	Test Cases/Budget		PASSED
4	Test Cases/Budget		PASSED
5	Test Cases/Budget		PASSED
6	Test Cases/Budget		FAILED
7	Test Cases/Budget		PASSED
8	Test Cases/Budget		PASSED
9	Test Cases/Budget		FAILED
10	Test Cases/Budget		PASSED

#### Information

ID Test Cases/Budget

Description

Tag

Start 02-01-2024 11:56:26 End 02-01-2024 11:56:42

Elapsed 16.169s Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.547s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/login")  Navigate to 'https://firefly.buudadawg.online/login' successfully	0.721s	PASSED
3	setText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_email"), "khoacraphotograph@gmail.com")  Text 'khoacraphotograph@gmail.com' is set on object 'Object Repository/Budget/Page_Login to Firefly III/input_email'	0.850s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_password"), "krbqsEPTyj+/ySZvycc2bfHXjZyOJWOA")  Text ****** has been set on object 'Object Repository/Budget/Page_Login to Firefly III/input_password'	0.404s	PASSED
5	click(findTestObject("Object Repository/Budget/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Budget/Page_Login to Firefly III/button_Sign in' is clicked on	1.082s	PASSED
6	click(findTestObject("Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets"))  Object: 'Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets' is clicked on	2.291s	PASSED


#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Budget/Page_Budgets Firefly III/a_New budget"))  Object: 'Object Repository/Budget/Page_Budgets Firefly III/a_New budget' is clicked on	0.775s	PASSED
8	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name"), Name)  Text '45IE-)&3mnA222' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name'	0.848s	PASSED
9	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419"))  Object: 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419' is clicked on	0.316s	PASSED
10	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb"), Auto_budget, true)  All options with label 'Set a fixed amount every period' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb' using regular expression	0.989s	PASSED
11	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount"), Auto_budget_amount)  Text '9401' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount'	0.758s	PASSED
12	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_DailyWeeklyMonthlyQuarterlyEvery hal_69941c"), Auto_budget_period, true)  All options with label 'Monthly' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_DailyWeeklyMonthlyQuarterlyEvery hal_69941c' using regular expression	0.891s	PASSED
13	out.println(attachments)	0.026s	PASSED

#	Description	Elapsed	Status
14	if (attachments)	0.340s	PASSED
	File 'E:\school\software_testing\G1_Firefly_testing\Attachments File\Report_1MB.csv' sent to object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/upload file'		
15	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/button Store new budget"))	1.524s	PASSED

Object: 'Object Repository/Budget/Page\_Create a new budget Budgets Firefly III/button\_Store new budget' is clicked on

#	Description	Elapsed	Status
16	try	1.898s	FAILED
	Upplie to verify chiest !Ohiest Repository/Shared, clart/guesses, clart, budget! is not present		
	Unable to verify object 'Object Repository/Shared_alert/success_alert_budget' is not present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object		
	'Object Repository/Shared_alert/success_alert_budget' is not present		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.internal.		
	WebUIKeywordMain\$runKeyword.call(Unknown Source)		
	$at\ com. kms. katalon. core. webui. keyword. built in. Verify Element Not Present Keyword.$		
	verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.		
	execute(VerifyElementNotPresentKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)		
	at Budget.run(Budget:62)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180)		
	at TempTestSuite1704171383094.run(TempTestSuite1704171383094.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id:		
	'Object Repository/Shared_alert/success_alert_budget' located by 'By.cssSelector: #app >		
	div.content-wrapper > section.content > div.alert.alert-success.alert-dismissible' is present		
	after '1' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.		
	WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall		
	Tomy Element to the reconstruction of the second se		

Status



#	Description	Elapsed	Status
17	catch (Exception err)	0.289s	PASSED
18	closeBrowser() Browser is closed	0.186s	PASSED

#### Information

ID Test Cases/Budget

Description

Tag

Start 02-01-2024 11:56:42 End 02-01-2024 11:56:57

Elapsed 14.328s Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.914s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/login")  Navigate to 'https://firefly.buudadawg.online/login' successfully	0.607s	PASSED
3	setText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_email"), "khoacraphotograph@gmail.com")  Text 'khoacraphotograph@gmail.com' is set on object 'Object Repository/Budget/Page_Login to Firefly III/input_email'	0.872s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_password"), "krbqsEPTyj+/ySZvycc2bfHXjZyOJWOA")  Text ****** has been set on object 'Object Repository/Budget/Page_Login to Firefly III/input_password'	0.339s	PASSED
5	click(findTestObject("Object Repository/Budget/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Budget/Page_Login to Firefly III/button_Sign in' is clicked on	0.632s	PASSED
6	click(findTestObject("Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets"))  Object: 'Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets' is clicked on	2.398s	PASSED


#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Budget/Page_Budgets Firefly III/a_New budget"))  Object: 'Object Repository/Budget/Page_Budgets Firefly III/a_New budget' is clicked on	0.705s	PASSED
8	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name"), Name)  Text '85kM-)&1jcH222' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name'	0.808s	PASSED
9	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419"))  Object: 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419' is clicked on	0.313s	PASSED
10	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb"), Auto_budget, true)  All options with label 'Set a fixed amount every period' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb' using regular expression	0.875s	PASSED
11	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount"), Auto_budget_amount)  Text '56289' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount'	0.802s	PASSED
12	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_DailyWeeklyMonthlyQuarterlyEvery hal_69941c"), Auto_budget_period, true)  All options with label 'Yearly' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_DailyWeeklyMonthlyQuarterlyEvery hal_69941c' using regular expression	0.885s	PASSED
13	out.println(attachments)	0.001s	PASSED

#	Description	Elapsed	Status
14	if (attachments)	0.290s	PASSED
	File 'E:\school\software_testing\G1_Firefly_testing\Attachments File\Report_1MB.csv' sent to object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/upload file'		
15	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/button_Store new budget"))	1.629s	PASSED

Object: 'Object Repository/Budget/Page\_Create a new budget Budgets Firefly III/button\_Store new budget' is clicked on

#	Description	Elapsed	Status
16	·	1.772s	FAILED
10	try	1.7728	FAILED
	Unable to verify object 'Object Repository/Shared_alert/success_alert_budget' is not present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Shared_alert/success_alert_budget' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal.		
	WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.		
	verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.execute(VerifyElementNotPresentKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at Budget.run(Budget:62)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at TempTestSuite1704171383094.run(TempTestSuite1704171383094.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/Shared_alert/success_alert_budget' located by 'By.cssSelector: #app >		
	div.content-wrapper > section.content > div.alert.alert-success.alert-dismissible' is present after '1' second(s)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)		
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall		

Status



#	Description	Elapsed	Status
17	catch (Exception err)	0.264s	PASSED
18	closeBrowser() Browser is closed	0.187s	PASSED

#### Information

ID Test Cases/Budget

Description

Tag

Start 02-01-2024 11:56:57 End 02-01-2024 11:57:09

Elapsed 12.627s Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.913s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/login")  Navigate to 'https://firefly.buudadawg.online/login' successfully	0.197s	PASSED
3	setText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_email"), "khoacraphotograph@gmail.com")  Text 'khoacraphotograph@gmail.com' is set on object 'Object Repository/Budget/Page_Login to Firefly III/input_email'	1.159s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_password"), "krbqsEPTyj+/ySZvycc2bfHXjZyOJWOA")  Text ****** has been set on object 'Object Repository/Budget/Page_Login to Firefly III/input_password'	0.422s	PASSED
5	click(findTestObject("Object Repository/Budget/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Budget/Page_Login to Firefly III/button_Sign in' is clicked on	0.692s	PASSED
6	click(findTestObject("Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets"))  Object: 'Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets' is clicked on	2.594s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Budget/Page_Budgets Firefly III/a_New budget"))  Object: 'Object Repository/Budget/Page_Budgets Firefly III/a_New budget' is clicked on	0.782s	PASSED
8	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name"), Name)  Text 'cfsafasf' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name'	0.799s	PASSED
9	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419"))  Object: 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419' is clicked on	0.305s	PASSED
10	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb"), Auto_budget, true)  All options with label 'Add an amount every period' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb' using regular expression	0.888s	PASSED
11	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount"), Auto_budget_amount)  Text '89580' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount'	0.814s	PASSED
12	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_DailyWeeklyMonthlyQuarterlyEvery hal_69941c"), Auto_budget_period, true)  All options with label 'Yearly' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_DailyWeeklyMonthlyQuarterlyEvery hal_69941c' using regular expression	0.874s	PASSED
13	out.println(attachments)	0.000s	PASSED

#	Description	Elapsed	Status
14	if (attachments)  File 'E:\school\software_testing\G1_Firefly_testing\Attachments File\Report_1MB.csv' sent to object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/upload file'	0.301s	PASSED
15	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/button_Store new budget"))  Object: 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/button_Store new budget' is clicked on	0.904s	PASSED
16	try	0.785s	PASSED
17	closeBrowser()	0.164s	PASSED

Browser is closed

#### Information

ID Test Cases/Budget

Description

Tag

Start 02-01-2024 11:57:10 End 02-01-2024 11:57:39

Elapsed 29.616s
Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.879s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/login")  Navigate to 'https://firefly.buudadawg.online/login' successfully	0.509s	PASSED
3	setText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_email"), "khoacraphotograph@gmail.com")  Text 'khoacraphotograph@gmail.com' is set on object 'Object Repository/Budget/Page_Login to Firefly III/input_email'	0.883s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_password"), "krbqsEPTyj+/ySZvycc2bfHXjZyOJWOA")  Text ****** has been set on object 'Object Repository/Budget/Page_Login to Firefly III/input_password'	0.409s	PASSED
5	click(findTestObject("Object Repository/Budget/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Budget/Page_Login to Firefly III/button_Sign in' is clicked on	0.635s	PASSED
6	click(findTestObject("Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets"))  Object: 'Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets' is clicked on	2.384s	PASSED


#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Budget/Page_Budgets Firefly III/a_New budget"))  Object: 'Object Repository/Budget/Page_Budgets Firefly III/a_New budget' is clicked on	0.818s	PASSED
8	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name"), Name)  Text '79vA-)&27yC222' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name'	0.807s	PASSED
9	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419"))  Object: 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419' is clicked on	0.312s	PASSED
10	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb"), Auto_budget, true)  All options with label 'Add an amount every period' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb' using regular expression	0.882s	PASSED
11	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount"), Auto_budget_amount)  Text '20276' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount'	0.801s	PASSED
12	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_DailyWeeklyMonthlyQuarterlyEvery hal_69941c"), Auto_budget_period, true)  All options with label 'Weekly' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_DailyWeeklyMonthlyQuarterlyEvery hal_69941c' using regular expression	0.872s	PASSED
13	out.println(attachments)	0.001s	PASSED

#	Description	Elapsed	Status
14	if (attachments)	0.293s	PASSED
	File 'E:\school\software_testing\G1_Firefly_testing\Attachments File\Report_65MB.csv' sent to object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/upload file'		
15	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/button_Store new budget"))	16.888s	PASSED

Object: 'Object Repository/Budget/Page\_Create a new budget Budgets Firefly III/button\_Store new budget' is clicked on

#	Description	Elapsed	Status
16	try	1.736s	FAILED
10	ч	1.7503	TAILLD
	Unable to verify object 'Object Repository/Shared_alert/success_alert_budget' is not present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Shared_alert/success_alert_budget' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.		
	execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)		
	at Budget.run(Budget:62) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180) at TempTestSuite1704171383094.run(TempTestSuite1704171383094.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id:		
	'Object Repository/Shared_alert/success_alert_budget' located by 'By.cssSelector: #app > div.content-wrapper > section.content > div.alert.alert-success.alert-dismissible' is present		
	after '1' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.  WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)		
	at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall		

Status



#	Description	Elapsed	Status
17	catch (Exception err)	0.277s	PASSED
18	closeBrowser()  Browser is closed	0.177s	PASSED

#### Information

ID Test Cases/Budget

Description

Tag

Start 02-01-2024 11:57:39 End 02-01-2024 11:58:10

Elapsed 30.362s Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.782s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/login")  Navigate to 'https://firefly.buudadawg.online/login' successfully	0.630s	PASSED
3	setText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_email"), "khoacraphotograph@gmail.com")  Text 'khoacraphotograph@gmail.com' is set on object 'Object Repository/Budget/Page_Login to Firefly III/input_email'	0.828s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_password"), "krbqsEPTyj+/ySZvycc2bfHXjZyOJWOA")  Text ****** has been set on object 'Object Repository/Budget/Page_Login to Firefly III/input_password'	0.332s	PASSED
5	click(findTestObject("Object Repository/Budget/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Budget/Page_Login to Firefly III/button_Sign in' is clicked on	1.044s	PASSED
6	click(findTestObject("Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets"))  Object: 'Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets' is clicked on	2.177s	PASSED


.,	Providence of the control of the con	El	01-1
#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Budget/Page_Budgets Firefly III/a_New budget"))	0.803s	PASSED
	Object: 'Object Repository/Budget/Page_Budgets Firefly III/a_New budget' is clicked on		
8	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name"), Name)	0.802s	PASSED
	Text '37rH-)&16uX222' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name'		
9	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419"))	0.300s	PASSED
	Object: 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419' is clicked on		
10	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb"), Auto_budget, true)	0.853s	PASSED
	All options with label 'Set a fixed amount every period' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb' using regular expression		
11	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount"), Auto_budget_amount)	0.793s	PASSED
	Text '1000' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount'		
12	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_DailyWeeklyMonthlyQuarterlyEvery hal_69941c"), Auto_budget_period, true)	0.880s	PASSED
	All options with label 'Yearly' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_DailyWeeklyMonthlyQuarterlyEvery hal_69941c' using regular expression		
13	out.println(attachments)	0.000s	PASSED

#	Description	Elapsed	Status
14	if (attachments)	0.284s	PASSED
	File 'E:\school\software_testing\G1_Firefly_testing\Attachments File\Report_65MB.csv' sent to object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/upload file'		
15	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/button_Store new budget"))	17.507s	PASSED

Object: 'Object Repository/Budget/Page\_Create a new budget Budgets Firefly III/button\_Store new budget' is clicked on

#	Description	Elapsed	Status
16	try	1.842s	FAILED
	Unable to verify object 'Object Benealtery/Shared, glart/guesses, glart, budget' is not present		
	Unable to verify object 'Object Repository/Shared_alert/success_alert_budget' is not present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object		
	'Object Repository/Shared_alert/success_alert_budget' is not present		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.internal.		
	WebUIKeywordMain\$runKeyword.call(Unknown Source)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.		
	verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.		
	execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)		
	at Budget.run(Budget:62)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	$at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)$		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180)		
	at TempTestSuite1704171383094.run(TempTestSuite1704171383094.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id:		
	'Object Repository/Shared_alert/success_alert_budget' located by 'By.cssSelector: #app >		
	div.content-wrapper > section.content > div.alert.alert-success.alert-dismissible' is present		
	after '1' second(s)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.		
	WebUlKeywordMain\$stepFailed\$0.call(Unknown Source)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall		

Status



#	Description	Elapsed	Status
17	catch (Exception err)	0.290s	PASSED
18	closeBrowser() Browser is closed	0.192s	PASSED

#### Information

ID Test Cases/Budget

Description

Tag

Start 02-01-2024 11:58:10 End 02-01-2024 11:58:18

Elapsed 8.782s Status FAILED

#### **Details**


#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.837s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/login")  Navigate to 'https://firefly.buudadawg.online/login' successfully	0.478s	PASSED
3	setText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_email"), "khoacraphotograph@gmail.com")  Text 'khoacraphotograph@gmail.com' is set on object 'Object Repository/Budget/Page_Login to Firefly III/input_email'	0.831s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_password"), "krbqsEPTyj+/ySZvycc2bfHXjZyOJWOA")  Text ****** has been set on object 'Object Repository/Budget/Page_Login to Firefly III/input_password'	0.334s	PASSED
5	click(findTestObject("Object Repository/Budget/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Budget/Page_Login to Firefly III/button_Sign in' is clicked on	0.562s	PASSED
6	click(findTestObject("Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets"))  Object: 'Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets' is clicked on	2.474s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Budget/Page_Budgets Firefly III/a_New budget"))  Object: 'Object Repository/Budget/Page_Budgets Firefly III/a_New budget' is clicked on	0.865s	PASSED
8	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name"), Name)  Text '30fC-)&6gdK222' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name'	0.803s	PASSED
9	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419"))  Object: 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419' is clicked on	0.296s	PASSED
10	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb"), Auto_budget, true)  All options with label 'No auto-budget' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb' using regular expression	0.861s	PASSED

Description  setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly Ill/input_auto_budget_amount"), Auto_budget_amount)  Unable to set text '68766' of object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly Ill/input_auto_budget_amount' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to set text '68766' of object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly Ill/input_auto_budget_amount' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:37) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at Budget.run(Budget:43) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:199) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:245)	0.400s	Status
Unable to set text '68766' of object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly Ill/input_auto_budget_amount' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to set text '68766' of object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly Ill/input_auto_budget_amount' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.webui.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at Budget.run(Budget:43) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutorPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)	0.400s	FAILED
Budgets Firefly III/input_auto_budget_amount' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to set text '68766' of object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.webui.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.setText (WebUiBuiltlnKeywords.groovy:1019) at Budget.run(Budget:43) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.getCaseExecutor.getCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.getCaseExecutor.getCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.getCase		TAILED
Repository/Budget/Page_Create a new budget Budgets Firefly Ill/input_auto_budget_amount'		
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)     at com.kms.katalon.core.webui.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.setText (WebUiBuiltlnKeywords.groovy:1019)     at Budget.run(Budget:43)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.setText (WebUiBuiltlnKeywords.groovy:1019)     at Budget.run(Budget:43)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)     at Budget.run(Budget:43)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)     at Budget.run(Budget:43)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText  (WebUiBuiltInKeywords.groovy:1019)     at Budget.run(Budget:43)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText  (WebUiBuiltInKeywords.groovy:1019)     at Budget.run(Budget:43)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at Budget.run(Budget:43) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
at TempTestSuite1704171383094.run(TempTestSuite1704171383094.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.InvalidElementStateException: invalid element state:		
Element is not currently interactable and may not be manipulated (Session info: chrome=120.0.6099.130)		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'MSI', ip: '172.16.4.40', os.name: 'Windows 10', os.arch: 'amd64', os.		
version: '10.0', java.version: '17.0.7'		
Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617,		

```
Description
                                                                                            Elapsed
                                                                                                              Status
userDataDir: C:\Users\khoan\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:62664}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 5b50ab42a64f46760f914ad4f3a19b41
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at\ or g. open qa. selenium. remote. Remote Web Element. clear (Remote Web Element.
java:124)
          at jdk.internal.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0(EventFiringWebDriver.java:
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.clear(Unknown Source)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.clear(EventFiringWebDriver.java:436)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
          at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKevword.groovv:37)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:1019)
         at Script1704099256672.run(Script1704099256672.groovy:43)
```

... 15 more



**Return here** After storing, return here to create

📤 Export data

#### Information

ID Test Cases/Budget

Description

Tag

Start 02-01-2024 11:58:18 End 02-01-2024 11:58:33

Elapsed 14.687s Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.016s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/login")  Navigate to 'https://firefly.buudadawg.online/login' successfully	0.551s	PASSED
3	setText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_email"), "khoacraphotograph@gmail.com")  Text 'khoacraphotograph@gmail.com' is set on object 'Object Repository/Budget/Page_Login to Firefly III/input_email'	0.998s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_password"), "krbqsEPTyj+/ySZvycc2bfHXjZyOJWOA")  Text ****** has been set on object 'Object Repository/Budget/Page_Login to Firefly III/input_password'	0.409s	PASSED
5	click(findTestObject("Object Repository/Budget/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Budget/Page_Login to Firefly III/button_Sign in' is clicked on	0.988s	PASSED
6	click(findTestObject("Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets"))  Object: 'Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets' is clicked on	1.861s	PASSED


#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Budget/Page_Budgets Firefly III/a_New budget"))  Object: 'Object Repository/Budget/Page_Budgets Firefly III/a_New budget' is clicked on	0.722s	PASSED
8	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name"), Name)  Text '65aV-)&1aoW222' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name'	0.906s	PASSED
9	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419"))  Object: 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419' is clicked on	0.353s	PASSED
10	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb"), Auto_budget, true)  All options with label 'Add an amount every period' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb' using regular expression	0.914s	PASSED
11	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount"), Auto_budget_amount)  Text '87990' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount'	0.787s	PASSED
12	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_DailyWeeklyMonthlyQuarterlyEvery hal_69941c"), Auto_budget_period, true)  All options with label 'Yearly' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_DailyWeeklyMonthlyQuarterlyEvery hal_69941c' using regular expression	0.876s	PASSED
13	out.println(attachments)	0.001s	PASSED

#	Description	Elapsed	Status
14	if (attachments)	0.297s	PASSED
	File 'E:\school\software_testing\G1_Firefly_testing\Attachments File\Report_1MB.csv' sent to object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/upload file'		
15	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/button_Store new budget"))	1.791s	PASSED

Object: 'Object Repository/Budget/Page\_Create a new budget Budgets Firefly III/button\_Store new budget' is clicked on

#	Description	Elapsed	Status
16	try	1.764s	FAILED
	Unable to verify object 'Object Repository/Shared_alert/success_alert_budget' is not present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object		
	'Object Repository/Shared_alert/success_alert_budget' is not present		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.internal.		
	WebUlKeywordMain\$runKeyword.call(Unknown Source)		
	$at\ com. kms. katalon. core. we bui. keyword. built in. Verify Element Not Present Keyword.$		
	verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.		
	execute(VerifyElementNotPresentKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)		
	at Budget.run(Budget:62)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180)		
	at TempTestSuite1704171383094.run(TempTestSuite1704171383094.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.iava:43)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id:		
	'Object Repository/Shared_alert/success_alert_budget' located by 'By.cssSelector: #app >		
	div.content-wrapper > section.content > div.alert.alert-success.alert-dismissible' is present		
	after '1' second(s)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.		
	WebUlKeywordMain\$stepFailed\$0.call(Unknown Source)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall		

Status



#	Description	Elapsed	Status
17	catch (Exception err)	0.268s	PASSED
18	closeBrowser()  Browser is closed	0.155s	PASSED

#### Information

ID Test Cases/Budget

Description

Tag

Start 02-01-2024 11:58:33 End 02-01-2024 11:58:48

Elapsed 14.357s Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.821s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/login")  Navigate to 'https://firefly.buudadawg.online/login' successfully	0.540s	PASSED
3	setText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_email"), "khoacraphotograph@gmail.com")  Text 'khoacraphotograph@gmail.com' is set on object 'Object Repository/Budget/Page_Login to Firefly III/input_email'	0.925s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_password"), "krbqsEPTyj+/ySZvycc2bfHXjZyOJWOA")  Text ****** has been set on object 'Object Repository/Budget/Page_Login to Firefly III/input_password'	0.327s	PASSED
5	click(findTestObject("Object Repository/Budget/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Budget/Page_Login to Firefly III/button_Sign in' is clicked on	0.616s	PASSED
6	click(findTestObject("Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets"))  Object: 'Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets' is clicked on	2.573s	PASSED


			0, ,
#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Budget/Page_Budgets Firefly III/a_New budget"))	0.785s	PASSED
	Object: 'Object Repository/Budget/Page_Budgets Firefly III/a_New budget' is clicked on		
8	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name"), Name)	0.771s	PASSED
	Text '39uA-)&7erO222' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name'		
9	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419"))	0.302s	PASSED
	Object: 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419' is clicked on		
10	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb"), Auto_budget, true)	0.862s	PASSED
	All options with label 'Add an amount every period' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb' using regular expression		
11	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount"), Auto_budget_amount)	0.798s	PASSED
	Text '83344' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount'		
12	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_DailyWeeklyMonthlyQuarterlyEvery hal_69941c"), Auto_budget_period, true)	0.857s	PASSED
	All options with label 'Daily' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_DailyWeeklyMonthlyQuarterlyEvery hal_69941c' using regular expression		
13	out.println(attachments)	0.001s	PASSED

#	Description	Elapsed	Status
14	if (attachments)	0.289s	PASSED
	File 'E:\school\software_testing\G1_Firefly_testing\Attachments File\Report_1MB.csv' sent to object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/upload file'		
15	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/button_Store new budget"))	1.683s	PASSED

Object: 'Object Repository/Budget/Page\_Create a new budget Budgets Firefly III/button\_Store new budget' is clicked on

#	Description	Elapsed	Status
16	try	1.754s	FAILED
	Unable to verify object 'Object Repository/Shared_alert/success_alert_budget' is not present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object		
	'Object Repository/Shared_alert/success_alert_budget' is not present		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.internal.		
	WebUlKeywordMain\$runKeyword.call(Unknown Source)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.		
	verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.		
	execute(VerifyElementNotPresentKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)		
	at Budget.run(Budget:62)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180)		
	at TempTestSuite1704171383094.run(TempTestSuite1704171383094.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id:		
	'Object Repository/Shared_alert/success_alert_budget' located by 'By.cssSelector: #app >		
	div.content-wrapper > section.content > div.alert.alert-success.alert-dismissible' is present		
	after '1' second(s)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.		
	WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)		
	at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall		
	veniyElementivotFresentAeyword\$_veniyElementivotFresent_closure1.doCall		

Status



#	Description	Elapsed	Status
17	catch (Exception err)	0.269s	PASSED
18	closeBrowser() Browser is closed	0.171s	PASSED

#### Information

ID Test Cases/Budget

Description

Tag

Start 02-01-2024 11:58:48 End 02-01-2024 11:58:57

Elapsed 9.558s Status FAILED

#### **Details**


#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.828s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/login")  Navigate to 'https://firefly.buudadawg.online/login' successfully	0.580s	PASSED
3	setText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_email"), "khoacraphotograph@gmail.com")  Text 'khoacraphotograph@gmail.com' is set on object 'Object Repository/Budget/Page_Login to Firefly III/input_email'	0.810s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_password"), "krbqsEPTyj+/ySZvycc2bfHXjZyOJWOA")  Text ****** has been set on object 'Object Repository/Budget/Page_Login to Firefly III/input_password'	0.325s	PASSED
5	click(findTestObject("Object Repository/Budget/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Budget/Page_Login to Firefly III/button_Sign in' is clicked on	0.727s	PASSED
6	click(findTestObject("Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets"))  Object: 'Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets' is clicked on	2.978s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Budget/Page_Budgets Firefly III/a_New budget"))  Object: 'Object Repository/Budget/Page_Budgets Firefly III/a_New budget' is clicked on	0.885s	PASSED
8	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name"), Name)  Text '99wT-)&5ihX222' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name'	0.896s	PASSED
9	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419"))  Object: 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419' is clicked on	0.296s	PASSED
10	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb"), Auto_budget, true)  All options with label 'No auto-budget' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb' using regular expression	0.836s	PASSED

<u>!</u>	Description	Elapsed	Status
1	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount"), Auto_budget_amount)	0.380s	FAILED
	Unable to set text '5997' of object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to set text '5997' of object 'Object		
	Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)		
	at Budget.run(Budget:43) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180) at TempTestSuite1704171383094.run(TempTestSuite1704171383094.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.InvalidElementStateException: invalid element state:  Element is not currently interactable and may not be manipulated  (Seesian info observe 420.0 0000 420)		
	(Session info: chrome=120.0.6099.130)  Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  System info: host: 'MSI' in: '173.16.4.40' on name: 'Windows 10' on oreh: lamd64' on		
	System info: host: 'MSI', ip: '172.16.4.40', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.7'  Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617,		

```
Description
                                                                                            Elapsed
                                                                                                              Status
userDataDir: C:\Users\khoan\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:62765}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 029f5a1ec9c4ed32b9a66654f49c25da
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at\ or g. open qa. selenium. remote. Remote Web Element. clear (Remote Web Element.
java:124)
          at jdk.internal.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0(EventFiringWebDriver.java:
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.clear(Unknown Source)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.clear(EventFiringWebDriver.java:436)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
          at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKevword.groovv:37)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:1019)
         at Script1704099256672.run(Script1704099256672.groovy:43)
```

... 15 more



**Return here** After storing, return here to create

📤 Export data

#### Information

ID Test Cases/Budget

Description

Tag

Start 02-01-2024 11:58:57 End 02-01-2024 11:59:12

Elapsed 14.729s Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.020s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/login")  Navigate to 'https://firefly.buudadawg.online/login' successfully	0.533s	PASSED
3	setText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_email"), "khoacraphotograph@gmail.com")  Text 'khoacraphotograph@gmail.com' is set on object 'Object Repository/Budget/Page_Login to Firefly III/input_email'	0.922s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Budget/Page_Login to Firefly III/input_password"), "krbqsEPTyj+/ySZvycc2bfHXjZyOJWOA")  Text ****** has been set on object 'Object Repository/Budget/Page_Login to Firefly III/input_password'	0.331s	PASSED
5	click(findTestObject("Object Repository/Budget/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Budget/Page_Login to Firefly III/button_Sign in' is clicked on	0.569s	PASSED
6	click(findTestObject("Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets"))  Object: 'Object Repository/Budget/Page_Whats playing Firefly III/a_Budgets' is clicked on	2.501s	PASSED


#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Budget/Page_Budgets Firefly III/a_New budget"))  Object: 'Object Repository/Budget/Page_Budgets Firefly III/a_New budget' is clicked on	0.814s	PASSED
8	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name"), Name)  Text '60tQ-)&235H222' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_name'	0.883s	PASSED
9	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419"))  Object: 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/div_Mandatory fields27a419' is clicked on	0.300s	PASSED
10	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb"), Auto_budget, true)  All options with label 'Add an amount every period and correct for overspending' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_No auto-budgetSet a fixed amount eve_005aeb' using regular expression	0.868s	PASSED
11	setText(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount"), Auto_budget_amount)  Text '75526' is set on object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/input_auto_budget_amount'	0.802s	PASSED
12	selectOptionByLabel(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_DailyWeeklyMonthlyQuarterlyEvery hal_69941c"), Auto_budget_period, true)  All options with label 'Yearly' are selected in object 'Object Repository/Budget/Page_Create a new budget Budgets Firefly III/select_DailyWeeklyMonthlyQuarterlyEvery hal_69941c' using regular expression	0.883s	PASSED
13	out.println(attachments)	0.000s	PASSED

#	Description	Elapsed	Status
14	if (attachments)	0.301s	PASSED
	File 'E:\school\software_testing\G1_Firefly_testing\Attachments File\Report_1MB.csv' sent to object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/upload file'		
15	click(findTestObject("Object Repository/Budget/Page_Create a new budget Budgets Firefly III/button_Store new budget"))	1.745s	PASSED

Object: 'Object Repository/Budget/Page\_Create a new budget Budgets Firefly III/button\_Store new budget' is clicked on

#	Description	Elapsed	Status
16	try	1.759s	FAILED
10	иу	1.7595	TAILLD
	Unable to verify object 'Object Repository/Shared_alert/success_alert_budget' is not present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Shared_alert/success_alert_budget' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.internal.  WebUIKeywordMain\$runKeyword.call(Unknown Source)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.		
	execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)		
	at Budget.run(Budget:62) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180) at TempTestSuite1704171383094.run(TempTestSuite1704171383094.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id:		
	'Object Repository/Shared_alert/success_alert_budget' located by 'By.cssSelector: #app > div.content-wrapper > section.content > div.alert.alert-success.alert-dismissible' is present after '1' second(s)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)		
	at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementNotPresentClosure1.doCall		

Status



#	Description	Elapsed	Status
17	catch (Exception err)	0.279s	PASSED
18	closeBrowser() Browser is closed	0.189s	PASSED