

Create a new liability

Execution Environment

Host name	Luat Huynh - LuatHuynh.mshome.net
Local OS	Windows 11 64bit
Katalon version	9.2.0.212
Browser	Chrome 120.0.0.0

Summary

ID	Test Suites/Create a new liability		
Description			
Total	10		
Passed	9	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	02-01-2024 01:18:36	End	02-01-2024 01:22:27
Elapsed	3m - 50.694s		

#	ID	Description	Status
1	Test Cases/Create a new liability		PASSED
2	Test Cases/Create a new liability		PASSED
3	Test Cases/Create a new liability		PASSED
4	Test Cases/Create a new liability		FAILED
5	Test Cases/Create a new liability		PASSED
6	Test Cases/Create a new liability		PASSED
7	Test Cases/Create a new liability		PASSED
8	Test Cases/Create a new liability		PASSED
9	Test Cases/Create a new liability		PASSED
10	Test Cases/Create a new liability		PASSED

Create a new liability

Information

ID	Test Cases/Create a new liability		
Description			
Tag			
Start	02-01-2024 01:18:37	End	02-01-2024 01:19:02
Elapsed	25.067s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.424s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/accounts/create/liabilities") Navigate to 'https://firefly.buudadawg.online/accounts/create/liabilities' successfully	1.231s	PASSED
3	setText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com") Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_email'	0.936s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb") Text ***** has been set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_password'	0.407s	PASSED
5	click(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in' is clicked on	0.794s	PASSED

Create a new liability

#	Description	Elapsed	Status
6	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name"), name)</p> <p>Text 'esummerson0' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name'</p>	1.918s	PASSED
7	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()"), currency, true)</p> <p>All options with value '8' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()' using regular expression</p>	0.942s	PASSED
8	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage"), liability_type, true)</p> <p>All options with value '12' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage' using regular expression</p>	0.938s	PASSED
9	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance"), i_owe_amount)</p> <p>Text '6846.63' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance'</p>	0.635s	PASSED
10	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18"), liability_inout, true)</p> <p>All options with value 'credit' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18' using regular expression</p>	0.889s	PASSED
11	<p>setText(findTestObject("Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date"), start_date_of_debt)</p> <p>Text '23/3/2023' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date'</p>	0.811s	PASSED
12	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest"), interest)</p> <p>Text '85.47' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest'</p>	0.621s	PASSED

Create a new liability

#	Description	Elapsed	Status
13	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year"), interest_period, true)</code> All options with value 'daily' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year' using regular expression	0.869s	PASSED
14	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban"), iban)</code> Text 'ES45 4890 8415 9227 0261 1594' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban'	0.705s	PASSED
15	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC"), bic)</code> Text 'ZVPGVENE96R' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC'	0.660s	PASSED
16	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number"), account_number)</code> Text '50483700000000000' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number'	0.674s	PASSED
17	<code>if (include_in_net_worth == "false")</code>	0.001s	PASSED
18	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes"), notes)</code> Text 'Lorem ipsum dolor sit amet, consectetur adipiscing elit. Proin risus. Praesent lectus. Vestibulum quam sapien, varius ut, blandit non, interdum in, ante. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Duis faucibus accumsan odio. Curabitur convallis. Duis consequat dui nec nisi volutpat eleifend. Donec ut dolor. Morbi vel lectus in quam fringilla rhoncus.' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes'	1.996s	PASSED

Create a new liability

#	Description	Elapsed	Status
19	if (attachments != "") File 'D:\ktpm\G1_Firefly_testing\Attachments File\Report_1MB.csv' sent to object: 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/upload file'	0.360s	PASSED
20	click(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability")) Object: 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability' is clicked on	3.475s	PASSED

Create a new liability

#	Description	Elapsed	Status
21	try Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at Create a new liability.run(Create a new liability:81) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1704133111684.run(TempTestSuite1704133111684.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Shared_alert/text_dangers' located by '.text-danger' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	2.475s	FAILED

Create a new liability

#	Description	Elapsed	Status
---	-------------	---------	--------

(WebUIKeywordMain.groovy:20)
... 20 more

FireflyIII

January 1st, 2024 - January 31st, 2024

huynhluat.dn@gmail.com

Search...

Dashboard

FINANCIAL CONTROL

Budgets

Bills

Piggy banks

ACCOUNTING

Transactions

Automation

OTHERS

Accounts

Asset accounts

Expense accounts

Revenue accounts

Liabilities

Classification

Reports

Export data

Options

Logout

Accounts

Create a new liability

Home > Liabilities > New liability

Success! New account "esummerson0" stored!

Message: Successfully uploaded file "Report_1MB.csv".

Mandatory fields

Name

Name

Currency

US Dollar (\$)

This will be the default currency associated with this account.

Liability type

Debt

I owe amount

Liability in/out

I owe this debt to somebody else

Start date of debt

dd/mm/yyyy

Interest

%

Interest period

Per day

This field is purely cosmetic and won't be calculated for you. As it turns out banks are very sneaky so Firefly III never gets it right.

Optional fields

Create a new liability

#	Description	Elapsed	Status
	<div><div><div><div>FireflyIII</div><div>January 1st, 2024 - January 31st, 2024</div><div>huynhluat.dn@gmail.com</div></div><div><div>Search...</div><div>Dashboard</div><div>FINANCIAL CONTROL</div><div>Budgets</div><div>Bills</div><div>Piggy banks</div><div>ACCOUNTING</div><div>Transactions</div><div>Automation</div><div>OTHERS</div><div>Accounts</div><div>Asset accounts</div><div>Expense accounts</div><div>Revenue accounts</div><div>Liabilities</div><div>Classification</div><div>Reports</div><div>Export data</div><div>Options</div><div>Logout</div></div><div><div>Accounts</div><div>Create a new liability</div><div>Home > Liabilities > New liability</div><div>Success! New account "esummerson0" stored!</div><div>Message! Successfully uploaded file "Report_1MB.csv".</div><div><div>Mandatory fields</div><div><div>Name</div><div>Name</div><div>Currency</div><div>US Dollar (\$)</div><div>This will be the default currency associated with this account.</div><div>Liability type</div><div>Debt</div><div>I owe amount</div><div></div><div>Liability in/out</div><div>I owe this debt to somebody else</div><div>Start date of debt</div><div>dd/mm/yyyy</div><div>Interest</div><div>%</div><div>Interest period</div><div>Per day</div><div>This field is purely cosmetic and won't be calculated for you. As it turns out banks are very sneaky so Firefly III never gets it right.</div></div><div>Optional fields</div></div></div></div></div>		
22	catch (Exception err)	0.331s	PASSED
23	closeBrowser() Browser is closed	0.247s	PASSED

Create a new liability

Information

ID	Test Cases/Create a new liability		
Description			
Tag			
Start	02-01-2024 01:19:02	End	02-01-2024 01:19:25
Elapsed	22.666s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	<div>openBrowser("") Browser is opened with url: "</div>	1.344s	PASSED
2	<div>navigateToUrl("https://firefly.buudadawg.online/accounts/create/liabilities") Navigate to 'https://firefly.buudadawg.online/accounts/create/liabilities' successfully</div>	1.171s	PASSED
3	<div>setText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com") Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_email'</div>	1.265s	PASSED
4	<div>setEncryptedText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb") Text ***** has been set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_password'</div>	0.409s	PASSED
5	<div>click(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in' is clicked on</div>	3.776s	PASSED

Create a new liability

#	Description	Elapsed	Status
6	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name"), name)</p> <p>Text 'skerrod1' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name'</p>	0.836s	PASSED
7	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()"), currency, true)</p> <p>All options with value '1' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()' using regular expression</p>	0.905s	PASSED
8	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage"), liability_type, true)</p> <p>All options with value '9' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage' using regular expression</p>	0.902s	PASSED
9	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance"), i_owe_amount)</p> <p>Text '1965.48' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance'</p>	0.654s	PASSED
10	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18"), liability_inout, true)</p> <p>All options with value 'debit' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18' using regular expression</p>	0.851s	PASSED
11	<p>setText(findTestObject("Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date"), start_date_of_debt)</p> <p>Text '19/12/2023' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date'</p>	0.582s	PASSED
12	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest"), interest)</p> <p>Text '69.19' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest'</p>	0.628s	PASSED

Create a new liability

#	Description	Elapsed	Status
13	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year"), interest_period, true)</code> All options with value 'monthly' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year' using regular expression	0.889s	PASSED
14	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban"), iban)</code> Text 'IS19 4000 9077 3907 2188 7253 31' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban'	0.690s	PASSED
15	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC"), bic)</code> Text 'VPUCXK30W0Z' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC'	0.636s	PASSED
16	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number"), account_number)</code> Text '5100150000000000' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number'	0.672s	PASSED
17	<code>if (include_in_net_worth == "false")</code>	0.000s	PASSED
18	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes"), notes)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes'	0.622s	PASSED
19	<code>if (attachments != "")</code> File 'D:\ktpm\G1_Firefly_testing\Attachments File\Report_1MB.csv' sent to object: 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/upload file'	0.323s	PASSED

Create a new liability

#	Description	Elapsed	Status
20	click(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability")) Object: 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability' is clicked on	2.550s	PASSED

Create a new liability

#	Description	Elapsed	Status
21	try Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at Create a new liability.run(Create a new liability:81) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1704133111684.run(TempTestSuite1704133111684.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Shared_alert/text_dangers' located by '.text-danger' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	2.457s	FAILED

Create a new liability

#	Description	Elapsed	Status
---	-------------	---------	--------

(WebUIKeywordMain.groovy:20)
... 20 more

FireflyIII

January 1st, 2024 - January 31st, 2024

huynhluat.dn@gmail.com

Search...

Dashboard

FINANCIAL CONTROL

Budgets

Bills

Piggy banks

ACCOUNTING

Transactions

Automation

OTHERS

Accounts

Asset accounts

Expense accounts

Revenue accounts

Liabilities

Classification

Reports

Export data

Options

Logout

Accounts

Create a new liability

Home > Liabilities > New liability

Success! New account "skerrod1" stored!

Message: Successfully uploaded file "Report_1MB.csv".

Mandatory fields

Name

Name

Currency

US Dollar (\$)

This will be the default currency associated with this account.

Liability type

Debt

I owe amount

Liability in/out

I owe this debt to somebody else

Start date of debt

dd/mm/yyyy

Interest

Interest period

Per day

This field is purely cosmetic and won't be calculated for you. As it turns out banks are very sneaky so Firefly III never gets it right.

Optional fields

Create a new liability

#	Description	Elapsed	Status
	<div><div><div><div>FireflyIII</div><div>January 1st, 2024 - January 31st, 2024</div><div>huynhluat.dn@gmail.com</div></div><div><div>Search...</div><div>Dashboard</div><div>FINANCIAL CONTROL</div><div>Budgets</div><div>Bills</div><div>Piggy banks</div><div>ACCOUNTING</div><div>Transactions</div><div>Automation</div><div>OTHERS</div><div>Accounts</div><div>Asset accounts</div><div>Expense accounts</div><div>Revenue accounts</div><div>Liabilities</div><div>Classification</div><div>Reports</div><div>Export data</div><div>Options</div><div>Logout</div></div><div><div>Accounts</div><div>Create a new liability</div><div>Home > Liabilities > New liability</div><div>Success! New account "skerrod1" stored!</div><div>Message! Successfully uploaded file "Report_1MB.csv".</div><div><div>Mandatory fields</div><div><div>Name</div><div>Name</div><div>Currency</div><div>US Dollar (\$)</div><div>This will be the default currency associated with this account.</div><div>Liability type</div><div>Debt</div><div>I owe amount</div><div></div><div>Liability in/out</div><div>I owe this debt to somebody else</div><div>Start date of debt</div><div><div>dd/mm/yyyy</div></div><div>Interest</div><div></div><div>%</div><div>Interest period</div><div>Per day</div><div>This field is purely cosmetic and won't be calculated for you. As it turns out banks are very sneaky so Firefly III never gets it right.</div></div><div>Optional fields</div></div></div></div></div>		
22	catch (Exception err)	0.296s	PASSED
23	closeBrowser() Browser is closed	0.149s	PASSED

Create a new liability

Information

ID	Test Cases/Create a new liability		
Description			
Tag			
Start	02-01-2024 01:19:25	End	02-01-2024 01:19:44
Elapsed	19.024s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.469s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/accounts/create/liabilities") Navigate to 'https://firefly.buudadawg.online/accounts/create/liabilities' successfully	1.253s	PASSED
3	setText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com") Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_email'	0.839s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb") Text ***** has been set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_password'	0.388s	PASSED
5	click(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in' is clicked on	1.619s	PASSED

Create a new liability

#	Description	Elapsed	Status
6	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name"), name)</p> <p>Text 'rmatias2' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name'</p>	0.840s	PASSED
7	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()"), currency, true)</p> <p>All options with value '8' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()' using regular expression</p>	0.880s	PASSED
8	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage"), liability_type, true)</p> <p>All options with value '9' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage' using regular expression</p>	0.900s	PASSED
9	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance"), i_owe_amount)</p> <p>Text '4806.72' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance'</p>	0.646s	PASSED
10	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18"), liability_inout, true)</p> <p>All options with value 'debit' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18' using regular expression</p>	0.831s	PASSED
11	<p>setText(findTestObject("Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date"), start_date_of_debt)</p> <p>Text '5/7/2023' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date'</p>	0.599s	PASSED
12	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest"), interest)</p> <p>Text '90.53' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest'</p>	0.629s	PASSED

Create a new liability

#	Description	Elapsed	Status
13	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year"), interest_period, true)</code> All options with value 'daily' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year' using regular expression	0.821s	PASSED
14	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban"), iban)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban'	0.585s	PASSED
15	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC"), bic)</code> Text 'CEZMEK0H3P0' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC'	0.627s	PASSED
16	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number"), account_number)</code> Text '4753800000000' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number'	0.635s	PASSED
17	<code>if (include_in_net_worth == "false")</code>	0.002s	PASSED
18	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes"), notes)</code> Text 'In congue. Etiam justo. Etiam pretium iaculis justo. In hac habitasse platea dictumst. Etiam faucibus cursus urna. Ut tellus. Nulla ut erat id mauris vulputate elementum. Nullam varius. Nulla facilisi.' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes'	1.261s	PASSED
19	<code>if (attachments != "")</code>	0.001s	PASSED

Create a new liability

#	Description	Elapsed	Status
20	click(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability")) Object: 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability' is clicked on	1.184s	PASSED

Create a new liability

#	Description	Elapsed	Status
21	try Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at Create a new liability.run(Create a new liability:81) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1704133111684.run(TempTestSuite1704133111684.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Shared_alert/text_dangers' located by '.text-danger' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	2.455s	FAILED

Create a new liability

#	Description	Elapsed	Status
---	-------------	---------	--------

(WebUIKeywordMain.groovy:20)
... 20 more

FireflyIII

January 1st, 2024 - January 31st, 2024

huynhluat.dn@gmail.com

Search...

Dashboard

FINANCIAL CONTROL

Budgets

Bills

Piggy banks

ACCOUNTING

Transactions

Automation

OTHERS

Accounts

Asset accounts

Expense accounts

Revenue accounts

Liabilities

Classification

Reports

Export data

Options

Logout

Accounts

Create a new liability

Home > Liabilities > New liability

Success! New account "rmatias2" stored!

Mandatory fields

Name

US Dollar (\$)

Debt

I owe amount

I owe this debt to somebody else

Start date of debt

Interest

Interest period

Optional fields

IBAN

Create a new liability

#	Description	Elapsed	Status
	<div><div><div><div>FireflyIII</div><div>January 1st, 2024 - January 31st, 2024</div><div>huynhluat.dn@gmail.com</div></div><div><div>Search...</div><div>Dashboard</div><div>FINANCIAL CONTROL</div><div>Budgets</div><div>Bills</div><div>Piggy banks</div><div>ACCOUNTING</div><div>Transactions</div><div>Automation</div><div>OTHERS</div><div>Accounts<ul style="list-style-type: none">Asset accountsExpense accountsRevenue accountsLiabilities</div><div>Classification</div><div>Reports</div><div>Export data</div><div>Options</div><div>Logout</div></div><div><div>Accounts</div><div>Create a new liability</div><div>Home > Liabilities > New liability</div><div>Success! New account "rmatias2" stored!</div><div><div>Mandatory fields</div><div><div>Name</div><div>US Dollar (\$)</div><div>Debt</div><div>I owe amount</div><div>I owe this debt to somebody else</div><div><div>Start date of debt</div><div>dd/mm/yyyy</div></div><div>Interest</div><div>Per day</div></div><div><div>Optional fields</div><div>IBAN</div></div></div></div></div></div>		
22	catch (Exception err)	0.293s	PASSED
23	closeBrowser() Browser is closed	0.151s	PASSED

Create a new liability

Information

ID	Test Cases/Create a new liability		
Description			
Tag			
Start	02-01-2024 01:19:44	End	02-01-2024 01:20:39
Elapsed	54.691s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.411s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/accounts/create/liabilities") Navigate to 'https://firefly.buudadawg.online/accounts/create/liabilities' successfully	1.202s	PASSED
3	setText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com") Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_email'	0.812s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb") Text ***** has been set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_password'	0.367s	PASSED
5	click(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in' is clicked on	0.683s	PASSED

Create a new liability

#	Description	Elapsed	Status
6	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name"), name)</p> <p>Text 'zpottes3' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name'</p>	1.752s	PASSED
7	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()"), currency, true)</p> <p>All options with value '1' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()' using regular expression</p>	0.916s	PASSED
8	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage"), liability_type, true)</p> <p>All options with value '9' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage' using regular expression</p>	0.881s	PASSED
9	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance"), i_owe_amount)</p> <p>Text '6977.15' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance'</p>	0.623s	PASSED
10	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18"), liability_inout, true)</p> <p>All options with value 'debit' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18' using regular expression</p>	0.833s	PASSED
11	<p>setText(findTestObject("Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date"), start_date_of_debt)</p> <p>Text '2/6/2023' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date'</p>	0.596s	PASSED
12	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest"), interest)</p> <p>Text '9.74' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest'</p>	0.595s	PASSED

Create a new liability

#	Description	Elapsed	Status
13	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year"), interest_period, true)</code> All options with value 'daily' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year' using regular expression	0.829s	PASSED
14	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban"), iban)</code> Text 'GL24 7254 8918 5669 26' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban'	0.664s	PASSED
15	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC"), bic)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC'	0.594s	PASSED
16	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number"), account_number)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number'	0.601s	PASSED
17	<code>if (include_in_net_worth == "false")</code>	0.001s	PASSED
18	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes"), notes)</code> Text 'Integer ac leo. Pellentesque ultrices mattis odio. Donec vitae nisi. Nam ultrices, libero non mattis pulvinar, nulla pede ullamcorper augue, a suscipit nulla elit ac nulla. Sed vel enim sit amet nunc viverra dapibus. Nulla suscipit ligula in lacus.' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes'	1.319s	PASSED
19	<code>if (attachments != "")</code> File 'D:\ktpm\G1_Firefly_testing\Attachments File\Report_65MB.csv' sent to object: 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/upload file'	0.328s	PASSED

Create a new liability

#	Description	Elapsed	Status
20	click(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability")) Object: 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability' is clicked on	36.925s	PASSED

Create a new liability

#	Description	Elapsed	Status
21	try Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at Create a new liability.run(Create a new liability:81) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1704133111684.run(TempTestSuite1704133111684.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Shared_alert/text_dangers' located by '.text-danger' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	2.418s	FAILED

Create a new liability

#	Description	Elapsed	Status
---	-------------	---------	--------

(WebUIKeywordMain.groovy:20)
... 20 more

FireflyIII

January 1st, 2024 - January 31st, 2024

huynhluat.dn@gmail.com

Search...

Dashboard

FINANCIAL CONTROL

Budgets

Bills

Piggy banks

ACCOUNTING

Transactions

Automation

OTHERS

Accounts

Asset accounts

Expense accounts

Revenue accounts

Liabilities

Classification

Reports

Export data

Options

Logout

Accounts

Create a new liability

Home > Liabilities > New liability

Success! New account "zpottes3" stored!

Message: Successfully uploaded file "Report_65MB.csv".

Mandatory fields

Name

Name

Currency

US Dollar (\$)

This will be the default currency associated with this account.

Liability type

Debt

I owe amount

Liability in/out

I owe this debt to somebody else

Start date of debt

dd/mm/yyyy

Interest

%

Interest period

Per day

This field is purely cosmetic and won't be calculated for you. As it turns out banks are very sneaky so Firefly III never gets it right.

Optional fields

Create a new liability

#	Description	Elapsed	Status
---	-------------	---------	--------

FireflyIII

January 1st, 2024 - January 31st, 2024

huynhluat.dn@gmail.com

Search...

Dashboard

FINANCIAL CONTROL

Budgets

Bills

Piggy banks

ACCOUNTING

Transactions

Automation

OTHERS

Accounts

Asset accounts

Expense accounts

Revenue accounts

Liabilities

Classification

Reports

Export data

Options

Logout

Accounts

Create a new liability

Home > Liabilities > New liability

Success! New account "zpottes3" stored!

Message! Successfully uploaded file "Report_65MB.csv".

Mandatory fields

Name

Currency

US Dollar (\$)

This will be the default currency associated with this account.

Liability type

Debt

I owe amount

Liability in/out

I owe this debt to somebody else

Start date of debt

dd/mm/yyyy

Interest

%

Interest period

Per day

This field is purely cosmetic and won't be calculated for you. As it turns out banks are very sneaky so Firefly III never gets it right.

Optional fields

Create a new liability

#	Description	Elapsed	Status
22	catch (Exception err) Test Cases/Create a new liability FAILED. Reason: Assertion failed: assert false at Create a new liability.run(Create a new liability:90) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1704133111684.run(TempTestSuite1704133111684.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)	0.281s	FAILED

Create a new liability

Information

ID	Test Cases/Create a new liability		
Description			
Tag			
Start	02-01-2024 01:20:39	End	02-01-2024 01:20:55
Elapsed	16.398s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.552s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/accounts/create/liabilities") Navigate to 'https://firefly.buudadawg.online/accounts/create/liabilities' successfully	1.309s	PASSED
3	setText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com") Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_email'	0.854s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb") Text ***** has been set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_password'	0.375s	PASSED
5	click(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in' is clicked on	0.699s	PASSED

Create a new liability

#	Description	Elapsed	Status
6	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name"), name)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name'	1.643s	PASSED
7	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()"), currency, true)</code> All options with value '8' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()' using regular expression	0.896s	PASSED
8	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage"), liability_type, true)</code> All options with value '11' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage' using regular expression	0.852s	PASSED
9	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance"), i_owe_amount)</code> Text '3627.43' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance'	0.636s	PASSED
10	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18"), liability_inout, true)</code> All options with value 'credit' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18' using regular expression	0.870s	PASSED
11	<code>setText(findTestObject("Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date"), start_date_of_debt)</code> Text '19/5/2023' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date'	0.816s	PASSED
12	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest"), interest)</code> Text '48.05' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest'	0.614s	PASSED

Create a new liability

#	Description	Elapsed	Status
13	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year"), interest_period, true)</code> All options with value 'daily' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year' using regular expression	0.843s	PASSED
14	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban"), iban)</code> Text 'FR72 2402 8886 56OE UCBV T4TV Y53' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban'	0.680s	PASSED
15	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC"), bic)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC'	0.603s	PASSED
16	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number"), account_number)</code> Text '4017950000000' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number'	0.636s	PASSED
17	<code>if (include_in_net_worth == "false")</code>	0.000s	PASSED
18	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes"), notes)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes'	0.593s	PASSED
19	<code>if (attachments != "")</code>	0.000s	PASSED

Create a new liability

#	Description	Elapsed	Status
20	<div>click(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability"))</div> <div>Object: 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability' is clicked on</div>	0.750s	PASSED
21	try	0.933s	PASSED
22	<div>closeBrowser()</div> <div>Browser is closed</div>	0.143s	PASSED

Create a new liability

Information

ID	Test Cases/Create a new liability		
Description			
Tag			
Start	02-01-2024 01:20:56	End	02-01-2024 01:21:13
Elapsed	17.280s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.289s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/accounts/create/liabilities") Navigate to 'https://firefly.buudadawg.online/accounts/create/liabilities' successfully	1.295s	PASSED
3	setText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com") Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_email'	0.828s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb") Text ***** has been set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_password'	0.499s	PASSED
5	click(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in' is clicked on	1.597s	PASSED

Create a new liability

#	Description	Elapsed	Status
6	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name"), name)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name'	0.805s	PASSED
7	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()"), currency, true)</code> All options with value '1' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()' using regular expression	0.906s	PASSED
8	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage"), liability_type, true)</code> All options with value '9' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage' using regular expression	0.880s	PASSED
9	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance"), i_owe_amount)</code> Text '7473.38' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance'	0.649s	PASSED
10	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18"), liability_inout, true)</code> All options with value 'debit' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18' using regular expression	0.812s	PASSED
11	<code>setText(findTestObject("Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date"), start_date_of_debt)</code> Text '21/9/2023' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date'	0.598s	PASSED
12	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest"), interest)</code> Text '99' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest'	0.570s	PASSED

Create a new liability

#	Description	Elapsed	Status
13	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year"), interest_period, true)</code> All options with value 'yearly' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year' using regular expression	0.836s	PASSED
14	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban"), iban)</code> Text " " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban'	0.594s	PASSED
15	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC"), bic)</code> Text " " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC'	0.580s	PASSED
16	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number"), account_number)</code> Text '5100180000000000' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number'	0.648s	PASSED
17	<code>if (include_in_net_worth == "false")</code>	0.000s	PASSED
18	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes"), notes)</code> Text 'Morbi non lectus. Aliquam sit amet diam in magna bibendum imperdiet. Nullam orci pede, venenatis non, sodales sed, tincidunt eu, felis.' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes'	1.011s	PASSED
19	<code>if (attachments != "")</code> File 'D:\ktpm\G1_Firefly_testing\Attachments File\Report_1MB.csv' sent to object: 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/upload file'	0.310s	PASSED

Create a new liability

#	Description	Elapsed	Status
20	click(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability")) Object: 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability' is clicked on	1.556s	PASSED
21	try	0.804s	PASSED
22	closeBrowser() Browser is closed	0.155s	PASSED

Create a new liability

Information

ID	Test Cases/Create a new liability		
Description			
Tag			
Start	02-01-2024 01:21:13	End	02-01-2024 01:21:31
Elapsed	17.987s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	<div>openBrowser("")</div> <div>Browser is opened with url: "</div>	1.285s	PASSED
2	<div>navigateToUrl("https://firefly.buudadawg.online/accounts/create/liabilities")</div> <div>Navigate to 'https://firefly.buudadawg.online/accounts/create/liabilities' successfully</div>	1.185s	PASSED
3	<div>setText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com")</div> <div>Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_email'</div>	1.084s	PASSED
4	<div>setEncryptedText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb")</div> <div>Text ***** has been set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_password'</div>	0.371s	PASSED
5	<div>click(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in"))</div> <div>Object: 'Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in' is clicked on</div>	0.667s	PASSED

Create a new liability

#	Description	Elapsed	Status
6	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name"), name)</code> Text 'ncane6' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name'	1.435s	PASSED
7	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()"), currency, true)</code> All options with value '1' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()' using regular expression	0.913s	PASSED
8	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage"), liability_type, true)</code> All options with value '11' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage' using regular expression	0.869s	PASSED
9	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance"), i_owe_amount)</code> Text '1948.32' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance'	0.642s	PASSED
10	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18"), liability_inout, true)</code> All options with value 'debit' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18' using regular expression	0.837s	PASSED
11	<code>setText(findTestObject("Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date"), start_date_of_debt)</code> Text '16/6/2023' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date'	0.585s	PASSED
12	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest"), interest)</code> Text '82.19' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest'	0.600s	PASSED

Create a new liability

#	Description	Elapsed	Status
13	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year"), interest_period, true)</code> All options with value 'yearly' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year' using regular expression	0.863s	PASSED
14	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban"), iban)</code> Text 'PK40 HTEL HGHL FCEG 59QR HLT0' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban'	0.678s	PASSED
15	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC"), bic)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC'	0.586s	PASSED
16	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number"), account_number)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number'	0.590s	PASSED
17	<code>if (include_in_net_worth == "false")</code>	0.001s	PASSED
18	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes"), notes)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes'	0.593s	PASSED
19	<code>if (attachments != "")</code>	0.000s	PASSED

Create a new liability

#	Description	Elapsed	Status
20	click(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability")) Object: 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability' is clicked on	1.188s	PASSED

Create a new liability

#	Description	Elapsed	Status
21	try Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at Create a new liability.run(Create a new liability:81) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1704133111684.run(TempTestSuite1704133111684.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Shared_alert/text_dangers' located by '.text-danger' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	2.445s	FAILED

Create a new liability

#	Description	Elapsed	Status
---	-------------	---------	--------

(WebUIKeywordMain.groovy:20)
... 20 more

FireflyIII

January 1st, 2024 - January 31st, 2024

huynhluat.dn@gmail.com

Search...

Dashboard

FINANCIAL CONTROL

Budgets

Bills

Piggy banks

ACCOUNTING

Transactions

Automation

OTHERS

Accounts

Asset accounts

Expense accounts

Revenue accounts

Liabilities

Classification

Reports

Export data

Options

Logout

Accounts

Create a new liability

Home > Liabilities > New liability

Success! New account "ncane6" stored!

Mandatory fields

Name

US Dollar (\$)

Debt

I owe amount

Liability in/out

Start date of debt

Interest

Interest period

Optional fields

IBAN

Create a new liability

#	Description	Elapsed	Status
	<div><div><div><div>FireflyIII</div><div>January 1st, 2024 - January 31st, 2024</div><div>huynhluat.dn@gmail.com</div></div><div><div>Search...</div><div>Dashboard</div><div>FINANCIAL CONTROL</div><div>Budgets</div><div>Bills</div><div>Piggy banks</div><div>ACCOUNTING</div><div>Transactions</div><div>Automation</div><div>OTHERS</div><div>Accounts<ul style="list-style-type: none">Asset accountsExpense accountsRevenue accountsLiabilities</div><div>Classification</div><div>Reports</div><div>Export data</div><div>Options</div><div>Logout</div></div><div><div>Accounts</div><div>Create a new liability</div><div>Home > Liabilities > New liability</div><div>Success! New account "ncane6" stored!</div><div><div>Mandatory fields</div><div><div>Name</div><div>US Dollar (\$)</div><div>Debt</div><div>I owe amount</div><div>I owe this debt to somebody else</div><div><div>Start date of debt</div><div>dd/mm/yyyy</div></div><div>Interest</div><div>Per day</div></div><div><div>Optional fields</div><div>IBAN</div></div></div></div></div></div>		
22	catch (Exception err)	0.290s	PASSED
23	closeBrowser() Browser is closed	0.165s	PASSED

Create a new liability

Information

ID	Test Cases/Create a new liability		
Description			
Tag			
Start	02-01-2024 01:21:31	End	02-01-2024 01:21:50
Elapsed	18.442s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.341s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/accounts/create/liabilities") Navigate to 'https://firefly.buudadawg.online/accounts/create/liabilities' successfully	1.230s	PASSED
3	setText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com") Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_email'	1.037s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb") Text ***** has been set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_password'	0.788s	PASSED
5	click(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in' is clicked on	1.201s	PASSED

Create a new liability

#	Description	Elapsed	Status
6	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name"), name)</p> <p>Text 'aellard7' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name'</p>	0.847s	PASSED
7	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()"), currency, true)</p> <p>All options with value '1' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()' using regular expression</p>	0.908s	PASSED
8	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage"), liability_type, true)</p> <p>All options with value '9' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage' using regular expression</p>	0.880s	PASSED
9	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance"), i_owe_amount)</p> <p>Text '704.31' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance'</p>	0.634s	PASSED
10	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18"), liability_inout, true)</p> <p>All options with value 'credit' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18' using regular expression</p>	0.837s	PASSED
11	<p>setText(findTestObject("Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date"), start_date_of_debt)</p> <p>Text '18/11/2023' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date'</p>	0.811s	PASSED
12	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest"), interest)</p> <p>Text '13.26' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest'</p>	0.618s	PASSED

Create a new liability

#	Description	Elapsed	Status
13	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year"), interest_period, true)</code> All options with value 'monthly' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year' using regular expression	0.860s	PASSED
14	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban"), iban)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban'	0.586s	PASSED
15	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC"), bic)</code> Text 'MIKXKPGFYQQ' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC'	0.608s	PASSED
16	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number"), account_number)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number'	0.578s	PASSED
17	<code>if (include_in_net_worth == "false")</code>	0.001s	PASSED
18	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes"), notes)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes'	0.590s	PASSED
19	<code>if (attachments != "")</code>	0.001s	PASSED

Create a new liability

#	Description	Elapsed	Status
20	click(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability")) Object: 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability' is clicked on	1.121s	PASSED

Create a new liability

#	Description	Elapsed	Status
21	try Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at Create a new liability.run(Create a new liability:81) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1704133111684.run(TempTestSuite1704133111684.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Shared_alert/text_dangers' located by '.text-danger' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	2.449s	FAILED

Create a new liability

#	Description	Elapsed	Status
---	-------------	---------	--------

(WebUIKeywordMain.groovy:20)
... 20 more

FireflyIII

January 1st, 2024 - January 31st, 2024

huynhluat.dn@gmail.com

Search...

Dashboard

FINANCIAL CONTROL

Budgets

Bills

Piggy banks

ACCOUNTING

Transactions

Automation

OTHERS

Accounts

Asset accounts

Expense accounts

Revenue accounts

Liabilities

Classification

Reports

Export data

Options

Logout

Accounts

Create a new liability

Home > Liabilities > New liability

Success! New account "aellard7" stored!

Mandatory fields

Name

US Dollar (\$)

Debt

I owe amount

Liability in/out

Start date of debt

Interest

Interest period

Optional fields

IBAN

Create a new liability

#	Description	Elapsed	Status
	<div><div><div><div>FireflyIII</div><div>January 1st, 2024 - January 31st, 2024</div><div>huynhluat.dn@gmail.com</div></div><div><div>Search...</div><div>Dashboard</div><div>FINANCIAL CONTROL</div><div>Budgets</div><div>Bills</div><div>Piggy banks</div><div>ACCOUNTING</div><div>Transactions</div><div>Automation</div><div>OTHERS</div><div>Accounts<ul style="list-style-type: none">Asset accountsExpense accountsRevenue accountsLiabilities</div><div>Classification</div><div>Reports</div><div>Export data</div><div>Options</div><div>Logout</div></div><div><div>Accounts</div><div>Create a new liability</div><div>Home > Liabilities > New liability</div><div>Success! New account "aellard7" stored!</div><div><div>Mandatory fields</div><div><div>Name</div><div>US Dollar (\$)</div><div>Debt</div><div>I owe amount</div><div>I owe this debt to somebody else</div><div><div>Start date of debt</div><div>dd/mm/yyyy</div></div><div>Interest</div><div>Per day</div></div><div><div>Optional fields</div><div>IBAN</div></div></div></div></div></div>	0.284s	PASSED
23	<div>closeBrowser() Browser is closed</div>	0.149s	PASSED

Create a new liability

Information

ID	Test Cases/Create a new liability		
Description			
Tag			
Start	02-01-2024 01:21:50	End	02-01-2024 01:22:08
Elapsed	18.773s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	<div>openBrowser("") Browser is opened with url: "</div>	1.369s	PASSED
2	<div>navigateToUrl("https://firefly.buudadawg.online/accounts/create/liabilities") Navigate to 'https://firefly.buudadawg.online/accounts/create/liabilities' successfully</div>	1.167s	PASSED
3	<div>setText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com") Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_email'</div>	0.831s	PASSED
4	<div>setEncryptedText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb") Text ***** has been set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_password'</div>	0.372s	PASSED
5	<div>click(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in' is clicked on</div>	1.366s	PASSED

Create a new liability

#	Description	Elapsed	Status
6	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name"), name)</code> Text 'mlamberts8' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name'	0.923s	PASSED
7	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()"), currency, true)</code> All options with value '1' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()' using regular expression	0.897s	PASSED
8	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage"), liability_type, true)</code> All options with value '12' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage' using regular expression	0.862s	PASSED
9	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance"), i_owe_amount)</code> Text '6802.66' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance'	0.629s	PASSED
10	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18"), liability_inout, true)</code> All options with value 'credit' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18' using regular expression	0.848s	PASSED
11	<code>setText(findTestObject("Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date"), start_date_of_debt)</code> Text '4/2/2023' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date'	0.806s	PASSED
12	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest"), interest)</code> Text '28.5' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest'	0.614s	PASSED

Create a new liability

#	Description	Elapsed	Status
13	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year"), interest_period, true)</code> All options with value 'yearly' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year' using regular expression	0.890s	PASSED
14	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban"), iban)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban'	0.596s	PASSED
15	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC"), bic)</code> Text 'VVBNGXZ4751' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC'	0.619s	PASSED
16	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number"), account_number)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number'	0.588s	PASSED
17	<code>if (include_in_net_worth == "false")</code>	0.000s	PASSED
18	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes"), notes)</code> Text 'Integer ac leo. Pellentesque ultrices mattis odio. Donec vitae nisi. Nam ultrices, libero non mattis pulvinar, nulla pede ullamcorper augue, a suscipit nulla elit ac nulla. Sed vel enim sit amet nunc viverra dapibus. Nulla suscipit ligula in lacus.' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes'	1.390s	PASSED
19	<code>if (attachments != "")</code>	0.000s	PASSED

Create a new liability

#	Description	Elapsed	Status
20	click(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability")) Object: 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability' is clicked on	1.047s	PASSED

Create a new liability

#	Description	Elapsed	Status
21	try Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at Create a new liability.run(Create a new liability:81) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1704133111684.run(TempTestSuite1704133111684.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Shared_alert/text_dangers' located by '.text-danger' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	2.445s	FAILED

Create a new liability

#	Description	Elapsed	Status
---	-------------	---------	--------

(WebUIKeywordMain.groovy:20)
... 20 more

FireflyIII

January 1st, 2024 - January 31st, 2024

huynhluat.dn@gmail.com

Search...

Dashboard

FINANCIAL CONTROL

Budgets

Bills

Piggy banks

ACCOUNTING

Transactions

Automation

OTHERS

Accounts

Asset accounts

Expense accounts

Revenue accounts

Liabilities

Classification

Reports

Export data

Options

Logout

Accounts

Create a new liability

Home > Liabilities > New liability

Success! New account "mlamberts8" stored!

Mandatory fields

Name

Name

Currency

US Dollar (\$)

This will be the default currency associated with this account.

Liability type

Debt

I owe amount

Liability in/out

I owe this debt to somebody else

Start date of debt

dd/mm/yyyy

Interest

%

Interest period

Per day

This field is purely cosmetic and won't be calculated for you. As it turns out banks are very sneaky so Firefly III never gets it right.

Optional fields

IBAN

IBAN

Create a new liability

#	Description	Elapsed	Status
	<div><div><div><div>FireflyIII</div><div>January 1st, 2024 - January 31st, 2024</div><div>huynhluat.dn@gmail.com</div></div><div><div>Search...</div><div>Dashboard</div><div>FINANCIAL CONTROL</div><div>Budgets</div><div>Bills</div><div>Piggy banks</div><div>ACCOUNTING</div><div>Transactions</div><div>Automation</div><div>OTHERS</div><div>Accounts<ul style="list-style-type: none">Asset accountsExpense accountsRevenue accountsLiabilities</div><div>Classification</div><div>Reports</div><div>Export data</div><div>Options</div><div>Logout</div></div><div><div>Accounts</div><div>Create a new liability</div><div>Home > Liabilities > New liability</div><div>Success! New account "mlamberts8" stored!</div><div><div>Mandatory fields</div><div><div>Name</div><div>US Dollar (\$)</div><div>Debt</div><div>I owe amount</div><div>I owe this debt to somebody else</div><div><div>Start date of debt</div><div>dd/mm/yyyy</div></div><div>Interest</div><div>Per day</div></div><div><div>Optional fields</div><div>IBAN</div></div></div></div></div></div>	0.278s	PASSED
23	<div>closeBrowser() Browser is closed</div>	0.148s	PASSED

Create a new liability

Information

ID	Test Cases/Create a new liability		
Description			
Tag			
Start	02-01-2024 01:22:09	End	02-01-2024 01:22:27
Elapsed	18.446s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	<div>openBrowser("") Browser is opened with url: "</div>	1.259s	PASSED
2	<div>navigateToUrl("https://firefly.buudadawg.online/accounts/create/liabilities") Navigate to 'https://firefly.buudadawg.online/accounts/create/liabilities' successfully</div>	1.143s	PASSED
3	<div>setText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com") Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_email'</div>	0.841s	PASSED
4	<div>setEncryptedText(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb") Text ***** has been set on object 'Object Repository/Create a new liability/Page_Login to Firefly III/input_password'</div>	0.352s	PASSED
5	<div>click(findTestObject("Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Create a new liability/Page_Login to Firefly III/button_Sign in' is clicked on</div>	0.633s	PASSED

Create a new liability

#	Description	Elapsed	Status
6	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name"), name)</p> <p>Text 'gkluger9' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_name'</p>	1.389s	PASSED
7	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()"), currency, true)</p> <p>All options with value '1' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Euro ()US Dollar ()' using regular expression</p>	1.126s	PASSED
8	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage"), liability_type, true)</p> <p>All options with value '9' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_DebtLoanMortgage' using regular expression</p>	0.881s	PASSED
9	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance"), i_owe_amount)</p> <p>Text '313.72' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance'</p>	0.623s	PASSED
10	<p>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18"), liability_inout, true)</p> <p>All options with value 'debit' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_I owe this debt to somebody elsel am_93cb18' using regular expression</p>	0.803s	PASSED
11	<p>setText(findTestObject("Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date"), start_date_of_debt)</p> <p>Text '9/12/2023' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_opening_balance_date'</p>	0.598s	PASSED
12	<p>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest"), interest)</p> <p>Text '30.22' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_interest'</p>	0.597s	PASSED

Create a new liability

#	Description	Elapsed	Status
13	<code>selectOptionByValue(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year"), interest_period, true)</code> All options with value 'monthly' are selected in object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/select_Per dayPer monthPer year' using regular expression	0.869s	PASSED
14	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban"), iban)</code> Text 'NO45 8790 3992 622' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_iban'	0.639s	PASSED
15	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC"), bic)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_BIC'	0.593s	PASSED
16	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number"), account_number)</code> Text " is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/input_account_number'	0.595s	PASSED
17	<code>if (include_in_net_worth == "false")</code>	0.000s	PASSED
18	<code>setText(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes"), notes)</code> Text 'Praesent id massa id nisl venenatis lacinia. Aenean sit amet justo. Morbi ut odio. Cras mi pede, malesuada in, imperdiet et, commodo vulputate, justo. In blandit ultrices enim. Lorem ipsum dolor sit amet, consectetur adipiscing elit.' is set on object 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/textarea_notes'	1.354s	PASSED
19	<code>if (attachments != "")</code>	0.000s	PASSED

Create a new liability

#	Description	Elapsed	Status
20	click(findTestObject("Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability")) Object: 'Object Repository/Create a new liability/Page_Create a new liability Accounts Firefly III/button_Store new liability' is clicked on	1.182s	PASSED

Create a new liability

#	Description	Elapsed	Status
21	try Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at Create a new liability.run(Create a new liability:81) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1704133111684.run(TempTestSuite1704133111684.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Shared_alert/text_dangers' located by '.text-danger' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	2.451s	FAILED

Create a new liability

#	Description	Elapsed	Status
---	-------------	---------	--------

(WebUIKeywordMain.groovy:20)
... 20 more

FireflyIII

January 1st, 2024 - January 31st, 2024

huynhluat.dn@gmail.com

Search...

Dashboard

FINANCIAL CONTROL

Budgets

Bills

Piggy banks

ACCOUNTING

Transactions

Automation

OTHERS

Accounts

Asset accounts

Expense accounts

Revenue accounts

Liabilities

Classification

Reports

Export data

Options

Logout

Accounts

Create a new liability

Home > Liabilities > New liability

Success! New account "gkluger9" stored!

Mandatory fields

Name

Name

Currency

US Dollar (\$)

This will be the default currency associated with this account.

Liability type

Debt

I owe amount

Liability in/out

I owe this debt to somebody else

Start date of debt

dd/mm/yyyy

Interest

%

Interest period

Per day

This field is purely cosmetic and won't be calculated for you. As it turns out banks are very sneaky so Firefly III never gets it right.

Optional fields

IBAN

IBAN

Create a new liability

#	Description	Elapsed	Status
	<div><div><div><div>FireflyIII</div><div>January 1st, 2024 - January 31st, 2024</div><div>huynhluat.dn@gmail.com</div></div><div><div>Search...</div><div>Dashboard</div><div>FINANCIAL CONTROL</div><div>Budgets</div><div>Bills</div><div>Piggy banks</div><div>ACCOUNTING</div><div>Transactions</div><div>Automation</div><div>OTHERS</div><div>Accounts<ul style="list-style-type: none">Asset accountsExpense accountsRevenue accountsLiabilities</div><div>Classification</div><div>Reports</div><div>Export data</div><div>Options</div><div>Logout</div></div><div><div>Accounts</div><div>Create a new liability</div><div>Home > Liabilities > New liability</div><div>Success! New account "gkluger9" stored!</div><div><div>Mandatory fields</div><div><div>Name</div><div>US Dollar (\$)</div><div>Debt</div><div>I owe amount</div><div>I owe this debt to somebody else</div><div><div>Start date of debt</div><div>dd/mm/yyyy</div></div><div>Interest</div><div>Per day</div></div><div><div>Optional fields</div><div>IBAN</div></div></div></div></div></div>		
22	catch (Exception err)	0.289s	PASSED
23	closeBrowser() Browser is closed	0.167s	PASSED