Create a new asset account

Execution Environment

Host name	Luat Huynh - LuatHuynh.mshome.net
Local OS	Windows 11 64bit
Katalon version	9.2.0.212
Browser	Chrome 120.0.0.0

Summary

ID	Test Suites/Create a new asset account			
Description				
Total	10			
Passed	9	Failed	1	
Error	0	Incomplete	0	
Skipped	0			
Start	02-01-2024 00:40:35	End	02-01-2024 00:43:43	
Elapsed	3m - 7.443s			

#	ID	Description	Status
1	Test Cases/Create a new asset account		PASSED
2	Test Cases/Create a new asset account		PASSED
3	Test Cases/Create a new asset account		PASSED
4	Test Cases/Create a new asset account		PASSED
5	Test Cases/Create a new asset account		PASSED
6	Test Cases/Create a new asset account		PASSED
7	Test Cases/Create a new asset account		FAILED
8	Test Cases/Create a new asset account		PASSED
9	Test Cases/Create a new asset account		PASSED
10	Test Cases/Create a new asset account		PASSED

Create a new asset account

Information

ID	Test Cases/Create a new asset account
Description	
Tag	

Start	02-01-2024 00:40:36	End	02-01-2024 00:40:55
Elapsed	18.794s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	2.442s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/accounts/create/asset") Navigate to 'https://firefly.buudadawg.online/accounts/create/asset' successfully	1.200s	PASSED
3	setText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com") Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_email'	1.373s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBl5Qr4kb") Text ****** has been set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_password'	0.818s	PASSED
5	click(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in' is clicked on	0.702s	PASSED

Create a new asset account

#	Description	Elapsed	Status
6	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name"), name) Text 'nkochel0' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name'	1.438s	PASSED
7	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()"), currency, true) All options with value '8' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()' using regular expression	0.932s	PASSED
8	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban"), iban) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban'	0.628s	PASSED
9	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC"), bic) Text 'GOLGYIQ45E8' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC'	0.668s	PASSED
10	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number"), account_number) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number'	0.629s	PASSED
11	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance"), opening_balance) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance'	0.622s	PASSED
12	setText(findTestObject("Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date"), opening_balance_date) Text '27/06/2023' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date'	0.646s	PASSED

Create a new asset account

| #	Description	Elapsed	Status
13	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd"), account_role, true) All options with value 'ccAsset' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd' using regular expression	0.931s	PASSED
14	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance"), virtual_balance) Text '931.18' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance'	0.623s	PASSED
15	if (include_in_net_worth == "false")	0.001s	PASSED
16	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes"), notes) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes'	0.613s	PASSED
17	if (attachments != "")	0.002s	PASSED
18	click(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account")) Object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account' is clicked on	0.855s	PASSED

Create a new asset account

| #	Description	Elapsed	Status
19	try	2.374s	FAILED

Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92)
    at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503)
    at Create a new asset account.run(Create a new asset account:75)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
    at TempTestSuite1704130831089.run(TempTestSuite1704130831089.groovy:36)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Shared_alert/text_dangers' located by '.text-danger' not found
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85)
    at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword

Create a new asset account

#	Description	Elapsed	Status

Create a new asset account

#	Description	Elapsed	Status
20	catch (Exception err)	0.321s	PASSED
21	closeBrowser() Browser is closed	0.170s	PASSED

Create a new asset account

Information

ID	Test Cases/Create a new asset account		
Description			
Tag			
Start	02-01-2024 00:40:55	End	02-01-2024 00:41:11
Elapsed	16.658s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	1.371s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/accounts/create/asset") Navigate to 'https://firefly.buudadawg.online/accounts/create/asset' successfully	1.152s	PASSED
3	setText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com") Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_email'	1.076s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb") Text ****** has been set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_password'	0.368s	PASSED
5	click(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in' is clicked on	1.656s	PASSED

#	Description	Elapsed	Status
6	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name"), name) Text 'adefrancesco1' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name'	0.875s	PASSED
7	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()"), currency, true) All options with value '8' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()' using regular expression	0.904s	PASSED
8	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban"), iban) Text 'PK93 RAGE 41CE DRBV LYVG DVKY' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban'	0.694s	PASSED
9	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC"), bic) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC'	0.616s	PASSED
10	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number"), account_number) Text '5048374085224626' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number'	0.663s	PASSED
11	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance"), opening_balance) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance'	0.587s	PASSED
12	setText(findTestObject("Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date"), opening_balance_date) Text '18/11/2023' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date'	0.586s	PASSED

Create a new asset account

#	Description	Elapsed	Status
13	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd"), account_role, true)	0.911s	PASSED
	All options with value 'sharedAsset' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd' using regular expression		
14	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance"), virtual_balance)	0.610s	PASSED
	Text '197.07' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance'		
15	if (include_in_net_worth == "false")	0.325s	PASSED
	Object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_include_net_worth' is clicked on		
16	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes"), notes)	0.592s	PASSED
	Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes'		
17	if (attachments != "")	0.001s	PASSED
18	click(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account"))	0.680s	PASSED
	Object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account' is clicked on		

Create a new asset account

| #	Description	Elapsed	Status
19	try	2.440s	FAILED

Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92)
      at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503)
      at Create a new asset account.run(Create a new asset account:75)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
      at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
      at TempTestSuite1704130831089.run(TempTestSuite1704130831089.groovy:36)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Shared_alert/text_dangers' located by '.text-danger' not found
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85)
      at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword

Create a new asset account

#	Description	Elapsed	Status

Create a new asset account

#	Description	Elapsed	Status
20	catch (Exception err)	0.290s	PASSED
21	closeBrowser()	0.137s	PASSED
	Browser is closed		

Create a new asset account

Information

ID	Test Cases/Create a new asset account		
Description			
Tag			
Start	02-01-2024 00:41:12	End	02-01-2024 00:41:29
Elapsed	16.996s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.370s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("https://firefly.buudadawg.online/accounts/create/asset")	1.188s	PASSED
	Navigate to 'https://firefly.buudadawg.online/accounts/create/asset' successfully		
3	setText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com")	1.317s	PASSED
	Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_email'		
4	setEncryptedText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb")	0.806s	PASSED
	Text ****** has been set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_password'		
5	click(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in"))	0.738s	PASSED
	Object: 'Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in' is clicked on		

Create a new asset account

#	Description	Elapsed	Status
6	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name"), name) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name'	1.397s	PASSED
7	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()"), currency, true) All options with value '1' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()' using regular expression	0.913s	PASSED
8	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban"), iban) Text 'GL44 1834 8169 6802 91' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban'	0.673s	PASSED
9	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC"), bic) Text 'JVWNVLFF241' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC'	0.667s	PASSED
10	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number"), account_number) Text '5108750646936773' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number'	0.631s	PASSED
11	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance"), opening_balance) Text '893.07' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance'	0.627s	PASSED
12	setText(findTestObject("Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date"), opening_balance_date) Text '02/05/2023' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date'	0.588s	PASSED

Create a new asset account

#	Description	Elapsed	Status
13	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd"), account_role, true) All options with value 'ccAsset' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd' using regular expression	0.889s	PASSED
14	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance"), virtual_balance) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance'	0.597s	PASSED
15	if (include_in_net_worth == "false") Object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_include_net_worth' is clicked on	0.326s	PASSED
16	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes"), notes) Text 'Proin leo odio, porttitor id, consequat in, consequat ut, nulla. Sed accumsan felis. Ut at dolor quis odio consequat varius. Integer ac leo. Pellentesque ultrices mattis odio. Donec vitae nisi.' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes'	1.233s	PASSED
17	if (attachments != "") File 'D:\ktpm\G1_Firefly_testing\Attachments File\Report_1MB.csv' sent to object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/upload file'	0.343s	PASSED
18	click(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account")) Object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account' is clicked on	1.547s	PASSED
19	try	0.844s	PASSED

Create a new asset account

#	Description	Elapsed	Status
20	closeBrowser()	0.145s	PASSED
	Browser is closed		

Create a new asset account

Information

ID   Test Cases/Create a new asset account

Description

Tag

Start	02-01-2024 00:41:29	End	02-01-2024 00:41:44
Elapsed	15.293s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	1.327s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/accounts/create/asset") Navigate to 'https://firefly.buudadawg.online/accounts/create/asset' successfully	1.251s	PASSED
3	setText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com") Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_email'	0.911s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb") Text ****** has been set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_password'	0.375s	PASSED
5	click(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in' is clicked on	1.324s	PASSED

Create a new asset account

#	Description	Elapsed	Status
6	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name"), name) Text 'astrauss3' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name'	1.157s	PASSED
7	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()"), currency, true) All options with value '8' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()' using regular expression	1.055s	PASSED
8	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban"), iban) Text 'BR52 6592 2901 1370 9127 6135 054T R' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban'	0.712s	PASSED
9	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC"), bic) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC'	0.599s	PASSED
10	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number"), account_number) Text '5108756854147722' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number'	0.633s	PASSED
11	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance"), opening_balance) Text '510.11' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance'	0.623s	PASSED
12	setText(findTestObject("Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date"), opening_balance_date) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date'	0.594s	PASSED

Create a new asset account

#	Description	Elapsed	Status
13	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd"), account_role, true) All options with value 'defaultAsset' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd' using regular expression	0.863s	PASSED
14	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance"), virtual_balance) Text '950.19' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance'	0.608s	PASSED
15	if (include_in_net_worth == "false")	0.000s	PASSED
16	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes"), notes) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes'	0.606s	PASSED
17	if (attachments != "") File 'D:\ktpm\G1_Firefly_testing\Attachments File\Report_1MB.csv' sent to object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/upload file'	0.320s	PASSED
18	click(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account")) Object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account' is clicked on	1.318s	PASSED
19	try	0.802s	PASSED
20	closeBrowser() Browser is closed	0.127s	PASSED

Create a new asset account

Information

ID	Test Cases/Create a new asset account		
Description			
Tag			
Start	02-01-2024 00:41:44	End	02-01-2024 00:42:01
Elapsed	16.898s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	1.309s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/accounts/create/asset") Navigate to 'https://firefly.buudadawg.online/accounts/create/asset' successfully	1.090s	PASSED
3	setText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com") Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_email'	0.991s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb") Text ****** has been set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_password'	0.379s	PASSED
5	click(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in' is clicked on	1.386s	PASSED

#	Description	Elapsed	Status
6	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name"), name) Text 'spittoli4' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name'	1.209s	PASSED
7	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()"), currency, true) All options with value '8' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()' using regular expression	0.915s	PASSED
8	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban"), iban) Text 'FR12 4568 4252 06SK 8GEC AX6O N33' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban'	0.730s	PASSED
9	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC"), bic) Text 'BTTRYDOX7GT' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC'	0.644s	PASSED
10	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number"), account_number) Text '5108755408059797' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number'	0.641s	PASSED
11	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance"), opening_balance) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance'	0.585s	PASSED
12	setText(findTestObject("Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date"), opening_balance_date) Text '07/03/2023' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date'	0.586s	PASSED

Create a new asset account

| #	Description	Elapsed	Status
13	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd"), account_role, true) All options with value 'ccAsset' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd' using regular expression	0.905s	PASSED
14	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance"), virtual_balance) Text '420.81' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance'	0.586s	PASSED
15	if (include_in_net_worth == "false")	0.000s	PASSED
16	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes"), notes) Text 'Proin leo odio, porttitor id, consequat in, consequat ut, nulla. Sed accumsan felis. Ut at dolor quis odio consequat varius. Integer ac leo. Pellentesque ultrices mattis odio. Donec vitae nisi.' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes'	1.213s	PASSED
17	if (attachments != "")	0.000s	PASSED
18	click(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account")) Object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account' is clicked on	0.855s	PASSED

# Create a new asset account

#	Description	Elapsed	Status
19	try	2.345s	FAILED

Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92)
     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68)
     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503)
     at Create a new asset account.run(Create a new asset account:75)
     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
     at TempTestSuite1704130831089.run(TempTestSuite1704130831089.groovy:36)
     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Shared_alert/text_dangers' located by '.text-danger' not found
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85)
     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy)
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword

Create a new asset account

#	Description	Elapsed	Status

Create a new asset account

#	Description	Elapsed	Status

#	Description	Elapsed	Status
20	catch (Exception err)	0.291s	PASSED
21	closeBrowser()	0.154s	PASSED

Browser is closed

Create a new asset account

Information

ID	Test Cases/Create a new asset account
Description	
Tag	

Start	02-01-2024 00:42:01	End	02-01-2024 00:42:17
Elapsed	15.437s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	1.365s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/accounts/create/asset") Navigate to 'https://firefly.buudadawg.online/accounts/create/asset' successfully	0.969s	PASSED
3	setText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com") Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_email'	1.253s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb") Text ****** has been set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_password'	0.746s	PASSED
5	click(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in' is clicked on	0.690s	PASSED

Create a new asset account

#	Description	Elapsed	Status
6	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name"), name) Text 'ocumesky5' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name'	1.360s	PASSED
7	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()"), currency, true) All options with value '8' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()' using regular expression	0.932s	PASSED
8	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban"), iban) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban'	0.594s	PASSED
9	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC"), bic) Text 'FDKNHM0SXO2' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC'	0.660s	PASSED
10	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number"), account_number) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number'	0.591s	PASSED
11	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance"), opening_balance) Text '584.39' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance'	0.617s	PASSED
12	setText(findTestObject("Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date"), opening_balance_date) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date'	0.591s	PASSED

#	Description	Elapsed	Status
13	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd"), account_role, true) All options with value 'defaultAsset' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd' using regular expression	0.859s	PASSED
14	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance"), virtual_balance) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance'	0.570s	PASSED
15	if (include_in_net_worth == "false") Object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_include_net_worth' is clicked on	0.341s	PASSED
16	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes"), notes) Text 'Maecenas ut massa quis augue luctus tincidunt. Nulla mollis molestie lorem. Quisque ut erat. Curabitur gravida nisi at nibh. In hac habitasse platea dictumst. Aliquam augue quam, sollicitudin vitae, consectetuer eget, rutrum at, lorem.' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes'	1.399s	PASSED
17	if (attachments != "")	0.000s	PASSED
18	click(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account")) Object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account' is clicked on	0.615s	PASSED
19	try	1.008s	PASSED

Create a new asset account

#	Description	Elapsed	Status
20	closeBrowser()	0.155s	PASSED

Browser is closed

Create a new asset account

Information

ID	Test Cases/Create a new asset account
Description	
Tag	

Start	02-01-2024 00:42:17	End	02-01-2024 00:42:52
Elapsed	35.026s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.274s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("https://firefly.buudadawg.online/accounts/create/asset")	1.286s	PASSED
	Navigate to 'https://firefly.buudadawg.online/accounts/create/asset' successfully		
3	setText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com")	1.301s	PASSED
	Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_email'		
4	setEncryptedText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb")	0.778s	PASSED
	Text ****** has been set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_password'		
5	click(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in"))	0.615s	PASSED
	Object: 'Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in' is clicked on		

Create a new asset account

#	Description	Elapsed	Status
6	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name"), name) Text 'ghatherleigh6' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name'	1.418s	PASSED
7	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()"), currency, true) All options with value '8' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()' using regular expression	0.905s	PASSED
8	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban"), iban) Text 'BE07 8829 4268 1848' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban'	0.670s	PASSED
9	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC"), bic) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC'	0.611s	PASSED
10	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number"), account_number) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number'	0.600s	PASSED
11	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance"), opening_balance) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance'	0.583s	PASSED
12	setText(findTestObject("Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date"), opening_balance_date) Text '08/02/2023' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date'	0.607s	PASSED

Create a new asset account

| #	Description	Elapsed	Status
13	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd"), account_role, true) All options with value 'sharedAsset' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbdd' using regular expression	0.880s	PASSED
14	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance"), virtual_balance) Text '447.74' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance'	0.602s	PASSED
15	if (include_in_net_worth == "false") Object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_include_net_worth' is clicked on	0.329s	PASSED
16	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes"), notes) Text 'Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Vivamus vestibulum sagittis sapien. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Etiam vel augue. Vestibulum rutrum rutrum neque. Aenean auctor gravida sem.' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes'	1.491s	PASSED
17	if (attachments != "") File 'D:\ktpm\G1_Firefly_testing\Attachments File\Report_65MB.csv' sent to object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/upload file'	0.313s	PASSED
18	click(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account")) Object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account' is clicked on	18.113s	PASSED

Create a new asset account

| #	Description	Elapsed	Status
19	try	2.252s	FAILED

Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92)
      at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503)
      at Create a new asset account.run(Create a new asset account:75)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
      at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
      at TempTestSuite1704130831089.run(TempTestSuite1704130831089.groovy:36)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Shared_alert/text_dangers' located by '.text-danger' not found
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85)
      at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword

Create a new asset account

#	Description	Elapsed	Status

Create a new asset account

#	Description	Elapsed	Status

Create a new asset account

#	Description	Elapsed	Status
20	catch (Exception err)	0.284s	FAILED

Test Cases/Create a new asset account FAILED.
Reason:
Assertion failed:

assert false

        at Create a new asset account.run(Create a new asset account:84)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:148)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
180)
        at TempTestSuite1704130831089.run(TempTestSuite1704130831089.groovy:36)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)

Create a new asset account

Information

ID	Test Cases/Create a new asset account		
Description			
Tag			
Start	02-01-2024 00:42:52	End	02-01-2024 00:43:09
Elapsed	17.078s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.594s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("https://firefly.buudadawg.online/accounts/create/asset")	1.258s	PASSED
	Navigate to 'https://firefly.buudadawg.online/accounts/create/asset' successfully		
3	setText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com")	1.352s	PASSED
	Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_email'		
4	setEncryptedText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBl5Qr4kb")	0.748s	PASSED
	Text ****** has been set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_password'		
5	click(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in"))	1.239s	PASSED
	Object: 'Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in' is clicked on		

#	Description	Elapsed	Status
6	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name"), name) Text 'rbalmann7' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name'	0.877s	PASSED
7	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()"), currency, true) All options with value '8' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()' using regular expression	0.897s	PASSED
8	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban"), iban) Text 'GI92 LRZP ETHZ XOKK U5MN UEJ' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban'	0.739s	PASSED
9	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC"), bic) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC'	0.601s	PASSED
10	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number"), account_number) Text '5048379309114461' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number'	0.646s	PASSED
11	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance"), opening_balance) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance'	0.571s	PASSED
12	setText(findTestObject("Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date"), opening_balance_date) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date'	0.577s	PASSED

| #	Description	Elapsed	Status
13	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd"), account_role, true) All options with value 'ccAsset' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd' using regular expression	0.887s	PASSED
14	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance"), virtual_balance) Text '562.63' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance'	0.628s	PASSED
15	if (include_in_net_worth == "false")	0.000s	PASSED
16	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes"), notes) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes'	0.577s	PASSED
17	if (attachments != "")	0.000s	PASSED
18	click(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account")) Object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account' is clicked on	0.861s	PASSED

Create a new asset account

| #	Description	Elapsed	Status
19	try	2.440s	FAILED

Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present (Root
cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object
Repository/Shared_alert/text_dangers' is present
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.
verifyElementPresent(VerifyElementPresentKeyword.groovy:92)
      at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.
execute(VerifyElementPresentKeyword.groovy:68)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
verifyElementPresent(WebUiBuiltInKeywords.groovy:1503)
      at Create a new asset account.run(Create a new asset account:75)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
      at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
180)
      at TempTestSuite1704130831089.run(TempTestSuite1704130831089.groovy:36)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.
webui.exception.WebElementNotFoundException: Web element with id: 'Object
Repository/Shared_alert/text_dangers' located by '.text-danger' not found
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.builtin.
VerifyElementPresentKeyword$_verifyElementPresent_closure1.doCall
(VerifyElementPresentKeyword.groovy:85)
      at com.kms.katalon.core.webui.keyword.builtin.
VerifyElementPresentKeyword$_verifyElementPresent_closure1.call
(VerifyElementPresentKeyword.groovy)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword

Create a new asset account

#	Description	Elapsed	Status

Create a new asset account

#	Description	Elapsed	Status
20	catch (Exception err)	0.292s	PASSED
21	closeBrowser() Browser is closed	0.201s	PASSED

Create a new asset account

Information

ID	Test Cases/Create a new asset account		
Description			
Tag			
Start	02-01-2024 00:43:09	End	02-01-2024 00:43:26
Elapsed	16.632s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	1.352s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/accounts/create/asset") Navigate to 'https://firefly.buudadawg.online/accounts/create/asset' successfully	0.923s	PASSED
3	setText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com") Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_email'	1.060s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb") Text ****** has been set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_password'	0.373s	PASSED
5	click(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in' is clicked on	1.175s	PASSED

Create a new asset account

#	Description	Elapsed	Status
6	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name"), name) Text 'emcfeat8' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name'	1.087s	PASSED
7	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()"), currency, true) All options with value '8' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()' using regular expression	1.123s	PASSED
8	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban"), iban) Text 'MU95 LKTQ 0322 1174 3122 1772 706A UE' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban'	0.755s	PASSED
9	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC"), bic) Text 'GZKIIPEBL5Z' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC'	0.649s	PASSED
10	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number"), account_number) Text '5048370420883472' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number'	0.633s	PASSED
11	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance"), opening_balance) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance'	0.603s	PASSED
12	setText(findTestObject("Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date"), opening_balance_date) Text '22/02/2023' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date'	0.605s	PASSED

Create a new asset account

| #	Description	Elapsed	Status
13	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd"), account_role, true) All options with value 'savingAsset' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd' using regular expression	0.891s	PASSED
14	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance"), virtual_balance) Text '974.51' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance'	0.608s	PASSED
15	if (include_in_net_worth == "false")	0.000s	PASSED
16	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes"), notes) Text 'Phasellus sit amet erat. Nulla tempus. Vivamus in felis eu sapien cursus vestibulum.' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes'	0.839s	PASSED
17	if (attachments != "")	0.000s	PASSED
18	click(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account")) Object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account' is clicked on	0.981s	PASSED

Create a new asset account

| #	Description	Elapsed	Status
19	try	2.442s	FAILED

Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92)
    at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503)
    at Create a new asset account.run(Create a new asset account:75)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
    at TempTestSuite1704130831089.run(TempTestSuite1704130831089.groovy:36)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Shared_alert/text_dangers' located by '.text-danger' not found
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85)
    at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword

Create a new asset account

#	Description	Elapsed	Status

Create a new asset account

#	Description	Elapsed	Status

#	Description	Elapsed	Status
20	catch (Exception err)	0.292s	PASSED
21	closeBrowser()	0.180s	PASSED

Browser is closed

Create a new asset account

Information

ID	Test Cases/Create a new asset account		
Description			
Tag			
Start	02-01-2024 00:43:26	End	02-01-2024 00:43:43
Elapsed	16.867s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	1.416s	PASSED
2	navigateToUrl("https://firefly.buudadawg.online/accounts/create/asset") Navigate to 'https://firefly.buudadawg.online/accounts/create/asset' successfully	1.093s	PASSED
3	setText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_email"), "huynhluat.dn@gmail.com") Text 'huynhluat.dn@gmail.com' is set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_email'	1.154s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/input_password"), "GDttjE7iuxOgQwNBt53tbwiiBI5Qr4kb") Text ****** has been set on object 'Object Repository/Create a new asset account/Page_Login to Firefly III/input_password'	0.805s	PASSED
5	click(findTestObject("Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Create a new asset account/Page_Login to Firefly III/button_Sign in' is clicked on	0.761s	PASSED

Create a new asset account

#	Description	Elapsed	Status
6	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name"), name) Text 'atribbeck9' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_name'	1.617s	PASSED
7	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()"), currency, true) All options with value '8' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Euro ()US Dollar ()' using regular expression	0.881s	PASSED
8	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban"), iban) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_iban'	0.622s	PASSED
9	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC"), bic) Text 'OAEDGA9VLQJ' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_BIC'	0.662s	PASSED
10	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number"), account_number) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_account_number'	0.613s	PASSED
11	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance"), opening_balance) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance'	0.568s	PASSED
12	setText(findTestObject("Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date"), opening_balance_date) Text '29/05/2023' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_opening_balance_date'	0.601s	PASSED

Create a new asset account

#	Description	Elapsed	Status
13	selectOptionByValue(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd"), account_role, true) All options with value 'sharedAsset' are selected in object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/select_Default asset accountShared asset ac_afbbdd' using regular expression	0.887s	PASSED
14	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance"), virtual_balance) Text '21.96' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/input_virtual_balance'	0.587s	PASSED
15	if (include_in_net_worth == "false")	0.000s	PASSED
16	setText(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes"), notes) Text '' is set on object 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/textarea_notes'	0.608s	PASSED
17	if (attachments != "")	0.000s	PASSED
18	click(findTestObject("Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account")) Object: 'Object Repository/Create a new asset account/Page_Create a new asset account Accounts _ced620/button_Store new asset account' is clicked on	0.936s	PASSED

Create a new asset account

#	Description	Elapsed	Status
19	try	2.471s	FAILED

Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Shared_alert/text_dangers' is present
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92)
        at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503)
        at Create a new asset account.run(Create a new asset account:75)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
        at TempTestSuite1704130831089.run(TempTestSuite1704130831089.groovy:36)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Shared_alert/text_dangers' located by '.text-danger' not found
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85)
        at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword

Create a new asset account

#	Description	Elapsed	Status

Create a new asset account

#	Description	Elapsed	Status

| 20 | catch (Exception err) | 0.291s | PASSED |

| 21 | closeBrowser() | 0.152s | PASSED |

Browser is closed