

- (1) Project Idea
- <sup>2</sup> Project objectives
- <sup>3</sup> Project objectives
- (4) Results and Outputs
- (5) Model Justification
- (6) Special Measures for Arabic Support
- (7) Previous Work
- (8) Project Links

## PROJECTIDEA

The ArtVoice Tour is a virtual museum where users can explore artworks by uploading an image or entering a description. The system displays the matching artwork, along with a text description and voice narration in English or Arabic, providing an immersive bilingual experience.



## PROJECT OBJECTIVES

Image Search

Allow users to upload an image and find the closest matching artwork.

**Text Search** Enable users to enter a description and retrieve matching artwork based on semantic similarity.

**Artwork Display** 

Present the matching artwork visually, along with detailed information about the piece.

**Multilingual Support** 


Handle both English and Arabic input and output seamlessly.

Voice Narration Provide natural-sounding voice narration of the artwork's story enhancing the user experience.

## SYSTEM CHOICES

Image Search

Description Search



## SYSTEM CHOICES

#### Image Search

- 1. User uploads an image and selects the output language (English or Arabic).
- 2. CLIP model extracts visual features from the image.
- 3. Image features are compared with the artwork images in the dataset.
- 4. The best matching artwork is displayed, along with its description and audio narration in the selected language.

#### **Description Search**

- 1. User enters a description.
- 2. Language detection determines if the input is in English or Arabic.
- 3. If in Arabic, the description is translated to English.
- 4. Semantic similarity is computed between the input and artwork descriptions in the dataset.
- 5. The best matching artwork is shown, along with the story in text and audio form.



## SYSTEM CHOICES

#### Image Search Function

```
def compare_images(image, language):
   try:
       inputs = processor(images=image, return_tensors="pt")
       inputs = {k: v.to(device) for k, v in inputs.items()}
       image_features = model.get_image_features(**inputs).to(device)
       best score = -2.0 # Initial best score
       best match idx = None # Initial index of the best match
       for idx, image_url in enumerate(df['image_url']):
           db_image = fetch_image_from_url(image_url)
           if db image is None:
               continue
           db inputs = processor(images=db image, return tensors="pt")
           db_inputs = {k: v.to(device) for k, v in db_inputs.items()} # Move dataset inputs to the dev
           db_image_features = model.get_image_features(**db_inputs).to(device) # Ensure dataset image
           similarity = torch.nn.functional.cosine_similarity(image_features, db_image_features).item()
           if similarity > best score:
               best score = similarity
               best_match_idx = idx
       if best match idx is None:
           return None, "Error: No valid image match found in the database.", None
       best_match = df.iloc[best_match_idx]
       return process_best_match(best_match, language)
   except UnidentifiedImageError:
       return None, "Error: The uploaded file is not a valid image.", None
   except Exception as e:
       return None, f"Error: {str(e)}", None
```

#### **Description Search Function**

```
# Function to compare user input with descriptions in the DataFrame and return the best match Paint:
    def compare_description(input_text):
        try:
            language = detect(input_text) #detect the language of input
            if language == 'ar':
                input_text = translator_ar_to_en(input_text)[0]['translation_text']

        input_embedding = semantic_model.encode(input_text, convert_to_tensor=True)

        df_embeddings = semantic_model.encode(df["Description"].tolist(), convert_to_tensor=True)

        similarities = util.pytorch_cos_sim(input_embedding, df_embeddings).squeeze() # Compute cos:
        best_match_idx = torch.argmax(similarities).item()
        best_match = df.iloc[best_match_idx]

        return process_best_match(best_match, language)

except Exception as e:
        return None, f"Error: {str(e)}", None
```

## RESULTS AND OUTPUTS

**Image Matching** 


Displays the closest matching artwork based on the uploaded image.

**Text Search** 

Matches description to the most similar artwork and provides the story.

**Voice Narration** 

The story is narrated in either English or Arabic, depending on the user's preference.





## RESULTS AND OUTPUTS

#### **Process output Function**

One Function since the output would be the same even if the user choose to upload image of painting or describe it

```
# Process the result where result is shown base on selected language

def process_best_match(best_match, language):
    best_image_url = best_match["image_url"]
    best_story = best_match["story"]

# Translate to Arabic if the language is Arabic
    if language == "Arabic" or language == "ar":
        best_story_translated = translate_story_to_arabic(best_story)
        info_html = f"<div dir='rtl' style='font-size: 18px; color: white; font-family: Arial, sans-serif;'>{best_story_translated}
# Otherwise, use English
    info_html = f"<div style='font-size: 18px; color: white;'>{best_story}
# Otherwise, use English
    info_html = f"<div style='font-size: 18px; color: white;'>{best_story}
# Otherwise, use English
info_html = f"<div style='font-size: 18px; color: white;'>{best_story}
# Otherwise, use English
info_html = f"<div style='font-size: 18px; color: white;'>{best_story}
# Otherwise, use English
info_html = f"<div style='font-size: 18px; color: white;'>{best_story}
# Otherwise, use English
info_html = f"<div style='font-size: 18px; color: white;'>{best_story}
# Otherwise, use English
info_html = f"<div style='font-size: 18px; color: white;'>{best_story}
# Otherwise, use English
info_html = f"<div style='font-size: 18px; color: white;'>{best_story}
# Translate to Arabic info Ar
```

09

#### Models

```
# Load Models
# Determine if a GPU (CUDA) is available
device = "cuda" if torch.cuda.is_available() else "cpu"

# English Text-to-speech model
narrator = pipeline("text-to-speech", model="kakao-enterprise/vits-ljs", device-device)

# CLIP model and processor to get Embeddings of images
model = CLIPModel.from_pretrained("openai/clip-vit-base-patch32").to(device)
processor = CLIPProcessor.from_pretrained("openai/clip-vit-base-patch32")

# semantic similarity model for description search
semantic_model = SentenceTransformer('sentence-transformers/all-MinitM-L6-v2', device-device)

# translation models for Arabic to English and English to Arabic translations
translator_ar_to_en = pipeline("translation_ar_to_en", model="Helsinki-NLP/opus-mt-ar-en", device=0 if device == "cuda" else -1)
translator_en_to_ar = pipeline("translation_en_to_arabic", model="Helsinki-NLP/opus-mt-en-ar", device=0 if device == "cuda" else -1)
```

#### CLIP Model (openai/clip-vit-base-patch32)

- Purpose: Used for image-to-image matching, comparing user-uploaded images to the stored images of famous artworks.
- **Justification**: CLIP's ability to extract visual features and compare them effectively makes it ideal for this task.

# Sentence-Transformer (sentence-transformers/all-MiniLM-L6-v2)

- Purpose: Used for semantic similarity between user descriptions and artwork descriptions.
- Justification: Efficient for text comparison, ensuring accurate and fast retrieval of matching artworks based on descriptions.

#### English Text-to-Speech (TTS) (kakaoenterprise/vits-ljs)

- Purpose: To provide clear and naturalsounding English narration of the artwork's story, enhancing user engagement and storytelling.
- Justification: This model delivers highquality, lifelike English speech, making it ideal for narrating stories in a museumlike setting.

#### Arabic Text-to-Speech (TTS) (gTTS)

- Purpose: To generate accurate and clear Arabic speech for narrating the artwork's story to Arabic-speaking users.
- Justification: Chosen over MBZUAI/speecht5\_tts\_clartts\_ar due to faster performance, easier integration, fewer pronunciation issues, and reduced silence periods, ensuring smooth and reliable Arabic narration.

Arabic to English Translation model: (Helsinki-NLP/opus-mt-ar-en)

- Purpose: To translate Arabic input into English for text comparison during the semantic similarity search.
- Justification: This model is known for its high accuracy in translating from Arabic to English, ensuring that user-provided Arabic descriptions are properly understood and processed by the system.

English to Arabic Translation model: (Helsinki-NLP/opus-mt-en-ar)

- Purpose: To translate English output (text descriptions or stories) into Arabic for Arabic-speaking users.
- Justification: Chosen for its reliable performance in translating from English to Arabic, this model ensures that Arabic-speaking users receive content in their preferred language with high accuracy.

## SPECIAL MEASURES FOR ARABIC SUPPORT

gTTS for Arabic TTS

- Provides clear, fast, and reliable Arabic narration.
- Chosen over MBZUAI/speecht5\_tts\_clartts\_ar due to issues with pronunciation, silence periods, and slower performance.

Language Detection

Automatically detects if the input is in English or Arabic.

**RTL Text Display** 

Helsinki-NLP/opus-mt-ar-en and opus-mt-en-ar are used to translate between Arabic and English, ensuring seamless handling of multilingual input and output. This allows users to interact in either language and receive content in their preferred language.

RTL Text Display

Ensures that Arabic text is presented clearly in a right-to-left (RTL) format, improving readability for Arabic-speaking users.

#### PREVIOUS WORK

# CV to Job Description Matching Project

This project aims to help job seekers by matching their CVs to job descriptions from major companies using semantic similarity. By analyzing the text content of the CV, the system identifies and presents the top three job descriptions that best match the provided CV. Additionally, it provides translations for CVs that are not in English, as well as the corresponding job descriptions.

#### 'Match CV to Job Description

Upload your CV to find the top 3 job descriptions that match from the available companies using semantic similarity.

CV Text

Data Analyst with over 5 years of experience in analyzing large datasets to uncover trends and insights. Proficient in SQL, Python, and data visualization tools like Power BI and Tableau. Strong background in statistical analysis and predictive modeling.

Clear

Submit

Company: Amazon


Job Description: The Data Analyst will analyze large datasets to uncover trends, patterns, and insights. Proficiency in SQL, Python, and data visualization tools like PowerBI or Tableau is required.

Company: Facebook

Job Description: Al Research Scientist with expertise in machine learning, deep learning, and natural language processing (NLP). Experience with TensorFlow, PyTorch, and data-driven research.

Company: Google

Job Description: We are looking for a Senior Software Engineer with extensive experience in Python, Java, and cloud computing. The candidate should have experience working in an Agile environment and a deep understanding of machine learning.



 $\rightarrow$ 

## PREVIOUS WORK

#### Models

# Load the Hugging Face model for semantic similarity and translation model
model = SentenceTransformer('sentence-transformers/all-MiniLM-L6-v2')
translator = pipeline(task="translation", model="facebook/nllb-200-distilled-600M")



#### PREVIOUS WORK

#### Main Function

```
# Function to find top 3 job descriptions matching the CV to job descriptions
def find_top_matches(cv_text):
    if not cv_text:
        return "Error: CV is empty", None
    # Translate CV to english if not in english
    cv text, detected lang = translate to english(cv text)
    # Get job descriptions from the DataFrame as list
    descriptions = df['Job_Description'].tolist()
    # Encode both the CV and job descriptions to calcuate cosine similarities
    descriptions embeddings = model.encode(descriptions, convert to tensor=True)
    cv embedding = model.encode([cv text], convert to tensor=True)
    similarities = util.pytorch_cos_sim(cv_embedding, descriptions_embeddings)[0]
    # Get the top 3 matches based on similarity scores
    top 3 indices = similarities.argsort(descending=True)[:3] # Get the indices of the to
    top 3 matches = df.iloc[top 3 indices]
    top_3_similarities = similarities[top_3_indices].numpy()
```

```
#create vertical bar of top 3 match jobs to cv
plt.bar(top_3_matches['Company'], top_3_similarities, color='skyblue')
plt.ylabel('Similarity Score')
plt.xlabel('Company')
plt.title('Top 3 Job Description Matches')
# Create a detailed summary for the top 3 job descriptions
job summaries = ""
for _, row in top_3_matches.iterrows():
   # Translate job description if the detected language is not English
   job_desc_translated = translate_job_description_if_needed(row['Job_Description'], detected_lang)
   if detected lang == 'arb Arab':
        # Use dir="rtl" for right-to-left languages
        job_summaries += f'<div dir="rtl"><strong>الشركة(/strong>: {row["Company"]} <br>'
        job_summaries += f'<strong> (وصف الوظيفة</strong> {job_desc_translated}<br></div>'
    else:
        # Normal left-to-right display
       job summaries += f"<strong>Company:</strong> {row['Company']}<br>"
        job_summaries += f"<strong>Job Description :</strong> {job_desc_translated}<br>><br>>"
return job_summaries, plt
```

## PROJECT LINKS

# GADAH AlMUIKEL's LINKS

GitHub Repository:

https://github.com/GadahAlmuaikel/ArtVoice\_Tour

Hugging Face Space:

https://huggingface.co/spaces/ghadaAlmuaikel/ArtVoice\_Tour

# LUBNA AlHammadims LINKS

GitHub Repository:

<u>https://github.com/Lubna-</u> Alhammadi/ArtVoice-Tour

Hugging Face Space:

https://huggingface.co/spaces/Lubna25/Art
Voice\_Tour