

EcoStruxure Value Advisor

Schneider Electric — Singapore Emissions-to-Dollar Calculator

Monee (Sea Ltd Digital Financial Services HQ) — Singapore HQ

Singapore Headquarters — Sustainability & Cost-Savings Illustration

Generated 27 September 2026 · Calculator data version 2.4.0 · Prepared as a demonstration illustration, not a signed quotation.

Executive summary

What matters	Figure
Current annual electricity bill	S\$853,804 (2,675,664 kWh/year, estimated)
Current Scope 1 + 2 emissions	1,076 tCO₂e (Scope 1 = 0, not modelled — see below)
Recommended illustrative investment	S\$350,000
Expected saving, Year 1	S\$235,462
Expected saving, 10 years (cumulative range)	S\$1,870,011 – S\$3,286,479
Payback period	1.5 years
Recommended first step	LED lighting retrofit — 0.2 yr payback, S\$4,803/month

Confidence: Low (public-data estimate, not a metered bill) — see “Your Scope 1, 2 & 3 estimates used” and “Limitations” below for exactly what that means and why.

About this report

Prepared for Monee from public information about your Singapore headquarters, run through the same EcoStruxure Value Advisor calculation engine a Schneider advisor would use with your own metered data. It exists to show what the tool can do for your organisation specifically — not to claim knowledge of your actual energy bills, which Schneider does not have access to.

Two categories of number appear below:

- Company facts (address, sector, floor area, building certification) — each cited to a public source.
- Calculator outputs (emissions, cost, savings, payback) — computed by the tool from those facts, using Singapore-specific data (EMA grid factor, SP Group tariff, NEA carbon tax schedule) already built into

the calculator.

Because no metered electricity bill is publicly available, the calculator estimated your electricity use from floor area × your sector's average energy intensity — its standard fallback for exactly this situation. That's why every figure below carries a “Low” confidence rating: it's a rough, defensible illustration, not a substitute for your own data. Confidence sharpens automatically once real kWh figures are entered.

Your Scope 1, 2 & 3 estimates used

Before any results below: this is exactly what was assumed to produce them, in plain terms.

Category	What was assumed	Basis
Scope 2 — Electricity use	Estimated 2,675,664 kWh/year = floor area (18,581 m²) × Office/Professional Services sector-average intensity (144 kWh/m²/yr)	Calculator's built-in floor-area fallback — no metered electricity bill is publicly available for this site
Scope 2 — Grid emission factor	0.402 kg CO ₂ /kWh	EMA Singapore, Grid Emission Factor 2024
Scope 1 — Fuel, vehicle fleet, backup generators	Assumed zero — not modelled	No public data on Monee's onsite fuel use, company vehicles, or backup generators at this site; left blank rather than guessed
Scope 1 — Refrigerants (fugitive emissions)	Assumed zero — not modelled	No public data on refrigerant type or annual top-up volume for this site's ACMV systems; left blank rather than guessed
Scope 3 — Commuting headcount	1,200 employees (same estimated headcount as Company snapshot)	Sea Ltd / TNGlobal / HR Online coverage of the Monee HQ opening — see Company snapshot
Scope 3 — Commuting distance & mode	15 km one-way (Singapore average) × 2 (round trip) × 250 working days/year × 0.107 kg CO ₂ e/km — the calculator's default blended rate (50% public transport at 0.044 kg/km, 50% private car at 0.17 kg/km), not a Monee-specific mode split	Calculator default (data/scope3_factors.json): distance/working-days per PRD spec; car factor DEFRA-matched, public-transport factor SMRT/LTA-derived
Scope 3 — Result	1,200 × 30 km × 250 days × 0.107 kg/km = 963.0 tCO ₂ e/year	Calculated by the formula above — not a separate assumption

Company snapshot

Field	Value	Source
Address	Rochester Commons, one-north, Singapore	CapitaLand; Fintech Singapore / Sea Ltd press coverage of the May 2025 HQ opening

Field	Value	Source
Sector classification	Office/Professional Services	Digital financial services (fintech) — mobile wallet, payments, credit, banking, insurtech
Floor area	18,581 m ² (200,000+ sq ft, 10 floors)	Sea Ltd / Vulcan Post / Fintech Singapore coverage of the Rochester Commons HQ
Headcount at this HQ	~1,200 (1,000+ initially, capacity up to 1,500)	Sea Ltd / TNGlobal / HR Online coverage of the Monee HQ opening
Building certification	BCA Green Mark Platinum	CapitaLand Rochester Commons — highest tier of Singapore's green building rating system

Your current footprint & cost, as modelled

Metric	Value
Scope 1 (direct — fuel, fleet, refrigerants)	0 tCO ₂ e — not modelled: no public data on this site's fuel, vehicles, generators, or refrigerants (see “Your Scope 1, 2 & 3 estimates used” above). This is not a claim of zero real emissions.
Scope 2 (electricity, location-based)	1,076 tCO ₂ e
Total Scope 1 + 2	1,076 tCO ₂ e
Scope 3: employee commuting (estimated) — context only, not monetised	963 tCO ₂ e
Current annual electricity cost	S\$853,804
Energy intensity	144 kWh/m ² /year (sector: best 111, average 144, poor 182)

Your modelled energy intensity lands at the sector average (144 kWh/m²/year) — a direct mathematical consequence of estimating usage from the sector average itself, not a claim about your real efficiency. Your actual position could be meaningfully better or worse once real data replaces this estimate. No renewable electricity coverage (on-site solar, REC, or PPA) was entered, so location-based and market-based Scope 2 are identical here.

What you're already saving

No specific Energy Conservation Measures were marked as “already implemented” in this illustration — that information isn't publicly available, so nothing has been assumed or credited.

Rochester Commons already holds BCA Green Mark Platinum — Singapore's highest green-building tier, reflecting efficient chiller/AC systems and intelligent lighting control at the building level. As a tenant in this multi-tenant, landlord-managed building, Monee doesn't control base-building plant such as the central chiller system — so the savings rate and \$ figures above already exclude chiller-plant measures (shown for reference only in the full breakdown table below, flagged as landlord-controlled). What's shown as “potential savings” reflects only the tenant-actionable opportunity — lighting, plug loads, and controls within Monee's own floors — on top of an already efficient building shell.

What you could potentially save

The 28% figure below is not a black box — it's the combined, diminishing-returns-adjusted effect of these 7 specific catalog measures that Monee can act on directly as a tenant (full detail, cost, and payback for each is in the “Full Energy Conservation Measure breakdown” table right after this one):

Variable-speed drives on HVAC fans & pumps; BMS-based scheduling & setpoint optimization; High-efficiency EC/DC fan motor retrofit; Plug load management (smart strips, PC power management); LED lighting retrofit; Occupancy sensors & daylight harvesting controls; Sub-metering & power-quality monitoring.

Metric	Value
Bottom-up energy saving rate	28% — see the 7 measures listed above and detailed below
Monthly \$ saved (range)	S\$14,232 – S\$25,012
Year-1 \$ saved (mid-point)	S\$235,462
10-year cumulative financial benefit (range)	S\$1,870,011 – S\$3,286,479
Illustrative payback period	1.5 years, against an illustrative S\$350,000 investment (see Limitations)
Rough investment range implied by these 7 measures	S\$65,000 – S\$260,000

Top 3 recommended measures

Ranked by payback (cost ÷ annual saving) — least effort, most gain first.

Measure	Monthly \$ saved	Payback	Cost range
LED lighting retrofit	S\$4,803	0.2 yr	S\$5,000–S\$20,000
BMS-based scheduling & setpoint optimization	S\$2,846	0.4 yr	S\$5,000–S\$20,000
Plug load management (smart strips, PC power management)	S\$2,668	0.4 yr	S\$5,000–S\$20,000

Full Energy Conservation Measure breakdown

Every catalog measure relevant to your sector that isn't marked implemented — 10 in total.

Measure	Building area	\$/year saved	Payback
Variable-speed drives on HVAC fans & pumps	HVAC / space cooling	S\$68,304	0.7 yr

Measure	Building area	\$/year saved	Payback
BMS-based scheduling & setpoint optimization	HVAC / space cooling	S\$34,152	0.4 yr
High-efficiency chiller plant replacement (landlord-controlled)	HVAC / space cooling	S\$85,380	2.2 yr
Chiller plant optimization (sequencing, condenser water reset) (landlord-controlled)	HVAC / space cooling	S\$39,275	1.3 yr
High-efficiency EC/DC fan motor retrofit	HVAC / space cooling	S\$39,275	1.3 yr
Compressor / plant room ventilation & exhaust upgrade (landlord-controlled)	HVAC / space cooling	S\$18,784	0.7 yr
Plug load management (smart strips, PC power management)	Plug loads / office equipment	S\$32,018	0.4 yr
LED lighting retrofit	Lighting	S\$57,632	0.2 yr
Occupancy sensors & daylight harvesting controls	Lighting	S\$25,614	0.5 yr
Sub-metering & power-quality monitoring	Other / miscellaneous	S\$12,807	1.0 yr

3 of the measures above are landlord-controlled base-building plant — High-efficiency chiller plant replacement, Chiller plant optimization (sequencing, condenser water reset), Compressor / plant room ventilation & exhaust upgrade. As a tenant, Monee doesn't control this equipment, so these rows are shown for reference only and are excluded from the headline savings rate, the \$ figures above, and the reconciliation note below.

Note — these rows won't sum to the headline figure, on purpose: Summing just the 7 tenant-actionable rows above (excluding the 3 landlord-controlled rows already flagged above) gives S\$269,802/year — about 15% higher than the Year-1 mid-point figure stated earlier. That's expected, not an error: each row is that measure's saving computed on its own, while the headline % and \$ figures use the calculator's proper combination across measures that share the same building area (e.g. several HVAC measures together don't each deliver their full saving independently — diminishing returns apply). Use this table to compare and prioritise individual measures, not to be added into a combined total.

Benchmark position

Sector: Office/Professional Services. Best-in-class 111 kWh/m²/yr — sector average 144 — poor 182.

(Source: BCA Building Energy Benchmarking Report, go.gov.sg/bca-bebr-data.)

Proof this is achievable — a real Schneider deployment, for reference

JLL Asia-Pacific HQ, Singapore: Deployed Schneider Electric's building energy management measures across its Singapore office HQ and cut energy use by 30%.

Not necessarily at your exact position on the curve above — shown to demonstrate real, achievable results, not as a direct comparison point.

Regulatory exposure check

Not a direct carbon taxpayer in this illustration. Singapore's carbon tax (Carbon Pricing Act) applies only to facilities with ≥25,000 tCO₂e/year of direct (Scope 1) emissions — about 50 large industrial sites nationally. Your only exposure is a small pass-through already reflected in the electricity tariff used above, so no separate carbon-tax saving line is shown.

Assumptions & data sources

This table is the calculator's own raw assumptions output, unedited.

Assumption	Value	Source
Grid Emission Factor	0.402 kg CO ₂ /kWh	EMA Singapore, Grid Emission Factor 2024
Electricity Tariff	S\$0.3191/kWh	SP Group 2026-Q3
Carbon tax liability	Not a direct taxpayer (pass-through only)	NEA Carbon Pricing Act — direct (Scope 1) emitters only, ~50 facilities nationally
Legislated rate (2026–2027)	S\$45 per tCO ₂ e	NEA / MSE Singapore
Indicative rate (2030, base scenario)	S\$65 per tCO ₂ e	NEA / MSE Singapore — indicative, not yet legislated
Energy saving applied	28% (bottom-up from remaining tenant-actionable ECMs, excluding landlord-controlled base-building plant)	Schneider Electric ECM catalog, net of measures already implemented and base-building plant Monee doesn't control as a tenant
Scope 3 method	Spend/activity-based, quantified only, not monetised	DEFRA 2026 GHG Conversion Factors; US EPA EEIO v2.0
Energy end-use breakdown	Sector-typical split (Office/Professional Services)	International/market-survey composite — no Singapore-specific end-use metering study found

"Energy saving applied" above is the same 28% from the same 7 measures named earlier in "What you could potentially save" and detailed in "Full Energy Conservation Measure breakdown."

Summary

Monee, Sea Ltd's digital financial services HQ, occupies an estimated 18,581m² across 10 floors at Rochester Commons, Singapore. Modelled emissions are approximately 1,076 tCO₂e/year across Scope 1 and 2. Implementing the tenant-actionable measures identified below — lighting, plug loads, and HVAC controls, excluding base-building plant that Monee as a tenant doesn't control — this illustration estimates a saving of approximately S\$235,462 per year on energy costs. Rochester Commons already holds BCA Green Mark Platinum, but the potential shown here represents the further-opportunity envelope beyond that certification, not a claim that nothing further is possible. Over 10 years, the

cumulative financial benefit is estimated at S\$1,870,011 to S\$3,286,479, against an illustrative S\$350,000 investment, for a payback of approximately 1.5 years. The Scope 3 footprint of ~963 tCO₂e/year is identified but not included in the financial saving.

Limitations of this illustration

In the interest of being fully transparent about what this document is and isn't:

- **The ECM breakdown table doesn't sum to the headline figure, on purpose.** Summing just the 7 tenant-actionable rows gives S\$269,802 — about 15% above the Year-1 saving stated earlier. Each row is that measure's saving computed independently; the headline figure properly discounts for measures that share the same building area (e.g. several HVAC measures) so it doesn't double-count overlapping savings. This is a structural property of how the calculator computes and displays these two figures, not specific to this report.
- **Base-building plant measures are shown but excluded from the headline.** As a tenant, Monee doesn't control the building's central chiller plant, so high-efficiency chiller plant replacement, chiller plant optimization (sequencing, condenser water reset), compressor / plant room ventilation & exhaust upgrade are listed in the full breakdown table for completeness but aren't counted in the savings rate, \$ figures, or payback above. Pursuing those would require the landlord's own capital plan, not a change Monee can make unilaterally as a tenant.
- **Scope 1 is shown as 0 tCO₂e** because no public data exists on this site's fuel use, company vehicles, backup generators, or refrigerants — it was left unmodelled rather than guessed. This is *not* a claim that your real direct emissions are zero; a real HQ of this size almost certainly has some (backup generator testing, refrigerant top-ups, etc.).
- **Confidence is rated Low** for every figure in this report, which in the calculator's own terms means a $\pm 27.5\%$ range around every \$ and tCO₂e figure shown — reflecting that electricity use was estimated, not metered. This narrows automatically once real kWh data is entered.
- **Cost figures are generic order-of-magnitude tiers** (e.g. S\$5,000–20,000 for a “low” cost measure), applied uniformly across the whole measure catalog — not a site-specific quote for your building.
- **The illustrative investment figure** (S\$350,000) used to compute the payback period above was chosen by us as a round placeholder within the range the selected measures imply — it is not sourced from, or confirmed by, your organisation.
- **This uses the calculator's single-site methodology** (its SME mode), chosen because this illustration covers one HQ site. The calculator also has a multi-site portfolio mode, which may produce a different picture if your Singapore operations span multiple sites or buildings.
- **Sector benchmark bands** (best-in-class / average / poor kWh/m²/yr) come from the BCA Building Energy Benchmarking Report (go.gov.sg/bca-bebr-data) for this sector; see “Benchmark position” above.
- **This illustration has no knowledge of measures you may have already implemented** beyond what's publicly disclosed above. If you've already retrofitted lighting, upgraded HVAC controls, or made other efficiency investments, those should be marked as implemented in the live tool — doing so would reduce the “potential savings” figures above (they'd move to “already saving” instead) and is a more accurate picture than this document alone.
- This is a calculator demonstration, not a professional energy audit. A Schneider advisor, working from your real utility bills and a site walkthrough, would produce a materially more precise version of every figure in this report.

Prepared by EcoStruxure Value Advisor for Schneider Electric. This illustration uses public information and the calculator's built-in Singapore reference data; it is not a quotation and does not represent knowledge of your actual metered energy use. A Schneider advisor can refine every figure above with your real utility bills, site audit findings, and confirmed implemented measures.