

From Local Actors to Leaf Protectors: A Collaborative Modeling Approach for Rethinking Tree Management and Protection Measures in Senegal's Groundnut Basin

E. Delay^{1,2,6*†}, L. Broutin^{1,2,4†}, A. Fallot^{1,2}, A. Perrotton³, A. Gonin⁴, and D. Masse⁵

¹CIRAD, UMR SENS, F-34398 Montpellier, France.

²SENS, CIRAD, IRD, Université de Paul Valéry Montpellier 3, Montpellier, France.

³Forêts et Sociétés, Univ Montpellier, CIRAD, Montpellier, France.

⁴Université Paris Nanterre, Laboratoire LAVUE, FR.

⁵IRD, Eco&Sols, Abidjan, Côte d'Ivoire.

⁶UMI UMMSCO, Université Cheick Anta Diop, Dakar, Sénégal.

*Address correspondence to: etienne.delay@cirad.fr

†These authors contributed equally to this work.

Abstract

How can a participatory simulation model contribute to understanding the socio-ecological dynamics and fostering innovative strategies for sustainable management of trees, crops, and pastoralism in the peanut basin?

In the agro-pastoral zones, the Sahelian ecosystems have undergone significant degradation, characterized by a reduction in tree cover, as a consequence of the droughts in the 1960s and 1990s. The peanut basin stands out for its positive interrelationships between trees, crops, and pastoralism. However, the regeneration of the *Faidherbia* park has declined since the major droughts. Through collaborative efforts with agro-pastoral farmers, we have developed a simulation model – The SAFIRE model : Simulation of Agents for Fertility, Integrated Energy, Food security, and Reforestation– that aims to unravel the complex social and ecological dynamics at play and explore potential strategies in partnership with local communities.

By exploring the results of the model co-designed with local stakeholders, we have identified more effective management strategies, as per the request of the local actors. However, more importantly, we have collectively questioned the conditions for improving tree cover and the viability of the socio-ecosystem, particularly in relation to the demand for firewood and local cereal for sustenance. This has prompted the stakeholders to engage in community-wide discussions and transform agro-pastoralists into leaf protectors.

1 Introduction

Your manuscript should contain all of the numbered sections specified in this template: Introduction, Results, Discussion, Materials and Methods.

The manuscript should start with a brief introduction that lays out the problem addressed by the research and describes the paper's importance. The scientific question being investigated should be described in detail. The introduction should provide sufficient background information to make the article understandable to readers in other disciplines and provide enough context to ensure that the implications of the experimental findings are clear.

2 Materials and Methods

2.1 Modelling for Empowerment - An Anthropological Approach to Participatory Model Co-construction

Collecte de données, par des ateliers et des entretiens mobiles

”mais en quoi l'expérience du voyage anthropologique propose t-elle de renouveler ou de recon-sidérer l'épistémologie du déplacement (de l'un vers l'autre) ? Par-delà la constitution des objets des sciences sociales, ethnies, cultures, sociétés, en quoi le voyage du sujet est-il progressivement devenu vecteur de la réflexion théorique, et parabole du jet ? ”

2.2 ODD

Dans cette section nous allons décrire le modèle The SAFIRE model (Simulation of Agents for Fertility, Integrated Energy, Food security, and Reforestation) en utilisant le framework de description ODD [1-3].

2.2.1 Overview

Purpose

The objective of this study was co-defined with the participants based on their desire to restore trees and biodiversity. According to their perspective, the decline in tree population is strongly linked to individual practices associated with pastoralism. Thus, the aim was to reassess the functioning of their system, the role of "tree cutters," and the optimization of surveillance by comparing community-based surveillance efforts with centralized surveillance conducted by them and the forestry department.

Throughout the study, we also examined the role of farmers and agro-pastoralists in the disappearance of trees. It was observed that young tree seedlings are no longer marked and destroyed by animal-drawn tools.

State variables and scales

65 **Process overview and scheduling**

66 **2.2.2 Design Concepts**

67 **Basic principles Objectives Emergence Sensing Interaction Stochasticity Observation**

68 **2.2.3 Details**

69 **Initialization Input data Submodels**

70 **2.3 Statistical Analysis and Companion Modeling**

71 On va parler de ComMod, de viabilité et de la manière dont on questionne les deux

72 **2.3.1 Sensitivity analysis : saltelli method**

73 Sensitivity analysis comprises a range of techniques that assess how a model responds to variations
74 in its input parameters. These statistical methods aim to quantify the extent to which changes in the
75 inputs influence the variability observed in the outputs. In accordance with the definition provided
76 by Saltelli et al. (2008)[4], sensitivity analysis determines the "relative importance of each input in
77 determining [output] variability." Consequently, these methods often yield a ranking or ordering of
78 the inputs based on their respective sensitivity levels.

79

80 **2.3.2 Pattern Space Exploration (PSE)**

81 The PSE [5] method, based on genetic algorithm, is specifically designed to comprehensively cover
82 the output space, resulting in its maximum score in output exploration – e.g. "explore the output's
83 diversity of a model"¹. By exploring the output space, the PSE method uncovers new patterns,
84 providing insights into the model's sensitivity by examining the corresponding input values. Unlike
85 calibration-based methods, PSE's effectiveness is influenced by the dimensionality of the output
86 space, as it keeps a record of all the covered locations during exploration. This can become costly
87 when dealing with more than three or four dimensions.

88 In addition, the PSE method usually takes stochasticity into account by estimating selected
89 models using the median of multiple output values obtained from model runs. For our purposes,
90 and as we are in a situation where the results need to be discussed with stakeholders, we have chosen
91 to focus not on the median, but on the last decile. This means that simulations are retained if more
92 than 90% of the results converge towards the identified output.

93 **3 Results**

94 L'analyse de saltelli nous permet de comparer deux scénarios de surveillance, ce qui nous permet
95 d'identifier les phénomènes de réarrangement de variables qui s'opère quand on change de régime

¹<https://openmole.org/PSE.html>, consulté le 5 juin 2023

	om_trees	om_stockMil
probaDiscu	0.59	0.72
fréquenceRéu	0.23	0.30
tpsAuChamp	0.29	0.16
probaDenonce	0.25	0.12
nbProTGMax	0.33	0.10
qPrésenceBrousse	0.11	0.04

Table 1: Saltelli sensitivity analysis when surveillance is delegated to the community

de surveillance.

Suite a cela nous avons pratiqué un PSE (Patern Space exploration) pour identifier les simulations qui, dans le contexte d’une surveillance communautaire, permettent d’augmenter le nombre d’arbres. On fait face ici à un processus non linéaire avec une augmentation de la fertilité corrélé à une augmentation du nombre d’arbres.

3.1 Sensibilité - Saltelli

Nous avons pratiqué deux fois la même analyse sur des scénarios de simulation différents. Nous avons dans un premier temps effectué une analyse sur le système de surveillance communautaire. La seconde analyse transfère la charge du travail sur une surveillance dédiée pour mimer le fonctionnement de la surveillance par les agents des eaux et forêt.

Confronter ces deux analyses nous permet d’évaluer l’influence d’un changement de pratique sur le fonctionnement du système pour bien situer les changements structuraux qu’ils induisent.

3.1.1 Surveillances communautaire

Dans un scénario de surveillance communautaire, l’analyse de sensibilité globale montre que la probabilité de discussion de l’intérêt des arbres joue un rôle extrêmement important aussi bien sur la production en mil (0.72) que sur le nombre total d’arbre (0.59) en fin de simulation (c.f. table 1).

La fréquence des réunions de sensibilisation au bénéfice de l’arbre, joue un rôle – bien que plus limité – sur la quantité d’arbre (0.23), et sur la production de mil (0.30). Dans la même proportion le temps passé au champs a aussi un effet sur le nombre d’arbres (0.29), et sur la production de mil (0.16).

Enfin de la probabilité de dénoncé un coupeur d’arbre quand on le voit à un impacte sur le nombre d’arbre (0.25), mais moins la production de mil (0.12).

La présence en brousse n’a que peu d’importance sur le nombre d’arbre et sur la production de mil.

125 3.1.2 Surveillances par les eaux et forêts

126 Dans un scénario dans lequel la surveillance est effectuée par un agent des eaux et forêts la dynamique
127 change un peu. Dans la mesure où cette surveillance n'est plus faite par la population, la

128 3.2 Pattern Space exploration

129 L'algorithme de PSE demande à discrétiser l'espace des sorties de modèles. Son objectif est alors de
130 cribler la diversité de cet espace des sorties. Nous avons paramétré l'objectif pour qu'il ne conserve
131 comme pertinent que les résultats qui sont atteints dans 95% des cas de la simulation. Les paramètres
132 d'entrée – XXXX – sont laissés libres pour permettre la recherche.

133

134 tpsAuChamp in (0.0, 100.0), qPrésenceBrousse in (0.0, 1.0), fréquenceRéu in (1.0, 10.0), probaDe-
135 nonce in (0.0, 100.0), probaDiscu in (1.0, 100.0), nbProTGMax in (5.0, 50.0)

136 Sur la figure 1 on a filtré les résultats qui ont été atteints plus de 4 fois par le modèle pour se
137 concentrer sur les situations les plus probables. On constate qu'il y a une relation négative entre la
138 production de mil et la production de bois de chauffage.




Figure 1: Résultat de 33600 évolutions de l'algorithme PSE. Chaque point est un résultat dans l'espace des sorties. La couleur met en évidence le nombre de jeunes pousses protégé par les agriculteurs, et la taille des points donne une idée de la "facilité" pour le modèle à atteindre cet espace. Plus un point est gros, plus le modèle arrive à l'atteindre.

139 Viabilité du système

140 4 Discussion

141 Include a Discussion that summarizes (but does not merely repeat) your conclusions and elaborates
142 on their implications. There should be a paragraph outlining the limitations of your results and

143 interpretation, as well as a discussion of the steps that need to be taken for the findings to be
144 applied. Please avoid claims of priority.

145 **Acknowledgments**

146 **General**

147 We warmly thank the residents of Diohine for their hospitality, with special thanks to: Aissatou
148 Faye, Robert Diatte, Pierre Faye, Paul Sene, Ameth Paul Thiaw, Assane Diouf, Guedj Diouf, Nicolas
149 Diouf, Ablaye Faye, Idrissa Faye, Maire-Hélène Ndjira Diouf, Seynabou Gakou, Joseph Sene, Ndeye
150 Thiamal.

151 **Author Contributions**

152 Describe contributions of each author to the paper, using the first initial and full last name.

153 “L. Broutin conceived the model and realize interviews.”

154 “E. Delay and L. Broutin animate multi-actor focus groups.”

155 “E. Delay conducte the HPC exploration.”

156 “E. Delay and L. Broutin realize the first draft of this manuscript.”

157 “All authors contributed equally to 2nd version of the manuscript.”

158 **Funding**

159 This work is part of the research and development project DSCATT (Dynamics of Soil Carbon
160 Sequestration in Tropical and Temperate Agricultural Systems, <https://dscatt.net/FR/index.html>)
161 co-funded by Agropolis Fondation [reference ID 1802-001] through the ”Investissements d’avenir”
162 program Labex Agro [ANR-10-LABX-0001-01] within the framework of I-SITE MUSE [ANR-16-
163 IDEX-0006] and supported by the TOTAL Energies Foundation.

164 **Conflicts of Interest**

165 The author(s) declare(s) that there is no conflict of interest regarding the publication of this article.

166 **Data Availability**

167 A data availability statement is compulsory for all research articles. This statement describes
168 whether and how others can access the data supporting the findings of the paper, including 1)
169 what the nature of the data is, 2) where the data can be accessed, and 3) any restrictions on data
170 access and why.

171 If data are in an archive, include the accession number or a placeholder for it. Also include any
172 materials that must be obtained through a Material Transfer Agreements (MTA).

Supplementary Materials

Describe any supplementary materials submitted with the manuscript (e.g., audio files, video clips or datasets).

Please group supplementary materials in the following order: materials and methods, figures, tables, and other files (such as movies, data, interactive images, or database files).

Example: Fig. S1. Title of the first supplementary figure.

Fig. S2. Title of the second supplementary figure.

Table S1. Title of the first supplementary table.

Data file S1. Title of the first supplementary data file.

Movie S1. Title of the first supplementary movie.

Be sure to submit all supplementary materials with the manuscript and remember to reference the supplementary materials at appropriate points within the manuscript. We recommend citing specific items, rather than referring to the supplementary materials in general, for example: “See Figures S1-S10 in the Supplementary Material for comprehensive image analysis.”

A link to access the supplementary materials will be provided in the published article.

Supplementary Materials may include additional author notes—for example, a list of group authors.

Guidelines for References

There is only one reference list for all sources cited in the main text, figure and table legends, and Supplementary Materials. Do not include a second reference list in the Supplementary Materials section. Include references cited only in the Supplementary Materials at the end of the reference section of the main text; reference numbering should continue as if the Supplementary Materials are a continuation of the main text. References cited only in the Supplementary Materials section are not counted toward length guidelines.

Authors are responsible for ensuring that the information in each reference is complete and accurate.

DOIs, if available, should be included for each reference.

Please do not include any extraneous language such as explanatory notes as part of a reference to a given source. The Journal of Remote Sensing prefers that manuscripts do not include end notes; if information is important enough to include, please put into main text. If you need to include notes, please explain why they are needed in your cover letter to the editor.

References

1. Grimm V, Berger U, Bastiansen F, et al. A standard protocol for describing individual-based and agent-based models. *Ecological Modelling* 2006;198:115–26.

- 207 2. Grimm V, Berger U, DeAngelis D, Polhill J, Giske J, and Railsback S. The ODD protocol:A
208 review and first update. *Ecological Modelling* 2010;221:2760–8.
- 209 3. Grimm V, Railsback SF, Vincenot CE, et al. The ODD Protocol for Describing Agent-Based
210 and Other Simulation Models: A Second Update to Improve Clarity, Replication, and Structural
211 Realism. *Journal of Artificial Societies and Social Simulation* 2020;23:7.
- 212 4. Saltelli A, ed. *Global sensitivity analysis: the primer*. OCLC: ocn180852094. Chichester, England
213 ; Hoboken, NJ: John Wiley, 2008.
- 214 5. Chérel G, Cottineau C, and Reuillon R. Beyond Corroboration: Strengthening Model Valid-
215 ation by Looking for Unexpected Patterns. *PLOS ONE* 2015;10. Publisher: Public Library of
216 Science:e0138212.