

LeRobot MCP

Team 211: Manual Override

Mikhail Andreev (Zillow)

Sloan Zammouri (ANYbotics)

Matteo Wohlrapp (Technical University of Munich)

Denis Grachev (Technical University of Munich)

Luca Wiehe (Technical University of Munich)

Daniel Korth (Technical University of Munich)

“Fold the T-Shirt”



Claude

1 Get Workspace

Robot 1

Robot 2

2.1 Grasp Left Corner

2.2 Grasp Right Corner

3.1 Move Corner

3.2 Support from Bottom

4.1 Release

get_robot_config()

get_workspace_image()
← 

grasp(object)

lift(object)

move(object, target)


release(object)

act(instruction)


LeRobot MCP



Smoivla



- 1 Real-time data sources
- 2 Divide-and-conquer: SOTA reasoning capabilities
- 3 Parallelism for any number of robots
- 4 Preservation of VLA capabilities



- 1 Real-time data sources**
- 2 Divide-and-conquer: SOTA reasoning capabilities**
- 3 Parallelism for any number of robots**
- 4 Preservation of VLA capabilities**

Use Cases




Household Assistant

- 1 Compatible MCP: Calendar
- 2 Examples: Decide when to iron a shirt; put sth to closet or laundry?



Lab Assistant

- 1 Compatible MCPs: Temperature Data, Calendar
- 2 Examples: Sample ready for analysis? Move to cooler?




Assembly Worker

- 1 Compatible MCPs: Calendar, Excel, Measurements
- 2 Examples: Refinement for previous assembly step? Most important attribute for customer? Deadlines?



No VLA retraining required to incorporate live data and reasoning

LeRobot MCP



- 1 Real-time data sources
- 2 Divide-and-conquer: SOTA reasoning capabilities
- 3 Parallelism for any number of robots
- 4 Preservation of VLA capabilities