

```
In [9]: import pandas as pd

platzierung = pd.read_csv("platzierungen.csv")

platzierung_gefiltert = platzierung[platzierung["Jahr"] != 1956]
```

```
In [10]: anzahl_teilnehmer_csv = pd.read_csv("anzahl_teilnehmer.csv")

df = platzierung_gefiltert.merge(
    anzahl_teilnehmer_csv,
    on = "Jahr",
    how = "inner"
)

df["Platzierung_prozent"] = (1 - (df["Platzierung"] - 1) /
(df["Teilnehmer"] - 1)) * 100

print(df[["Jahr", "Platzierung_prozent"]])
```

|      | Jahr | Platzierung_prozent |
|------|------|---------------------|
| 0    | 1957 | 22.222222           |
| 1    | 1957 | 66.666667           |
| 2    | 1957 | 33.333333           |
| 3    | 1957 | 44.444444           |
| 4    | 1957 | 0.000000            |
| ...  | ...  | ...                 |
| 1456 | 2026 | 25.000000           |
| 1457 | 2026 | 83.333333           |
| 1458 | 2026 | 45.833333           |
| 1459 | 2026 | 91.666667           |
| 1460 | 2026 | 4.166667            |

[1461 rows x 2 columns]

```
In [11]: from sklearn.linear_model import LinearRegression
import matplotlib.pyplot as plt

letzte_3_jahre = [2024, 2025, 2026]

laender_letzte_3_jahre = df[
    df["Jahr"].isin(letzte_3_jahre)
]["Land"].unique()

plt.figure(figsize=(14, 8))

for land in laender_letzte_3_jahre:

    land_df = df[df["Land"] == land]

    if len(land_df) < 2:
        continue


    x = land_df[["Jahr"]]
    y = land_df["Platzierung_prozent"]

    modell = LinearRegression()
    modell.fit(x, y)

    y_pred = modell.predict(x)

    plt.plot(
        land_df["Jahr"],
        y_pred,
        label=land,
        linewidth=1
    )

plt.xlabel("Jahr")
plt.ylabel("Platzierung in %")
plt.title("Regressionsgerade pro Land mit Teilnahme in den letzten 3
Jahren")
plt.grid()
plt.legend(bbox_to_anchor=(1.05, 1), loc="upper left")
plt.show()
```



```

In [12]: vorhersagen = []

letzte_3_jahre = [2024, 2025, 2026]

laender_letzte_3_jahre = df[
    df["Jahr"].isin(letzte_3_jahre)
]["Land"].unique()

for land in laender_letzte_3_jahre:

    land_df = df[df["Land"] == land]

    if len(land_df) < 2:
        continue

    x = land_df[["Jahr"]]
    y = land_df["Platzierung_prozent"]

    modell = LinearRegression()
    modell.fit(x, y)

    vorhersage_2027 = modell.predict([[2027]])[0]

    vorhersagen.append({
        "Land": land,
        "Vorhersage_2027": vorhersage_2027
    })

vorhersagen_df = pd.DataFrame(vorhersagen)

vorhersagen_df = vorhersagen_df.sort_values(
    "Vorhersage_2027",
    ascending=False
)

print(vorhersagen_df.to_string(index=False))

vorhersagen_df.to_csv(
    "vorhersagen_2027_teilgenommen_letzte_3_jahre.csv",
    index=False,
    encoding="utf-8-sig"
)

```

```

C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names

```

```
warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\skearn\uutils\validation.py:2749: UserWarning: X does not have valid feature names, but LinearRegression was fitted with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\skearn\uutils\validation.py:2749: UserWarning: X does not have valid feature names, but LinearRegression was fitted with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\skearn\uutils\validation.py:2749: UserWarning: X does not have valid feature names, but LinearRegression was fitted with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\skearn\uutils\validation.py:2749: UserWarning: X does not have valid feature names, but LinearRegression was fitted with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\skearn\uutils\validation.py:2749: UserWarning: X does not have valid feature names, but LinearRegression was fitted with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\skearn\uutils\validation.py:2749: UserWarning: X does not have valid feature names, but LinearRegression was fitted with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\skearn\uutils\validation.py:2749: UserWarning: X does not have valid feature names, but LinearRegression was fitted with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\skearn\uutils\validation.py:2749: UserWarning: X does not have valid feature names, but LinearRegression was fitted with feature names
    warnings.warn(
```

```
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
```

```
Python.3.11_qbz5n2kfra8p0\LocalCache\local-  
packages\Python311\site-  
packages\sklearn\utils\validation.py:2749: UserWarning: X does  
not have valid feature names, but LinearRegression was fitted  
with feature names  
    warnings.warn(  
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.  
Python.3.11_qbz5n2kfra8p0\LocalCache\local-  
packages\Python311\site-  
packages\sklearn\utils\validation.py:2749: UserWarning: X does  
not have valid feature names, but LinearRegression was fitted  
with feature names  
    warnings.warn(  
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.  
Python.3.11_qbz5n2kfra8p0\LocalCache\local-  
packages\Python311\site-  
packages\sklearn\utils\validation.py:2749: UserWarning: X does  
not have valid feature names, but LinearRegression was fitted  
with feature names  
    warnings.warn(  
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.  
Python.3.11_qbz5n2kfra8p0\LocalCache\local-  
packages\Python311\site-  
packages\sklearn\utils\validation.py:2749: UserWarning: X does  
not have valid feature names, but LinearRegression was fitted  
with feature names  
    warnings.warn(  
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.  
Python.3.11_qbz5n2kfra8p0\LocalCache\local-  
packages\Python311\site-  
packages\sklearn\utils\validation.py:2749: UserWarning: X does  
not have valid feature names, but LinearRegression was fitted  
with feature names  
    warnings.warn(  
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.  
Python.3.11_qbz5n2kfra8p0\LocalCache\local-  
packages\Python311\site-  
packages\sklearn\utils\validation.py:2749: UserWarning: X does  
not have valid feature names, but LinearRegression was fitted  
with feature names  
    warnings.warn(  
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.  
Python.3.11_qbz5n2kfra8p0\LocalCache\local-  
packages\Python311\site-  
packages\sklearn\utils\validation.py:2749: UserWarning: X does  
not have valid feature names, but LinearRegression was fitted  
with feature names  
    warnings.warn(  
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.  
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
```

```
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
    warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
```



```

packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
  warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
  warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
  warnings.warn(
C:\Users\bosse\AppData\Local\Packages\PythonSoftwareFoundation.
Python.3.11_qbz5n2kfra8p0\LocalCache\local-
packages\Python311\site-
packages\sklearn\utils\validation.py:2749: UserWarning: X does
not have valid feature names, but LinearRegression was fitted
with feature names
  warnings.warn(

```

| Land        | Vorhersage_2027 |
|-------------|-----------------|
| Italy       | 82.360921       |
| Bulgaria    | 80.862374       |
| Sweden      | 77.730798       |
| Ukraine     | 75.955465       |
| Romania     | 73.560662       |
| Moldova     | 66.198733       |
| Australia   | 63.851244       |
| Greece      | 63.366733       |
| Norway      | 57.751425       |
| Netherlands | 57.639950       |
| Denmark     | 56.566577       |
| Israel      | 56.213172       |
| Estonia     | 54.392704       |
| Malta       | 53.600217       |
| Lithuania   | 52.444549       |
| Belgium     | 50.606701       |
| Switzerland | 48.574683       |
| Latvia      | 47.324159       |
| Czechia     | 47.230769       |
| Croatia     | 46.716679       |
| Austria     | 45.210112       |
| Portugal    | 43.192382       |
| Albania     | 41.979201       |
| Iceland     | 41.546587       |
| Cyprus      | 40.405390       |
| Poland      | 39.403461       |
| Finland     | 38.595141       |
| Ireland     | 37.181958       |
| France      | 33.975624       |
| Armenia     | 33.718398       |

|                |           |
|----------------|-----------|
| Germany        | 30.410636 |
| Luxembourg     | 27.493692 |
| Spain          | 25.266620 |
| Serbia         | 23.949004 |
| Slovenia       | 21.715653 |
| United Kingdom | 16.809254 |
| Georgia        | 13.972708 |
| San Marino     | 7.569721  |

---

Exported with [runcell](#) — convert notebooks to HTML or PDF anytime at [runcell.dev](#).